























Product Brief

- Supports AM3+ Processor, 8-Core CPU
- Supports Dual Channel DDR3 1600
- Integrated NVIDIA® GeForce 7025 graphics, DX9.0 VGA,
 Pixel Shader 3.0
- 5.1 CH HD Audio (VIA® VT1705 Audio Codec)
- Supports ASRock XFast USB, XFast LAN Technologies
- Supports ASRock Instant Boot, Instant Flash, OC DNA, APP Charger, SmartView
- Free Bundle : CyberLink MediaEspresso 6.5 Trial +
 ASRock MAGIX Multimedia Suite


	www.doroem.com
Detail Specification	
Platform	- Micro ATX Form Factor: 8.5-in x 7.0-in, 21.6 cm x 17.8 cm
CPU	- Support for Socket AM3+ processors - Support for Socket AM3 processors: AMD Phenom™ II X6 / X4 / X3 / X2 (except 920 / 940) - Althion II X4 / X3 / X2 / Sempron processors - Supports 8-Core CPU - Supports UCC feature (Unlock CPU Core) - Supports AMD's Cool in 'Quiet Technology - FSB 1000 MHz (2.0 GT/s) - Supports United Overclocking Technology - Supports Hyper-Transport Technology
Chipset	- NVIDIA® GeForce 7025 / nForce 630a
Memory	Dual Channel DDR3 memory technology 2 x DDR3 DIMM slots Supports DDR3 1600/1333/1066/800 non-ECC, un-buffered memory Max. capacity of system memory: 8GB
Expansion Slot	- 1 x PCI Express x16 slot - 1 x PCI slot
Graphics	- Integrated NVIDIA* GeForce 7025 graphics - DX9.0 VGA, Pixel Shader 3.0 - Max. shared memory 256MB - Supports D-Sub with max. resolution up to 1920x1440 @ 60Hz
Audio	- 5.1 CH HD Audio (VIA* VT1705 Audio Codec)
LAN	- Realtek PHY RTL8201EL - Speed: 10/100 Ethernet - Supports Wake-On-LAN - Supports PXE
Rear Panel I/O	I/O Panel - 1 x PS/2 Mouse Port - 1 x PS/2 Mouse Port - 1 x PS/2 Keyboard Port - 1 x VGA Port - 4 x Ready-to-Use USB 2.0 Ports - 1 x RJ-45 LAN Port with LED (ACT/LINK LED and SPEED LED) - HD Audio Jack: Line in / Front Speaker / Microphone
Connector	- 4 x SATA2 3.0 Gb/s connectors, support RAID (RAID 0, RAID 1, RAID 0+1, RAID 5 and JBOD), NCQ and *140 Plug* (incidins - 1 x ATA133 IDE connector (supports 2 x IDE devices) - 1 x Print Port header - 1 x COM port header - CPU/Chassis FAN connector - 24 pin ATX power connector - 24 pin ATX power connector - Front panel audio connector - Front panel audio connector - 2 x USB 2.0 headers (support 4 USB 2.0 ports)
BIOS Feature	- 8Mb AMI Legal BIOS - Supports "Plug and Play" - ACPI 1.1 Compilance Wake Up Events - Supports Jumperfree - SMBIOS 2.3.1 Support - CPU, VCCM Voltage Multi-adjustment
Support CD	- Drivers, Utilities, AntiVirus Software (Trial Version), CyberLink MediaEspresso 6.5 Trial, ASRock Software Suite (CyberLink DVD Suite - OEM and Trial: Creative Sound Blaster X-Fi MB - Trial: ASRock MAGIX Multimedia Suite - OEM)
Unique Feature	- ASRock NC Tuner - ASRock Intelligent Energy Saver - ASRock Instant Boot - ASRock Instant Flash - ASRock CO DNA - ASRock CO DNA - ASRock SmartView - ASRock SmartView - ASRock SRast USB - ASRock XFast LNA - Hybrid Booster - CPU Frequency Stepless Control - ASRock V-COP - Boot Failure Guard (B.F.G.)
Hardware Monitor	- CPU Temperature Sensing - Chassis Temperature Sensing - CPU Fan Tachometer - Chassis Fan Tachometer - Chassis Fan Tachometer - CPU Quief Fan - Voltage Monitoring: +12V, +5V, +3.3V, Vcore
os	- Microsoft* Windows* 7 / 7 64-bit / Vista™ / Vista™ 64-bit / XP / XP 64-bit compliant
Certifications	- FCC, CE, WHQL
Accessories	- Quick Installation Guide, Support CD, I/O Shield - 2 x SATA data cables (optional)




XFast LAN Technology













XFast USB Technology

The world's fastest USB transfer speed.



USB 2.0 Benchmark








AM3+ 8-Core Processor Support

Supporting socket AM3+ and 8-Core CPU, this board is designed to build up the most powerful system and deliver the most demanding technology for advanced users. Just enjoy next generation computing with ASRock 8-Core CPU ready motherboard!



Cyberlink MediaEspresso 6.5 Trial

The fastest video media conversation software



MAGIX Multimedia Suite

The ultimate solutions to enhance your media experience. From music management, music creation, video editing to photo management. Simply do more with your media than you ever thought possible.



App Charger

The best Apple charge companion



SmartView

The smart start page for IE that combines your most visited web sites, history, Facebook friends and real-time newsfeed.



OC DNA

Save your OC settings as a profile and share with friends. Try OC DNA now!



Instant Boot

It takes only 3 to 4 seconds to boot up the system to Windows.



Instant Flash

Flash BIOS without having to enter operating systems like MS-DOS or Windows.



ASRock OC Tuner is a user-friendly and untied tool which allows you to guard your system by hardware monitor function and overclock your hardware devices to get the best system performance



