

ECOSYS FS-1035MFP/DP ECOSYS FS-1135MFP


















Born to be Extraordinary

Kyocera Mita is Extraordinary for


- Broad Range of Multifunctional Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA MITA strives to be a Company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA MITA succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low Total Cost of Ownership and, at the same time, improving environmental performance.

The best monochrome multifunctional printer for high level office productivity








PRODUCT

Born to be long-life with the ECOSYS Concept

Reduce operating costs with long life consumables



Handle up to 800 sheets with maximum 2 additional paper





Easy-to-view and easy-tonavigate LCD panel

Compile frequently use functions into one single press - 4 program keys



Document could be easily noticed by blackish blue output



ECOSYS FS-1035MFP/DP ECOSYS FS-1135MFP

SCAN

Convert business document to e-format by high speed color scan

Scan data directly into USB memory - Scan to USB

Send directly by email attachment Scan to Email

Store scanned data to FTP server-Scan to FTP

Save document into specific folder on a network PC - Scan to SMB



COPY & PRINT

Top class first copy time with only 6.9 seconds





6.9

Direct print from USB memory



The same of the sa

Network interface as standard

Save toner consumption and cost with Eco Print function

- Save cost by using less paper Print : Allow 25-in-1
- Copy: Allow 4-in-1





FΔX

Fast fax sending and receiving



Capable of sending and receiving fax on PC with network fax function



Set permission for fax-in and fax-out to registered numbers only

Prevent fax to wrong recipient for important documents

Fax broadcast up to 100 different destinations

SECURITY

Adopt IC Card to facilitate authentication management among departments



KMnet Viewer and Webbased Kyocera Command Center enable administrator to easily manage, monitor and edit the device settings on network remotely



Sophisticated network security as standard -SSL

-IPsec

Prevent improper access



Private Print Function** enables secure print jobs with password request at the device

**Expanded RAM Memory is required

KMnet Policy Manager (optional) enhances efficiency of authentication management and flexibility of simple "Follow-me Print" via the network simultaneously



Ecology

Registered under the Energy Star program for low energy consumption



Fulfilled the requirements of RoHS (Restriction of Hazardous Substances) set by the European Union.

NAWAS

Usage of lead-free parts, such as lead-free electric wire and lead-free solder

Only use parts which meet the requirement of environmental protection regulation

SO WAS

General Specifications		ECOSYS FS-1035MFP/DP	ECOSYS FS-1135MFP
Туре		Desktop	
Printing Method		Semiconductor Laser	
Main Function		Copy, Print, Scan	Copy, Print, Scan, Fax
Warm Up Time		20 seconds or less	
CPU		PowerPC 440/ 667 MHz	
Memory	NA CONTRACTOR OF THE CONTRACTO	Standard 256MB (Maximum 768MB: 256MB + 512MB)	
Paper Capacity	Standard	300 sheets (250 sheet cassette + 50 sheet MPT)	
	Maximum	800 sheets (Standard + 250 sheet PF-120 x 2)	
Paper Size	Cassette (Std.)	A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 to 216 x 297mm)	
	Cassette (Opt.)	A4, A5, B5, Letter, Legal, Custom (148 x 210 to 216 x 297mm)	
	MPT	A4, A5, A6, B5, Letter, Legal, Custom (70 x 148 to 216 x 356mm)	
	Duplex	A4, Letter, Legal, Folio, Oficio2	
Paper Weight	Cassette	60 to 120 g/m ²	
	MPT	60 to 220 g/m ²	
	Duplex	60 to 105 g/m ²	
	Document	Simplex Scan : !	
	Processor	Duplex Scan: 50 to 110 g/m ²	
Output Capacity		Max. 150 sheets face-down	
Duplex Unit		Duplex as standard	
Automatic Docur	ment Processor	Standard (Max. 50 sheet)	
Control Panel		5 lines LCD Panel	
Power Source		AC 220 – 240 V, 50/60 Hz	
Power	Printing/Copying	497.1W	501.7W
Consumption (Standard configuration)	Stand-by	79.6W	83.9W
	Sleep-mode	7.8W	10.6W
Noise (ISO7779/	Copying/ Printing	55dB(A)	
ISO9296)	Stand-by	30dB(A)	
Dimension (W x D x H) (Main Unit)		494mm x 430mm x 448mm	
Weight (Main Un	nit)	Approx	r. 18kg

Print Functions	ECOSYS FS-1035MFP/DP and ECOSYS FS-1135MFP
Print Speed (A4)	35 pages per minute
Time to First Print	7.0 seconds or less
Resolution	Fine 1200, Fast 1200, 600dpi, 300dpi
PDL	PRESCRIBE, PCL6(5e,XL), KPDL3 (PostScript 3 compatible), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PDF, XPS
Supported Protocol	TCP/IP, Netware, AppleTalk, NetBEUI
Operating System Supported	Windows 2000/XP/Vista/7/Server 2003/Server 2008; MAC OS X 10.4 or later; Linux
Standard Interface	High Speed USB 2.0, USB Host 2.0, Ethernet 10BASE-T/100BASE-TX
USB Memory Printing	Standard
USB Memory Printing Format	TIFF, PDF, XPS

Scan Functio	ns	ECOSYS FS-1035MFP/DP and ECOSYS FS-1135MFP
Scan Speed	A4 300dpi	35 ipm (Mono); 14 ipm (Color)
	A4 600dpi	20 ipm (Mono); 7 ipm (Color)
Max. Scan size		A4/ Legal
Resolution		600dpi, 400dpi, 300dpi, 200dpi, 200 x 400dpi, 200 x 100dpi
Original Recognition		Text, Photo, Text + Photo, OCR
File Format		TIFF, PDF, JPEG, XPS
Transmission Type		Scan to SMB; Scan to Email; Scan to FTP; Scan to USB; WSD Scan
Standard Interface		USB Host, 10BASE-T/100BASE-TX

Copy Function	ons	ECOSYS FS-1035MFP/DP and ECOSYS FS-1135MFP
Copy Speed (A4)		35 pages per minute
Original Size		Max. A4 / Legal
Resolution		600 x 600dpi
Time to First C	ору	6.9 seconds or less
Zoom Ratio Manual		25% to 400% (1% per Step)
	Pre-defined	7 Reductions / 5 Enlargements
Multiple Copy		1 to 999

Fax Functions		ECOSYS FS-1135MFP Only
Transmission Method		SuperG3 (Max. 33.6 kbps)
Transmission Speed		Less than 3 seconds
Original Size		Max. A4/ Legal
Fax Scanning Density	Normal	200 x 100dpi (8 dot/mm x 3.85 line/mm)
	Fine	200 x 200dpi (8 dot/mm x 7.7 line/mm)
	Superfine	200 x 400dpi (8 dot/mm x 15.4 line/mm)
	Ultrafine	400 x 400dpi (16 dot/mm x 15.4 line/mm)
	Halftone	256 greyscales
Compression Method		MMR, MR, MH, JBIG
One Touch Dial		22 addresses
Group Dial		20 addresses
Address Book		100 entries
Network FAX		Supported

Consumables	ECOSYS FS-1035MFP/DP and ECOSYS FS-1135MFP
Toner Kit (Page Yield in accordance with ISO/IEC 19752)	TK-1144: 7,200 pages
Capacity of Start up Toner	3,600 pages
Maintenance Kit	MK-1144


Options	ECOSYS FS-1035MFP/DP and ECOSYS FS-1135MFP
Paper Feeder	Up to two PF-120 (250 sheets)
Ethernet Board	IB-23: For Additional Network (for ECOSYS FS-1035MFP/DP only)
Card Authentication	Card Authentication Kit (B) / (B) AC + IC Card Reader







ECOSYS FS-1035MFP/DP and ECOSYS FS-1135MFP





Unit: Millimeter (mm)



KYOCERA Business Partner

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.