FUJITSU

Data Sheet FUJITSU Display P24W-7 LED

Superior display: 61 cm (24-inch) widescreen Cutting edge display technology and innovative Green solutions

If you're a pixel, color and performance-hungry professional using demanding applications, the FUJITSU P24W-7 LED Display is the perfect choice. The display provides outstanding picture performance thanks to a cutting-edge graphic panel. It also boasts unique and innovative features such as our patent-applied Presence Sensor technology and the Always Available Powered USB Hub.

In-Plane Switching (IPS) technology with ultra wide viewing angle combined with high precision color performance

Unique energy saving solutions with 0.0 Watt power consumption in standby mode (with HDMI, DVI and VGA) and high efficient ECO operation mode and ECO standby

Comfortable human centric features like Presence Sensor with PC security solution and Automatic Brightness Control (ABC)

Optimized and relaxed position - with ergonomic stand featuring height adjust, swivel, tilt and 90° rotation with auto-pivot sensor.

Highly flexible connectivity to professional devices - $\mathsf{DisplayPort},\mathsf{HDMI},\mathsf{MHL},\mathsf{DVI}$ and Analog

DICOM greyscale standard compatible preset for clinical review applications

With DisplayView Manageability tools ready for remote inventory gathering and configuration tasks.

Integrated ultra-fast and always available USB 3.0 hub, e.g. for incoming calls via optional USB head set















Technical details

Special features

In-Plane Switching (IPS) technology, Presence sensor with PC security solution, DICOM Greyscale Standard Display Function compatible gamma preset, Color accuracy average DeltaE<2, 0-Watt in power save mode (with DVI and VGA), 4-in-1 Stand, Eco button, Auto Brightness Control (ABC), Auto Pivot, Always available USB (in operating and standby mode). DisplayView™ IT Suite, 24/7 usage. Integrated speakers

	standby mode), DisplayView™ IT Suite, 24/7 usage, Integrated speakers
Ergonomic stand	
Stand	4-in-1 Stand
Height adjust range	130 mm
Picture height over desk (min)	45 mm
Rotation to portrait	90° (AutoPivot)
Tilt angle	-5° / +35°
Swivel angle	340°
Picture performance	
Panel and backlit	In-Plane Switching (IPS) technology/LED
Screen Surface Treatment	3H hard coating, Anti-glare
Contrast - typical	1000:1
Contrast - advanced	20,000,000:1
Response time gray to gray typical	5 ms (in Video mode)
Viewing angle (h/v) - typical	178°/178° CR10:1
Color performance	16.7 million colors
High color gamut - typical	77% NTSC / 100% sRGB color space
Brightness - typical	300 cd/m ²
Size and resolution	
Aspect ratio	16:10
Diagonal Size	61 cm (24-inch)
Resolution (native)	1,920 x 1,200 pixel
Resolution (interpolated)	1,920 x 1,080 pixel, 1,680 x 1,050 pixel, 1,600 x 1,200 pixel, 1,400 x 900 pixel, 1,280 x 800 pixel, 1,280 x 768 pixel, 1,024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel
Picture size	518 x 324 mm
Pixel Pitch	0.270 mm
Frequencies	
Horizontal	30 - 82 kHz
Vertical	48 - 76 Hz
Connectivity	
DisplayPort	1 x DisplayPort 1.2
HDMI	1 x HDMI 1.4 with MHL 2.0 support
DVI	1 x DVI-D (HDCP)
VGA/D-SUB	1 x D-SUB
Audio signal output	3.5 mm stereo phone jack for head phone
Audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 1.5 W
USB downstream	4 x USB 3.0
USB upstream	1 x USB
Ease-of-use menu	
Languages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese, Chinese simply, Chinese traditional
Brightness / Contrast	Brightness, Contrast, Black level, Auto Brightness, Auto level
Mode	Optimal, Photo, Video, Office
Color	7500K, 6500K, Native, sRGB, Custom Color (R,G,B)
lmage adjust	Clock, Phase, H-Position, V-Position, Expansion, Saturation, Sharpness
Audio	Mute, Volume
Information	Model name, Serial number, Resolution/mode, Signal input

Cabua.	
Setup	Input select, Language, DDC/Cl, OSD-Timeout, Factory preset
Power consumption (typical)	
Soft switch off	0.22 (with DisplayPort) W
0 watt power save	0.0 W
Hard switch off	0.0 W
Power save mode	0.31 (with DisplayPort) W
Operating with EPA settings	17.84 W
Operating maximum brightness	26 W
Power supply	integrated
Power notes	Speakers off, without USB; 0-Watt standby with HDMI, DVI and VGA;
Electrical values	
Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1
Compliance	
Europe	Energy Efficiency Class: A+, CE certification according to EC Directive 2004/108/EEC, EN 60950, RoHS, WEEE, IT-Eco- Declaration
Model	P24W-7
Germany	TÜV GS
Russia	EAC
USA/Canada	FCC Class B, cUL
Australia/New Zealand	C-Tick (planned)
Japan	VCCI
South Korea	KC (planned)
Argentina	TÜV-S
Singapore	S-Mark
Taiwan	BSMI (planned)
China	CCC (planned)
Saudi Arabia	SASO
Global	TCO Certified Displays 6.0, ENERGY STAR® 7.0, EPEAT® Gold (dedicated regions), Zero bright and dark pixel faults, Subpixel faults according to ISO9241-307 (Pixel fault class I)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Quality and Reliability	
MTBF (demonstrated)	70,000 h
Dimensions / Weight / Environmental	
Dimension without stand $(W \times D \times H)$	559 x 64 x 366 mm
	22.01 x 2.53 x 14.41 inch
Dimension with stand $(W \times D \times H)$	559 x 204 x 384 mm
	22.01 x 8.03 x 15.12 inch
Weight (packed)	9.4 kg
	20.72 lbs
Weight (unpacked)	7.1 kg
	15.65 lbs
Weight (Monitor only)	4.2 kg
	9.26 lbs
Operating ambient temperature	5 - 35 ℃
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Flat Display Mounting Interface VESA MIS-D 100 C, Kensington lock prepared
Color	Marble grey

Display delivered accessories DisplayPort data cable 1.8 m DVI-D Data cable 1.8 m DVI-D Data cable 1.8 m D.SuB Data cable 1.8 m SuB Data cable 1.8 m USB-cable 1.8 m (USB-cable 1.8 m) USB-cable 1.8 m USB-cable 1.8 m (USB-cable 1.8 m) USB-cable 1.8 m USB-cable 1.8 m (USB-cable 1.8 m) USB-cable 1.8 m Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m Ouickstart flyer Utility CD Warranty booklet Safety booklet Data cables, USB cable and audio cable detachable on display Power cable with IEC 60320-1 Type C13 connector on monitor side Order code Order code S26361-K1498-V140 EAN Code 4053026556637 Country specific order code BDL:K1498V140-UK - with UK power cable, mandatory for Arabian countries BDL:K1498V140-CHN - with China power cable and CEL, mandatory for China BDL:K1498V140-DH - with Import label, mandatory for Indonesia (on demand) BDL:K1498V140-DH - with Import label, mandatory for countries where import with EU cable is not allowed BDL:K1498V140-IN - With EU cable is not allowed	Package content	
Power cable with IEC 60320-1 Type C13 connector on monitor side Order Information Order Code \$26361-K1498-V140 EAN Code 4053026556637 Country specific order code BDL:K1498V140-UK - with UK power cable, mandatory for Arabian countries BDL:K1498V140-UN - with UK power cable, mandatory for Indonesia (on demand) BDL:K1498V140-ID - with Import label, mandatory for countries where import with EU cable is not allowed Accessories information Further helpful options: Available Privacy Filters: http://globalsp.ts.fujitsu.com/ dmsp/Publications/public/ds-Privacy-Filter.pdf Warranty Yearanty period 3 years (depending on country) Warranty tyrpe Collect & Return Service (depending on country specific requirements) Warranty Spare Parts availability 5 years after end of product life		DVI-D Data cable 1.8 m D-SUB Data cable 1.8 m Audio cable 1.8 m USB-cable 1.8 m (USB-A to USB-B) Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m Quickstart flyer Utility CD Warranty booklet
Order CodeS26361-K1498-V140EAN Code4053026556637Country specific order codeBDL:K1498V140-UK - with UK power cable, mandatory for Arabian countries BDL:K1498V140-CHN - with China power cable and CEL, mandatory for China BDL:K1498V140-ID - with Import label, mandatory for Indonesia (on demand) BDL:K1498V140-ID - with Import label, mandatory for countries where import with EU cable is not allowedAccessories informationFurther helpful options: Available Privacy Filters: http://globalsp.ts.fujitsu.com/ dmsp/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/ dmsranty periodWarrantyS years (depending on country)Warranty trems & Conditionshttp://suport.ts.fujitsu.com/warrantySpare Parts availability5 years after end of product life	Display delivered accessories notes	
EAN Code 4053026556637 Country specific order code BDL:K1498V140-UK - with UK power cable, mandatory for Arabian countries BDL:K1498V140-CHN - with China power cable and CEL, mandatory for China 	Order information	
Country specific order code BDL:K1498V140-UK - with UK power cable, mandatory for Arabian countries BDL:K1498V140-CHN - with China power cable and CEL, mandatory for China BDL:K1498V140-ID - with Import label, mandatory for Indonesia (on demand) BDL:K1498V140-INT - Wo power cable, mandatory for countries where import with EU cable is not allowed Accessories information Further helpful options: Available Privacy Filters: http://globalsp.ts.fujitsu.com/ dmsp/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/ Publications/public/pos-connectivity.pdf Warranty 3 years (depending on country) Collect & Return Service (depending on country specific requirements) Marranty Terms & Conditions Warranty Ferras & Conditions http://support.ts.fujitsu.com//warranty S years after end of product life	Order Code	S26361-K1498-V140
Arabian countries BDL:K1498V140-CHN - with China power cable and CEL, mandatory for China BDL:K1498V140-ID - with Import label, mandatory for Indonesia (on demand) BDL:K1498V140-INT - W/o power cable, mandatory for countries where import with EU cable is not allowedAccessories informationFurther helpful options: Available Privacy Filters: http://globalsp.ts.fujitsu.com/ dmspi/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/ Publications/public/pos-connectivity.pdfWarrantyCollect & Return Service (depending on country specific requirements) Marranty Terms & ConditionsMarranty Terms & Conditionshttp://support.ts.fujitsu.com/warranty 5 years after end of product life	EAN Code	4053026556637
Available Privacy Filters: http://globalsp.ts.fujitsu.com/ dmsp/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/ Publications/public/pos-connectivity.pdfWarrantySpare Parts availability3 years (depending on country)Spare Parts availability5 years after end of product life	Country specific order code	Arabian countries BDL:K1498V140-CHN - with China power cable and CEL, mandatory for China BDL:K1498V140-ID - with Import label, mandatory for Indonesia (on demand) BDL:K1498V140-INT - W/o power cable, mandatory for
Warranty period3 years (depending on country)Warranty typeCollect & Return Service (depending on country specific requirements)Warranty Terms & Conditionshttp://support.ts.fujitsu.com/warrantySpare Parts availability5 years after end of product life	Accessories information	Available Privacy Filters: http://globalsp.ts.fujitsu.com/ dmsp/Publications/public/ds-Privacy-Filter.pdf Available Adapters: http://globalsp.ts.fujitsu.com/dmsp/
Warranty typeCollect & Return Service (depending on country specific requirements)Warranty Terms & Conditionshttp://support.ts.fujitsu.com/warrantySpare Parts availability5 years after end of product life	Warranty	
Warranty Terms & Conditions http://support.ts.fujitsu.com/warranty Spare Parts availability 5 years after end of product life	Warranty period	3 years (depending on country)
Spare Parts availability 5 years after end of product life	Warranty type	Collect & Return Service (depending on country specific requirements)
	Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Service Weblink http://www.fujitsu.com/fts/services/support	Spare Parts availability	5 years after end of product life
	Service Weblink	http://www.fujitsu.com/fts/services/support



PRAD.de online

 PRAD, Fujitsu Display P24W-7
LED, test result: good (stand alone test), Germany - November 2014

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Display P24W-7 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Display P24W-7 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://www.fujitsu.com/fts/displays

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-05-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms © 2017 Fujitsu Technology Solutions GmbH