



SHOCK ABSORBER APPLICATION GUIDE 2004

NORTH AMERICAN PASSENGER CAR/LIGHT TRUCK



Veloqx / Prodrive Racing Ferrari 550 Maranello —
Winner of the 2003 Le Mans 24 Hour LM GTS Class

KONI

Suspension



VISIT US ON
<http://www.koni-na.com>
ON THE WEB

Use with KONI Technical
Guide #103613

KONI
 **ITT Industries**
Engineering the World



WHY KONI?

A KONI is not your average shock absorber. They feature a number of standards that make them unique:

ADJUSTABLE: to set them to your personal preference and to compensate for wear.

TAILORMADE: not a copy of the original, but designed for a specific car or even conditions.

IMPROVEMENT: individually tested until the optimum in handling and comfort is reached.

SAFETY: the handling of your car is a major issue for your own safety.

INVOLVEMENT: KONI test drivers are dedicated car enthusiasts themselves.

BUILT FOR A LIFETIME: a set of KONI shock absorbers will usually outlive your car.

KONI PHILOSOPHY

As KONI is known as the shock absorber specialist par excellence, we commit ourselves to delivering to our customers the finest quality product with the best performance. KONI has vast experience, and a world-wide reputation in developing their products for all applications.

Our engineers ensure that every product is manufactured to meet the highest standards. KONI shock absorbers are produced from the finest materials; surfaces are machined to the narrowest tolerances and quality control is incorporated in all production steps. At the end of the production line every single damper is 100% dyno-tested to assure highest quality.

This philosophy results in unrivaled lifetime, superb road performance and maximum customer satisfaction. Our philosophy is one of no compromises!


KONI TECHNOLOGY

KONI experts recognize that every vehicle has unique damping needs. KONI manufactures three shock absorber technologies in order to choose the perfect damping solution. Every KONI is adjustable for ultimate performance benefits.

KONI Shock Absorber Components:

- 1 Piston rod
- 2 Piston
- 3 Piston rod guide
- 4 Piston rod seal
- 5 Inner Cylinder
- 6 Reservoir tube
- 7 Foot valve
- 8 Bypass valve
- 9 Bypass spring
- 10 Adjusting nut
- 11 Adjusting knob
- 12 Adjusting detent
- 13 Compression valve assembly
- 14 Rebound valve assembly
- 15 Floating piston
- 16 Dust cover
- 17 Adjusting rod
- 18 Dust cap
- 19 Non return valve
- 20 Non return valve
- 21 Valves

A B C D E F G H J K L M N
Various orifices





Why KONI?, KONI Philosophy.....Inside Front Cover

Passenger Car Applications.....2-18

Light Truck/Van/Sport Utility Vehicle Applications.....19-21

Suspension Kits and Threaded Sleeves22-26

KONI Shop Services.....27

Warranty.....28

Promotional ItemsInside Back Cover

For Adjustment Procedures, FAQs, and Technical Information

Use KONI Technical Guide 103613

For Drag Racing and Road Racing Applications

Use KONI Catalog 103610

For Oval Track Applications

Use KONI Catalog 103223

SPECIAL ORDER SHOCKS

Certain dampers are listed as **special order** in the application guide. In most instances these dampers are available within 60 days, or two weeks if you request to pay air freight charges; however in some cases there are minimum order quantities. To determine availability please call 859-586-4100.

Identifying KONI Part Numbers. Refer to the chart below to determine an at-a-glance overview of the KONI part number prefixes and what feature each one indicates.

	25	26	30	80	82	86	87	88	90	2812	3012	3013	8010	8040	8041	8042	8210	8212	8216	8240	8241	8242	8610	8640	8641	8710	8740	8741	8742	
CONSTRUCTION TYPE																														
Twin Tube Low Pressure Gas														X	X	X					X	X	X		X	X		X	X	X
Twin Tube Hydraulic				X	X	X	X	X	X				X				X	X	X				X			X				
Mono-Tube High Pressure Gas	X	X	X							X	X	X																		
ADJUSTMENT FEATURE																														
Externally Adjustable	-											X	X		X		X		X		X		X		X	X		X		
Standard Adjustable	-	X	X	X	X	X	X	X	X					X						X				X				X		
Double Adjustable										X	X					X		X				X								X
BODY STYLE																														
McPherson Strut Cartridge						X																	X	X	X					
McPherson Strut Complete Housing							X																				X	X	X	X
Standard Shock Absorber	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

ACURA

2.2 CL	Left: 97-99 Right:	8040-1175L 8040-1175R	D D	8040-1176	D
—Ext. Rebound Adjustable Sport Alternative	Left:	8041-1185L Sport	8	8041-1168SP4	8
Adj. spring perch can lower car approx. F & R=15mm	Right:	8041-1185R Sport	8		
3.2 CL, Adj. spring perch can lower car approx. F & R=20mm	01-03	8041-1257 Sport	8	8041-1258 Sport	8
3.2 TL, Adj. spring perch can lower car approx. F & R=20mm	00-03	8041-1257 Sport	8	8041-1258 Sport	8
Integra (Exc. Type R)	94-01	8040-1146	D	8040-1158	D
—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1153 Sport	8
Adj. spring perch can lower car approx. F=25mm R=15mm					
Suspension Kit available, See pg. 22-23					
Integra Type R (only), Adj. spring perch can lower car approx. F & R=25mm	97-01	8041-1152 Sport	8	8041-1164 Sport	8
Integra, Adj. spring perch can lower car approx. F & R=20mm	90-93	8041-1200 Sport	8	8041-1201 Sport	8
Legend V6-3.2i Sedan & Coupe	91-97	8240-1125	1, 8	8240-1126	8
Adj. spring perch can lower car approx. F= 25mm R=15mm					
Suspension Kit available, See pg. 24					
NSX, type NA1	90-97	8241-1117 Sport	1	8241-1118 Sport	1
RSX	02-04	8610-1415 Sport	5	8010-1050 Sport	
Suspension Kit available, See pg. 24					
TSX	Left: 04 Right:	8041-1322LSport 8041-1322RSport	8 8	8041-1329 Sport	8

ALFA ROMEO

164-V6	10/91-94	8641-1226 Sport OE Boge Only	5	8741-1149 Sport	3
2000 Spider Veloce, Graduate, Quadrifoglio	70-95	80-1551		80-1781	4
—Koni Sport Alternative		80-1551 Sport	4	80-1781 Sport	4
Alfetta GT, GTV6, GTV	72-89	80-2570 Sport		80-2571 Sport	
Giulia 1600/TI/TI, Super, GTA, GTV, Nuova Spider	10/65-79	80-1551		80-1781	4
Spider, Duetto, 1750GTV, 2000GTV	68-73	80-1551		80-1781	4
—Koni Sport Alternative		80-1551 Sport	4	80-1781 Sport	4
Giulia, Spider, Sprint, SS	62-9/65	80-1039	4	80-1193	
Giulietta 1300, Berlina 1300	55-64	80-1039	4	80-1193	
Milano, 75 All Mdls	86-89	80-2570 Sport		80-2571 Sport	3

AUDI

80, 90 Quattro (AWD)	92-95	8610-1262 Sport		8210-1160 Sport	
80, 90 Sedan (FWD)	92-95	8610-1262 Sport		80-2662 Sport	
80, 90 Quattro (AWD) Exc. 2.3 20V	88-91	8610-1262 Sport		86-2086 Sport	
80, 90 Sedan (FWD) (Exc.2.0 16V, 2.3 20V and factory lowered susp.)	88-91	8610-1262 Sport		80-2403 Sport	
80 Sedan w/ factory lowered susp. Incl. 2.3 20V (FWD)	88-91	8610-1262 Sport		80-2625 Sport	+
90 Quattro 2.3 20V (AWD)	88-91	8610-1262 Sport		86-2433 Sport	
100 Sedan (FWD) and Quattro	83-94	86-2149		80-2762	3
—Koni Sport Alternative		86-2149 Sport		80-2762 Sport	
200 Sedan (Exc. Quattro 20V)	83-91	86-2149		80-2762	3
—Koni Sport Alternative		86-2149 Sport		80-2762 Sport	
200 Quattro 20V	89-91	86-2149 Sport		80-2630 Sport	
4000 Sedan and Coupe, GT 4 cyl. & 5 cyl.	79-87	8610-1262 Sport		80-2403 Sport	
4000 Quattro (Exc. 20V)	83-87	8610-1262 Sport		86-2086 Sport	
5000 Sedan/Wagon/Turbo (Incl. Quattro)	84-88	86-2149		80-2762	3
—Koni Sport Alternative		86-2149 Sport		80-2762 Sport	

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 3 Exc. mdls w/self leveling suspension.

4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment. D Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
Coupe 2.0, 2.3, 2.6, 2.8 (Exc. Quattro)	89-95	8610-1262 Sport		80-2625 Sport	+
Coupe Quattro 2.3, 2.6, 2.8	89-95	8610-1262 Sport		86-2433 Sport	
Coupe Quattro 2.2, 2.3 (Exc. 20V)	83-89	8610-1262 Sport		86-2086 Sport	
Coupe (Exc. Quattro)	80-88	8610-1262 Sport		80-2403 Sport	
Coupe Quattro Turbo	81-89	86-2086 Sport		86-2087 Sport	

A4, FWD & Quattro, Sedan & Avant Suspension Kit available, see pg. 23-24	02-04	8240-1185 Sport		8040-1283 Sport	
A4 FWD Suspension Kit available, see pg. 23-24	95-6/00	82-2502 Sport		80-2800 Sport	+
A4 FWD Suspension Kit available, see pg. 23-24	7/00-01	82-2502 Sport		80-2749 Sport	
A4 Quattro —More aggressive valving option Suspension Kit available, see pg. 23	95-01	82-2502 Sport 82-2516 Sport		8210-1162 Sport 8210-1165 Sport	
A6, FWD Sedan & Avant (FWD) Suspension Kit available, see pg. 23-24	98-04	82-2488 Sport		8040-1227 Sport	
A6 Quattro, Sedan & Avant (Incl. V8) —with Audi Sport Suspension	98-04	82-2488 Sport 82-2516 Sport		82-2465 Sport 82-2526 Sport	
A6 (FWD and Quattro) (Exc. Self Leveling Suspension)	95-97	86-2149 Sport		80-2762 Sport	
S4 Quattro	00-02	82-2516 Sport		8210-1165 Sport	
S4, S6 Quattro	93-97	86-2149 Sport		80-2630 Sport	
V8 Quattro	89-94	86-2149 Sport		80-2630 Sport	
TT FWD (Coupe and Roadster) Suspension Kit available, see pg. 23	00-04	8710-1377 Sport		80-2805 Sport	
TT Quattro (Coupe and Roadster) Suspension Kit available, see pg. 23	00-04	8710-1377 Sport		80-2818 Sport	

AUSTIN MINI

Mini 850, 1000, 1100, 1275, 1300 All sedans (Exc. lowered susp)	60-96	80-1675 Sport	+, 4	80-1794 Sport	+, 4
Mini, All non-sedans (Moke, Estate wagon, pick up, van, etc.)	61-78	80-1675 Sport	+, 4	Not Available	
Mini And Cooper, w/Lowered Susp.	63-70	80-1717	+, 4	80-1795	+, 4

AVANTI

Avanti	89-91	8040-1087		8040-1088	4
Avanti	87-88	8040-1092		8040-1093	4

BMW

E3 - Series					
2800 CS Coupe, 3.0 CS Coupe	69-74	86-1667	+	80-2092	+, 4
2.8L, 3.0L, 3.3L Sedan	74-76	86-1667	+	Not Available	

E10 - Series					
2002, 2002-Tii, 1600/2	66-76	86-1519 Sport		80-1868 Sport	4



Make / Model	Year	Front	Notes	Rear	Notes
3 Series - E30					
318i, (Exc. M-Technik, and Cabriolet) For 45mm Strut Housings Only. For 51mm Strut Housing, use:	83-91	8641-1029 Sport		80-2522 Sport	4
		8641-1021 Sport		80-2522 Sport	4
318i,325i (w/ M-Technik suspension)	9/88-91	8641-1210 Sport		80-2641 Sport	4
318iS-16V	89-91	8641-1210 Sport		80-2641 Sport	4
325e, 325i, 325iS (Exc. M-Technik and Cabriolet)	84-91	8641-1021 Sport		80-2522 Sport	4
323i	83-85	8641-1021 Sport	13	80-2522 Sport	4
324TD (Exc. M-Technik)	9/88-91	8641-1021 Sport		80-2522 Sport	4
324TD	87-8/88	8641-1021 Sport	13	80-2522 Sport	4
325ix (AWD) including Touring	86-91	8641-1144 Sport		80-2522 Sport	4
M3 (E254)	86-91	8641-1210 Sport		80-2522 SP1	4
318i Cabriolet, 325i Cabriolet (E147)	85-91	86-2277 Sport		80-2522 Sport	4

3 Series - E36					
318Ti Hatchback (Exc. M-Technik) Suspension Kit available, See pg. 23	Left: Right:	94-99	8741-1247L Sport 8741-1247R Sport	80-2522 Sport	4
318 Ti Hatchback (w/ M-Technik) Suspension Kit available, See pg. 23	Left: Right:	94-99	8741-1247L Sport 8741-1247R Sport	80-2641 Sport	4
318i, 318is coupe, sedan, cabrio. (Incl. M-Technik) Suspension Kit available, See pg. 23-24	Left: Right:	10/91-99	8741-1247L Sport 8741-1247R Sport	8240-1115 Sport	
318i, 318is coupe & sedan (Incl. M-Technik)	Left: Right:	12/90-9/91	8741-1234L Sport 8741-1234R Sport	8240-1115 Sport	
325i, 325is, 328i, 328is coupe & sedan, cabrio. (Incl. M-Technik) <i>Note for 1992 Mdl's: Only w/40mm plastic cover on strut upper mounting (inside engine compartment.)</i> Suspension Kit available, See pg. 23-24	Left: Right:	5/92-99	8741-1272L Sport 8741-1272R Sport	8240-1115 Sport	
325i, 325is coupe & sedan (Incl. M-Technik.) <i>Note for 1992 Mdl's: Only w/80mm plastic cover on strut upper mount. (inside engine compartment)</i>	Left: Right:	10/91-4/92	8741-1248L Sport 8741-1248R Sport	8240-1115 Sport	
325i, 325is coupe & sedan (Incl. w/ M-Technik.)	Left: Right:	12/90-9/91	8741-1235L Sport 8741-1235R Sport	8240-1115 Sport	
M3 (all) Suspension Kit available, See pg. 23-24		95-99	8641-1342 Sport	5 8240-1115 Sport	

Z Series - E36/7 & E85					
Z3 4 & 6 Cyl. Roadster & Coupe (Incl. M-Technik) Suspension Kit available, See pg. 23	Left: Right:	96-02	8741-1338L Sport 8741-1338R Sport	8040-1217 Sport	
Z4	Left: Right:	03-04	8741-1450L Sport 8741-1450R Sport	8240-1208 Sport	
M Roadster, M Coupe		99-02	8641-1342 Sport	5 8040-1217 Sport	

3 Series - E46					
318i, 323i, 325i, 328i, 330i (Exc. Coupe, AWD, Touring, & M-Technik) Suspension Kit available, See pg. 23-24	Left: Right:	99-04	8741-1390L Sport 8741-1390R Sport	8040-1250 Sport	
325, Ci, 330 Ci (Coupe, Convertible & Touring) (Exc. AWD)	Left: Right:	99-04	8741-1390L Sport 8741-1390R Sport	8040-1271 Sport	
M3	Left: Right:	99-04	8741-1438L Sport 8741-1438R Sport	8240-1203 Sport	
325Xi, 330Xi		99-04	TBA	TBA	

4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

13 If originally equipped w/ M-Technik, use bump stop 31.331.124.449, dust cover 31.331.124.519, main locking nut 51mm., 31.321.117.376 or 45mm., 31.321.115.398 from BMW dealer.



Make / Model	Year	Front	Notes	Rear	Notes
5 Series - E12 518, 520, 525, 528i, 530i	77-81	86-2017	+, *	Not Available	
5 Series - E28 518, 518i, 520i, 524TD, 525e, 525i, 528i, 533i, 535i (Exc. M-Technik)	82-87	8641-1080 Sport		Not Available	
5 Series - E34 525TD-S Touring, 540i Touring, M5 (front only); (Exc. electric. susp.)	92-95	8641-1224 Sport		8240-1076 Sport	3
524TD, 525i, 535i (Exc. M-Technik and electric susp.) Front only If Top Nut = M12-19mm If Top Nut = M14-22mm, use:	8/90-92	8641-1157 Sport		8240-1076 Sport	3
524TD, 525i, 530i, 535i (Exc. M-Technik and electric susp.)	88-7/90	8641-1224 Sport 8641-1157 Sport		8240-1076 Sport 8240-1076 Sport	3 3
5 Series - E39 540i (Exc. M-Technik, elect. & air susp., touring)	97-03	8741-1372 Sport		8240 1156 Sport	3
525i, 528i, 530i (Exc. M-Technik, elect. & air susp., touring)	97-03	8741-1341 Sport		8240-1156 Sport	3
540i Touring (station wagon) (Exc. M-Technik, elec. & air susp.)	97-03	8741-1372 Sport		8240-1157 Sport	3
525i, 528i, 530i Touring (station wagon) (Exc. M-Technik, elec. & air susp.)	97-03	8741-1341 Sport		8240-1157 Sport	3
M5	00-03	8741-1372 Sport		8240-1156 Sport	3
5 Series - E60 525i, 530i, 540i Sedan and Touring	03-04	TBA		TBA	
7 Series - E32 730i, 735i	3/88-7/90	8641-1157 Sport		8240-1070 Sport	3
730i, 735i Front only If Top Nut = M12-19mm If Top Nut = M14-22mm, use:	8/90-92	8641-1157 Sport		8240-1070 Sport	3
740i	8/90-94	8641-1224 Sport		8240-1070 Sport	3
750i	8/90-94	8641-1224 Sport		Not Available	
750i	87-7/90	8641-1157 Sport		Not Available	
BRICKLIN					
Bricklin	74-75	82-1388 SP3		82-1389	
BUICK					
Century, Regal (Exc. Wagons)	70-77	8040-1087		8040-1088	4
Century, Wagon	73-77	8040-1087		Not Available	
Electra, Estate Wagon, LeSabre (RWD Only)	77-85	8040-1087		8040-1088	4
Electra, Estate Wagon, Centurian, LeSabre	71-76	8040-1087		Not Available	
Regal, All Mdls Incl. Grand National	78-87	8040-1092		8040-1093	4
Riviera	77-78	8040-1087		8040-1088	4
Riviera	71-76	8040-1087		Not Available	
Roadmaster (sedan & wagon)	92-96	8040-1087		8040-1088	4
Skylark, Apollo	73-79	8040-1087		Not Available	
Skylark, Special	68-72	8040-1087		8040-1088	4
Skylark, Special	64-67	Not Available		8040-1088	4
Sportwagon	70-72	8040-1087		8040-1088	4
CADILLAC					
Catera	97-01	8610-1315 Sport	5	80-2591 Sport	3
Calais, Deville	77-84	8040-1087		8040-1088	4
Fleetwood (Exc. Commercial Chassis)	77-84	8040-1087		Not Available	
Seville, All Models	75-79	8040-1087		Not Available	



Make / Model	Year	Front	Notes	Rear	Notes
CHEVROLET					
Camaro, All Models	93-02	8241-1139 Sport	8	8241-1140 Sport	
—Double Adjustable Alternative		8242-1005 SP1	9	8242-1006 SP1	9
Camaro, All	82-92	8741-1030		30-1265	
—Koni Sport Alternative		8741-1030 Sport		30-1265 Sport	
Camaro Incl. Z-28	70-81	8040-1017		8040-1018	
Camaro with Multi-Leaf Spring	68-69	80-1914		80-1953	
Camaro with Mono-Leaf Spring	67-69	80-1914		80-1915	
Caprice, Impala, Impala SS, Sedan & Wagon	77-96	8040-1087		8040-1088	4
Caprice, Impala Sedan & Wagon	65-76	8040-1087		Not Available	
Cavalier	95-04	8641-1454 Sport	5	8041-1309 Sport	
Suspension Kit available, see pg. 24					
Chevelle, Malibu Sedan & Wagon	78-85	8040-1092		8040-1093	4
Chevelle, Malibu Wagons	73-77	8040-1087		Not Available	
Chevelle, Malibu Sedans	68-77	8040-1087		8040-1088	4
Chevy II, Nova	75-79	8040-1087		Not Available	
Chevy II, Nova with Multi-Leaf Springs	68-74	8040-1087		8040-1088	4
Coupe, Sedan, Convertible, Wagon	55-57	8040-1017		Not Available	
Corvette C-5, Z06 (Exc. Elect. Susp.)	97-04	3013-1023		3013-1024	
Corvette (Disarms Elect. Susp.)	89-96	8241-1097 Sport		8241-1098 Sport	
Corvette (Exc. Elect. Susp.)	88	Not Available		8241-1098 Sport	
Corvette	84-87	8040-1015		8040-1016	
Corvette	63-83	8040-1019		8040-1020	4
El Camino	78-87	8040-1092		Not Available	
El Camino	68-77	8040-1087		Not Available	
Impala, Monte Carlo	00-03	12498521	18	12498522	18
Suspension kit available GM P/N 12498354¹⁸					
Monte Carlo, All Models	78-87	8040-1092		8040-1093	4
Monte Carlo, All Models	70-77	8040-1087		8040-1088	4

CHRYSLER

Cirrus	95-00	8040-1205	1	8040-1206	1
Cordoba	75-76	Not Available		82-1255	10
Crossfire	03-04	8041-1228 Sport		8041-1229 Sport	
E Class	83-84	Not Available		8040-1050	
Laser, All Models	86	8741-1163		8040-1050	
Laser, All Models	84-12/85	Not Available		8040-1050	
LeBaron, All Models (Exc. Elec. Susp.)	86-94	8741-1163		8040-1050	
LeBaron, All Models	82-85	Not Available		8040-1050	
New Yorker Incl. Turbo	88-93	8741-1163		8040-1050	3
New Yorker (Exc. Fifth Avenue)	86-87	8741-1163		8040-1050	
New Yorker, Fifth Avenue, Newport, 300 Wagons	74-78	Not Available		82-1255	10
PT Cruiser	00-04	8641-1417 Sport	5	8040-1282 Sport	
Sebring (Exc. Convertible)	95-99	8040-1254	D	8040-1255	D
—Ext. Adjustable Sport Alternative		8041-1207 Sport		8041-1208 Sport	
Voyager, Grand Voyager, Town & Country	All	<i>See page 19 in Light Truck section for all models.</i>			

DAEWOO

Lanos	97-01	86-2099 Sport	+	80-2659 Sport	+
Nubira	97-01	8641-1387 Sport	+, 5	8640-1388 Sport	+, 5

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 3 Exc. mdls w/self leveling suspension. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment. 9 Rebound and compression are externally adjustable. 10 Lower shock mounting hole is 5/8" in diameter.

18 GM Performance part available only at GM dealers. D Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

DODGE

600, All Models	86-89	8741-1163		8040-1050	
600, All Models	83-85	Not Available		8040-1050	
Aries, All Models	86-89	8741-1163		8040-1050	
Aries, All Models	81-85	Not Available		8040-1050	
Avenger —Ext. Adjustable Sport Alternative	95-99	8040-1254 8041-1207 Sport	D	8040-1255 8041-1208 Sport	D
Caravan	All	<i>See page 19 in Light Truck section for all models.</i>			
Challenger	70-74	80-1538		82-1255	10
Charger, Coronet	73-76	Not Available		82-1255	10
Charger, Coronet	65-72	80-1538		82-1255	10
Colt 1.5, 1.8	93-94	8610-1343 Sport	5	80-2714 Sport	
Colt 1.5, 1.6	88-92	8641-1172 Sport	5	8040-1080 Sport	
Daytona, All Models Incl. Shelby	86-93	8741-1163		8040-1050	
Daytona, All Models Incl. Shelby	84-85	Not Available		8040-1050	
Dynasty	88-93	8741-1163		Not Available	
Lancer, All Models Incl. Shelby	86-89	8741-1163		8040-1050	
Lancer, All Models Incl. Shelby	84-85	Not Available		8040-1050	
Neon Exc. SRT4	00-04	8641-1474 Sport	5	8641-1475 Sport	5
Neon SRT4	03-04	8641-1474 Sport	5	8641-1482 Sport	5
Neon (slotted bracket for front & rear camber adj.)	95-99	8741-1327 SP2		8741-1408 Sport	
Shadow, All Models	86-94	8741-1163		8040-1050	
Spirit, All Models	89-94	8741-1163		8040-1050	
Stratus	95-99	8040-1205	1	8040-1206	1

EAGLE

Summit, All Mdls (Exc. Wagon)	88-92	8641-1172 Sport	5	8040-1080 Sport	
Talon, FWD & AWD —Ext. Rebound Adjustable Sport Alternative	95-98	8040-1254 8041-1207 Sport	D	8040-1255 8041-1208 Sport	D
Talon, FWD for OE KYB struts only	90-94	8641-1231 Sport	5	8040-1128 Sport	
Talon, AWD for OE KYB struts only	90-94	8641-1231 Sport	5	8040-1129 Sport	

FERRARI

All Ferrari shocks supplied without bushings — If required contact a Ferrari dealer or specialist. Some Ferrari special order parts may be available only with large production run orders. Please call for availability.					
206 GT/246GT/GTS Dino	69-74	82-1579 SP2	4	82-1603 SP2	4
308 GT Spider F106AS/F106 AB-100/GTB/GTS	75-85	82-1982 SP6	4	82-1983 SP6	4
308 GT4 F106 AL	73-80	82-1982 SP6	4	82-1831 SP1	4
308 GTB/GTS	75-85	82-1982 SP6	4	82-1983 SP6	4
328 GTB/GTS	87-3/88	Not Available		82-2290	+, 4
328 GTB/GTS	85-86	Not Available		82-2290	+, 4
365 GT4 2+2 (w/o Self Leveling Rear)	73-75	82-1824 SP2	4	82-1825 SP2	4
365 GTB4/365GTS4 Daytona	69-73	82-1633	+, 4	82-1634	+, 4
400 GT Automatic (w/o Self Leveling Rear)	77-83	82-1824 SP2	4	82-1825 SP2	4
Berlinetta Boxer 512BB/512BBi	76-84	82-1833 SP6	4	82-1984 SP6 (4 req.)	4

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

10 Lower shock mounting hole is 5/8" in diameter. D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

FIAT

124 (Exc. wagon), 2000 Spider and Coupe, Pininfarina	67-87	80-1877 Sport		80-1878 Sport	4
124 Wagon	66-76	80-1877 Sport		80-1964	+
131 Sedan Mirafiori/Brava	78-81	Not Available		80-1878 Sport	4

FORD

Contour Incl. SVT Suspension Kit available, see pg. 24	98-01	8710-1368 Sport		8710-1294 Sport	
Contour	95-97	8710-1293 Sport		8710-1294 Sport	
Focus, All Models, Incl. SVT (Exc. wagon) Suspension Kit available, see pg. 23-24	Left: 99-04 Right:	8741-1400L Sport 8741-1400R Sport		8041-1286 Sport	
Focus wagon Suspension Kit available, see pg. 23	Left: 99-04 Right:	8741-1400L Sport 8741-1400R Sport		8040-1268	
Mustang, Cobra w/ IRS rear susp. —Double Adjustable Alternative	00-04	8741-1401 Sport 8742-1122 Sport		8041-1270 Sport	
Mustang, All Models (Exc. IRS rear susp.) —Ext. Rebound Adjustable Sport Alternative —Double Adjustable Sport Alternative —Quad Shock Suspension Kit available, see pg. 24	94-04	8740-1300 8741-1401 Sport 8742-1122 Sport	D 9	8040-1186 8041-1186 Sport 8042-1134 Sport 25-1215	D 9
Mustang V8, All Models (Exc. Cobra R) —Ext. Rebound Adjustable Sport Alternative —Double Adjustable Sport Alternative —Quad Shock Suspension Kit available, see pg. 24	87-93	8740-1121 8741-1121 Sport 8742-1121 Sport	D	8040-1026 8041-1026 Sport 8042-1026 Sport 25-1215	D
Mustang 4 cyl., All Models —Quad Shock	87-93	8741-1103		Not Available 25-1215	
Mustang SVO —Quad Shock	85-86	8741-1054		8040-1026 25-1215	
Mustang (Exc. SVO) —Quad Shock	85-86	8741-1103		8040-1026 25-1215	
Mustang SVO —Quad Shock	84	8741-1006		8040-1026 25-1215	
Mustang w/1-1/2 inch Lower Rear Bushing (Exc. SVO) —Quad Shock	81-84	8741-1103		8040-1026 25-1215	
Mustang w/2-1/8 inch Lower Rear Bushing (Exc. SVO) —Quad Shock	81-84	8741-1103		Not Available 25-1215	
Mustang, All Models —Quad Shock	79-80	8741-1103		8040-1026 25-1215	
Mustang II, All Models	74-78	80-2287 SP1	4, 11	Not Available	
Mustang, All Models	71-73	Not Available		82-1389	
Mustang, All Models	64-70	82-1388 SP3		82-1389	
Pinto Sedan & Runabout	70-80	80-2287 SP1	4, 11	80-2167	
Probe (Exc. Elect. Susp.)	89-92	86-2413	5	86-2414	5
Taurus, SHO (Exc. Wagon)	6/92-95	8641-1287 Sport	5	8641-1323 Sport	5
Taurus, SHO (Exc. Wagon)	86-5/92	8641-1287 Sport	5	8641-1288 Sport	5
Taurus, Wagon	86-93	8641-1287 Sport	5	Not Available	
Thunderbird (Disarms Elect. Susp.)	89-97	8641-1209 Sport	5	8041-1202 Sport	

+ Special order part. 4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.
9 Rebound and compression are externally adjustable. 11 Call KONI for availability information. D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes	
HONDA						
Accord	Left:	03-04	8041-1322LSport	8	8041-1329 Sport	8
	Right:		8041-1322RSport	8		
Accord, All Models, Adj. Spring perch can lower car approx. F & R=20mm		98-02	8041-1257 Sport	8	8041-1258 Sport	8
Accord, All Models	Left:	90-97	8040-1175L	D	8040-1176	D
	Right:		8040-1175R	D		
	—Ext. Rebound Adjustable Sport Alternative	Left:	8041-1185L Sport	8	8041-1168SP4	8
	Adj. spring perch can lower car approx. F & R=15mm	Right:	8041-1185R Sport	8		
4 cyl. Suspension Kit available, see pg. 25						
Civic, All Models (Exc. Type R); for 50 mm Front Housing for 55 mm Front Housing		01-04	8641-1416 Sport	5	8041-1281 Sport	
			8610-1415 Sport	5		
Suspension Kit available, see pg. 23-24						
Civic, All Models (Exc. Wagon)		96-00	8040-1146	D	8040-1212	D
	—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1213 Sport	8
	Adj. spring perch can lower car approx. F=25mm & R=15mm					
Suspension Kit available, see pg. 23-25						
Civic, All Models (Exc. Wagon)		92-95	8040-1146	D	8040-1158	D
	—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1153 Sport	8
	Adj. spring perch can lower car approx. F=25mm & R=15mm					
Suspension Kit available, see pg. 23-25						
Civic, CRX, All Models (Exc. Wagon)		89-91	8040-1077	D	8040-1158	D
	—Ext. Rebound Adjustable Sport Alternative		8041-1166 SP4	8	8041-1153 Sport	8
	Adj. spring perch can lower car approx. F=25mm & R=15mm					
Civic, CRX, All Models (Exc. Wagon)		88	8040-1077	D	8040-1078	D
	—Ext. Rebound Adjustable Sport Alternative		8041-1166 SP4	8	8041-1164 Sport	8
	Adj. spring perch can lower car approx. F=25mm & R=15mm					
Del Sol		92-97	8040-1146	D	8040-1158	D
	—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1153 Sport	8
	Adj. spring perch can lower car approx. F=25mm & R=15mm					
Suspension Kit available, see pg. 23						
Prelude (Exc. SH)		97-00	8041-1232 Sport	8	8041-1155 Sport	8
Adj. spring perch can lower car approx. F = 20mm R = 15mm						
Prelude, All Models; Adj. spring perch can lower car approx. F = 20mm R = 15mm	Left:	92-96	8041-1154L Sport	8	8041-1155 Sport	8
	Right:		8041-1154R Sport	8		
S2000	Left:	00-04	8041-1278L Sport		8041-1279 Sport	
	Right:		8041-1278R Sport			

HYUNDAI

Accent, fits 49mm dia. OE Struts only	98-03	8610-1411 Sport	+, 5	86-2632 Sport	+, 5
Accent, fits 45mm dia. OE Struts only	95-97	86-2551	5	86-2552	5
Elantra, fits 45mm dia. OE Struts only	95-99	8641-1361 Sport	5	8640-1337 Sport	5
Elantra 1.5i, 1.6i, 1.8i	91-94	8640-1244	+, 5	8040-1080	+
Excel Sedan And Hatchback	89-93	86-2445	5	Not Available	
Excel XP 1300, 1500 Sedan And Hatchback	86-89	Not Available		80-2583	
S-Coupe 1.5i, 1.5i GT	90-95	86-2445	+, 5	80-2583	+, 5
Sonata/ XG	98-03	8041-1303 Sport	+	8041-1304 Sport	+
Sonata, All Models	94-97	8640-1306	+, 5	8040-1193	+
Sonata, All Models	88-93	8640-1306	+, 5	8040-1107	+
Tiburon, fits 49mm dia. OE Struts only	00-04	8610-1422 Sport	5	8610-1423 Sport	5
Tiburon, fits 45mm dia. OE Struts only	97-99	8641-1361 Sport	+, 5	8640-1337 Sport	+, 5



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

INFINITI

G20	99-02	8040-1127		8040-1220	
G35	03-04	TBA		TBA	
I30, I35	00-04	8641-1439 Sport	5	8040-1297 Sport	
I30, I30T	96-99	8641-1362 Sport	5	8040-1242 Sport	

JAGUAR

2.4, 3.4, 3.8 Sedans	56-69	82-1019		82-1044	4
3.8S, 420S Sedans	64-69	Not Available		80-1572 (4 Req.)	
MK10, 420G Sedans	66-72	Not Available		80-1572 (4 Req.)	
XJ-6, XJ-40	10/94-97	26-1596		30-1593	
XJ-6 3.2 Sport, XJ-12, XJ-R Supercharged	10/94-97	26-1592		30-1593	3
XJ-6, XJ-40	87-9/94	26-1361		30-1377	3
XJ-6	69-86	26-1089		30-1090 (4 Req.)	
XJ-12	2/93-9/94	26-1361		30-1377	3
XJ-12, XJ-12C	72-2/93	26-1089		30-1090 (4 Req.)	
XJS-6, XJS-12	75-96	26-1089		30-1090 (4 Req.)	
XJ-8, Exc. cars with CATS suspension	10/97-02	26 1698		30 1593	
XK-8	96-02	8241-1158		8240-1159	
XKE 6 Cyl., All Models	61-74	82-1232	4	80-1491 SPA1 (4 Req.)	
XKE V-12, All Models	71-74	80-2215	4	80-2216 (4 Req.)	
XK-120	49-54	80-1105		Not Available	
XK-140, Mk VII, Mk VIII, Mk IX,	54-61	82-1027		82-1081	
XK-150, XK-150S	55-61	82-1107	+	82-1108	+

LEXUS

IS300	00-04	8041-1264 Sport		8041-1265 Sport	
-------	-------	-----------------	--	-----------------	--

LOTUS

Elan +2, S130	68-74	Not Available		86-1371	+
Elan, Coupe, S4, Sprint	64-74	80-1691	11	86-1371	+
Seven Series 4 from Chassis #S4-2651 TC	70-85	Not Available		80-2206	11

MG

MGB, MGB-GT	All	80-2716	+, 12	80-1244 SP1	+, 12
MGC	67-69	Not Available		80-1244 SP1	+, 12



Make / Model	Year	Front	Notes	Rear	Notes
MAZDA					
3 323 Sedan And Hatchback (Exc. GTX, Turbo And Elect. Susp.)	04 89-93	TBA 86-2442	+ , 5	TBA 86-2443	+ , 5
6 (Exc. AWD)	03-04	8041-1305 Sport	5	8040-1306 Sport	
626 Sedan (Adjust 1 full turn for 6 cyl. cars)	98-02	86-2591	+ , 5	86-2592	+ , 5
626 Sedan (Adjust 1 full turn for 6 cyl. cars)	91-97	86-2513	+ , 5	86-2592	+ , 5
626, All Models (Exc. Elect. Susp.)	88-91	86-2413	5	86-2414	5
Miata, All Models Suspension Kit available, see pg. 23-24	99-04	8041-1251 Sport		8041-1252 Sport	
Miata, All Models Adj. spring perch can lower car approx. F=20mm R=15mm Suspension Kit available, see pg. 23-24	89-97	8041-1203 Sport	8	8041-1204 Sport	8
MX3	91-97	86-2442	+ , 5	86-2443	+ , 5
MX6 (Exc. Elect. Susp.)	88-92	86-2413	5	86-2414	5
RX7 Turbo; Left: Adj. spring perch can lower car approx. F=10mm R=15mm Right:	93-96	8041-1169L Sport 8041-1169R Sport	8 8	8041-1170 Sport	8
RX7 (Disarms Elect. Susp.) (Exc. w/8 position knob)	86-92	8641-1200 Sport OE KYB or Tokico only	5	8041-1111 Sport	
RX7	81-85	86-2345 for OE struts only		Not Available	
RX8	03-04	TBA		TBA	

MERCEDES

180, 180D, 190, 190D	56-62	80-1092	+	80-1104	+
W107					
280SL, 280SLC; 300 SL, 350SL, 350SLC, 380 SL, 380 SLC, 420SL, 450SL, 450SLC, 500SL, 560SL	71-91	26-1019		30-1020	3
W108, W109, W110, W111, W113					
250S, 250SE, 280S, 280SE, 280SEL	65-72	80-1415	+	80-1416	+
300SE, 300SEB, 300SEL	68-72	80-1415	+	80-1416	+
190B, 190C, 190D, 190DB, 190DC	62-67	80-1415	+	80-1416	+
200D	65-67	80-1415	+	80-1416	+
220B, 220SB, 220SE, 220SEB, 220SEC, 230S	60-67	80-1415	+	80-1416	+
230SL, 250SL, 280SL	63-71	80-1415	+	80-1416	+
W114/W115					
200, 200D, 220, 220D, 230, 240D, 250, 250C, 250CE, 280, 280C, 280E, 280CE, 300D	68-76	26-1019		30-1020	3
W116					
280, 280S, 280SE, 280SEL, 300SD, 300SEL, 350SE, 350SEL, 450SE, 450SEL (Exc. 6.9 Litre)	73-80	26-1157		30-1020	3
W123					
200, 200D, 220D, 230, 230C, 230CE, 230E, 240D, 250, 280, 280C, 280CE, 280E, 300D, 300CD	76-85	26-1075	+	30-1020	3
Station Wagon T-Model	77-85	26-1157		30-1020	3
W124					
260E, 300CE, 300D, 300E, 300TD, E320, (Exc. 4-Matic 4WD, Sportline) —KONI Sport Alternative	85-95	8741-1092		26-1274	3
Station Wagon T-Models (exc. 4-Matic 4WD) —KONI Sport Alternative	86-95	8741-1092 Sport 8741-1092		26-1198 Sport Not Available	
400E, 500E, E420, E500 V8 —KONI Sport Alternative	93-95	8741-1092 Sport 8741-1092		Not Available Not Available	

+ Special order part. 3 Exc. mdl's w/self leveling suspension. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.
8 Features adjustable spring seat for ride height adjustment.



Make / Model	Year	Front	Notes	Rear	Notes
C126 380SEC, 420SEC, 500SEC, 560SEC	85-89	26-1157		30-1020	3
W126 260SE, 300SE, 300SEL, 420SE, 420SEL	85-91	26-1157		30-1020	3
280S, 280SE, 280SEL, 380SE, 380SEC, 380SEL	80-85	26-1157		30-1020	3
300SD, 500SE, 500SEL, 560SE, 560SEL	80-91	26-1157		30-1020	3
W140 300SD, 300SE, S320 6 cyl., 400SEL, 500SEL, S420, S500 V8, 600SEL, S600 V12	92-97	026-1480	15	030-1579	3, 15
W170 SLK 230, 320	97-04	8041-1228 Sport		8041-1229 Sport	
W201 190, 190E, 190D —KONI Sport Alternative	83-93	8741-1092 8741-1092 Sport		26-1198 26-1198 Sport	3
190, 190E, 190D, 190-16 Valve (w/ self leveling rear susp.) —KONI Sport Alternative	83-93	8741-1092 8741-1092 Sport		Not Available Not Available	
W202 C220, C230, C280, C36	93-00	26-1575 Sport		26-1576 Sport	3
W203 C230, C240, C320	01-04	8741-1412 Sport		26-1679 Sport	
W208 CLK	97-02	26-1575 Sport		26-1576 Sport	3
W210 E200, E230, E280, E320, E420 (Incl. diesel)	95-00	26-1602 Sport		26-1603 Sport	3
W211 E320, E430 (Exc. airmatic, 4-matic AWD)	02-03	8041-1307 Sport		8041-1308 Sport	

MERCURY

Bobcat Sedan & Runabout	75-80	80-2287 SP1	4, 11	80-2167	
Bobcat Wagon	75-80	80-2287 SP1	4, 11	Not Available	
Capri, Models w/1-1/2(inch) Lower Rear Bushing —Quad Shock	79-86	8741-1103		8040-1026 25-1215	
Capri, Models w/2-1/8(inch) Lower Rear Bushing —Quad Shock	81-84	8741-1103 —		Not Available 25-1215	
Capri, Capri II, All Mdls	73-78	86 1835Sport	+	80 2256Sport	+
Cougar	99-02	8710-1368 Sport		8710-1294 Sport	
Cougar (Disarms Elect. Susp.)	89-97	8641-1209 Sport	5	8041-1202 Sport	
Cougar, All Models	67-70	82-1388 SP3		Not Available	
Mystique	98-00	8710-1368 Sport		8710-1294 Sport	
Mystique	95-97	8710-1293 Sport		8710-1294 Sport	
Sable (Exc. wagon)	6/92-95	8641-1287 Sport	5	8641-1323 Sport	5
Sable (Exc. wagon)	86-5/92	8641-1287 Sport	5	8641-1288 Sport	5

+ Special order part. 3 Exc. mdls w/self leveling suspension. 4 Remove bump rubber prior to adjusting.
5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

11 Call KONI for availability information. 15 Non-adjustable.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

MERKUR

XR4Ti (Exc. AWD)	84-91	8741-1074 Sport		80-2485 Sport	
Scorpio (Exc. AWD)	85-94	8741-1093 Sport		26-1261 Sport	+

MINI (For old Mini, see Austin Mini)

Cooper, Cooper S (built 3/1/02 or later, front sway bar link attaches to strut tube) Left: Right:	02-04	8741-1440L Sport 8741-1440R Sport		8041-1293 Sport	
Suspension Kit available, see pg. 23, 25					
Cooper, (built prior to 3/1/02, front sway bar link attaches to spring seat)	02	8641-1432 Sport	5	8041-1293 Sport	

MITSUBISHI

Eclipse	00-04	8641-1231 Sport	5	8041-1208 Sport	
Eclipse FWD & AWD	95-99	8040-1254	D	8040-1255	D
—Ext. Rebound Adjustable Sport Alternative		8041-1207 Sport		8041-1208 Sport	
Eclipse (FWD) for OE KYB struts only	90-94	8641-1231 Sport	5	8040-1128 Sport	4
Eclipse (AWD) for OE KYB struts only	90-94	8641-1231 Sport	5	8040-1129 Sport	4
Galant Sedan And Hatchback, 1.8, 2.0TD, Types E52A, E55A, E57A (Exc. Cars w/ ECS System)	94-96	8040-1172		8040-1173	8
Galant 2.0i Type E33A (Exc. AWD Cars w/ ECS)	89-93	86-2415	+, 5	80-2565	+, 8
Mirage 1.5, 1.8	93-02	8610-1343 Sport	5	80-2714 Sport	
Mirage 1.5, 1.6	88-92	8641-1172 Sport	5	8040-1080 Sport	

MORGAN

4/4, Plus 4, V8	61-5/91	80-1021	+	80-1573	+
4/4, Plus 4, V8 (with telescopic rear dampers)	6/91-94	80-1021	+	80-2725	+

NISSAN/DATSUN

240 SX, All Models (Exc. Elect. Susp.)	95-99	8641-1364 Sport for OE struts only	5	8040-1226 Sport	
240SX, All Models (Exc. Elect. Susp.)	89-94	8641-1364 Sport for OE struts only	5	8040-1081 Sport	
240Z	70-75	86-1811		86-1812	
260Z (Up To Ser. #30-060000)	75	86-1811		86-1812	
300ZX, All Models (Disarms Elect. Susp.)	90-96	8041-1118 Sport		8040-1119 Sport	
300ZX (Exc. Elect. Susp.)	84-89	8641-1060 Sport	5	26-1248 Sport	
350Z	03-04	8241-1216LSport 8241-1216RSport		8241-1217 Sport	
SPL 311, SLR 311 Roadster, 1500, 1600, 2000	65-70	80-1750		80-1751	
Maxima	00-03	8641-1439 Sport	5	8040-1297 Sport	
Maxima	95-99	8641-1362 Sport	5	8040-1242 Sport	
Maxima (Exc. Elect. Susp.)	89-94	86-2435	5	86-2436	
NX-1600, NX-2000; for 45 mm rear OE KYB Struts for 51 mm OE KYB struts	91-93	86-2463	5	86-2465 86-2464	5 +, 5
Pulsar Sedan And Coupe Types KN13 And N13	87-90	86-2389 Sport	+, 5	86-2390 Sport	+, 5
Sentra B15, Spec V, SER; for 45 mm OD front OE struts	00-04	8610-1409 Sport	5, 17	80-2838 Sport	
Sentra, 200 SX SER, Sentra SER	95-99	8640-1354	5	8040-1220	
Sentra, Sentra SER (Exc. wagon): for 45 mm rear OE KYB struts for 51 mm rear OE KYB Struts	91-10/94	86-2463	5	86-2465 86-2464	5 +, 5
Sentra B12 Exc. 4WD	87-90	86-2389 Sport	+, 5	86-2390 Sport	+, 5

+ Special order part. 4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment. 17 For SER and Spec V, adjust fronts to 1 turn or higher.

D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

OLDSMOBILE

88/98 (RWD)	77-85	8040-1087		8040-1088	4
88/98, All Models	71-76	8040-1087		Not Available	
Cutlass (Exc. Ciera)	78-87	8040-1092		8040-1093	4
Cutlass Vista Cruiser	73-77	8040-1087		Not Available	
Cutlass Sedan	68-77	8040-1087		8040-1088	4
Cutlass 442	66-67	Not Available		8040-1088	4
Cutlass F-85 (Exc. 442)	64-67	Not Available		8040-1088	4

OPEL

GT	69-72	80-1580 Sport	+	80-1997 Sport	+
----	-------	---------------	---	---------------	---

PEUGEOT

405, All Models (Exc. AWD)	89-95	8741-1186 Sport	+	30-1370 Sport	+
----------------------------	-------	-----------------	---	---------------	---

PLYMOUTH

Acclaim, All Models	89-94	8741-1163		8040-1050	
Barracuda, All Models	70-74	80-1538		82-1255	10
Breeze	95-00	8040-1205	1	8040-1206	1
Caravelle, All Models	86-88	8741-1163		8040-1050	
Caravelle, All Models	85-85	Not Available		8040-1050	
Fury Sedan	65-79	Not Available		82-1255	10
Fury Wagon	65-73	Not Available		82-1255	10
Laser (FWD)	90-94	8641-1231 Sport	5	8040-1128 Sport	
Neon (slotted bracket for front & rear camber adj.)	95-99	8741-1327 SP2		8741-1408 Sport	
Prowler	All	<i>Call KONI at 859-586-4100 for information</i>			
Reliant, All Models	86-89	8741-1163		8040-1050	
Reliant, All Models	84-85	Not Available		8040-1050	
Road Runner, All Models	73-75	Not Available		82-1255	10
Road Runner, All Models	68-72	80-1538		82-1255	10
Sundance, All Models	86-94	8741-1163		8040-1050	
Voyager	All	<i>See page 21 in Light Truck section for all models.</i>			

PONTIAC

Bonneville, All Models	82-86	8040-1092		8040-1093	4
Bonneville, Catalina, Parisienne, All Models	77-81	8040-1087		8040-1088	4
Bonneville, Catalina, Parisienne, All Models	65-76	8040-1087		Not Available	
Can-Am	78	8040-1092		8040-1093	4
Can-Am	77	8040-1087		8040-1088	4
Fiero, All Models	88	8040-1092		8741-1063	
Fiero, All Models	84-87	8040-1027		8741-1063	
Firebird, All Models	93-02	8241-1139 Sport	8	8241-1140 Sport	
—Double Adjustable Alternative		8242-1005 SP1	9	8242-1006 SP1	9
Firebird, All Models	82-92	8741-1030		30-1265	
—Koni Sport Alternative		8741-1030 Sport		30-1265 Sport	
Firebird, All Models	70-81	8040-1017		8040-1018	
Firebird, All Models	69	80-1914		Not Available	
Firebird, All Models	68	80-1914		80-1953	
Firebird, All Models	67	80-1914		80-1915	
Grand Am	78-80	8040-1092		8040-1093	4
Grand Am	73-77	8040-1087		8040-1088	4
Grand Prix	97-03	12498521	18	12498522	18
Suspension kit available GM P/N 12498354¹⁸					
Grand Prix	78-87	8040-1092		8040-1093	4
Grand Prix	77	8040-1087		8040-1088	4
Grand Prix	71-76	8040-1087		Not Available	
Grand Prix	69-70	8040-1087		8040-1088	4
GTO, Lemans, Tempest (Exc. Wagon)	68-77	8040-1087		8040-1088	4
GTO, Lemans, Tempest (Exc. Wagon)	64-67	Not Available		8040-1088	4

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts. 8 Features adjustable spring seat for ride height adjustment.

9 Rebound and compression are externally adjustable. 10 Lower shock mounting hole is 5/8" in diameter. 18 GM Performance part available only at GM dealers.



Make / Model	Year	Front	Notes	Rear	Notes
Lemans, All Models	78-81	8040-1092		8040-1093	4
Lemans Wagon	73-77	8040-1087		Not Available	
Parisienne, All Models	83-85	8040-1087		8040-1088	4
Sunfire	95-04	8641-1454 Sport	5	8041-1309 Sport	
Suspension Kit available, see pg. 25					
Ventura II with Multi-Leaf Rear Spring	72-74	8040-1087		8040-1088	4
Vibe	02-04	TBA		TBA	

PORSCHE

Tips on determining what shocks your car has: Red = generally KONI; Green = generally Bilstein; Yellow = KONI or Bilstein; Black or Gray = either Boge or Sachs					
356, 1600, 90 Series —Steering Damper	56-65	80-1044 SP20 76-1099		80-1191 SP20	
356	51-55	80-1013		80-1011	
356	49-50	80-1013		Not Available	
911 Carrera 2 & 4, 993	95-98	8641-1365 Sport	5	Not Available	
911 Carrera 2 & 4 (Exc. Turbo), Incl. RS America, 964	11/90-94	8641-1365 Sport	5	8241-1122 Sport	8
911 Carrera 2 & 4 Coil Over Susp., 964	89-10/90	8641-1365 Sport	5	Not Available	
911, 912, Carrera, Torsion Bar Susp.; Models OE w/KONI —Models w/Boge —Ext. Adjustable Sport Alternative For Boge and KONI —Sport Alternative Rear	75-89	86-1942 8641-1039 8641-1039 Sport —	16	30-1214 30-1214 8210-1159 Sport 30-1214 Sport	
911, 912, Carrera (Exc. Self Leveling Front Units) —Models w/Koni —Models w/Boge	72-74	86-1638 8641-1039		82-1756 82-1756	
911, 912 Models w/KONI —Models w/Boge	69-71	86-1638 8641-1039		80-2088 80-2088	
911, 912; Models OE w/KONI —Models w/Boge	65-68	86-1308 86-1394		8040-1083 8040-1083	
911, 930 Turbo (Models w/Bilstein)	76-89	Not Available		30-1214	
914, 914-6 —Koni Sport Alternative	70-76	8641-1077 8641-1077 Sport	*	Not Available 8241-1050 Sport	8
924S *WARNING* Inspect clearance between front hood & strut pin before closing hood. Original bushings may need replacement.	86-88	8641-1038 Sport		8040-1035 Sport	
924, 924 Turbo *WARNING* Inspect clearance between front hood & strut pin before closing hood. Original bushings may need replacement.	76-82	8641-1038 Sport		26-1209 Sport	
928, 928S (For Models O E w/Boge.) If Bilstein equipped, see footnote 14	78-93	8240-1085	14	8240-1086	14
944 Turbo, Turbo S, S2 (Models OE w/Sachs sealed struts)	86-91	8641-1414 Sport	5	8040-1035 Sport	
944 (Exc. Turbo & Models OE w/Sachs sealed units)	851/2-89	8641-1038 Sport		8040-1035 Sport	
944 (Models OE w/Sachs sealed strut units)	851/2-89	8641-1414 Sport	5	8040-1035 Sport	
944 (Exc. Turbo)	83-85	8641-1038 Sport		26-1209 Sport	
968	92-95	8641-1414 Sport	5	8040-1035 Sport	

SAAB

9-3 (Exc. Aero & Viggen) Suspension Kit available, see pg. 25	99-02	8641-1389 Sport		8041-1191 Sport	
9-5 (Incl. V6)	02-04	87-2636 Sport		80-2754 Sport	
9-5 (Incl. Aero & V6)	99-01	87-2622 Sport		80-2754 Sport	
9000 Turbo, 9000i	85-98	8641-1114 Sport OE Sachs struts only	5	8040-1057 Sport	
900, All Models	94-98	8641-1305 Sport		8041-1191 Sport	
900, 900 Turbo, Turbo 16 Valve	78-93	30-1088		26-1087	

* Available until stock is depleted. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts. 8 Features adjustable spring seat for ride height adjustment.

14 If Bilstein equipped use front lower spring seat 928.343.525.00; rear lower spring seat 928.333.511.04; thread bushing 928.33.513.00 from Porsche dealer.

16 For OE KONI struts, gland nut 70.25.00.087.0 must be ordered separately.



Make / Model	Year	Front	Notes	Rear	Notes
SATURN					
ION	03-04	TBA		TBA	
LS-1, LS-2, LW-1, LW-2	Left: 00-04 Right:	8710-1346L Sport 8710-1346R Sport		80-2754 Sport	

SUBARU					
Impreza (All Exc. WRX)	02-03	8610-1351 Sport	5	8610-1408 Sport	5
Impreza 2.5 RS (AWD)	94-99	8610-1351 Sport	5	8610-1352 Sport for OE KYB only	5
Impreza 1.6 & 1.8 Sedan and Wagon (2WD)	93-98	8610-1318 Sport OE Showa struts only	+ 5	8610-1304 Sport OE KYB struts only	+ 5
Legacy II, 2.0 and 2.2, Sedan and Wagon (2WD) OE Showa struts only	94-96	8610-1318 Sport	+ 5	Not Available	
Legacy II, 2.0 and 2.2, Sedan and Wagon (AWD)	94-96	8610-1318 Sport OE Showa struts only	+ 5	8610-1317 Sport OE KYB struts only	+ 5
Legacy 1.8 and 2.2, Sedan and Wagon 2WD and AWD (Exc. air suspension) if equipped with OE KYB rear struts	89-93	8610-1266 Sport Atsugi & Showa only	+ 5	8610-1267 Sport OE Atsugi struts only	+ 5
WRX	02-03	8610-1351 Sport	5	8610-1304 Sport 8610-1408 Sport	+ 5 5
Suspension Kit available, see pg. 25					

SUZUKI					
Esteem	95-02	8610-1331 Sport	+ 5	86-2566 Sport	+ 5
Swift/Cultus/Forsa, All Models Incl. types EAA33S, EAA34S, EAA35S, EAB35S, EAH35S, EAA44S, EAB44S	89-99	86-2588 Sport for OE KYB & Showa only	5	87-2429 Sport	

TOYOTA					
Camry Sedan 2.2i & 3.0-V6, Types SXV10 & VCV10, (Exc. Wagon, for non-sealed struts only)	6/91-96	86-2484		86-2485	
Celica GT & GTS	02-04	8641-1409 Sport	5	8041-1276 SP1	
Celica	94-99	8641-1308 Sport		8641-1212 Sport for OE KYB only	5
Celica Liftback & Coupe Types AT180 & ST182, 2WD	90-93	8641-1211 Sport		8641-1212 Sport for OE KYB only	5
Celica Liftback 2.0 GT Turbo Type ST185, 4WD	90-94	8641-1211 Sport		Not Available	
Celica Incl. GTS (Exc. 4WD & AWD Supra) Types AT 160 & ST162	86-89	8641-1115 Sport		8641-1116 Sport for OE KYB only	5
Corolla	03-04	8610-1416 Sport for 49mm OE KYB only	5	80-2844 Sport	
Corolla	98-02	8610-1365 Sport for 49mm OE KYB only	5	86-2524 Sport for 49mm OE KYB only	5
Corolla, All Models (Incl. Wagon)	8/92-97	8610-1365 Sport for OE KYB only	5	86-2524 Sport for 49mm OE KYB only	+ 5
Corolla 1.3, 1.6, All Models (Exc. GTi-16V) For Sealed Front Struts	91-7/92	8641-1243 Sport	5	8641-1147 Sport	5
For NON-SEALED Front Struts	88-7/92	8641-1145 Sport		—	
Corolla 1.6 GTi-16V	88-92	8641-1146 Sport		8641-1147 Sport	5
Corolla (RWD)	83-87	86-1991 Sport	+	80-2437 Sport	+
Echo	00-04	8710-1403 Sport		80-2827 Sport	
Matrix	02-04	TBA		TBA	
MR2 Spyder	01-04	8641-1420 Sport	5	8641-1422 Sport	5
MR2 2.0-16V, GTi, Type SW20	90-9/96	8641-1220 Sport		8641-1221 Sport	
MR2 (rear strut has M48 x 1.5 locknut)	8/86-89	8641-1071 Sport		8641-1142 Sport	
MR2 (rear strut has M42 x 1 locknut)	85-7/86	8641-1071 Sport		8641-1072 Sport	
Supra, All Incl. Turbo	93-98	30-1583 Sport	8	30-1584 Sport	8
Supra, All Incl. Turbo MA70 (Disarms Elect. Susp.)	3/86-93	8040-1063 Sport	1	8040-1064 Sport	1

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

TRIUMPH

Herald, Estate, Vitesse	59-71	80-1388	4	80-1389	4
GT 6 (all) (Rear shock: 1/2" bolt; 14" - 9 1/2" travel range)	69-73	80-1388	4	80-2089	
(Rear shock: 5/8" bolt; 12" - 9 5/8" travel range)				80-1389	4
Spitfire	69-81	80-1388	4	80-1389	4
Spitfire, GT 6	62-68	80-1388	4	80-1389	4
Stag V8, Estate, 2500PL, 2500TC	69-77	86-1664	+	80-2069	+, 4
TR-2, TR-3, TR-4	60-65	80-1005		Not Available	
TR 4A IRS, TR5, TR6, TR250	64-76	80-1784	4	Not Available	
TR7 (heavy duty), TR8	75-82	86-2057		80-1680	4

TVR

Griffith Series 200 & 400, Vixen S1 & S2, Tuscan V8, MKIII 1800S	65-71	80-2365	+, 4	80-2365 (4 required on some cars)	+, 4
2500M, Vixen 2500, 3000M, 3000SE	71-79	80-2365	+, 4	80-2365	+, 4

VOLKSWAGEN

Beetle	98-04	8710-1337 Sport		80-2761 Sport	
Suspension Kit available, see pg. 23, 25					
Super Beetle	75-80	86-1980	+	80-2149	
Super Beetle	74	Not Available		80-2149	
Super Beetle	70-73	86-1741	+	80-2149	
Beetle (Exc. Super Beetle), Karmann Ghia, Swing axle rear:	67-77	80-1787		80-1350	
—Squareback, Fastback, Thing IRS rear:		80-1787		80-2149	
—Steering Damper		76-1293	+		
Beetle, Karmann Ghia (Exc. 1200)	66	80-1787		80-1350	
—Steering Damper		76-1293	+		
Beetle, Karmann Ghia 1200 Model	66	80-1349		80-1350	
—Steering Damper		76-1293	+		
Beetle, Karmann Ghia	60-65	80-1349		80-1350	
—Steering Damper		76-1293	+		
Beetle, Karmann Ghia	52-59	80-1349		Not Available	
Type 3	61-68	80-1349		80-1350	
Corrado VR6 (Exc. G60)	92-95	87-2508	D	80-2587	D
—Ext. Rebound Adjustable Sport Alternative		8741-1259 Sport		8041-1108 Sport	8
Suspension Kit available, see pg. 23					
Corrado G60	90-92	8641-1198 Sport		8041-1108 Sport	8
Suspension Kit available, see pg. 23					
Dasher	81	8610-1262 Sport		80-2475	+
Eurovan	90-03	82-2379		82-2380	
Golf 5	05	TBA		TBA	
Golf IV, Jetta IV, (Exc. Wagon)	99-04	8710-1337 Sport		80-2761 Sport	
Suspension Kit available, see pg. 23, 25					
Jetta IV Wagon	99-04	8710-1337 Sport		80-2815 Sport	
Golf III, Jetta III, Cabrio 4 Cyl.	93-98	87-2507	D	80-2542	D
—Ext. Rebound Adjustable Sport Alternative		8741-1258 Sport		8041-1102 Sport	8
Suspension Kit available, see pg. 23, 25					
Golf III, Jetta III, VR6	93-98	87-2508	D	80-2587	D
—Ext. Rebound Adjustable Sport Alternative		8741-1259 Sport		8041-1102 Sport	8
<i>Note for '93-95 VR6 cars: front strut lowers car 19mm. Use 8041-1102 Sport lower spring perch to lower rear equal amount.</i>					
Suspension Kit available, see pg. 23, 25					
Golf II, Jetta II (Models w/ sealed struts)	90-92	87-2440	D	80-2542	D
—Ext. Rebound Adjustable Sport Alternative		8741-1204 Sport		8041-1102 Sport	8
Suspension Kit available, see pg. 23, 25					
Golf II, Jetta II (Models w/ non-sealed struts)	85-90	86-2305	D	80-2542	D
—Ext. Rebound Adjustable Sport Alternative		8641-1085 Sport		8041-1102 Sport	8
Suspension Kit available, see pg. 23, 25					



Make / Model	Year	Front	Notes	Rear	Notes
Passat Sedan and Wagon (FWD) Suspension Kit available, see pg. 23, 25	98-04	82-2488 Sport		8040-1227 Sport	
Passat (AWD) 4-Motion	00-04	82-2488 Sport		82-2465 Sport	
Passat VR6 Sedan and Wagon (Exc. air susp.) <i>VR6 Passat note: car will be lowered 19mm F & R</i> Suspension Kit available, see pg. 23	93-97	8741-1289 Sport		80-2615 Sport	
Passat Sedan and Wagon (Exc. VR6 & Synchro) Suspension Kit available, see pg. 23	90-97	8741-1289 Sport		80-2615 Sport	
Quantum (Exc. synchro)	82-85	8610-1262 Sport		80-2475	+
Rabbit, Jetta, Scirocco, All Models (Exc. Pickup) —Ext. Rebound Adjustable Sport Alternative	75-84	86-1919 8641-1048 Sport	D	80-2307 8041-1101 Sport	D 8
Rabbit Convertible, Cabriolet —Ext. Rebound Adjustable Sport Alternative	79-93	86-1919 8641-1048 Sport	D	80-2307 8041-1101 Sport	D 8
Vanagon	80-90	82-2100	+	82-2101	+

VOLVO

140, 160 (All Incl. 164)	72-74	80-1931		80-2196	+
140, 160 (All Incl. 164)	67-71	80-1931		80-1932	
240, 260 (Exc. Turbo) —Sport Alternative	78-92	86-1923 8641-1245 Sport	+	26-1129 26-1129 Sport	+, 3
240, 260 Series Sedan & Wagon (Exc. Turbo)	75-92	86-1923	+	26-1129	+, 3
240, 260 Series Turbo Sedan & Wagon —Sport Alternative	75-92	86-2144 8641-1245 Sport	* 6	26-1129 26-1129 Sport	+, 3
740 Sedan & Wagon. <i>See NOTE below.</i>	85-92	8641-1246 Sport		30-1479 Sport	
760 Sedan (with independent rear suspension)	85-92	8641-1246 Sport		Not Available	
850, Sedan and Wagon. <i>See NOTE below.</i>	92-97	8710-1350 Sport		80-2712 Sport	
940 Sedan (Exc. 2.0i-16V Turbo & cars with independent rear suspension) <i>See NOTE below.</i>	90-93	8641-1246 Sport		30-1479 Sport	
Amazon, 122 (Exc. GT)	57-69	80-1319	+	80-1320	+
Amazon Combi	62-69	80-1319	+	Not Available	
C70	98-02	8710-1350 Sport		80-2712 Sport	3
P444, P555	47-65	80-1003	+	Not Available	
S40, V40 left:	01-03	8741-1445L Sport		8040-1222 Sport	3
right:		8741-1445R Sport			
S40, V40 left:	00	8741-1403L Sport		8040-1222 Sport	3
right:		8741-1403R Sport			
S70, V70, L70, C70 (Exc. AWD)	97-01	8710-1350 Sport		80-2712 Sport	
S70 (Exc. AWD)	98-00	8710-1350 Sport		80-2712 Sport	3
S60, V70 (Exc. AWD)	01-04	8641-1410 Sport	5	8040-1277 Sport	3
S80 (Exc. AWD)	99-04	8641-1410 Sport	5	8040-1277 Sport	3
NOTE: Some Volvo models may be equipped with a self leveling rear suspension, in which case the rear springs must also be replaced. Models with factory lowered suspension will raise approx. 20 mm.		—		3330-1102	+

+ Special order part. * Available until stock is depleted. 3 Exc. mdls w/self leveling suspension.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

6 On turbo cars, Volvo p/n 1229423-7 (ring), 1229659-6 (dust cover), 1221647-9 (bump rubber) needed. 8 Features adjustable spring seat for ride height adjustment.

D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
CHEVROLET/GMC/GEO					
C-Series 1/2 & 3/4 ton, Silverado (2wd)	87-99	30-1656		30-1657	
C-Series 1/2 & 3/4 ton, Pickup (2wd), (Exc. Crew Cab)	73-86	82-1954		82-1955	
C-Series 1/2 & 3/4 ton (2wd)	63-72	82-1954		Not Available	
C-Series 3/4 ton Crew Cab, (2wd)	73-86	82-1954		Not Available	
C-Series 1 ton (2wd)	63-86	82-1954		Not Available	
G-Series 1/2, 3/4, & 1 ton Van, Express, Savana	97-00	82-2479		82-2480	
G-Series 1/2, 3/4, & 1 ton Van	88-96	82-2158		82-2345	
G-Series 1/2, 3/4, & 1 ton Van	70-87	82-2158		82-2159 SPA1	
K-Series 1/2, 3/4, & 1 ton Pickup, Silverado, Sierra (4wd)	87-99	82-2372		82-2384	
K-Series 1/2, 3/4, & 1 ton Pickup (4wd) (Exc. quad susp.)	73-86	Not Available		82-1955	
P-Series 1/2 & 3/4 ton Step Van	73-94	82-1954		82-1955	
P-Series 1 ton Step Van	73-95	82-1954		Not Available	
R-Series 1/2 & 3/4 ton Pickup (2wd), (Exc. crew cab)	87-91	82-1954		82-1955	
R-Series 1 ton Crew Cab (2wd)	87-91	82-1954		Not Available	
S-10 Blazer, Pickup, S-15 Jimmy, Sonoma (2wd)	83-02	30-1667		30-1668	
S-10 Blazer, Pickup, S-15 Jimmy, Sonoma, Syclone, Typhoon (4wd)	83-02	30-1606		30-1607	
V-Series 1/2, 3/4, & 1 ton (4wd) (Exc. quad suspension)	87-91	Not Available		82-1955	
Astro, Safari (2wd)	85-04	8240-1054		8240-1055	
Astro, Safari (Awd)	91-04	Not Available		8240-1055	
Astro (Awd)	85-90	8240-1054		8240-1055	
Blazer (K & V series 4wd) (Exc. S10 & Quad Susp.)	73-91	Not Available		82-1955	
Blazer (C series 2wd) (Exc. S10)	73-83	82-1954		82-1955	
Lumina MPV	89-96	86-2468	+	Not Available	
LUV Pickup all	73-81	80-2412	+	80-2458	+
Suburban, (C Series 1/2 & 3/4 ton 2wd)	92-99	30-1656		Not Available	
Suburban, (K Series 1/2 & 3/4 ton 4wd)	92-99	82-2372		Not Available	
Suburban, (C & R Series 1/2 & 3/4 ton 2wd)	73-91	82-1954		82-1955	
Suburban, (K & V Series 1/2 & 3/4 ton 4wd)	73-91	Not Available		82-1955	
Tahoe, Yukon (2wd)	95-99	30-1656		Not Available	
Tahoe, Yukon (4wd)	95-99	82-2372		Not Available	
Tracker, 2 door & 4 door, All Models	89-04	8741-1394 Sport		8040-1106 Sport	

CHRYSLER/PLYMOUTH

Voyager, Town & Country, All Models (Exc. AWD)	96-04	8640-1344	5	30-1627	
Voyager, Town & Country, All Models (Exc. AWD)	86-95	8741-1173		30-1381	

DODGE

Caravan, Grand Caravan (Exc. AWD)	96-04	8640-1428	5	30-1627	
Caravan, All Models (Exc. AWD)	86-95	8741-1173		30-1381	
Dakota (4wd)	97-04	30-1673		30-1674	
Durango (4wd)	98-03	30-1673		30-1674	
Ram Pickup 1500 & 2500 (2wd)	94-01	30-1676		30-1655	
Ram Pickup 1500 & 2500 (4wd) (Exc. 8800 GVW, Diesel)	94-01	30-1654		30-1655	
Sprinter 2500 Single rear wheel	03-04	87-2604		82-2434	
Sprinter 3500 Dual rear wheel	03-04	87-2638		82-2440	

+ Special order part.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

FORD

Escape	01-04	TBA		TBA	
Explorer, All Models	95-01	30-1614		30-1502	
Explorer, All Models	90-94	30-1501		30-1502	
Expedition (4wd) (Exc. w/front air leveling)	97-02	30-1669		30-1670	
F150, F250 (2wd) (Exc. Superduty)	97-02	30-1658		30-1659	
F150, F250 (4wd) (Exc. Superduty)	97-02	30-1669		30-1659	
Ranger (2wd)	98-04	30-1680		30-1672	
Ranger (4wd)	98-04	30-1614		30-1675	
Ranger (2wd)	90-97	30-1671		30-1672	

HONDA

CRV	02-04	TBA		TBA	
CRV	97-01	8041-1243 Sport		8040-1244 Sport	
Passport	98-99	30-1663		30-1664	
Passport	94-97	30-1365		30-1366	5

HYUNDAI

Santa Fe	00-03	8641-1448 Sport	+, 5	8041-1302 Sport	+
----------	-------	-----------------	------	-----------------	---

ISUZU

Rodeo	98-99	30-1663		30-1664	
Rodeo	94-97	30-1365		30-1366	
Trooper (4wd)	87-91	30-1365		30-1366	
Trooper (4wd)	92-96	30-1565		30-1566	

JEEP

Cherokee, Wagoneer, Series XJ (4wd)	84-01	30-1348		30-1630	
Grand Cherokee	99-04	8240-1176 SPX		8240-1177 SPX	
Grand Cherokee	93-98	8240-1198 SPX		8240-1199 SPX	
Liberty	02-04	8240-1201 SPX		8240-1202 SPX	
Wrangler (with independent suspension) (4wd)	97-04	30-1348		30-1630	
Wrangler, Series YJ (4wd)	87-96	30-1350		30-1351	

KIA

Sportage	94-99	8641-1318 Sport	+, 5	8240-1148 Sport	+
----------	-------	-----------------	------	-----------------	---

LAND ROVER

Defender 90	84-98	30-1311		30-1313	
Defender 110	83-98	30-1311		30-1312	
Discovery (Series MA)	95-98	30-1311		30-1615	
—Steering Damper		026-1580			
Discovery	89-94	30-1311		30-1312	
—Steering Damper		026-1580			
Range Rover II 4.0 & 4.6, all with air suspension (Exc. Classic)	95-02	30-1597		30-1598	
Range Rover, all without air suspension	71-93	30-1311		30-1312	
—Steering Damper		026-1580			
Range Rover Classic, all with air suspension	93-95	84-1186		84-1187	
—Steering Damper		026-1580			
Range Rover 4.2 LWB Classic with air suspension	93-95	84-1186		84-1187	
—Steering Damper		026-1580			



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

MAZDA

B Series (2wd)	98-04	30-1680		30-1672	
B Series (4wd)	98-04	30-1614		30-1675	
B Series (2wd)	90-97	30-1671		30-1672	
Navajo	95-00	30-1614		30-1502	
Tribute	00-03	TBA		TBA	

MERCURY

Mountaineer (Exc. Electronic Adj. Susp.)	95-01	30-1614		30-1502	
--	-------	---------	--	---------	--

MERCEDES

G-Series (W460/W461) with 632mm Long front shock.	79-03	8240-1195SPX	+	8240-1197SPX	+
with 585mm front shock		8240-1196SPX	+	8240-1197SPX	+
G-Series (W463)	90-03	8240-1196SPX	+	8240-1197SPX	+
Unimog 403, 403 S, 404 S, 406, 416, 416L, 440		84-1099	+	84-1099	+

MITSUBISHI

Montero (Exc. Air Susp.)	92-99	30-1456		30-1457	
--------------------------	-------	---------	--	---------	--

NISSAN/DATSUN

520, 521, 620, 720 Pickup (2wd)	69-84	80-2102	+	80-1311	+
520, 521, 620, 720 Pickup (4wd)	80-81	80-2102	+	80-1311	+
Pathfinder (strut front suspension)	96-99	86-2582		30-1637	
Pathfinder (2 door) R20 chassis	87-95	30-1365		30-1372	
Pathfinder (4 door) R20 chassis	94-95	30-1588		30-1372	

OLDSMOBILE

Bravada (4wd)	94-00	30-1606		30-1607	
Silhouette MPV	89-96	86-2468	+	Not Available	

PONTIAC

Transport MPV	89-96	86-2468	+	Not Available	
---------------	-------	---------	---	---------------	--

SUZUKI

Sidekick 2 door & 4 door, all models	88-04	8741-1394 Sport		8040-1106 Sport	
Vitara, Grand Vitara,	88-04	8741-1394 Sport		8040-1106 Sport	
X-90	96-98	8741-1394 Sport		8040-1106 Sport	

TOYOTA

4-Runner	8/89-95	30-1421		30-1422	
Landcruiser	60-76	80-1904	+	80-1905	+
Pickup (4WD)	79-83	82-2137	+	82-2138	+
RAV 4	00-04	8641-1427 Sport	5	30-1599 Sport	
RAV 4 (fits OE non-sealed struts only)	96-99	8641-1319 Sport		30-1599 Sport	

VOLKSWAGEN

Bus, Type II	55-67	80 1349		80-1350	
Eurovan	90-04	82-2379		82-2380	
Rabbit Pickup (Caddy)	81-82	8641 1048 Sport		Not Available	
Transporter	72-79	Not Available		80-2220	+
Vanagon	80-90	82-2100	+	82-2101	+



KONI ENGINEERED SUSPENSION KITS

KONI is the world leader in adjustable shock absorber technology with over 50 years of worldwide racing success. KONI has won 13 World Championships, over 200 Formula 1 races as well as many wins from the Le Mans 24 Hours to the Indy 500, the Pikes Peak Hill Climb to numerous Sports Car Club of America championships. KONI has also been the original equipment damper on performance street cars from manufacturers including Aston Martin, Bugatti, Ferrari, Lamborghini, Lotus, Porsche, Ford, General Motors, Daimler-Chrysler, etc.

This same specialized performance, engineering technology, and refinement is now available in three levels of KONI engineered suspension kits for upgrading performance street cars. All KONI kits contain four quality adjustable KONI dampers and matched performance springs. A KONI suspension kit is the best balance of high tech adjustable performance damping, quality springs with the proper ride height and spring rates to give performance ride and handling control without the unpleasant ride harshness of a mismatched system. All of this is backed by the full KONI limited lifetime warranty.

KONI THREADED SUSPENSION KIT - 1150 SERIES



The KONI Threaded Suspension Kit is our comprehensive street ride height adjustable kit. It allows ride height adjustment on all four corners of the car in most cases. The kit also offers rebound damping adjustment with a knob on most applications where car designs allow. This allows you to set and adjust the ride height, corner weight the car and tune the ride and handling characteristics. Our threaded suspension kits are designed for mild to aggressive street cars but still give a comfortable daily driver ride. These kits were developed and tested on the famed German autobahn and are all TUV approved.

KONI SPORT SUSPENSION KIT - 1130 SERIES



The KONI Sport Suspension Kit offers a complete package with matched KONI Sport shocks that are adjustable for rebound, externally in most cases, and a matched set of KONI lowering springs. The kits lower the cars an average of 35-45mm or about 1 1/2 to 1 3/4 inches. This gives your car a more aggressive look and handling while maintaining a good ride quality for daily street use. The kit reduces body roll and increases the responsiveness to steering input, making your car more fun to drive.

KONI RED SUSPENSION KIT - 1250 SERIES



The KONI Red Suspension Kit offers a package with specially valved KONI special "D" shocks that are internally adjustable for rebound, and a matched set of lowering springs. This kit offers a dramatic improvement in handling and limited ride height adjustability with circlip adjustable spring seats to further tune height. All of these features come at a quality and price that cannot be beaten.

The single most important feature that all KONI suspension kits share is KONI's continued commitment to quality engineered products. This allows us to offer properly matched sets of dampers and springs with a limited lifetime warranty. So no matter which kit you choose you can have the ultimate driving experience, adjustable to your personal needs.



KONI THREADED COIL-OVER SUSPENSION KITS

Threaded Suspension Kits include 4 specially valved KONI dampers and 4 performance lowering springs. Depending on car design, most are coil-over threaded ride height adjustable and externally rebound damping adjustable.

Make / Model	Year	Kit Number	Features		Notes
			Front	Rear	

ACURA

Integra (Exc. Type R)	94-01	1150-5006-1	H, E, G	H, E, G	
-----------------------	-------	-------------	---------	---------	--

AUDI

A4 FWD & Quattro	02-04	1150-5061	H, G	H, G	
A4 FWD 4 & 6 cyl.	95-6/00	1150-5020	H	H	
A4 Quattro 4 & 6 cyl.	95-01	1150-5019	H	H, E	
A6 FWD 4 cyl.	98-04	1150-5015	H	G	
A6 FWD 6 cyl.	98-04	1150-5016	H	G	
TT FWD	00-04	1150-5058	H, E	H	
TT Quattro	01-04	1150-5057	H, E	H	

BMW

318 Ti	94-99	1150-5025	H, E	G	
325i, 328i E36 coupe & sedan	90-99	1150-5069	H, E	H, G	
325i, 328i, 330i E46 coupe & sedan (Exc. Xi)	00-04	1150-5046	H, E	H, G	
M3 E36	95-99	1150-5023	H, E	G	
Z3 (Exc. M series)	96-02	1150-5029	H, E	G	

FORD

Focus Sedan/Hatchback	98-04	1150-5077	H, E, G	H, G	
Focus Wagon	98-04	1150-5078	H, E, G	H, G	

HONDA

Civic	92-95	1150-5006-1	H, E, G	H, E, G	
Civic	96-00	1150-5010	H, E, G	H, E, G	
Del Sol	92-96	1150-5006-1	H, E, G	H, E, G	

MAZDA

Miata	90-97	1150-5031	H, E, G	H, E, G	
Miata	99-04	1150-5062	H, E, G	H, E, G	

MINI

Cooper, Cooper "S" (anti-roll bar attached to damper body)	02-04	1150-5079	H, E, G	H, G	
--	-------	-----------	---------	------	--

SATURN

L-Series	00-01	1150-5032	H, E	H	+
----------	-------	-----------	------	---	---

VOLKSWAGEN

Beetle 4 cyl. (Exc. AWD)	99-04	1150-5048	H, E	H	2, 3
Cabrio	93-00	1150-5001-1	H, E	H, E, G	
Corrado	90-95	1150-5001-1	H, E	H, E, G	
Golf II, Jetta II	85-92	1150-5001-1	H, E	H, E, G	
Golf III, Jetta III	93-98	1150-5001-1	H, E	H, E, G	
Golf IV, Jetta IV 4 cyl. (Exc. AWD)	99-04	1150-5048	H, E	H	2, 3
Golf IV, Jetta IV VR6 (Exc. AWD)	99-04	1150-5048-1	H, E	H	2
Passat 4 & 6 cyl. (Exc. AWD)	98-03	1150-5067	H	G	

H Ride height adjustable.

E Externally rebound damping adjustable (all others standard adjustable).

G Gas Charged Dampers.

2 If driveshaft diameter is > 42 mm, stock swaybar may contact driveshaft risking damage if car is lowered more than 1.5 inches. Alternate sway bars are available from other companies.

3 For more aggressive front spring rate, use 1150-5048-1.



KONI SPORT SUSPENSION KITS

Sport Kits include 4 KONI Sport dampers and 4 matched KONI performance lowering springs. Depending on car design, most are externally rebound adjustable.

Make / Model	Year	Kit Number	Features		Approx. Lowering
			Front	Rear	

ACURA

Integra (Exc. Type R)	94-01	1130-1000	E, G	E, G	40 mm
Legend	91-97	1130-1001	G, 1	G	30 mm
RSX	02-04	1130-1002	E, 5	E	40 mm

AUDI

A4 4 Cyl. (Exc. Quattro & Audi Sport Suspension)	00-01	1130-1103			35 mm
A4 Sedan 6 Cyl (Exc. 2.5 Tdi, Quattro & Audi Sport Suspension)	00-01	1130-1105			35 mm
A4 Sedan & Avant 4 cyl.	02-04	1130-1106	G	G	35 mm
A4 Sedan & Avant 6 cyl.	02-04	1130-1107	G	G	35 mm
A6 Sedan 6 cyl. (FWD)	98-04	1130-1109			40 mm

BMW

E36 – 318i, 318iS, Sedan, Coupé (Exc. M-Technik)	10/91-99	1130-1200	E, G	G	40/20 mm
E36 – 325i, 328i, Sedan, Coupé (Exc. M-Technik) <i>Note for 1992 Mdl: Only w/80mm plastic cover on strut upper mount. (inside engine compartment)</i>	5/92-99	1130-1201	E, G	G	40/25 mm
E36 – 3-Series M3	95-99	1130-1205	E, 5		20 mm
E46 – 3-Series Sedan & Coupé 6 cyl. (Exc. Xi models)	98-04	1130-1203	E, G	G	35 mm

CHEVROLET

Cavalier	95-04	1130-1300	E, G, 5	E, G	45 mm
----------	-------	-----------	---------	------	-------

FORD

Contour 4 cyl.	98-01	1130-1602	E	E	40 mm
Contour 6 cyl.	98-01	1130-1603	E	E	40 mm
Focus Sedan & Hatchback	98-04	1130-1651	E, G	E, G	40 mm
Mustang V8	87-93	1130-1700	E, G	E, G	30 mm
Mustang V8 (Exc. IRS)	94-04	1130-1701	E, G	E, G	35 mm

HONDA

Accord	90-97	1130-1804	E, G	E, G	30 mm
Civic (Front: OE Struts 55 mm body only)	01-04	1130-1853	E, G	E, G	35 mm
Civic (Front: OE Struts 50 mm body only)	01-04	1130-1803	E, G	E, G	35 mm
Civic	96-00	1130-1801	E, G	E, G	35 mm
Civic	92-95		E, G	E, G	

MAZDA

Miata	89-97	1130-2000	E	E	35 mm
Miata	98-04	1130-2001	E	E	35 mm

E Externally rebound damping adjustable (all others standard adjustable).

G Gas Charged Dampers.

1 Uses factory (O.E.) lower spring seat.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.



Make / Model	Year	Kit Number	Features		Approx. Lowering
			Front	Rear	

MINI

Cooper, Cooper "S" (anti-roll bar attached to strut tube)	02-04	1130-1900	E, G	E, G	30 mm
---	-------	-----------	------	------	-------

MERCEDES-BENZ

C-Series (4-cyl. models) Sedan (Exc. Sport suspension)	93-00	1130-2100	G	G	40/25 mm
C-Series (5/6-cyl. models) Sedan (Exc. Sport suspension)	93-00	1130-2101	G	G	35 mm

PONTIAC

Sunfire	95-04	1130-1300	E, G, 5	E, G	45 mm
---------	-------	-----------	---------	------	-------

SAAB

9-3 (Exc. Viggen & Aero)	99-02	1130-2600	E, G	E, G	TBA
--------------------------	-------	-----------	------	------	-----

SUBARU

WRX	02-03	1130-3000	E, 5	E, 5	TBA
-----	-------	-----------	------	------	-----

VOLKSWAGEN

Rabbit, Jetta (Exc. diesel & automatic)	74-84	1130-2903	E, G	E, G	30 mm
Golf II and Jetta II with non-sealed struts (Exc. Syncro & diesel versions)	85-90	1130-2954	E, G	E, G	40 mm
Golf II and Jetta II with sealed strut (Exc. Syncro & diesel versions)	90-92	1130-2955	E, G	E, G	40 mm
Golf III 1.8T, 2.0, TDi, GT, GTi-16V & VR6 (Exc. Syncro, Variant)	93-98	1130-2958	E, G	E, G	35 mm
Golf IV 1.8T, 2.0, 1.9TDi (Exc. 4-Motion)	99-04	1130-2910	E, G	E, G	40 mm
Jetta IV 1.8T, 2.0, 1.9TDi (Exc. 4-Motion & Wagon)	99-04	1130-2917	E, G	E, G	40 mm
New Beetle 1.8T, 2.0, 1.9TDi (Exc. 4-Motion)	98-04	1130-2962	E, G	E, G	40 mm
Passat Sedan 4 cyl. 1.8T, 2.0 (Exc. diesel versions & 4-Motion)	98-03	1130-2914			35 mm
Passat Sedan 5/6 cyl., 1.9TDi, 2.5TDi diesel versions (Exc. 4-Motion)	98-03	1130-2915			35 mm

E Externally rebound damping adjustable (all others standard adjustable).

G Gas Charged Dampers.

1 Uses factory (O.E.) lower spring seat.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

KONI RSK SUSPENSION KITS

Red Suspension Kits include 4 specially valved KONI internally rebound adjustable shocks and bump rubbers and 4 performance lowering springs. Ride height can be selected from multiple options at the time of installation by moving spring seat circlips. Allows for compensation of additional rear loads including heavy electronic equipment, trailering, etc. Exact lowering may vary based on vehicle models, options, and modifications.

Make / Model	Year	Kit Number	Height Lowering Range		Notes
			Front	Rear	

HONDA

Accord 4 cyl. coupe & sedan	90-97	1250-5001	40-60 mm	30-50 mm	
Civic coupe & sedan	96-00	1250-5002	45-65 mm	40-60 mm	
Civic coupe & sedan	92-95	1250-5003	30-45 mm	30-40 mm	



KONI THREADED SPRING PERCH SLEEVES AND PARTS

Threaded coil over spring perches allow vehicles that would normally have fixed location spring perches to gain some of the benefits of racing developed tuning techniques. Performance suspension adjustments such as ride height adjustment and corner weighting or weight jacking can be performed with threaded spring perches. KONI offers several coil over sleeves and individual components to allow both street and race cars these performance benefits. Because different vehicles have different spring and shock mounting needs and uses, each installer will need to establish which parts are right for that particular application.

The threaded sleeves are designed to mount on fixed platforms or groove located circlips that are perpendicular to the damper body.

The threaded sleeves are made of anodized aluminum with threading specially designed for load carrying and self-cleaning properties. The 42 mm ID sleeves and perches are red anodized aluminum and the 50 mm ID sleeves and perches are black anodized aluminum. All lower perches have a nylon tipped locking set screw to positively lock the perch in place without damaging the threads.

Caution should be used in the installation and use of threaded spring perches to be sure not to cause damage to the vehicle from bottoming or topping springs, shocks and suspension parts. KONI cannot be held responsible for modifications or damages caused by the improper use or adjustment of threaded spring perches.



30.0000.0005
and 30.0000.0006

80.0000.1

Figure A





Figure B



42mm ID threaded sleeves & components

(fits most 80-, 8040-, 8041-, 8042- series dampers with 2 1/4" ID springs)

Set including threaded sleeve, lower spring perch, and 25mm upper spring perch (figure A)	80.0000.1
Set including threaded sleeve, lower spring perch, and 40mm upper spring perch (figure B)	80.0000.2
Threaded Sleeve	80.0000.0005
Lower spring perch with locking set screw	80.0000.0006
25 mm upper spring perch (figure A)	80.0000.0007
40 mm upper spring perch (figure B)	80.0000.0008
Nylon 2 1/4" to 2 1/2" ID spring adapters (2 needed)	15.29.04.003.0

50mm ID threaded sleeves & components

(fits all 30-, and most 82-, 8240-, 8241-, 8242-, 87-, 8741- series dampers with 2 1/2" ID springs)

Threaded sleeve	30.0000.0005
Lower spring perch with locking set screw	30.0000.0006



KONI SERVICE CENTER

KONI operates a full service shock absorber service center to provide complete testing, fabrication, restoration, and revalve capabilities. The facility includes services for automotive, motorsports, heavy duty bus and truck, railway and industrial applications.

DYNO TESTING – All KONI dampers are dynamometer tested when they are manufactured, however, racing dampers should be dyno tested periodically to ensure optimum performance. KONI offers dyno services utilizing the latest technology in computer operated multi- and single speed dynos.

REBUILD – KONI dampers, in most cases, are fully rebuildable. Vintage street and racing shocks can be refurbished to like-new condition including paint and decals.

REVALVE – In cases where the original KONI valving may not be optimal for modified vehicles, the valving may be altered to match upgraded suspension requirements. KONI has developed specific valvings for motorsports applications including autocross, drag racing, oval track racing and road course racing.

SPECIAL APPLICATION CONVERSIONS – The KONI Service Center can perform a variety of special modifications including shortened and extended lengths, double and external adjustability and special mounting configurations. Contact the KONI Service Center with your special requirements.

OTHER KONI AUTHORIZED REBUILD FACILITIES – In addition to the KONI Service Center, there are two KONI authorized rebuild facilities in North America. Both utilized KONI trained technicians and KONI parts. They are TrueChoice in Hilliard, OH (800-388-8783) and Pro Parts West in Canoga Park, CA (818-348-5385).

MOBILE SERVICE FACILITIES – KONI operates mobile service units complete with dyno testing and rebuilding facilities for Research and Development and motorsports support.



HOW TO DO BUSINESS WITH THE KONI SERVICE CENTER

Call KONI at 859-586-4100, Service Center hours are 7:30 a.m. to 4:00 p.m. EST. Dampers should be sent to: KONI North America, Attn: Service Center, 1961 A International Way, Hebron, KY 41048. Please include a note with a description of the services required and your name, address and daytime telephone number.

Turn-Around Time: Normal turn-around time is two to three weeks from date of receipt but it is sometimes subject to seasonality so please call KONI in advance to determine your projected availability date.

Terms: Without exception all shocks must be sent to KONI freight prepaid. Method of payment will be VISA, MasterCard, or AMEX.

Costs: Contact KONI at 859-586-4100 for current prices on services.

NON-REBUILDABLE KONI DAMPERS

Although most KONI dampers are rebuildable and revalvable, certain KONI dampers due to their unique configuration are sealed for life. Shocks which are not readily rebuildable include series: 25, 26, 2615, 30, 3013, 76, 7610 and some 8640 and 8641.

Construction	25	26	2615	2812	2816	2817	30	3011	3012	3013	76	80	82	86	87	88	90
Non-Rebuildable	x	x	x				x			x	x						
Rebuildable				x	x	x		x	x			x	x	x	x	x	x

Construction	7610	8040	8041	8210	8211	8212	8216	8240	8241	8242	8610	8640	8641	8710	8740	8741	8742
Non-Rebuildable	x											x	x				
Rebuildable		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x



PASSENGER CAR, LIGHT TRUCK, MOTORHOME & MOTORCYCLE

KONI Inc. warrants all new KONI shock absorbers (purchased after 5/1/80) and suspension kits (purchased after 1995) to the original retail purchaser against defects in material and workmanship, excluding mounting rubbers, washers and bushings, when used under normal operating conditions for as long as such purchaser owns the vehicle on which the KONI shock absorbers were originally installed. This warranty does not apply to, and KONI makes no warranty for, shock absorbers and suspension kits that have been modified or installed;

- Improperly;
- As original equipment on any vehicle except Ford Mustang SVO;
- On any vehicle that has been modified for a use other than or in addition to its originally intended use;
- For an application that is not specified in the KONI literature;
- On any vehicle that has been used off-road, for **rac**ing or for any other driving competition.

HEAVY DUTY TRUCK & BUS

KONI Inc. warrants all new KONI shock absorbers to the original retail purchaser against defects in material and workmanship, excluding mounting rubbers, washers and bushings, when used under normal operating conditions for a period of 3 years or 300,000 miles, whichever occurs first, (purchased after July 1, 1990). This warranty does not apply to, and KONI makes no warranty for, shock absorbers that have been installed:

- Improperly
- As original equipment on any vehicle which was manufactured outside of the U.S.A.;
- On any vehicle that has been modified for a use other than or in addition to its originally intended use;
- For an application that is not specified in the KONI literature;
- On any vehicle that has been used off-road, for **rac**ing or for any other driving competition.

In the event of defect, malfunction or failure of the KONI shock absorbers to conform with this warranty, the original purchaser must follow the warranty procedures listed below. Upon verification, warrantor or its servicing organization will repair or replace the shock absorbers at no cost to the original user. However, warrantor will not pay for the cost of the installation of the new or repaired shock absorbers, and the cost of postage and return shipping cost shall be prepaid by the original purchaser.

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

THIS WARRANTY IS LIMITED SOLELY TO THE ABOVE AND THIS WARRANTY AND ANY WARRANTIES IMPLIED BY STATE LAW WILL APPLY ONLY FOR THE TERM STATED ABOVE.

THE WARRANTOR WILL NOT BE LIABLE FOR ANY LOSS, DAMAGE, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND WHETHER BASED UPON WARRANTY, CONTRACT OR NEGLIGENCE AND ARISING IN CONNECTION WITH THE SALE USE OR REPAIR OF THE PRODUCT.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, OR ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGE SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY TO YOU. UNLESS OTHERWISE CONTRARY TO STATE LAW GOVERNING THE PURCHASE, THE WARRANTOR'S LIABILITY SHALL NOT IN ANY CASE EXCEED THE CONTRACT PRICE FOR THE PRODUCT CLAIMED TO BE DEFECTIVE OR UNSUITABLE.

(THIS WARRANTY IS APPLICABLE IN THE U.S.A. AND CANADA ONLY.)

WARRANTY RETURN PROCEDURE

1 Contact dealer from which shock absorbers were purchased, or KONI, 1961 International Way, Hebron, KY 41048, Attention: KONI Warranty.

Phone: 859-586-4100 or e-mail: warranty@koni-na.com to obtain a Return Goods Authorization (RGA) number.

2 Provide dated proof of purchase.

3 Provide copy of current vehicle registration form.

4 Provide your name, address, day phone number, make, model & year of vehicle and description of defect.

5 Depending on the product, you may be given options for advance shipment of replacement parts.

6 Return defective unit(s) with RGA # – (freight prepaid) – with all mounting parts and items 2, 3 and 4.

7 Upon determination of valid warranty KONI will repair or replace at its discretion.



Descriptions and Order Numbers:

- A** KONI/BAR Lady POP 5'9" cardboard cutout #1030.10.03.00
- B** KONI Racing Hat (Red) with BAR F1 team logo #1030.20.51.00
- C** KONI Suspension Hat "The Key to Speed" Grey (Contour shape) #103966 Black (Pro shape) #103967
- D** KONI Racing/BAR logo Coffee Mugs #1030.00.17.00
- E** KONI Racing/BAR Mouse Pad #1030.00.12.00
- F** KONI Suspension Jacket "The Key to Speed" & "50 years" logo
 XS #103910 XL #103911
 S #103914 XXL #103915
 M #103913 XXXL #103916
 L #103912
- G** KONI Suspension Golf Shirt (Grey) "The Key to Speed"
 S #103900 XL #103903
 M #103901 XXL #103904
 L #103902 XXXL #103905
- H** KONI Sweat Jacket (Grey) Long sleeves and hood
 M #103985 XL #103987
 L #103986 XXL #103988
- I** KONI Bay Banner 2' x 7' Indoor & outdoor #103115
- J** KONI String Banner 40' long w/triangle logos #1030.14.80.00
- K** KONI Racing Windshield Decal #1030.07.04.00

For promotional items not shown including Dealer Promo Kits, stickers, posters, displays, etc., contact KONI North America at 859-586-4100.

KONI

World Leader In Adjustable Suspension Technology



KONI North America
1961-A International Way
Hebron, KY 41048
A division of ITT Industries

Phone: 859-586-4100
Fax: 859-334-3340

www.koni-na.com (North America)
www.koni.com (Worldwide)

OTHER DIVISIONS

KONI B.V.
Postbus 1014
3260 AA Oud-Beijerland
Holland

ITT Automotive Europe GmbH
Division KONI
Industriegebiet, 56424 Ebernhahn
Deutschland

Ste KONI - France
B.P. no 9
08271 Villeneuve-Loubet Cdx
France



For Adjustment
Procedures, FAQs, and
Technical Information
Please Use KONI
Technical Guide 103613



For Drag Racing
and Road Racing
Applications
Please Use KONI
Catalog 103610



For Oval Track
Applications
Please Use KONI
Catalog 103223

KONI

 **ITT Industries**
Engineering for Life



Form No. 103609