

BALER BELTING PRODUCTS CATALOG
Belting, Fasteners, and Accessories



APACHE FABRICATES BELTS FOR THE AGRICULTURAL INDUSTRY PROVIDING WORLD-CLASS BELTING FOR ALL MAKES AND MODELS OF ROUND BALERS.

Our experts can offer technical belt assistance, advice, and application suggestions for maximum uptime and lowest cost per bale.

Baler belts need to be built to take the constant punishment of high-speed cycling during hours of run-time. That's why Apache's baler belts feature excellent transverse stiffness to improve tracking, and high longitudinal flexibility designed to decrease stress – promoting longer belt life and better fastener retention.


We even provide a variety of belt programs for aftermarket retailers.

- ▶ **Solutions designed to take the punishment of long hours in the field. That's the value and dependability you've come to expect from Apache.**




BALER BELTS


WE'RE NOT OUT TO MEET YOUR EXPECTATIONS WE WANT TO SURPASS THEM. Our baler belt uses proven 3-ply technology designed specifically for round hay baling. State-of-the-art manufacturing combined with the highest quality materials means that these belts will hold lace, track straight, and roll hay all day. In other words, we've engineered a baler belt that works as hard as you do.




3-PLY DIAMOND TOP
Rugged diamond pattern design on the top cover




3-PLY CONTINUOUS CHEVRON
Chevron-style ridges provide excellent grip



3-PLY MINI ROUGHTOP
Mini rougtop cover allows for fast bale starts



3-PLY GRIPSURFACE™ COVERS
More grip than Impression Covers, but not as aggressive as a mini rougtop



3-PLY IMPRESSION COVERS
Light impression cover, a "smooth" belt with grip




TABLE OF CONTENTS

RETAIL DISPLAYS	6
BULK BELTING	7-8
LACED BALER BELTS	9-28
Allis Chalmers	
Case-IH	
Challenger	
Gehl	
Hesston	
John Deere	
Massey Ferguson	
McKee	
Ford/New Holland	
New Holland	
New Idea	
Renn	
Vermeer	
Vicon	
PLATFORM BELTS	29-32
BALE THROWER BELTS	33-34
STARTER FLAPS	35-37
GATHERING WHEELS	38-40
MECHANICAL FASTENERS	41-49
Alligator® Rivet	
Clipper® Wire Hooks	
Mato Fasteners	
Alligator® Staple	
Belt Maintenance Tools	

RETAIL DISPLAYS

As a retailer, you're looking for ways to increase sales on the floor. We not only provide you a product, we give you a go-to-market retail program that equips you with packaging, point-of-sale merchandising, and full online support.


We provide customized plan-o-grams to help you get the most out of every square foot of selling space. Our baler belting and accessories displays offer year-round and seasonal options. Visit www.apache-inc.com/retail-displays for full plan-o-grams.

We also offer point-of-sale materials to quickly guide shoppers to the right products during the purchase process:

- Header signage
- Shelf talkers
- Channel cards
- Product literature



BULK BELTING



BY THE ROLL / BY THE FOOT

BY THE ROLL

Fasteners not included with bulk belts.


SIZE	DESCRIPTION	BELT CODE	PART#
BULK BELT BY ROLL			
4"X90'	3-Ply Impression Covers	A345	21200560
7"X80'	3-Ply Impression Covers	A345	21200561
10"X55'	3-Ply Impression Covers	A345	21200562
7"X80'	3-Ply Mini Roughtop	A310	21200564
7"X70'	3-Ply Continuous Chevron	A110	21200566
7"X60'	3-Ply Diamond Top	A121	21200568

BY THE FOOT

Custom widths available upon request, and subject to additional charge.

WIDTH	DESCRIPTION	BELT CODE	PART#
3-PLY IMPRESSION COVERS			
4"	3-Ply Impression Covers	A345	20029190-4
5"	3-Ply Impression Covers	A345	20029190-5
5.5"	3-Ply Impression Covers	A345	20029190-5.5
6"	3-Ply Impression Covers	A345	20029190-6
6.5"	3-Ply Impression Covers	A345	20029190-6.5
7"	3-Ply Impression Covers	A345	20029190-7
9"	3-Ply Impression Covers	A345	20029190-9
10"	3-Ply Impression Covers	A345	20029190-10
12"	3-Ply Impression Covers	A345	20029190-12
14"	3-Ply Impression Covers	A345	20029190-14
3-PLY MINI ROUGHTOP			
4.8"	3-Ply Mini Roughtop	A310	20029191-4.8
5.3"	3-Ply Mini Roughtop	A310	20029191-5.3
6"	3-Ply Mini Roughtop	A310	20029191-6
7"	3-Ply Mini Roughtop	A310	20029191-7
3-PLY CONTINUOUS CHEVRON			
4"	3-Ply Continuous Chevron	A110	20029192-4
6"	3-Ply Continuous Chevron	A110	20029192-6
6.5"	3-Ply Continuous Chevron	A110	20029192-6.5
7"	3-Ply Continuous Chevron	A110	20029192-7
3-PLY DIAMOND TOP			
7"	3-Ply Diamond Top	A121	20029193-7

LACED BALER BELTS



LACED BALER BELTS

The design and development of baling equipment is geared towards using a particular type of belt in combination with a particular fastener type.

Apache's proven 3-ply design makes for stronger, more reliable belts that keep everything rolling in the field. We provide belting for all makes and models of round balers. Each laced belt comes with:

- ▶ Connecting pin
- ▶ Professionally installed lacing
- ▶ High-quality belting



Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

ALLIS CHALMERS

CASE-IH

Platform belts for Case-IH 241 and 2400 can be found on p. 32.

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
ALLIS CHALMERS - ROTO BALER						
Top	6	5.5"	72"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000160
Bottom	6	5.5"	102"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000161

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
CASE-IH						
241, 2400						
	9	4"	430"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000118
2400 (WITH WIDE BELT KIT)						
	5	4"	430"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000118
	2	10"	430"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000141
2400 (WITH DUAL SPRINGS)						
	9	4"	424"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000117
2400 (WITH DUAL SPRINGS & WIDE BELT KIT)						
	5	4"	424"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000117
	2	10"	424"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000140
3440						
Top	12	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	4	11"	103.5"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100955
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	103.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000153
3450 (OLDER MODEL)						
Top	30	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	5	11"	103.5"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100955
		4.75"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000130
		11"	103.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000153

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
CASE-IH CONTINUED						
3450 (NEWER MODEL)						
Top	15	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	103.5"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100955
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	103.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000153
3640 (OLDER MODEL)						
Top	55	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	4	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		4.75"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000130
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
3640 (NEWER MODEL)						
Top	20	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	4	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
3650 (OLDER MODEL)						
Top	55	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		4.75"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000130
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
3650 (NEWER MODEL), 8480						
Top	25	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
8420						
	5	4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
		4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
8430						
	6	7"	366"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000012
		7"	366"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000012-ARJ
8435						
	6	7"	471.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000014
		7"	471.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000014-ARJ
8440						
	9	4"	452"	3-Ply Continuous Chevron with #3-4-1/2 Round Clipper®	A110	22000000
8450						
	4	7"	570"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000015
	2	6.5"	572.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000009
		7"	570"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000015-ARJ
		6.5"	572.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000009-ARJ
8455						
	6	7"	562.5"	3-Ply Continuous Chevron with #4-1/2 RHTX Clipper	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
CASE-IH CONTINUED						
8460 (OLDER MODEL)						
	6	7"	570"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000015
	2	6.5"	572.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000009
		7"	570"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000015-ARJ
		6.5"	572.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000009-ARJ
8460 (NEWER MODEL), 8465						
	8	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
RS 451						
	6	7"	475"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000024-ARJ
RS 551						
	8	7"	475"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000024-ARJ
RS 561						
	8	7"	547"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000025-ARJ
RB444, RBX441, RBX442, RBX443						
	6	7"	272.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000010
		7"	272.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000076
RB454, RBX451, RBX452, RBX453						
	6	7"	343"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000011
		7"	343"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000011-ARJ
RB455A Utility						
	5	7"	343"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000011
		7"	343"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000077
RB455						
	6	7"	343"	3-Ply Mini Roughtop with Mato H/U24BS-14	A310	22000077-MATO
RBX552, RBX553						
	8	7"	343"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000011
		7"	343"	3-Ply Continuous Chevron with Mato H/U24BS-14	A110	22000011-MATO
RB464, RBX461, RBX462, RBX463						
	6	7"	420.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000013
		7"	420.5"	3-Ply Continuous Chevron with Mato H/U24BS-14	A110	22000013-MATO
RB554, RB564, RBX561, RBX562, RBX563						
	8	7"	420.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000013
		7"	420.5"	3-Ply Continuous Chevron with Mato H/U24BS-14	A110	22000013-MATO
RB465						
	6	7"	420.5"	3-Ply Mini Roughtop with Mato H/U24BS-14	A310	22000111-MATO
RB565						
	8	7"	420.5"	3-Ply Mini Roughtop with Mato H/U24BS-14	A310	22000111-MATO

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
CHALLENGER						
RB34						
	5	4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
		4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
RB44						
	5	7"	366"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000012
		7"	366"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000012-ARJ
RB45						
	6	7"	475"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000024-ARJ
		7"	475"	3-Ply Diamond Top with Alligator® Rivet	A121	22000037-ARJ

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
CHALLENGER CONTINUED						
RB46, RB46B						
	6	7"	547"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000025-ARJ
		7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
RB46C, RB46CA, 2946, 2946A						
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
	2	7"	563.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000043-ARJ
RB452						
	4	7"	481.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000038-ARJ
	2	7"	486.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000040-ARJ
RB453						
	4	7"	475"	3-Ply Diamond Top with Alligator® Rivet	A121	22000037-ARJ
	2	7"	483"	3-Ply Diamond Top with Alligator® Rivet	A121	22000039-ARJ
RB462						
	4	7"	571"	3-Ply Diamond Top with Alligator® Rivet	A121	22000044-ARJ
	2	7"	578"	3-Ply Diamond Top with Alligator® Rivet	A121	22000045-ARJ
RB463						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	2	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
RB463A						
	6	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
RB56						
	8	7"	547"	3-Ply Continuous Chevron with Mato H/U24BS-14	A110	22000025-MATO
		7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
RB56C, RB56CA, 2956, 2956A						
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
	4	7"	563.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000043-ARJ
RB562						
	4	7"	571"	3-Ply Diamond Top with Alligator® Rivet	A121	22000044-ARJ
	4	7"	578"	3-Ply Diamond Top with Alligator® Rivet	A121	22000045-ARJ
RB563						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
RB563A						
	8	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
GEHL						
1370, 1375, 1475						
	6	6"	469"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000006
1400						
	2	6"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000167
	3	5"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000159
1450, 1460						
	5	6"	462.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000168
1465, 1470 (OLDER MODEL)						
	6	6"	462.5"	3-Ply Mini Rough Top with #4-1/2-4 RHTX Clipper®	A310	22000063
		6"	462.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000168
1470 (NEWER MODEL)						
	6	6"	462.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000168
		6"	462.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000004

CHALLENGER

GEHL

Platform belts for Gehl 1400, 1450, 1460, and 1465 can be found on p. 32.

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

Platform belts for Gehl 1500, 1500A, 1600, 1850, and 1860 can be found on p. 32.

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
GEHL CONTINUED						
1500						
	9	4"	466"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000124
1500 (WITH WIDE BELT KIT)						
	5	4"	466"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000124
	2	10"	466"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000146
1500A, 1600						
	6	6"	466"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000169
1850, 1860						
	7	6"	545.25"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000170
1865, 1870 (OLDER MODEL)						
	8	6"	545.25"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000066
		6"	545.25"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000170
1870 (NEWER MODEL)						
	8	6"	545.25"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000007
		6"	545.25"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A110	22000066
1875						
	8	6"	552"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000008
		6"	552"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A110	22000067
2480 STANDARD						
	6	6"	468.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000065
		6"	468.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000005
2580 DELUXE, 2580 SILAGE SPECIAL						
	2	6.5"	502.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000017-ARJ
	4	6.5"	474.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000016-ARJ
2680 DELUXE, 2680 SILAGE SPECIAL						
	2	6.5"	556.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000018-ARJ
	4	6.5"	577.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000019-ARJ
2780 STANDARD						
	8	6"	468.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A110	22000065
2880 DELUXE						
	4	6.5"	556.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000018-ARJ
	4	6.5"	577.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000019-ARJ

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
HESSTON						
514, 814						
Top	25	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
530, 730, 830						
	5	4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
		4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
540, 740, 840						
	6	7"	366"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000012
		7"	366"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000012-ARJ
545						
	6	7"	471.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000014
		7"	471.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000014-ARJ

HESSTON

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
HESSTON CONTINUED						
550						
	4	7"	570"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000015
	2	6.5"	572.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000009
		7"	570"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000015-ARJ
		6.5"	572.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000009-ARJ
555						
	6	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
560 (S/N 0220 - 1964)						
	6	7"	570"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000015
	2	6.5"	572.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000009
		7"	570"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000015-ARJ
		6.5"	572.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000009-ARJ
560 (S/N 1965 & ABOVE), 565						
	8	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
745 (S/N HM89101 - HP89100)						
	4	7"	475.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000099-ARJ
	2	7"	478.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000100-ARJ
745 (S/N HP89101 & ABOVE), 1745, 5145						
	4	7"	481.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000038-ARJ
	2	7"	486.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000040-ARJ
845, 945						
	6	7"	475"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000024-ARJ
		7"	475"	3-Ply Diamond Top with Alligator® Rivet	A121	22000037-ARJ
846A, 946, 5446A, 5546A						
	6	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
		7"	547"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000025-ARJ
855, 955						
	8	7"	475"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000024-ARJ
		7"	475"	3-Ply Diamond Top with Alligator® Rivet	A121	22000037-ARJ
856, 856A, 956, 956A						
	8	7"	547"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000025-ARJ
		7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
1734, 5134						
	5	4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
		4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
1745, 5145						
	4	7"	481.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000038-ARJ
	2	7"	486.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000040-ARJ
1746, 5146						
	4	7"	571"	3-Ply Diamond Top with Alligator® Rivet	A121	22000044-ARJ
	2	7"	578"	3-Ply Diamond Top with Alligator® Rivet	A121	22000045-ARJ
1756, 5156						
	4	7"	571"	3-Ply Diamond Top with Alligator® Rivet	A121	22000044-ARJ
	4	7"	578"	3-Ply Diamond Top with Alligator® Rivet	A121	22000045-ARJ
2745						
	4	7"	475"	3-Ply Diamond Top with Alligator® Rivet	A121	22000037-ARJ
	2	7"	483"	3-Ply Diamond Top with Alligator® Rivet	A121	22000039-ARJ

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
HESSTON CONTINUED						
2746						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	2	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
5446A, 5546A						
	6	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
5456A, 5556A						
	8	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
5500						
	9	4"	452"	3-Ply Continuous Chevron with #3-4-1/2 Round Clipper®	A110	22000000
5510						
	9	4"	452"	3-Ply Continuous Chevron with #3-4-1/2 Round Clipper®	A110	22000000
5530						
	5	4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
		4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
5540						
	6	5.3"	470"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000058
		5.3"	470"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000003
5545						
	6	5.3"	465"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000057
		5.3"	465"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000002
5546						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	2	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
5556						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
5580						
	8	5.3"	470"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000058
		5.3"	470"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000003
5585						
	8	5.3"	465"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000057
		5.3"	465"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000002
5600						
	9	4"	400"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000114
5600 (WITH WIDE BELT KIT)						
	5	4"	400"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000114
	2	10"	400"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000137
5800						
	9	4"	480"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000125
5800 (WITH WIDE BELT KIT)						
	5	4"	480"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000125
	2	10"	480"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000147
5820						
	6	7"	272.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000076
5850						
	6	7"	343"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000077

Platform belts for Hesston 5600 can be found on p. 32.

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
JOHN DEERE						
330, 335, 440, 446, 447, 448, 449, 572, 842						
	2	7"	402.75"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000031-MATO
	4	7"	410.25"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000032-MATO
		7"	402.75"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000031
		7"	410.25"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000032
375, 546, 547						
	4	7"	402.75"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000031-MATO
	4	7"	410.25"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000032-MATO
		7"	402.75"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000031
		7"	410.25"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000032
385, 450, 456, 457, 458, 459						
	2	7"	460"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000050-MATO
	4	7"	465"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000051-MATO
		7"	460"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000050
		7"	465"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000051
410						
Bottom	6	4"	415"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000115
Bottom	5	8"	74"	3-Ply Endless Light Impression	TEB	52101500
Bottom		8"	74"	2-Ply Friction Surface with #3-4-1/2 Round Clipper®	G240	21350099
410 (WITH WIDE BELT KIT)						
	2	4"	415"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000115
	2	10"	415"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000138
12" wide option		12"	417.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000156
Bottom	5	8"	74"	3-Ply Endless Light Impression	TEB	52101500
Bottom		8"	74"	2-Ply Friction Surface with #3-4-1/2 Round Clipper®	G240	21350099
430, 435, 592, 862						
	2	7"	525"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000035-MATO
	4	7"	531"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000036-MATO
		7"	525"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000035
		7"	531"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000036
460, 466, 467, 468, 469						
	2	7"	524"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000052-MATO
	4	7"	529"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000054-MATO
500						
	9	4"	422"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000116
500 (WITH WIDE BELT KIT)						
	5	4"	422"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000116
	2	10"	422"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000139
510						
	9	4"	484"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000126
510 (WITH WIDE BELT KIT)						
	5	4"	484"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000126
	2	10"	484"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000148
12" wide option		12"	486.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®		22000157
530, 535						
	4	7"	525"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000035-MATO
	4	7"	531"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000036-MATO
		7"	525"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000035
		7"	531"	3-Ply Diamond Top with #4-1/2-4 RHTX Clipper®	A121	22000036

Platform belts for John Deere 500 can be found on p. 32.

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications



MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
JOHN DEERE CONTINUED						
550, 556, 557, 558, 559						
	4	7"	460"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000050-MATO
	4	7"	465"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000051-MATO
560, 566, 567, 568, 569						
	4	7"	524"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000052-MATO
	4	7"	529"	3-Ply Diamond Top with Mato H/U24BS-14	A121	22000054-MATO

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
MASSEY FERGUSON						
140						
	5	4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
		4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
142						
	6	7"	366"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000012
		7"	366"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000012-ARJ
144						
	6	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
146						
	8	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
450						
	8	4"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000113
450 (WITH WIDE BELT KIT)						
	4	4"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000113
	2	9"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000132
560						
	9	4"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000120
560 (WITH WIDE BELT KIT)						
	5	4"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000120
	2	10"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000143
634						
	4	6"	428"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000164
645						
	6	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
656						
	8	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
822						
Front	6	6.3"	187.8"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000068-MATO
Rear	6	6.3"	226.8"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000072-MATO
		6.3"	187.8"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000068
		6.3"	226.8"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000072
825						
	6	6"	463"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000004
		6"	463"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000064
828						
Front	6	6.3"	211.4"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000070-MATO
Rear	6	6.3"	306.3"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000074-MATO
		6.3"	211.4"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000070
		6.3"	306.3"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000074

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
MASSEY FERGUSON CONTINUED						
834						
Front	8	6.3"	211.4"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000070-MATO
Rear	8	6.3"	306.3"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000074-MATO
		6.3"	211.4"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000070
		6.3"	306.3"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000074
835						
	8	6"	545.25"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000007
		6"	545.25"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000066
1440, 1450, 1455						
	8	4"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000119
1440, 1450, 1455 (WITH 9" WIDE BELT KIT)						
	4	4"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000119
	2	9"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000133
10" wide option		10"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000142
1550, 1560, 1565						
	6	4"	512"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000128
	2	10"	513"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000150
9" wide option		9"	513"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000135
1734						
	5	4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ
		4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
1744						
	6	7"	366"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000097-ARJ
		7"	366"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000012-ARJ
1745 (S/N HM89101-HP89100)						
	4	7"	475.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000099-ARJ
	2	7"	478.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000100-ARJ
1745 (S/N HP89101 & ABOVE)						
	4	7"	481.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000038-ARJ
	2	7"	486.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000040-ARJ
1746						
	4	7"	571"	3-Ply Diamond Top with Alligator® Rivet	A121	22000044-ARJ
	2	7"	578"	3-Ply Diamond Top with Alligator® Rivet	A121	22000045-ARJ
1756						
	4	7"	571"	3-Ply Diamond Top with Alligator® Rivet	A121	22000044-ARJ
	4	7"	578"	3-Ply Diamond Top with Alligator® Rivet	A121	22000045-ARJ
2646A						
	6	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
2656A						
	8	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
2745						
	4	7"	475"	3-Ply Diamond Top with Alligator® Rivet	A121	22000037-ARJ
	2	7"	483"	3-Ply Diamond Top with Alligator® Rivet	A121	22000039-ARJ
2746						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	2	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
2746A						
	6	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
2756						
	4	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
MASSEY FERGUSON CONTINUED						
2756A						
	8	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
2846, 2846A, 2946, 2946A						
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
	2	7"	563.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000043-ARJ
2856, 2856A, 2956, 2956A						
	4	7"	554.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000042-ARJ
	4	7"	563.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000043-ARJ

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
MCKEE						
875, 878 (OLDER MODELS)						
Top	45	4.75"	64.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000158
Bottom	6	7"	104.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000177
875, 878 (NEWER MODELS)						
Top	30	7"	64.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000175
Bottom	6	7"	104.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000177
1500, 1578						
Top	55	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		4.75"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000130
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
NEW HOLLAND / FORD						
551						
Outside	2	6"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000167
Inside	3	5"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000159
552						
	6	6"	466"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000169

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
NEW HOLLAND						
630, 634, 638, BR730, BR7050						
	6	7"	272.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000076
640, 644, 648, BR740, BR740A, BR7060						
	6	7"	343"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000077
678, BR770, BR7080						
	8	7"	343"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000077
650, 654, 658, BR750, BR7070						
	6	7"	420.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000196
660, 664, 688, BR780, BR7090						
	8	7"	420.5"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000196

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
NEW HOLLAND CONTINUED						
ROLL-BELT™ 450 UTILITY						
	5	7"	343"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000077
ROLL-BELT™ 450						
	6	7"	343"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000077
ROLL-BELT™ 460						
	6	7"	420.5"	3-Ply Mini Roughtop with Mato H/U24BS-14	A310	22000111-MATO
ROLL-BELT™ 550						
	8	7"	343"	3-Ply Mini Roughtop with Mato H/U24BS-14	A310	22000077-MATO
ROLL-BELT™ 560						
	8	7"	420.5"	3-Ply Mini Roughtop with Mato H/U24BS-14	A310	22000111-MATO

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
NEW IDEA						
483, 4844						
Top	12	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	4	11"	103.5"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100955
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	103.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000153
484 (OLDER MODEL)						
Top	30	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	5	11"	103.5"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100955
		4.75"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000130
		11"	103.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000153
484 (NEWER MODEL), 4845						
Top	15	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	103.5"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100955
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	103.5"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000153
485, 4855						
Top	20	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	4	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
456, 486, 4865 (OLDER MODELS)						
Top	55	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		4.75"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000130
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
456, 486, 4865 (NEWER MODELS)						
Top	25	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
4643, 6243, 6343						
	5	4.8"	364"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000056
		4.8"	364"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000101-ARJ

MCKEE

NEW IDEA

NEW HOLLAND / FORD

Platform belts for New Holland/Ford 551 and 552 can be found on p. 33.

NEW HOLLAND

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
NEW IDEA CONTINUED						
4644, 6244, 6344						
	6	7"	366"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000012
		7"	366"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000012-ARJ
4664						
	6	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
4665						
	8	7"	562.5"	3-Ply Continuous Chevron with #4-1/2-4 RHTX Clipper®	A110	22000001
		7"	562.5"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000001-ARJ
6254 (S/N HM89101-HP891000)						
	4	7"	475.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000099-ARJ
	2	7"	478.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000100-ARJ
6254 (S/N HP891001-ABOVE)						
	4	7"	481.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000038-ARJ
	2	7"	486.5"	3-Ply Diamond Top with Alligator® Rivet	A121	22000040-ARJ
6345, 6454						
	6	7"	475"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000098-ARJ
		7"	475"	3-Ply Continuous Chevron with Alligator® Rivet	A110	22000024-ARJ
6364, 6464						
	6	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ
6365, 6465						
	8	7"	547"	3-Ply Diamond Top with Alligator® Rivet	A121	22000041-ARJ

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
RENN						
121						
	4	4"	465"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000123
	2	9"	465"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000134
151						
	4	4"	465"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000123
	2	9"	465"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000134

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VERMEER						
403 F, 403 G						
	6	4"	358"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000112
403 F, 403 G (WITH WIDE BELT KIT)						
	2	4"	358"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000112
	2	9"	358"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000131
503 I						
	4	6"	428"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000164
504 C						
	8	4"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000113
504 C (WITH WIDE BELT KIT)						
	4	4"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000113
	2	9"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000132
504 F, 504 G, 504 H						
	8	4"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000119

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VERMEER CONTINUED						
504 F, 504 G, 504 H (WITH WIDE BELT KIT)						
	4	4"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000119
	2	9"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000133
10" belt wide option		10"	436"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000142
504 I (OLDER MODEL)						
	6	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
504 I (OLDER MODEL WITH WIDE BELT KIT)						
	2	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
	2	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000180
504 SUPER I						
	2	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
	2	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000180
504 SUPER I (WITH NETWRAP)						
	2	6"	414"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000162
	2	14"	414"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000178
504 SUPER I (WITH TRACTION ROLLER)						
	2	6"	438"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000165
	2	14"	438"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000182
504 SUPER I (WITH TRACTION ROLLER & NETWRAP)						
	2	6"	428"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000164
	2	14"	428"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000181
504 L						
	2	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
(Notched Belt)	2	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000179
504 M CLASSIC (S/N 0108 - 0403)						
	3	6.8"	409"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000082-ARJ
	3	6.8"	419"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000083-ARJ
504 M CLASSIC (S/N 0404 AND ABOVE)						
	3	6.8"	427"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000084-ARJ
	3	6.8"	437"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000087-ARJ
504 M						
	3	6.8"	442"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000089-ARJ
	3	6.8"	451"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000090-ARJ
504 N						
	3	6.8"	431"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000086-ARJ
	3	6.8"	441"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000088-ARJ
504 R CLASSIC						
	2	6.8"	455.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000091-ARJ
	3	6.8"	465.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000092-ARJ
504 R SIGNATURE						
	3	6.8"	455.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000091-ARJ
	3	6.8"	465.5"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000092-ARJ
505 I (OLDER MODEL)						
	8	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
505 I (OLDER MODEL WITH WIDE BELT KIT)						
	4	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
	2	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000180
505 SUPER I						
	2	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
	3	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000180

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VERMEER CONTINUED						
505 SUPER I (WITH NETWRAP)						
	2	6"	414"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000162
	3	14"	414"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000178
505 SUPER I (WITH TRACTION ROLLER)						
	2	6"	438"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000165
	3	14"	438"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000182
505 SUPER I (WITH TRACTION ROLLER & NETWRAP)						
	2	6"	428"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000164
	3	14"	428"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000181
505 L						
	2	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
Middle	1	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000180
Outside (Notched Belt)	2	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000179
505 M CLASSIC (S/N 0109 - 0428)						
	4	6.8"	409"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000082-ARJ
	4	6.8"	419"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000083-ARJ
505 M CLASSIC (S/N 0429 - AND ABOVE)						
	4	6.8"	427"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000084-ARJ
	4	6.8"	437"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000087-ARJ
REBEL® 5400						
	2	6"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000163
(Notched Belt)	2	14"	424"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000179
REBEL® 5410 (S/N UP TO 1135)						
	3	6"	409"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000059-ARJ
	3	6"	419"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000060-ARJ
		6"	409"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000059
		6"	419"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000060
REBEL® 5410 (S/N 1136 AND ABOVE)						
	3	6"	427"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000061-ARJ
	3	6"	437"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000062-ARJ
		6"	427"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000061
		6"	437"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000062
REBEL® 5420						
	2	6.8"	429"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000085-ARJ
	3	6.8"	441"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000088-ARJ
554XL, 554XL SILAGE						
	2	6"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000167
(Notched Belt)	2	14"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000184
554XL (WITH WIDE PICKUP)						
	2	6"	440"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000166
(Notched Belt)	2	14"	440"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000183
555XL						
	2	6"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000167
Middle	1	14"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000185
Outside (Notched Belt)	2	14"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000184

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VERMEER CONTINUED						
REBEL® 5500						
	2	6"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000167
Middle	1	14"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000185
Outside (Notched Belt)	2	14"	450"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000184
REBEL® 5520						
	3	6.8"	429"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000085-ARJ
	4	6.8"	441"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000088-ARJ
604 J, 604 SUPER J						
	6	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
604 J, 604 SUPER J (WIDE BELT KIT)						
	2	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
	2	14"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000187
604 J, 604 SUPER J (WITH NETWRAP OPTION)						
	6	6.5"	520"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000171
604 J, 604 SUPER J (WIDE BELT KIT WITH NETWRAP OPTION)						
	2	6.5"	520"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000171
	2	14"	520"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000186
604 J, 604 SUPER J (WITH TRACTION ROLLER)						
	6	6.5"	542"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000174
604 J, 604 SUPER J (WIDE BELT KIT WITH TRACTION ROLLER)						
	2	6.5"	542"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000174
	2	14"	542"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000190
604 J, 604 SUPER J (WITH NETWRAP OPTION AND TRACTION ROLLER)						
	6	6.5"	534"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000173
604 J, 604 SUPER J (WIDE BELT KIT WITH NETWRAP OPTION AND TRACTION ROLLER)						
	2	6.5"	534"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000173
	2	14"	534"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000189
604 K, 604 L, 604 XL						
	2	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
Outside (Notched Belt)	2	14"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000187
604 M						
	3	6.8"	522"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000095-ARJ
	3	6.8"	533"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000096-ARJ
605 A						
	9	4"	400"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000114
605 A (WITH WIDE BELT KIT)						
	5	4"	400"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000114
	2	10"	400"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000137
605 B						
	9	4"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000113
605 B (WITH WIDE BELT KIT)						
	5	4"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000113
	2	10"	388"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000136
605 C						
	9	4"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000120
605 C (WITH WIDE BELT KIT)						
	5	4"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000120
	2	10"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000143

Platform belts for Vermer 605 A and 605 B can be found on p. 33.

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VERMEER CONTINUED						
605 D						
	9	4"	450"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000121
605 D (WITH WIDE BELT KIT)						
	5	4"	450"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000121
	2	10"	450"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000144
605 E (ORIGINAL)						
	9	4"	457"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000122
605 E (WITH WIDE BELT KIT)						
	5	4"	457"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000122
	2	10"	457"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000145
605 E (MODIFICATION)						
	9	4"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000120
605 E (MODIFICATION WITH WIDE BELT KIT)						
	5	4"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000120
	2	10"	440"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000143
605 F, 605 G, 605 H						
	6	4"	512"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000128
	2	10"	513"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000150
9" wide belt option	5	9"	513"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000135
605 J, 605 SUPER J						
	8	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
605 J, 605 SUPER J (WIDE BELT KIT)						
	2	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
	3	14"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000187
605 J, 605 SUPER J (WITH NETWRAP OPTION)						
	8	6.5"	520"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000171
605 J, 605 SUPER J (WIDE BELT KIT WITH NETWRAP OPTION)						
	2	6.5"	520"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000171
	3	14"	520"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000186
605 J, 605 SUPER J (WITH TRACTION ROLLER)						
	8	6.5"	542"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000174
605 J, 605 SUPER J (WIDE BELT KIT WITH TRACTION ROLLER)						
	2	6.5"	542"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000174
	3	14"	542"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000190
605 J, 605 SUPER J (WITH NETWRAP OPTION AND TRACTION ROLLER)						
	8	6.5"	534"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000173
605 J, 605 SUPER J (WIDE BELT KIT WITH NETWRAP OPTION AND TRACTION ROLLER)						
	2	6.5"	534"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000173
	3	14"	534"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000189
605 K, 605 L, 605 XL						
	2	6.5"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000172
Middle	1	14"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000187
Outside (Notched Belt)	2	14"	528"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000188
605 M (S/N 101-646)						
	4	6.8"	522"	3-Ply Impression Covers with Alligator® Rivet	A345	22000191-ARJ
	4	6.8"	533"	3-Ply Impression Covers with Alligator® Rivet	A345	22000192-ARJ
605 M (S/N 0647 - ABOVE)						
	4	6.8"	522"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000095-ARJ
	4	6.8"	533"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000096-ARJ

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VERMEER CONTINUED						
664 RANCHER, 6640 RANCHER						
	3	6.8"	482"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000093-ARJ
	3	6.8"	492"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000094-ARJ
665 RANCHER, 6650 RANCHER						
	4	6.8"	482"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000093-ARJ
	4	6.8"	492"	3-Ply Mini Roughtop with Alligator® Rivet	A310	22000094-ARJ
706 A						
	11	4"	493"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000127
706 A (WITH WIDE BELT KIT)						
	7	4"	493"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000127
	2	10"	493"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000149
706 C						
	11	4"	541"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000129
706 C (WITH WIDE BELT KIT)						
	7	4"	541"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000129
	2	10"	541"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000151


MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VICON						
260						
Top	30	7"	64.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000175
Bottom	6	7"	104.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000177
560						
Top	25	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
1200						
Top	4	4"	465"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000123
Bottom	2	9"	465"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000134
RP1210 (OLDER MODEL)						
Top	45	4.75"	64.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000158
Bottom	6	7"	104.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000177
RP1210 (NEWER MODEL)						
Top	30	7"	64.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000175
Bottom	6	7"	104.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000177
RP1211						
Top	25	7"	64.5"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000175
Bottom	5	7"	96.75"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000176
RP1510 (OLDER MODEL)						
Top	55	4.75"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	21003525
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		4.75"	73.25"	3-Ply Impression Covers with #4-1/2-4 RHTX Clipper®	A345	22000130
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155
RP1510 (NEWER MODEL)						
Top	25	11"	73.25"	2-Ply Impression Covers with Cleanout Cleat/Truly Endless Belt	TEB	52100965
Bottom	5	11"	121.25"	2-Ply Impression Covers with Cleanout Cleats/Truly Endless Belt	TEB	52100960
		11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
		11"	121.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000155

VICON

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	BELT CODE	PART#
VICON						
RP1511						
Top	25	11"	73.25"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000152
Bottom	5	11"	112"	3-Ply Impression Covers with #3-4-1/2 Round Clipper®	A345	22000154
RV157						
Front	6	6.3"	194"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000069-MATO
Rear	6	6.3"	260"	3-Ply Mini Roughtop with Mato H/U24BS-12	A310	22000073-MATO
		6.3"	194"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000069
		6.3"	260"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000073
RV186, RV187						
Front	6	6.3"	211.4"	3-Ply Mini Roughtop with Mato H/U24BS-17	A310	22000071-MATO
Rear	6	6.3"	306.3"	3-Ply Mini Roughtop with Mato H/U24BS-17	A310	22000075-MATO
		6.3"	211.4"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000071
		6.3"	306.3"	3-Ply Mini Roughtop with #4-1/2-4 RHTX Clipper®	A310	22000075
RV1501						
	5	8.46"	403.54"	3-Ply Heavy Impression with Mato H/U24BS-17		22000193-MATO
RV1601						
	5	8.46"	421.26"	3-Ply Heavy Impression with Mato H/U24BS-17		22000194-MATO
RV1901						
	5	8.46"	472.44"	3-Ply Heavy Impression with Mato H/U24BS-17		22000195-MATO

PLATFORM BELTS



CASE-IH

MAKE & MODEL	PER BALER	WIDTH	LENGTH	V-GUIDE	BELT DESCRIPTION	PART#
CASE-IH						
241, 2400						
	1	60"	120"	No	2-Ply Impression Covers with Clipper® - without V-guide	21002490-CLP
		60"	120"	No	2-Ply Impression Covers with Staple - without V-guide	21002490-RS125

GEHL

MAKE & MODEL	PER BALER	WIDTH	LENGTH	V-GUIDE	BELT DESCRIPTION	PART#
GEHL						
1400 NEWER MODEL, 1450, 1460, 1465						
	1	44.25"	55.5"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002440-CLP
		44.25"	55.5"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002440-RS125
1400 OLDER MODEL						
	1	44.25"	69.5"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002450-CLP
		44.25"	69.5"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002450-RS125
1500, 1500 A, 1600						
	1	60"	96"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002475-CLP
		60"	96"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002475-RS125
1850, 1860						
	1	60"	56.5"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002460-CLP
		60"	56.5"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002460-RS125

HESSTON

MAKE & MODEL	PER BALER	WIDTH	LENGTH	V-GUIDE	BELT DESCRIPTION	PART#
HESSTON						
5600						
	1	60"	120"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002480-CLP
		60"	120"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002480-RS125

JOHN DEERE

MAKE & MODEL	PER BALER	WIDTH	LENGTH	V-GUIDE	BELT DESCRIPTION	PART#
JOHN DEERE						
410						
	5	8"	74"	No	3-Ply Endless Impression Covers	52101500
		8"	74"	No	2-Ply Friction Surface with Clipper® Staple	21350099
500						
	1	60"	138"	Yes	2-Ply Impression Covers with Clipper® Staple	21002500-CLP
		60"	138"	Yes	2-Ply Impression Covers with Alligator® Staple	21002500-RS125
510						
	7	8"	74"	No	3-Ply Endless Impression Covers	52101500
		8"	74"	No	2-Ply Friction Surface with Clipper®	21350099

NEW HOLLAND / FORD

MAKE & MODEL	PER BALER	WIDTH	LENGTH	V-GUIDE	BELT DESCRIPTION	PART#
NEW HOLLAND / FORD						
551 OLDER MODEL						
	1	44.25"	69.5"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002450-CLP
		44.25"	69.5"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002450-RS125
551 NEWER MODEL						
	1	44.25"	55.5"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002440-CLP
		44.25"	55.5"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002440-RS125
552						
	1	60"	96"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002475-CLP
		60"	96"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002475-RS125

VERMEER

MAKE & MODEL	PER BALER	WIDTH	LENGTH	V-GUIDE	BELT DESCRIPTION	PART#
VERMEER						
605 A, 605 B						
	1	60"	120"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002480-CLP
		60"	120"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002480-RS125
706 A						
	1	72"	144"	Yes	2-Ply Impression Covers with Clipper® - with Center V-guide	21002510-CLP
		72"	144"	Yes	2-Ply Impression Covers with Staple - with Center V-guide	21002510-RS125

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications






BALE THROWER BELTS

QUALITY

TOUGH

PROVEN

SMART



BALE THROWER BELTS

MAKE & MODEL	BELT TYPE	WIDTH	LENGTH	BELT DESCRIPTION	PART#
ALLIS CHALMERS					
44, 301					
	Bale Thrower	11.5"	50.5"	3-Ply Diamond Top with Clipper®	21003000
CASE-IH					
SBX520, 530, 540					
	Bale Thrower	12"	71.5"	3-Ply Diamond Top with Clipper®	21003004
CHALLENGER					
SB34, SB36					
	Bale Thrower	12"	64.5"	3-Ply Diamond Top with Clipper®	21003003
FORD					
111					
	Bale Thrower	12"	52.5"	3-Ply Diamond Top with Clipper®	21003002
NEW HOLLAND					
222					
	Bale Thrower	12"	64.5"	3-Ply Diamond Top with Clipper®	21003003
HESSTON					
70					
	Bale Thrower	12"	81"	3-Ply Diamond Top with Clipper®	21003005
72					
	Bale Thrower	12"	71.5"	3-Ply Diamond Top with Clipper®	21003004
MASSEY FERGUSON					
333					
	Bale Thrower	12"	64.5"	3-Ply Diamond Top with Clipper®	21003003
NEW IDEA					
7205, 7210, 7215					
	Bale Thrower	12"	64.5"	3-Ply Diamond Top with Clipper®	21003003
OLIVER					
8					
	Cross Feed	25"	147"	3-Ply Diamond Top with Clipper®	21003007
100, HSX4074					
	Cross Feed	21.5"	149"	3-Ply Diamond Top with Clipper®	21003006
WELGER					
444					
	Bale Thrower	11.75"	82"	3-Ply Diamond Top with Clipper®	21003001



STARTER FLAPS



CASE-IH

Highlighted belts represent the Original Equipment Manufacturer (OEM) specifications

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	PART#
CASE-IH					
8450, 8455					
	4	3.5"	46.22"	3-Ply Mini Roughtop	23501125-C
		3.5"	46.22"	3-Ply Impression Covers	23501325
8460, 8465					
	4	3.5"	61.18"	3-Ply Mini Roughtop	23501124-C
		3.5"	61.18"	3-Ply Impression Covers	23501335
RS451					
	4	3.5"	43.31"	3-Ply Mini Roughtop	23501127-C
		3.5"	43.31"	3-Ply Impression Covers	23501320
RS551, RS561					
	4	3.5"	58.50"	3-Ply Mini Roughtop	23501126-C
		3.5"	58.50"	3-Ply Impression Covers	23501330

CHALLENGER

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	PART#
CHALLENGER					
RB44, RB45, RB46					
	4	3.5"	43.31"	3-Ply Mini Roughtop	23501127-C
		3.5"	43.31"	3-Ply Impression Covers	23501320
RB46					
	4	3.5"	58.50"	3-Ply Mini Roughtop	23501126-C
		3.5"	58.50"	3-Ply Impression Covers	23501330

HESSTON

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	PART#
HESSTON					
550, 555					
	4	3.5"	46.22"	3-Ply Mini Roughtop	23501125-C
		3.5"	46.22"	3-Ply Impression Covers	23501325
560, 565					
	4	3.5"	61.18"	3-Ply Mini Roughtop	23501124-C
		3.5"	61.18"	3-Ply Impression Covers	23501335
845, 945					
	4	3.5"	43.31"	3-Ply Mini Roughtop	23501127-C
		3.5"	43.31"	3-Ply Impression Covers	23501320
846, 946					
	4	3.5"	43.31"	3-Ply Mini Roughtop	23501127-C
		3.5"	43.31"	3-Ply Impression Covers	23501320
855, 955					
	4	3.5"	58.50"	3-Ply Mini Roughtop	23501126-C
		3.5"	58.50"	3-Ply Impression Covers	23501330
856, 956					
	4	3.5"	58.50"	3-Ply Mini Roughtop	23501126-C
		3.5"	58.50"	3-Ply Impression Covers	23501330

MASSEY FERGUSON

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	PART#
MASSEY FERGUSON					
1440, 1450, 1455					
	4	3"	43.63"	3-Ply Mini Roughtop	23501123-C
		3"	43.63"	3-Ply Impression Covers	23501305
1550, 1560, 1565					
	4	3"	58.63"	3-Ply Mini Roughtop	23501122-C
		3"	58.63"	3-Ply Impression Covers	23501310

NEW IDEA

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	PART#
NEW IDEA					
4664					
	4	3.5"	46.22"	3-Ply Mini Roughtop	23501125-C
		3.5"	46.22"	3-Ply Impression Covers	23501325
4665					
	4	3.5"	61.18"	3-Ply Mini Roughtop	23501124-C
		3.5"	61.18"	3-Ply Impression Covers	23501335
6345, 6364					
	4	3.5"	43.31"	3-Ply Mini Roughtop	23501127-C
		3.5"	43.31"	3-Ply Impression Covers	23501320
6365, 6465					
	4	3.5"	58.50"	3-Ply Mini Roughtop	23501126-C
		3.5"	58.50"	3-Ply Impression Covers	23501330
6445, 6464					
	4	3.5"	43.31"	3-Ply Mini Roughtop	23501127-C
		3.5"	43.31"	3-Ply Impression Covers	23501320

VERMEER

MAKE & MODEL	PER BALER	WIDTH	LENGTH	BELT DESCRIPTION	PART#
VERMEER					
403 F, 403 G					
	4	3"	32.63"	3-Ply Mini Roughtop	23501128-C
		3"	32.63"	3-Ply Impression Covers	23501300
504 F, 504 G, 504 H					
	4	3"	43.63"	3-Ply Mini Roughtop	23501123-C
		3"	43.63"	3-Ply Impression Covers	23501305
605 F, 605 G, 605 H					
	4	3"	58.63"	3-Ply Mini Roughtop	23501122-C
		3"	58.63"	3-Ply Impression Covers	23501310

GATHERING WHEELS

GATHERING WHEELS

Apache's gathering wheels are made from a unique blend of rubber compounds offering durability and performance. The tough rubber fingers resist breakage, and provide a longer service life.



REPLACEMENT HUB & GATHERING WHEEL ASSEMBLIES

Gathering wheel hub and wheel assemblies are available to replace older style wheels commonly found on many earlier baler models.

The wheel assembly can be mounted on either side by simply loosening the bolts and reversing the hub assembly. Replacement hub and wheel assemblies are delivered pre-assembled. (Bearings are not included)



Replacement Hub Assemblies & Wheels are delivered pre-assembled. Bearings are not included. Works on either side of baler (simply loosen bolts and reverse the hub assembly).



Gathering wheel recommendations are based on OEM specifications and should be used as a reference only.



REPLACEMENT GATHERING WHEEL

Apache's replacement gathering wheels provide the reliable performance you expect from an OEM-quality gathering wheel. Bolt holes are pre-punched for ease of installation, and offered in patterns that fit most balers.

Some older balers originally had a style of gathering wheel that is no longer manufactured. These balers will require a new hub assembly in order to properly fit the replacement gathering wheel.

WHEEL SEGMENTS

Die-cut from Apache's 4-ply 440 1/4" x 1/16" Grade 2 industrial conveyor belt, three segments can be combined to make a single wheel. Segments provide a durable and economical wheel option and are ideal for older model balers.



MAKE & MODEL	DESCRIPTION	PART#
CASE-IH		
8420, 8430, 8450		
	24" x 9" Hub Assembly & Wheel	52100990
	24" x 9" Replacement Wheel (AGCO)	52100970
8455, 8455T 8460, 8465, 8465T		
	Wheel Segment (3 per wheel)	52500205
RB455A UTILITY, R455, RB465, RB565		
	24.4" x 12" Replacement Wheel	52100972
RB564, RBX552, RBX553, RBX561, RBX562, RBX563		
	28" x 12" Replacement Wheel	52101410

MAKE & MODEL	DESCRIPTION	PART#
CHALLENGER		
RB34, RB44		
	24" x 9" Hub Assembly & Wheel	52100990
RB34, RB44, RB452, RB462, RB562		
	24" x 9" Replacement Wheel (AGCO)	52100970

MAKE & MODEL	DESCRIPTION	PART#
GEHL		
1450, 1465, 1470, 1475, 1500, 1600, 1850, 1860, 1870, 1875, 2480, 2580, 2680, 2780, 2880		
	28" x 12" Replacement Wheel	52101410

MAKE & MODEL	DESCRIPTION	PART#
HESSTON		
530, 540, 730, 740, 745, 830, 840, 5530		
	24" x 9" Hub Assembly & Wheel	52100990
530, 540, 740, 745, 5134, 5145, 5146, 5156		
	24" x 9" Replacement Wheel (AGCO)	52100970
550, 555, 560, 565, 5540, 5545, 5580, 5585		
	Wheel Segment (3 per wheel)	52500205

MAKE & MODEL	DESCRIPTION	PART#
JOHN DEERE		
330, 335, 375, 385, 430, 435, 446, 447, 448, 449, 456, 457, 458, 459, 466, 467, 468, 468S, 530, 535, 540, 545, 546, 547, 550, 556, 557, 558, 559, 566, 567, 568, 569, 582		
	Wheel Segment (3 per wheel)	52500205

MAKE & MODEL	DESCRIPTION	PART#
MASSEY FERGUSON		
1734, 1744		
	24" x 9" Hub Assembly & Wheel	52100990
1560, 1734, 1744, 1745, 1746, 1756		
	24" x 9" Replacement Wheel (AGCO)	52100970

MAKE & MODEL	DESCRIPTION	PART#
NEW HOLLAND		
ROLL-BELT 450, ROLL-BELT 460, ROLL-BELT 550, ROLL-BELT 560		
	24.4" x 12" Replacement Wheel	52100972
640, 644, 648, 650, 654, 658, 660, 664, 678, 688, 848, 853, 855, BR740, BR740A, BR770, BR780, BR7060, BR7080, BR7090		
	28" x 12" Replacement Wheel	52101410

MAKE & MODEL	DESCRIPTION	PART#
NEW IDEA		
4643, 4644, 6343, 6344		
	24" x 9" Hub Assembly & Wheel	52100990
6243, 6244, 6254		
	24" x 9" Replacement Wheel (AGCO)	52100970

MAKE & MODEL	DESCRIPTION	PART#
VERMEER		
504 I, 504 L, 504 SI, 505 I, 505 L, 505 SI, 554 XL, 555 XL, 604 J, 604 K, 605 J, 605 K, 604 L, 605 L, 605 SJ, 604 SJ, 604 XL, 605 XL, 5400 Rebel, 5410 Rebel, 5420 Rebel, 5500 Rebel, 5520 Rebel, 504 M Classic, 505 M Classic, 664 Rancher, 665 Rancher		
	24" x 9" Replacement Wheel	52600220
504 F, 504 H, 504 G, 605 F, 605 G, 605 H		
	28" x 12" Replacement Wheel	52101410

MECHANICAL FASTENERS




MECHANICAL FASTENERS




ALLIGATOR® RIVET

The Alligator® Rivet Fastener system uses a patented, self-setting rivet technology that works the rivets between the carcass fibers without severing them. The fasteners and rivets are constructed from durable, abrasion resistant stainless steel for long life.



CLIPPER® WIRE HOOKS

The Clipper® Wire Hook design incorporates a double-staggered grip pattern that gives wire hooks exceptional holding power without degrading the integrity of the belt carcass. Clipper® Wire Hooks are available in a variety of sizes based on the requirements of the baler and the belt.



MATO FASTENERS

The patented plate-type fastener, with pre-assembled rivets is manufactured from high-grade stainless steel. The low-profile design of the fastener provides a smooth surface at the splice, which allows the fastener to operate well on small pulleys and eliminates snagging when using netwrap.



ALLIGATOR® STAPLE

The Alligator® Staple fastener system features pre-inserted staples and one-piece strip design for quick and easy splicing. Ideal for platform belts and other flat conveyor applications, these fasteners are constructed from abrasion resistant galvanized steel for long life.

DESCRIPTION	BELT WIDTH	SPLICE PER PKG.	ITEM CODE	PART#
ALLIGATOR® STAINLESS STEEL RIVET FASTENERS				
ARJ6/150	6"	2	14983	25085379
ARJ6.8/173	6.8"	2	14979	25085374
ARJ7/175	7"	2	15001	25085381
<i>Each Pack includes: Fasteners, Rivets, and Hinge Pins for 2 Complete Belts.</i>				
ALLIGATOR® RIVET REPLACEMENT HINGE PINS				
6" Corrugated Steel Pins	6"	8	14991	25085419
6.8" Corrugated Steel Pins	6.8"	8	14985	25085375
7" Corrugated Steel Pins	7"	8	14992	25085420
7" Corrugated Steel Pins (Retail Packaged)	7"	8	14992	25085423
ALLIGATOR® RIVET HAND APPLICATOR TOOL				
7" Installation Tool (ART-7)			15004	25085386
<i>ART-7 tool installs lace in belt widths up to 7". Includes basic installation tool only.</i>				
ALLIGATOR® TOOL BOX KIT				
Tool Box Kit with 7" Fasteners (ART-7)			15006	25085389
<i>Kit includes: Tool Box, Hammer, ART-7 Tool, Hand Skiver, Application Guide, and 4 complete Alligator® Rivet Splices.</i>				
ALLIGATOR® MULTIPLE RIVET INSTALLATION TOOL				
7" Multiple Rivet Tool (MART-7)			15025	25085413
<i>MART-7 tool installs lace in belt widths up to 7". Includes basic installation tool, multi-rivet guide block, hand punch, and pneumatic punch.</i>				
ALLIGATOR® GALVANIZED MULTIPLE RIVET INSTALLATION TOOL BOX KIT				
7" Multiple Rivet Tool Box Kit			15032	25085412
7" Multiple Rivet Tool Box Kit (Retail Packaged)				25085392
<i>Kit includes: Tool Box, Ball Pein Hammer, MART-7 Tool with Guide Block, Hand Punch, Pneumatic Punch, Hand Skiver, and Application Guide. 25085392 includes 4 complete Alligator® Rivet Splices.</i>				

ALLIGATOR® RIVET

See p. 49 for rough-top belt skiver and belt grinder.

ART-7 tool installs lace in belt widths up to 7".

When using pneumatic punch, air pressure should not exceed 85 PSI.



ART-7 Tool Box Kit with 7" Fasteners

MART-7 - 7" (175 mm) Multiple Rivet Tool

Alligator Rivet Fasteners, Rivets, and Hinge Pins

Corrugated Steel Hinge Pins

ART-7 - 7" (175 mm) Installation Tool

7" Multiple Rivet Tool Box Kit

CLIPPER® WIRE HOOKS

DESCRIPTION	WIDTH	# OF CARDS PER BOX	# OF HOOKS PER CARD	ITEM CODE	PART#
CLIPPER® RECTANGULAR HIGH TENSILE HOOKS					
#4-1/2 Rectangular High Tensile	4"	8	26	01831	91001745
#4-1/2 Rectangular High Tensile	6.5"	4	41	01846	25048601
#4-1/2 Rectangular High Tensile	7"	4	45	01847	25048602
#4-1/2 Rectangular High Tensile	12"	12	84	02429	25048533
#4-1/2-3 Point Rectangular High Tensile	12"	12	84	02432	25048537
CLIPPER® RECTANGULAR HIGH TENSILE HOOKS WITH PINS					
#4-1/2 Rectangular High Tensile	4"	8	26		25047059
#4-1/2 Rectangular High Tensile	7"	4	45		25047060
#4-1/2 Rectangular High Tensile	10"	8	67		25047062
#4-1/2-3 Point Rectangular High Tensile	7"	4	45	01848	25092020
CLIPPER® ROUND HIGH TENSILE HOOKS					
#3-4-1/2 Round High Tensile	4"	8	26		25047047
#3-4-1/2 Round High Tensile	6.5"	4	45		25047048
#3 Round High Tensile	10"	4	45		25047056
CLIPPER® ROUND GALVANIZED HOOKS					
#3-4-1/2 Round Galvanized	4"	8	26	01853	25048608
#3-4-1/2 Round Galvanized	6.5"	4	42	01854	25048609
#3-4-1/2 Round Galvanized	10"	10	67	02209	25048610




Round Wire Hooks



Rectangular Wire Hooks

DESCRIPTION	ITEM CODE	PART#
CLIPPER® DURALINK COVERED CABLE		
0.109" Cable – 15' (Retail Packaged)	02736	25050686
0.109" Cable – Sold by the foot	02736	25050690
CLIPPER® NYLOSTEEL CONNECTING PIN		
0.093" Nylon/Music Wire Pin – 6' (Retail Packaged)		25009050
CLIPPER® NYLON COVERED CABLE CONNECTING PIN		
0.109" Cable – 6' (Retail Packaged)		97250050
CLIPPER® SMART LOCK™ KIT		
5' of Cable and 20 Smart Locks™	03442	25050698
CLIPPER® VISE LACERS		
4" Vise Lacer (R-4)	03018	25049500
7" Vise Lacer (R-7)	04024	25049505
10" Vise Lacer (R-10)	03020	25049590
CLIPPER® BALER BELT LACER		
7" Baler Belt Lacer	03434	25050605
10" Baler Belt Lacer	03435	25050606
CLIPPER® MICROLACER		
Clipper® 14" Lacer without Face Strips (face strips required)	03368	25050618
Face Strips for #2-4 Clipper® Lacer	04024	25091943
Face Strips for #4-1/2-7 Clipper® Lacer	04029	25091925

CLIPPER® ACCESSORIES



14" Microlacer



7" Vise Lacer (R-7)




5' of Cable and 20 Smart Locks™



0.093" Nylon/Music Wire Pin – 6'



4" Vise Lacer (R-4)



10" Baler Belt Lacer

MATO FASTENERS



Highlighted cells represent four 17-segment strips & one 363 mm pin.

H Series lace may be installed with either U20 or H20 tools.

DESCRIPTION	STRIP SEGMENT	BELT WIDTH (UP TO)	PACKAGE CONTENTS	PART#
MATO H24 SERIES BELT FASTENERS				
2 Splices H24BS	14 Segment	7"	4 Strips & 2 Pins	25200056
5 Splices H24BS	14 Segment	7"	10 Strips & 5 Pins	25200129
8 Splices H24BS	14 Segment	7"	16 Strips & 8 Pins	25200003
100 Strips H24BS	14 Segment	7"	100 Fastener Strips	25200052
2 Splices H24BS	17 Segment	8.75"	4 Strips & 2 Pins	25200091
5 Splices H24BS	17 Segment	8.75"	10 Strips & 5 Pins	25200008
6 Splices H24BS	17 Segment	8.75"	12 Strips & 6 Pins	25200130
50 Strips H24BS	17 Segment	8.75"	50 Fastener Strips	25200093
2 Splices H24BS	22 Segment	10.76"	4 Strips & 2 Pins	25200061
4 Splices H24BS	22 Segment	10.76"	8 Strips & 4 Pins	25200062
40 Strips H24BS	22 Segment	10.76"	40 Fastener Strips	25200094
2 Splices H24BS	23 Segment	11.2"	4 Strips & 2 Pins	25200079
4 Splices H24BS	23 Segment	11.2"	8 Strips & 4 Pins	25200002
1 Splice H24BS	32 Segment	15"	4 Strips & 1 Pin	25200092
MATO CORRUGATED CONNECTING PINS				
T2F 165mm Mato Pin	14 Segment	7"	5 Pins	25200125
T2F 165mm Mato Pin	14 Segment	7"	8 Pins	25200051
T2F 165mm Mato Pin	14 Segment	7"	50 Pins	25200053
T2F 200mm Mato Pin	17 Segment	8.75"	5 Pins	25200085
T2F 200mm Mato Pin	17 Segment	8.75"	6 Pins	25200126
T2F 200mm Mato Pin	17 Segment	8.75"	50 Pins	25200084
T2F 255mm Mato Pin	22 Segment	10.76"	4 Pins	25200067
T2F 255mm Mato Pin	22 Segment	10.76"	50 Pins	25200065
T2F 265mm Mato Pin	23 Segment	11.22"	4 Pins	25200099
T2F 365mm Mato Pin	32 Segment	15"	3 Pins	25200100



H24BS Series Fasteners & Corrugated Connecting Pin

DESCRIPTION	ITEM CODE	PART#
MATO INSTALLATION TOOLS		
H20 Profi 7" Tool	411296961	25200032
H20 Economy 7" Tool	411296963	25200030
Eco Installation Unit H24 350/14"	411296964	25200034
Profi Installation Unit H24 350/14"	411296962	25200033
Guide Block Eco 180-H24	411296999	25200112
Guide Block Profi 180-H24	411297000	25200114
Guide Block Profi 330-H24	411297011	25200115
Eco H24 Hand Punch	411296975	25200111
Profi H24 Hand Punch	411296974	25200113
Mato Pneumatic Hammer w/ Punch	411295806	25200075
Mato Pneumatic Punch (Hex Shank - Intl.)	411295807	25200069
Mato Pneumatic Punch (Round Shank - U.S.)	411295 02	25200064



H20 Profi 7" Installation Tool

Eco H24 Hand Punch


Pneumatic Punch (Hex Shank)

Guide Block Eco 180-H24

Eco Installation Unit H24 350/14"


ALLIGATOR® STAPLE

DESCRIPTION	BELT WIDTH	SPLICE PER PKG.	ITEM CODE	PART#
ALLIGATOR® GALVANIZED READY SET™ STAPLE LACING (RS125) WITH NYLON COATED PIN				
RS125J4NC	4"	10	54513	25072090
RS125J10NC	10"	4	54514	25072092
RS125J12NC	12"	4	54515	25072094
RS125J14NC	14"	4	54516	25072096
RS125J16NC	16"	4	54517	25072098
RS125J18NC	18"	4	54518	25072100
RS125J48NC	48"	4	54524	25072112
RS125J60NC	60"	4	54525	25072114
<i>RS125 Staple Fasteners can be used with a belt thickness between 1/8" and 3/16" (and a minimum pulley diameter of 3"). We stock most of the commonly used sizes of Alligator® Ready Set™ Staple lace.</i>				
READY SET™ STAPLE FASTENER INSTALLATION TOOLS				
4" Installation Tool (RSC187-4)			54627	25091312
6" Installation Tool (RSC187-6)			54628	25091314
12" Installation Tool (RSC187-12)			54629	25091316
24" Installation Tool (RSC187-24)			54631	25091318
<i>The Ready Set™ Staple Fastener Installation Tool is for sizes #62, #125, #187. It includes guide blocks and a staple driver.</i>				
HINGE PIN RETAINING WASHERS - 316 STAINLESS STEEL				
Retaining Washers for RS125 Staple Fastener			50053	25011605



BELT MAINTENANCE TOOLS

DESCRIPTION	ITEM CODE	PART#
APACHE BELT CUTTER		
13" Belt Cutter		25500007
13" Replacement Belt Cutter Blade		25500009
13" Replacement Belt Cutter Anvil		25500008
13" Belt Cutter Maintenance Kit (Includes: 13" Replacement Blade, 13" Replacement Anvil, Blade Lubricant, Bearing Grease Packet, Honing Stone, 1-Year Extended Warranty)		25500010
Belt Cutter Stand		25500058
Belt Cutter Honing Stone		25500059
Belt Cutter Blade Lubricant		25500060
CLIPPER® BELT CUTTER		
14" Belt Cutter	03230	25069770
14" Cutting Blade	03450	25069771
14" Nylon Block	03451	25069772
CLIPPER® ACCESSORIES		
Roughtop Belt Skiver	03239	25050705
Belt Grinder	30867	25091545
Hinge Pin Cutter (cable only)	50004	25091420
MATO SKIVER AND ACCESSORIES		
Mato Belt Skiver for Diamond Top Belt	411295827	25200015
Skiver Blades (5 pack)	411295828	25200063



The roughtop belt skiver and belt grinder are used to grind/skive down the top cover pattern before the installation of lacing.

WORKING TOGETHER. FROM A TO Z.

WE ARE APACHE – AN ORGANIZATION RUN BY HARDWORKING PEOPLE DEDICATED TO HELPING YOU SUCCEED.

Today's agricultural producers require high-quality products and tools that work as hard as they do. Products that help them succeed. Without fail.

Apache has been fabricating belts for the agricultural industry for more than 50 years, providing world-class belting for all makes and models of round balers.

Our products maximize uptime and offer quality that your customers look for and you want to be known for offering. We know the cost of downtime to their bottom line – that's why we're committed to providing products that simply work.

From Agricultural Hose to Z-top Belts, Apache is a partner you can count on for quality hose and belting products. We use our experience in a range of industries to bring new ideas, new innovations, and new solutions. And it shows. We build our products tough and smart, which means they can handle the toughest challenges, and strengthen your business.

Apache is an active member of NIBA, the belting association. As NIBA members we stay informed of the latest products and industry trends, so we can help keep your business successful and moving forward.

Apache is also proud to be a participating distributor in the NAHAD Listed Members Program. As a NAHAD Listed Member, Apache utilizes and follows the association hose assembly guidelines to ensure safer and higher-quality assemblies.

- ▶ **That's just one more reason why Apache is the premier provider of agricultural products.**

▶ CHOOSE YOUR BEST PARTNER THIS BALER SEASON. CHOOSE APACHE.

CONSTANTLY CONNECTED

Login

CLICK IT. TRACK IT. GET IT.

Visit apache-inc.com day or night.



WARRANTY & RETURN MATERIALS

For our current warranty, terms and conditions, and return material information visit our website at www.apache-inc.com/terms.

Apache® is a registered trademarks of Apache.

Flexco®, Alligator®, Clipper® and Microlacer® are registered trademarks of the Flexible Steel Lacing Company.

Duralink™ and Smart Locks™ are trademarks of Flexible Steel Lacing Company.

Roll-Belt™ is a trademark of New Holland.

APACHE
Think Forward



WWW.APACHE-INC.COM

BELTING / HOSE / CUT & MOLDED PRODUCTS / ACCESSORIES

CORPORATE OFFICE 4805 Bowling Street SW / Cedar Rapids, IA 52404

INDUSTRIAL SALES 800.553.5455

CONSUMER PRODUCTS 800.459.8423

FAX 319.365.2522

WEBSITE www.apache-inc.com



REV050718 APO50 91936100

The most current revision of this information can be found on our website at www.apache-inc.com and supercedes all other versions. Please check the revision date information of any printed materials to ensure the most current information is being referenced.

