80 PLUS Verification and Testing Report

TYPICAL EFFICIENCY (50% Load): AVERAGE EFFICIENCY : 80 PLUS COMPLIANT:

Ecos ID #534.2ManufacturerEverestModel NumberEverest 80 Plus 600Serial NumberNAYear2008TypeATX12V & EPS12VTest Date2/5/2008


Rated Specifications	Value	Units
Input Voltage	100-240	Volts
Input Current	9.5	Amps
Input Frequency	50-60	Hz
Rated Output Power	600	Watts


Note: All measurements were taken with input voltage at 115 V nominal and 60 Hz.

I _{RMS}	PF	I _{тнр} (%)	Load	Fraction	Input	DC Terminal Voltage (V)/ DC Load Current (A)				Output	Efficiency	
Α			(%)	of Load	Watts	12V (cumulative of 12V1, 12V2, etc.)	-12V	3.3V	5V*	5VSB	Watts	%
1.31	0.98	16.6%	20%	Light	148	12.1/7	12.1/0.2	3.3/4.1	5.1/3.4	5/0.6	121	82.18%
3.16	0.99	14.2%	50%	Typical	358	12.1/17.6	12.1/0.4	3.3/10.4	5/8.6	4.9/1.5	302	84.22%
6.43	1.00	8.7%	100%	Full	737	12/35.1	12/0.8	3.1/20.6	4.9/17.3	4.7/3.1	594	80.62%

84.22% 82.34%

YES








These tests were conducted by a third party independent testing firm on behalf of the 80 PLUS® Program. 80 PLUS is a certification program to promote highly-efficient power supplies (greater than 80% efficiency in the active mode) in technology applications. *http://www.80plus.org/*







Input AC Current Waveform (ITHD = 14.2%, 50% Load)