



A-Shape LED

BC8.8A19/AMB/927-22 WG 120V LA

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information	
Cap-Base	E26 [Single Contact Medium Screw]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Rated Lifetime (Hours)	15,000 hour(s)
Lighting Technology	LED
EU RoHS compliant	Yes

Light Technical	
Color Code	922-927 [CCT of 2200K-2700K]
Color Code	922-927 [CCT of 2200K-2700K]
Beam Angle (Nom)	250 degree(s)
Luminous Flux	800 lm
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2200 2700 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<4
Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Line Frequency	60 Hz
Input Frequency	60 Hz
Power Consumption	8.8 W

Lamp Current (Nom)	108 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	85 °C

Controls and Dimming	
Dimmable	Only with specific dimmers

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A19 [A 19mm]

Approval and Application	
EyeComfort	Yes


Product Data	
Order product name	BC8.8A19/AMB/927-22 WG 120V LA
Full product name	BC8.8A19/AMB/927-22 WG 120V LA
Order code	929001940911

A-Shape LED

Material Nr. (12NC)	929001940911
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677563219
Numerator - Packs per outer box	6



EAN/UPC - Case	50046677563214
----------------	----------------

Dimensional drawing



Product	D	C
BC8.8A19/AMB/927-22 WG 120V LA	62.5 mm	111.5 mm


Photometric data



General uniform lighting - BC8.8A19/AMB/927-22 WG 120V LA

Spectral Power Distribution Colour - BC8.8A19/AMB/927-22 WG 120V LA



General uniform lighting - BC8.8A19/AMB/927-22 WG 120V LA



Light Distribution Diagram - BC8.8A19/AMB/927-22 WG 120V LA

A-Shape LED

Lifetime



Life Expectancy Diagram - BC8.8A19/AMB/927-22 WG 120V LA

Lumen Maintenance Diagram - BC8.8A19/AMB/927-22 WG 120V LA

