

Image	Code	Description			
Audio equipme	Audio equipment and accessories >> Accessories				
	03180	Professional aluminum speaker stand EUROMET, max height 2,25Mt			
Audio equipme	ent and accessories	>> Accessories			
	ART A-9	Supports for RCF loudspeakers, ART 500			
Audio equipme	ent and accessories	>> Accessories			
- 0'	CM 300P	Microphone ETEK			
Audio equipme	ent and accessories	>> Accessories			
	DA216	Amplifiers distributor RANE, 2 In - 16 Out			
Audio equipme	ent and accessories	>> Accessories			
30700 2	FAP 2-2	Electronic Crossover 2 ways, 2 channels ECLER			
Audio equipme	ent and accessories	>> Accessories			
	FRE300BK	Professional aluminum speaker stand Proel, max height 2,15Mt			
Audio equipme	Audio equipment and accessories >> Accessories				
	JMA-1410	Preamplifier Mixer 10 inputs JEIL MEDIA			



Image	Code	Description			
Audio equipme	Audio equipment and accessories >> Accessories				
<u> </u>	PRO200CR	Boom microphone stand with tripod base aluminum PROEL			
Audio equipme	ent and accessories	>> Accessories			
(1)	QEM 16-2	Graphic equalizer 16 bands, 2 channels ECLER			
Audio equipmo	ent and accessories	>> Accessories			
1	RSM100BK	Boom microphone stand with tripod base aluminum PROEL			
Audio equipme	ent and accessories	>> Accessories			
· Pari	SH-8055	Graphic equalizer 12 bands, 2 channels TECHNICS			
Audio equipme	ent and accessories	>> Accessories			
	SP/180BK	Professional aluminum speaker stand QUIKLOK, max height 1,80Mt			
Audio equipme	ent and accessories	>> Accessories			
	SPL DOMINA	Measurement and control system OUTLINE			
Audio equipment and accessories >> Accessories					
Because the description of the	SUPER X	Electronic Crossover 2 ways, 2 channels BEHRINGER			



Image	Code	Description		
Audio equipment and accessories >> Accessories				
X	T/9	Professional X support with disk locking QUIKLOK		
Audio equipme	ent and accessories	>> Accessories		
91 00	Ultra Curve DSP 8000	Equalizer (EQ), analyzer (RTA) BEHRINGER		
Audio equipme	ent and accessories	>> Amplifiers and accessories for 100V systems		
777774442	AM5150/N	Amplifier PA RCF, 1 channel 150W, 4/8/16Ohm, 50/100V		
Audio equipme	ent and accessories	>> Amplifiers and accessories for 100V systems		
	HS-30-RT	Metal Trumpets AD DESIGN, 30W		
Audio equipme	ent and accessories	>> Amplifiers and accessories for 100V systems		
	JPA - 120CP	Amplifier PA JEIL-MEDIA, 1 channel 120W, (5.2) 25V, (8) 31V, (41) 70V, (83)100V		
Audio equipme	ent and accessories	>> Amplifiers and accessories for 100V systems		
	JPA - 360CP	Amplifier PA JEIL-MEDIA, 1 channel 360W, (8) 54V, (13.6) 70V, (28) 100V		
Audio equipment and accessories >> Amplifiers				
The Contraction	AA.2	Amplifier EAGLE INTERNATIONAL, 2x25W - 4Ohm		



Image	Code	Description
	ent and accessories	-
:	AM.2108	Amplifier AMPLILUX, 2x120W RMS - 80hm
Audio equipme	ent and accessories	>> Amplifiers
	AP 504	Amplifier 4 areas GMR, 4x50W - 4Ohm
Audio equipme	ent and accessories	>> Amplifiers
	CS - 5	Amplifier EMB, 2x1300W RMS - 4Ohm
Audio equipme	ent and accessories	>> Amplifiers
	CS-800	Amplifier PEAVEY, 2x460W RMS - 40hm
Audio equipme	ent and accessories	>> Amplifiers
	K - 3000	Amplifier HARRISON, 2x450W RMS - 40hm
Audio equipme	ent and accessories	│ >> Amplifiers
	K18	Amplifier KIND, 2x500W RMS - 80hm
Audio equipme	ent and accessories	>> Amplifiers
	MK 101	Amplifier GALACTRON, 2x80W RMS - 8Ohm



Image	Code	Description			
	Audio equipment and accessories >> Amplifiers				
	MPA 1004	Amplifier DB, 2x310W RMS - 80hm			
Audio equipme	ent and accessories	>> Amplifiers			
1 TO	PA 2.0	Amplifier DB, 2x500W RMS - 80hm			
Audio equipme	ent and accessories	>> Amplifiers			
	PAM 900	Amplifier ECLER, 2x450W RMS - 40hm			
Audio equipme	ent and accessories	>> Amplifiers			
	PL1200	Amplifier DB, 2x600W RMS - 80hm			
Audio equipme	ent and accessories	>> Amplifiers			
(a	PL500	Amplifier DB, 2x250W RMS - 80hm			
Audio equipme	ent and accessories	>> Amplifiers			
(Care 10 and 10	PM 1200	Amplifier CARVER, 2x450W RMS - 80hm			
Audio equipme	ent and accessories	>> Amplifiers			
	PRO 500	Amplifier REVAC, 2x190W RMS - 8Ohm			



Image	Code	Description		
Audio equipment and accessories >> Amplifiers				
- 5 -	ST-120	Amplifier DYNACO, 2x60W RMS - 80hm		
Audio equipme	ent and accessories	>> Amplifiers		
	USA 1300	Amplifier QSC, 2x625W RMS - 4Ohm		
Audio equipme	ent and accessories	>> Amplifiers		
	USA 900	Amplifier QSC, 2x450W RMS - 40hm		
Audio equipme	ent and accessories	>> Amplifiers		
	Xi 1200	Amplifier HARRISON, 2x600W RMS - 80hm		
Audio equipme	ent and accessories	>> CD		
Age - Control	CD - 4000	CD Player MARANTZ		
Audio equipme	ent and accessories	>> CD		
1000	CD - 9000	Dual CD player for DJs GEMINI		
Audio equipme	Audio equipment and accessories >> CD			
	CDJ 100S	CD Player for DJs PIONEER		



Image	Code	Description		
Audio equipment and accessories >> CD				
	CDJ 500S	CD Player for DJs PIONEER		
Audio equipme	ent and accessories	>> CD		
	CDP-C910	CD Multi Player Sony		
Audio equipme	ent and accessories	>> CD		
	DCM-260	CD Player DENON		
Audio equipme	ent and accessories	>> CD		
	PD107	CD Player PIONEER		
Audio equipme	ent and accessories	>> CD + TAPES		
	MCD 8050	CD Multi Player + Tape PILZ		
Audio equipme	ent and accessories	>> CDR		
	CDR 777/00s	Player / Recorder / Duplicator Digital Audio PHILIPS recording on CD-R, CDRW		
Audio equipme	Audio equipment and accessories >> CDR			
	PDR -05	Player / Recorder Digital Audio PIONEER recording to CD-R media, recordable CDs		



Image	Code	Description
Audio equipme	ent and accessories	>> Amplified speakers
	ART-300A	RCF Bi-Amplified Speaker 2 ways, 300W RMS, LF 12" + 60W RMS, HF compression drive 1"
Audio equipme	ent and accessories	>> Amplified speakers
	ART-500A	RCF Bi-Amplified Speaker 2 ways, 400W RMS, LF 15" + 100W RMS, HF compression drive 2"
Audio equipme	ent and accessories	>> Amplified speakers
	ART-800A	Active Subwoofer RCF, 400W LF 15"
Audio equipme	ent and accessories	>> Amplified speakers
	ES15 - PM	Amplified Monitor Peavey, W RMS - 80hm
Audio equipme	ent and accessories	>> Amplified speakers
	EXE 3 PRO	DB Bi-Amplified Speaker 2 ways, 150W RMS, LF 12" + 30W RMS, HF 1"
Audio equipme	ent and accessories	>> Amplified speakers
	MB 120	DB Amplified Speaker, 120W, mic and line inputs, AUX output, limiter
Audio equipme	ent and accessories	>> Amplified speakers
	MPS 600	Amplified monitor DB, 600W RMS, LF 15" + HF 1"



Image	Code	Description
Audio equipm	ent and accessories	>> Amplified speakers
	OPERA 415	DB Bi-Amplified Speaker 2 ways, 225W RMS, LF 15" + 50W RMS, HF 1"
Audio equipm	ent and accessories	>> Amplified speakers
and MAN	SB 300	Active Subwoofer DB, 300W LF 12 ", active crossover, outputs for satellite 2xMB120
Audio equipm	ent and accessories	>> Amplified speakers
	STAGE OPERA 61.18	Amplified Sub-Woofer DB, 600W RMS, LF 18"
Audio equipm	ent and accessories	>> Amplified speakers
E	STAGE OPERA 82.15	DB Amplified Speaker 3 ways, 500W RMS, LF 2x15" + 200W RMS, MID 6,5" + 100W RMS HF 1" compression drive
Audio equipm	ent and accessories	>> Amplified speakers
	TKO 75	Bass Amp Peavey, 75W RMS - 8 Ohm
Audio equipm	ent and accessories	>> Amplified speakers
	TWIN 128	DB Bi-Amplified Speaker 2 ways, 70W RMS, LF 2x8" + 20W RMS, HF 1"
Audio equipment and accessories >> Passive speakers		
	DMT-1	Passive Speaker 2 ways Cerwin-Vega, 100W RMS, MF 12 "+ HF 1" - 80hm



Code	Description
nt and accessories	>> Passive speakers
EC1 - 020	Passive Speaker 2 ways E-QUATTRO - (Average acute units)
nt and accessories	>> Passive speakers
EC1 - BD	Passive Speaker subwoofer E-QUATTRO
nt and accessories	>> Passive speakers
M-1	Passive Speaker 2 ways Cerwin-Vega, 150W RMS, MF 12 "+ HF 1" - 80hm
nt and accessories	>> Passive speakers
TSE-111	Passive Speaker 2 ways TURBO SOUND, 150W RMS, MF 10" + HF 1" - 160hm
nt and accessories	>> Passive speakers
VRX 928 LA	Passive Speaker 2 ways line array bi-amped JBL, 400W RMS, MF 8" + HF 2x1" 30W RMS - 80hm
nt and accessories	>> Passive speakers + dedicated amplifiers
500A	Passive Speaker 2 ways Meyer Sound, W RMS, LF 15" + HF 1" - 80hm
nt and accessories	>> Passive speakers + dedicated amplifiers
AE10	Compact passive subwoofer Apogee, 800W RMS, LF 2x15" - 80hm
	nt and accessories : EC1 - BD Int and accessories : M-1 TSE-111 Int and accessories : VRX 928 LA Int and accessories : 500A



Image	Code	Description
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	AE3-S2	Compact passive speaker 2 ways Apogee, 300W RMS, LF 10" + HF 1" - 80hm
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	AE4-S2	Compact passive speaker 2 ways Apogee, 200W RMS, LF 12" + HF 1" - 80hm
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
<u></u>	AE5	Passive Speaker 2 ways bi-amped Apogee, LF 12" 300W RMS + HF 1" 150W RMS - 80hm
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	MS500A	Meyer Sound amplifier, W dedicated to speakers 500A
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	PA10 - RV	Amp / processor Apogee, W dedicated to the AE10 speakers
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
(8 to 18)	PA3 - PV	Amp / processor Apogee, W dedicated to AE3 speakers
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	PA4 - RV	Amp / processor Apogee, W dedicated to AE4 speakers



Image	Code	Description
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	PA5 - RV	Amp / processor Apogee, W dedicated to AE5 speakers
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
	PA-SSM - RV	Amp / processor Apogee, W dedicated to SSM speakers
Audio equipme	ent and accessories	>> Passive speakers + dedicated amplifiers
(6%)	SSM	Compact passive speaker 2 ways Apogee, 150W RMS, LF 2x4,5" + HF 1" - 16Ohm
Audio equipme	ent and accessories	>> Turn tables
	L78 SE	Turn tables LENCO
Audio equipme	ent and accessories	>> Turn tables
	SL-1200	Turn tables TECHNICS
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP1,5AU3	Audio extension cable with connectors 3 Pin, 1,5 mt length.
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP10AU3	Audio extension cable with connectors 3 Pin, 10 mt length.



Image	Code	Description
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP15AU3	Audio extension cable with connectors 3 Pin, 15 mt length.
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP1AU3	Audio extension cable with connectors 3 Pin, 1 mt length.
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP20AU3	Audio extension cable with connectors 3 Pin, 20 mt length.
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP25AU3	Audio extension cable with connectors 3 Pin, 25 mt length.
Audio equipme	ent and accessories	>> Audio signal materials
9	PRP5AU3	Audio extension cable with connectors 3 Pin, 3 mt length.
Audio equipme	ent and accessories	>> Audio signal materials
	PRPM30AU3/8	Multiple Audio extension cable 8 channels, with 3 pin connectors, 30mt length.
Audio equipme	ent and accessories	>> Audio signal materials
	PRPM36AU3/20	Multiple Audio extension cable 20 channels, with 3 pin connectors, 36 mt length.



Image	Code	Description
Audio equipme	ent and accessories	>> Audio signal materials
	PRPM50AU3/8	Multiple Audio extension cable 8 channels, with 3 pin connectors, 50mt length.
Audio equipme	ent and accessories	>> Audio signal materials
	PRPM9AU3/16	Multiple Audio extension cable 16 channels, with 3 pin connectors, 9mt length.
Audio equipme	ent and accessories	>> Audio signal materials
	SKC-4 F/M AU3-0,6M	Dual box M / F 4ch. Audio 3 Pin extender over Cat5 cable
Audio equipme	ent and accessories	>> Cabled microphones
0	CM300P-REF	Cabled microphone Dynamic Cardioid ETEK
Audio equipme	ent and accessories	>> Cabled microphones
1	D 300	Cabled microphone Dynamic AKG
Audio equipme	ent and accessories	>> Cabled microphones
	D 310	Cabled microphone Dynamic AKG
Audio equipme	ent and accessories	>> Cabled microphones
T	E-835	Cabled microphone Dynamic Cardioid SENNHEISER



Code	Description
ent and accessories	>> Cabled microphones
ECM8000	Omnidirectional condenser microphone BEHRINGER
ent and accessories	>> Cabled microphones
ME62+K6	Omnidirectional SENNHEISER wire microphone system
ent and accessories	>> Cabled microphones
OM2	Cabled microphone Dynamic AUDIX
ent and accessories	>> Cabled microphones
PHM-917	Condenser Microphone Professional AV Leader
ent and accessories	>> Cabled microphones
PMM-13	Cardioid AV Leader Microphone
ent and accessories	>> Cabled microphones
SE1A	Cabled microphone Cardioid SE ELECTRONICS
ent and accessories	>> Cabled microphones
SM 58	Cabled microphone Dynamic Cardioid SHURE
	ent and accessories ECM8000 ent and accessories ME62+K6 ent and accessories OM2 PHM-917 ent and accessories PHM-13 ent and accessories SE1A



Audio equipme		
Addio equipme	ent and accessories	>> Cabled microphones
*	SM 76	Cabled microphone Dynamic Omnidirectional SHURE
Audio equipme	ent and accessories	>> Threaded microphones for instruments
	PMM 22	Back Electret Condensator Microphone for Wind Instruments AV Leader
Audio equipme	ent and accessories	>> Gooseneck Microphones with and without base
	GN15	Cabled microphone Dynamic Gooseneck AKG
Audio equipme	ent and accessories	>> Gooseneck Microphones with and without base
	PA-116	Cabled microphone Dynamic Gooseneck AV LEADER
Audio equipme	ent and accessories	>> Gooseneck Microphones with and without base
	PA-333	Wired microphone Dynamic Gooseneck with base table AV LEADER
Audio equipme	ent and accessories	>> Audio mixer
Transitus.	1402-VLZ PRO	Professional mix mic / line Compact 14 channels MACKIE, 6 line / mic inputs with mic preamp. With XDR technology, 4 stereo channels, 2 auxiliary mandates, 2 stereo auxiliary backs, 3 bands plus low cut equalizers, main mix outputs plus Alt 3-4 and control room.
Audio equipme	ent and accessories	>> Audio mixer
<u> </u>	DE 242	Amplified mixer FBT, 8 channels, equalizer, 2x120W - 8 Ohm



Image	Code	Description
Audio equipme	ent and accessories	>> Audio mixer
	GB4 - 16+2	Professional SOUNDCRAFT mixer, 16 mic input / mono line inputs + 2 stereo inputs, 2 stereo backs, preamps and precision EQs GB30, 15 output buses, direct output on each mono channel, Talkback, Master L / C / R Master, 100mm professional faders, Phantom 48V single-channel, single-channel, 8-mandate power supply (4 switchable pre / post fader switches), high-pass filter 18dB / oct. On the mono inputs, 4 subgroups, 4 mute groups, 7 & matrix, integrated power supply (50Hz - 60Hz, 85V - 270V), 12-segment LED meter, Alternate / Record output with Limiter + 4dBu.
Audio equipme	ent and accessories	>> Audio mixer
	PX 6	Mixer FBT, 6 channels, tone control and master
Audio equipme	ent and accessories	>> Audio mixer
	RM 100	Professional mixer SOUNDCRAFT, 4 mono mic / line modules, 5 stereo line modules + master module, external power supply
Audio equipme	ent and accessories	>> Audio mixer
	SPIRIT FX16	Professional mixer SOUNDCRAFT, 16 mono / line mono inputs, inserts on all mono inputs, 4 stereo line returns, 16 switchable pre-post fader direct outputs, 4 auxiliary mandates (pre, pre / post, post, FX control), 32 effects 24-bit Lexicon, Time Tap Function, 3 Variable Parameter Control for each Effect, Effective Effects Channel with Master Fader LEDs for Effect Clips, Mute Effects Function, 3-Band Semi-Parametric Medium, 4 Output Bus Structure (2 Sub + LR), 100mm fader, Phantom power +48 V, mono output with separate level control, internal power supply
Audio equipme	ent and accessories	>> Audio mixer
	SR24-4-VLZ PRO	Live mixer 24 channels MACKIE, 20 line inputs / mic mic with XDR preamps, 2 stereo inputs, 4 submasters, 6 auxiliary mandates (2pre, 2pre / post, 2 post), 4 stereo effects returns, 3 channel equalizer channels with medium semiparametric medium (Mono), 4 channel equalizer bands (in stereo)
Audio equipme	ent and accessories	>> Audio mixer
	STACK 42	Professional mixer ECLER, 24 mono channels balanced, all channels with insert and phantom, 4 send and return 4, 4 subgroups, 3-band EQ (parametric mid), external power supply
Audio equipme	ent and accessories	>> Audio mixer
	TEAC 3	Professional mixer TASCAM, 8 line / mic inputs, 4 Phono (5/8), 2 band EQ for each channel



Image	Code	Description
Audio equipme	ent and accessories	>> DJ mixer
	DJM-300	DJ Mixer PIONEER, 2ch. Phono/Line, 1ch. Mic
Audio equipme	ent and accessories	>> DJ mixer
	DJM-500	DJ Mixer PIONEER, 1ch. Phono/Sub mic, 2ch. Phono/Line, 1ch. Line/Line, 1ch. Mic, effects
Audio equipme	ent and accessories	>> DJ mixer
	DM1508	DJ Mixer LEM, 3ch. Phono/Line, 2ch. Tape/Aux, 2ch. Mic/line, 1ch. Mic
Audio equipme	ent and accessories	>> DJ mixer
	MAC60S	DJ Mixer ECLER, 2ch. Phono/Line, 3ch. Mic/line, 1ch. Mic, sampler / echo
Audio equipme	ent and accessories	>> DJ mixer
[M.The	PM-400	DJ Mixer GMR, 3ch. Phono/Line, 1ch. Mic/line
Audio equipme	ent and accessories	>> DJ mixer
	PM-800NT	DJ Mixer GMR, 5ch. Phono/Line, 3ch. Mic/line
Audio equipme	ent and accessories	>> DJ mixer
	XONE 42	DJ Mixer ALLEN&HEAT, 4ch. Phono/Line, built-in USB Audio interface



Image	Code	Description
Audio equipme	ent and accessories	>> Radio microphones
4	A2003 UHF	System consisting of 2 passive directional antennas SENNHEISER, for EW-552 - EW-135 G3 systems.
Audio equipme	ent and accessories	>> Radio microphones
	ASS 2-8 UHF	Active Splitter Sennheiser, for EW-552 system
Audio equipme	ent and accessories	>> Radio microphones
7	EW-135 G3	Radio microphone system with hand microphone Sennheiser, consisting of microphone SKM 100-835 G3 and receiver EM100 G3 - Frequency range 734-776Mhz
Audio equipme	ent and accessories	>> Radio microphones
	EW-172 G3	Wireless system for SENNHEISER microphones and instruments, composed of bodypack SK-100 G3, and receiver EM100 G3 - Range Frequencies 566-608MHz
Audio equipme	ent and accessories	>> Radio microphones
÷0	EW-552 L	Radio microphone system with Lavalier microphone Sennheiser, consisting of body pack SK-500, ME-4 Lavalier microphone and receiver EM500 - Frequency range 740-772Mhz
Audio equipme	ent and accessories	>> Radio microphones
	EW-552 SO	Radio microphone system with aviator support Sennheiser, consisting of body pack SK-500, ME-3 aviator support and receiver EM500 - Frequency range 740-772Mhz
Audio equipme	ent and accessories	>> Radio microphones
	NE 42 RG	Hand radio microphone system Beyerdynamic, comprising S85 microphone and receiver NE 42



Image	Code	Description
Audio equipme	ent and accessories	>> Radio microphones
	PL-350	Hand VHF radio microphone system DB, composed 350MD microphone and receiver PL350R. (16 selectable pre-programmed frequencies, visible on the liquid crystal display "LCD")
Audio equipme	ent and accessories	>> Radio microphones
	R505/Q707	Hand VHF radio microphone system CHIAYO, composed Q707 microphone and receiver R 505
Audio equipme	ent and accessories	>> Radio microphones
	Spirit 01	VHF radio microphone system lavalier SPIRIT
Audio equipme	ent and accessories	>> Radio microphones
	SW-202	Hand VHF radio microphone system DB, composed 202M microphone and receiver VM202R
Audio equipme	ent and accessories	>> Radio microphones
Tan-	SW-252	Hand VHF radio microphone system DB, composed 252M microphone and receiver SW252R
Audio equipme	ent and accessories	>> Radio microphones
	VH-522 S1	Hand radio microphone system DB, comprising microphone and receiver VH-522 S1
Audio equipme	ent and accessories	>> Radio microphones
	VLP	VHF radio microphone system lavalier Samson, consisting VT1 microphone and receiver VR1



and upside down ROBE	Image	Code	Description
Audio equipment and accessories >> Cassette recorders CT-W205R CT-W205R CT-W205R CT-W205R Cassette recorder PIONEER CT-W205R Double cassette recorder DENON DRW-580 DRW-580 DrW-580 Audio equipment and accessories >> Cassette recorder DENON RS - B11W Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwooter 300 + 300W (cables included) Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwooter 600 + 600W (cables included) Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted be and upside down ROBE	Audio equipme	ent and accessories	>> Radio microphones
Audio equipment and accessories >> Cassette recorders Double cassette recorder DENON Audio equipment and accessories >> Cassette recorders Double cassette recorder DENON Audio equipment and accessories >> Cassette recorders Double cassette recorder TECHNICS RS - B11W Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 300 + 300W (cables included) HANDY 300 Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) HANDY 600 Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted be and upside down ROBE		WM-220	Hand VHF radio microphone system DB, composed 220M microphone and receiver VM220R
Audio equipment and accessories >> Cassette recorders Double cassette recorder DENON Audio equipment and accessories >> Cassette recorders Double cassette recorder TECHNICS RS - B11W Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 300 + 300W (cables included) Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) HANDY 300 Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with vertilaled base for outdoor mounting of motorized projectors, can be mounted both and upside down ROBE	Audio equipme	ent and accessories	>> Cassette recorders
Audio equipment and accessories >> Cassette recorders Double cassette recorders	- AMINA	CT-W205R	Double cassette recorder PIONEER
Audio equipment and accessories >> Cassette recorders Double cassette recorder TECHNICS	Audio equipme	ent and accessories	>> Cassette recorders
Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 300 + 300W (cables included) Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) HANDY 600 Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted both and upside down ROBE		DRW-580	Double cassette recorder DENON
Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 300 + 300W (cables included) Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) HANDY 600 Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted both and upside down ROBE	Audio equipme	ent and accessories	>> Cassette recorders
Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 300 + 300W (cables included) Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) HANDY 600 Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted bot and upside down ROBE	0.0	RS - B11W	Double cassette recorder TECHNICS
Audio equipment and accessories >> Audio systems Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) HANDY 600 Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted bot and upside down ROBE	Audio equipme	ent and accessories	>> Audio systems
HANDY 600 Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted bot and upside down ROBE		HANDY 300	Compact system Audio Stage, 2 satellites + 1 subwoofer 300 + 300W (cables included)
HANDY 600 Compact system Audio Stage, 2 satellites + 1 subwoofer 600 + 600W (cables included) Lighting equipment and accessories >> Accessories for motorized projectors PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted bot and upside down ROBE	Audio equipme	ent and accessories	>> Audio svstems
PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted bot and upside down ROBE			
PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted bot and upside down ROBE	Lighting equip	ment and accessorie	es >> Accessories for motorized projectors
Light Dome 1200			PVC shell complete with ventilated base for outdoor mounting of motorized projectors, can be mounted both flat



Image	Code	Description
Lighting equip	ment and accessorie	s >> Accessories for motorized projectors
	Mounting plate	Fixing bracket for motorized projectors on ventilated base.
Lighting equip	ment and accessorie	s >> Accessories for motorized projectors
COBO.	Rain-protective cover	Protective cover (Rain-Cover) of the ventilated base for mounting it upside down.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	CLC Vector Blue	Carton case for consolle Vector Blue Compulite - Dimensions: WxDxH 110x74x29 cm Weight: Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
1 10	CLC Vector UL	Carton case for consolle Vector Ultra Violet Compulite - Dimensions: WxDxH 76x52x27 cm Weight: 2,2Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
===	DR Pro	DMX Recorder, 8 memories for scenes, sequences or shows, 5 hours of recording shared on the 8 memories, Manual control, real-time start, SMPTE / MIDI time code trigger, DMX trigger and DMX monitor, 4 recording modes, manual, auto semi-auto & manual; smart Showtec
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	Manual System 6	Lighting consoles 6 dimmer channels, COEMAR, DMX
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	MonitorCRT	Monitor CRT Input VGA



Image	Code	Description
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	Pilot2000	Lighting consoles 512 dimmer channels and spot, SGM, DMX
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
THE RESERVE OF THE PERSON OF T	Pilot3000	Lighting consoles 1024 dimmer channels and spot, SGM, DMX
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	Sabre	Lighting consoles 3072 dimmer channels and spot, Compulite, DMX
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC Manual System 6	Single case for consolle Manual System 6 Coemar - Dimensions: WxDxH 29x15x29 cm Weight: 3,1Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC MonitorCRT	Single case for Monitor CRT - Dimensions: WxDxH 45x47x45,5 cm Weight: 12,3Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC Pilot2000 SGM	Single case for consolle Pilot 2000 SGM - Dimensions: WxDxH 56x16x33 cm Weight: 5,8Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
SERVI	SLC Pilot3000 SGM	Single case for consolle Pilot 3000 SGM - Dimensions: WxDxH 56x20,5x46 cm Weight: 7,8Kg.



Image	Code	Description
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC Sabre	Single case for consolle Sabre Compulite - Dimensions: WxDxH 147x63x31 cm Weight: 40Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC Spark4D	Single case for Spark 4D - Dimensions: LxWxH 89x54x22 cm Weight: 19Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC Studio12 SGM	Single case for consolle Studio 12 SGM - Dimensions: WxDxH 60x16x61,5 cm Weight: 8,3Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	SLC Studio24 SGM	Single case for consolle Studio 24 SGM - Dimensions: WxDxH 84x16x61,5 cm Weight: 11,2Kg.
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	Spark 4D	Lighting consoles 1536 dimmer channels and spot, Compulite, DMX
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	Studio12	Lighting consoles 12/24 dimmer channels SGM, DMX
Lighting equip	ment and accessorie	s >> Control units and DMX recorder
	Studio24ScanControl	Lighting consoles 24/48 dimmer channels + 12 spot, SGM, DMX



Image	Code	Description	
Lighting equip	ment and accessorie	s >> Control units and DMX recorder	
Good C	TOP 48	Lighting consoles 512 dimmer channels and spot, DTS, DMX	
Lighting equip	ment and accessorie	s >> Control units and DMX recorder	
	Vector Blue Dual core	Lighting console 32 DMX universes (8 internal, 24 via ethernet), Compulite	
Lighting equip	ment and accessorie	s >> Control units and DMX recorder	
Timmini	Vector Playback Wing	Expansion Vector 20 playbacks (10 with faders and 10 'Q-keys'), Compulite	
Lighting equip	ment and accessorie	s >> Control units and DMX recorder	
	Vector Ultra Violet	Lighting console 12 DMX universes (4 internal, 8 via ethernet EPort), Compulite	
Lighting equip	ment and accessorie	s >> Lighting Diffusers	
	1157 Indio Alo1000	Halogen Disano 1000W	
Lighting equip	ment and accessorie	s >> Lighting Diffusers	
	1158 Indio JMT-T 400	Metal halide projector Disano 400W	
Lighting equip	Lighting equipment and accessories >> Lighting Diffusers		
	2380	Clamp articulated E27 base, Max 500W STRAND	



Lighting equipment and accessories >> Lighting Diffusers Domino Diffusers Diffusers Diffusers Diffusers Diffuser filter for laddfill	Image	Code	Description		
Lighting equipment and accessories >> Lighting Diffusers Lighting equipment and accessories >> Lighting Diffusers Strand illuminator 150W / 1000W R7s Lighting equipment and accessories >> Lighting Diffusers Cuartz 800W, with 16 mm adapter IANIRO Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Lighting equipment and accessories >> Lighting Diffusers	Lighting equip	Lighting equipment and accessories >> Lighting Diffusers			
Lighting equipment and accessories >> Lighting Diffusers Lighting equipment and accessories >> Lighting Diffusers Lighting equipment and accessories >> Lighting Diffusers Quartz 800W, with 16 mm adapter IANIRO Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers	•	Domino	Diffuser Spotlight Asymmetric by 625/1000 / 1250W		
Lighting equipment and accessories >> Lighting Diffusers Strand illuminator 150W / 1000W R7s	Lighting equip	ment and accessorie	es >> Lighting Diffusers		
Lighting equipment and accessories >> Lighting Diffusers Quartz 800W, with 16 mm adapter IANIRO Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers A Leaf barndoor for ladifill		Filtro Diffusore	Diffuser filter for ladifill		
Lighting equipment and accessories >> Lighting Diffusers Quartz 800W, with 16 mm adapter IANIRO Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Pallas Lighting equipment and accessories >> Lighting Diffusers A Lighting equipment and accessories >> Lighting Diffusers 4 Leaf barndoor for ladifill	Lighting equip	ment and accessorie	es >> Lighting Diffusers		
Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W		ladifill 1000	Strand illuminator 150W / 1000W R7s		
Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers Lighting equipment and accessories >> Lighting Diffusers 4 Leaf barndoor for ladifill	Lighting equip	ment and accessorie	es >> Lighting Diffusers		
Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Pallas Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers 4 Leaf barndoor for ladifill		laneBeam 800	Quartz 800W, with 16 mm adapter IANIRO		
Lighting equipment and accessories >> Lighting Diffusers Diffuser STRAND Asymmetric by 625/1000 / 1250W Pallas Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers 4 Leaf barndoor for ladifill	Lighting equip	ment and accessorie	es >> Lighting Diffusers		
Pallas Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers 4 Leaf barndoor for ladifill		Iris	Diffuser STRAND Asymmetric by 625/1000 / 1250W		
Pallas Diffuser STRAND Asymmetric by 625/1000 / 1250W Lighting equipment and accessories >> Lighting Diffusers 4 Leaf barndoor for ladifill	Lighting equip	ment and accessorie	es >> Liahtina Diffusers		
4 Leaf barndoor for ladifill					
4 Leaf barndoor for ladifill	Lighting equip	Lighting equipment and accessories >> Lighting Diffusers			
	4 mm				



Image	Code	Description		
	Lighting equipment and accessories >> Lighting Diffusers			
	Paraluce Q2000	4 Leaf barndoor for Q2000		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
	Paraluce Q800	4 Leaf barndoor for Q800		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
710, 16 00 0	Pinza 16mm	Calliper with 16mm shank for Q800 / Q 2000		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
	Q1000	Quartz 1000W, with 16 mm adapter		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
	Q2000	Quartz 2000W, with 16 mm adapter		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
	Q800	Quartz 800W, with 16 mm adapter		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
	TE 130	Flood Symmetric 1000W		



Image	Code	Description		
-	Lighting equipment and accessories >> Lighting Diffusers			
	TE 131	Flood Asymmetric 1000W		
Lighting equip	ment and accessorie	s >> Lighting Diffusers		
	Tempo 3	Metal halide projector Philips 400W		
Lighting equip	ment and accessorie	es >> Dimmers		
ac.me	Dimmer 1/16	Dimmer1 channel 10A + direct link 16A, DM 1601 AC.ME - Dimensions: WxDxH 32x16x7 cm Weight: 1,2Kg (1x16A In mono panel, mono + 16A 1x16A Out Link panel, In / Out DMX 3Pin)		
Lighting equip	ment and accessorie	s >> Dimmers		
	Dimmer 1212	Dimmer 12 channels, 12A per channel, P1212D SGM - Dimensions: WxDxH 44,2x40x13,3 cm Weight: 23Kg. (In 63A penta wire, 2xSocapex Out panel, In / Out DMX 5Pin)		
Lighting equip	ment and accessorie	es >> Dimmers		
	Dimmer 610/12	Rack dimmer 2 x 6 channels, 10A per channel, DX610 SUPERLITE - Dimensions: LxPxH 58x52x33 cm Weight: 27,1Kg. (In 2x32A penta wire, 2x6ch.x16A mono Out panel, In / Out DMX 5Pin)		
Lighting equip	ment and accessorie	es >> Dimmers		
	Dimmer 610/12/S	Rack dimmer 2 x 6 channels, 10A per channel, DX610 Superlite - Dimensions: LxPxH 90x54x63 cm Weight: 72,3Kg. (In 2x32A penta panel, 2x6ch.x16A Out monopanel+ 2xSocapex (parallel 16A), In / Out DMX 5Pin)		
Lighting equip	ment and accessorie	es >> Dimmers		
	Dimmer 612	Dimmer 6 channels, 12A per channel, P612D SGM - Dimensions: WxDxH 44,2x33x8,4 cm Weight: 10,5Kg. (In 32A penta wire, Socapex Out panel , In / Out DMX 5Pin)		



Image	Code	Description
Lighting equip	ment and accessorie	s >> Dimmers
	Dimmer 612/12	Rack dimmer 2 x 6 channels, 12A per channel, P612D SGM - Dimensions: LxPxH 58x52x33 cm Weight: 33,5Kg. (In 2x32A penta wire, 2x6ch.x16A mono Out panel, In / Out DMX 5Pin)
Lighting equip	ment and accessorie	s >> Dimmers
]	Dimmer 612/24	Rack dimmer 4 x 6 channels, 12A per channel, P612D SGM - Dimensions: LxPxH 58x52x74 cm Weight:72,6Kg. (In 4x32A penta wire, 4x6ch.x16A mono Out panel, In / Out DMX 5Pin)
Lighting equip	ment and accessorie	es >> Dimmers
29 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Dimmer 625	Rack dimmer 6 channels, 25A per channel, P625D SGM - Dimensions: LxPxH 58x52x33 cm Weight: 30,5Kg. (In 63A penta wire, 6x32A mono Out panel, In / Out DMX 5Pin)
Lighting equip	ment and accessorie	es >> Dimmers
	Dimmer CTE610/12	Rack dimmer 2 x 6 channels, 10A per channel, D610 CTE - Dimensions: LxPxH 58x52x33 cm Weight: 28Kg. (In 2x32A penta wire, 2x6ch.x16A mono Out panel, In / Out DMX 5Pin)
Lighting equip	ment and accessorie	es >> Dimmers
	Dimmer LB123	Dimmer 12 channels, 3kw per channel, LB123 ARRI Italy - Dimensions: WxDxH 53,5x69x41 cm Weight:45Kg. (In 63A penta wire, 12x16A mono Out panel, In / Out DMX 5Pin)
Lighting equip	ment and accessorie	es >> Dimmers
	Dimmer LB123/24	Rack dimmer 2 x 12 channels, 3Kw per channel, LB123 ARRI Italy - Dimensions: WxDxH 65x55x72 cm Weight: 81,3Kg. (In 2x63A penta wire, 24x16A mono Out panel, In / Out DMX 5Pin)
Lighting equip	ment and accessorie	es >> Effects
	CavILDA10	Extension cable ILDA 25 Pin Length 10Mt



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Effects				
	CavILDA20	Extension cable ILDA 25 Pin Length 20Mt			
Lighting equip	ment and accessorie	es >> Effects			
	DZF6	Confetti canon to 6 pipes - (Including remote control)			
Lighting equip	ment and accessorie	es >> Effects			
	DZX4	Confetti canon to 4 DMX pipes			
Lighting equip	ment and accessorie	es >> Effects			
	FB3	Box Pangolin (USB/ILDA 25pin), software Quickshow			
Lighting equip	ment and accessorie	es >> Effects			
	FX Laser 4000	Laser RGB 4W, R637nm>960mw,G532nm>1000mw,445nm>2000mw, auto Active, DMX512 (24ch) ILDA 25pin connector (Pangolin) - Weight: 15,2Kg.			
Lighting equip	ment and accessorie	es >> Effects			
	Mania EF1	Musical effect Martin 230 Volt, for Philips EFP / 8H 100W lamp (6803)			
Lighting equip	ment and accessorie	es >> Effects			
	MicroUSB V2	Box Phoenix (USB/ILDA 25pin/DMX), software Phoenix 4 Live			



Image	Code	Description
Lighting equip	ment and accessorie	es >> Effects
10 m	SLC FX Laser 4000	Single case for FX Laser 4000 - Dimensions: WxDxH 52,5x37x34 cm Weight: 8,2Kg.
Lighting equip	ment and accessorie	s >> Effects
	TUCE-101	Pipe with electrical contact, with integrated metal CO2 cartridge into the tube - (tube length 76cm.) - (Launch 17 / 25Mt.) - (Mixed color confetti)
Lighting equip	ment and accessorie	es >> Effects
	TUCE-103	Pipe with electrical contact, with integrated metal CO2 cartridge into the tube - (tube length 60cm.) - (Launch 15 / 20Mt.) - (Mixed color confetti)
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
•	CLC Alex	Carton case case for followspot Alex R.Juliat - Dimensions: LxPxH 124x46x46 cm Weight: 5Kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
	CLC Alpha 5/1/12	Carton case for Alpha 575/1000/1200 series Clay Paky - Dimensions: WxDxH 66x53x72 cm Weight kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
200 EE 0	CLC Alpha 7	Carton case for Alpha 700 series Clay Paky - Dimensions: WxDxH 61x52x62 cm Weight kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
Charles of the charle	CLC CP 400	Carton case for CP Color Clay Paky - Dimensions: WxDxH 46x45x63 cm Weight: 4,2kg.



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Flight case, Carton case, Plastic case				
	CLC GT1000	Carton case for stand followspot R.Juliat - Dimensions: LxPxH 17x17x112 cm Weight:1Kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	CLC GT4000	Carton case for stand followspot R.Juliat - Dimensions: LxPxH 23x23x92 cm Weight: 1,2Kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
in the second	CLC Infinity	Carton case for Infinity Wash XL Coemar - Dimensions: WxDxH 71x92x61 cm Weight kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
The Common	CLC ISDWL	Carton case for I Spot/Wash LED series Coemar - Dimensions: WxDxH 56x52x47 cm Weight: 2,3kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
in j. Wash	CLC ISWDH	Carton case for I Spot/Wash 575/halo series Coemar - Dimensions: WxDxH 74x81x57 cm Weight kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	CLC Pointe	Carton case for Pointe Robe - Dimensions: WxDxH 35x43x70 cm Weight: 2,7kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
A Management of the Community of the Com	CLC R1200LW	Carton case for Robin 1200LED Wash Robe - Dimensions: WxDxH 53x38x66 cm Weight: 3,6kg.			



Image	Code	Description
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
A SOUTH CONTROL OF THE PARTY OF	CLC R600LW	Carton case for Robin 600LED Wash Robe - Dimensions: WxDxH 34x42x52 cm Weight: 2kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
	CLC RMMX	Carton case for Robin MMX Robe - Dimensions: WxDxH 57x60x84 cm Weigh: 6,2kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	CLC Sharpy	Carton case for Sharpy series CLAY PAKY - Dimensions: WxDxH 50x40x57 cm Weight: 2,9kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
	CLC Victory	Carton case for Victory II SGM - Dimensions: WxDxH 75x43x35 cm Weight kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
	DLC Alpha 1200	Dual case for Alpha 1200 series Clay Paky - Dimensions: WxDxH 124x67x87 cm Weight: 68,7kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
	DLC Alpha 7	Dual case for Alpha 700 series Clay Paky - Dimensions: WxDxH 109x59x77 cm Weight: 60kg.
Lighting equip	ment and accessorie	es >> Flight case, Carton case, Plastic case
000	DLC Beam230	Dual case for Beam230 The Light - Dimensions: WxDxH 82x47x74 cm Weight: 30kg.



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Flight case, Carton case, Plastic case				
	DLC BMFL	Dual case for BMFL series ROBE - Dimensions: WxDxH 145x60x88 cm Weight: 92,5kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	DLC CP 400	Dual case for CP Color Clay Paky - Dimensions: WxDxH 92x52x74 cm Weight: 38kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	DLC Esprite	Dual case for Esprite Robe series - Dimensions: LxWxH 135x60x79 cm Weight kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	DLC ISW	Dual case for I Spot/Wash series Coemar - Dimensions: WxDxH 104x62x97 cm Weight: 53kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	DLC MegaPointe	Dual case for Mega Pointe Robe - Dimensions: WxDxH 61,5x60x88 cm Weight: 51Kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
1 0	DLC ProSW	Dual case for Pro Spot/Wash series Coemar - Dimensions: WxDxH 95x54x83 cm Weight kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	DLC R1200LW	Dual case for Robin 1200LED Wash Robe - Dimensions: WxDxH 81x59x76 cm Weight: 42,2kg.			



Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
		Dual ages for Pobin MMV Spet/Plade agrice Pobe. Disconsisses WyDyll 420yE4y92 am. Wainth C4 Cir.
	DLC RMMX	Dual case for Robin MMX Spot/Blade series Robe - Dimensions: WxDxH 120x54x82 cm Weight: 64,6kg.
Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
	DLC Sharpy	Dual case for Sharpy series Claypaky - Dimensions: WxDxH 82x47x74 cm Weight: 30kg.
Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
	DLC Synthesis	Dual case for Synthesis Spot SGM - Dimensions: WxDxH 109x55x77 cm Weight kg.
Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
	DLC Victory	Dual case for Victory II SGM - Dimensions: WxDxH 77x85x31 cm Weight: 23,6kg.
Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
	ELC NanoQ 12 Q4	Eight case for NanoQ12 Q4 - DAP Case - Dimensions: WxDxH 117.2x61.3x54 cm Weight: 35 kg
Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
	ELC PoweS	Eight case for Powerstik LED 100 Focon - Dimensions: WxDxH 111x73x49 cm Weight: 43,7Kg.
Lighting equipm	nent and accessorie	s >> Flight case, Carton case, Plastic case
	ELC R150LB	Eight case for Robin LED Beam 150 Robe - Dimensions: LxPxH 105x60x59 cm Weight: 49Kg.



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Flight case, Carton case, Plastic case				
	ELC SL100	Eight case for Strip Lite LED 100 Coemar - Dimensions: WxDxH 138x65x51 cm Weight: 45kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	QLC Helix S5000 Q4	Quad case for Helix S5000 Q4 DAP - Dimensions: WxDxH 100x60x54 cm Weight: Kg.34			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	QLC ISpot	Quad case for I Spot 150 Coemar - Dimensions: WxDxH 163x55x76 cm Weight kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	QLC MegaPointe	Quad Case for Mega Pointe Robe - Size: LxWxH 120x60x88 cm Weight: 81kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
1 19 300	QLC Palco3	Quad case for Palco 3 SGM - Dimensions: WxDxH 109x61x67 cm Weight: 45,5kg.			
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case			
	QLC Pointe	Quad case for Pointe Robe - Dimensions: WxDxH 96x60x81 cm Weight: 69,4kg.			
Lighting equipment and accessories >> Flight case, Carton case, Plastic case					
S sor B	QLC Q7	Quad case for Q7 SGM - Dimensions: WxDxH 102.5x61.5x49.3 cm Weight: Kg.37,6			



Image	Code	Description
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	QLC R600LW	Quad case for Robin 600LED Wash Robe - Dimensions: WxDxH 81x59x67 cm Weight: 47,32kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	QLC Sharpy	Quad case for Sharpy Clay Paky - Dimensions: LxPxH 112x78x72 cm Weight: Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	QLC SPIIDER	Quad case for Spiider LED Robe - Dimensions: LxPxH 144x60x76 cmWeight: 68,8Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	QLC Spikie	Quad case for Spikie Robe - Dimensions: WxDxH 67x60x66 cm Weight: 38,4 Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SILC Cyclone	Six case for Strobo LEDs Cyclone - Dimensions: LxPxH 120x65x55 cm Weight: 35,1Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
E E	SILC PLC	Six case for Par Lite LED Coemar - Dimensions: WxDxH 75x60x50 cm Weight: 28,5kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC Alpha	Single case for Alpha 575/Halo series Clay Paky - Dimensions: WxDxH 68x57x87 cm Weight: 42,4kg.



Image	Code	Description
_	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC BMFL	Single case for BMFL Robe series - Dimensions: LxWxH 74x60x88 cm Weight: 53,2Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC Digital 7000	Single case for Digital 7000 Robe - Dimensions: WxDxH 76x61x113 cm Weight: 82kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC Margot/Alex	Single case for followspot Margot/Alex R.Juliat - Dimensions: WxDxH 125x66x61 cm Weight: 44,7kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC MegaPointe	Single case for MegaPointe Robe series - Dimensions: WxDxH 60x60x74,5 cm Weight: 42Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC RDL4S	Single case for Robin DLS/DL4S Robe - Dimensions: WxDxH 60x57x75 cm Weight: 32,8kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	SLC RMMX	Single case for Robin MMX Spot/Blade series Robe - Dimensions: WxDxH 60x57x77 cm Weight: 40,3kg.
Lighting equipment and accessories >> Flight case, Carton case, Plastic case		
	SLC RoboSpot System	Single case for RoboSpot System Robe - Dimensions: WxDxH 120x60x65 cm Weight: Kg. 58



Image	Code	Description
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
Hon B	SLC SRMMX	Single case for Robin MMX Spot/Blade Robe series - Dimensions: LxPxH 68x57x87 cm Weight: 36,1Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	TLC BarreLEDs	Twelve case for Barre LEDs 100 - Dimensions: WxDxH 128x60,5x59,5 cm Weight: 39,5kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	TLC Katana	Three case for Katana DTS - Dimensions: LxPxH 117x74x55 cm Weight: 43Kg.
Lighting equip	ment and accessorie	s >> Flight case, Carton case, Plastic case
	TLC SL50	Ten case for Strip Lite LED 50 Coemar - Dimensions: WxDxH 125x65x51 cm Weight: 36,4kg.
Lighting equip	ment and accessorie	s >> Fluorescents
Q	820 DMX	Fluorescent illuminator TRED, 2x55W DMX control
Lighting equip	ment and accessorie	s >> Fluorescents
	840 DMX	Fluorescent illuminator TRED, 4x55W DMX control
Lighting equip	ment and accessorie	s >> Fluorescents
	860 DMX	Fluorescent illuminator TRED, 6x55W DMX control



Image	Code	Description
Lighting equip	ment and accessorie	s >> Fluorescents
	Soft Bag 820	Soft bag for TRED transport, for 820 illuminator
Lighting equip	ment and accessorie	s >> Fluorescents
	Soft Bag 840	Soft bag for TRED transport, for 840 illuminator
Lighting equip	ment and accessorie	s >> Fluorescents
	Soft Bag 860	Soft bag for TRED transport, for 860 illuminator
Lighting equip	ment and accessorie	s >> Inflatable LEDs
(A) (a)	Aircone Q6	Floor and ceiling base with fan and RGBWA + UV LEDs system, power 130W, 100 / 240V, possibility of DMX and WDMX control, equipped with H2700mm cone, base diameter 470mm, mounting on the base using Velcro.
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators
1111	ACL250	ACL Series 8x250W
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators
1111	ACL600	ACL Series 8x600W
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators
	LiteBlinder 2120	Blinder 2 lamps Par 36 120V / 650W



Image	Code	Description	
_	ment and accessorie	s >> Blinding lamp and LED illuminators	
	LiteBlinder 4120	Blinder 4 lamps Par 36 120V / 650W	
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators	
	LiteBlinder 428	Blinder 4 lamps Par 36 28V / 250W	
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators	
	LiteBlinder 828	Blinder 8 lamps Par 36 28V / 250W	
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators	
	Stage Blinder 2 Blaze	"Old-school" IP65 blinder with two independent heads with double 100W COB LEDs (CW, RGB, WW) each head is equipped with an RGB Blaze effect, In / Out Powercon True1, In / Out XLR 3P, equipped with support.	
Lighting equip	ment and accessorie	s >> Blinding lamp and LED illuminators	
	Stage Blinder 4 Blaze	"Old-school" IP65 blinder with four independent heads with double 100W COB LEDs (CW, RGB, WW) each head is equipped with an RGB Blaze effect, In / Out Powercon True1, In / Out XLR 3P, equipped with support.	
Lighting equip	ment and accessorie	s >> Strobe lights	
	Commander Strobo	Wired remote control for strobe Midistrobo and Superstrobo SGM	
Lighting equip	Lighting equipment and accessories >> Strobe lights		
	Cyclone	LED strobe light, 1320 LEDs SMD 5050 RGBW - 4/6/10 / 18Ch. DMX - IP65	



Image	Code	Description			
	Lighting equipment and accessories >> Strobe lights				
	Flasher 1500	Stroboscopic projector SGM 1500W, controlled by DMXI			
Lighting equip	ment and accessorie	s >> Strobe lights			
	IDEA Strobo 1500	Stroboscopic projector SGM 1500W, controlled by internal or DMX			
Lighting equip	ment and accessorie	s >> Strobe lights			
	Midi strobo	Stroboscopic projector SGM 1000W, controlled by a wired remote control			
Lighting equip	ment and accessorie	s >> Strobe lights			
	Q7 RGBW	SGM RGBW LED stroboscopic projector, 2000 SMD LEDs RGBW, 3/4/6/8/9/10 Ch. DMX - IP65			
Lighting equip	ment and accessorie	s >> Strobe lights			
	Strobo 3000	Stroboscopic projector 3000W, controlled by internal or DMX			
Lighting equip	ment and accessorie	s >> Strobe lights			
	Superstrobo	Stroboscopic projector SGM 1500W, controlled by a wired remote control 0-10V 			
Lighting equip	ment and accessorie	s >> Smoke machines and accessories			
	AF-3	Fan for smoke machine 220V, DMX, ANTARI			



Image	Code	Description
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	AtmosFEAR 2000	Low smoke effect machine, water functioning with ULTRASONIC - Weight: Kg.45 (The machine works with distilled water and / or pure water mixed with specific liquid. Output: 20,000 cu.ft / min.)
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	Bombola	CO2 gas cylinder for Atmosphere, MDG
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	HAZE 400 FT	DMX fog machine, ROBE - Weight:12,5Kg.
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	HC-1	Remote Control for Haze 400
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
TECOLOR .	HZ400	DMX fog machine, ANTARI - Weight: 12,5Kg.
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	ICE100	Low smoke machine effect ANTARI - Weight: 24,4Kg. (The machine works with liquid and any type of ice (not included), the load is 8Kg Output: 10,000 cu.ft / min.)
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	LOW FOG 3000 FT	Low smoke machine effect ROBE (The machine works with liquid Output: 12,000 cu.ft / min)



Image	Code	Description
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
no e	M35A-x	Decoding Box DMX signal for Atmosphere, MDG
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
NO ONO	MT35A-N	Manual control box for Atmosphere, MDG
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
	SFC-300BP	Fan for smoke machine 220V, 3 speed, EQUATION
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
	SLC HZ/HA	Single case for Haze/HZ 400 Hard Box - Dimensions: WxDxH 55x37x39 cm Weight: 12,5kg.
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
	SLC HZ/HA 2	Single case DAP for Haze / HZ 400 - Dimensions: LxPxH 60x40x42 cm Weight: 11.7 kg
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
	SLC LF3.0	Single case for Low Fog 3000 FT Robe - Dimensions: WxDxH 88x71x102 cm Weight: 41kg.
Lighting equipr	ment and accessorie	es >> Smoke machines and accessories
	SLC X310	Single case for X310 Hard Box - Dimensions: WxDxH 73x34x40 cm Weight: 14,1kg.



Image	Code	Description
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
The second second	SLC X510	Single case for X510 Hard Box - Dimensions: WxDxH 64x28x34 cm Weight: 10,9kg.
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	VI-30NR	Fan for smoke machine 220V, 3 speed, EQUATION
Lighting equip	ment and accessorie	es >> Smoke machines and accessories
10	X310	DMX fog machine, ANTARI - Weight: 14,1Kg.
Lighting equip	ment and accessorie	s >> Smoke machines and accessories
	X510	DMX smoke machine effect ANTARI - Weight: 10,9Kg.
Lighting equip	ment and accessorie	es >> Smoke machines and accessories
	Z-8	Timer Remote for ICE100
Lighting equip	ment and accessorie	es >> DMX signal materials
	ADAT-DMX3/5	DMX signal cable adapter, a connector 3 Pin male to connector 5Pin female
Lighting equip	ment and accessorie	s >> DMX signal materials
	ADAT-DMX3F/3F	DMX signal cable adapter, a connector 3 Pin female to connector 3Pin female



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> DMX signal materials				
	ADAT-DMX5/3	DMX signal cable adapter, a connector 5Pin male to connector 3Pin female			
Lighting equip	ment and accessorie	es >> DMX signal materials			
	ADAT-DMX5F/5F	DMX signal cable adapter, a connector 5Pin female to connector 5Pin female			
Lighting equip	ment and accessorie	es >> DMX signal materials			
	ADAT-DMX5M/5M	DMX signal cable adapter, a connector 5Pin male to connector 5Pin male			
Lighting equip	ment and accessorie	es >> DMX signal materials			
	PRP020DMX5	DMX extension cable with connectors 5 Pin, 0,2mt length.			
Lighting equip	ment and accessorie	es >> DMX signal materials			
	PRP05DMX5	DMX extension cable with connectors 5 Pin, 0,5mt length.			
Lighting equip	ment and accessorie	es >> DMX signal materials			
9	PRP1,5DMX3	DMX extension cable with connectors 3 Pin, 1,5mt length.			
Lighting equip	ment and accessorie	es >> DMX signal materials			
	PRP1,5DMX5	DMX extension cable with connectors 5 Pin, 1,5mt length.			



Image	Code	Description			
Lighting equipr	Lighting equipment and accessories >> DMX signal materials				
9	PRP10DMX3	DMX extension cable with connectors 3 Pin, 10mt length.			
Lighting equipr	ment and accessorie	es >> DMX signal materials			
	PRP10DMX5	DMX extension cable with connectors 5 Pin, 10mt length.			
Lighting equipr	ment and accessorie	es >> DMX signal materials			
9	PRP15DMX3	DMX extension cable with connectors 3 Pin, 15mt length.			
Lighting equipr	ment and accessorie	es >> DMX signal materials			
	PRP15DMX5	DMX extension cable with connectors 5 Pin, 15mt length.			
Lighting equipr	ment and accessorie	es >> DMX signal materials			
9	PRP1DMX3	DMX extension cable with connectors 3 Pin, 1mt length.			
Lighting equipr	ment and accessorie	es >> DMX signal materials			
	PRP1DMX5	DMX extension cable with connectors 5 Pin, 1mt length.			
Lighting equipr	ment and accessorie	es >> DMX signal materials			
9	PRP20DMX3	DMX extension cable with connectors 3 Pin, 20mt length.			



Image	Code	Description
Lighting equipr	ment and accessorie	s >> DMX signal materials
	PRP20DMX5	DMX extension cable with connectors 5 Pin, 20mt length.
Lighting equipr	ment and accessorie	s >> DMX signal materials
	PRP23DMX5	DMX extension cable with connectors 5 Pin, 23mt length.
Lighting equipr	ment and accessorie	s >> DMX signal materials
9	PRP25DMX3	DMX extension cable with connectors 3 Pin, 25mt length.
Lighting equipr	nent and accessorie	s >> DMX signal materials
	PRP25DMX5	DMX extension cable with connectors 5 Pin, 25mt length.
Lighting equipr	ment and accessorie	s >> DMX signal materials
9	PRP2DMX3	DMX extension cable with connectors 3 Pin, 2mt length.
Lighting equipr	ment and accessorie	s >> DMX signal materials
	PRP2DMX5	DMX extension cable with connectors 5 Pin, 2mt length.
Lighting equipr	ment and accessorie	s >> DMX signal materials
9	PRP3DMX3	DMX extension cable with connectors 3 Pin, 3mt length.



Image	Code	Description
	ment and accessorie	s >> DMX signal materials
	PRP3DMX5	DMX extension cable with connectors 5 Pin, 3mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
	PRP4DMX5	DMX extension cable with connectors 5 Pin, 4mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
9	PRP5DMX3	DMX extension cable with connectors 3 Pin, 5mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
	PRP5DMX5	DMX extension cable with connectors 5 Pin, 5mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
	PRP8DMX5	DMX extension cable with connectors 5 Pin, 8mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
	PRPM30DMX3/8	Multiple DMX extension cable 8 channels, with 3 pin connectors, 30mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
	PRPM36DMX3/20	Multiple DMX extension cable 20 channels, with 3 pin connectors, 36mt length.



Image	Code	Description
Lighting equip	ment and accessorie	s >> DMX signal materials
	PRPM50DMX3/8	Multiple DMX extension cable 8 channels, with 3 pin connectors, 50mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
on ten	PRPM9DMX3/16	Multiple DMX extension cable 16 channels, with 3 pin connectors, 9mt length.
Lighting equip	ment and accessorie	s >> DMX signal materials
	SKC-4 F/M DMX3-0,6M	Dual box M / F 4ch. DMX 3 Pin extender over Cat5 cable
Lighting equip	ment and accessorie	s >> Pixel panels high output
0	CavAL10	Power plug 16A 2p + T / F powercon, 10Mt length.
Lighting equip	ment and accessorie	s >> Pixel panels high output
Q	CavALS2	Power plug Schuko 2p + T / F powercon, 2Mt length.
Lighting equip	ment and accessorie	s >> Pixel panels high output
0.0.0.0.0.0.0.0.0	Pixel 10	Rigid strip with single pixel control, 10 Dichroic GU10 230V / 75W, 25°, TheLight internal control or DMX, 1000x77x130mm measures., Equipped with supports for floor mounting and / or ceiling.
Lighting equip	ment and accessorie	s >> Pixel panels high output
54444 54444 54544 54544 54544	Pixel 25	Blinding 5x5 pixel panel, Lamp. E27 230V / 75W, 8°, The Light internal control or DMX, 60.5x60.5 measures, equipped with quick-release lock it and mounting bracket in suspension.



Image	Code	Description
Lighting equip	ment and accessorie	s >> Pixel panels high output
69966	Pixel 6	Blinding pixel panel, 6 Lamp. E27 230V / 75W, 8°, The Light internal control or DMX, 72.5x16x12.5 measures, equipped with quick-release lock it and mounting bracket in suspension.
Lighting equip	ment and accessorie	s >> Pixel panels high output
prop .	Pixel Flex	Strip flexible individual pixel control, 10 Dichroic GU10 230V / 75W, 25°, TheLight internal control or DMX, 1256x60x135mm measures, equipped with supports for floor mounting and / or ceiling.
Lighting equip	ment and accessorie	s >> Pixel panels high output
	Quad Case Pixel 25	Quad case for Pixel 25 The Light - Dimensions: WxDxH 88x76x88 cm Weight: 39kg.
Lighting equip	ment and accessorie	s >> Pixel panels high output
0 0	Six Case Pixel 6	Six case for Pixel 6 The Light - Dimensions: WxDxH 62x48x92 cm Weight: 27,5kg.
Lighting equip	ment and accessorie	s >> LED products
The state of the s	AL 200	Power supply for Regoled, for maximum control 4 Rigaled
Lighting equip	⊔ oment and accessorie	s >> LED products
	Beamshaper 15°x60°	15°x60° elliptical lens, magnetic for Helix S5000 Q4
Lighting equip	ment and accessorie	s >> LED products
0	CavAL1,5	Power plug 16A 2p + T / powercon F, length 1.5 mt.



Image	Code	Description
Lighting equip	ment and accessorie	es >> LED products
0	CavAL2	Power plug 16A 2p + T / powercon F, length 2 mt.
Lighting equip	ment and accessorie	es >> LED products
	CavPRDFAL	Power cord with plug Schuko and IP65 connector for Dual Face / Fusion 4 Tour.
Lighting equip	ment and accessorie	es >> LED products
	CavPRDFAL1	Extension power cable IP65 for Dual Face / Fusion 4 Tour, 1Mt length
Lighting equip	ment and accessorie	es >> LED products
	CavPRDFAL10	Extension power cable IP65 for Dual Face / Fusion 4 Tour, 10Mt length
Lighting equip	ment and accessorie	es >> LED products
	CavPRDFAL20	Extension power cable IP65 for Dual Face / Fusion 4 Tour, 20Mt length
Lighting equip	ment and accessorie	es >> LED products
	CavPRDFAL5	Extension power cable IP65 for Dual Face / Fusion 4 Tour, 5Mt length
Lighting equip	ment and accessorie	es >> LED products
	CavPRDFDL1	DMX Extension cable IP65 for Dual Face / Fusion 4 Tour, 1Mt length



Image	Code	Description
Lighting equip	ment and accessorie	s >> LED products
	CavPRDFDL10	DMX Extension cable IP65 for Dual Face / Fusion 4 Tour, 10Mt length
Lighting equip	ment and accessorie	s >> LED products
	CavPRDFDL20	DMX Extension cable IP65 for Dual Face / Fusion 4 Tour, 20Mt length
Lighting equip	ment and accessorie	s >> LED products
	CavPRDFDL5	DMX Extension cable IP65 for Dual Face / Fusion 4 Tour, 5Mt length
Lighting equip	ment and accessorie	s >> LED products
	CavPRDFDMX	DMX signal cable with connector 3 Pin and IP65 connector for Dual Face / Fusion 4 Tour.
Lighting equip	ment and accessorie	s >> LED products
	CavPRDL10	Extension cable for Delta 7 HEAD, 10Mt length.
Lighting equip	ment and accessorie	s >> LED products
	CavPRDL20	Extension cable for Delta 7 HEAD, 20Mt length.
Lighting equip	ment and accessorie	s >> LED products
	CavPRDL22	Extension cable for Delta 7 HEAD, 22Mt length.



Image	Code	Description	
Lighting equip	ment and accessorie	s >> LED products	
	CavPRDL30	Extension cable for Delta 7 HEAD, 30Mt length.	
Lighting equip	ment and accessorie	s >> LED products	
	CavRIL2	Relay cable powercon F / powercon M, length 2 Mt.	
Lighting equip	ment and accessorie	s >> LED products	
	CavRIL5	Relay cable powercon F / powercon M, length 5 Mt.	
Lighting equip	ment and accessorie	s >> LED products	
	CavRIL6	Relay cable powercon F / powercon M, length 6 Mt.	
Lighting equip	ment and accessorie	s >> LED products	
De	ta 7 RGB B HEAD VWFS	LED Projector DTS, 108 LED P4 (36 Red, 36 Green, 36 Blue)	
Lighting equip	ment and accessorie	s >> LED products	
	Delta 7 RGB B VWFSatin	LED Projector DTS, 108 LED P4 (36 Red, 36 Green, 36 Blue)	
Lighting equip	Lighting equipment and accessories >> LED products		
	Dual Face	LED Projector The Light, 84 Power multicolor LED RGBW 4 in 1 (both sides by 42 LED, one side 30° and other side 60°)	



Image	Code	Description
	ment and accessorie	s >> LED products
	Esprite	Robe LED motorized projector, 650W white LED Tranferable Engine, 4-blade shaping system with +/- 60° rotation and motorized zoom from 5.5° to 50°
Lighting equip	ment and accessorie	s >> LED products
	FLB125°	25° diffuser filter for Robin 100LEDBeam Robe, (to be used in combination with TOPHAT)
Lighting equip	ment and accessorie	s >> LED products
	Fos 100 Dynamic	LED bar DTS, (15 Led full color 3W), SP lens
Lighting equip	ment and accessorie	s >> LED products
Tecoreto recu	Fos 100 Solo Full Color	LED bar DTS, (15 Led full color 3W)
Lighting equip	ment and accessorie	s >> LED products
	Fusion 4 Tour	LED Projector The Light, 30°, 18 Power LED Full Color RGBW 4 in 1
Lighting equip	ment and accessorie	s >> LED products
	Fusion 4 Zoom	LED Projector Zoom (10° / 40°) TheLight, 18 Powerled multicolor RGBW 4 in 1
Lighting equip	ment and accessorie	s >> LED products
	Fusion Color	LED Projector The Light, 40°, 18 Power LED Full Color RGB 3 in 1



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> LED products				
	Helix S5000 Q4	Showtec LED projector (10 °), 40 multi-color RGBW 4-in-1 power LED			
Lighting equip	ment and accessorie	es >> LED products			
	IWashLED	LED moving head Coemar, 36x1W LEDs (12 red, 12 green, 12 blue, 1 white)			
Lighting equip	ment and accessorie	es >> LED products			
	Katana	DTS motorized LED bar, (12 Power Led full color 4in1), motorized zoom from 3.5° to 30°			
Lighting equip	ment and accessorie	es >> LED products			
	NanoQ 12 Q4	LED spotlight Zoom (5 ° / 60 °) Showtec, 12 Power LED multicolor RGBW 4 in 1 and backlight system: 21 LED RGB 5050 SMD			
Lighting equip	ment and accessorie	es >> LED products			
	Palco3	LED projector SGM, 49 LEDs (24 red 1W, 18 green 3W, 7 blue 3W)			
Lighting equip	ment and accessorie	es >> LED products			
	Palco3 mobile	LED moving head SGM, 49 LEDs (24 red 1W, 18 green 3W, 7 blue 3W)			
Lighting equip	ment and accessorie	es >> LED products			
	ParLiteLED	Coemar LED projector, (12 red, 12 green, 12 blue)			



Image	Code	Description		
Lighting equipment and accessories >> LED products				
Company of the Compan	PowerStickLED	LED bar FOCON with 60 LEDs of 1W (20 red, 20 green, 20 blue)		
Lighting equip	ment and accessorie	s >> LED products		
	PSBasi	Floor bases with tilt adjustment, for Powerstik LED (possibility of mounting hooks)		
Lighting equip	ment and accessorie	s >> LED products		
5 = 1 = 1 5 = 1 = 1	Rack Z202	Rack consists of two power supplies Z20 for maximum control 4 Delta 7 HEAD - Dimensions: WxDxH 66x55x42 cm Weight: 29,8kg.		
Lighting equip	ment and accessorie	s >> LED products		
5 * *	Rack Z203	Rack consists of three power supplies Z20 for maximum control 6 Delta 7 HEAD - Dimensions: WxDxH 66x55x71 cm Weight: 43,6kg.		
Lighting equip	ment and accessorie	s >> LED products		
	Regoled DMX	DMX Control for Rigaled. (max 4 Rigaled)		
Lighting equip	ment and accessorie	s >> LED products		
	Robin LEDBeam 150	<span style="text-align: left; font-size: 16px; color: rgb(0, 0, 0); font-family: Lato; font-style: normal; font-variant-ligatures: normal; font-variant-caps: normal; font-weight: normal; letter-spacing: normal; orphans: 2; text-indent: 0px; text-transform: none; white-space: normal; widows: 2; word-spacing: 0px; -webkit-text-stroke-width: 0px; background-color: rgb(255, 255): text-decoration-style: initial: text-decoration-style: initial: text-decoration-style: light-initial: text-decoration-style: light-initial:</td></tr><tr><td>Lighting equip</td><td>ment and accessorie</td><td></td></tr><tr><td></td><td>Robin LEDWash 1200</td><td>ncne; white space; pormal; widews: 2; word-spacing; 0px; -webkit-text-stroke, width: 0px; background-color: rgb(255, 255); text-decoration-style: initial; fext-decoration-color: initial; decoration-color: initial; decoration-color: initial; decoration-color: initial; decoration-color: get; font-size: 16px; color: rgb(0, 0, 0); font-family: Lato; font-style: normal; font-variant-ligatures: normal; font-variant-caps: normal; font-weight: normal; letter-spacing: normal; orphans: 2; text-indent: 0px; text-transform: none; white-space: normal; widows: 2; word-spacing: 0px; -webkit-text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-style: initial; text-decoration-color: initial; decoration-text-ligatures: normal; left; font-size: 16px; color: rgb(0, 0, 0); font-family: Lato; font-style: normal; font-variant-ligatures: normal; font-variant-caps: normal; font-weight: normal; letter-spacing: normal; orphans: 2; text-indent: 0px; text-transform: none; white-space: normal; widows: 2; word-spacing: 0px; -webkit-text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-style: initial; text-decoration-color: initial; "> Bit; sext-get; rgb(255, 255, 255); text-decoration-style: initial; text-decoration-color: initial; text-get; rgb(255, 255, 255); text-decoration-style: lato; font-style: normal; font-variant-ligatures: normal; font-variant-ligatures		
Pag. 57	Woh	font-size: 16px; color: rgb(0, 0, 0); font-family: Lato; font-style: normal; font-variant-ligatures: normal; font-wariant-caps: normal; font-weight: normal; letter-spacing: normal; orphans: 2; text-indent: 0px; text-transform: none; white-space: normal; widows: 2; word-spacing: 0px; -webkit-text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-style: initial; text-decoration-color: initial; "> 7 LED RGBW 30W, motorized zoom from 3,8° to 60° : www.prelectronic.it - F-Mail: info@prelectronic.it		



Lighting equipment and accessories Robin LEDWash 600 Lighting equipment and accessories SL3 Lighting equipment and accessories SLBasi Lighting equipment and accessories SLBasi SLOmega100	LED moving head Robe, 37 LED RGBW 10W, motorized zoom from 15° to 60°
Lighting equipment and accessories SL3 Lighting equipment and accessories SLBasi Lighting equipment and accessories SLOmega100	es >> LED products
SL3 Lighting equipment and accessorie SLBasi Lighting equipment and accessorie SLOmega100	
Lighting equipment and accessorie SLBasi Lighting equipment and accessorie SLOmega100	LED moving head Spotlight, 1 LED 3W white
SLBasi Lighting equipment and accessorie SLOmega100	
Lighting equipment and accessorie SLOmega100	es >> LED products
SLOmega100	Floor bases with tilt adjustment, for StripLite LED (possibility of mounting hooks)
	es >> LED products
	Omega mounting hooks, StripLite LED 100 cm
Lighting equipment and accessorie	es >> LED products
SLOmega50	Omega mounting hooks, StripLite LED 50 cm
Lighting equipment and accessorie	es >> LED products
Spectral 300 Q4	LED projector Showtec, 1 Power Multi-colored LED RGBW 4 in 1
Lighting equipment and accessorie	es >> LED products
Spectral M3000 Q4	LED Projector Zoom (8° / 45°) Showtec, 14 Powerled multicolor RGBW 4 in 1



Image	Code	Description
Lighting equip	ment and accessorie	s >> LED products
	Spiider	LED moving head Robe, 18 LED RGBW 30W + 1 LED RGBW 60W
Lighting equip	ment and accessorie	s >> LED products
	Spikie	Motorized LED Robe projector, 1 RGBW 60W LED, motorized zoom from 4° to 28°
Lighting equip	ment and accessorie	s >> LED products
	StripLite Led RGB100	Coemar LED bar, 20 LED 3W full color, 12 °
Lighting equip	ment and accessorie	s >> LED products
	StripLite Led RGB50	Coemar LED bar, 10 LED 3W full color, 12°
Lighting equip	ment and accessorie	s >> LED products
O	ТОРНАТ	Cone PVC Adapter for Robin 100LEDBeam Robe
Lighting equip	ment and accessorie	s >> LED products
-	UVBar	LED Wood Bar, 18 Power LEDs 3W, 120° Angle, 1Mt Length.
Lighting equip	ment and accessorie	s >> Lighting
	CP Spot/CT	Projector with transformer Clay Paky, for Lamp. Halospot 12V - 100W - 8°



Lighting equipment and accessories >> Lighting Projector Par 16, per Lamp. 220V/50W - 25/36/50" Lighting equipment and accessories >> Lighting Projector Par 36, per Lamp. 6V/30W Par 36 Lighting equipment and accessories >> Lighting Projector Par 56 Short, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 Short, with E27 Par 56CE27 Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 66 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 68 long, with E27 Par 56LE27	Image	Code	Description		
Lighting equipment and accessories >> Lighting Projector Par 38, per Lamp. 6V/39W Lighting equipment and accessories >> Lighting Projector Par 58 Short, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56C Lighting equipment and accessories >> Lighting Projector Par 58 Short, with E27 Par 56CE27 Lighting equipment and accessories >> Lighting Projector Par 58 long, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56L Lighting equipment and accessories >> Lighting Projector Par 58 long, with E27 Par 56LE27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 58 long, with E27 Lighting equipment and accessories >> Lighting Projector Par 68 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86	Lighting equipment and accessories >> Lighting				
Projector Par 36, per Lamp. 6V/30W Lighting equipment and accessories >> Lighting Projector Par 56 Short, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56C Lighting equipment and accessories >> Lighting Projector Par 56 Short, with E27 Par 56CE27 Lighting equipment and accessories >> Lighting Projector Par 56 Iong, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 Iong, with E27 Lighting equipment and accessories >> Lighting Projector Par 56 Iong, with E27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86		Par 16	Projector Par 16, per Lamp. 220V/50W - 25/35/50°		
Lighting equipment and accessories >> Lighting Projector Par 56 Short, for Lamp, 230V / 300W - MFL / NSP / WFL Par 56C Lighting equipment and accessories >> Lighting Projector Par 56 Short, with E27 Par 56CE27 Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp, 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp, 230V / 500W - 1000W - CP 60/61/62/66	Lighting equip	ment and accessori	es >> Lighting		
Projector Par 56 Short, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 Short, with E27 Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56L Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Lighting equipment and accessories >> Lighting Projector Par 54 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86		Par 36	Projector Par 36, per Lamp. 6V/30W		
Lighting equipment and accessories >> Lighting Par 56CE27 Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56L Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Par 56LE27 Par 56LE27 Par 56LE27 Par 56 long, with E27 Par 56 long, with E27	Lighting equip	ment and accessori	es >> Lighting		
Projector Par 56 Short, with E27 Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56L Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86		Par 56C	Projector Par 56 Short, for Lamp. 230V / 300W - MFL / NSP / WFL		
Lighting equipment and accessories >> Lighting Par 56L Par 56L Lighting equipment and accessories >> Lighting Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Par 56L Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86	Lighting equip	ment and accessori	es >> Lighting		
Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86		Par 56CE27	Projector Par 56 Short, with E27		
Projector Par 56 long, for Lamp. 230V / 300W - MFL / NSP / WFL Lighting equipment and accessories >> Lighting Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86	Lighting equip	ment and accessori	es >> Lighting		
Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86					
Projector Par 56 long, with E27 Par 56LE27 Lighting equipment and accessories >> Lighting Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86	Lighting equip	ment and accessori	es >> Lighting		
Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86					
Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86	Lighting equip	ment and accessori	es >> Lighting		
		Par 64C	Projector Par 64 Short, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86		



Image	Code	Description
Lighting equip	ment and accessorie	es >> Lighting
	Par 64L	Projector Par 64 long, for Lamp. 230V / 500W - 1000W - CP 60/61/62/86
Lighting equip	ment and accessorie	es >> Lighting
	Pgel 56 AL	Gel holder for Par56 aluminum
Lighting equip	ment and accessorie	es >> Lighting
	Pgel 64 AL	Gel holder for Par64 aluminum
Lighting equip	ment and accessorie	es >> Lighting
O	Pgel 64 N	Gel holder for Par64 black
Lighting equip	ment and accessorie	es >> Portable LED projectors with battery and accessories
	GlowUp (RGBW)	Portable projector LEDs, ClayPaky, Lithium Battery, 4 multi-color LED Power 10W RGBW, WDMX, IP65 protection, Manual zoom (15° / 30°), finished in glossy metallized ABS, charging from PowerCon connector or flight case.
Lighting equip	ment and accessorie	es >> Portable LED projectors with battery and accessories
	SLC GlowUp	Six case GlowUp LED with integrated charging module - Dimensions: WxDxH 00x00x00 cm.
Lighting equip	ment and accessorie	es >> Portable LED projectors with battery and accessories
	SLC Well Fit	Six case for Well Fit LED with integrated charging module - Dimensions: WxDxH 51,9x47x54 cm Weight: 23,1Kg.



Image	Code	Description
_	ment and accessorie	s >> Portable LED projectors with battery and accessories
	WELL COM	Wireless controller with cue, sequence and chase controls, controlled by smart phones, tablets or via DMX via cables
Lighting equip	ment and accessorie	s >> Portable LED projectors with battery and accessories
	Well Fit (RGBW)	Portable projector LEDs, Chauvet, 14,8V 11Ah lithium battery, 4 multi-color LED Power 12W RGBW / FC, WDMX Wireless Solution, IP65 protection, projection angle 11 °, angle of 18 °, mirror finish, full recharging by flight homes in 5h max.
Lighting equip	ment and accessorie	s >> Architectural Lights
	Panorama 1800AR	Architectural projector COEMAR, lamp MSI 1800 (angle 52 ° vertical and 96 ° horizontal), equipped with ballast.
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge
	Compact 1200	Projector Fresnel Arri 1200, complete
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge
	Compact 2500	Projector Fresnel Arri 2500, complete
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge
	Compact 4000	Projector Fresnel Arri 4000, complete
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge
	Compact 575	Projector Fresnel Arri 575, complete



Image	Code	Description	
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge	
	Compact 6000	Projector Fresnel Arri 6000, complete	
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge	
	Rembranndt 1200	Projector Fresnel De Sisti 1200, complete	
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge	
	Rembranndt 2500	Projector Fresnel De Sisti 2500, complete	
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge	
	Rembranndt 4000	Projector Fresnel De Sisti 4000, complete	
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge	
	Rembranndt 575	Projector Fresnel De Sisti 575, complete	
Lighting equip	ment and accessorie	s >> Fresnel Lights arc discharge	
	Rembranndt 6000	Projector Fresnel De Sisti 6000, complete	
Lighting equipment and accessories >> Fresnel Lights halogen			
	Corto 3/5	Projector Fresnel COEMAR 300W/500W, complete with filter frame and barn doors	



Image	Code	Description
Lighting equip	ment and accessorie	es >> Fresnel Lights halogen
	Junior 150	Projector Fresnel ARRI 150W, complete with filter frame and barn doors
Lighting equip	ment and accessorie	es >> Fresnel Lights halogen
	Junior 300	Projector Fresnel ARRI 300W, complete with filter frame and barn doors
Lighting equip	ment and accessorie	es >> Fresnel Lights halogen
	Junior 650	Projector Fresnel ARRI 650W, complete with filter frame and barn doors
Lighting equip	ment and accessorie	es >> Fresnel Lights halogen
	Studio 1000	Projector Fresnel ARRI 1000W, complete with filter frame and barn doors
Lighting equip	ment and accessorie	es >> Fresnel Lights halogen
	Studio 1000 P.O.	Projector Fresnel ARRI 1000W, complete with filter frame and barn doors
Lighting equip	ment and accessorie	l es >> Fresnel Lights halogen
	Studio 2000	Projector Fresnel ARRI 2000W, complete with filter frame and barn doors
Lighting equip	ment and accessorie	es >> Fresnel Lights halogen
	Studio 2000 P.O.	Projector Fresnel ARRI 2000W, complete with filter frame and barn doors



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Fresnel Lights halogen				
	Studio 5000	Projector Fresnel ARRI 5000W, complete with filter frame and barn doors			
Lighting equip	ment and accessorie	s >> Fresnel Lights halogen			
	True Blue ST1	Projector Fresnel ARRI 1000W, complete with filter frame and barn doors			
Lighting equip	ment and accessorie	s >> Fresnel Lights halogen			
•	True Blue ST2	Projector Fresnel ARRI 2000W, complete with filter frame and barn doors			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	080382/001	Diffuser lens 80° for CP Color, Clay Paky			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
É	AlphaBeam700	Moving head Clay Paky, for lamp MSR Gold 700/2 Mini Fast Fit			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	AlphaSpot1200HPE	Moving head Clay Paky, for lamp HTI1200W/D7/60			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
É	AlphaSpot700HPE	Moving head Clay Paky, for lamp MSR Gold 700/2 Mini Fast Fit			



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Moving head and mirror lights				
	AlphaWash1200	Moving head Clay Paky, for lamp HTI1200W/D7/60			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
É	AlphaWash575	Moving head Clay Paky, for lamp MSR575W/HR			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	AlphaWashHalo	Moving head Clay Paky, for lamp 230V/1000W			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	Beam 230	Moving head The Light, for lamp OSRAM Sirius HRI 230			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	BMFL Blade	Moving head Robe, for lamp Osram Lok-it! HTI 1700/PS			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	C31173	4 leaf barndoor for CP Color, Clay Paky			
Lighting equip	ment and accessorie	s >> Moving head and mirror lights			
	C61110	Hook support plate for CP Color, Clay Paky			



Image	Code	Description
Lighting equip	oment and accessorie	s >> Moving head and mirror lights
	ColorSpot 170 AT	Moving head Robe, for lamp 150WCDM-SA/T
Lighting equip	oment and accessorie	es >> Moving head and mirror lights
	CP Color 400MH	Moving head Clay Paky, for lamp MSR400
Lighting equip	oment and accessorie	s >> Moving head and mirror lights
	InfinityWashXL	Moving head Coemar, for lamp MSR Gold 1200 Fast Fit
Lighting equip	oment and accessorie	es >> Moving head and mirror lights
	ISpot150	Moving head Coemar, for lamp 150WCDM-SA/T
Lighting equip	oment and accessorie	es >> Moving head and mirror lights
5	IWash575EB	Moving head Coemar, for lamp 575W MSR/2
Lighting equip	oment and accessorie	s >> Moving head and mirror lights
5	lWashHalo	Moving head Coemar, for lamp TXO GX9,5 100V/750W
Lighting equip	oment and accessorie	es >> Moving head and mirror lights
	MegaPointe	Moving head Robe

Pag. 67

none; white-space: normal; widows: 2; word-spacing: 0px; -webkit-text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-style: initial; text-decoration-color: initial;">,for lamp<span style="color: rgb(0, 0, 0); font-family: Lato; font-size; 16px; color: graph; fort-weight: rest response.



Image	Code	Description			
Lighting equip	Lighting equipment and accessories >> Moving head and mirror lights				
ar	MF BMFL	Followspot handles for BMFL series (2 per kit), (Cod. 10980233)			
Lighting equip	ment and accessorie	es >> Moving head and mirror lights			
	Point MH	Moving head Clay Paky, for dichroic lamp 50W			
Lighting equip	ment and accessorie	es >> Moving head and mirror lights			
	Pointe	Moving head Robe, for lamp OSRAM Sirius HRI 280			
Lighting equip	ment and accessorie	es >> Moving head and mirror lights			
	ProSpot250LX	Moving head Coemar, for lamp 250W MSD/2			
Lighting equip	ment and accessorie	es >> Moving head and mirror lights			
8	ProWash250LX	Moving head Coemar, for lamp 250W MSD/2			
Lighting equip	ment and accessorie	es >> Moving head and mirror lights			
	ProWash575	Moving head TAS, for lamp 575WMSR/2			
Lighting equip	ment and accessorie	es >> Moving head and mirror lights			
	Robin MMX SPOT	Moving head Robe, for lamp MSR Platinum 35			



Image	Code	Description
Lighting equip	ment and accessorie	s >> Moving head and mirror lights
	Sharpy	Moving head Clay Paky, for lamp MSD Platinum 5R 189W
Lighting equip	ment and accessorie	s >> Moving head and mirror lights
	Sharpy Wash	Moving head Clay Paky, for lamp MSD Platinum 16R 330W
Lighting equip	ment and accessorie	s >> Moving head and mirror lights
	SynthesisSpot	Moving head SGM, for lamp HTI700SE
Lighting equip	ment and accessorie	s >> Moving head and mirror lights
	VictoryII	Mirror Projector SGM to lamp HLX 24V / 250W
Lighting equip	ment and accessorie	s >> External lights and accessories
	Headlight 2500	Multibeam projector 2500W, motorized, with rotating multibeam - Weight: 70,3Kg.
Lighting equip	ment and accessorie	s >> External lights and accessories
	Incubo	Multibeam projector 1600W, fixed with rotating multibeam - Weight: 51Kg.
Lighting equip	ment and accessorie	s >> External lights and accessories
	Magnum 1500	Multibeam projector 1500W, motorized, with rotating multibeam - Weight: 29,8Kg.



Image	Code	Description
Lighting equip	ment and accessorie	s >> External lights and accessories
2	Sky Eye ONE 4000	Projector 4000W Xenonmotorized (P355 ° / T260 ° 16Bit) (power supply 380 + N + T)
Lighting equip	ment and accessorie	s >> External lights and accessories
R	SLC Head2500	Single case for Headlight 2500 PR- Dimensions: WxDxH 65x87x104 cm Weight: 46,6kg.
Lighting equip	ment and accessorie	s >> Large image lights
8	O112	112mm Optics for Photo Wall
Lighting equip	ment and accessorie	s >> Large image lights
0	O160	160mm Optics for Photo Wall
Lighting equip	ment and accessorie	s >> Large image lights
0	O180	180mm Optics for Photo Wall
Lighting equip	ment and accessorie	s >> Large image lights
9	O230	230mm Optics for Photo Wall
Lighting equip	ment and accessorie	s >> Large image lights
	Photowall 1200 E	Projector for film images (Max 90 frames)



-		Description			
Lighting equipn	Lighting equipment and accessories >> Retro style lights				
	picklePatt	Tungsten Softlight Robe, for HPL575 lamp			
Lighting equipn	nent and accessorie	s >> Profilers and accessories			
	614 SX	Profiler R.Juliat, zoom 16°/35°, 1000W halogen			
Lighting equipn	nent and accessorie	s >> Profilers and accessories			
	714 SX2	Profiler R.Juliat, zoom 15°/40°, G22 2000W halogen			
Lighting equipn	nent and accessorie	s >> Profilers and accessories			
	Acc11	Manual iris R.Juliat for 714 SX / SX2			
Lighting equipn	nent and accessorie	s >> Profilers and accessories			
	CL ETC	Wooden box for 6 shapers ETC Source Four PR - Dimensions: WxDxH 79,5x54x82,5 cm Weight: 23,8kg.			
Lighting equipn	nent and accessorie	s >> Profilers and accessories			
	CL ETC10	Wooden box for 4 shapers ETC Source Four with lens 10° PR - Dimensions: WxDxH 61x61x83 cm Weight: 18kg.			
Lighting equipn	Lighting equipment and accessories >> Profilers and accessories				
	Iride	Iris manual ETC / Prostage			



Image	Code	Description
Lighting equip	ment and accessorie	es >> Profilers and accessories
0	Lente 10° SF	Lens for profiler Source Four 10°
Lighting equip	ment and accessorie	es >> Profilers and accessories
	Lente 19° ML	Lens for profiler MoonLight 19°
Lighting equip	ment and accessorie	es >> Profilers and accessories
	Lente 19° PR	Lens for profiler Pro Stage 19°
Lighting equip	ment and accessorie	es >> Profilers and accessories
	Lente 19° SF	Lens for profiler Source Four 19°
Lighting equip	ment and accessorie	es >> Profilers and accessories
	Lente 26° PR	Lens for profiler Pro Stage 26°
Lighting equip	ment and accessorie	es >> Profilers and accessories
	Lente 26° SF	Lens for profiler Source Four 26°
Lighting equip	ment and accessorie	es >> Profilers and accessories
	Lente 36° ML	Lens for profiler MoonLight 36°



Image	Code	Description			
	Lighting equipment and accessories >> Profilers and accessories				
	Lente 36° PR	Lens for profiler Pro Stage 36°			
Lighting equip	ment and accessorie	es >> Profilers and accessories			
	Lente 36° SF	Lens for profiler Source Four 36°			
Lighting equip	ment and accessorie	es >> Profilers and accessories			
	Lente 5° SF	Lens for profiler Source Four 5°			
Lighting equip	ment and accessorie	es >> Profilers and accessories			
	Lente 50° SF	Lens for profiler Source Four 50°			
Lighting equip	ment and accessorie	es >> Profilers and accessories			
	MoonLight	Profiler AMLUX,750W halogen			
Lighting equip	ment and accessorie	es >> Profilers and accessories			
	Nota	Profiler LDR, zoom 8°/22°, 1000W halogen			
Lighting equip	ment and accessorie	es >> Profilers and accessories			
\Diamond	Pgel	Filter frame for ETC / Prostage			



Image	Code	Description	
Lighting equipment and accessories >> Profilers and accessories			
\rightarrow	Pgel 10	Filter frame for ETC 10°	
Lighting equip	ment and accessorie	s >> Profilers and accessories	
\Diamond	Pgel 15/30 25/50	Filter frame for ETC zoom 15°/30° - 25°/50°	
Lighting equip	ment and accessorie	s >> Profilers and accessories	
Ô	Pgobo A	Gobo holder for ETC / Prostage, internal diameter 8,25 cm.	
Lighting equip	ment and accessorie	s >> Profilers and accessories	
	Pgobo B	Gobo holder for ETC / Prostage, internal diameter 6,98 cm.	
Lighting equip	ment and accessorie	s >> Profilers and accessories	
	Pro Stage	Profiler PR,750W halogen	
Lighting equip	ment and accessorie	es >> Profilers and accessories	
R	SLCA SFPS	Six case for profilers Source Four and Pro Stage with fixed lens PR - Dimensions: WxDxH 84x55x78 cm Weight: 34,6kg.	
Lighting equip	Lighting equipment and accessories >> Profilers and accessories		
R	SLCB SFPS	Six case for profilers Source Four and Pro Stage with fixed lens PR - Dimensions: WxDxH 83,5x57x83,5 cm Weight: 36kg.	



Image	Code	Description			
	Lighting equipment and accessories >> Profilers and accessories				
	Source Four	Profiler ETC, HPL750W halogen			
Lighting equip	ment and accessorie	s >> Profilers and accessories			
	Source Four Z 15/30	Profiler ETC, zoom 15°/30°, HPL750W halogen			
Lighting equip	ment and accessorie	s >> Profilers and accessories			
	Source Four Z 25/50	Profiler ETC, zoom 25°/50°, HPL750W halogen			
Lighting equip	ment and accessorie	s >> Profilers and accessories			
	Tono	Profiler LDR, zoom 18°/36°, 2000W halogen			
Lighting equip	ment and accessorie	s >> Profilers and accessories			
	Warp	Profiler ADB, zoom 12°/30° 800W halogen			
Lighting equip	ment and accessorie	s >> Followspot + Control			
	Alex	Followspot R.Juliat 2000/2500W halogen, zoom 7°/14,5°			
Lighting equip	Lighting equipment and accessories >> Followspot + Control				
A COMPANY OF THE PARK OF THE P	Cyrano	Followspot R.Juliat HMI 2500W, zoom 3°/8°			



Image	Code	Description	
Lighting equipment and accessories >> Followspot + Control			
0-00	GT1000	Stand to followspot equipped with a fluid head	
Lighting equip	ment and accessorie	es >> Followspot + Control	
	GT4000	Stand to followspot equipped with double locking pin	
Lighting equip	ment and accessorie	es >> Followspot + Control	
4	GT700	Stand to followspot equipped with a fluid head	
Lighting equip	ment and accessorie	es >> Followspot + Control	
	Margot	Followspot R.Juliat 2000/2500W halogen, zoom 8,5°/16°	
Lighting equip	ment and accessorie	es >> Followspot + Control	
	RoboSpot System	Robe follow spot system complete with MotionCamera and accessories. Remote control of up to 12 projectors simultaneously, visual displays of up to 12 perfectly synchronized projectors that can follow an artist on stage. Compatible with the following Robe projectors:	
Liahtina eauip	ment and accessorie	es >> Mirror balls and accessories	
	Motor 100	Profile FS DI7S pall 450 Pointe MegaPointe, Pointe, Viva CMY, SilverScan, Tarrantula, Spiider and LEDBeam 150. Included accessories: - Monitor	
Lighting equip	ment and accessorie	es >> Mirror balls and accessories	
	Motor 40	Motor for mirror ball 40 cm diameter Adapter for tripod - Spigot - Power cord including powerCON TRUE1 In connector	
		-1 one one molding power out Trout in connector	



Image	Code	Description
Lighting equip	ment and accessorie	es >> Mirror balls and accessories
	Motor 60	Motor for mirror ball 60 cm diameter.
Lighting equip	ment and accessorie	es >> Mirror balls and accessories
	Sfera 100	Mirror ball 100 cm diameter.
Lighting equip	ment and accessorie	es >> Mirror balls and accessories
	Sfera 40	Mirror ball 40 cm diameter.
Lighting equip	ment and accessorie	es >> Mirror balls and accessories
	Sfera 60	Mirror ball 60 cm diameter.
Lighting equip	ment and accessorie	es >> Mirror balls and accessories
	SLC Sfera 100	Single case for sfera specchiata diametro 100cm - Dimensions: WxDxH 108x108x120 cm Weight: Kg.
Lighting equip	ment and accessorie	es >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX
	Bid.O.S. A	Two-way splitter optically isolated DMX signal, control settings, possibility two inputs
Lighting equip	ment and accessorie	es >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX
	Bid.O.S. R	Two-way splitter optically isolated DMX signal, control settings, possibility two inputs



Image	Code	Description		
Lighting equipment and accessories >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX				
See 2 se	ackBox R-512 Indoor Rece	Wireless DMX Receiver, Wireless Solution, with WDMX protocol		
Lighting equip	oment and accessorie	s >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX		
The Royal Policy Control of the Policy Contr	BlackBox S-1 Trasmitter	Wireless DMX transmitter, Wireless Solution, with WDMX protocol		
Lighting equip	oment and accessorie	s >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX		
a a a a a a a a a a a a a a a a a a a	Booster 2	Unidirectional optically isolated splitter for DMX signal, In/Out 3/5 Pin		
Lighting equip	oment and accessorie	s >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX		
- ****	DB-1-4	Unidirectional optically isolated splitter for DMX signal, In/Out 3/5 Pin		
Lighting equip	oment and accessorie	s >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX		
	RNET-8/5	Rack cases consists of NET-8, 8-channel Artnet / Klingnet node and Gigabit Ethernet Switch 8-port, accompanied by strip (4 + 4 Schuko Through 10 / 16A). Dimensions: LxPxH 54x46x22 cm Weight: 7,5Kg. & Camp;nbsp;		
Lighting equip	oment and accessorie	s >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX		
	Splitter	Unidirectional optically isolated splitter for DMX signal, In/Out 3/5 Pin		
Lighting equip	oment and accessorie	s >> Splitter for DMX signal, Nodi Klingnet/Artnet and WDMX		
A A A A A A A A A A A A A A A A A A A	Splitter rack	Unidirectional optically isolated splitter for DMX signal, In/Out 3/5 Pin		



Image	Code	Description		
Video equipme	Video equipment and accessories >> Accessori Audio/Video			
	164115	Hi-Speed USB Audio / Video Grabber Manhattan		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	179300	USB Line Extender Manhattan, USB Extender on Cat5 maximum distance 60Mt		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	205146	Manhattan Serial-to-USB converter, 45cm long cable		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	303317 HD/DV 10	M / M HDMI / DVI-D (Dual Link) printed cable TECHly 28 AWG, length 10Mt.		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	304727 HD/HD 15	M / M HDMI High Speed Print Cable with Ethernet A / A TECHly, 340MHz, 15Mt length.		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	306257 DV/DV CF 20	M / M DVI-D (Dual Link) cable with TECHly ferrite, 24 AWG, length 20Mt.		
Video equipme	Video equipment and accessories >> Accessori Audio/Video			
	509039	Print Server 1 Multifunction USB Port, 10/100 Fast Ethernet, USB2.0 Intellinet High Speed - (with Power Supply)		



Image	Code	Description
Video equipme	ent and accessories	>> Accessori Audio/Video
PROBABILITY OF THE PROPERTY OF	523301	Fast Ethernet Office Switch 5 ports, 10/100 auto-sensing Intellinet - (with power adapter)
Video equipme	ent and accessories	>> Accessori Audio/Video
oman 1 1111111	523318	Switch Fast Ethernet Office 8 ports, 10/100 auto-sensing Intellinet - (with power adapter)
Video equipme	ent and accessories	>> Accessori Audio/Video
SMARK 15.5 E.S.	530347	Gigabit 8 Gigabit Ethernet Switch, 10/100/1000 Auto MDI-X Auto-Sensing Intellinet - (with Power Supply)
Video equipme	ent and accessories	>> Accessori Audio/Video
**************************************	552004	Switch Fast Ethernet Office 8 ports, 10/100 auto-sensing Intellinet - (with power adapter)
Video equipme	ent and accessories	>> Accessori Audio/Video
	A02-F5P	5-Port Mini Networking Port, 10 / 100Mbps, Atlantis AND - (with Power Supply)
Video equipme	ent and accessories	>> Accessori Audio/Video
	ASR3	ATC Audio Scart / RCA Audio Adapter, with In / Out switch
Video equipme	ent and accessories	>> Accessori Audio/Video
8.588	ASR6	SVHS / Scart / RCA ATC Audio Adapter, with In / Out switch



Image	Code	Description		
Video equipment and accessories >> Accessori Audio/Video				
	AverKey Plus	PC / Videoscan AverMedia Signal Converter, converting from analog PC (VGA) to NTSC, PAL, S-VHS (with power adapter)		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	CavFIBDVIO20	Extension cable with fiber optic DVI connectors, 20Mt length. (Equipped with power supplies)		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	CavFIBDVIO50	Extension cable with fiber optic DVI connectors, 50Mt length. (Equipped with power supplies)		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	CavSIGN015TL	Cat5 / Ethercon signal cables, length 1,5Mt.		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	CavSIGN03TL	Cat5 / Ethercon signal cables, length 3Mt.		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	CavSIGN04TL	Cat5 / Ethercon signal cables, length 4Mt.		
Video equipme	ent and accessories	>> Accessori Audio/Video		
	CavSIGN05TL	Cat5 / Ethercon signal cables, length 5Mt.		



Image	Code	Description			
Video equipme	Video equipment and accessories >> Accessori Audio/Video				
	CavSIGN10TL	Cat5 / Ethercon signal cables, length 10Mt.			
Video equipme	nt and accessories	>> Accessori Audio/Video			
	CavSIGN14TL	Cat5 / Ethercon signal cables, length 14Mt.			
Video equipme	nt and accessories	>> Accessori Audio/Video			
	CavSIGN20TL	Cat5 / Ethercon signal cables, length 20Mt.			
Video equipme	nt and accessories	>> Accessori Audio/Video			
	CavSIGN39TL	Cat5 / Ethercon signal cables, length 39Mt.			
Video equipme	nt and accessories	>> Accessori Audio/Video			
	CavSIGN46TL	Cat5 / Ethercon signal cables, length 46Mt.			
Video equipme	nt and accessories	>> Accessori Audio/Video			
	CavSIGN57TL	Cat5 / Ethercon signal cables, length 57Mt.			
Video equipme	nt and accessories	>> Accessori Audio/Video			
	CavSIGN85TL	Cat5 / Ethercon signal cables, length 85Mt.			



Image	Code	Description			
Video equipme	Video equipment and accessories >> Accessori Audio/Video				
	CDM-620	In / Out Signal Converter NTSC / PAL CYP - (Equipped with Power Supply)			
Video equipme	ent and accessories	>> Accessori Audio/Video			
	CLUX-SDI2HC	Signal Converter SDI / HDMI Cypress			
Video equipme	ent and accessories	>> Accessori Audio/Video			
HDM to SDI	CONVCMIC/HS	Blackmagic HDMI / SDI In / Out Signal Converter - (Power Supply Unit)			
Video equipme	ent and accessories	>> Accessori Audio/Video			
	CPT-385	PC / Videoscan Cypress Signal Converter, possibility of converting from analog PC (VGA to WUXGA) to NTSC or PAL - (with power supply)			
Video equipme	ent and accessories	>> Accessori Audio/Video			
20 120 120 120	DN-13010	Gigabit Network USB HUB Digitus, 4 USB 2.0 ports within the LAN 10/100 / 1000Mbps - (with power supply)			
Video equipme	ent and accessories	>> Accessori Audio/Video			
	DVI SP104A	DVI Splitter 4 outputs DyLink - (supplied with power supplies)			
Video equipme	Video equipment and accessories >> Accessori Audio/Video				
	DVI-2F-TR-MOD	Unit 2 fiber LC Resolution 1920x1200, maximum length 1.5 Km.			



Image	Code	Description
Video equipme	ent and accessories	>> Accessori Audio/Video
	DVI-E	DVI Extender on CAT5, resolution 1600x1200 60Hz / 30 meters, 1280x1024 60Hz / 50 meters AVlink - (with power supplies)
Video equipme	ent and accessories	>> Accessori Audio/Video
	DVI-HDMI/AD	Audio Video Adapter M / F DVI-D (Dual Link) / HDMI ATC
Video equipme	ent and accessories	>> Accessori Audio/Video
Õ,	ECF-4LC100PU	Rollbox extension with fiber optic cable, 100Mt length.
Video equipme	ent and accessories	>> Accessori Audio/Video
но	HD-DV	HDMI / DVI / Coaxial Signal Converter with Audio (2ch / 5.1ch) HD Video Converter - (with power adapter)
Video equipme	ent and accessories	>> Accessori Audio/Video
	HDMI-364/15	Printed cable M / M HDMI ATC 24AWG, length 15Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	HDMI-364/25	Printed cable M / M HDMI ATC 24AWG, length 25Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	HDMI-E	HDMI Extender on CAT5, maximum resolution 1080P - 120 meters FoxUn - (equipped with power supplies)



Image	Code	Description
	ent and accessories	>> Accessori Audio/Video
	LKV-501	HDMI Switch 5 In, 1 Out HD Video Processing, Box Replacement or Remote Control - (with Power Supply)
Video equipm	ent and accessories	>> Accessori Audio/Video
шш	MEG586	8-Port Mini Networking Switch, 10 / 100Mbps, Microedge - (with Power Supply)
Video equipm	ent and accessories	>> Accessori Audio/Video
	NB D-Sub-Seriale/AD	M / F D-Sub25 / Serial Adapter 9 NB
Video equipm	ent and accessories	>> Accessori Audio/Video
	NB DV/SVG CF 2.0	Printed M / M SVGA / DVI-A NB cable, length 2Mt.
Video equipm	ent and accessories	>> Accessori Audio/Video
	NB DVIA-SVGA/AD	DVI-A / SVGA Audio Video Adapter M / F NB
Video equipm	ent and accessories	>> Accessori Audio/Video
	NB DVID-SVGA/AD	Audio Video Adapter M / F DVI-I (Dual Link) / SVGA NB
Video equipm	ent and accessories	>> Accessori Audio/Video
	NB SL DV/SVG CF 2.0	M / M SVGA / DVI-D (Single Link) printed cable, NB, 2Mt length.



Image	Code	Description
	ent and accessories	>> Accessori Audio/Video
	NB SVG/SVG 1.8	Printed M / F SVGA NB cable, 28 AWG, length 1.8Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	NB SVG/SVG CF 1.5	Printed M / M SVGA NB Cable, 28 AWG, 1.5Mt Length.
Video equipme	ent and accessories	>> Accessori Audio/Video
	NB SVG/SVG CF 1.8	Printed M / M SVGA NB Cable, 28 AWG, 1.8Mt Length.
Video equipme	ent and accessories	>> Accessori Audio/Video
	NB SVG/SVG CF 2.0	Printed M / M SVGA NB Cable, 28 AWG, 2Mt Length.
Video equipme	ent and accessories	>> Accessori Audio/Video
	NB SVG/SVG CF 5.0	Printed M / M SVGA NB Cable, 28 AWG, 5Mt Length.
Video equipme	ent and accessories	>> Accessori Audio/Video
	NB VG/VG 1.8	Printed M / M VGA NB Cable, 28 AWG, 1.8Mt Length.
Video equipme	ent and accessories	>> Accessori Audio/Video
	NB VGA/VGA/AD	VGA DB15 / SVGA NB M / F Adapter, with dip switches for resolution change



Image	Code	Description
Video equipme	ent and accessories	>> Accessori Audio/Video
	NEC VGA/VGA/AD	VGA DB15 / SVGA NEC M / F Adapter
Video equipme	ent and accessories	>> Accessori Audio/Video
	SC16-1	AV printed ATC cable, 6 + 6 golden RCA plugs, 1Mt length.
Video equipme	ent and accessories	>> Accessori Audio/Video
SERF Adapter	SE8FF	Female / female coupling for Ethercon cables
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL DL HD/DV 1.5	M / M HDMI / DVI-D (Dual Link) printed cable, SGL, 28 AWG, length 1.5Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
4	SGL DL HD/DV 1.8	M / M HDMI / DVI-D (Dual Link) printed cable, SGL, 28 AWG, length 1.8Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL DVM/DVF CF 10	M / F DVI-D (Dual Link) cable with ferrite SGL, 28 AWG, length 10Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL HD/HD 1.5	Cable M / M HDMI / HDMI SGL, 28 AWG, length 1.8Mt.



Image	Code	Description
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL SL DV/DV 1.8	M / M DVI-D (Single Link) cable SGL, 24 AWG, length 1.8Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL SL DV/DV CF 1.5	M / M DVI-D (Single Link) cable with ferrite SGL, 24 AWG, length 1.5Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL SL DV/DV CF 1.8	M / M DVI-D (Single Link) cable with ferrite SGL, 24 AWG, length 1.8Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL SL HD/DV 1.8	M / M HDMI / DVI-D (Single Link) printed cable, SGL, 28 AWG, length 1.8Mt.
Video equipme	ent and accessories	>> Accessori Audio/Video
	SGL SVG/SVG 1.5	M / F SVGA SGL printed cable, 28 AWG, 1.5Mt length.
Video equipme	ent and accessories	>> Accessori Audio/Video
February	T2G-D3D-IF	TripleHead2Go Digital Edition Matrox, Widescreen 5040x1050 (3x1680x1050) Standard 3840x1024 (3x1280x1024) - (equipped with USB, DVI and VGA cables)
Video equipme	ent and accessories	>> Accessori Audio/Video
7	VLT10+VLR10	Audio & Description (and the sum of the sum



Image	Code	Description
Video equipment and accessories >> Accessori Audio/Video		
	Y501 DV/DV CF 1.5	M / M DVI-D (Dual Link) cable with ferrite Yellow Knife, 24 AWG, 1.5Mt length.
Video equipme	ent and accessories	>> Accessori Audio/Video
	YK18 HD/DV CF 1.8	M / M HDMI / DVI-D (Dual Link) cable with ferrite Yellow Knife, 24 AWG, length 1.8Mt.
Video equipme	ent and accessories	>> LED display accessories The Light
0	CavAL15TL	Power plug 16A 2p + T / F powercon, 15Mt length.
Video equipme	ent and accessories	>> LED display accessories The Light
	CavAL7.5TL	Power plug 16A 2p + T / F powercon, 7,5Mt length.
Video equipme	ent and accessories	>> LED display accessories The Light
	CavRILAL070SL	Relay power cable powercon F / powercon M, 0,7Mt length.
Video equipme	ent and accessories	│ >> LED display accessories The Light
	CavRILAL105SL	Relay power cable powercon F / powercon M, 0,9Mt length.
Video equipme	ent and accessories	>> LED display accessories The Light
	CavRILSIGN085SL	Relay cable Ethercon / Ethercon signal, length 0,85 Mt.



Image	Code	Description
Video equipme	ent and accessories	>> LED display accessories The Light
	CavRILSIGN105SL	Relay cable Ethercon / Ethercon signal, length 0,9 Mt.
Video equipme	ent and accessories	>> LED display accessories The Light
	CavSIGN15TL	Signal cables Ethercon/Ethercon, length 15 Mt.
Video equipme	ent and accessories	>> LED display accessories The Light
	CavSIGN30TL	Signal cables Ethercon/Ethercon, length 30 Mt.
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
	C2.0	Dedicated Controller 1280x1024 for screens S6 / CN12 / FLX35 / F10, DVI input, 2 outputs Ethercon
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
	C3.0	Dedicated Controller 1920x1200 for screens S6 / CN12 / FLX35 / F10, DVI input, 4 outputs Ethercon
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
000000000	D3.0	Dedicated signal distributor for screens S6 / CN12 / FLX35 / F10, DVI input, inputs/outputs Ethercon
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
	Flight-case1U	Dedicated flight case one unit for Controller / Processor, dimensions WxPxH 54x41x11 cm



Image	Code	Description
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
	Flight-case4U	Dedicated flight case four unit for Controller / Processor, dimensions WxPxH 65x52x27 cm
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
	MCTRL500	Dedicated controller 1920×1200,2048x1152,2560×960 (width and height can be specifically defined by the customer) to P2.9, P3.9, Curtain Pix, ER3 screens, In/Out DVI, 4 RJ45 outputs,4 Fiber port outputs, audio input, RS232 In / Out
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
June 804	MCTRL600	Novastar dedicated controller 1920 × 1200 , (width and height can be specially defined by customers) for screens P2.9, P3.9, Curtain Pix, ER3, In DVI / In HDMI, 4 RJ45 outputs, In / Out UART, light sensor interface, audio input, USB
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
5 <u></u>	MCTRL610	Dedicated controller 1920×1200,2048x1152,2560×960 (width and height can be specifically defined by the customer) to P2.9, P3.9, Curtain Pix, ER3 screens, In DVI / HDMI, 4 RJ45 outputs, light sensor interface, audio input, USB, cascade In / Out
Video equipme	ent and accessories	>> Controller for LED Video Screens Thelight, Varipix, Infiled
	MCTRL660	Dedicated controller 1920×1200,2048x1152,2560×960 (width and height can be specifically defined by the customer) to P2.9, P3.9, Curtain Pix, ER3 screens, In/Out DVI / HDMI, 4 RJ45 outputs, audio input, USB, cascade In / Out
Video equipme	ent and accessories	>> Interactive System
	Interactive System	Computer System with dedicated software for the creation of interactive Walls / Floors systems. Any type of projection on any surface regardless of size or shape. Possibility of Edge-Blending, Geometric Correction and mapping.
Video equipme	ent and accessories	>> Media Server
CATALYST	Catalyst V4	Mediaserver as follows: Mac Pro Model 5.1 - Operating System OS X 10.12.6 - Intel 6 Core Xeon 3.46 GHz - RAM 48GB DDR3 1333Mhz ECC (3x16GB) -DVD-R HL-DT-ST DVD-RW GH41N - Acquisition SDI BlackMagic DeckLink Duo - Acquisition COMPOSITE BlackMagic Intensity Pro - Nvidia GTX 680 Graphics Card - Hard Disk WD20EFRX 2TB - SSD OCZ Vertex 450 256GB Disk - HUB USB HUB USB 2.0 3 + 1 STLAB U-650
	<u> </u>	I



Image	Code	Description	
Video equipme	Video equipment and accessories >> LED monitors		
Ī	247E 3LSU2	Ultra-Narrow Professional LED Philips, 23" 1920x1080	
Video equipme	ent and accessories	>> LED monitors	
	42PFL 4007M/08	Ultra-Narrow Professional LED Philips, 42" 1920x1080	
Video equipme	ent and accessories	>> LED monitors	
	55PFL 8007T/12	Ultra-Narrow Professional LED Philips, 55" 1920x1080	
Video equipme	ent and accessories	>> LED monitors	
	AKTV5512TS	Ultra-Narrow Professional LED Akay, 55" 1920x1080	
Video equipme	ent and accessories	>> LED monitors	
	MTV-32DLEHD	Ultra-Narrow Professional LED MIA, 32" 1366x768	
Video equipme	ent and accessories	>> LED monitors	
a a	SLC Monitor	Single case for Monitor Flytek - Dimensions: WxDxH 135x82x26 cm Weight kg.	
Video equipme	ent and accessories	>> LED monitors	
	SPLT1N	<head>Floor Stand with universal adapter for LCD or Plasma monitor, height adjustable, with wheels with universal adapter, max 80Kg., max height of center screen 214cm. </head>	



Image	Code	Description
Video equipm	ent and accessories	>> LED monitors
4	SPPAVR D	Double floor support with tilt adjustment for LCD or Plasma Monitor (VESA 40), handling wheels, max. Capacity 80Kg, adjustable height min.79, max 104cm. (The height indicated is the end bracket, the minimum height of a 55 inch TV is 15cm from the floor)
Video equipm	ent and accessories	>> LED monitors
2	SPPAVR S	Single floor support with tilt adjustment for LCD or Plasma Monitor (VESA 40), handling wheels, max. 80Kg, max. Height 79cm. (The height indicated is the end bracket, the minimum height of a 55 inch TV is 15cm from the floor)
Video equipm	ent and accessories	>> LED monitors
	TL 24	Ultra-Narrow Professional LED MY TV, 24" 1920x1080
Video equipm	ent and accessories	>> LED monitors
	X463UN	Backlit Ultra-Narrow Professional NEC, 46" 1920x1080
Video equipm	ent and accessories	>> Processors Splitter and video matrix
The state of the s	DXP D0404	Video Matrix DVI, Video Input: 4 DVI, Video Output: 4 DVI
Video equipm	ent and accessories	>> Processors Splitter and video matrix
Final II	VSP330	Signal splitter for various image combinations, 1920x1080x60Hz, Input: 2 DVI outputs 4 DVI + DVI Loop, Picture in Picture, Fade In / Fade Out, Zoom and Image Rotation
Video equipm	ent and accessories	>> Processors Splitter and video matrix
Paris de	VSP516	Video processor, Input range from 800x600 60Hz to 1920x1080 60Hz - Out range from 800x600 60Hz to 1280x1024 60Hz - Video Input: 3 composite, 1 supervideo, 1 DVI, 1 component video, 1 VGA - Audio Input: 3 RCA Stereo (3 composite), 1 RCA Stereo (Component Video), 1 RCA Stereo (VGA) - Video/Audio Output: 1 DVI, 1 VGA, 1 Jack 6.3 Stereo Audio - On board Sending Card Dbstar Q2009



Image	Code	Description
Video equipn	nent and accessories	>> Processors Splitter and video matrix
\$ 1000 a 1	VSP516S	Video Processor, Input range from 800x600 60Hz to 1920x1080 60Hz - Out range from 800x600 60Hz to 2560x816 60Hz - Video Input: 3 composite, 1 supervideo, 1 DVI, 1 component video, 1 VGA, 1 Display Port, 1 SDI (3G/HD/SD SDI) - Audio Input: 3 RCA Stereo (for 3 composite), 1 RCA Stereo (DVI), 1 RCA Stereo (VGA) - Video/Audio Output: 1 DVI, 1 VGA (through DVI), 1 Jack 6.3 Stereo Audio
Video equipn	nent and accessories	>> Processors Splitter and video matrix
Brook V	VSP618B	Video Processor, Input range from 800x600 60Hz to1920x1080 60Hz - Out range from 800x600 60Hz to 2048x1536 60Hz - Input: 3 composite, 1 supervideo, 1 DVI, 2 HDMI, 2 SDI, 1 component video, 1 VGA - Output: 1 HDMI, 1 DVI, 1 VGA, 1 SDI loop
Video equipn	nent and accessories	>> Processors Splitter and video matrix
	VSP618S	Video &Itspan style="color:#000000">&Itspan style="font-family:TimesNewRoman">&Itspan style="font-size: 10pt;font-size:10pt">&Itspan lang="it-IT">Processor, Input range from 640x480 60Hz to 2048x1080 60Hz - Out range from 800x600 60Hz to 2048x1536 60Hz - Input: 3 composite, 1 S-video, 1 component video (SD 0 HDTV), 2 SDI (3G/HD/SD SDI), 2 HDMI, 1 VGA, 1 DVI, 1 Genlok - Output: 1 composite, 1 component (through DVI), 1 VGA, 2 DVI, 1 3G/HD/SD SDI, 1 HDMI, 1 SDI loop
Video equipn	nent and accessories	>> Professional slide projection lights
5		Professional KODAK slide projector with Navitar Golden F2.8 optics, dual 300W lamp with automatic transmission in case of break, 80 slide charger, RS232 input and output.
	EKTAPRO5020	Recommended lamp: EXR 82V / 35h / 300W Brightness 100% - FHS 82V / 70h 300W Brightness 80% - EXY 82V / 200h 250W Luminosity 60%
	<u> </u>	&amninhen:
Video equipn	nent and accessories	>> Motorized Video lights with internal media server and accessories
	DigitalSpot 7000DT	Moving head Video ROBE, lamp 330W NSHA - 7000 ANSI Lumens
Video equipn	nent and accessories	>> Motorized Video lights with internal media server and accessories
		Capture Card DVI/VGA
	DVI/VGA IN Capture Card	
Video equipn	nent and accessories	>> Motorized Video lights with internal media server and accessories
		Network Hub 8-port
+950.00E	Hub	



Image	Code	Description
Video equipme	ent and accessories	>> Motorized Video lights with internal media server and accessories
	Long Throw Optics	Long Throw Optic 2.7-3.5:1
Video equipme	ent and accessories	>> Motorized Video lights with internal media server and accessories
	PRGRJ45/RJ45	Extension connection for Ethernet cables with RJ45 connectors
Video equipme	ent and accessories	>> Motorized Video lights with internal media server and accessories
9	PRP10RJ45	Ethernet signal extension cable with RJ45 connectors, 10Mt length.
Video equipme	ent and accessories	>> Motorized Video lights with internal media server and accessories
	PRP23RJ45	Ethernet signal extension cable with RJ45 connectors, 23Mt length.
Video equipme	ent and accessories	>> Motorized Video lights with internal media server and accessories
	Short throw Optics	Short throw Optic 1.2 - 1.7:1
Video equipme	ent and accessories	>> Motorized screens, Manual screens, Tripod screens
→ ·	1224SUP	Screen tripod in spring Sopar, self-supporting, 1:1, size 240x200, 240x200 projection of light, 254x8x8 box, type Shield canvas, Gain 1.2, inch sizes 107 ".
Video equipme	ent and accessories	>> Motorized screens, Manual screens, Tripod screens
	Adeo200	Motorized screen with Adeo box, 4:3, 200x156 size, type Vision White canvas, canvas Gain 1.2, inch sizes 94 "



Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Fastoid frame with possibility of mounting front / rear projection fabric (on request), size: 150° area display; 33 × 2368, maximum height: 4207, minimum height: 30 kg, gain Front view: 1.0, gain Rear view: 0 angle front view display; 160, angle of rear view display; 140. Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Fastoid frame with possibility of mounting front / rear projection fabric (on request), size: 200° area display; 43 × 3048, maximum height: 4319, minimum height: 204, Weight: 60 kg, gain Front view: 1.0, gain Rear view: 0 angle front view display; 160, angle of rear view display; 140. Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Manual screen Pull / Down Infocus, 4:3, 170x127 size, type Matte White, canvas gain 1:1, inch sizes 84 * Video equipment and accessories >> Floor LED Video Screens Fight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Ptch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Video equipment and accessories >> Floor LED Video Screens Sending card Obstarled dedicated for Floor 18.5, DVI in, Out RJ45	Image	Code	Description		
Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Fastoid frame with possibility of mounting front / rear projection fabric (on request), size: 150° area display; 33 x 2566, maximum height 4207, withinum leight 4207 withinum for 30 kg, gain Front view: 1.0, gain Rear view: 0 x 2566, maximum height 4207, minimum leight 430° kg, gain Front view: 1.0, gain Rear view: 0 x 256, maximum height 4318, minimum height 30 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4313, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4313, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4313, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 4314, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, maximum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 3048, minimum height 60 kg, gain Front view: 1.0, gain Rear view: 0 x 30	Video equipme	Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens			
Fastfold frame with possibility of mounting front / rear projection fabric (on request), size: 150° area display: 3 x 286, maximum height: 4207, minimum height: 4207, weight: 30 kg., gain Front view: 1.0, gain Rear view: 0 angle front view display: 160, angle of rear view display: 140. Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Fastfold frame with possibility of mounting front / rear projection fabric (on request), size: 200° area display: 40 x 3048, maximum height: 4315, minimum height: 4305, weight: 60 kg., gain Front view: 1.0, gain Rear view: 0 angle front view display: 140. Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Flight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Sending card Distarted dedicated for Floor 18.5, DVI In, Out RJ45		Adeo300	Motorized screen with Adeo box, 4:3, 300x233 size, type Vision White canvas, canvas Gain 1.2, inch sizes 143"		
Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Fastfold frame with possibility of mounting front / rear projection fabric (on request), size: 200° area display: 44. 3046, maximum height: 4315, minimum height: 43074, Weight: 60 kg., gain Front view: 1.0, gain Rear view: 0. 4. 3046, maximum height: 4315, minimum height: 43074, Weight: 60 kg., gain Front view: 1.0, gain Rear view: 0. 4. 3046, maximum height: 4315, minimum height: 4315, minim	Video equipme	ent and accessories	>> Motorized screens, Manual screens, Tripod screens		
Fastfold frame with possibility of mounting front / rear projection fabric (on request), size: 200" area display: 4 x 3048, maximum height: 4313, minimum height: 2014, Weight: 60 kg., gain Front view: 1.0, gain Rear view: 0 angle front view display: 160, angle of rear view display: 140. Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Manual screen Pull / Down Infocus, 4:3, 170x127 size, type Matte White, canvas gain 1:1, inch sizes 84." Video equipment and accessories >> Floor LED Video Screens Flight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Video equipment and accessories >> Floor LED Video Screens Sending card Dostarfed dedicated for Floor 18.5, DVI In, Out RJ45		LS-Z150	Fastfold frame with possibility of mounting front / rear projection fabric (on request), size: 150" area display: 3048 x 2286, maximum height: 4207, minimum height: 4207, Weight: 30 kg., gain Front view: 1.0, gain Rear view: 0.8, angle front view display: 160, angle of rear view display: 140.		
Video equipment and accessories >> Motorized screens, Manual screens, Tripod screens Manual screen Pull / Down Infocus, 4:3, 170x127 size, type Matte White, canvas gain 1:1, inch sizes 84 " Video equipment and accessories >> Floor LED Video Screens Flight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch, 32x32 RGB LED Pixel per panel - Measurements 60cm x60cm. Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch, 32x32 RGB LED Pixel per panel - Measurements 60cm x60cm. Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch, 32x32 RGB LED Pixel per panel - Measurements 60cm x60cm. Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories >> Floor LED Video Screens Video equipment and accessories Video equipment and acce	Video equipme	ent and accessories	>> Motorized screens, Manual screens, Tripod screens		
Manual screen Pull / Down Infocus, 4:3, 170x127 size, type Matte White, canvas gain 1:1, inch sizes 84 * Video equipment and accessories >> Floor LED Video Screens Flight-caseFL 185 Flight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video Screens LED video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm x60cm. Video equipment and accessories >> Floor LED Video Screens Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45		LS-Z200	Fastfold frame with possibility of mounting front / rear projection fabric (on request), size: 200" area display: 4046 x 3048, maximum height: 4313, minimum height: 3204, Weight: 60 kg., gain Front view: 1.0, gain Rear view: 0.8, angle front view display: 160, angle of rear view display: 140.		
Video equipment and accessories >> Floor LED Video Screens Flight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Video equipment and accessories >> Floor LED Video Screens Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45	Video equipme	ent and accessories	>> Motorized screens, Manual screens, Tripod screens		
Flight-caseFL 185 Flight-caseFL 185 Flight-caseFL 185 Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Floor 18.5 Video equipment and accessories >> Floor LED Video Screens Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45		SC-MAN-84	Manual screen Pull / Down Infocus, 4:3, 170x127 size, type Matte White, canvas gain 1:1, inch sizes 84 "		
Flight-caseFL 185 Video equipment and accessories >> Floor LED Video Screens LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Video equipment and accessories >> Floor LED Video Screens Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45	Video equipme	ent and accessories	>> Floor LED Video Screens		
Floor 18.5 LED video panel walkable The Light, 18.5mm Pitch. 32x32 RGB LED Pixel per panel - Measurements 60cm.x60cm. Video equipment and accessories >> Floor LED Video Screens Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45		Flight-caseFL 185	Flight case dedicated to Floor 18.5, 12 panels, 141x74x103 measures		
Floor 18.5 Floor 18.5 Video equipment and accessories >> Floor LED Video Screens Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45	Video equipme	ent and accessories	>> Floor LED Video Screens		
Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45		Floor 18.5			
	Video equipme	ent and accessories	>> Floor LED Video Screens		
		Floor Sending Card	Sending card Dbstarled dedicated for Floor 18.5, DVI In, Out RJ45		



Image	Code	Description		
Video equipment and accessories >> Floor LED Video Screens The Light				
	CavRILAL1FL	Relay power cables Powercon M / Powercon F, length 1Mt.		
Video equipmo	ent and accessories	>> Floor LED Video Screens The Light		
	CavRILAL3FL	Relay power cables Powercon M / Powercon F, length 3Mt.		
Video equipmo	ent and accessories	>> Floor LED Video Screens The Light		
	CavRILAL5FL	Relay power cables Powercon M / Powercon F, length 5Mt.		
Video equipme	ent and accessories	>> Floor LED Video Screens The Light		
	CavSIGN1FL	Signal cable Ethercon/Ethercon, length 1Mt.		
Video equipmo	ent and accessories	>> Floor LED Video Screens The Light		
	CavSIGN3FL	Signal cable Ethercon/Ethercon, length 3Mt.		
Video equipme	ent and accessories	>> Floor LED Video Screens The Light		
	CavSIGN5FL	Signal cable Ethercon/Ethercon, length 5Mt.		
Video equipme	Video equipment and accessories >> Floor LED Video Screens The Light			
	Flight-caseFL 10	Flight case dedicated to Floor 10, 10 panels + glove box, 109x64x73 measures		
<u> </u>				



Image	Code	Description
Video equipme	ent and accessories	>> Floor LED Video Screens The Light
	Flight-caseFL 8	Flight case dedicated to Floor 10, 8 panels + glove box, 109x64x73 measures
Video equipme	ent and accessories	>> Floor LED Video Screens The Light
	Floor 10	LED video panel walkable The Light - Pitch 10 mm. 3 in 1 48x48 Pixel - Measures 50cm.x50cm.
Video equipme	ent and accessories	>> Floor LED Video Screens The Light
	GiuBD	Joints for double GuidFloor.
Video equipme	ent and accessories	>> Floor LED Video Screens The Light
	GiuBS	Joints for single GuidFloor.
Video equipme	ent and accessories	>> Floor LED Video Screens The Light
	GuidFloor 100	Aluminium guide for supporting Floor 10, length 1Mt.
Video equipme	ent and accessories	>> Floor LED Video Screens The Light
	GuidFloor 50	Aluminium guide for supporting Floor 10, length 0,50Mt.
Video equipme	ent and accessories	>> Flexible LED video screens
	CavRILAL050VP	Relay power cables powercon F / powercon M, length 0,5 Mt.



Image	Code	Description
Video equipme	ent and accessories	>> Flexible LED video screens
	CavRILSIGN040VP	Relay signal cables Ethercon / Ethercon, length 0,4 Mt.
Video equipme	ent and accessories	>> Flexible LED video screens
	Curtain Pix2060	Flexible LED video panel Vary Pix - Pitch 20mm. 3in1 24 x 288 Pixels - Measures 50cm.x600cm.
Video equipme	ent and accessories	>> Flexible LED video screens
	Curtain Pix2065	Flexible LED video panel Vary Pix - Pitch 20mm. 3in1 24 x 312 Pixels - Measures 50cm.x650cm.
Video equipme	ent and accessories	>> Flexible LED video screens
	Flight-case Curtain Pix	Flight case dedicated to Curtain Pix, 6 panels, measures 165x63x80
Video equipme	ent and accessories	>> LED video screens Infiled
9	CAVAI 10Mt. ER	Power plug 16A 2p + T / Powercon F, length 10Mt.
Video equipme	ent and accessories	>> LED video screens Infiled
	CAVRilA 0,50Mt. ER	Relay power cables Powercon M / Powercon F, length 50cm.
Video equipme	ent and accessories	>> LED video screens Infiled
	CAVRiIS 0,40Mt. ER	Relay signal cables Ethercon, length 40cm.



Image	Code	Description	
Video equipme	ent and accessories	>> LED video screens Infiled	
	CAVRiIS 1,30Mt. ER	Relay signal cables Ethercon, length 1,30Mt.	
Video equipme	ent and accessories	>> LED video screens Infiled	
	CAVSi 10Mt. ER	Ethercon signal cables, length 10Mt.	
Video equipme	ent and accessories	>> LED video screens Infiled	
0.0	FCASE-3PRO ER	Flight Case ER for 6 panels ER 3PRO 100x50 - Dimensions 109x60x75 Weight: Kg.	
Video equipme	ent and accessories	>> LED video screens Infiled	
	FCASE-3PRO ER Half	Flight Case ER for 10 panels ER 3PRO Half 50x50 - Dimensions 93,5x60x75 Weight: Kg. & Amp;nbsp;	
Video equipme	ent and accessories	>> LED video screens Infiled	
	IL-RSS-IRER3pro	ER3 Pro Ind-Rent SMD2121, Black LED 3,91mm. 1200Nits, 50x100cm.	
Video equipme	ent and accessories	>> LED video screens Infiled	
	IL-RSS-IRER3proHalf	ER3 Pro Ind-Rent SMD2121, Black LED 3,91mm. 1200Nits, 50x50cm.	
Video equipme	Video equipment and accessories >> LED video screens Infiled		
	IRER3Pro CURV SET	Angle Coupler Set (2Pz) for ER Series. 	



Video equipme	ent and accessories	>> I FD video screens Infiled			
		Video equipment and accessories >> LED video screens Infiled			
	RSSTBARER-CURVED	Truss bar 500mm for ER Series.			
Video equipme	ent and accessories	>> LED video screens Martin			
Q	CavAL3LC	Power plug Schuko 2p + T / F powercon, 3Mt length.			
Video equipme	ent and accessories	>> LED video screens Martin			
	CavRIL1,5LC	Relay power cable powercon F / powercon M, 1,5Mt length.			
Video equipme	ent and accessories	>> LED video screens Martin			
	CavRIL3,2LC	Relay power cable powercon F / powercon M, 3,2Mt length.			
Video equipme	ent and accessories	>> LED video screens Martin			
2	CavRILDVI1,5LC	Relay cable DVI / DVI signal, length 1.5 Mt.			
Video equipme	ent and accessories >	>> LED video screens Martin			
2	CavRILDVI3,2LC	Relay cable DVI / DVI signal, length 3,2 Mt.			
Video equipme	Video equipment and accessories >> LED video screens Martin				
	DVI Buffer Box	Box configuration and control for LCD panels Series Martin - DVI In / Out - RS232 / BNC			



Image	Code	Description	
Video equipme	ent and accessories	>> LED video screens Martin	
	Fly LC2140	Flight case for 4xLC2140 Martin - Every flight case has supplied - (16 eggs + 24 plugs)	
Video equipme	ent and accessories	>> LED video screens Martin	
	LC1140	Martin LED video panel - Pitch 40mm rgb - Measures 100cm.x100cm.	
Video equipme	ent and accessories	>> LED video screens Martin	
	LC2140	Martin LED video panel - Pitch 40mm rgb - Measures 200cm.x100cm.	
Video equipme	ent and accessories	>> LED video screens Thelight	
	CN12	LED video panel transparency TheLight - Pitch 12mm. 3in1 80x40 Pixel - Measures 100cm.x50cm.	
Video equipme	ent and accessories	>> LED video screens Thelight	
	Flight-caseASL	Flight case dedicated for accessories Slim 6, 3 objects compartment, measures 108x59x78	
Video equipme	ent and accessories	>> LED video screens Thelight	
	Flight-caseCN	Flight case dedicated for CN12, 6 panels + objects compartment, measures 107x57x76	
Video equipme	Video equipment and accessories >> LED video screens Thelight		
	Flight-caseFLX	Flight case dedicated for FLX35, 6 panels + objects compartment, measures 75x73x72	



Image	Code	Description
Video equipm	ent and accessories	>> LED video screens Thelight
	Flight-caseSL	Flight case dedicated for Slim 6, 10 panels + objects compartment, measures 108x59x78
Video equipm	ent and accessories	>> LED video screens Thelight
	FLX35	LED video panel flexible in transparency TheLight - Pitch 35mm. 3in1 8x64 Pixel - Measures 100cm.x50cm.
Video equipm	ent and accessories	>> LED video screens Thelight
	GANPiasSL	Hook + plate for supporting panels Slim 6, variable length 0.35 / 0,38Mt.
Video equipm	ent and accessories	>> LED video screens Thelight
	MezzaPiasSL	Half plate for supporting panels Slim 6
Video equipm	ent and accessories	>> LED video screens Thelight
	Slim 6	LED video panel The Light - Pitch 6mm. 3in1 80x80 Pixel - Measures 50cm.x50cm.
Video equipm	ent and accessories	>> LED video screens Thelight
	TubiSL	Tube to support panels Slim 6, 0,50Mt length.
Video equipm	ent and accessories	>> LED video screens Thelight
c C W	TubPiasSL	Tube + plate for supporting panels Slim 6, length 0.50 Mt.



Image	Code	Description		
Video equipment and accessories >> LED video screens Varypix				
	CavRILAL070VP	Relay power cables powercon F / powercon M, length 0,7 Mt.		
Video equipm	ent and accessories	>> LED video screens Varypix		
	CavRILSIGN090VP	Relay signal cables Ethercon / Ethercon, length 0,9 Mt.		
Video equipm	ent and accessories	>> LED video screens Varypix		
	Flight-case AP2.9/3.9	Flight case dedicated for standard accessories P2.9 / 3.9, 1 compartment, measures 80x59x73		
Video equipm	ent and accessories	>> LED video screens Varypix		
To goth	Flight-case P2.9/3.9	Flight case dedicated for P2.9 / 3.9 series, 10 panels, measures 80x59x73		
Video equipm	ent and accessories	>> LED video screens Varypix		
	P2.9	LED video panel Vary Pix - Pitch 2.9mm. 3 in 1 172x172 Pixels - Measures 50cm.x50cm.		
Video equipm	ent and accessories	>> LED video screens Varypix		
	P3.9	LED video panel Vary Pix - Pitch 3.9mm. 3 in 1 128x128 Pixels - Measures 50cm.x50cm.		
Video equipm	Video equipment and accessories >> LED transparent video screens			
	Flight-case S80	Flight case dedicated for Screen 80, 12 panels + storage compartments, 97x97x106 measures		



Image	Code	Description		
Video equipment and accessories >> LED transparent video screens				
	Screen 80	LED video screen in transparency The Light - Pitch 25 mm. 3 in 1 32x32 pixels per panel - Measurements 800mm.x800mm.		
Video equipm	ent and accessories	>> Schermo Video LED in trasparenza		
	Screen Sending Card	Sending card Dbstarled dedicated forScreen 80, DVI In, Out RJ45		
Video equipm	ent and accessories	>> LED display curtains		
	Flight-case FS	Flight case dedicated for Folding Screen, 135x72x80 measures		
Video equipm	ent and accessories	>> LED display curtains		
8	Folding Receiver	Receiver card dedicated for Folding Screen, In / Out RJ45, 8 Out for Panel Folding Screen		
Video equipm	ent and accessories	>> LED display curtains		
	Folding screen	LED video curtain flexible TheLight - Pitch 20mm. 3in1 128x64 pixels per panel - Measurements 2560mm.x1280mm.		
Video equipm	ent and accessories	>> LED display curtains		
	Folding Sending Card	Sending card Linsn dedicated for Folding Screen, In DVI, Out RJ45		
Video equipm	ent and accessories	>> Video Sphere		
	Video Sphere 150	Video sphere with a 360 ° projection, options for floor and ceiling installation, complete system of projector 6000 ANSI lumens, a special lens projection and management computer		



Image	Code	Description
Video equipme	ent and accessories	>> Video projectors
	ET-D75LE20	Zoom lens for Panasonic projectors, 1.7-2.4:1 ratio
Video equipme	ent and accessories	>> Video projectors
	ET-D75LE40	Zoom lens for Panasonic projectors, 4.6-7.4:1 ratio
Video equipme	ent and accessories	>> Video projectors
	ET-D75LE50	Fixed lens for Panasonic projectors, 0.7:1 ratio
Video equipme	ent and accessories	>> Video projectors
	ET-D75LE6	Zoom lens for Panasonic projectors, 0.9-1.1:1 ratio
Video equipme	ent and accessories	>> Video projectors
	LNS-S20	Motorized optical zoom (1.7x), for PLC-XM150L, Sanyo
Video equipme	ent and accessories	>> Video projectors
	LNS-S40	Motorized optical zoom (1,32x), for PDG-DXT10L, Sanyo
Video equipme	ent and accessories	>> Video projectors
	LVP-X400U	Mitsubishi LCD projector 3300 ANSI lumens, XGA resolution (1024x768), contrast ratio 400:1, lamp 250 NSH



Image	Code	Description
Video equipme	ent and accessories	>> Video projectors
- 0	PDG-DXT10L	Sanyo projector DLP 5,200 ANSI lumens, XGA resolution (1024x768), contrast ratio 2100:1, lens shift horizontal and vertical, dual 2 x 260 W UHP lamp (LMP-117)
Video equipme	ent and accessories	>> Video projectors
	PLC-XM150L	Video projector with inorganic LCD panels, Sanyo 6000 ANSI lumens, XGA resolution (1024x768) in 4:3, contrast ratio of 1000:1, motorized lens shift, correction trapezoid, 330 W NSH lamp (LMP-136)
Video equipme	ent and accessories	>> Video projectors
	PT-DZ13K	DLP projector Panasonic 13K lumens, WUXGA resolution (1920x1200), contrast ratio of 10.000: 1, vertical lens shift +/- 55%, +/- 20% horizontally, dual lamp 2 x 380 W UHM
Video equipme	ent and accessories	>> Video projectors
	PT-DZ21K	DLP projector Panasonic 21K lumens, WUXGA resolution (1920x1200), contrast ratio 10.000: 1, vertical lens shift +/- 45%, +/- 15% horizontally, four lamps 4 x 465 W UHM
Video equipme	ent and accessories	>> Video projectors
*	VT440	Nec LCD projector 1,100 ANSI lumens, SVGA resolution (800x600), contrast ratio 400:1, lamp 160 NSH
Dance Floor, F	urniture, Luminous I	Furniture and accessories >> Luminous Bar Counters
	Lighting Up LBC	Module bright bar with curved front, made of polyethylene, measures 150x40x100, 20 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous Bar Counters
	Lighting Up LBI	Module bright bar with front working right, made of polyethylene, measures 160x80x110, 16 RGB multi color LED, rechargeable lithium batteries, wireless remote control.



Image	Code	Description
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous Bar Counters
	Lighting Up LBIC	Module bright curved end bar worked, made of polyethylene, 80x80x110 measures, 16 LED RGB multi-colored, lithium rechargeable batteries, wireless remote control.
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous Bar Counters
	Lighting Up LBO	Module bright bar with corrugated forehead, made of polyethylene, measures 148x50x100, 16 LED RGB multi-colored, lithium rechargeable batteries, wireless remote control.
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous Bar Counters
	Lighting Up LBS	Module bright law bars with overhanging top, made of polyethylene, 90x80x110 measures, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous Bar Counters
	Lighting Up LBSC	Module bright curved bar with floor cantilever, made of polyethylene, 80x80x110 measures, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Luminous Sofas
	Lighting Up LP	Light armchair, made of polyethylene, measures 68x78x72, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.
Dance Floor. F	Furniture, Luminous F	Furniture and accessories >> Luminous Sofas
	Lighting Up LPA	Corner armchair, made of polyethylene, measures 78x78x72, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Sofas, Chairs and Tables Varyo series
	Varyo D	3 seater convertible in imitation leather, available colors Black and White, solid structure, geometric armrests and adjustable backrest - Dimensions WxDxH 229x82x85



Image	Code	Description
Dance Floor, F	-urniture, Luminous F	Furniture and accessories >> Sofas, Chairs and Tables Varyo series
	Varyo SO	Leatherette chair, available colors Black and White, wave back - Dimensions WxDxH 45x42x100
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Sofas, Chairs and Tables Varyo series
	Varyo ST	Leatherette chair, available colors Black and White, quilted back - Dimensions WxDxH 45x42x90
Dance Floor, F	- -urniture, Luminous I	Furniture and accessories >> Sofas, Chairs and Tables Varyo series
	Varyo TG	Table with glass top with drop shape, geometric base, available colors Black and White - Dimensions WxDxH 105x63x42 cm
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Sofas, Chairs and Tables Varyo series
	Varyo TT	Table with glass top edged and base ring, available colors Black and White - Dimensions WxH 115x65
Dance Floor, F	- -urniture, Luminous f	Furniture and accessories >> LED Pixel Dance Floor
	Pixel Floor 612	LED platform The Light with pixel to pixel control, basic module with dimensions 60x120x3cm., 13Kg. black or white cover, 72 Pixel SMD 5050 RGB 3in1, max consumption 56W
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
	Pixel Floor 66	LED platform The Light with pixel to pixel control, base module 60x60x3cm., 6.5Kg. black or white cover, 36 Pixel SMD 5050 RGB 3in1, max 28W consumption
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
	Pixel Floor border 1	Wired aluminum border, dedicated for Pixel Floor TheLight platform, measures 120x13x3cm



Image	Code	Description
Dance Floor, I	- urniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
animaning	Pixel Floor border 2	Wired aluminum border, dedicated for Pixel Floor TheLight platform, measures 60x13x3cm
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
	Pixel Floor border 3	Wired aluminum border, dedicated for Pixel Floor TheLight platform, measures 132.5x13x3cm
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
	Pixel Floor border 4	Wired aluminum border, dedicated for Pixel Floor TheLight platform, measures 73x13x3cm
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
റാറാക 💢 📲	Pixel Floor Controller	Dedicated controller for Pixel Floor TheLight platform, 4 Out (1080 Pixels per out), In / Out DMX, In / Out Net cable, SD memory for uploading graphic files
Dance Floor, F	- urniture, Luminous F	Furniture and accessories >> LED Pixel Dance Floor
on the state of th	Pixel Floor Power	Dedicated ballast for Pixel Floor TheLight platform, Out 1000W
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
	Adapters 10.825.002	4-way adapter equipped with aliscaf clamp, for mounting on a 50mm tube of the telescopic bar
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
	Baseplates 10.120.102	Support base for Telescopic upright, 60x60x0,5 cm measures., 14Kg weight. color black



Image	Code	Description
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
	3aseplates PIN 10.130.00	Pin to be installed on BasePlates for Upright graft, measures 40 x 0.5 cm
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
	Dimout	Pleated blind 260 grams / M2 black with pre-installed Velcro attack head with telescopic bar, W 300 x H 400.
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
	Flight case ELCP&D	The flight case can contain 8 baseplates + 8 pin baseplates + 8 telescopic uprights + 7 telescopic drape support + 8 dimout. Dimensions: 2100 x 805 x 610mm (WxHxP) - Weight 113Kg. & amp;nbsp;
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
	Medium Gloss Satin	Straight tent 165 g / M2 black with pre-assembled in head velco attack with bar Telescopic, W 300 x H 120.
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
C Telesc	copic drape supports 10.5	3-way telescopic bar to support curtain with Velcro on one side, Pin for insertion in the head of the telescopic tube, L.180cm. (Min.) -
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> Pipes & Drapes
Те	lescopic uprights 10.350.2	3-way telescopic tube with overhead 4-pin connector, h.180cm. (Min.) - H.420cm (max.). color black
Dance Floor, F	- Furniture, Luminous F	Furniture and accessories >> Ghost chairs
	SGC LG	Chair with armrests in transparent polycarbonate, 54x56.5x92.5 measures.



Image	Code	Description			
Dance Floor, F	Dance Floor, Furniture, Luminous Furniture and accessories >> Ghost chairs				
	SGC VG	Chair without armrests in transparent polycarbonate, 50x33.5x90 measures.			
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous seating			
	Lighting Up LS	Light seat, made of polyethylene, measures 120x40x40, 16 LED RGB multicolor, rechargeable lithium batteries, wireless remote control.			
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous seating			
	Lighting Up LSB1	Light seat for bar counters, made of polyethylene, measures 50x48x90, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.			
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous seating			
	Lighting Up LSB2	Light seat for bar counters, made of polyethylene, 56x56x110 measures, 16 multicolor LED RGB, rechargeable lithium batteries, wireless remote control.			
Dance Floor, F	urniture, Luminous F	Furniture and accessories >> Luminous seating			
	Lighting Up LSC	Bright sitting corner, made of polyethylene, measures 120x43x43, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.			
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Bright spheres			
	SFELED 30	30cm Translucent PE Transparent White (White Ice) Ball, RGB LED, 2000mAh Lithium Battery, 4 Hours Charging for 8 Hours, Remote Control for Color Change and Sequences, IP65.			
Dance Floor, F	Furniture, Luminous F	Furniture and accessories >> Luminous cocktail tables			
	Lighting Up LTC1	Bright cocktail table, made of polyethylene, 60x60x106 measures, 16 multicolor LED RGB, rechargeable lithium batteries, wireless remote control.			



ırniture, Luminous F	Furniture and accessories >> Luminous cocktail tables
Lighting Up LTC2	Bright cocktail table, made of polyethylene, 45x45x110 measures, 16 multicolor LED RGB, rechargeable lithium batteries, wireless remote control.
ırniture, Luminous F	-urniture and accessories >> Luminous coffee/lounge tables
Lighting Up LTD1	Bright coffee table, made of polyethylene, measures 60x60x25, 16 LED RGB multi-colored, rechargeable lithium batteries, wireless remote control.
ırniture, Luminous F	Furniture and accessories >> Luminous coffee/lounge tables
Lighting Up LTD2	Bright coffee table, made of polyethylene, measures 109x65x40, 16 multicolor LED RGB, rechargeable lithium batteries, wireless remote control.
ırniture, Luminous F	Furniture and accessories >> Luminous coffee/lounge tables
Lighting Up LTD3	Bright coffee table, made of polyethylene, measures 60x60x40, 16 multicolor LED RGB, rechargeable lithium batteries, wireless remote control.
ges >> Gazebi and	star tent
Gazebo BDF	Base module double gazebo pitch, made of aluminum and PVC fireproof white cl2, measures 10Mt. of width x 5Mt. of depth, the same can be expanded to reach the depth of 20 meters. with the addition of additional basic modules Dimensions: LxP 10x5Mt perimeter height 3Mt., Height 5Mt.
ges >> Gazebi and	star tent
Tenda a stella D	Double Structure in white fireproof PVC cl2 to form two centrally combined stars, composed of two central aluminum poles and six vertices to be applied to the ground - Dimensions: D. 8Mt.x12Mt. and D. 10Mt.x14Mt.
ges >> Gazebi and	star tent
Tenda a stella S	Structure in fireproof PVC cl2 White in the shape of a star, composed of a central pole in aluminum and five vertices to be applied to the ground - Dimensions: D. 8Mt. and D. 10Mt.
	Lighting Up LTD1 Irniture, Luminous F Lighting Up LTD2 Irniture, Luminous F Lighting Up LTD3 ges >> Gazebi and Gazebo BDF ges >> Gazebi and Tenda a stella D ges >> Gazebi and



Image	Code	Description
Gazebi and S	tages >> Gazebi and	star tent
	TPF	Flameproof PVC sliding side panels with transparent Cristal windows.
Gazebi and S	tages >> Modular sta	ges
M	Mammoth Legs 1140	Retractable Supporting Structures for Mammoth Stage 1x1m Footboards, 40cm Height, Showtec
Gazebi and S	tages >> Modular sta	ges
MANA	Mammoth Legs 1160	Retractable Supporting Structures for Mammoth Stage 1x1m Footboards, 60cm Height, Showtec
Gazebi and S	tages >> Modular sta	ges
_	Mammoth Stage 21	Fireproof and anti-slip plywood floor 2x1m., Showtec
Gazebi and S	tages >> Modular sta	ges
	Mammoth Stage Clamp	Mating Clamp for Mammoth Stage Floors, Showtec
Gazebi and S	tages >> Modular sta	ges
Man	nmoth Stage Self-leveling	Insertion block for floor leveling Mammoth Stage, Showtec
Gazebi and S	tages >> Modular sta	ges
	Mammoth Stairs 40	Steps (2) for Mammoth Stage H40, Showtec systems



Image	Code	Description
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
	AD16-16	Printed electrical adapter, In 16A mono, Out 10/16A mono passer.
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
	AD16-16Pol	Printed electrical adapter, In 16A mono, Out 10/16A mono passer + Schuko
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
N ₂	AD16-16Pol2	Printed electrical adapter, In 16A mono, Out 2x10/16A mono passer + Schuko
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
	AD16-16Schuko	Printed electrical adapter, In 16A mono, Out 10/16A mono passer/Schuko
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
	AD16-2/16	Printed electrical adapter, In 16A mono, Out 2x10/16A mono passer
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
<u>u</u>	AD16Pass-16	Printed electrical adapter, In 16A passer mono, mono 16A Out
Electrical acce	essories >> ELECTR	ICAL ADAPTORS
S.C.C.SMA P. Grown	SAC3MM	Powercon In / Out joint



S316/16 >> DISTRIB S332/32	UTION CASES Distribution box, In 16A penta, Out 3x16A mono UTION CASES Distribution case, In 32A penta, Out 3x32A mono		
>> DISTRIB \$332/32	UTION CASES		
S332/32			
	Distribution case, In 32A penta, Out 3x32A mono		
>> DISTRIB			
	UTION CASES		
16/10-16 S	Distribution case, In 16A mono passer, Out 4x10/16A mono passer/Schuko		
>> DISTRIB	UTION CASES		
16/10-16P	Distribution case, In 16A mono passer, Out 4x10/16A mono passer		
>> DISTRIB	UTION CASES		
6416/16F	Distribution case, In 16A mono, Out 4x16A mono		
>> DISTRIB	UTION CASES		
S432/16	Distribution case, In 32A mono, Out 4x16A mono		
Electrical accessories >> DISTRIBUTION CASES			
16/10-16P	Distribution case, In 16A mono passer, Out 5x10/16A mono passer		
; ·	416/16F >> DISTRIB 6432/16 >> DISTRIB		



Image	Code	Description			
Electrical acce	Electrical accessories >> DISTRIBUTION CASES				
	CAS616/10-16P	Distribution case, In 16A mono passer, Out 6x10/16A mono passer			
Electrical acce	essories >> DISTRIB	UTION CASES			
	CAS632/16	Distribution case, In 32A penta, Out 6x16A mono			
Electrical acce	essories >> DISTRIB	UTION CASES			
6000	CASGW416/10-16SF	Distribution rubber case, In 16A mono wire, Out 4x10/16A mono passer/Schuko			
Electrical acce	essories >> DISTRIB	UTION CASES			
	CASPB416/16F	Distribution rubber case, In 16A mono wire, Out 4x16A mono			
Electrical acce	essories >> DISTRIB	UTION CASES			
	CASPB416/16P	Distribution rubber case, In 16A mono, Out 4x16A mono			
Electrical acce	essories >> DISTRIB	UTION CASES			
	CASPB516/10-16S	Distribution rubber case, In 16A mono, Out 5x10/16A mono passer/Schuko			
Electrical acce	Electrical accessories >> DISTRIBUTION CASES				
	CASPB516/10-16SF	Distribution rubber case, In 16A mono wire, Out 5x10/16A mono passer/Schuko			



Image	Code	Description		
Electrical accessories >> DISTRIBUTION CASES				
	CASPCB316/16	Distribution box, In 16A penta, Out 3x16A mono		
Electrical acce	ssories >> DISTRIB	UTION CASES		
6	CASVI416/10-16SF	Distribution rubber case, In 16A mono wire, Out 4x10/16A mono passer/Schuko		
Electrical acce	ssories >> DISTRIB	UTION CASES		
	CASW416/16F	Distribution rubber case, In 16A mono wire, Out 4x16A mono		
Electrical acce	ssories >> EXTENS	ION CABLES 125A Penta R+S+T+N+GV		
	PRP5125P	Extension cable with plug/socket 125A penta, 5Mt length.		
Electrical acce	ssories >> EXTENS	ION CABLES 16A Mono F+N+GV		
	PRP1016	Extension cable with plug/socket 16A mono, 10Mt length.		
Electrical acce	ssories >> EXTENS	ION CABLES 16A Mono F+N+GV		
	PRP2016	Extension cable with plug/socket 16A mono, 20Mt length.		
Electrical acce	essories >> EXTENS	ION CABLES 16A Mono F+N+GV		
	PRP516	Extension cable with plug/socket 16A mono, 5Mt length.		



Image	Code	Description
Electrical acce	essories >> EXTENS	ION CABLES 16A Mono F+N+GV, PASSANTE REDUCTION
0	PRP216SS	Extension cable with plug 10A mono Schuko and socket bivalent 10/16A Schuko, 2Mt length.
Electrical acce	essories >> EXTENS	SION CABLES 16A Mono F+N+GV, PASSANTE REDUCTION
	PRP516P	Extension cable with plug 16A mono and socket bivalent 10/16A, 5Mt length.
Electrical acce	essories >> EXTENS	SION CABLES 16A Mono F+N+GV, PASSANTE REDUCTION
	PRP516PS	Extension cable with plug 16A mono and socket bivalent 10/16A Schuko, 5Mt length.
Electrical acce	essories >> EXTENS	ION CABLES 16A Mono F+N+GV, PASSANTE REDUCTION
0,	PRP516SS	Extension cable with plug 10A mono Schuko and socket bivalent 10/16A Schuko, 5Mt length.
Electrical acce	essories >> EXTENS	ION CABLE 16A Penta R+S+T+N+GV
	PRP1016P	Electrical extension cable with 16A penta plug, 10Mt length.
Electrical acce	essories >> EXTENS	ION CABLE 16A Penta R+S+T+N+GV
	PRP2016P	Electrical extension cable with 16A penta plug, 20Mt length.
Electrical acce	essories >> EXTENS	ION CABLE 32A Mono F+N+GV
	PRP1032	Extension cable with plug/socket 32A mono, 10Mt length.



Image	Code	Description
Electrical acce	ssories >> EXTENS	SION CABLE 32A Mono F+N+GV
	PRP2032	Extension cable with plug/socket 32A mono, 20Mt length.
Electrical acce	ssories >> EXTENS	SION CABLE 32A Mono F+N+GV
	PRP532	Extension cable with plug/socket 32A mono, 5Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 32A Penta R+S+T+N+GV
.0	PRP1032P	Extension cable with plug/socket 32A penta, 10Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 32A Penta R+S+T+N+GV
.0	PRP2032P	Extension cable with plug/socket 32A penta, 20Mt length.
Electrical acce	ssories >> EXTENS	SION CABLE 32A Penta R+S+T+N+GV
.01	PRP532P	Extension cable with plug/socket 32A penta, 5Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 63A Penta R+S+T+N+GV
.O ₁	PRP1063P	Extension cable with plug/socket 63A penta, 10Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 63A Penta R+S+T+N+GV
.0	PRP1363P	Extension cable with plug/socket 63A penta, 13Mt length.



Image	Code	Description
Electrical acce	ssories >> EXTENS	ION CABLE 63A Penta R+S+T+N+GV
•••	PRP1563P	Extension cable with plug/socket 63A penta,15Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 63A Penta R+S+T+N+GV
••	PRP2063P	Extension cable with plug/socket 63A penta, 20Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 63A Penta R+S+T+N+GV
.0	PRP563P	Extension cable with plug/socket 63A penta, 5Mt length.
Electrical acce	ssories >> EXTENS	ION CABLE 63A Penta R+S+T+N+GV
••	PRP8,563P	Extension cable with plug/socket 63A penta, 8,5Mt length.
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
1 A	PRB416	Cabled bar to 4 projectors with 4 sockets 16A single and Harting connector
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
100	PRC416	Distribution case to 4 Ch. 16A mono, with Harting connector
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRC616	Distribution case to 6Ch. 16A mono, with Socapex connector



Image	Code	Description
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRCM416	4Ch metal distribution box 16A mono, with harting connector
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
%	PRF616	Multicord 6x16A mono male to Socapex connector female
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRM41016	Multiple extension cable 4Ch. 16A mono, with plug and socket 16A, 10Mt length.
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRM42016	Multiple extension cable 4Ch. 16A mono, with plug and socket 16A, 20Mt length.
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRM616	Socapex connector male to multicord 6x16A mono female
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRM61716	Multiple extension cable 6Ch. 16A mono, with plug and socket 16A, 17Mt length.
Electrical acce	ssories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
Society Control of the Control of th	PRM62016PW	Multiple extension cable 6Ch. 16A mono, with plug 16A and case with 6 Powercon connectors, 20Mt length.



Image	Code	Description
Electrical acce	essories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRM63016	Multiple extension cable 6Ch. 16A mono, with plug and socket 16A, 30Mt length.
Electrical acce	essories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	PRMC42016	Multiple extension cable 4Ch. 16A mono, with plug 16A and Harting connector, 20Mt length.
Electrical acce	essories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	SOCA10616	Multiple extension cable 6Ch. 16A mono, with Socapex connectors, 10Mt length.
Electrical acce	essories >> MULTIPL	E EXTENSION CABLES & DISTRIBUTION CASES
	SOCA20616	Multiple extension cable 6Ch. 16A mono, with Socapex connectors, 20Mt length.
Electrical acce	essories >> EXTENS	ION CABLE Powerlock L1+L2+L3+N+GV
	PRAP1.5Powerlock	Electrical adapter 120 mm. complete L1 + L2 + L3 + N + GV, with F connectors powerlock and ring lug, 1.5 meters length.
Electrical acce	essories >> EXTENS	ION CABLE Powerlock L1+L2+L3+N+GV
	PRP10Powerlock	Extension cable 120mm. complete L1 + L2 + L3 + N + GV, with M / F connectors powerlock, 10Mt length.
Electrical acce	essories >> EXTENS	ION CABLE Powerlock L1+L2+L3+N+GV
	PRP14Powerlock	Extension cable 50mm. complete L1 + L2 + L3 + N + GV, with M / F connectors powerlock, 14Mt length.

Pag. 123



Image	Code	Description
	essories >> EXTENS	ION CABLE Powerlock L1+L2+L3+N+GV
	PRP20Powerlock	Extension cable 120mm. complete L1 + L2 + L3 + N + GV, with M / F connectors powerlock, 20Mt length.
Electrical acce	essories >> EXTENS	ION CABLE Powerlock L1+L2+L3+N+GV
	PRP24Powerlock	Extension cable 120mm. complete L1 + L2 + L3 + N + GV, with M / F connectors powerlock, 24Mt length.
Electrical acce	essories >> EXTENS	ION CABLE Powerlock L1+L2+L3+N+GV
	PRP5Powerlock	Extension cable 120mm. complete L1 + L2 + L3 + N + GV, with M / F connectors powerlock, 5Mt length.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
	Q16/S10-16	Portable distribution panel, differential magneto-thermal switch, dimensions: WxDxH 13.2x13.2x9.5 cm In 16A single wire feedthrough, bivalent Out 1xSchuko, 2x10 / 16A bivalent.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
Øi:	Q32/16	Electrical distribution panel portable, RCBOs, dimensions: LxWxH 43x11x10 cm In 32A mono, Out 3x16A mono.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
O	Q32/16l	Electrical distribution panel portable, RCBOs, dimensions: LxWxH 43x11x10 cm In 32A mono, Out 3x16A mono.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
	Q32/32/16	Electrical distribution panel portable, RCBOs, dimensions: LxWxH 51x35x16 cm In 32A penta, Out 3x32A mono, 3x16A mono.



Image	Code	Description			
Electrical acce	Electrical accessories >> ELECTRICAL DISTRIBUTION				
	Q32/3216	Portable distribution panel, differential magnetothermic switches, dimensions: LxWxH 63x50x20 cm In 32A penta, Out 2x16A penta + 4x16A mono.			
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION			
TAAA	Q32/616	Electrical distribution panel portable in flight case, RCBOs, dimensions: LxWxH 63x50x20 cm In 32A penta, Out 6x16A mono.			
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION			
	Q32/616D	Electrical distribution rubber panel portable, RCBOs curve D, dimensions: LxWxH 36x40x34 cm In 32A penta, Out 6x16A mono.			
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION			
	Q32/616SC	Portable rubber electrical distribution panel, differential magneto-thermal switch and C curve magnetothermal switches, dimensions: WxDxH 36x40x34 cm In 32A penta, Out 6x16A mono + Socapex parallel socket - Weight: 10.1Kg.			
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION			
- mm	Q32/616SD	Portable rubber electrical distribution panel, differential magneto-thermal switch and D curve magnetothermal switches, dimensions: WxDxH 36x40x34 cm In 32A penta, Out 6x16A mono + Socapex parallel socket - Weight: 10.1Kg.			
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION			
	Q400/1	Electrical distribution panel in flight case, RCBOs, dimensions: LxWxH 81x86x129 cm In/ Out Powerlock, Out 3x63A penta + 9x32A penta + 3x32A mono + 1x16A mono.			
Electrical acce	Electrical accessories >> ELECTRICAL DISTRIBUTION				
designers Second S	Q63/1216	Electrical distribution panel portable in flight case, RCBOs, dimensions: LxWxH 57x57x59 cm In 63A penta, Out 12x16A mono + 2 Socapex connectors (parallel 16A) Peso: 47,5Kg			



Image	Code	Description
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
14: 3	Q63/2410	Electrical distribution panel portable in flight case, RCBOs, dimensions: LxWxH 52x30x55 cm In 63A penta, Out 24x10A mono, 4 Socapex connectors 6ch. (1/24) + 2 ILME connectors 4ch. (1/8).
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
	Q63/32	Electrical distribution panel portable, RCBOs, dimensions: LxWxH 54x32x16,5 cm In 63A penta, Out 2x32A penta
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
	Q63/32/2	Electrical distribution panel portable in flight case, RCBOs, dimensions: LxWxH 63x50x20 cm In 63A penta, Out 2x32A penta+ 2.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
	Q63/32/32/16	Electrical distribution panel portable in flight case, RCBOs, dimensions: LxWxH 63x50x20 cm In 63A penta, Out 2x32A penta+ 2, 1x32A mono, 1x16A mono.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
	QC400/1	Electrical switching panel with SACE manual exchanger, dimensions: LxWxH 122x80x40 cm In 2xPowerlock, Out Powerlock.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
(\$) (=)	QG63/32-1	Electrical distribution tower portable, RCBOs, dimensions: LxWxH 36x35x34 cm In 63A penta, Out 2x32A penta +1.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
(8)	QG63/32-2	Electrical distribution tower portable, RCBOs, dimensions: LxWxH 36x35x34 cm In 63A penta, Out 2x32A penta +2.



Image	Code	Description
Electrical acce	ssories >> ELECTR	ICAL DISTRIBUTION
000	QG63/632	Electrical distribution rubber panel portable, RCBOs, dimensions: LxWxH 52x34x34 cm In 63A penta, Out 6x32A mono.
Electrical acce	ssories >> ELECTR	ICAL DISTRIBUTION
	QP125	Electrical distribution rubber panel portable, RCBOs, dimensions: LxWxH 36x40x34 cm In 125A penta, Out 2x63A penta.
Electrical acce	ssories >> ELECTR	ICAL DISTRIBUTION
**************************************	QP250/1	Electrical distribution panel in flight case, RCBOs, dimensions: LxWxH 57x57x103 cm In Powerlock, Out 3x63A penta + 3x32A penta + 3x32A mono + 3x16A mono.
Electrical acce	ssories >> ELECTR	ICAL DISTRIBUTION
	QP250/2	Electrical distribution panel in flight case, RCBOs, dimensions: LxWxH 53x77x73 cm In Powerlock, Out 6x63A penta + 3x32A mono.
Electrical acce	ssories >> ELECTR	ICAL DISTRIBUTION
A-a	QP400/2	Electrical distribution panel in flight case, RCBOs, dimensions: LxWxH 55x80x108 cm In Powerlock, Out 6x63A + 3x32A penta + 3x32A mono + 3x16A mono.
Electrical acce	essories >> ELECTR	ICAL DISTRIBUTION
0000	QP63/32-2	Electrical distribution panel portable in flight case, RCBOs, dimensions: LxWxH 52x36x21 cm In 63A penta, Out 2x32A penta+ 2.
Electrical acce	ssories >> ELECTR	ICAL DISTRIBUTION
	QPG63/32-2	Electrical distribution rubber panel portable, RCBOs, dimensions: LxWxH 36x40x34 cm In 63A penta, Out 2x32A penta+ 2.



Image	Code	Description
	ssories >> ELECTR	ICAL DISTRIBUTION
	QW400/2	Electrical distribution panel in flight case, RCBOs, dimensions: LxWxH 57x57x146 cm In Powerlock, Out 6x63A penta + 3x32A penta + 3x32A mono + 3x16A mono.
Electrical acce	ssories >> Electrica	I splitters
	SCA216	Printed electrical splitter IN 16A mono, Out 2x16A mono
Electrical acce	ssories >> Electrica	I splitters
	SL1-3L	Printed 3-ways electrical splitter IN 16A mono, Out 3x16A mono
Electrical acce	ssories >> Electrica	I splitters
	VIP2S	Wire electrical splitter IN Schuko, Out 2xSchuko
Electrical acce	ssories >> Electrica	I splitters
	VIP3S	Wire electrical splitter IN Schuko, Out 3xSchuko
Electrical acce	ssories >> Electrica	I splitters
	VIPPB232	Wire electrical splitter IN 32A mono, Out 2x16A mono
Electrical acce	ssories >> Electrica	I splitters
	VIPW216	Wire electrical splitter IN 16A mono, Out 2x16A mono



Image	Code	Description	
Electrical accessories >> Electrical splitters			
	VIPW232	Wire electrical splitter IN 32A mono, Out 2x16A mono	
Electrical acce	essories >> SPLITTE	R BOX Powerlock	
	PRS2W	Powerlock Splitter Box, one input L1 / L2 / L3 / N / GV, two parallel outputs L1 / L2 / L3 / N / GV.	
Electrical acce	essories >> SPLITTE	R BOX Powerlock	
本 影響を全 の で 変更 ま で の で の の の の の の の の の の の の の の の の	PRSB400	Powerlock Splitter Box, one input L1 / L2 / L3 / N / GV, two parallel outputs L1 / L2 / L3 / N / GV, dimensions: LxPxH 56.5x35x34 cm Weight: 14.2Kg.	
Structures and	d hanging accessorie	s >> a	
0	Campanella	Oring 3,15T	
Structures and	d hanging accessorie	s >> a	
○	FA0,40Mt.	Rigging steel D10 Red / Red with conical sleeve, length 0,40Mt	
Structures and	l hanging accessorie	s >> a	
	FA0,75Mt.	Rigging steel D10 Red / Red with conical sleeve, length 0,75Mt	
Structures and	Structures and hanging accessories >> a		
○	FA1,5Mt.	Rigging steel D10 Red / Red with conical sleeve, length 1,5Mt	



Image	Code	Description		
Structures and hanging accessories >> a				
	FA1Mt.	Rigging steel D10 Red / Red with conical sleeve, length 1Mt		
Structures and	I hanging accessori	es >> a		
O	FA2,5Mt.	Rigging steel D10 Red / Red with conical sleeve, length 2,5Mt		
Structures and	l hanging accessori	es >> a		
○ →	FA2Mt.	Rigging steel D10 Red / Red with conical sleeve, length 2Mt		
Structures and	l hanging accessori	es >> a		
○	FA3Mt.	Rigging steel D10 Red / Red with conical sleeve, length 3Mt		
Structures and	I hanging accessori	es >> a		
∞ —∞	FA4Mt.	Rigging steel D10 Red / Red with conical sleeve, length 4Mt		
Structures and	I hanging accessori	es >> a		
O	FA5Mt.	Rigging steel D10 Red / Red with conical sleeve, length 5Mt		
Structures and	I hanging accessori	es >> a		
○ →→ ○	FA6Mt.	Rigging steel D10 Red / Red with conical sleeve, length 6Mt		



Image	Code	Description			
_	Structures and hanging accessories >> a				
○	FA9Mt.	Rigging steel D10 Red / Red with conical sleeve, length 9Mt			
Structures and	l hanging accessorie	s >> a			
	Fascia2T4M	End dual safe tensioner 2t., length 4 Mtl.			
Structures and	l hanging accessorie	s >> a			
	Fascia2T5M	End dual safe tensioner 2t., length 5 Mtl.			
Structures and	hanging accessorie	s >> a			
	Fascia2T6M	End dual safe tensioner 2t., length 6 Mtl.			
Structures and	d hanging accessorie	s >> a			
Ω.	Grillo 200	High strength shackle with a capacity of 2 T.			
Structures and	d hanging accessorie	s >> a			
Q .	Grillo 325	High strength shackle with a capacity of 3.25 T.			
Structures and	l hanging accessorie	s >> a			
	Grillo Dritto 200	High strength shackle straight with a capacity of 2 T.			



Image	Code	Description
Structures and	d hanging accessorie	es >> a
	Spanset2T2S	Spanset 2t., expansion 2Mt.
Structures and	d hanging accessorie	es >> a
	Spanset2T3S	Spanset 2t., expansion 3Mt.
Structures and	d hanging accessorie	es >> a
	Spanset2T4S	Spanset 2t., expansion 4Mt.
Structures and	d hanging accessorie	es >> a
	Spanset2T6S	Spanset 2t., expansion 6Mt.
Structures and	⊔ d hanging accessorie	es >> a
O Share	TCR1,5Mt.	Adjustable Chain D.8 F.T. Oring/Oring and adjust chain hook, 1.5 meters length.
Structures and	│ d hanging accessorie	es >> a
O Sanor	TCR2,5Mt.	Adjustable Chain D.8 F.T. Oring/Oring and adjust chain hook, 2.5 meters length.
Structures and	⊥ d hanging accessorie	es >> a
O Sanor	TCR2Mt.	Adjustable Chain D.8 F.T. Oring/Oring and adjust chain hook, 2 meters length.



Image	Code	Description
	l hanging accessorie	s >> a
○ ‱	TCR3,5Mt.	Adjustable Chain D.8 F.T. Oring/Oring and adjust chain hook, 3.5 meters length.
Structures and	I hanging accessorie	s >> a
Ç	TCRG2,5Mt.	Adjustable Chain D.8 F.T. Oring/Oring + hook and adjust chain hook, 2.5 meters length.
Hoists Motoriz	ed and Manual >> E	LECTRIC HOISTS ACCESSORIES
	CAVM10	Extension hoist cable 16A 10Mt.
Hoists Motoriz	ed and Manual >> E	LECTRIC HOISTS ACCESSORIES
	CAVM20	Extension hoist cable 16A 20Mt.
Hoists Motoriz	ed and Manual >> E	LECTRIC HOISTS ACCESSORIES
	CAVM30	Extension hoist cable 16A 30Mt.
Hoists Motoriz	ed and Manual >> E	LECTRIC HOISTS ACCESSORIES
- verit	Direct Control 4	Control unit for 4 electric hoists, with manual controls, 16-pin Ilme rear connector to connect with a specific cable and box, 4 remote hoists
Hoists Motoriz	ed and Manual >> E	LECTRIC HOISTS ACCESSORIES
	MO-CO 4	Control unit MO-CO for 4 electric hoists with manual controls



AND THE STATE OF T	MO-CO 8	LECTRIC HOISTS ACCESSORIES Control unit MO-CO for 8 electric hoists with manual and wire controls LECTRIC HOISTS ACCESSORIES Control unit for 16 electric hoists, with manual controls and general wire control
Hoists Motorized	and Manual >> El	LECTRIC HOISTS ACCESSORIES
Hoists Motorized		
	PRControl 16	Control unit for 16 electric hoists, with manual controls and general wire control
Hoists Motorized	and Manual >> El	LECTRIC HOISTS ACCESSORIES
=== · - ***********************************	PRControl 8	Control unit for 8 electric hoists, with manual controls and general wire control
Hoists Motorized	and Manual >> El	LECTRIC HOISTS ACCESSORIES
	S20M	Extension hoist cable Socapex for 4 hoists, 20Mt length.
Hoists Motorized	and Manual >> El	LECTRIC HOISTS ACCESSORIES
	SFF4CH	Male Socapex connector to multicord 4 hoist 16A female
Hoists Motorized	and Manual >> El	LECTRIC HOISTS ACCESSORIES
	SFM4CH	Multicord 4 hoist 16A male to female Socapex connector
Hoists Motorized	and Manual >> Fl	LIGHT CASE FOR MANUAL HOIST
	QLC Tralift05	Quad case Falcon forTralift 0,5 - Dimensions: WxDxH 63x39x78 cm Weight: 37,3kg.



Image	Code	Description
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
	DLC CHMF500	Dual case Hard Box for CHMF500 - Dimensions: WxDxH 74x58x54 cm Weight:33,5kg.
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
	DLC LH025	Dual case for LH025D8 PR - Dimensions: LxPxH 89x59x73 cm Weight: 58Kg.
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
	DLC LH050	Dual case for LH050D8 PR - Dimensions: LxPxH 89x59x73 cm Weight: 58Kg.
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
	QLC CHML250	Quad case Hard Box for CHMPR0250 - Dimensions: WxDxH 71x58x51 cm Weight: 27,5kg.
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
	SLC CHML1000	Single case Falcon for CHML1000 - Dimensions: WxDxH 74x58x56 cm Weight: 37,6kg.
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
W. B.	SLC SM10	Single case Falcon for SM10 - Dimensions: WxDxH 63x55x62 cm Weight: 34,6kg.
Hoists Motoriz	ed and Manual >> F	LIGHT CASE FOR MOTORIZED HOIST
	SLC SM5	Single case Hard Box for SM5 - Dimensions: WxDxH 59x48x56 cm Weight: 23,4kg.



Hoists Motorized and Manual >> MANUAL HOISTS Hand host TRACTEL, capacity 500Kg, Chain 10 ML - Weight: 19Kg. Hoists Motorized and Manual >> MANUAL HOISTS Hand host TRACTEL, capacity 500Kg, Chain 12 ML - Weight: 22Kg. TRALIFT 0,5-12 Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 500 kg, 4mt/m., Chain 24 ML - Weight: 42,9Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, load 1000 kg, 4mt/m., Chain 20 ML - Weight: 70Kg. CHML1000L Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg, 4mt/m., Chain 20 ML - Weight: 16,8Kg. CHMPRO250 CHMPRO250 GISt liter electric chain hoist, capacity 250 kg, 4mt/m., Chain 18 ML - Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GISt liter electric chain hoist, capacity 250 kg, 4mt/m., Chain 18 ML - Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GISt liter electric chain hoist, capacity 250 kg, 4mt/m., Chain 20 ML - Weight: 28Kg.	Image	Code	Description
Hoists Motorized and Manual >> MANUAL HOISTS Hand hoist TRACTEL capacity 500Kg. Chain 12 Mt Weight. 22Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 500 kg. 4mt/m., Chain 24 Mt Weight. 42.9Kg. CHMF500 CHMF500 CM Lodestar electric chain hoist, load 1000 kg. 4mt/m., Chain 20 Mt Weight. 70Kg. CHML1000L Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain 18 Mt Weight. 16.8Kg. CHMPR0250 CHMPR0250 GISILitec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight. 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GISILitec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight. 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GISILitec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight. 28Kg.	Hoists Motoriz	zed and Manual >> M	IANUAL HOISTS
Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 500 kg. 4mt/m., Chain 24 Mt Weight: 42,9Kg. CHMF500 CHMF500 CHMF500 CHMF500 CHML1000L CHML1000L CHML1000L CHML100STS CM Lodestar electric chain hoist, load 1000 kg. 4mt/m., Chain 20 Mt Weight: 70Kg. CHML1000L Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain 18 Mt Weight: 16,8Kg. CHMPR0250 CHMPR0250 GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg.	İ	TRALIFT 0,5-10	Hand hoist TRACTEL, capacity 500Kg. Chain 10 Mt Weight: 19Kg.
Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 500 kg. 4mt/m., Chain 24 Mt Weight: 42,9Kg. CHMF500 Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, load 1000 kg. 4mt/m., Chain 20 Mt Weight: 70Kg. CHML1000L Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain 18 Mt Weight: 16,8Kg. CHMPR0250 CHMPR0250 GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. LH025D8-16S GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg.	Hoists Motoriz	zed and Manual >> M	IANUAL HOISTS
CM Lodestar electric chain hoist, capacity 500 kg. 4mt/m., Chain 24 Mt Weight: 42,9Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, load 1000 kg. 4mt/m., Chain 20 Mt Weight: 70Kg. CHML1000L Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain 18 Mt Weight: 16,8Kg. CHMPRO250 CHMPRO250 GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg.		TRALIFT 0,5-12	Hand hoist TRACTEL, capacity 500Kg. Chain 12 Mt Weight: 22Kg.
Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, load 1000 kg. 4mt/m., Chain 20 Mt Weight: 70Kg. CHML 1000L Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain 18 Mt Weight: 16,8Kg. CHMPRO250 Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg.	Hoists Motoriz	ed and Manual >> M	OTORIZED HOISTS
CHML1000L CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain 18 Mt Weight: 16,8Kg. CHMPR0250 CHMPR0250 CHMPR0250 CHMPR0250 CHMPR0250 CHMPR0250 GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. CHMPR0250 CHMPR0250 GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. CHMPR0250 GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight: 30Kg.		CHMF500	CM Lodestar electric chain hoist, capacity 500 kg. 4mt/m., Chain 24 Mt Weight: 42,9Kg.
Hoists Motorized and Manual >> MOTORIZED HOISTS CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain18 Mt Weight: 16,8Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight: 30Kg.	Hoists Motoriz	zed and Manual >> M	IOTORIZED HOISTS
CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain18 Mt Weight: 16,8Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight: 30Kg.		CHML1000L	CM Lodestar electric chain hoist, load 1000 kg. 4mt/m., Chain 20 Mt Weight: 70Kg.
CHMPRO250 Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight: 30Kg.	Hoists Motoriz	⊥ zed and Manual >> M	IOTORIZED HOISTS
CIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight: 30Kg.	Ç	CHMPRO250	CM Lodestar electric chain hoist, capacity 250 kg. 4mt/m., Chain18 Mt Weight: 16,8Kg.
CIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 16 Mt Weight: 28Kg. Hoists Motorized and Manual >> MOTORIZED HOISTS GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight: 30Kg.	Hoists Motoriz	│ zed and Manual >> M	IOTORIZED HOISTS
GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight:30Kg.			
	Hoists Motoriz	⊥ zed and Manual >> M	IOTORIZED HOISTS
LH025D8-20S		LH025D8-20S	GIS/Litec electric chain hoist, capacity 250 kg. 4mt/m., Chain 20 Mt Weight:30Kg.



Image	Code	Description
	ed and Manual >> M	IOTORIZED HOISTS
	LH050D8-18S	GIS/Litec electric chain hoist, capacity 500 kg. 4mt/m., Chain 18 Mt Weight: 34,4Kg.
Hoists Motoriz	ed and Manual >> M	MOTORIZED HOISTS
	LH050D8-24S	GIS/Litec electric chain hoist, capacity 500 kg. 4mt/m., Chain 24 Mt Weight: 39Kg.
Hoists Motoriz	ed and Manual >> M	IOTORIZED HOISTS
	SM10	Verlinde electric chain hoist, capacity 1000 kg. 4mt/m., Chain 20 Mt Weight: 70Kg.
Hoists Motoriz	ed and Manual >> M	IOTORIZED HOISTS
	SM5	Verlinde electric chain hoist, capacity 500 kg. 4mt/m., Chain 20 Mt Weight: 39,4Kg.
Cable covers	>> a	
_	Cable Cover 1	Showtec 1-way cable tray, 1.5T range, 1010x215x36mm, 86x22mm channel
Cable covers	>> a	
	CC230P	2 way drivable cable tray Protruss with hinged lid, capacity 3500Kg. on a surface of 20x20cm., measures 1000x250x45mm., channel 100x30x30mm
Cable covers	>> a	
	DUK-CR-2	Cable cover 1-way driveway in support RUBA-DUK, capacity 1.5T, 1000x131x20mm measures.



Image	Code	Description
Cable covers	>> a	
The same of the sa	HD5	Cable cover 5-way driveway with hinged lid LINEBACKER, capacity 9140 kg.
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 0.105168	Side 1,05Mt x 1,68Mt
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 0.10584	Side 1,05Mt x 0,84Mt
Work platform	s and ladders >> Mo	dular work platforms Faraone
0	System 1.180	Traverse
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 10.0	Single stabilizer
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 14.00	Base diagonal
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 2.180	Diagonal



Image	Code	Description
	s and ladders >> Mo	dular work platforms Faraone
	System 3.184	Floor with hatch 1.78 Mt x 0,525 mt
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 4.180	Floor without hatch 1.78 Mt x 0,345 mt
Work platform	s and ladders >> Mo	dular work platforms Faraone
	System 8.00	Adjustable wheel D.200
Work platform	s and ladders >> Mo	dular work platforms Marchetti
8	System 100P	Extractable wheels 1,20 Mt
Work platform	s and ladders >> Mo	dular work platforms Marchetti
	System 100T	Frame 1.44 x 1.00 Mt
Work platform	s and ladders >> Mo	dular work platforms Marchetti
	System 100x200	Half-plane without hatch 0,36 x 2,00 Mt
Work platform	s and ladders >> Mo	dular work platforms Marchetti
	System 200A	Rod 2,39Mt



Image	Code	Description
Work platform	s and ladders >> Mo	dular work platforms Marchetti
	System 200C	Tower connecting current 0.23 x 2.03 Mt
Work platform	s and ladders >> Mo	dular work platforms Marchetti
	System 200CB	Base current 0.25 x 2.03 Mt
Work platform	s and ladders >> Ext	endible ladders Faraone
	ST300/3N	(Line Super) Multipurpose Ladder 3 elements Faraone - Steps 9 + 10 + 10 - H cm.301 / 665 - H1 cm.470
Kinetic system	s >> a	
	Ball 35	Ball opal polycarbonate with RGB LED inside, 35 cm diameter Weight: 1,6Kg.
Kinetic system	s >> a	
0	CavAL1	Power plug 16A 2p + T / F powercon, 1m length.
Kinetic system	s >> a	
To a	Eight Case Lift 9	Eight case for Lift 9 - Dimensions: WxDxH 84x61x70 cm Weight: 32,4kg.
Kinetic system	s >> a	
B	Fifty Case Tube 100	Fifty case for Tube 100 - Dimensions: WxDxH 117x79x70 cm Weight: 69kg.



Image	Code	Description
Kinetic system	ıs >> a	
	Lift 9	Hoist to control LED ball and LED tube, 3ch. (RGB), controlled by DMX, max height. 9mt Weight: 7,8Kg.
Kinetic system	ıs >> a	
40	Six Case Ball 35	Six case for Ball 35 - Dimensions: WxDxH 117x79x70 cm Weight: 41,2kg. & amp;nbsp;& amp;nbsp; & amp;nbsp;
Kinetic system	ıs >> a	
	Tube 100	Tube opal polycarbonate with RGB LEDs inside, length 100 cm Weight: 0,4Kg.
Conference sy	/stems >> a	
	CavTrep	H160cm black aluminum tripod stand
Conference sy	/stems >> a	
	CCSD-CURD	Central control unit CCS 1000D BOSCH with internal mp3 recorder or USB
Conference sy	/stems >> a	
	CCSD-DL	CCS 1000D BOSCH delegated unit with 48 cm flexible stem microphone
Conference sy	/stems >> a	
	стѕ	Portable interpreter cab for simultaneous translation. Dimensions: LxWxH 160x160x200 cm.



Conference systems >> a Marker PK12 Flipchart black NDY	
Conference systems >> a Marker PK12 Flipchart red NDY	
GM2-1643739 Conference systems >> a Niceday Paper Blocks for Chalkboard GM2-5341302, 50g / Mq., 65x98 size GM2-2650065 Conference systems >> a Melamine chalkboard on tripod Niceday, sheet surface LxH 70x100, 100cm extensible legs height. GM2-5341302 Conference systems >> a DCN BOSCH Wire Extension Cable, length 25Mt.	
Conference systems >> a Conference systems >> a	
Conference systems >> a Melamine chalkboard on tripod Niceday, sheet surface LxH 70x100, 100cm extensible legs height. Conference systems >> a	
Conference systems >> a Melamine chalkboard on tripod Niceday, sheet surface LxH 70x100, 100cm extensible legs height. GM2-5341302	
Melamine chalkboard on tripod Niceday, sheet surface LxH 70x100, 100cm extensible legs height. GM2-5341302 Conference systems >> a DCN BOSCH Wire Extension Cable, length 25Mt. LBB4116/25	
Conference systems >> a DCN BOSCH Wire Extension Cable, length 25Mt. LBB4116/25	
DCN BOSCH Wire Extension Cable, length 25Mt. LBB4116/25	
DCN BOSCH Wire Extension Cable, length 25Mt. LBB4116/25	
Conference systems >> a	
Telephone conference for PBX / PSTN Clear One analogue lines MaxWireless	
Conference systems >> a	
Professional presentation presentation for conferences DSAN, complete with 2 remote controls with pointer. Perfect Cue	laser



Image	Code	Description
Conference sy	/stems >> a	
	SLC CTS	Single case for CTS - Dimensions: LxWxH 208x60x110 cm Weight kg.
Conference sy	/stems >> a	
	SoundstationDuo	IP Phone (SIP) and Polycom analog phone
Conference sy	/stems >> a	
	WPresenterR400	Logitech Intuitive Logitech Controller, Wireless, 15Mt Laser Range, Laser Pointer
Standard Cas	e >> a	
	STLC M1	Standard case for accessory with wheels Poeta - Dimensions: WxDxH 124x62x78 cm Weight: 41,5kg.
Standard Cas	e >> a	
<u> </u>	STLC M10	Standard case for accessory Timpani - Dimensions: WxDxH 76x50x50 cm Weight: 14,5kg.
Standard Cas	e >> a	
	STLC M11	Standard case for accessory PR - Dimensions: WxDxH 71x41x39 cm Weight: 14kg.
Standard Cas	e >> a	
	STLC M12	Standard case for accessory with wheels PR - Dimensions: WxDxH 89x59x73 cm Weight: 28,8kg.



Image	Code	Description
Standard Case	e >> a	
100	STLC M13	Standard case for accessory with wheels Hard Box - Dimensions: WxDxH 89x59x73 cm Weight: 30,1kg.
Standard Case	e >> a	
	STLC M14	Standard case DAP for accessories - Dimensions: LxPxH 120.5x40x44 cm Weight: Kg. 24
Standard Case	e >> a	
	STLC M15	Standard case for PR accessories - Dimensions: LxWxH 108x59x78 cm Weight: Kg. 28
Standard Case	e >> a	
	STLC M2	Standard case for accessory with wheels Poeta - Dimensions: WxDxH 122x54x68 cm Weight: 38,1kg.
Standard Case	e >> a	
	STLC M3	Standard case for accessory with wheels Poeta - Dimensions: WxDxH 120x58x70 cm Weight: 39,3kg.
Standard Case	e >> a	
11 0 11	STLC M4	Standard case for accessory with wheels Falcon - Dimensions: WxDxH 104x62x79 cm Weight: 41,6kg.
Standard Case	e >> a	
	STLC M5	Standard case for accessory with wheels Hard Box - Dimensions: WxDxH 175x55x59 cm Weight: 36,3kg.



Image	Code	Description
Standard Case	e >> a	
NOTION 1	STLC M6	Standard case for accessory with wheels Timpani - Dimensions: WxDxH 105x55x83 cm Weight: 30,3kg.
Standard Case	e >> a	
	STLC M7	Standard case for accessory with wheels PR - Dimensions: WxDxH 92x62x76 cm Weight: 35,3kg.
Standard Case	e >> a	
	STLC M8	Standard case for accessory Timpani - Dimensions: WxDxH 121x31x31 cm Weight: 14,7kg.
Standard Case	e >> a	
	STLC M9	Standard case for accessory Timpani - Dimensions: WxDxH 82x42x42 cm Weight: 11,6kg.
Standard Case	e >> a	
	STLPC M1	Standard plastic case W/C for accessory Stage Pro - Dimensions: WxDxH 81x42x42 cm Weight: 3,9kg.
Standard Case	e >> a	
	STLPC M2	Standard plastic case W/C for accessory Stage Pro - Dimensions: WxDxH 61x41x41 cm Weight: 3,7kg.
Standard Case	e >> a	
	STLPC M3	Standard plastic case for accessory PR - Dimensions: WxDxH 64x41x35 cm Weight: 2,3kg.



Image	Code	Description			
Standard Case	Standard Case >> a				
	STLPC M4	Standard plastic case for accessory PR - Dimensions: WxDxH 60x40x43 cm Weight: 3,8kg.			
Standard Case	e >> a				
	STLPC M5	Standard plastic case for accessory PR - Dimensions: WxDxH 40x30x22 cm Weight: 1,8kg.			
Standard Case	e >> a				
	STLPC M6	Standard Plastic case C/C for PR accessories - Dimensions: WxDxH 41x31x23 cm Weight: 1,7Kg.			
Standard Case	e >> a				
	STLPC M7	Standard Plastic case for PR accessories - Dimensions: WxDxH 46x34x24 cm Weight:1,2Kg.			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS FX30 - LITEC			
Ů	Fx30K2	DADO Module 4-way FX30 series			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS FX30 - LITEC			
	Fx30K4	DADO Module 6-way FX30 series			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS FX30 - LITEC			
	Fx30L2090	Corner flat section 29 cm - 2-way 90 °			



Image	Code	Description		
Aluminium structures >> FX40SA ANGLE & FITTINGS - LITEC				
Ø	Fx40K4	6 Way DADO Module for FX40 series		
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC		
	QP30L2ADJ	Angle for square section 29 cm - 2-way adjustable		
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC		
	Qx30K8	DADO Module 6-way QX30 / QD30 series		
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC		
	Qx30L2090	Angle square section 29 cm - 2-way 90°		
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC		
	Qx30L2095	Angle square section 29 cm - 2-way 95°		
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC		
	Qx30L2125	Angle square section 29 cm - 2-way 125°		
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC		
	Qx30L2135	Angle square section 29 cm - 2-way 135°		



Image	Code	Description			
Aluminium stru	Aluminium structures >> CORNERS and CONNECTORS/SPIGOTS QX30 - LITEC				
国每	Qx30L2ADJ	Angle for square section 29 cm - 2-way adjustable			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC			
	Qx30L2PRADJ	Angle for square and triangular section 29/25 cm - 2-way adjustable			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC			
	Qx30T3	Connection of square section 29 cm Section - 3-way T			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX30 - LITEC			
	Qx30X4	Element cross square section 29 cm - 4-way X			
Aluminium stru	uctures >> CORNER	S and CONNECTORS/SPIGOTS QX40S - LITEC			
	Qx40K8	DADO Module 6-way QX40 / QD40 series			
Aluminium stru	uctures >> CORNER	S, SPIGOTS and ACCESSORIES for T29 - SUPERTRUSSE			
	AT390D	Angle for triangular section 29x25,7 cm - 3-way 90° Right			
Aluminium stru	uctures >> CORNER	S, SPIGOTS and ACCESSORIES for T29 - SUPERTRUSSE			
	AT390S	Angle for triangular section 29x25,7 cm - 3-way 90° Left			



Image	Code	Description		
Aluminium structures >> CORNERS, SPIGOTS and ACCESSORIES for T29 - SUPERTRUSSE				
	AT3-TVI	T-junction triangular section 29x25,7 cm, 3-way 90 ° vertical		
Aluminium stru	uctures >> CORNER	S, SPIGOTS and ACCESSORIES for T29 - SUPERTRUSSE		
	GDC/Spic	Quick Connect Kit for T29 series - (3 Spigots+ 6 Pin+ 6 Cotter pins)		
Aluminium stru	uctures >> CORNER	S, SPIGOTS and ACCESSORIES for T29 - SUPERTRUSSE		
	PBT	Floorstands truss T29		
Aluminium stru	uctures >> CORNER	S, SPIGOTS and ACCESSORIES for T29 - SUPERTRUSSE		
	T29L2PRADJ	Angle for square and triangular section 29/25 cm - 2-way adjustable		
Aluminium stru	uctures >> GATES Q	L52 - LITEC		
	C375	LP Truss Clamp with connector and male fork		
Aluminium stru	uctures >> GATES Q	L52 - LITEC		
	FL52047P	Gate HL 52 cm. with horizontal forks - length 47 cm		
Aluminium stru	uctures >> GATES Q	L52 - LITEC		
	FL52066M5P	Gate HL 52 cm. with horizontal forks - length 66,5 cm		



res >> GATES Q MTC40F res >> CIRCULA QX30C1000A8	Frame square with bolts
res >> CIRCULA QX30C1000A8	R QX30 - LITEC
QX30C1000A8	
	Circle square section 29 cm - 1000 cm diameter - 8 sections
res >> CIRCI II A	
103 CIINCULA	R QX30 - LITEC
QX30C1200A12	Circle square section 29 cm - 1200 cm diameter - 12 sections
res >> CIRCULA	R QX30 - LITEC
QX30C1400A12	Circle square section 29 cm - 1400 cm diameter - 12 sections
res >> CIRCULA	R QX30 - LITEC
QX30C1600A12	Circle square section 29 cm - 1600 cm diameter - 12 sections
res >> CIRCULA	R QX30 - LITEC
QX30C300A4	Circle square section 29 cm - 300 cm diameter - 4 sections
res >> CIRCULA	R QX30 - LITEC
QX30C400A4	Circle square section 29 cm - 400 cm diameter - 4 sections
	res >> CIRCULA QX30C1400A12 res >> CIRCULA QX30C1600A12 res >> CIRCULA QX30C300A4



Image	Code	Description		
Aluminium structures >> CIRCULAR QX30 - LITEC				
	QX30C600A8	Circle square section 29 cm - 600 cm diameter - 8 sections		
Aluminium stru	uctures >> CIRCULA	R QX30 - LITEC		
	QX30C800A8	Circle square section 29 cm - 800 cm diameter - 8 sections		
Aluminium stru	uctures >> CONNEC	TION QL52 - LITEC		
	KHLF	Fork female threaded		
Aluminium stru	uctures >> CONNEC	TION QL52 - LITEC		
11 8	KHLP	Steel pin with cotter pin		
Aluminium stru	uctures >> LINEAR E	LEMENTS FX30 - LITEC		
	Fx30010M5	Truss flat section 29 cm - 10.5 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS FX30 - LITEC		
	Fx30021	Truss flat section 29 cm - 21 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS FX30 - LITEC		
	Fx30025	Truss flat section 29 cm - 25 cm length		



Image	Code	Description			
Aluminium structures >> LINEAR ELEMENTS FX30 - LITEC					
	Fx30050	Truss flat section 29 cm - 50 cm length			
Aluminium str	uctures >> LINEAR E	ELEMENTS FX30 - LITEC			
	Fx30100	Truss flat section 29 cm - 100 cm length			
Aluminium str	uctures >> LINEAR E	ELEMENTS FX30 - LITEC			
	Fx30150	Truss flat section 29 cm - 150 cm length			
Aluminium str	uctures >> LINEAR E	ELEMENTS FX30 - LITEC			
	Fx30200	Truss flat section 29 cm - 200 cm length			
Aluminium str	uctures >> LINEAR E	ELEMENTS FX30 - LITEC			
	Fx30250	Truss flat section 29 cm - 250 cm length			
Aluminium str	uctures >> LINEAR E	ELEMENTS FX30 - LITEC			
	Fx30300	Truss flat section 29 cm - 300 cm length			
Aluminium str	Aluminium structures >> LINEAR ELEMENTS FX40SA - LITEC				
	Fx40SA100	Flat truss 40cm - length 100cm			
L	1				



	Fx40SA110	Flat truss 40cm - length 110cm ELEMENTS FX40SA - LITEC Flat truss 40cm - length 250cm
Aluminium structure	es >> LINEAR E	ELEMENTS FX40SA - LITEC
Aluminium structure		
	Fx40SA250	Flat truss 40cm - length 250cm
Aluminium structure	es >> LINEAR E	ELEMENTS QD30 - LITEC
	QD30100	Truss square section 29 cm - 100 cm length
Aluminium structure	es >> LINEAR E	ELEMENTS QD30 - LITEC
	QD30150	Truss square section 29 cm - 150 cm length
Aluminium structure	es >> LINEAR E	ELEMENTS QD30 - LITEC
	QD30200	Truss square section 29 cm - 200 cm length
Aluminium structure	es >> LINEAR E	ELEMENTS QD30 - LITEC
	QD30250	Truss square section 29 cm - 250 cm length
Aluminium structure	es >> LINEAR E	ELEMENTS QL52A - LITEC
	QL52100A	Truss HL Twist resistant square section 52 cm - 100 cm length



Image	Code	Description		
Aluminium structures >> LINEAR ELEMENTS QL52A - LITEC				
	QL52200A	Truss HL Twist resistant square section 52 cm - 200 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS QL52A - LITEC		
	QL52300A	Truss HL Twist resistant square section 52 cm - 300 cm length		
Aluminium stru	uctures >> LINEAR E	LEMENTS - LITEC		
	Qx30010M5	Truss square section 29 cm - 10,5 cm length		
Aluminium stru	uctures >> LINEAR E	LEMENTS - LITEC		
	Qx30019M5	Truss square section 29 cm - 19,5 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC		
	Qx30021	Truss square section 29 cm - 21 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC		
	Qx30025	Truss square section 29 cm - 25 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC		
	Qx30029	Truss square section 29 cm - 29 cm length		



Image	Code	Description			
Aluminium structures >> LINEAR ELEMENTS - LITEC					
	Qx30049M5	Truss square section 29 cm - 49,5 cm length			
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC			
	Qx30050	Truss square section 29 cm - 50 cm length			
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC			
	Qx30100	Truss square section 29 cm - 100 cm length			
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC			
	Qx30150	Truss square section 29 cm - 150 cm length			
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC			
	Qx30200	Truss square section 29 cm - 200 cm length			
Aluminium stru	uctures >> LINEAR E	ELEMENTS - LITEC			
	Qx30250	Truss square section 29 cm - 250 cm length			
Aluminium stru	Aluminium structures >> LINEAR ELEMENTS - LITEC				
	Qx30300	Truss square section 29 cm - 300 cm length			



Image	Code	Description		
Aluminium structures >> LINEAR ELEMENTS - LITEC				
	Qx30350	Truss square section 29 cm - 350 cm length		
Aluminium stru	uctures >> LINEAR E	LEMENTS QX40S - LITEC		
	Qx40S010	Truss square section 40 cm - 10 cm length		
Aluminium stru	uctures >> LINEAR E	LEMENTS QX40S - LITEC		
	Qx40S020	Truss square section 40 cm - 20 cm length		
Aluminium stru	uctures >> LINEAR E	LEMENTS QX40S - LITEC		
	Qx40S030	Truss square section 40 cm - 30 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS QX40S - LITEC		
	Qx40S100	Truss square section 40 cm - 100 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS QX40S - LITEC		
	Qx40S150	Truss square section 40 cm - 150 cm length		
Aluminium stru	uctures >> LINEAR E	ELEMENTS QX40S - LITEC		
	Qx40S200	Truss square section 40 cm - 200 cm length		



Image	Code	Description
Aluminium stru	uctures >> LINEAR E	LEMENTS QX40S - LITEC
	Qx40S250	Truss square section 40 cm - 250 cm length
Aluminium stru	uctures >> LINEAR E	ELEMENTS QX40SA - LITEC
	Qx40SA100	Truss square section 40 cm - 100 cm length
Aluminium stru	uctures >> LINEAR E	LEMENTS QX40SA - LITEC
	QX40SA150	Truss square section 40 cm - 150 cm length
Aluminium stru	uctures >> LINEAR E	ELEMENTS QX40SA - LITEC
	Qx40SA200	Truss square section 40 cm - 200 cm length
Aluminium stru	uctures >> LINEAR E	ELEMENTS QX40SA - LITEC
	Qx40SA300	Truss square section 40 cm - 300 cm length
Aluminium stru	uctures >> LINEAR E	LEMENTS T29 - SUPERTRUSSE
	T29200	Truss triangular section 29x25,7cm - 200 cm length
Aluminium stru	uctures >> LINEAR E	ELEMENTS T29 - SUPERTRUSSE
	T29250	Truss triangular section 29x25,7cm - 250 cm length



Image	Code	Description
Aluminium stru	uctures >> LINEAR E	LEMENTS T29 - SUPERTRUSSE
	T29300	Truss triangular section 29x25,7cm - 300 cm length
Aluminium stru	uctures >> ARTICUL	ATED ELEMENTS FOR TRUSS QX30S/QX40S
	CERN/SING	Articulated module consists of 2 KHLF + 1 KHLP + 2 K370
Aluminium stru	uctures >> FLIGHT C	CASE FOR SPIGOTS/CONNECTORS KIT
	STLC Litec	Standard case for containment accessories mounting truss Hard Box - Dimensions: WxDxH 64x34x33 cm Weight: 10,5kg.
Aluminium stru	uctures >> FLIGHT C	CASE FOR SPIGOTS/CONNECTORS KIT
	STLC SuperT	Standard case for containment accessories mounting truss Hard Box - Dimensions: WxDxH 64x34x33 cm Weight: 10,5kg.

Aluminium stru	uctures >> CONNEC	TION/SPIGOT KIT and ACCESSORIES FX30 - LITEC
	FX30FP	Floorstands &Itspan class="alt-edited">truss FX30
Aluminium stru	uctures >> CONNEC	TION/SPIGOT KIT and ACCESSORIES FX30 - LITEC
	FXFC	Connection kit for FX series (2 Spigots + 4 Pin + 4 Cotter pins)
Aluminium stru	uctures >> CONNEC	TION/SPIGOT KIT and ACCESSORIES FX30 - LITEC
	FXKFC	Connection kit for &Itspan class="alt-edited">DADO module (2 Half spigots + 2 Pin + 2 Cotter pins)



Image	Code	Description
Aluminium stru	uctures >> CONNEC	CTION/SPIGOT KIT and ACCESSORIES FX30 - LITEC
A 30	FXM10	Bolt connection kit for FX series (4 Nuts + 4 Bolts M10)
Aluminium stru	uctures >> CONNEC	CTION/SPIGOT KIT and ACCESSORIES QX30 - LITEC
	BP600	Universal floor base for square and tringular truss 29x29, weight 14Kg.
Aluminium stru	uctures >> CONNEC	CTION/SPIGOT KIT and ACCESSORIES QX30 - LITEC
	C370	LP Trussclamp with half spigot + Pin + Cotter pin
Aluminium stru	uctures >> CONNEC	CTION/SPIGOT KIT and ACCESSORIES QX30 - LITEC
	FP30	Universal floorstands 29cm
Aluminium stru	uctures >> CONNEC	TION/SPIGOT KIT and ACCESSORIES QX30 - LITEC
	QX30ACL	Articulated link &Itspan class="alt-edited">connection with hooks square section 29 cm - (21cm long)
Aluminium stru	uctures >> CONNEC	TION/SPIGOT KIT and ACCESSORIES QX30 - LITEC
	QX30ACS	Articulated link connection with hooks square section 29 cm - (10.5cm long)
Aluminium stru	uctures >> CONNEC	TION/SPIGOT KIT and ACCESSORIES QX30 - LITEC
	QX30FP	Floorstands truss QX30/QD30



Aluminium structures >> CONNECTION/SPIGOT Connection kit for QXKFC Aluminium structures >> CONNECTION/SPIGOT	T KIT and ACCESSORIES QX30 - LITEC on kit for QX series (4 Spigots + 8 Pin + 8 Cotter pins)
Aluminium structures >> CONNECTION/SPIGOT Connection kit for QXKFC Aluminium structures >> CONNECTION/SPIGOT Bolt connection is QXM10 Aluminium structures >> CONNECTION/SPIGOT Universal floorste	on kit for QX series (4 Spigots + 8 Pin + 8 Cotter pins)
QXKFC Aluminium structures >> CONNECTION/SPIGOT Bolt connection I QXM10 Aluminium structures >> CONNECTION/SPIGOT Universal floorsta	
Aluminium structures >> CONNECTION/SPIGOT Bolt connection I QXM10 Aluminium structures >> CONNECTION/SPIGOT Universal floorsta	T KIT and ACCESSORIES QX30 - LITEC
Aluminium structures >> CONNECTION/SPIGOT	or DADO module (4 Half spigots + 8 Pin + 8 Cotter pins)
QXM10 Aluminium structures >> CONNECTION/SPIGOT Universal floorsta	T KIT and ACCESSORIES QX30 - LITEC
Universal floorst	kit for QX/QD series (8 Nuts + 8 Bolts M10)
* *	T KIT and ACCESSORIES QX40S - LITEC
	ands 40cm
Aluminium structures >> CONNECTION/SPIGOT	T KIT and ACCESSORIES QX40S - LITEC
Ploorstands ⁢s	span class="alt-edited">truss QX40/QD40
Aluminium structures >> CONNECTION/SPIGOT	T KIT and ACCESSORIES QX40S - LITEC
QXSM10	kit for QX/QD series (8 Nuts + 8 Bolts M10)
Towers, Tripods, Accessories and hooks >> STA	NDS, ACCESSORIES, CLAMP
Super Clamp, M.	



Image	Code	Description
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	083NWLB	2SCT Low Base, MANFROTTO, max height 1,90Mt.
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	087NW	Wind-Up MANFROTTO, maximum height 3,70Mt.
Towers, Tripod	ls, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
4	118B130	Black hook for projectors 150Kg. YSE
Towers, Tripod	ls, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	142	Stand extension, MANFROTTO, maximum length 2,10Mt.
Towers, Tripod	ls, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	166B130K	Black hook for projectors 20Kg. YSE
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	169	Five socket bracket, MANFROTTO
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
1	174	Hexagonal 16mm Lighting Stud M10, MANFROTTO



Image	Code	Description
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	213/9	Bar headlights K & M (4Par56 / 64)
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	21435	Telescopic 2 sections K&M, maximum height 2.40 Mt.
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
<u></u>	24640	Telescopic 3 sections K&M, maximum height 4 Mt.
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
*	259B130	Black hook for projectors 75Kg. YSE
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
#	264	Rounded 16mm Lighting Stud M10, MANFROTTO
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	428-4.0	Rod 4 sections for pole operated movements, 4 m long MANFROTTO
Towers, Tripod	ls, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	620-10	28mm Male Adapter, MANFROTTO



Image	Code	Description
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	620-12	28mm Male Adapter, MANFROTTO
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
Ę	70109B	Blacks hooks for projectors, capacity 35 kg. SHOWTEC
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
	70110	Steel safety rope, black PVC protection, with carabiner, length 50cm. Showtec
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
*	70365B	Blacks hooks for projectors, capacity 100 kg. SHOWTEC
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
4	7303.400	Hooks for projectors TRED
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
·	7315	Extension rods for projectors TRED, length 0.5 Mtl. to 1Mtl.
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP
2	7315034	Drop-Arm 0,5 to 1,0Mt. + "C" Clamp



Image	Code	Description
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
+€	75101	Hooks black for projectors 150Kg. SHOWTEC
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
*	82603	Large Gaffer Grip Spigot 16mm QUARTZCOLOR
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
A CONTRACTOR OF THE CONTRACTOR	A1030CS	Telescopic 3 sections ARRI, maximum height 3 Mt.
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	BP112/4	Bar headlights length 1,12Mt (4 projectors)
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	BP117/6	Bar headlights length 1,17Mt (6 projectors)
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	BP150	Bar headlights length 1,5Mt
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	BP150/6	Bar headlights length 1,5Mt (6 projectors)



Image	Code	Description
Towers, Tripod	ls, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
	BPM40	Bar to automated fixtures with shank 28mm
Towers, Tripod	ls, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
Ş	C280	Stage Clamp, MANFROTTO
Towers, Tripod	ls, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
30	C285	Stage Clamp With 16mmStud, MANFROTTO
Towers, Tripod	ls, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
	C295	Stage Clamp With 28mm Socket, MANFROTTO
Towers, Tripod	ls, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
	C360	LP Coupler, MANFROTTO
Towers, Tripod	Is, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
	C364	LP Coupler with M10/12 blot plus nut, MANFROTTO
Towers, Tripod	ls, Accessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
	C382	Swivel LP Coupler, MANFROTTO



Image	Code	Description
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
J. 53	C460	Coupler, MANFROTTO
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	C464	Coupler, MANFROTTO
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	C470	Coupler, MANFROTTO
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	C482LI	Swivel LP Coupler, LITEC. C arrying capacity 300Kg <br class="Apple-interchange-newline"/>
Towers Tripoc	ds Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
Towers, Impo	CELL204	Swivel LP Coupler, MILOS.
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
	CLUB 35	Telescopic aluminum silver DOUGHTY, maximum height 3.5 Mt.
Towers, Tripod	ds, Accessories and	hooks >> STANDS, ACCESSORIES, CLAMP
j.	E600	Snap-In Pin for Super Clamp, MANFROTTO



E600C	hooks >> STANDS, ACCESSORIES, CLAMP Stell Snap-In Pin for Super Clamp, MANFROTTO hooks >> STANDS, ACCESSORIES, CLAMP Aluminium telescopic LITE STAND, maximum height 3,5 Mt.
cessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
ELA300S	Aluminium telescopic LITE STAND, maximum height 3,5 Mt.
cessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
EM-100FP	Wheel with brake KUPO for stands 087NW and ST-483T
cessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
FLOST	Floor Stand Projector and Par Can projectors, DTS
cessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
G1199	a
cessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
G200	Large Sand bag weight 15Kg, Manfrotto.
cessories and l	hooks >> STANDS, ACCESSORIES, CLAMP
G50	Stage Clamp With 16mmStud, DTS
	cessories and FLOST cessories and G1199 cessories and G200 cessories and



Image	Code	Description			
Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP					
Control of the second	G60	Stage Clamp With 16mmStud, DTS			
Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP					
7/	Nipper stand	Stand down aluminum DOUGHTY for shank 29 mm			
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP			
	PBG16	Cast iron weight 16 kg			
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP			
	PP150	Extension for 4 projectors, length 1,5 mt			
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP			
	SC050	Rope in steel carabiner safety, length 50 cm. Milos			
Towers, Tripod	ds, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP			
	SC075	Rope in steel carabiner safety, length 75 cm. Milos			
Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP					
	SC090	Rope in steel carabiner safety, length 90 cm. Milos			



Image	Code	Description				
Towers, Tripod	Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP					
	SKD-G0085SC	Rope in steel carabiner safety, length 85cm. SK				
Towers, Tripod	Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP					
	SKD-G011	Black hook for projectors 300Kg. SK				
Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP						
-	SKD-G09B	Black hook for projectors 75Kg. SK				
Towers, Tripod	ls, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP				
4	SKD-G23B	Black hook for projectors 100Kg. SK				
Towers, Tripod	ls, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP				
*	ST-023	Mini Pro Stand, KUPO, maximum height 2,5Mt.				
Towers, Tripod	ls, Accessories and I	nooks >> STANDS, ACCESSORIES, CLAMP				
*	ST-226M	Telescopic KUPO, maximum height 3.38 Mt.				
Towers, Tripod	Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP					
	ST-483T	Wind-Up KUPO, maximum height 3,80Mt.				



Image	Code	Description		
Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP				
	STELV2550	T-adapter support for elevators suitable for truss from 25 to 50cm.		
Towers, Tripods, Accessories and hooks >> STANDS, ACCESSORIES, CLAMP				
T.	Top-4	Universal adapter for stands K & M		
Towers, Tripods, Accessories and hooks >> Towers				
	TL2	Base module for towers QX / QD30 LITEC - (6,5Mt rope extension)		