
Product Catalogue

For the Perfect Finish

Byggtillbehör






Contents

- STAIR NOSINGS Performance, safety and style and some new innovative solutions for all floor surfaces
- **FLEXIBLES** Finishing profiles in P.V.C. for soft flooring applications
- TRANSITIONS, COVERS & RAMPS An extensive selection of profiles to solve
 those floor finishing problems
- **EXPANSION JOINTS** For all applications including structural joints and commercial grade covers

- EDGE PROTECTION Specifically designed for heavy traffic and commercial areas
- **SKIRTING** Skirtings and cappings in Aluminium and P.V.C. giving the perfect finish
- **P.V.C. TRIM** A huge range of quality P.V.C. finishing profiles perfect for ceramic tiles
- METAL TRIM & LISTELLO Aluminium and Stainless Steel profiles in many sizes and finishes



We offer you a combination of profiles to suit all types of stairs and installation requirements. Carpet, laminate, tile or vinyl solutions can be found and we even produce bespoke profiles and offer comprehensive drilling, forming and finishing services. Excellent technical support for installations and materials is available.

3 - 4 | Slimline

5-6 | Heavy Duty

7-8 | PVC

9 - 10 | Aluminator

11 - 15 | Externa

16 - 18 | TreadLit

19 | Tactiles

<u> 20 - </u>25 | Ceramic


26 | Angles & Accessories








Slimline Aluminium Nosings (Nosing finish 80 - Mill Aluminium)









Code	W x D (mm)	Insert Option
NSL01	56 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL02	57 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL03	57 x 30	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL09	85 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL10	85 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL15	66 x 26	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL16	66 x 26	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL19	56 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL20	57 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL21	67 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109
NSL25	69 x 40	01,16,20,25,27,28,30,43,44,46,47,48,109

Available in 2.46m, 2.77m, 3.22m Standard Lengths.

Infill



Channel



Anodising - Maximum length 3m




An alternative range of anodising and powder coated options are also available in addition to the standard options above.





Heavy Duty Aluminium Nosings (Nosing Finish 80 - Mill Aluminium)





Code	W x D (mm)	Insert Option	External Insert
NHD05	60 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109,216,243,246	501,516,520,547,548
NHD06	63 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109,216,243,246	501,516,520,547,548
NHD07	70 x 40	01,16,20,25,27,28,30,43,44,46,47,48,109,216,243,246	501,516,520,547,548
NHD08	71 x 56	01,16,20,25,27,28,30,43,44,46,47,48,109,216,243,246	501,516,520,547,548
NHD11	91 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109	501,516,520,547,548
NHD12	93 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109	501,516,520,547,548
NHD13	91 x 35	01,16,20,25,27,28,30,43,44,46,47,48,109	501,516,520,547,548
NHD17	60 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109,216,243,246	501,516,520,547,548
NHD24	60 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109,216,243,246	501,516,520,547,548
NHD22	72 x 55	01,16,20,25,27,28,30,43,46,47,48,109,216,243,246	501,516,520,547,548
NHD18	70 x 55	80	
NNL01	40 x 10	80	
NNL02	25 x 1	80	
		Av	vailable in 2.46m, 2.77m, 3.22m Standard Lengths.

Heavy Duty Fluted P.V.C. Infill (Optional)

			50mm
Code	W x D (mm)	Infill Finish	
NIFL50	50 x 3.4	216,243,246	3.4mm

Infill



Channel



External Infill



Anodising* - Maximum length 3m




*not compatible with External Grade

15 year warranty applies to External Grade only.





Flexible P.V.C. Nosings



Code	D (mm)	Length (m)	Finish	Box Qty
NFL02	2.5	3.22	16	10
NFL03	3	3.22	16	10
R3041	3	3.00	16	10
R3043	3	3.00	43	10
R3051	2.5	3.00	16	10
R3053	2.5	3.00	43	10




Hard Nose P.V.C



Heavy Duty

Slimline



Heavy Duty

Code	W x D (mm)	Channel Finish	Infill Finish
NHP	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109,216*,243*,246*
NRP	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109,216*,243*,246*
NHB	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109,216‡,243‡,246‡
AHP*	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109
ARP*	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109
AHB*	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109
Slimline			
NSP	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109
NSR	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109
NSB	60 x 36	16,20,46,48	01,16,20,25,27,28,30,43,44,46,47,48,109

Available in 3.22m lengths

Channel



*Aluminator™ available for Heavy Duty Profiles



Infill

LRV = 42.1



LRV = 13.5


 $LRV = 4.5\,$

*Fluted insert diagram available on Page 6

LRV = 55.7



Aluminator[™] Heavy Duty Nosings (Nosing Finish 80 - Mill Aluminium)






Code	W x D (mm)	Insert Option
AHD05	60 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD06	63 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD07	70 x 40	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD08	71 x 56	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD11	91 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD12	93 x 32	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD13	91 x 35	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD17	60 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD22	72 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109
AHD24	60 x 55	01,16,20,25,27,28,30,43,44,46,47,48,109

Available in 2.46m, 2.77m, 3.22m Standard Lengths

Infill



Channel



Anodising - Maximum length 3m



An alternative range of anodising and powder coated options are also available in addition to the standard options above.

External Application Retro Nosings with Silicone Carbide Insert (Nosing Finish 81 - Matt Silver)



Code	W x D (mm)	Length (m)	Infill Finish	Box Qty
NSL23277	68 x 33	2.77	16	10
AHD23277	68 x 33	2.77	16 (with Aluminator Strip)	10



Genstep +



Anti-slip inserts and discs for both internal and external use that offer an aesthetically pleasing solution meeting DDA regulations, also available with Aluminator™ option.








Code	Width (mm)	Depth (mm)	Infill Finish
NTPP10	10	7	Available in all Infill colours below
NTPP25	25	12.5	Available in all Infill colours below
NTPP38	38	8	Available in all Infill colours below
NTPP50	50	12.5	Available in all Infill colours below
NTPA10	9.5	9.5	Available in all Infill colours below
NTPA19	19	12.5	Available in all Infill colours below
NTPA38	38	12.5	Available in all Infill colours below
NTPA50	50	12.5	Available in all Infill colours below
NTPD34	34	7	Available in all Infill colours below
NTPD55	55	7	Available in all Infill colours below
			Specialist Production - Average 7 days from order. No pips available

Infill






NTEX Nosings



A range of bespoke, premium, high quality anti-slip stair nosings manufactured in the UK. The products are exceptionally durable been made from high grade aluminium profiles with variable insert options including Aluminator™.




^{*}Extension Compatible



Code	Width (mm)	Depth (mm)	Infill Finish
NTEX33	73	38	Available in all Infill colours below
NTEX26	65	32	Available in all Infill colours below
NTEX35	73	32	Available in all Infill colours below
NTEX29	152	32	Available in all Infill colours below
NTEX294	222	30	Available in all Infill colours below
NTEX236*	76	31	Available in all Infill colours below
NTEX297	157	7	Available in all Infill colours below
NTEX298	106	7	Available in all Infill colours below
			Specialist Production - Average 7 days from order

Definer





Code	Width (mm)	Depth (mm)	Riser Colours
NDEF8	105	65	01,47
NDEF10	105	65	01,47

Available Infill Finishes 300,305,310,315,320,325,330,335,340,345,350,355,360,365,370,375,380,385,390 Specialist Production - Average 7 days from order

Infill



Definer Riser






^{*}Extension Compatible






GenStep Tread



		N	TDC	
Square				
Code	W x D (mm)	Length (m)	Finish	Box Qty
NTSQ12	12 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTSQ25	25 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTSQ38	38 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTSQ50	50 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTSQ63	63 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTSQ75	75 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
Dovetail				
Code	W x D (mm)	Length (m)	Finish	Box Qty
NTCH12	12 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTCH25	25 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTCH38	38 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTCH50	50 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTCH63	63 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTCH75	75 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
Round				
Code	W x D (mm)	Length (m)	Finish	Box Qty
NTRD12	12 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTRD25	25 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTRD38	38 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTRD50	50 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTRD63	63 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
NTRD75	75 x 6 or 8	1.7 or 2.7	01,16,20,43,47	10
Disc				
Code	D (mm)	Dia (mm)	Finish	Box Qty
NTDC256	6	25	01,16,20,43,47	10
NTDC386	6	38	01,16,20,43,47	10
NTDC506	6	50	01,16,20,43,47	10
	b			
	8	25	01,16,20,43,47	10
NTDC258 NTDC388			01,16,20,43,47 01,16,20,43,47	10 10
NTDC258	8	25		





TreadLite



Electroluminescent lighting


Genesis TreadLite uses Flatlite® technology which is an electroluminescent light that operates by exposing phosphor crystals to AC power. The particles are excited by the voltage and frequency and give off light carried through 1mm thick strips with a 10mm illuminated face.

Features


- Low energy consumption / running costs
- · Flexible, flat and Lightweight
- · Easy to install
- · Cool to touch
- · Perfect even Illumination
- · No UV emitted
- · Consistent light emitted over its length
- · Maintenance free


- DC/AC Power supply
- · No glare hotspots
- Voltage 280V 650hz
- 7 Colour Options
- · Full technical Support
- Max 92mtrs continuous length
- · Power system (Drivers) 110V or 240V AC
- Drivers can power 320m of lighting

Profile	Flat Lite
LAB12	01,28,30,47,50,113,109
LAB6B	01,28,30,47,50,113,109
LAB6	01,28,30,47,50,113,109



8.5mm






LAB12 LAB6




TreadLite









Profile	Flat Lite	Insert
LAB4	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109
LAB7	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109
LAB8	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109
LAB14	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109
LAB4B	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109
LAB7B	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109
LAB8B	01,28,30,47,50,113,109	01,16,20,25,27,28,30,43,44,46,47,48,109


Drivers

LMGDR60	Powers 10-60 mtr	
LMGDR25	Powers 0-25 mtr	
LMGDR12	Powers 0-12 mtr	

Flat Lite












Rubber Stud Tactiles





Bevel Edged Fire Rating M2 • Marine Class · Suitable for heated Floors







•	Weight	1.5kgs

Code	W x L (mm)	Finish	Box Qty
R4250	800 x 420	01	6
R4251	800 x 420	43	6
R4252	800 x 420	46	6
R4257	800 x 420	47	6
R4258	800 x 420	30	6

Fluted Metal Tactile Studs









R4351 R4355

R4357




Code	W x D (mm)	Material	Pack Qty
R4351	25 x 5	Silver Zinc Plated Steel	216 studs
R4355	25 x 5	Stainless Steel	216 studs
R4357	25 x 5	Brass	216 studs
R4375	420 x 595	Template for drilling	1


Pack of studs = approx. $0.6m \times 1.2m$ area




Heavy Duty Ceramic Tile-In Nosing (Nosing finish 81 - Matt Silver)









Code	W x D (mm)	Insert Option
NTC10	74 x 10	01,16,20,25,27,28,30,43,44,46,47,48,109,216
NTC12	74 x 12.5	01,16,20,25,27,28,30,43,44,46,47,48,109,243

Available in 3.22m Standard Lengths.





LRV = 13.5

 $LRV=4.5\,$

Channel



Aluminator™ Available - Prefix ATC

LRV = 55.7





Aluminium Retro-Fit




Code	W x D (mm)	Length (m)	Finish	Box Qty
NRA258	24 x 19	2.8	81,83	20

Aluminium Retro-Fit



Code	W x D (mm)	Length (m)	Finish	Box Qty
NRA442	44 x 26	1.3	80	10
NRA445	44 x 26	2.6	80	10
NRA446	44 x 26	3.2	80	10

Aluminium Tile-In Step Edge



Code	W x D (mm)	Length (m)	Finish	Box Qty
NLT108	19 x 10	2.8	81	10




Aluminium Tile-In




Code	W x D (mm)	Length (m)	Finish	Box Qty
NLM108	26 x 10	2.8	81	10
NLM128	26 x 12	2.8	81	10

Aluminium Tile-In **Aluminator**™



Code	D (mm)	Length (m)	Finish	Box Qty
ALM106	10.5	2.6	81	10
ALM126	12.5	2.6	81	10

Aluminium Formable 2 in 1



 Code
 W x D (mm)
 Length (m)
 Finish
 Box Qty


 NFA125
 3 x 10/12
 2.6
 81,91
 20



Aluminium Tile-In Bullnose









T. T	
Code	D (m
NIAT1OF	10

Code	D (mm)	Length (m)	Finish	Box Qty
NAT105	10	2.6	81	20
NAT105	10	2.6	91	20
NAT125	12	2.6	81	20
NAT125	12	2.6	91	20

Aluminium Stair Grip + PVC Top










Code	W x D (mm)	Length (m)	Finish	Box Qty
NIB106	30 x 10	2.6	16,35	10
NIB126	30 x 12	2.6	16,35	10

PVC End Caps for Aluminium Stair Grip + PVC Top






Code	Description	Finish	Pack Qty
NUC102	Pair of universal end caps	16,35	2



Stainless Steel Tile-In Chevron



Code	D x F (mm)	Length (m)	Finish	Box Qty
NSC104	10 x 23.5	2.5	84	10
NSC124	12 x 25.5	2.5	84	10

Stainless Steel Tile Nosing



Code	D x F (mm)	Length (m)	Finish	Box Qty
NSD104	10 x 22	2.5	102	10
NSD124	12 x 25	2.5	102	10

Aluminium Tile-In with Carbide Insert



Code	D (mm)	Length (m)	Finish	Box Qty
NLC106	10	2.6	81	10
NLC126	12.5	2.6	81	10



Stainless Steel Nosing with Silicone Carbide Insert






Code	W x D (mm)	Length (m)	Finish	Box Qty
NRS360	36 x 25	3	16	10
NRS530	53 x 25	3	16	10

Stainless Steel Tile-in Nosing with Silicone Carbide Insert








Code	W x D (mm)	Length (m)	Finish	Box Qty
NST131	31 x 10	2.5	16	10
NST148	48 x 10	2.5	16	5
NST231	31 x 12.5	2.5	16	10
NST248	48 x 12.5	2.5	16	5




Stair Edge Trim Clips



Code	D (mm)		Pack Qty
NTAB1	4.5 / 7	Dual Height	20
NTAB2	3.5 / 8	Dual Height	20


Stair Edge Trim Pre-Formed



Code	D (mm)	Length (mm)	Finish	Style	Box Qty
NSA190	300	300	16,20,46,48,80	Straight	10
NSA290	350	350	16,20,46,48,80	Straight	10
NSA183	300	300	16,20,46,48,80	Rakeback	10
NSA283	350	350	16,20,46,48,80	Rakeback	10

Landing Strip 2.5m Length

Aluminium





Flexibles

A selection of quality flexible and rigid P.V.C. extrusions designed to provide a clean, neat solution for junctions where the floor meets the wall. Solutions are available to suit most applications in terms of safety, performance and aesthetics.


Genesis P.V.C. profiles are lead-free and REACH compliant.

- 28 | Skirting
- 28 | Cove Former
- 29 | Dim Strip
- 29 | Tile to Vinyl / Cap-Tile
- 30 | Capping Strip
- 31 | Internal Cove and Formers






P.V.C. Flexible Sit On Skirting




Code	H x D (mm)	Length (m)	Finish	Box Qty
KSO75	75 x 17	2	16	40
KSO100	100 x 20	2	16,43,46	30
KSO1015	100 x 20	15 (coil)	16,43	1
KSO150	150 x 20	2	16,43	20

P.V.C. Flexible Set In Skirting



Code	H x D (mm)	Length (m)	Finish	Box Qty
KSI100	100 x 50	2	16,43,46	20


P.V.C. Cove Former



Code	W x D (mm)	Length (m)	Finish	Box Qty
KCOV2	20 x 20	2	16	30
KCOV3	32 x 32	2	16	30
KCOV1	38 x 38	2	16	30



P.V.C. Dim Strip




Code	W x D (mm)	Length (m)	Finish	Box Qty
RDIM20	26 x 2	15	16	10
RDIM25	26 x 2.5	15	16	10
RDIM45	36 x 4.5	2	16	40
RDIM60	40 x 6	2	16	20

P.V.C. Vinyl to Tile









Code	W x D (mm)	Length (m)	Finish	Box Qty
EVC080	15 x 8 (punched flange)	2.5	01	25
EVU080	15 x 8 (unpunched flange)	2.5	01	25
EVT080	15 x 8	2.5	01	25
EVT120	15 x 12	2.5	01	25
EFU080	15 x 8	2.5	01	25

Flexibles



P.V.C. Capping Strip



Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS01	40 x 2	2	01,16,43	40
KCS012	40 x 2	20	01,16	3

P.V.C. Edge Cap Strip




Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS02	39.5 x 1.5	2	01,16	40
KCS022	39.5 x 1.5	20	01,16,43	3



P.V.C. Scotia & Corners







Code	W x D (mm)	Length (m)	Finish	Box Qty
EKI090	15 x 9	2.5	01	25
EKI120	15 x 12	2.5	01	25

P.V.C. Internal Cove Corner Pieces







Code	Description	D (mm)	Finish	Pack Qty
PKE912	External Corner	9 / 12	01	50
PKI912	Internal Corner	9 / 12	01	50



Transitions Covers & Ramps

Our range of transition profiles provides an extensive portfolio of both commercial and DIY products – all giving you performance, function and aesthetics. With different colours, designs and materials, our range will complement most floor coverings.

- 33 | Self Adhesive
- 33 | Stainless Steel
- 34 | Carpet to Tile
- 35 37 | Fast Fit Invisible System
 - 38 | Soft Grip Systems
 - 38 | Z-Bar
 - 39 | Tile-In & Access Ramps
- 40 41 | Reducers
 - 42 | Clip Top Systems



Transitions, Covers & Ramps



Self Adhesive





Code	W x D (mm)	Length (m)	Finish	Box Qty
TAS157	50 x 15	2.7	40,81,83	10
TAS107	43 x 10	2.7	40,81,83	10
CAS407	40 x 3	2.7	39,40,41,81,83	10
NAS207	30 x 20	2.7	40,81,83	10
NAS107	25 x 10	2.7	40,81,83	10

Brushed Stainless Cover




Code	W (mm)	Length (m)	Description	Box Qty
R1060	30	2.7	Pre-drilled	40
R1063	40	2.7	Pre-drilled	40
R1064	50	2.7	Pre-drilled	40
R2060	30	2.7	Self Adhesive	20

Transitions, Covers & Ramps




Aluminium Tile to Carpet Top





Code	W x D (mm)	Length (m)	Finish	Box Qty
TCA109	25 x 2	0.92	81,83	20
TCA109	25 x 2	0.92	91	20
TCA108	25 x 2	2.8	81,83	20
TCA159	40 x 3	0.92	81,83	20
TCA159	40 x 3	0.92	87,91	20
TCA158	40 x 3	2.8	81	20
TCA158	40 x 3	2.8	87,91	20

Aluminium Tile to Carpet Top & Base Sets





91	
Bright	
Cilvor	

Code	W x D (mm)	Length (m)	Finish	Box Qty
TTB109	25 x 10	0.92	91	10
TTB159	40 x 10	0.92	81,83	10
TTB159	40 x 10	0.92	87,91	10
TBA109	25 x 10	0.92	80	20
TBA108	25 x 10	2.8	80	20

Transitions, Covers & Ramps




Fast Fit Ramp System





Unique Clip System. Allows use with different floor covering material depths. Accommodates height variation up to 20mm.


- · TCR for drill fitting option
- TCG Multiflex base for Carpet installation
- TCC Multiflex base for all other floor coverings
- · TTG Multiflex set
- All Bases include 5 + 5 clips.




























TTG







Code	W (mm)	Length (m)	Finish	Box Qty
TCR409	40	0.92	40,41,87,91,93,104,131,132,134,135,136	20
TCR409	40	0.92	81,83,85	20
TCR405	40	1.85	40,41,93,104,131,132,134,135,136	20
TCR405	40	1.85	81,83,85	20
TCG109	25	0.92	80	20
TCC109	25	0.92	80	20
TTG409	40	0.92	87,91	20




TCC

Fast Fit Slimline


Perfect finishing for junctions of different floor coverings of same height.

- Covers a gap up to 30mm
- TCS for drill fitting option
- TCG Multiflex for Carpet installation
- TCC Multiflex for all other floor coverings






Code	W (mm)	Length (m)	Finish	Box Qty
TCS409	40	0.92	40,41,93,104,131,132,134,135,136	20
TCS409	40	0.92	81,83,85	20
TCS405	40	1.85	40,41,93,104,131,132,134,135,136	20
TCS405	40	1.85	81,83,85	20
TCG109	25	0.92	80	20
TCC109	25	0.92	80	20



Aluminium Transition Straight & Formable





Code	W x D (mm)	Length (m)	Finish		Box Qty
TAG106	17 x 10	2.5	81,91	Straight	20
TAF106	17 x 10	2.5	81,91	Formable	20





Aluminium Softgrip System












Code	W x D (mm)	Length (m)	Finish	Box Qty
TTM409	40 x 10/14	0.92	81,83	5
TTO369	37 x 10/14	0.92	81,83	5

Aluminium Z-Bar Carpet Lock










Code	W x D (mm)	Length (m)	Finish	Box Qty
TGA909	30 x 9	0.9	81,83	45
TGA909	30 x 9	0.9	87,91	45
TGA907	30 x 9	2.7	81,83	15
TGA907	30 x 9	2.7	87,91	15
TGA149	30 x 14	0.9	81,83	45



Tile Aluminium Ramp



Code	W x D (mm)	Length (m)	Finish	Box Qty
RSA104	20 x 10	2.5	80,81	20
RSA124	23 x 12	2.5	80,81	20
RUA104	16 x 10	2.5	81,89	20
RUA124	19 x 12	2.5	81,89	20

Aluminium Access Ramp










Code	W x D (mm)	Length (m)	Finish	Box Qty
RAA104	65 x 10	2.5	81	5
RAA124	65 x 12.5	2.5	81	5
RAA154	90 x 15	2.5	81	5
RAA204	90 x 20	2.5	81	5

Stainless Steel Tile-in Ramp










Code	W x D (mm)	Length (m)	Finish	Box Qty
RSS084	20 x 8	2.5	84	10
RSS104	20 x 10	2.5	84	10
RSS124	25 x 12.5	2.5	84	10
RSS1584	12 x 15	2.5	84	10



Aluminium Retro-Fit Vinyl Reducer



Code	W x D (mm)	Length (m)	Finish	Box Qty
TVA259	40 x 2.5	0.92	81,83	20
TVA258	40 x 2.5	2.8	81,83	20

Aluminium Reducer



[3mm

Perfect for edging PVC or linoleum floors.


Pre-drilled.



Code	H (mm)	Length (m)	Finish	Box Qty
R1931	3	2.7	81	10

Aluminium Reducer





Ideal for areas with vinyl flooring or tiles.

Pre-drilled.



Code	H (mm)	Length (m)	Finish	Box Qty
R2695	2.8	2.7	81	10



Aluminium Reducer







For carpet tiles, loose lay PVC tiles etc. Pre-drilled.

Code	H (mm)	Length (m)	Finish	Box Qty
R2690	5 - 7	2.7	81	10

Aluminium Reducer







Heavy Duty for commercial applications


Pre-drilled.

Code	H (mm)	Length (m)	Finish	Box Qty
R2651	8	3	81	5

Aluminium Reducer







For easy access with pallet trucks, trolleys and wheelchairs.


Pre-drilled.



Code	H (mm)	Length (m)	Finish	Box Qty
R2621	10.5 - 15	2.7	81	20





P.V.C. Dim Strip




Code	W x D (mm)	Length (m)	Finish	Box Qty
RDIM20	26 x 2	15	16	10
RDIM25	26 x 2.5	15	16	10
RDIM45	36 x 4.5	2	16	40
RDIM60	40 x 6	2	16	20

Clip Tops







16.95mm

TBAS3



Code	W x D (mm)	Length (m)	Finish	Box Qty
TTOP1	53 x 6.25	2.5	16,43	10
TBAS1	34 x 6.25	2.5	80	10
TTOP2	37 x 8.55	2.5	16,43	10
TBAS2	17 x 8.55	2.5	80	10
TTOP3	37 x 8-10	2.5	16,43	10
TBAS3	17 x 8 55	2.5	80	10



The selection of the correct Expansion Joint is determined by; area, traffic and the floor covering. Performance and function are paramount when making your selection and our range meets both those requirements. You'll find light, medium and heavy duty expansion joints in this section, classed according to the degree of protection the profile offers the floor covering, the anticipated traffic crossing the floor, and any point loading.

Technical

These intermediate expansion joints are classed as stress relieving control joints, and as such will accommodate expansion and contraction of approximately +/-1.5mm. They are in accordance with the relevant British Standards and Codes of Practice. For a more detailed specification and technical information please call the Genesis technical department.

44 - 45 | Tile & Screed Joints

46 - 47 | Structural Joint

48 - 49 | Surface Mounted Structural Joints

49 | Floor / Wall Structural Joints

50 - 51 | Structural Covers





P.V.C. Movement & Perimeter Joint






Code	D (mm)	Length (m)	Infill Finish	Box Qty
MLB080	8	2.5	35	30
MLB100	10	2.5	16,25,35	25
MLB125	12.5	2.5	16,35	25

P.V.C. Screed Joint



35 Dark Grey





Code	D (mm)	Length (m)	Finish	Box Qty
MSR300	30	2.5	11,16,25	25
MSR500	50	2.5	11,16,25	25

Aluminium Intermediate Joint






Code	D (mm)	Length (m)	Infill Finish	Box Qty
MMA100	10	2.5	16,35	10
MMA120	12	2.5	16,35	10



Stainless Steel Heavy Duty








Code	D (mm)	Length (m)	Infill Finish	Box Qty
MHS080	8	2.5	16,35	10
MHS100	10	2.5	16,35	10
MHS120	12	2.5	16,35	10
MHS150	15	2.5	16,35	10
MHS225	22.5	2.5	16,35	10

Optimax Aluminium Heavy Duty






Code	D (mm)	Length (m)	Infill Finish	Box Qty
MSA080	8	2.5	16,35	10
MSA100	10	2.5	16,25,35	10
MSA125	12	2.5	16,25,35	10
MSA150	15	2.5	16,35	10
MSA180	18	2.5	16,35	10
MSA225	22.5	2.5	16,35	10
Optimax Alur	minium Heavy Du	ty Replaceable Infill		
Code	D (mm)	Length (m)	Finish	Box Qty
MSI100	9.8	2.5	16,35	20



Structural Joint 50mm Medium Duty Aluminium





Code	D (mm)	Length (m)	Finishes	Exp (%)	Comp (%)	Lateral (%)	Sight Line	Туре
GFSR5018	18	3	16,35	13	13	10	56	Smooth
GFGR5018	18	3	16,35	13	13	10	56	Grooved
GFSR5030	30	3	16,35	13	13	10	56	Smooth
GFGR5030	30	3	16,35	13	13	10	56	Grooved
GFSR5040	40	3	16,35	13	13	10	56	Smooth
GFGR5040	40	3	16,35	13	13	10	56	Grooved
GFSR5050	50	3	16,35	13	13	10	56	Smooth
GFGR5050	50	3	16,35	13	13	10	56	Grooved
GFSR5070	70	3	16,35	13	13	10	56	Smooth
GFGR5070	70	3	16,35	13	13	10	56	Grooved
GFSS50								Support

Surface Mounted Joints

Code	D (mm)	Length (m)	Finishes	Exp	Comp	Lateral	Sight Line	Туре
GFSS5030	18	3	16,35	7	6	5	56	Smooth
GFGS5030	18	3	16,35	7	6	5	56	Grooved

Fire Barriers

Code	Width	Length (m)	Suits Joint Width			
GFFB2030	20	30	10-15mm			
GFFB3030	30	30	15-20mm			
GFFB4030	40	30	20-30mm			
GFFB6030	60	30	40-50mm			
GF1KGRGL	1Kg desc. Refractory silicate glue (advised 50gr/ml)					


Watertighting

Code Us

GFWATT70 Will prevent ingress of dust and moisture into the expansion gap

Other joint widths available on request

Structural Joint 30mm Medium Duty Aluminium






Code	D (mm)	Length (m)	Finishes	Exp (%)	Comp (%)	Lateral (%)	Sight Line	Туре
GFSR3085	8.5 or 15.5	3	16,35	15	15	11	30	Smooth
GFGR3085	8.5 or 15.5	3	16,35	17	17	13	30	Grooved
GFSR3031	10.5 or 13.5	3	16,35	15	15	11	30	Smooth
GFGR3031	10.5 or 13.5	3	16,35	17	13	13	30	Grooved




Structural Joint Heavy Duty Lateral





Code	D (mm)	Length (m)	Exp (%)	Comp (%)	Lateral (%)	Sight Line
GFAM5027	30	3	18	18	10	74
GFAM5047	50	3	18	18	10	74
GFAM5067	70	3	18	18	10	74

Structural Joint Wall Corner Cover




Code	Finish	Width (mm)	Depth (mm)	Length (m)	Box Qty	Fixing
GCANGA40	81	40	2.5	2.7	10	Clip
Structural Join	nt Wall Corner	Cover Clips, Stainles	ss Steel			
Code	Finish	Description				Box Qty
Code GCCSINSS	Finish 84	Description Single clip				Box Qty 10











PRS Light Duty (Raised Vinyl Insert)





PRS Medium Duty






Alternative configurations, widths, depths and colours available.

Please contact Genesis



PRS Medium Duty (Raised Vinyl Insert)






PRS Angle Light Duty








Code	W (mm)	D(mm)	Length (m)	Finish	Exp (%)	Comp (%)	Lateral (%)	Туре
GFWF303	86	0	3	35	14	14	11	Smooth

PRS Angle Medium Duty








Code	W (mm)	A (mm)	D(mm)	Length (m)	Finish	Exp (%)	Comp (%)	Lateral (%)	Туре
GFWF283	73		0	3	16	32	32	29	Grooved
GFWF383	83		0	3	16	24	24	21	Grooved
GFWF483	93		0	3	16	19	19	17	Grooved



Structural Joint Wall Cover, P.V.C.



Code	Finish	Width (mm)	Depth (mm)	Length (m)	Box Qty	Fixing
GCWLL50	01,11,25	50	4	3	10	Clip
Structural Join	nt Wall Cover Cl	ip, Stainless Steel				
Code	Finish	Description			Box Qty	
GCCLSMMS	84	Clip for GCWLL	.50		50	

Aluminium Covers, Clip Fixing



Code	W x D (mm)	Length (m)	Finish	Box Qty
GC2826	80 x 5	3.4	81	10
GC2837	120 x 5	2.5	81	5
Aluminium	Cover Clip			
Code	Supplied		Packs per Box	
GC6887	Packs of 10 C	lips	10	

Aluminium Covers, Screw Fixing & Self Adhesive on other side



Code	W x D (mm)	Length (m)	Finish	Box Qty
GC2801	60 x 4	3.4	81	10
GC2811	80 x 4	3.4	81	10
GC2815	100 x 3	3.0	81	5



Aluminium Covers, Self Adhesive










Code	W x D (mm)	Length (m)	Finish	Box Qty
GC2806	60 x 4	3.4	81	10
GC2820	80 x 4	3	81	10
GC2814	100 x 3	3	81	5
GC2822	120 x 4	3	81	10
GC2819	150 x 5	3	81	1
GC2841	180 x 5	3	81	5

Structural Joint Cover, Stainless Steel. Self Adhesive.



Brushed





Code	Width (mm)	Depth (mm)	Length (m)	Finish	Box Qty	Side Drill
GC2796	60	5	2.5	102	10	On request
GC2797	80	5	2.5	102	10	On request
GC2798	100	5	2.5	102	10	On request

Aluminium Covers, Plug Fixing (included)



81 Matt Silver





Code	W x D (mm)	Length (m)	Finish	Box Qty
GC2846	80 x 5	3.4	81	10
GC2848	100 x 5	3.4	81	10



Edge Protection

The failure to provide adequate protection to edges and external corners can be seen everywhere. In both public and private buildings the appearance of the finished surface – and therefore the architect's vision - is so often spoiled at these vulnerable points.

53 | P.V.C

53 | Aluminium

54 | Stainless Steel


54 - 57 | Commercial Corner Guards & Protection Plates (Acrovinyl)








P.V.C. Retro-Fit Corner Protector




Code	W x D (mm)	Length (m)	Finish	Box Qty
ERP120	12 x 12	2.5	01	50
ERP200	20 x 20	2.5	01	50
ERP250	25 x 25	2.5	01	50
ERP300	30 x 30	2.5	01	25
ERP400	40 x 40	2.5	01	25
FRP500	50 x 50	2.5	01	25

P.V.C. Formable Plaster Protector



Code	W x D (mm)	Length (m)	Finish	Box Qty
EPF250	25 x 2	2.5	111	50

Aluminium Retro-Fit Corner Protector




Code	W x D (mm)	Length (m)	Self-Adhesive	Finish	Box Qty
EAA250	25 x 25	2.5	Yes	81	20
EAA254	25 x 25	2.5	No	81	20

Wall & Edge Protection




Stainless Steel Retro-Fit Corner Protector - Self Adhesive



Code	W x D (mm)	Length (m)	Finish	Box Qty
EAS304	30 x 30	2.5	102,84	10
EAS504	50 x 50	2.5	102,84	10
EAS515	50 x 50	1.5	84	10

Corner Guard

Highly resilient corner profile thanks to the unique design of its rounded shape. Efficient protection against harmful, violent shocks. Recommended in public areas of hospitals, kitchens, etc... PVC, M1 classification. To be clipped to aluminium profiles screwed into the wall.







R469

Code	Description	Width	Length	Box Qty
R468	Heavy Duty Corner Guard	50mm	2.7m	5
R469	End Cap for KCG50 Corner Guard			50

All products available in finishes: 0,1,2,3,4,5,6



Wall & Edge Protection





Self Adhesive Corner Guard

Adjustable corner profile with flexible edging that can conform to all types of internal and external angles. PVC, Fire rating: BS2 D0.

Thickness 2 mm. Foam adhesive.

In case of heavy traffic area, reinforce with MS polymer adhesive.





Code	Description	WxD	Length	Box Qty
R465	30 x 30mm Corner Guard	30 x 30	2.7m	10
R466	50 x 50mm Corner Guard	50 x 50	2.7m	10

All products available in finishes: 0,1,2,3,4,5,6





Self Adhesive Adjustable Corner Guard

Finishing corner profiles that fit into all interiors to protect the corners from minor collisions.

PVC, Fire rating: BS2 D0. Thickness 2 mm. Foam

adhesive.





Code	Description	W x D	Length	Box Qty
R467	Corner Guard with Flexible Corner	60 x 60	2.7m	10
		All products available in finishes: 0,1,2,3,4,5		



Wall & Edge Protection



P.V.C Protection Plate

For protecting the bottoms of doors against kicks, central parts of doors against hand marks, walls against possible trolley impacts etc. Very high resistance to


Very high resistance to abrasion, scratching, soiling, chemical products and germs. Heavy metal-free colored PVC.

Th. 1.8 mm - lightly grained - weldable joints.
Fire rating: BS2 D0.





Code	Description	W (m)	Length	Box Qty	
R460	Whole Door Plate	1.3	3m	1	
		All prog	All products available in finishes: 0.1.2.3.4.5.6		



P.V.C Self Adhesive Wall Guard

Smooth extruded PVC profiles, self-adhesive, anti-shock with some decorative grooves. Fire rating: BS2 D0.





Code	Description	H (mm)	Length	Box Qty
R463	Self Adhesive Wall Guard	200	4m	1
R464	Self Adhesive Wall Guard	350	4m	1

All products available in finishes: 0,1,2,3,4,5,6



Edge Protection





P.V.C Wall Protection Plates 20cm x 3m

Fire rating: BS2 D0. Made of P.V.C. To protect the bottom of doors from kicking, the middle of doors from dirty hands and the walls from potential impacts. Very good resistance to abrasion, scratches, dirt and chemical products.

. Width 1.8mm - lightly grained surface - weldable joints.





Code	Description	W (mm)	Length	Box Qty
R480	P.V.C Protection Plate	200	3m	1
			All products avail	able in finishes: 0.2.3





Skirting

Our extensive range of skirting and capping profiles are specifically designed to complement a variety of floor finishes. Genesis skirting and capping products provide solutions where wall meets floor and are suitable for most applications from domestic to commercial

- 59 | Clip Or
- 60 | Standard / Solf Adhosiv
- 61 | Flexible
- 62 | Cap Tile
- 62 | Cover Formers
- 63 | Capping Strips
- 63 | Internal Coves







Aluminium Clip On Skirting, Corners & End Caps






Code	W x D (mm)	Length (m)	Finish	Box Qty
KAC710	10 x 70	2.5	81	10
Aluminium Cl	ip On Skirting Pre-f	ormed External Corners		
Code	W x D (mm)	Description	Finish	Box Qty
KEC710	10 x 70	Pre-formed external corner	81	1
KIC710	10 x 70	Pre-formed internal corner	81	1
Aluminium Cl	ip On Skirting Profe	essional External Corners		
Code	W x D (mm)	Description	Finish	Box Qty
KEP710	10 x 70	Professional External Corner	81	1
Aluminium Cl	ip On Skirting End	Caps		
Code	W x D (mm)	Description	Finish	Box Qty
KLC710	10 x 70	Left end cap	81	1
KRC710	10 x 70	Right end cap	81	1



KES / KPE

Aluminium Skirting, Corners & End Caps



Aluminium 3	Kirting Self Adnes	ive		
Code	D (mm)	Length (m)	Finish	Box Qty
KAS600	60	2	81	10
KAS800	80	2	81	10
KAS100	100	2	81	10
Aluminium S	kirting Standard			
Code	D (mm)	Length (m)	Finish	Box Qty
KAA600	60	2	81	10
KAA800	80	2	81	10
KAA100	1 00	2	81	10
Aluminium S	kirting Corners &	End Caps		
Code	Description	•	Finish	Box Qty
=				

KPI


KLE / KRE / KPC

Code	Description	rinisn	box Qty		
KLE600	Left end cap for KAA600 / KAS600	81	1		
KRE600	Right end cap for KAA600 / KAS600	81	1		
KES600	External corner for KAA600 / KAS600	81	1		
DVC Skirting Corners & End Cons					

Code	Description	Finish	Box Qty
KPE600	External Corner for KAA600/KAS600	11	20
KPI600	Internal Corner for KAA600/KAS600	11	20
KPC600	Pair End Caps (L/R) for KAA600/KAS600	11	20
KPE800	External Corner for KAA800/KAS800	11	20
KPI800	Internal Corner for KAA800/KAS800	11	20
KPC800	Pair End Caps (L/R) for KAA800/KAS800	11	20
KPE100	External Corner for KAA100/KAS100	11	20
KPI100	Internal Corner for KAA100/KAS100	11	20
KPC100	Pair End Caps (L/R) for KAA100/KAS100	11	20




P.V.C. Flexible Sit On Skirting



Code	H x D (mm)	Length (m)	Finish	Box Qty
KSO75	75 x 17	2	16	40
KSO100	100 x 20	2	16,43,46	30
KSO1015	100 x 20	15 (coil)	16,43	1
KSO150	150 x 20	2	16,43	20

P.V.C. Flexible Set In Skirting



Code	H x D (mm)	Length (m)	Finish	Box Qty
KSI100	100 x 50	2	16.43.46	20




P.V.C. Vinyl to Tile










Code	W x D (mm)	Length (m)	Finish	Box Qty
EVC080	15 x 8 (punched flange)	2.5	01	25
EVU080	15 x 8 (unpunched flange)	2.5	01	25
EVT080	15 x 8	2.5	01	25
EVT120	15 x 12	2.5	01	25
EFU080	15 x 8	2.5	01	25

P.V.C. Cove Former



Code	W x D (mm)	Length (m)	Finish	Box Qty
KCOV2	20 x 20	2	16	30
KCOV3	32 x 32	2	16	30
KCOV1	38 x 38	2	16	30



P.V.C. Capping Strip











Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS01	40 x 2	2	01,16,43	40
KCS012	40 x 2	20	01,16	3

P.V.C. Edge Cap Strip










Code	W x D (mm)	Length (m)	Finish	Box Qty
KCS02	39.5 x 1.5	2	01,16	40
KCS022	39.5 x 1.5	20	01,16,43	3


P.V.C. Scotia & Corners

Internal Corner





9 / 12





50

Code	W x D (mm)	Length (m)	Finish	Box Qty
EKI090	15 x 9	2.5	01	25
EKI120	15 x 12	2.5	01	25
Aluminium C	Clip On Skirting Pre-fo	rmed External C	orners	
Code	W x D (mm)	Description	Finish	Box Qty
PKE912	External Corner	9 / 12	01	50

01

PKI912



P.V.C Trim

Genesis P.V.C. Trims are individually designed for a variety of finishing functions, and in various depths and finishes.

They are manufactured to the highest standards from top quality virgin lead free P.V.C.u. and with internal and external corners they are finished professionally, providing a long lasting protective finish to any ceramic installation.

65 - 67 | Round Edge Corners

66 | Straight Edo

68 | Internal Cov

69 - 70 | Bath Seals

71 - 72 | G-Flex


/3 | Cap Tile / Tile to Vinyl








Trim Regular






Code	D (mm)	Length (m)	Finish	Box Qty
ETR608	6	2.5	01,10,11,14,16,32,34,111	100
ETR708	7	2.5	01	100
ETR808	8	2.5	01,07,09,10,11,12,14,15,16,20,25,26,30,32,34, 62,63,64,70,72,109,111,116	100
ETR108	10	2.5	01,07,09,10,11,12,14,15,16,20,24,25,26,30,32,34, 62,64,70,72,81,91,107,109,111,113,116	60
ETR128	12	2.5	01,09,10,11,13,14,16,25,32,34,64,70,111,116	60






Trim Regular Corner Pieces







Code	D (mm)	Туре	Finish	Pack Qty
PDM603	6	Single	01,10,11,14,16,25,32,34	100
PDP604	6	Single	01,10,11,14,16,25,32,34	4 Blister Pack
PRM603	6	Double	01	100
PER604	6	Large Double	01,32	50
PDL803	8	Single	01,10,11,14,16,25,32,34	100
PDP804	8	Single	01,10,11,14,16,25,32,34	4 Blister Pack
PRL803	8	Double	01	100
PER804	8	Large Double	01,32	50
PDX103	10	Single	01,10,11,14,16,25,32,34	100
PDP104	10	Single	01,10,11,14,16,25,32,34	4 Blister Pack
PRX103	10	Double	01	100
PDX123	12	Single	01,10,11,14,16,25,32,34	100
PDP124	12	Single	01,10,11,14,16,25,32,34	4 Blister Pack



Straight Edge Trim





Code	D (mm)	Length (m)	Finish	Box Qty
ESP060	6	2.5	01	100
ESP080	8	2.5	01,11,14,32	100
ESP100	10	2.5	01,10,11,14,16,32	100
ESP120	12	2.5	01,11,14,32	100
ESP150	15	2.5	01	100






Trim Plus

32 Soft Cream









Code	D (mm)	Length (m)	Finish	Box Qty
ETP648	6.4	2.5	01	80
ETP758	7.5	2.5	01	80
FTP908	9	2.5	01 16 32	50

Trim Plus Corner Pieces








Code	D (mm)	Туре	Finish	Qty / Pack
PCL235	9	Internal/External	01	2 of each
PCL236	9	External	01	100
PCL240	6	Internal	01	100
PCM215	6	Internal/External	01	2 of each
PCM216	6	External	01	100
PCM240	6	Internal	01	100

P.V.C. 4D








Code	D (mm)	Length (m)	Finish	Box Qty
EFD710	7-10	2.5	01	10




P.V.C. Internal Trim



Code	D (mm)	Length (m)	Finish	Box Qty
ET1070	7	2.5	01	50
ET1090	9	2.5	01,09,10,11,12,14,15,16,20,21,24,25,32,52,62,91,107,109,113	50



P.V.C. Internal Cove



Code	D (mm)	Length (m)	Finish	Box Qty
EKI120	12	2.5	01	25


P.V.C. Internal Cove Corner Pieces



Code	D (mm)	Туре	Finish	Qty/Pack
PKI912	9/12	Internal	01	50
PKE912	9/12	External	01	50




P.V.C. Seal Under / Over Tile



Code	Fixing	Length(m)	Finish	Box Qty
SBS180	Under / over tile	1.8	01	25
SPS180	Under tile only	1.8	01	25
P.V.C. Seal U	nder / Over Tile Corner	Pieces		
Code	Packed		Finish	Box Qty
SMT100	1 corner + 2 end c	aps	01	50 packs


P.V.C. Eezi Seal



Code	W x D (mm)	Length (m)	Finish	Box Qty
SOR335	15 x 15	3.5	01	48



P.V.C. Seal Plus / Self Adhesive






P.V.C. Seal Pl	us			
Code	Fixing	Length (m)	Finish	Box Qty
SSP180	Under / over tile	1.8	01	50
P.V.C. Seal Pl	us Self Adhesive			
Code	Fixing	Length (m)	Finish	Box Qty
SSA180	Under / over tile	1.8	01	50
P.V.C. Seal Co	orner Pieces			
Code	Packed		Finish	Box Qty
SMP100	1 corner + 2 end	caps	01	50 packs

P.V.C. Beading







Code	Fixing	Length (m)	Finish	Box Qty
SRP250	Over tile only	2.5	01	25
P.V.C. Beadin	ng Corner Pieces			
Code	Packed		Finish	Box Qty
SRE100	2 way external o	orner x 5	01	50
SRI100	2 way internal c	orner x 5	01	50
SRT100	3 way internal c	orner x 5	01	50



G-Flex Timber Floor Reinforcing Sheet



Preparation

- Existing wooden floors must be rigid, stable and capable of supporting additional load without flexing and have sufficient ventilation beneath them.
- Prior to laying Genesis G-Flex all loose boards should be secured with appropriate sized screws (not nails). This should be done by screwing at 300mm centres. If there is excessive flexing or movement within the floor the addition of extra noggins may be required.
- Ensuring the floor is clean and free of dust, prime the floor using a diluted mix of a suitable Universal Bonding Agent and Sealer diluted 4 parts water to one part U.B.A.S.
- 4. Leave to dry prior to applying G-Flex.

Using G-Flex on tongue and grooved wooden, chipboard or plywood floors.

- 1. Follow Preparation steps 1 4.
- Lay G-Flex into place and where necessary cut to fit using scissors or a suitable cutting knife.
- Remove the backing release paper and lay G-Flex into place ensuring good adhesion to the floor.
- Continue over the entire floor area fixing subsequent sheets of G-Flex in a brick bond fashion. This ensures the maximum amount of strengthening characteristics over the floor area.
- A suitable rapid setting flexible adhesive should be trowelled into the surface of the G-Flex ensuring the mesh cavities are completely filled; the surface should then be lightly combed prior to fixing tiles.

Using G-Flex in conjunction with Genesis Waterproof Tanking System

- 1. Follow Preparation steps 1 4.
- 2. Where applicable cut out the timber floor to install a shower deck and make connections for drainage.
- 3. Place the G-Flex into position on the floor, removing the backing sheet for self-adhesive fixing.
- Apply a thin, even layer of tile adhesive over the G-Flex to provide a flat surface on which to lay the Genesis Waterproof Sealing Mat SWR.
 This will waterproof all sections of the timber floor.
- Use the Waterproof Joint Tape SWJ to seal joints in the Sealing Mat SWR and at the internal floor to wall joints.
- Apply the Genesis Waterproof Tanking Kit SWK600 to waterproof prior to tiling.
- Using a brush apply the first coat of Genesis Waterproof Membrane SWK600 at internal corners, wall and floor junctions, and the joint between the shower deck and waterproof mat.
- 8. Ensure all the Waterproof Tanking components are pressed firmly into position and allow to dry.
- 9. Using a medium roller apply the first coat of membrane to wall and floor.

 It is not acceptable and the change deals (a).
 - It is not necessary to coat the shower deck (only around the drain collar) as it is waterproof. Allow to dry.
 - Apply the second coat of membrane over walls, floors and Wet room components to ensure a good seal is achieved. The optimum thickness of the membrane to be minimum 0.6mm for the two coats.
- Allow to dry for at least 2 hours before commencing tiling.

Using G-Flex when fixing tiles to timber floors incorporating electrical undertile heating systems.

- 1. Follow Preparation steps 1 4.
- Spread a thin, even layer of a suitable rapidflex adhesive over the G-Flex ensuring the mesh cavities are filled leaving a flat surface on which to lay the electric heating system. Allow adhesive to dry.
- 3 Lay out the heating system mat and tape in position.
- Trowel the tile adhesive using a suitable Genesis trowel ensuring care is taken not to cut the wires in the electric heating mat when applying the adhesive.
- 5. Allow a minimum of 7 days for the adhesive to dry out before switching on.



Using G-Flex



Ensuring the floor is clean and free of dust, prime the floor using a diluted mix of a suitable Universal Bonding Agent and Sealer diluted 4 parts water to one part U.B.A.S.
 This should be left to dry prior to applying G-Flex.



Lay G-Flex into place and cut to fit using scissors or a suitable cutting knife.



Remove the backing release paper and lay G-Flex into place ensuring good adhesion to the floor.



 Continue over the entire floor area fixing subsequent sheets of G-Flex in a brickbond fashion. This ensures the maximum amount of strengthening characteristics over the floor area.



 A suitable adhesive should be trowelled into the surface of the G-Flex, ensuring the mesh is filled.

The surface should then be lightly combed prior to fixing tiles.



6. Once fully cured, grout the tiled floor using a suitable grout.

Code	Sheet Size	Pack Area	Pack Qty
GFLEX	600mm x 500mm x 1mm	1.2m2	4 sheets




P.V.C. Vinyl to Tile









Code	W x D (mm)	Length (m)	Finish	Box Qty
EVC080	15 x 8 (punched flange)	2.5	01	25
EVU080	15 x 8 (unpunched flange)	2.5	01	25
EVT080	15 x 8	2.5	01	25
EVT120	15 x 12	2.5	01	25
EFU080	15 x 8	2.5	01	25



Metal Trim

The Genesis range of metal profiles is without doubt one of the most comprehensive available, covering round, straight, square and even triangular profiles that suit most domestic and commercial applications. Formable options are also available in Aluminium and Stainless Steel. Genesis now has over a hundred different metal corner pieces in various sizes and finishes to

75 - 76 | Aluminium Straight

76 - 79 | Aluminium Square

80 - 82 | Aluminium Round

83 | Aluminium Mosaic / Slim

84 | Aluminium Triangular

85 | Aluminium Cove

85 | Stainless Capping

86 | Dividing Strips

36 - 87 | Stainless Straight

87 | Stainless Square

88 | Stainless Round

89 - 90 | Listello



Metal Trim - Straight



Aluminium Straight Edge Trim




89

Bronze

88

Nickel




	ESA060	onwards

91 Bright Silver	94 Brushed Effect			
Code	D (mm)	Length (m)	Finish	Box Qty
ESA030	2.25	2.5	80	20
ESA040	3.25	2.5	80	20
ESA050	4.25	2.5	80	20
ESA060	6	2.5	80,81,91	20
ESA080	8	2.5	01,16,80,81,91,94	20
ESA100	10	2.5	01,16,80,81,85,86,88,89,91,94	20
ESA120	12	2.5	01,16,80,81,85,86,88,89,91,94	20
ESA150	15	2.5	80,81,91	20
ESA180	18	2.5	80	20
ESA225	22.5	2.5	80,91	20

Aluminium Medium Duty Trim



Mill Aluminium





Code	D (mm)	Length (m)	Finish	Box Qty
EMA080	8	2.5	80	20
EMA100	10	2.5	80	20
EMA120	12	2.5	80	20


Metal Trim - Straight




Aluminium Formable Trim







EFA040,050




EFA060 onwards




Code	D (mm)	Length (m)	Finish	Box Qty
EFA040	3.25	2.5	80	20
EFA050	4.25	2.5	80	20
EFA060	6	2.5	80	20
EFA080	8	2.5	80	20
EFA100	10	2.5	80,91	20
EFA120	12	2.5	80,91	20
EFA150	15	2.5	80	20
EFA180	18	2.5	80	20
EFA225	22.5	2.5	80	20

Aluminium Formable Square Trim








Code	W x D (mm)	Length (m)	Finish	Box Qty
TDF084	10 x 8	2.5	91	20
TDF104	10 x 10	2.5	81,91	20
TDF124	10 x 12	2.5	81,91	20

Metal Trim - Square



Aluminium Square Trim





Code	W x D (mm)	Length (m)	Finish	Box Qty
TDP060	10 x 6	2.5	91,94	20
TDP100	10 x 10	2.5	01,16,25,34,39,40,41,81,91,94,401,416,434	20
TDP120	10 x 12	2.5	01,16,25,34,39,40,41,81,91,94,401,416,434	20
TDP150	10 x 15	2.5	81,91,94	20

Finish



Finish - Wood Effect



Finish - Textured



Metal Trim - Square



Aluminium Square Trim Corner Pieces - Internal/External



81 91 Matt Silver Bright Silver










Code	D (mm)	Finish	Pack Qty
EDP080	8	91	4
EDP100	10	81,91,94	4
EDP120	12	81,91,94	4
EDP150	15	81.91.94	4

Aluminium Contour Trim & Corners









Aluminium Contour Trim

Box Qty
20
20
20

Aluminium Contour Trim Corner Pieces - External

Code	D (mm)	Finish	Pack Qty
ECG080	8	81,91	4
ECG100	10	81,91	4
ECG120	12	81,91	4


Metal Trim - Square



Aluminium Slim Square Edge Trim & Corners









Aluminium Slim Square Edge Trim

Code	D (mm)	Length (m)	Finish	Box Qty
TMG050	5	2.5	81,91	20
TMG080	8	2.5	81,91	20
TMG100	10	2.5	81,91	20
TMG120	12	2.5	81,91	20

Aluminium Slim Square Edge Trim Internal and External Corners

Code	D (mm)	Туре	Finish	Pack Qty
EMG050	5	Int / Ext	81,91	4
EMG080	8	Int / Ext	81,91	4
EMG100	10	Int / Ext	81,91	4
EMG120	12	Int / Ext	81,91	4

Metal Trim - Round



Aluminium Round Edge & Corners




81 Matt Silver

86 Bright Brass



Bright Silver







Aluminium Round Edge

Code	D (mm)	Length (m)	Finish	Box Qty
ERA080	8	2.5	91	20
ERA100	10	2.5	81,86,91	20
ERA120	12	2.5	81,86,91	20


Aluminium Round Edge Corner Pieces - External

Code	D (mm)	Finish	Pack Qty
ECA080	8	91	2
ECA100	10	91	2
ECA120	12	91	2

Metal Trim - Round



Aluminium Quadrant Trim



30mm

Code	D (mm)	Length (m)	Finish	Box Qty
EAQ060	6	2.5	01,80,81,91	20
EAQ080	8	2.5	01,16,80,81,85,91,94	20
EAQ090	9	2.5	81,91	20
EAQ100	10	2.5	01,16,25,34,80,81,83,85,86,91,94	20
EAQ120	12	2.5	01,16,25,34,80,81,83,85,86,91,94	20
EAQ150	15	2.5	80,81,91	20

94 Brushed Effect

Metal Trim - Round




Aluminium Pro Trim



81 91 Matt Silver Bright Silver



Brushed Effect



PROTECTIVE FILM



Code	D (mm)	Length (m)	Finish	Box Qty
ETA060	6	2.5	81	20
ETA060	6	2.5	91	20
ETA080	8	2.5	81	20
ETA080	8	2.5	91,94	20
ETA100	10	2.5	81	20
ETA100	10	2.5	91,94	20
ETA120	12	2.5	81	20
ETA120	12	2.5	91,94	20

Aluminium Pro Trim & Quadrant Trim Corners











94 Brushed





Aluminium Quadrant Trim Internal Corners

Code D (mm) Finish Pack Qty Type EIQ080 Internal 81,85,91,94 4 EIQ100 10 81,85,86,91,94 4 Internal EIQ120 12 Internal 81,85,86,91,94 4

Aluminium Quadrant Trim External Corners


Code	D (mm)	Туре	Finish	Pack Qty
EAC060	6	External	91	4
EAC080	8	External	01,80,81,85,91,94	4
EAC100	10	External	01,80,81,85,86,91,94	4
EAC120	12	External	01,80,81,85,86,91,94	4
EAC150	15	External	80,81,91	4




Aluminium Slim Trim - Square



91 Bright Silver









Code	W x D (mm)	Length (m)	Finish	Box Qty
EAM050	6 x 5	2.5	91	20
EAM080	9 x 8	2.5	91	20
EAM100	11 x 10	2.5	91	20

Aluminium Slim Trim - Round



81 Matt Silver Bright





Code	W x D (mm)	Length (m)	Finish	Box Qty
EMS050	6 x 5	2.5	81.91	20

Aluminium Slim Trim - Internal



Bright





Code	D (mm)	Length (m)	Finish	Box Qty
EMI050	5	2.5	81,91	20



Aluminium Angle Trim & Corners








NEW















Aluminium Angle Trim


Code	W x D (mm)	Length (m)	Finish	Box Qty
EAT080	9 x 8	2.7	81,91,94	20
EAT100	11 x 10	2.7	81,91,94	20
EAT120	13 x 12	2.7	81,91,94	20
Aluminium I	Internal and External	Corners		

Code	D (mm)	Туре	Finish	Box Qty
EET080	8	External	81,91,94	4
EET100	10	External	81,91,94	4
EET120	12	External	81,91,94	4
EIT080	8	Internal	81,91,94	4
EIT100	10	Internal	81,91,94	4
EIT120	12	Internal	81,91,94	4



Aluminium Internal Trim & Corners











Pack Qty

Aluminium Internal Trim

Code	D (mm)	Length (m)	Finish	Box Qty
EIA090	9	2.5	81	20
EIA090	9	2.5	91	20
EIA120	12	2.5	81	20
EIA120	12	2.5	91	20

Aluminium Internal Trim Internal Corner Piece (one size fits all) Code D (mm) Type

ECI912	9 and 12	Internal	81,91	4
Aluminium II	nternal Trim Exterr	nal Corner Piece		
Code	D (mm)	Туре	Finish	Pack Qty
EIC090	9	External	81,91	4 per blister pack
EIC120	12	External	81,91	4 per blister pack

Stainless Steel Angle Edge



Brushed S. Steel








Code	D (mm)	Length (m)	Finish	Box Qty
ETS060	6	2.5	102	10




Dividing Strips



Aluminium Dividing Strip

Aluminium L	Dividing Strip			
Code	W x D (mm)	Length (m)	Finish	Box Qty
EDA510	5 x 10	2.5	80	20
EDA147	14 x 8	2.5	81	20
EDA408	22 x 9	2.5	80	20
EDA408	22 x 9	2.5	81,83	20
Stainless Ste	eel Dividing Strip			
Code	W x D (mm)	Length (m)	Finish	Box Qty
EDS147	14 x 7	2.5	84	10


Stainless Steel Formable Trim



Code	D (mm)	Length (m)	Finish	Box Qty
ESF100	10	2.5	84	10
ESF120	12	2.5	84	10
ESF150	15	2.5	84	10



Stainless Steel Straight Edge Trim (304 & 316)



Stainless Steel Straight Edge Trim - Grade 304

Code	D (mm)	Length (m)	Finish	Box Qty
ESS045	4.5	2.5	84	10
ESS060	6	2.5	84	10
ESS080	8	2.5	84	10
ESS100	10	2.5	84	10
ESS120	12	2.5	84	10
ESS150	15	2.5	84	10
ESS180	18	2.5	84	10
ESS225	22.5	2.5	84	10

Stainless Steel Straight Edge Trim - Grade 316


Code	D (mm)	Length (m)	Finish	Box Qty
ESS310	10	2.5	84	10
ESS312	12	2.5	84	10

Stainless Steel Square Edge Trim











Code	D (mm)	Length (m)	Finish	Box Qty
EQS080	8	2.5	84	10
EQS100	10	2.5	84	10
EQS120	12	2.5	84	10
EQI080	8		84	1
EQI100	10		84	1
EQI120	12		84	1




Stainless Steel Quadrant Trim & Corners



84 Stainless Steel









Stainless Steel Quadrant Trim - Grade 304

Code	D (mm)	Length (m)	Finish	Box Qty
ESQ060	6	2.5	84	10
ESQ080	8	2.5	84	10
ESQ100	10	2.5	84	10
ESQ120	12	2.5	84	10

Stainless Steel Quadrant Trim - Grade 316

Code	D (mm)	Length (m)	Finish	Box Qty
ESQ308	8	2.5	84	10
ESQ310	10	2.5	84	10
ESQ312	12	2.5	84	10


Stainless Steel Quadrant Trim Corners - Grade 304

Code	D (mm)	Finish	Pack Qty
ECQ080	8	84	1
ECQ100	10	84	1
ECQ120	12	84	1



Aluminium Domed Listello







Code	W x D (mm)	Length (m)	Finish	Box Qty
LDA254	25 x 6	2.5	81,91	20

Aluminium Listello





Code	W x D (mm)	Length (m)	Finish	Box Qty
LPA100	10 x 7	2.5	81,86,91,94	20
LPA250	25 x 7	2.581,	91,94	20

Stainless Steel Listello










Code	W x D (mm)	Length (m)	Finish	Box Qty
LPS250	25 x 8	2.5	84,102	10
LPS400	40 x 8	2.5	84	10




Aluminator™ Listello



81 Matt Silver







Code	W x D (mm)	Length (m)	Finish	Box Qty
ALA100	15 x 10	2.5	81	10

Flat Line Listello










Code	W x D (mm)	Length (m)	Finish	Box Qty
LFA100	10 x 8	2.5	91.94	20

Heavy Duty / Slimline Nosings













Tile-in Nosings

















Tile-in Nosings & Internal





ETI

Dividing Strips & Floor Inserts













Movement Joints











Transitions
















P.V.C. & Stainless Steel Trim
















Aluminium Trim













Aluminium Trim














Mosaic Profiles


























Self Adhesive














Edge Protectors & Listello





EAS

LPS

Index



Stair Nosings	2-26
Slimline	3 - 4
Heavy Duty	5 - 6
P.V.C	7 - 8
Aluminator™	9 - 10
External	11 - 15
TreadLite	16 - 18
Tactiles	19
Ceramic	20 - 25
Angles & Accessories	26
Flexibles	27-31
Skirting	28
Cove Former	28
Dim Strip	29
Tile to Vinyl / Cap-Tile	29
Capping Strip	30
Internal Cove and Formers	31
internal Cove and Formers	31
Transitions, Covers & Ramps Self Adhesive	32-42 33
Transitions, Covers & Ramps	32-42
Transitions, Covers & Ramps Self Adhesive	32-42 33
Transitions, Covers & Ramps Self Adhesive Stainless Steel	32-42 33 33
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile	32-42 33 33 34
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System	32-42 33 33 34 35 - 37
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems	32-42 33 33 34 35 - 37 38
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar	32-42 33 33 34 35-37 38 38
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar Tile-In & Access Ramps	32-42 33 33 34 35-37 38 38
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar Tile-In & Access Ramps Reducers Clip Top Systems	32-42 33 33 34 35 - 37 38 38 39 40 - 41 42
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar Tile-In & Access Ramps Reducers Clip Top Systems Expansion joints	32-42 33 33 34 35-37 38 38 39 40-41 42
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar Tile-In & Access Ramps Reducers Clip Top Systems Expansion joints Tile & Screed Joints	32-42 33 33 34 35 - 37 38 38 39 40 - 41 42 43-51 44 - 45
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar Tile-In & Access Ramps Reducers Clip Top Systems Expansion joints	32-42 33 33 34 35-37 38 38 39 40-41 42
Transitions, Covers & Ramps Self Adhesive Stainless Steel Carpet to Tile Fast Fit Invisible System Soft Grip Systems Z-Bar Tile-In & Access Ramps Reducers Clip Top Systems Expansion joints Tile & Screed Joints Structural Joints	32-42 33 33 34 35 - 37 38 38 39 40 - 41 42 43-51 44 - 45 46 - 47

Edge Protection	52-57
P.V.C	53
Aluminium	53
Stainless Steel	54
Commercial Corner Guards &	54 - 57
Protection Plates (Acrovinyl)	3+ · 37
Skirting	58-63
Clip On	59
Standard / Self Adhesive	60
Flexible	61
Cap Tile	62
Cover Formers	62
Capping Strips	63
Internal Coves	63
P.V.C Trim	64-73
Round Edge Corners	65 - 67
Straight Edge	66
Internal Cove	68
Bath Seals	69 - 70
G-Flex	71 - 72
Cap Tile / Tile to Vinyl	73
Metal Trim & Listello	74-90
Aluminium Straight	75 - 76
Aluminium Square	76 - 79
Aluminium Round	80 - 82
Aluminium Mosaic / Slim	83
Aluminium Triangular	84
Aluminium Cove	85
Stainless Capping	85
Dividing Strips	86
Stainless Straight	86 - 87
Stainless Square	87
Stainless Round	88
Listello	89 - 90

Index - Profiles



AHB	8	EVC	29,62,73	NHP	8	R4250	19
AHD	9-10	EVT	29,62,73	NIB	23	R4251	19
AHP	8	EVU	29,62,73	NLC	24	R4252	19
ALA	90	GC COVERS	50-51	NLM	22	R4257	19
ALM	22	GCWLL	50	NLT	21	R4258	19
ARP	8	GFAM	47	NNL	6	R4351	19
CAS	33	GFFB	46	NRA	21	R4355	19
EAA	53	GFGR	46	NRP	8	R4357	19
EAC	82	GFGS	46	NRS	25	R4375	19
EAM	83	GFLEX	71-72	NSA	26	R46	54-56
EAQ	81	GFSM	48-49	NSB	8	R48	57
EAS	54	GFSR	46	NSC	24	RAA	39
EAT	84	GFSS	46	NSD	24	RDIM	29,42
ECA	80	GFWATT	46	NSL	3-4,10	RSA	39
ECG	78	GFWF	47	NSP	8	RSS	39
ECI	85	KAA	60	NSR	8	RUA	39
ECQ	88	KAC	59	NST	25	SBS	69
EDA	86	KAS	60	NTAB	26	SMP	70
EDP	78	KCOV	28,62	NTC	20	SMT	69-70
EDS	86	KCS	30,63	NTCH	15	SOR	69
EET	84	KEC	59	NTCH	15	SPS	69
EFA	76	KEP	59	NTDC	15	SRE	70
EFD	67	KIC	59	NTEX	13-14	SRI	70
EFU	29,62,73	KLC	59	NTL	26	SRP	70
EIA	85	KLE	60	NTPA	11-12	SRT	70
EIC	85	KPC	60	NTPP	11-12	SSA	70
EIQ	82	KRC	59	NTRD	15	SSP	70
EIT	84	KRE	60	NTSQ	15	TAF	37
EKI	31,63	KSI	28,61	NUC	23	TAG	37
EMA	75	KSO	28,61	PC CORNERS	67	TAS	33
EMG	79	LAB	16-18	PD CORNERS	66	TBA	34
EMI	83	LDA	89	PE CORNERS	66	TBAS	42
EMS	83	LFA	90	PKE	31,63	TCA	34
EPF	53	LMGDR	16-18	PKI	31,63	TCC	35-37
EQI	87	LPA	89	PR CORNERS	66	TCG	35-37
EQS	87	LPS	89	R1060	33	TCR	35-36
ERA	80	MHS	45	R1063	33	TCS	37
ERP	53	MLB	44	R1064	33	TDF	76
ESA	75	MMA	44	R1931	40	TDG	78
ESF	86	MSA	45	R2060	33	TDP	77
ESP	66	MSR	44	R2621	41	TGA	38
ESQ	88	NAS	33	R2651	41	TMG	79
ESS	87	NAT	23	R2690	41	TTB	34
ETA	82	NDEF	14	R2695	40	TTG	35-36
ETI	68	NFA	22	R3041	7	TTM	38
ETP	67	NFL	7	R3043	7	ПО	38
ETR	65	NHB	8	R3051	7	TTOP	42
ETS	85	NHD	5-6	R3053	7	TVA	40
_,,	0.0		5 5		,	. */ `	-+0

Terms & Conditions



Definitions

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with the context:

"Buyer" the person(s), firm or company whose order for the Goods is accepted by the

Company

"Company" Genesis APS International at Stokesley

Business Park, Stokesley, North Yorkshire,

TS9 5JZ

"Contract" any contract between the Company and the Buyer for the sale and purchase of the

Goods or supply of the Services formed in accordance with Condition 2

"Delivery Point" the place where delivery of the Goods is

agreed to take place

"Goods" any Goods which the Company supplies to the Buyer (including any of them or any

part of them)

"Terms and Conditions" the standard terms and conditions of

sale set out in this document together with any special terms agreed in writing between the Buyer and the Company

Formation and Incorporation

The Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document is referred to in the Contract.

Each order or acceptance of a quotation for Goods will be deemed to be an offer by the Buyer and to purchase Goods upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. No contract will come into existence until such confirmation has been given by the Company.

Quotations are subject to an acceptance period of 45 days from the date of quotation.

The Buyer must ensure that the terms of its order are complete and accurate.

Acceptance of delivery of the Goods will be deemed as conclusive evidence of the Buyer's acceptance of these Terms and Conditions. The Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery.

Price and Payment

The price for the Goods will be the price set out in the Company's published price list current at the date of delivery or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders are exclusive of any costs of carriage, packing, insurance and VAT unless otherwise agreed by the Company. A separate export price list may apply for Goods supplied for export from the United Kingdom. Where recommended selling prices are listed these should be treated as a guide.

Where an order is received for quantities less than those quoted or where delivery is required in instalments smaller than those specified in the quotation, then prices may be subject to increase.

The Company may invoice the Buyer for the Goods on or at any time after dispatch. Subject to clause 3.3, payment of the price and VAT shall be due within 30 days of the invoice. Time for payment will be of the essence.

The Company may accept payment on a pro-forma basis providing this arrangement is agreed in writing and signed by a director of the Company.

No payment will be deemed to have been received until the Company has received cleared funds.

All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim. No disputes that may arise under the Contract or delays beyond the reasonable control of the Company shall constitute a reason for interference with prompt payment in full by the Buyer.

If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract, the sum will bear interest from the due date until payment is made in full, both before and after any judgment, at 5 per cent per annum over the Bank of England base rate from time to time and the Company will be entitled to suspend deliveries of the Goods until the outstanding sum has been received.

The Company reserves the right to recoup any sum, resulting from costs incurred legal proceedings to recover the sum payable under the Contract.

Any invoice queries must be communicated to the Company within 10 working days of receipt of the invoice by the Buyer.

Instalments

The Company may deliver the Goods by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitled the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

Delivery

The Company will use reasonable endeavours to deliver each of the Buyer's orders for the Goods in accordance with the delivery estimate provided by the Company at the Delivery Point, but the time of delivery will not be of the essence. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery on a specified date, the Company will be deemed not to be in breach of Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss howsoever caused (including as a result of negligence) by any delay or failure in delivery.

Where the Goods are handed to a carrier for carriage to the Buyer or to UK port for export, any such carrier shall be deemed to be an agent of the Company and not the Buyer for the purposes of 43, 44 and 45 of the Sale of Goods Act 1979 (as amended).

No liability will attach to the Company for non-delivery, loss or damage to Goods prior to delivery unless claims to that effect are notified in writing by the Buyer to the Company within four days of delivery and where carriers not of the Company have been used for delivery a copy is delivered to said carrier.

Where delivery is made by a carrier to the Buyer the Buyer is responsible for counting as received, complete or otherwise, the number of outer cartons of Goods documented by the carrier as being delivered. Any shortage should be notified to the Company without delay.

Subject to Condition 5.1, the Company will require the receipt of an order from a Buyer prior to 12.30pm to deliver Goods the following day in the United Kingdom (excluding Northern Ireland).

Minimum order value £175.00 free UK mainland delivery.

Risk/Title of Goods

Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 5.

Ownership of the Goods will not pass to the Buyer until the Company has received in full all sums due to it in respect of the Goods.



Terms & Conditions



Until ownership of the Goods has passed to the Buyer, the Buyer must:

- · hold the Goods on a fiduciary basis on behalf of the Company;
- store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any 3rd party in such a way they remain readily identifiable;
- not destroy, deface, or obscure any identifying mark or packaging on or relating to the Goods; and
- maintain the Goods in a satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested the Company produce a copy of the policy of insurance

If the Buyer sells or disposes of the Goods to a third party before the sum due to the Company is paid in full then any proceeds resulting there from shall belong to the Company to the extent of the sums owing by the Buyer.

Where the Company (or its appointed carrier) delivers the Goods, the risk shall pass to the Buyer upon delivery. In all other cases, the risk shall pass to the Buyer when the Goods leave the Company's premises.

The Buyer's right to possession of the Goods will terminate immediately if any of the circumstances set out in Condition 9

If payment is overdue in whole or in part the Company may (without prejudice to any of its other rights) recover or resell the Goods or any part thereof and may enter upon the Buyer's premises by its servants or agents for the purpose.

Nothing in this clause shall confer any right upon the Buyer to return the Goods sold hereunder or to refuse or delay payment therefore

Liability of Company

The Company shall not be liable for any costs, claims, damages or expenses arising out of any tortious act or omission or breach of contract or statutory duty calculated by reference to profits, income, production accruals, or by reference to accrual of such costs, claims, damages or expenses on a time basis.

The liability of the Company to the Buyer for any loss of whatsoever nature and howsoever caused shall be limited to and shall in no circumstances exceed the price of the Goods

In no circumstances shall the Company be liable for any cost claim damage or expense resulting from any failure to use the Goods other than for the purpose for which they are supplied by the Company or resulting from any failure to follow any instructions issued by the Company in respect of the Goods.

Each of the provisions of these Conditions of Sale (including each provision providing for the limitation or exclusion of liability) shall be deemed to be fully severable so that if any provision is found to be void in law, whether because it is found to be unreasonable or otherwise, the remainder of the provisions shall continue in full force.

Intellectual property

No right or licence is granted to the Buyer in respect of the Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

The Buyer will not without the Company's prior consent allow the Company's marks or words applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

Unless paid for in full, any display stand provided by the Company shall remain the property of the Company and will be given on loan or hire to the Buyer to enable effective merchandising of the Goods and it is the Buyer's responsibility that only the Goods can be displayed or placed on the display stand in any event.

The Buyer will not, without written consent of the Company, use, give away or loan any photographs or documents of confidential records provided to the Buyer by the Company.

Insolvency or Default of Buyer

If the Buyer shall make default in, or commit any breach of, the Contract or of any other of his obligation to the Company or if any distress or execution shall be levied upon the Buyer's properly or assets or if the Buyer shall make an offer to make any arrangement for composition with creditors or commit any act of bankruptcy or if any petition or receiving order in bankruptcy shall be presented or made against him or if the Buyer is a Limited Company and any resolution or petition to wind up such company's business (other than for the purpose of amalgamation or reconstruction) shall be passed or presented or if a receiver of such company's undertaking property or assets or any part thereof shall be appointed, the Company shall hove the right forthwith to determine any contract then subsisting and upon written notice of such determination being posted to the Buyer's last known address any subsisting Contract shall be deemed to have been determined without prejudice to any claim or right the Company may otherwise make or exercise.

Export Terms

Where goods are supplied for export from the United Kingdom the following clauses shall (subject to any terms agreed in writing between the Company and the Buyer) apply notwithstanding any other provisions of these Conditions:

- the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of duties on them
- unless otherwise agreed in writing between the Company and the Buyer from the time of dispatch of the Goods from the Company's premises the Goods shall be at risk of the Buyer and the Company shall be under no obligation to give notice under Section 32(3) of the Sale of Goods Act 1979 (as amended).

Force Majeure

The Company will not be liable to the Buyer for any failure or delay or for the consequence of any failure or delay in performance of the Contract, if it due to or beyond the reasonable control of the Company including, without limitation, acts of God, war, industrial disputes, protests, fire, tempest, explosion, an act of terrorism and national emergencies and the Company will be entitled to a reasonable extension of time for performing such obligations in such circumstances.

Legal

Any dispute or difference between the parties arising out of the Contact shall first be referred to mediation in accordance with the procedure of IDR Europe Limited and if the parties cannot agree on a mediator either of them may apply to IDR Europe Limited to appoint a mediator. If the parties fail to reach agreement on the dispute within 60 days of the appointment of the mediator the dispute may be referred to the Courts of England and Wales.

The Contract shall in all respects be governed by English Law and shall be deemed to have been made in England and the Buyer and the Company agree (subject to the provisions of clause 34 above) to submit to the exclusive jurisdiction of the English Courts.

WEEE Collections Policy

The B23 end user is responsible for all the liabilities regarding the environmentally sound disposal of the EEE when it becomes WEEE, the compliance statements are on the product packaging.

The producer has paid no charge to its PCS (producer compliance scheme) for its eventual recovery. However the PCS's disposal contractor is able to provide a cost effective and environmentally sound disposal of all 13 categories of WEEE.

Conversions



Depth

Metric (mm)	Imperial (Inches)
6	1/4"
8	5/16"
10	3/8"
12	1/2"
15	5/8"
18	3/4"
22.5	9/10"


Length

Metric (M)	Imperial (Feet)
0.92	2'11"
1.7	5'6"
1.8	5'10"
1.85	6'1"
2	6'6"
2.46	8'1"
2.5	8'2"
2.6	8'6"
2.7	8'10"
2.77	9'
2.8	9'1"
3	9'10"
3.22	10'6"
3.4	11'2"
15	49'2"
20	65'7"


Tile Calculator

Tile Size	Tiles / Sq Mtr
100mm x 100mm	100
150mm x 150mm	44
165mm x 165mm	37
200mm x 100mm	50
200mm x 200mm	25
250mm x 200mm	20
280mm x 280mm	13
300mm x 100mm	33.33
300mm x 150mm	44
300mm x 200mm	16.67
300mm x 300mm	11
305mm x 305mm	10.75
310mm x 310mm	10.5
316mm x 316mm	10
330mm x 250mm	12
330mm x 330mm	9
333mm x 333mm	9
400mm x 200mm	12.5
400mm x 300mm	8
400mm x 400mm	6.25
445mm x 445mm	5
450mm x 300mm	7.5
450mm x 450mm	5
490mm x 490mm	4.17
500mm x 500mm	4
600mm x 300mm	5.55
600mm x 400mm	4
600mm x 600mm	2.78
610mm x 310mm	5.25
610mm x 410mm	4
800mm x 800mm	1.56
903mm x 305mm	3.5
1000mm x 500mm	2
1000mm x 1000mm	1









Byggtillbehör

For more information contact Byggtillbehör today

+46 (0)8 96 70 44 info@byggtillbehor.se www.byggtillbehor.se



Genesis APS International Ltd Stokesley Business Park Stokesley North Yorkshire TS9 5JZ



