



# Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Europe Paper and Specialty Media Guide - January 2021

For your convenience, this guide contains the Recommended Media List.

**The Recommended Media List** contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Learn more at [www.performance-guaranteed.com](http://www.performance-guaranteed.com)

## General Information

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

Suggested machine adjustments as well as Best Practices for Operation are included where applicable in order to optimize media performance.

Instructions for programming media, including specific attributes, listed in this document but not yet in the Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Press stock library can be found in the customer training manual or in the "Define New Stock" section of online help.

Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure their expectations are met.



© 2021 Antalis. All rights reserved. Xerox®, Xerox® Versant™ 2100, Xerox® Versant™ 3100, Xerox® Versant™ 4100 are trademarks of Xerox Corporation in the United States and/or other countries and are used under license from Xerox Corporation. Antalis is a trademark licensee of Xerox Corporation.

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
<b>Uncoated Papers</b>										
Xerox® Colotech+ 90 gsm	003R99000	003R99001	003R99002		90	Plain	Uncoated	White	None	
Xerox® Colotech+ 100 gsm	003R99004	003R99006	003R99007		100	Plain	Uncoated	White	None	
Xerox® Colotech+ 4-Hole 100 gsm	003R99005				100	Plain	Uncoated	White	None	
Xerox® Colotech+ 120 gsm	003R99009	003R99010	003R99011		120	Plain	Uncoated	White	None	
Xerox® Colotech+ 160 gsm	003R99014	003R99015	003R99016		160	Plain	Uncoated	White	None	
Xerox® Colotech+ 200 gsm	003R99018	003R99019	003R99020		200	Plain	Uncoated	White	None	
Xerox® Colotech+ 220 gsm	003R99022	003R99023	003R99024		220	Plain	Uncoated	White	None	
Xerox® Colotech+ 250 gsm	003R99026	003R99027	003R99028		250	Plain	Uncoated	White	None	
Xerox® Colotech+ 280 gsm	003R99030	003R99031	003R99032		280	Plain	Uncoated	White	None	
Xerox® Colotech+ 300 gsm	003R99034	003R99035	003R99036		300	Plain	Uncoated	White	None	
Xerox® Colotech+ 350 gsm			003R99039		350	Plain	Uncoated	White	None	

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Colour Impressions 80 gsm	003R97661	003R97662			80	Plain	Uncoated	White	None	
Xerox® Colour Impressions 90 gsm	003R97663	003R97664	003R97665		90	Plain	Uncoated	White	None	
Xerox® Colour Impressions 100 gsm	003R97666	003R97667	003R97668		100	Plain	Uncoated	White	None	
Xerox® Colour Impressions 120 gsm	003R98685	003R97669	003R97670		120	Plain	Uncoated	White	None	
Xerox® Colour Impressions 160 gsm	003R98007	003R98008	003R98686		160	Plain	Uncoated	White	None	
Xerox® Colour Impressions 200 gsm	003R92347	003R92348	003R92349		200	Plain	Uncoated	White	None	
Xerox® Colour Impressions 250 gsm	003R98687	003R97671	003R97672		250	Plain	Uncoated	White	None	
Xerox® Colour Impressions 280 gsm	003R92350	003R92351	003R92352		280	Plain	Uncoated	White	None	
<b>Coated Papers</b>										
Xerox® Colotech+ Gloss Coated 120 gsm	003R90336	003R90337	003R90338		120	Plain	Coated	White	None	
Xerox® Colotech+ Gloss Coated 140 gsm	003R90339	003R90340	003R90341		140	Plain	Coated	White	None	
Xerox® Colotech+ Gloss Coated 170 gsm	003R90342	003R90343	003R90344		170	Plain	Coated	White	None	

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Colotech+ Gloss Coated 210 gsm	003R90345	003R90346	003R90347		210	Plain	Coated	White	None	
Xerox® Colotech+ Gloss Coated 250 gsm	003R90348	003R90349	003R90350		250	Plain	Coated	White	None	
Xerox® Colotech+ Gloss Coated 280 gsm	003R90351	003R90352	003R90353		280	Plain	Coated	White	None	
Xerox® Colotech+ Gloss Coated 350 gsm			003R90354		350	Plain	Coated	White	None	
Xerox® Colotech+ Silk Coated 120 gsm	003R90355	003R90356	003R90357		120	Plain	Matt Coated	White	None	
Xerox® Colotech+ Silk Coated 140 gsm	003R90358	003R90359	003R90360		140	Plain	Matt Coated	White	None	
Xerox® Colotech+ Silk Coated 170 gsm	003R90361	003R90362	003R90363		170	Plain	Matt Coated	White	None	
Xerox® Colotech+ Silk Coated 210 gsm	003R90364	003R90365	003R90366		210	Plain	Matt Coated	White	None	
Xerox® Colotech+ Silk Coated 250 gsm	003R90367	003R90368	003R90369		250	Plain	Matt Coated	White	None	
Xerox® Colotech+ Silk Coated 280 gsm	003R90370	003R90371	003R90372		280	Plain	Matt Coated	White	None	
Xerox® Colotech+ Silk Coated 350 gsm			003R90373		350	Plain	Matt Coated	White	None	
Xerox® Colotech+ Supergloss 160 gsm	003R97680	003R97681			160	Plain	Coated	White	None	

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Colotech+ Supergloss 210 gsm	003R97682	003R97683	003R97684		210	Plain	Coated	White	None	
Xerox® Colotech+ Supergloss 250 gsm	003R97686	003R97687	003R97688		250	Plain	Coated	White	None	
<b>Synthetics</b>										
Xerox® Premium NeverTear 95 µm - 100 sheets	003R98056	003R98057			125	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 95 µm - 500 sheets		003R98030	003R98031		125	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 95 µm - 1000 sheets	003R98029				125	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 120 µm - 100 sheets	003R98058	003R98059			160	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 120 µm - 500 sheets		003R98034	003R98035		160	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 120 µm - 1000 sheets	003R98033				160	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 145 µm - 100 sheets		003R98053			195	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 145 µm - 500 sheets		003R98038	003R98039		195	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 145 µm - 1000 sheets	003R98037				195	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Premium NeverTear 195 µm - 100 sheets		003R98054			262	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 195 µm - 500 sheets		003R98042	003R98043		262	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 195 µm - 1000 sheets	003R98041				262	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 270 µm - 100 sheets		003R98055			350	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 270 µm - 250 sheets		003R98046	003R98047		350	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
Xerox® Premium NeverTear 270 µm - 500 sheets	003R98045				350	Plain	Matt Coated	White	None	Best results using Trays 6 or 7. Printer room relative humidity minimum 40%. Transfer adjustments may be required for best image quality. Static may compromise finishing.
<b>Premium Digital Carbonless</b>										
Xerox® Premium Digital Carbonless CB White	003R99069				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless CFB White	003R99070				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless CFB Yellow	003R99071				80	Plain	Uncoated	Yellow	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless CF White	003R99075				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless CF Pink	003R99077				80	Plain	Uncoated	Pink	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Premium Digital Carbonless, 2-part, Straight, WY	003R99105				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless, 2-part, Straight, WP	003R99107				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless, 3-part, Straight, WYP	003R99108				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
Xerox® Premium Digital Carbonless, 4-part, Straight, WYPB	003R99111				80	Plain	Uncoated	White	None	Not intended for extensive/exclusive use. Run 100 A4 sheets of plain paper every 5k prints to clean system.
<b>Tabs and Dividers</b>										
Xerox® White Dividers, 5 Tabs, Straight Collation				297 x 223 mm 003R91012	160	Pre-cut tab - Regular	Uncoated	White	5	
Xerox® White Dividers, 5 Tabs, Reverse Collation				297 x 223 mm 003R90873	160	Pre-cut tab - Regular	Uncoated	White	5	
Xerox® White Dividers, 10 Tabs, Straight Collation				297 x 223 mm 003R91014	160	Pre-cut tab - Regular	Uncoated	White	10	
Xerox® White Dividers, 10 Tabs, Reverse Collation				297 x 223 mm 003R91001	160	Pre-cut tab - Regular	Uncoated	White	10	
Xerox® Rainbow Dividers, 5 Tabs, Straight Collation				297 x 223 mm 003R91025	160	Pre-cut tab - Regular	Uncoated	White	5	
Xerox® Rainbow Dividers, 5 Tabs, Reverse Collation				297 x 223 mm 003R90878	160	Pre-cut tab - Regular	Uncoated	White	5	
Xerox® Reinforced Dividers, 5 Tabs, Reverse Collation				297 x 223 mm 003R97229	160	Pre-cut tab - Regular	Uncoated	White	5	

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Reinforced Dividers, 10 Tabs, Reverse Collation				297 x 223 mm 003R97230	160	Pre-cut tab - Regular	Uncoated	White	10	
Xerox® Colotech Dividers, 5 Tabs, Reverse Collation				297 x 223 mm 003R97231	200	Pre-cut tab - Regular	Uncoated	White	5	
Xerox® Colotech Dividers, 10 Tabs, Reverse Collation				297 x 223 mm 003R97232	200	Pre-cut tab - Regular	Uncoated	White	10	
<b>Transparencies</b>										
Xerox® Premium Transparency for Colour - Plain	003R98205				N/A	Transparency	Uncoated	Clear	None	Use Trays 5, 6 or 7
Xerox® Premium Transparency - Paperbacking	003R98199		003R98201		210	Transparency	Uncoated	White	None	Use Trays 5, 6 or 7
<b>Standard Labels</b>										
Xerox® Labels 1-up	003R91225				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 2-up	003R97525				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 6-up	003R96288				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 8-up	003R91224				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 14-up	003R96289				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.



**Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021**

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Labels 16-up	003R96296				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 18-up	003R96297				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 21-up	003R96298				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 24-up	003R97526				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Labels 65-up	003R93177				140	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
<b>Colour Laser Labels</b>										
Xerox® Colour Laser Labels Uncoated 1-up	003R93872		003R93537		160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Colour Laser Labels Uncoated 4-up	003R95813				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Colour Laser Labels Uncoated 6-up	003R93873				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Colour Laser Labels Uncoated 8-up	003R93874				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Colour Laser Labels Uncoated 14-up	003R93875				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Colour Laser Labels Uncoated 21-up	003R95815				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.

## Xerox® Versant™ 2100 / 3100 / 4100 Digital Production Presses - Recommended Media List - Europe - January 2021

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

	Standard cut sizes				Grammage Weight (gsm)					Comments
	A4	A3	SRA3	Other Size	Weight of the paper in grams per square metre	Media Type	Coating Category	Colour Category	Modulus (Collation)	
Xerox® Colour Laser Labels Uncoated 24-up	003R97524				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
Xerox® Colour Laser Printer Labels CD 2-up	003R97514				160	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Do not print over die cuts.
<b>Special Labels</b>										
Xerox® DuraPaper Label	003R97344				240	Label	Uncoated	White	None	Best results using Trays 5, 6 or 7. Not intended for extensive/exclusive use. Curl correction may improve stacking.
<b>Card Solutions</b>										
Xerox® ValuPerfCard Uncoated 1-up	003R97690				170	Plain	Uncoated	White	None	Use Trays 5, 6 or 7. Load 80 sheets maximum.
Xerox® ValuPeelCard Uncoated 1-up	003R97952				170	Plain	Uncoated	White	None	Use Trays 5, 6 or 7. Load 80 sheets maximum.
<b>Creative</b>										
Xerox® Create Mouse Mat (Insert)				220 x 185 mm 003R98798	160	Plain	Uncoated	White	None	
Xerox® Create Totem Display - A4	003R98880				160	Plain	Uncoated	White	None	
Xerox® Create Totem - A3		003R95083			250	Plain	Uncoated	White	None	