



Recommended Xerox Media for Xerox® 700 Digital Colour Press

Version 3.0. March 2012

Important Notes:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing environment: Temperature 23°C±2, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly with their paper distributor or manufacturer for any guidance when purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox colour equipment, use only the best - Xerox supplies.

©2009-2012 Xerox Corporation. All rights reserved.

XEROX® and XEROX and Design® are trademarks of Xerox Corporation in the United States and/or other countries.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit www.xerox.com/europaper

Weight Range Specification Instructions for Printing one side (Simplex) or two sides (Duplex)	Decurler Setting paper type	Standard Cut Sizes			Grammage Weight (g/m ²) Weight of the paper in grams per square metre	Xerox 700 Trays/Weight Selection and Best Practices for Operation													
		A4 210x297 mm	A3 297x420 mm	SRA3 320x450 mm		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5	
		60-80 gsm		81-90 gsm		91-105 gsm		106-128 gsm		129-150 gsm		151-176 gsm		177-220 gsm		221-256 gsm		257-300 gsm	
Business Papers (Monochrome and text printing)																			
Xerox Premier 80 gsm	A	003R91720	003R91721	80	OK All Trays	OK All Trays													
Xerox Premier 90 gsm	A	003R91854	003R91853	90	OK All Trays	OK All Trays													
Xerox Business 80 gsm	A	003R91820	003R91821	80	OK All Trays	OK All Trays													
Xerox Exclusive 80 gsm	4-hole A	003R91712	003R90209	80	OK All Trays	OK All Trays													
Xerox Exclusive 90 gsm	A	003R90208	003R90618	90	OK All Trays	OK All Trays													
Premium Papers (Colour and high area coverage applications)																			
Xerox Colour Impressions 80 gsm	A	003R97661	003R97662	80	OK All Trays	OK All Trays													
Xerox Colotech+ Gold 90 gsm	A	003R98837	003R98839	90	OK All Trays	OK All Trays													
Xerox Colotech+ 90 gsm	A	003R94642	003R95838	90	OK All Trays	OK All Trays													
Xerox Colour Impressions 90 gsm	A	003R97663	003R97664	90	OK All Trays	OK All Trays													
Xerox Colotech+ Gold 100 gsm	A	003R98842	003R98844	100	OK All Trays	OK All Trays													
Xerox Colotech+ 100 gsm	A	003R94646	003R95839	100	OK All Trays	OK All Trays													
Xerox Colotech Natural White 100 gsm	A	003R97102	003R97275	100	OK All Trays	OK All Trays													
Xerox Colour Impressions 100 gsm	A	003R97666	003R97668	100	OK All Trays	OK All Trays													
Xerox Colotech+ Gold 120 gsm	B	003R98847	003R98848	120	OK All Trays	OK All Trays													
Xerox Colotech+ 120 gsm	B	003R94651	003R94652	120	OK All Trays	OK All Trays													
Xerox Colour Impressions 120 gsm	A	003R98685	003R97670	120	OK All Trays	OK All Trays													
Uncoated Heavy Stocks																			
Xerox Colour Impressions 160 gsm	A	003R98007	003R98008	160										Tray 3 & 4	Tray 3 & 4				
Xerox Colotech+ Gold 160 gsm	A	003R98852	003R98854	160										OK All Trays	OK All Trays				
Xerox Colotech+ 160 gsm	A	003R94656	003R95841	160										OK All Trays	OK All Trays				
Xerox Colotech Natural White 160 gsm	A	003R95956	003R97276	160										OK All Trays	OK All Trays				
Uncoated Heavy Stocks																			
Xerox Colotech+ Gold 200 gsm	A	003R97967	003R97968	200										OK All Trays	OK All Trays				
Xerox Colotech+ 200 gsm	A	003R94661	003R94662	200										OK All Trays	OK All Trays				
Xerox Colotech Natural White 200 gsm	A	003R95958	003R97277	200										OK All Trays	OK All Trays				
Xerox Colotech+ Gold 220 gsm	A	003R97971	003R97972	220										OK All Trays	OK All Trays				
Xerox Colotech+ 220 gsm	A	003R94668	003R95843	220										OK All Trays	OK All Trays				
Xerox Colotech+ Gold 250 gsm	A	003R97975	003R97976	250										OK All Trays	OK All Trays				
Xerox Colotech+ 250 gsm	A	003R94671	003R95844	250										OK All Trays	OK All Trays				
Xerox Colour Impressions 250 gsm	A	003R98687	003R97671	250										OK All Trays	OK All Trays				
Xerox Colotech+ Gold 280 gsm	A	003R97979	003R97980	280										OK All Trays	OK All Trays				
Xerox Colotech+ 280 gsm	A	003R97097	003R97098	280										OK All Trays	OK All Trays				
Xerox Colotech+ Gold 300 gsm	A	003R97983	003R97984	300										OK All Trays	OK All Trays				
Xerox Colotech+ 300 gsm	A	003R97552	003R97553	300										OK All Trays	OK All Trays				

Weight Range Specification	Standard Cut Sizes	Grammage Weight (g/m ²)	Xerox 700 Trays/Weight Selection and Best Practices for Operation																			
			IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5							
			A4 210x297 mm	A3 297x420 mm	SRA3 320x450 mm	60-80 gsm		81-90 gsm		91-105 gsm		106-128 gsm		129-150 gsm		151-176 gsm		177-220 gsm		221-256 gsm		257-300 gsm
Instructions for Printing one side (Simplex) or two sides (Duplex)			Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Coated Text or Book Stocks C25	Decurler Setting paper type																					
Xerox Colotech+ Silk Coated 120 gsm	A	003R90356	003R90357	120						OK All Trays	OK All Trays											
		003R90355		120						OK All Trays	OK All Trays											
Xerox Colotech+ Gloss Coated 120 gsm	A	003R90337	003R90338	120						OK All Trays	OK All Trays											
		003R90336		120						OK All Trays	OK All Trays											
Xerox Colotech+ Silk Coated 140 gsm	A	003R90359	003R90360	140								OK All Trays	OK All Trays									
		003R90358		140						OK All Trays	OK All Trays											
Xerox Colotech+ Gloss Coated 140 gsm	A	003R90340	003R90341	140								OK All Trays	OK All Trays									
		003R90339		140						OK All Trays	OK All Trays											
Coated Heavy Stocks C25	Decurler Setting paper type																					
Xerox Colotech+ Silk Coated 170 gsm	A	003R90362	003R90363	170								OK All Trays	OK All Trays									
		003R90361		170						OK All Trays	OK All Trays											
Xerox Colotech+ Gloss Coated 170 gsm	A	003R90343	003R90344	170								OK All Trays	OK All Trays									
		003R90342		170						OK All Trays	OK All Trays											
Xerox Colotech+ Silk Coated 210 gsm	A	003R90365	003R90366	210										OK All Trays	OK All Trays							
		003R90364		210						OK All Trays	OK All Trays											
Xerox Colotech+ Gloss Coated 210 gsm	A	003R90346	003R90347	210								OK All Trays	OK All Trays									
		003R90345		210						OK All Trays	OK All Trays											
Xerox Colotech+ Silk Coated 250 gsm	A	003R90368	003R90369	250																Bypass Tray	Manual Duplex	
		003R90367		250																Bypass Tray	Manual Duplex	
Xerox Colotech+ Gloss Coated 250 gsm	A	003R90349	003R90350	250																Bypass Tray	Manual Duplex	
		003R90348		250																Bypass Tray	Manual Duplex	
Xerox Colotech+ Silk Coated 280 gsm	A	003R90371	003R90372	280																	Bypass Tray	Manual Duplex
		003R90370		280																Bypass Tray	Manual Duplex	
Xerox Colotech+ Gloss Coated 280 gsm	A	003R90352	003R90353	280																	Bypass Tray	Manual Duplex
		003R90351		280																	Bypass Tray	Manual Duplex
Supergloss Coated Heavy Stocks C15	Decurler Setting paper type																					
Xerox Colotech+ Supergloss 135 gsm Image quality will not be as good on second side	A	Select 129-150 gsm mode. Load with coated side up.												OK All Trays	OK All Trays							
		003R97679		135																		
Xerox Colotech+ Supergloss 160 gsm Image quality will not be as good on second side	A	Select 151-176 gsm mode. Load with coated side up.														OK All Trays	OK All Trays					
		003R97680	003R97681	160																		
Xerox Colotech+ Supergloss 210 gsm Image quality will not be as good on second side	A	Select 177-220 gsm mode. Load with coated side up.																				
		003R97682	003R97683	210																		
			003R97684	210																		
Xerox Colotech+ Supergloss 250 gsm Image quality will not be as good on second side	A	Select 221-256 gsm mode. Load with coated side up.																			Bypass Tray	Manual Duplex
		003R97687	003R97688	250																	Bypass Tray	Manual Duplex
		003R97686		250																	Bypass Tray	Manual Duplex

Weight Range Specification Instructions for Printing one side (Simplex) or two sides (Duplex)	Decurler Setting paper type	Standard Cut Sizes			Grammage Weight (g/m ²) Weight of the paper in grams per square metre	Xerox 700 Trays/Weight Selection and Best Practices for Operation													
		A4 210x297 mm	A3 297x420 mm	SRA3 320x450 mm		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5		IOT: Trays 1, 2, 3, 4 Bypass: Tray 5	
		60-80 gsm		81-90 gsm		91-105 gsm		106-128 gsm		129-150 gsm		151-176 gsm		177-220 gsm		221-256 gsm		257-300 gsm	
Specialties																			
Xerox Colotech+ Supergloss 210 A4 Prescored White	A	Second side image quality will not be as good as side one			210														
Xerox ValuPeelCard Coated 500 Sheet Box	A	Maximum 50 Sheet stacks			216														
Xerox ValuPeelCard Uncoated 500 Sheet Box	A	Maximum 50 Sheet stacks			216														
Xerox ValuPerfCard Coated 500 Sheet Box	A	Maximum 50 Sheet stacks			216														
Xerox ValuPerfCard Uncoated 500 Sheet Box	A	Maximum 50 Sheet stacks			216														
Xerox DocuMagnet Gloss Coated 500 Sheet Box	A	Maximum 50 Sheet stacks. Do not image base sheet in card area.			216														
Xerox DocuMagnet Uncoated 500 Sheet Box	A	Maximum 50 Sheet stacks. Do not image base sheet in card area.			216														
Xerox Business Cards, 10-up	A	Select uncoated 177-220 gsm made in Tray image side up.			195														
Xerox Colotech+ Supergloss Document Folder	A	Coated 221-256 gsm made for glossy, Uncoated 221-256 gsm for matt			250														
Transparencies																			
Xerox Premium Universal Transparency with Paper Backing	Default	003R98199			100 micron														
Tab Stock																			
Xerox Colotech+ Tabs White 100 x 5 reverse	A	Feed long edge first, tabs trailing			200														
Xerox Colotech+ Tabs White 50 x 10 reverse	A	003R97232			200														
Label Stock																			
Xerox Colour Laser Printer Labels 1 PER A4	C	003R93872			190														
6 PER A4		003R93873			190														
8 PER A4		003R93874			190														
14 PER A4		003R93875			190														
24 PER A4		003R93524			190														
Xerox Gloss Coated Labels 1 PER A4	C	003R97288			190														
Xerox Colotech+ Matt CD Labels & CD Inserts Combi Box	C&A	003R97515			190 & 120														
Transfer paper																			
Xerox Universal Transfer Paper		Load transfer paper long edge feed, Coated 151-176 gsm, simplex only. Feed up output to catch tray or finisher top tray.			147														
Carbonless Paper																			
Xerox Premium Digital Carbonless Paper																			
CB Singles White (W)	A	003R99069			82														
CFB Singles White (W)	A	003R99070			86														
CFB Singles Yellow (Y)	A	003R99071			86														
CF Singles Yellow (Y)	A	003R99076			82														
CF Singles Pink (P)	A	003R99077			82														
CF Singles White (W)	A	003R99075			82														
2 Part Straight / Reverse W/Y	A	003R99105			82 / 82														
2 Part Straight / Reverse W/P	A	003R99107			82 / 82														
2 Part Straight / Reverse W/Y	A	003R99133			82 / 82														
3 Part Reverse P/Y/W	A	003R99109			82 / 86 / 82														
3 Part Straight W/Y/P	A	003R99108			82 / 86 / 82														
3 Part Straight W/Y/P	A	003R99135			82 / 86 / 82														
4 Part Reverse B/P/W	A	003R99112			82 / 86 / 86 / 82														
4 Part Straight W/Y/P/B	A	003R99111			82 / 86 / 86 / 82														