

US Army Corps of Engineers Construction Engineering Research Laboratories



# **Environmental Compliance Assessment and Management Program (ECAMP)**

# United Kingdom

The number of environmental laws and regulations continues to grow in the United States and throughout the world, making compliance with regulations increasingly difficult. Environmental assessments became a way to evaluate compliance with current environmental regulations. The Air Force has adopted a compliance program that identifies problems before they are cited as violations by regulatory agencies.

Beginning in 1984, the U.S. Army Construction Engineering Research Laboratories (USACERL), in cooperation with the Air Force Engineering and Services Center, began research on the Environmental Compliance Assessment and Management Program (ECAMP). The concept was to combine Federal, Department of Defense (DOD), and Air Force environmental regulations with good management practices and risk management issues into a series of checklists that show legal requirements and which specific items or operations to review. Each assessment QUALITY INSPECTED Interview of the checklists as effectively as possible.

The Environmental Compliance Assessment and Management Program-United Kingdom ECAMP is based on the "Standards Governing Environmental Protection for U.S. Installations in the United Kingdom," published by Headquarters, U.S. Air Force, Europe (HQ USAFE) in January 1994. UK ECAMP includes pertinent information from Air Force Instructions, DOD Directives and Instructions, and cited good management practices.

19970122 038

# REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Hiphway, Suite 1204. Artifactor, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Davis Highway, Suite 1204, Arlington, VA 2	2202-4302, and to the Office of Managemen			ashington, DC 20503.	
AGENCY USE ONLY (Leave Blank)	2. REPORT DATE February 1997	3. REPORT TYPE AND DAT Final	ITES COVERED		
4. TITLE AND SUBTITLE Environmental Compliance A Kingdom	Assessment and Management Pro	ogram (ECAMP): United	5. FUNDING NUMB MIPR NL96-256		
6. AUTHOR(S)  David A. Krooks					
7. PERFORMING ORGANIZATION NAM			8. PERFORMING O		
U.S. Army Construction Engineering Research Laboratories (USACERL) P.O. Box 9005 Champaign, IL 61826-9005			SR 97/18	:n	
			10. SPONSORING	MONITORING	
9. SPONSORING / MONITORING AGEN Headquarters, USAFE ATTN: HQ USAFE/CEV Unit 3050, Box 10 APO AE 09094-5010	CY NAME(S) AND ADDRESS(ES)		AGENCY REPO		
11. SUPPLEMENTARY NOTES  Copies are available from the	National Technical Information	n Service, 5285 Port Royal	Road, Springfie	ld, VA 22161.	
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION	N CODE	
Approved for public release;	distribution is unlimited.				
making compliance with regular compliance with current environmental regulations with show legal requirements and	al laws and regulations continued alations increasingly difficult. Extronmental regulations. The Air d as violations by regulatory agarmy Construction Engineering ervices Center, began research of MP). The concept was to combit good management practices which specific items or operation when the checklists as effectively	nvironmental assessments Force has adopted a compencies.  Research Laboratories (Upon the Environmental Compencies and risk management issued ons to review. Each assessing to review.	SACERL), in copliance Assessm Defense (DOD) es into a series of	o evaluate hat identifies coperation with the ent and , and Air Force checklists that	
"Standards Governing Environment Headquarters, U.S. Air Force	nce Assessment and Manageme onmental Protection for U.S. Inse, Europe (HQ USAFE) in Janua Directives and Instructions, and	stallations in the United Ki ary 1994. UK ECAMP inc	ngdom," publish ludes pertinent ir	ed by	
14. SUBJECT TERMS Environmental Laws and Reg	rulations	United King	dom	15. NUMBER OF PAGES 644	
Environmental Compliance C	Checklists Assessment and Management Pro	_		16. PRICE CODE	
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICA	TION	20. LIMITATION OF ABSTRACT	

Unclassified

Unclassified

SAR

Unclassified

#### **FOREWORD**

The research was performed for the Headquarters, United States Air Force, Europe (HQ USAFE), under Military Interdepartmental Purchase Request (MIPR) number NL96-256, dated 3 April 1996. The HQ USAFE technical monitor was CAPT Neil Arnold, HQ USAFE/CEV.

The research was performed by the Planning and Management Laboratory, Environmental Processes Division of the U.S. Army Construction Engineering Research Laboratories (USACERL). The Principal Investigator was Dr. David A. Krooks, Environmental Processes Division (PL-N). Mr. L. Jerome Benson is Acting Division Chief (PL-N).

COL James T. Scott is Commander, USACERL. Dr. Michael J. O'Connor is Director.

#### **NOTICE**

This manual is intended as general guidance for personnel at Air Force (AF) facilities. It is not, nor is it intended to be, a complete treatise on environmental laws and regulations. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information contained herein. For any specific questions about, or interpretations of, the legal references herein, consult appropriate counsel.

# TABLE OF CONTENTS

INTRODUCTORY SECTION				
Title	Page			
Manual Objectives and Organization	v			
Program Background	vii			
ECAMP Program Management Process	ix			
ECAMP Abroad	xi			
Environmental Compliance Assessment Process	xiii			
Figure 1 ECAMP Finding Form	xv			
Definitions for ECAMP Finding Form	xvii			
Sample ECAMP Finding Form	xxv			
Using the ECAMP Manual				
Using the Checklists				
Customizing the Checklists for Your Installation				
Writing the ECAMP Report				
Figure 2 Environmental Compliance Summary				
Figure 3 Detailed Environmental Compliance Status	xxxvii			
Figure 4 Environmental Compliance Status	xli			
Table 1 Sample Previsit Environmental Management Questionnaire	xlv			
Table 2 (Logic Table)	lix			
Glossary of Acronyms				
Abbreviations				
Metric Conversion Table				

PROTOCOL SECTIONS				
Section	Title	Page		
1	Air Emissions Management	1-1		
2	Cultural Resources Management	2-1		
3	Hazardous Materials Management	3-1		
4	Hazardous Waste Management	4-1		
5	Natural Resources Management	5-1		
6	Other Environmental Issues	6-1		
7	Pesticide Management	7-1		
8	Petroleum, Oil, and Lubricant (POL) Management	8-1		
9	Solid Waste Management	9-1		
10	Storage Tank Management	10-1		
11	Toxic Substances Management	11-1		
12	Wastewater Management	12-1		
13	Water Quality Management	13-1		

## MANUAL OBJECTIVES AND ORGANIZATION

This manual provides the Environmental Compliance Assessment and Management Program (ECAMP) assessment checklists to be used during an ECAMP assessment. These environmental assessment checklists are based on the Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), 1 January 1994. This manual serves as the primary tool in conducting the environmental compliance assessment phase of the ECAMP process. Specifically, this manual:

- 1. compiles applicable Department of Defense (DOD) and AF environmental regulations and instructions with AF operations and activities
- 2. synthesizes environmental regulations, management practices (MPs), and risk management issues into consistent and easy to use checklists
- 3. serves as an aid in the assessment process and the management action development phases of the ECAMP.

This manual is divided into 13 sections. General ECAMP guidance and information applicable to all 13 compliance assessment checklists in the ECAMP manual can be found in the Main Introduction. Sections 1 through 13 contain the specific environmental compliance guidelines and checklists for each of the 13 compliance categories:

Air Emissions Management
Cultural Resources Management
Hazardous Materials Management
Hazardous Waste Management
Natural Resources Management
Other Environmental Issues
Pesticide Management
Petroleum, Oil, and Lubricant (POL) Management
Solid Waste Management
Storage Tank Management
Toxic Substances Management
Wastewater Management
Water Quality Management.

This manual contains references to existing Air Force Regulations (AFRs), Air Force Policy Directives (AFPDs), Air Force Manuals (AFMs), and Air Force Pamphlets (AFPs). The AF is in the process of replacing AFRs with Air Force Instructions (AFIs). This ECAMP manual contains references to a combination of the above. References to AFRs will be replaced with applicable citations in the next version of the manual. HQ USAF/CEV will issue interim guidance as the new policies and regulations are approved.

The AFIs included in the manual are up-to-date through Air Force Index 2, Numerical Index of Standard and Recurring Air Force Publications, 1 August 1996 (for the period ending 19 July 1996).

vi

#### PROGRAM BACKGROUND

The ECAMP is explained in AFI 32-7045, Environmental Compliance Assessment and Management Program (ECAMP). The primary objectives of ECAMP are:

- 1. improve AF environmental management
- 2. improve AF environmental compliance and compliance management
- 3. build supporting financial programs and budgets for environmental compliance requirements
- 4. ensure that Major Commands (MAJCOMs) are effectively addressing past, present, and future environmental concerns.

AF installations, support sites, and government-owned contractor-operated (GOCO) facilities are required to receive an external environmental compliance assessment at least once every 3 yr. Each installation and support site must conduct an internal assessment each calendar year, except in years when external assessments are conducted.

Facilities can be exempted from the ECAMP if their inclusion in the program will significantly interfere with their military effectiveness or if it is otherwise in the national interest. Approval authority for such exemptions is the Deputy Assistant Secretary of the Air Force for Environment, Safety, and Occupational Health (SAF/MIQ). The MAJCOM Environmental Protection Committee (EPC) will prepare requests for exemption and forward to HQ USAF/CEV for action.


#### ECAMP PROGRAM MANAGEMENT PROCESS

The ECAMP program management process begins with the environmental compliance assessment and written report that identifies compliance and management issues. The commander, through the EPC, then assigns appropriate staff agencies to work each issue.

ECAMP Action Summary - The path illustrated on the far left of the flowchart represents the process the installation follows in resolving most issues. Immediate hazards should, of course, be addressed as quickly as possible. The procedural, easy-to-fix issues, are corrected during the assessment process and documented in the report.

The path in the center, for the tough and expensive issues, includes preparing a management action plan describing how these problems will be addressed.

Formal notices of noncompliance issued by regulatory agencies are represented by the path on the far right. Open notices of noncompliance at the time of the assessment are included in the ECAMP assessment and report. Notices of noncompliance issued after the date of the ECAMP assessment do not appear in the report, but are managed by the installation EPC along with ECAMP issues.



x

#### ECAMP ABROAD

AFI 32-7006, Environmental Program in Foreign Countries, 29 April 1994, details the objectives, background, and standards unique to AF environmental activities in foreign countries. It requires that installations comply with the DOD Final Governing Standards (FGSs) issued for the particular host country where each installation is located.

The Instruction acknowledges, however, that FGS have not yet been issued for all countries in which the AF has installations. In instances where the FGS have not been completed, installations must comply with the requirements of the *Overseas Environmental Baseline Guidance Document* (OEBGD), but only after ensuring that the criteria in it do not conflict with any applicable international agreements such as treaties, status of forces agreements (SOFAs), or bilateral agreements. This manual is based on FGS-UK, April 1995.

Those few installations and facilities located in foreign countries for which environmental executive agents (EEAs) have not been assigned to prepare the FGS must comply with the criteria in the OEBGD, but only after ensuring that the criteria in it do not conflict with any applicable international agreements such as treaties, SOFAs, or bilateral agreements. The Worldwide ECAMP manual is used in these cases as well. When an EEA is assigned and the FGS prepared, the FGS will supersede the use of the OEBGD.

As the sole compliance standards at installations and facilities in foreign countries, the FGS (or the OEBGD under the conditions discussed above) takes precedence over compliance with AF environmental instructions specified as not required in Attachment 2 to AFI 32-7006. Compliance with instructions so designated in the Attachment is not required. Compliance with the AFIs specified as "required" is mandatory, but only after ensuring that their requirements do not conflict with the provisions of the FGS (or the OEBGD) or with any applicable international agreements such as treaties, status of forces agreements (SOFAs), or bilateral agreements. The following AFIs specified as "required" in AFI 32-7006 are included in this manual:

32-7001 - Environmental Budgeting

32-7002 - Environmental Information Management System

32-7005 - Environmental Protection Committees

32-7045 - Environmental Compliance Assessment and Management Program

32-7061 - Environmental Impact Analysis Process

32-7080 - Pollution Prevention Programs

48-119 - Instructions for Medical Service Environmental Pollution Monitoring.

It should be noted that only those requirements that are based on the FGS are eligible for funding with environmental compliance monies.

## ENVIRONMENTAL COMPLIANCE ASSESSMENT PROCESS

The ECAMP program management process described previously can be divided into three distinct phases:

- 1. pre-assessment activities
- 2. site assessment activities
- 3. post-assessment activities.

**Pre-assessment Activities** - There are five key activities that should be completed before an assessment team begins the site assessment.

- 1. Previsit Questionnaire The purpose of the previsit questionnaire is to collect information that will familiarize the assessment team with the installation and its operations so that its assessment team is able to review the applicable regulations and prepare a detailed assessment schedule. The previsit questionnaire is essential as part of the pre-assessment activities for an external assessment. It is also an excellent tool for ensuring internal assessment team members are starting from the same base of information. Table 1 (see page xlv) contains a sample previsit questionnaire.
- 2. Define Assessment Scope and Team Responsibilities The installation or MAJCOM may wish to place special emphasis on certain compliance categories or to review additional areas not covered in the volumes. These goals should be clearly stated so the assessment can be properly planned. Additionally, the duration of the assessment, appointment of team members by the EPC, and handling of tenants and offbase sites should be addressed. Typical teams include members from personnel, and may include: Environmental Coordinator (EC), Bioenvironmental Engineering Services (BES), Judge Advocate (JA), Ground Supply Officer, Supply, Maintenance, Transportation, Defense Reutilization and Marketing Office (DRMO), Base Civil Engineer (BCE) Water and Waste Superintendent, BCE (Contract Management), BCE (Natural Resources Manager), BCE (Fire Department), BCE (Engineering Design); or, if contracted, people with equivalent varied experience may be chosen. Assessors should possess a good working knowledge of the various environmental pollution statutes and regulations. Collectively, the team must have the knowledge and background required to conduct all aspects of an installation assessment efficiently and effectively. Team members should also understand appropriate techniques for collecting information and interviewing installation personnel. Team members should have received formal training or received oversight from someone who has received formal training. Finally, responsibilities for each of the checklists should be assigned to the team members as appropriate.

Table 2 (see page 1xi) lists the major environmental operations and activities at typical AF installations and the sections within which they are addressed. As shown, many activities and operations cause environmental impacts in more than one area, and are, therefore, addressed in more than one section.

3. Review Relevant Regulations - Once the assessment scope and responsibilities are known, the assessors should undertake a thorough review of the regulations relevant to the installation. Which environmental regulations are applicable must be determined before the assessment begins.

- 4. Develop Assessment Schedule The team should develop a detailed assessment schedule that includes the activities planned for each day.
- 5. Review Assessment Protocols Each assessor should know the regulatory requirements and be familiar with the assessment checklists that will be used.

Site Assessment Activities - Onsite, the assessors will conduct record searches, interviews, and site surveys to determine the compliance status of the installation. Operations are compared with environmental standards and any deficiencies are written up as findings. The data collected should be sufficient, reliable, and relevant to provide a sound basis for assessment findings and recommendations. Figure 1 (see page xv), the ECAMP Finding Form, is available to assist assessors in compiling needed information during an ECAMP assessment. A Finding Form should be completed for each finding during the assessment. These forms comprise the basis of the ECAMP report. Figure 1 is based on the future version of the finding screen layout on the Work Information Management System - Environmental Subsystem (WIMS-ES).

On the following pages, the reader will find an ECAMP Finding Form, an explanation of the fields it contains, and an example ECAMP Finding Form that has been properly filled out.

(NOTE: Any findings discovered through the use of this guidance manual by the internal assessment should be validated by the environmental coordinator and Judge Advocate. The findings and corrective actions should be recorded in the EPC minutes.)

Post-Assessment Activities. The first step in the post-assessment activities is the creation of the draft report. The MAJCOM EPC will ensure that each installation reviews and comments on the Preliminary Environmental Findings, develops a management action plan that addresses all unresolved findings; and tracks each significant, major, and minor noncompliance finding. The MAJCOM EPC will coordinate the development of a management action plan, the Draft Final Environmental Compliance Assessment Report, and the Final Environmental Compliance Assessment. Upon approval, the MAJCOM will forward the final report to HQ USAF/CEV and the Air Force Center for Environmental Excellence (AFCEE)/EP via the WIMS-ES.

## Figure 1

# **ECAMP Finding Form**

Date of Finding		Prot	cocol	Finding #	
Rating			Est Comp Date		
			Act Comp Date		
Street Address					
Grid Coordinates					
Facility #	Location				
Finding Title		<del></del>			
Details					

## Figure 1 (continued)

# **ECAMP Finding Form**

Question Number			A-106 Media			
Responsible Organization			Org Type			
			_			
			_			
			_			
CFR Citation						
Other Criteria						
		-				
Root Cause	Explain					
		·				
Violation Type	Finding ID		Finding T	ype	Source	
Owning Org POC		_ Off Sym _		Phone	Ext	
Env Mgt Org POC		Off Sym _		Phone	Ext	
Suggested Solution						
				· · · · · · · · · · · · · · · · · · ·		
				•	the terms of the t	
A-106 Proj #	Est Cost \$ _					

### **Definitions for ECAMP Finding Form**

(NOTE: The following fields, which are included on the ECAMP Finding Form are not in the current version of the software, but this form can be used to assist with data entry in the current version: Repeat Finding; Grid Coordinates; Street Address; Organization Type; Code of Federal Regulations (CFR) Citation; Other Criteria; Root Cause; additional two entries for Violation Type; additional two entries for Finding Identification (ID); Suggested Solution.)

- 1. **Date of Finding**: Enter the date the finding was discovered. This is the exact date the finding was discovered. Try to avoid using the same date for all findings. YYYY MM DD (Convert "Finding Date").
- 2. Protocol: Using the selector, choose the protocol for the finding.

Air

Hazardous Materials

Hazardous Waste

Nat/Cul Resources

Noise

Pesticide

Petroleum, Oil, and Lubricant (POL)

Solid Waste

Special Programs (Polychlorinated Biphenyls (PCBs), Asbestos, Radon Mitigation, Installation Restoration Program (IRP), A-106 Pollution Abatement Plan, Environmental Impact Analysis Process (EIAP), Work Information Management System-Environmental Subsystem (WIMS-ES), and Lead-based Paint (LBP))

Water Quality

**Pollution Prevention** 

- 3. Finding Number: This field indicates the placement of this finding in the report. It may have nothing to do with its priority or status, depending on the philosophy of the program manager. Each protocol has its own set of numbers. In other words, you can have a HW-001 and an AIR-001.
- 4. Rating:

Significant

Major

Minor

Management Practice

Positive

- 5. Repeat?: Identify with a "Y" if this finding is a repeat finding. Has there been a finding documented in a prior ECAMP identical to this finding? If not, enter "N".
- 6. Estimated Compliance Date (ECD): What is the YYYY MM DD that this finding will be brought into compliance?
- 7. Actual Compliance: If the finding is brought into compliance during the evaluation, enter that date.

- 8. At least one of the following three must be completed. If more information is known, it should be entered.
  - a. Street Address: Enter the street/mailing address for the location of this finding.
  - b. Grid Coord: Enter the grid coordinated for the location of the finding. This is optional.
  - c. Facility Number: Enter the facility number for the location of the finding.
- 9. Location Description: Use this field if facility number or street address is not applicable. Briefly describe the location of the finding.
- 10. Finding Title: Enter a brief, descriptive title for the finding (up to 51 characters).
- 11. **Details**: Enter a detailed description of the finding. State what is wrong, how the process or procedures are being done now, and how long is has been under way. State exactly how the AF is out of compliance. Be concise, objective, and strictly factual. Do not be subjective. Do not make inflammatory remarks (up to 726 characters).
- 12. Question #: This is the question number from the ECAMP manual. The first three characters are entered automatically by the system. Enter the question number from the manual (enter the main paragraph number only, no periods or dashes required).
- 13. A-106 Media: Choose the A-106 media that best matches the finding condition.
  - AT Atomic Energy
  - CA Clean Air Act
  - CW Clean Water Act
  - ES Endangered Species Act
  - FF Federal Insecticide/Fungicide/Rodenticide Act
  - HP Historic Preservation
  - MU Multi-Media
  - NC Noise Control
  - NE National Environment Policy Act
  - RC Resources Conservation and Recovery Act
  - SD Safe Drinking Water Act
  - SF Comprehensive Environmental Response, Compensation, and Liability Act
  - TS Toxic Substance Control Act
- 14. Responsible Organization: Enter the organizations that "caused" the finding. You can enter up to three organizations. This is the "who done it" data field that can be used for trend analysis to find organizations that need additional training, equipment, manpower, etc.
- 15. Organization Type: For each organization, identify the appropriate type code.

Academic Academic

AC Maint Aircraft maintenance

AC Clean Cleaning/degreasing aircraft parts
AC Storage Aircraft storage, ramp, parking, etc.

AC Wash Aircraft washrack

AGE Repair Aerospace ground equipment (AGE) storage and/or repair

Alert Transient alert
Arts Arts and crafts
Auto Body Auto hobby

Audio Audiovisual services

Avionics Aircraft avionics maintenance

Base Svc Base service station

Bio Bioenvironmental Engineering

Bulk Fuels Bulk fuels management

BX Base exchange Childcare Childcare center

Clean/Deg Cleaning and degreasing (not aircraft)
CE Maint Civil Engineering maintenance shop
CE Mat Civil Engineering material control
CE Self Civil Engineering self-help store

Cmmssry Commissary

Comm Maint Communications maintenance

Dental Dental clinic

DRMO DRMO treatment, storage, and disposal facility (TSDF)

Elect/Env Electro/environmental
Entomology Entomology shop

EOD Explosive ordinance disposal Env Mgt Environmental management

Fire Dept Fire department
Golf Golf course
Heat Plnt Heat plant

Hvy Equip Heavy equipment maintenance/storage

Hospital Hospital/clinic
Housing Housing maintenance
Hyd/Pneu Hydraulics/Pneudraulics

IWTP Industrial wastewater treatment plant

Landfill Landfill

Off Bldg Business offices (Consolidated Base Personnel Office(CBPO), banks, etc.)

Other Other, any other not listed Rsrch Lab Research laboratory

Supply Base supply
Swim Swimming pool
Test Cell Engine test cell
TSD Base TSDF

Veh Maint Vehicle maintenance/storage

Veh Wash Vehicle washrack Vet Clinic Veterinary clinic

WWTP Wastewater treatment plant

- 16. CFR Citation: Enter the CFR citation for the finding.
- 17. Other Criteria: Enter all the laws, regulations, statutes, etc., other than the CFR citation, defining the out-of-compliance condition. You may also enter a brief description of that criterion (up to 192 characters).

18. Root Cause: Select the root cause that best reflects the basic reason for the out of compliance condition.

#### Materials:

- M1 Supply
- M2 Poor Quality

#### Personnel:

- P1 Awareness of Requirement
- P2 Understanding
- P3 Not conscientious (deals with attitude of personnel)
- P4 Result vs. Action (The result did not equal the action taken. Procedures were followed which should have produced a favorable result but did not.)
- P5 Accountability not assigned
- P6 Action vs. Procedure (correct procedure(s) in place but incorrect action taken)
- P7 Insufficient skills
- P8 Inexperience (not an attitude of personnel)

#### Equipment:

- E1 Controls failure
- E2 Inadequate facility design
- E3 Monitoring equipment failure
- E4 Poor maintenance

#### **Techniques:**

- T1 Time to do the job
- T2 No procedures in place
- T3 Priority conflict
- T4 Inadequate Procedures
- T5 Procedures not available
- 19. Explain the reason for your selection of Root Cause. Be specific and stick to the facts (up to 119 characters).

20. Violation Type: Choose the appropriate code(s) that best describe(s) the situation. You can enter up to three.

## **Administrative**

- A1 Records
- A2 Labels
- A3 Reports
- A4 Manifests
- A5 Lack of a permit
- A6 Inadequate/missing plan
- A7 Public notification
- A8 Operator certification
- A9 Fire standard
- A10 Program planning
- A11 Sampling
- A12 training
- A13 Other
- A14 Registration
- A15 Uncharacterized
- A16 Lacking or incomplete inventory/survey

#### Potential Discharge

- P1 Operational practices
- P2 Inadequate facility
- P3 Inadequate equipment/containers
- P4 Other
- P5 No testing/verification
- P6 Containment

#### Discharge

- D1 Excess chemical parameter
- D2 Excess physical parameter
- D3 Groundwater contamination
- D4 Spills/leaks
- D5 Other

21. Finding Category Codes: Choose the appro-		7D 7E	Others
pria	priate code(s). You can enter up to three.		Oil/Water Separators
		7F	Drum Storage
	Emissions Management		
1 <b>A</b>			d Waste Management
1B	Incinerators	8A	Landfills
1C	Volatile Organics	8B	Receptacles
1D	Others	8C	Recycling
1E	Ozone Depl Chems	8D	Others
1F	Particulates/Bead Blast	8E	Medical Waste
1G	Air Toxics, Metals	8F	Regulated Materials
1H	General Requirements		•
	•	Spec	ial Programs Management
Haz	ardous Material Management	9 <u>A</u>	PCBs
$\frac{\overline{2A}}{2A}$	Storage Structures	9B	Asbestos
2B	Operations/Management	9C	Radon Mitigation
2C	Others	9D	Others
20	Others	9E	IRP
Uoz	ardous Wasta Managament	9E 9F	EIAP
	ardous Waste Management		
3A	Accumulation Points	9G	A-106
3B	TSDFs	9H	ECAMP
3C	Training	9I	Lead-Based Paint (LBP)
3D	Waste Minimization	9J	Low Level Radiation
3E	Others	9K	Automation Issues
3F	Oil/Water Separators		
3G	Satellite Accum Points		r Quality Management
3H	Operational Procedures	10A	Sanitary Wastewater
		10B	Industrial Wastewater
	<u> </u>	10C	Stormwater Runoff
4A	Wildlife/Recreation/Forestry	10D	Nonpoint Runoff
4B	Cultural/Historic	10E	Operations
4C	Land/Agriculture	10F	Others
4D	Wetlands/Floodplains	10G	Facilities/Equipment
4E	Others	10H	Oil/Water Separators
		10I	Drinking Water
<u>Envi</u>	ronmental Noise Management		
5A	Installation compatible use zone (ICUZ)	<u>Pollu</u>	tion Prevention Management
5B	Procedures	11A	Management Plans
5C	Others	11B	Ozone depleting chemicals (ODCs)
		11C	EPA 17
Pesti	cide Management	11D	Hazardous Waste Minimization
6A	Facilities/Equipment	11E	Recycling
6B	Operations/Mgt	11F	Affirmative Procurement
6C	Others	11G	Energy Conservation
		11H	Education and Training
Petro	oleum, Oil, and Lubricant (POL) Mgt	1111	Hazardous Material Control
7A	Above Ground Tanks	11J	Other
7B	Underground Tanks	11J	- Culei
7D 7C	Operations/Mgt		
, C	opolations/11gt		

- 22. Finding Type: Choose the appropriate code.
- 23. Source: Choose the appropriate source for the definition of the noncompliance.

U.S. Protocols
Worldwide Manual/Overseas Manual
Installation Supplement to ECAMP Manual
Command Supplement to ECAMP Manual
Country Manual
Country Supplement
State Supplement
Local Law/Ordinance

- 24. Owning Organization Point of Contact (POC): Enter the name of the POC of the organization handling the fix.
- 25. Office Symbol: Enter the office symbol for the POC.
- 26. Phone and Extension: Enter the phone and extension for the POC.
- 27. Environmental Management POC: Enter the name of the POC within the Environmental Management Office (EMO) who is responsible for tracking this finding.
- 28. Office Symbol: Enter the office symbol for the POC.
- 29. Phone and Extension: Enter the phone and extension for the POC.
- 30. Evaluator's Suggested Solution: Enter the suggested solution for the evaluator. After validation, this is nonmodifiable (up to 308 characters).
- 31. A-106 Project #: If there is funding already programmed for the fix, enter the A-106 project number, if available.
- 32. Estimated Cost: If the information is available, enter the estimated cost of the project.

# Sample ECAMP Finding Form

Date of Finding		Protocol	Finding #
Rating	Repeat Finding?	Est Comp Date _	
		Act Comp Date _	
Street Address			
Grid Coordinates			
Facility #	Location		
Finding Title			
Details			
		<i></i>	

# Sample ECAMP Finding Form (continued)

Question Number			A-106 Media			
Responsible Organization _			Org Type			
CFR Citation						•
Other Criteria						
Root Cause	Explain					
				· · · · · ·		
Violation Type	Finding ID		Finding '	Гуре	Source	
Owning Org POC		Off Sym _		Phone	Ext	
Env Mgt Org POC		Off Sym		Phone	Ext	
Suggested Solution						
						· · · · · · · · · · · · · · · · · · ·
					·	
A-106 Proj #	Est Cost \$					<del></del>

#### USING THE ECAMP MANUAL

AF installations engage in many operations and activities that can cause environmental impacts on public health and the environment if not controlled or properly managed. Many of these activities and operations are regulated by FGS-UK and by AFRs/policies. After a review of these activities at AF installations, it is apparent that there are major categories of environmental compliance into which most environmental regulations and agency activities can be grouped. This manual is divided into 13 sections that correspond to major compliance categories:

- 1. Air Emissions Management
- 2. Cultural Resources Management
- 3. Hazardous Materials Management
- 4. Hazardous Waste Management
- 5. Natural Resources Management
- 6. Other Environmental Issues
- 7. Pesticide Management
- 8. Petroleum, Oil, and Lubricant (POL) Management
- 9. Solid Waste Management
- 10. Storage Tank Management
- 11. Toxic Substances Management
- 12. Wastewater Management
- 13. Water Quality Management

Each section is organized in the following format:

- A. Applicability of this Protocol. This provides guidance on the major activities and operations included in the section and a brief description of the major application.
- B. Department of Defense (DOD) Directives and Instructions. This identifies DOD Directives and Instructions that have not yet been implemented by an AFR or AFI.
- C. Air Force Documents. This identifies, in summary form, the key AFRs, AFIs, and AFPDs that mandate requirements in the compliance category.
- D. Responsibility for Compliance. This identifies the personnel on the installation who have compliance responsibilities for the compliance category.
- E. Definitions. This presents definitions taken from FGS-UK and pertinent AFRs and AFIs for those key terms associated with each compliance category.
- F. Compliance Assessment Checklists. The final portion of each section is a checklist composed of requirements or guidelines that serve as indicators to point out possible compliance problems and practices, conditions, or situations that could indicate potential problems. The checklist is intended to focus attention on the key compliance issues. Instructions are provided to direct the assessor to the action, references, or activity appropriate to the specific requirement or guideline.

#### USING THE CHECKLISTS

Understanding the layout and structure of the checklists facilitates their use during the assessment.

- Explanation of Layout/Content. The checklist portion of assessment section is divided into two columns. The first of these is a statement of a requirement. This may be a strict regulatory requirement, in which case the citation is given, or it may be a requirement that is considered to be a good management practice to maintain compliance, but which is not specifically mandated by regulation. The second column gives instructions to help conduct the compliance assessment. These instructions are intended to be specific action items that should be accomplished by the investigator. Some of the instructions may be a simple documentation check taking a few minutes; others may require physical inspection of a facility.
- Worksheet. At the end of each section there is an assessment worksheet. This worksheet should be reproduced and used during the assessment to take notes. It is designed to be inserted between each page of the checklists, allowing the main text to be kept usable for the next assessment. The worksheet is divided into two columns. The first column is a quick check for those items that are in compliance (C), not applicable (N/A) to the facility being reviewed, or require management action (RMA). The second column on the worksheet allows for more detailed notations or comments. These notations will provide a record for use in preparing the final report. These notations should include both situations of substandard operation needing attention and those operations that are above requirements or provide examples of good programs. For future reference and clarity, it is essential that the building number be recorded or that some other reference to location be made during the review.
- Standard Checklist Items. The first three checklist items in each section of the manual are standardized. The first item requires a review of any previous assessment documents. The second is a management practice that indicates the AF documents that the installation should have on hand. The third item provides a place for assessors to write up findings that are based on regulations that have been promulgated since the publication of the manual or regulations not included in the manual.

The assessment procedures are designed as an aid and should not be considered exhaustive. Use of the checklist requires the assessor's judgment to play a role in determining the focus and extent of further investigation.

# CUSTOMIZING THE CHECKLISTS FOR YOUR INSTALLATION

Creating Shop-Specific and Self-Inspection Checklists - The ECAMP checklists in this manual are a useful tool for creating self-inspection checklists for individual shops. These shop-specific checklists can be used by shop supervisors and workers to ensure correct practices and procedures are being followed on a routine basis. Thus, good self-inspection checklists are an excellent supplement to annual ECAMP assessments. A customized checklist can be created in five steps:

- 1. Review the shop's activities to determine which sections apply.
- 2. Select broad portions of the applicable sections for closer review by using the guidance page found before the checklist in each section.
- 3. Review the individual checklist items selected for application to the shop being assessed.
- 4. Edit the applicable checklist items to make them shop-specific.
- 5. Compile the checklist items.

#### WRITING THE ECAMP REPORT

All ECAMP documents prepared prior to the Final Environmental Evaluation Report are internal working documents until the time that the Final Environmental Report is executed. They will be marked FOR OFFICIAL USE ONLY and handled accordingly. The AF has determined that their premature release would jeopardize the AF's interest in preserving the free flow, analysis, and comment on internal information regarding environmental compliance. Therefore, except as otherwise required by law, ECAMP documents will not be released to the public sector prior to the execution of the Final Environmental Evaluation Report. As a matter of policy, the Final Environmental Evaluation Report will be made available for release to the public, upon request, as soon as it is executed.

Final assessment reports will consist of five chapters and subheadings for each chapter as follows:

#### Chapter 1.0 Executive Summary

- 1.1 Background
- 1.2 Summary of Findings

#### Chapter 2.0 Background and Scope

- 2.1 Background
- 2.2 Scope

#### Chapter 3.0 Environmental Compliance Status

- 3.1 Air Emissions Management
- 3.2 Cultural Resources Management
- 3.3 Hazardous Materials Management
- 3.4 Hazardous Waste Management
- 3.5 Natural Resources Management
- 3.6 Other Environmental Issues
- 3.7 Pesticide Management
- 3.8 Petroleum, Oil, and Lubricant (POL) Management
- 3.9 Solid Waste Management
- 3.10 Storage Tank Management
- 3.11 Toxic Substances Management
- 3.12 Wastewater Management
- 3.13 Water Quality Management

#### Chapter 4.0 Environmental Practices Issues

- 4.1 Air Emissions Management
- 4.2 Cultural Resources Management
- 4.3 Hazardous Materials Management
- 4.4 Hazardous Waste Management
- 4.5 Natural Resources Management
- 4.6 Other Environmental Issues
- 4.7 Pesticide Management
- 4.8 Petroleum, Oil, and Lubricant (POL) Management
- 4.9 Solid Waste Management

- 4.10 Storage Tank Management
- 4.11 Toxic Substances Management
- 4.12 Wastewater Management
- 4.13 Water Quality Management

#### Chapter 5.0 Management Plan

- 5.1 Corrected Environmental Compliance Findings
- 5.2 Open Environmental Compliance Findings
- 5.3 Closed Environmental Practice Issues
- 5.4 Open Environmental Practice Issues

Each chapter of the assessment report should follow the described format:

Chapter 1.0. Executive Summary - The executive summary should contain background information and a summary of findings as follows:

#### 1. Background

- a. date and location of the assessment and identification of the assessment team
- b. overall assessment purpose.
- 2. Summary of Findings
  - a. narrative summary of compliance status by section and major environmental issues. To provide balanced tone, consider placing positive comments first, followed by a summary of negative comments, if applicable
  - b. the Environmental Compliance Summary (see Figure 2 for format, page xxxv)
  - c. the Detailed Environmental Compliance Status (see Figure 3, page xxxvii)
  - d. the Environmental Compliance Status (see Figure 4, page xli), which is a summary of findings by violation type.

Figure 2

Environmental Compliance Summary

		Sum	mary	
Compliance Area	Sig	Major	Minor	TOTAL
1. Air Emissions Management	<u></u>			
2. Cultural Resources Management	-			
3. Hazardous Materials Management				<del></del> .
4. Hazardous Waste Management				
5. Natural Resources Management				
6. Other Environmental Issues				
7. Pesticide Management			-	
8. POL Management				
9. Solid Management	<u></u>			
10. Storage Tank Management				<del></del> :
11. Toxic Substances Management				
12. Wastewater Management				
13. Water Quality Management	<u> </u>			
TOTAL				

Figure 3

## **Detailed Environmental Compliance Status**

Compliance Area	Sig	Major	Minor	TOTAL
Air Emissions Management				
Fuel Burners				
Incinerators				
Volatile Organics				
Vehicle Emissions				
Ozone Depleting Chemicals	<del> </del>			
Particulates, Bead Blast				
Air Toxic Metals	<del></del>			
General Requirements				
TOTAL		<u>.</u>		<del></del>
Cultural Resources Management				
Cultural/Historic	<u></u>	***************************************		
TOTAL				
Hazardous Materials Management				
Storage Structures				
Operations/Management				
TOTAL				
Hazardous Waste Management				
Accumulation Points				
TSD Facilities				
Training				
Waste Minimization				
Oil/Water Separators				
Satellite Accumulation Points				
Operational Procedures				
TOTAL				

# Figure 3 (continued)

## **Detailed Environmental Compliance Status**

Compliance Area	Sig	Major	Minor	TOTAL
Natural Resources Management				
Wilderness/Recreation/Forestry				
Land/Agriculture				<del></del>
Wetlands/Floodplains		-		
TOTAL	***************************************		<del></del>	***************************************
Other Environmental Issues				
EIAP			***************************************	
Environmental Noise Management				
ICUZ				
Procedures		<del></del>		
Management				
IRP				
Pollution Prevention Management				
Management Plans			<del></del>	
ODCs				
EPA 17				
Hazardous Waste Minimization				-
Recycling				
Affirmative Procurement				
Energy Conservation				
Education and Training				
Hazardous Material Control			***	
Program Management				
A-106				
ECAMP (Preparation/ Conduct)				
TOTAL	*************			
Pesticide Management				
Facilities/Equipment				
Operations/Management				
TOTAL	_	<del></del>	<del></del>	

# Figure 3 (continued)

## **Detailed Environmental Compliance Status**

Compliance Area	Sig	Major	Minor	TOTAL
Petroleum, Oil, and Lubricant (POL) Management				
Operations/Management				
Loading/Unloading Racks				
Oil/Water Separators				
Drum Storage			<del></del>	
Hydrant System				. —
TOTAL				
Solid Waste Management				
Landfills				
Receptacles				
Recycling				
Medical Waste				
Regulated Wastes				
TOTAL				
Storage Tank Management				
Aboveground Tanks		<u></u>	<del></del>	
Underground Tanks				<del> </del>
TOTAL				
Toxic Substances Management				
PCB			****	
Asbestos				
Radon Mitigation				
Lead-Based Paint				
Low Level Radiation			-	
TOTAL				

# Figure 3 (continued)

# **Detailed Environmental Compliance Status**

Compliance Area	Sig	Major	Minor	TOTAL
Wastewater Management				
Sanitary Wastewater				
Industrial Wastewater			******	
Stormwater Runoff		· ·		
Nonpoint runoff				
Facilities/Equipment				
Oil/Water Separators	<del></del>			
TOTAL	•			
Water Quality Management				
Drinking Water				
TOTAL				
TOTAL FINDINGS				

# Figure 4 Environmental Compliance Status

Totals Identified	Sig	Major	Minor	TOTAL
Discharge				
Potential Discharge				
Administrative			<del></del>	
TOTAL FINDINGS				

Chapter 2.0. Background and Scope The background and scope section is reserved for information needed to make a complete report but which does not fit into the executive summary or compliance findings section.

#### 1. Background.

- a. ECAMP Objectives. A statement of the ECAMP objectives as stated in this manual and individual objectives unique to each specific assessment.
- b. Installation Description. Describe the major attributes of the installation.
- c. Environmental Management Structure. Describe in general how the installation's environmental management organization is structured.

#### 2. Scope.

- a. Activity Review. Describe the base activities that were inspected (this is the appropriate section for positive statements). Comment on the state and local or host nation regulations that were considered. Identify any permits or licenses (by number and issuing agency) that were reviewed.
- b. Summary of Evaluation Procedures. A statement that the assessment included a review of documentation, inspection of facilities, interviews of personnel, and that samples were or were not collected.
- Chapter 3.0. Environmental Compliance Status The regulatory compliance section of the report should contain a separate subsection for each assessed checklist. The information presented in Figure 4 (page xli) pertains to each compliance section. Each compliance finding may consist of two parts: a findings paragraph and a separate observations and comments paragraph as follows:
  - 1. Findings. Findings may be positive or negative. Positive findings (descriptions of exemplary activities and procedures) should be stated concisely. Negative findings will be limited to noncompliance issues involving FGS-UK, DOD, and/or AF documents and should briefly summarize the permit conditions or other restrictions, note the deficiency, and cite the specific regulation (be specific). Where applicable, describe the total sample universe, the number of items sampled, and how many were out of compliance:
    - a. Ensure that each negative finding is clearly identified as regulatory, host country, or procedural.
    - b. Negative findings that were closed since the last ECAMP and have occurred again must be identified as repeat findings.
    - c. Negative findings that remain open since the last external ECAMP must be identified as carryover findings.
    - d. Ensure that each finding paragraph is concise, factual (conditions clearly in noncompliance with criteria), and free of the assessor's opinions and recommendations. If there is uncertainty over the regulations that apply, their meaning, or the actual conditions on the installation, place such comments in the Environmental Practice Issues Section of the report.
    - e. Negative findings will be separately labelled and numbered. All negative findings will include finding identification codes for summarizing ECAMP results. See the explanation of how to fill out the findings summary for a listing of codes.

- 2. Observations and Comments on Compliance Findings. Since the finding paragraphs are reserved for strictly factual compliance criteria and conditions, all comments and recommendations on a compliance finding will be placed in a separate comments paragraph immediately following the finding. No new findings will be introduced in the comments paragraphs. Information in the comments paragraphs may include background information on a finding if necessary, statements on causes and effects, and a recommendation for correcting the deficiency. Assessment teams are under no obligation to make recommendations. When recommendations are made, they should be aimed at resolving root causes. Often, the onsite portion of the assessment does not permit time to identify root causes. Recommendations made under these conditions usually address symptoms rather than providing permanent solutions.
- Chapter 4.0. Environmental Practice Issues. The assessment team may include recommendations for reducing environmental risks and improving environmental management practices as well as suggesting areas requiring additional study. Recommendations placed in this chapter are not based on environmental regulations and do not involve noncompliance. Instead, they are management practices that will help keep an installation in compliance. Items appropriate for this chapter include:
  - 1. Environmental risk reduction issues not associated with noncompliance.
  - 2. Potential noncompliance based on final regulations with a future compliance deadline.
  - 3. Management practice recommendations based on items in the ECAMP checklist.
  - 4. Other management practice recommendations.
- Chapter 5.0. Management Action Plan. The management action plan states how each compliance finding was resolved or contains the installation EPC's plan for resolving the compliance finding. The Management Action Plan also states how each environmental practice issue is being addressed. Since environmental practice issues do not involve noncompliance, they should be carefully reviewed by the installation EPC, but may be closed without action. After the installation approves the Management Action Plan, it should be included in the Draft Final Environmental Assessment Report as Chapter 5. The Management Action Plan tracks each compliance finding or environmental issue.

Table 1: Sample Previsit Environmental Management Questionnaire

	OPR	DATE		
ITEM		YES	NO	N/A
This questionnaire will provide background information necessary to plan and con environmental compliance assessment.	duct an			
Name of Installation:				
Air Emissions Management				
1. Does the installation operate one or more fuel burner?			*********	
a. Central steam plant?				
b. Hot water?				
c. Other				
d. Approximate size of fuel burner				
2. Are any hazardous or toxic air pollutants present in the installation's air en (e.g., beryllium, mercury, and vinyl chloride)?	nissions	_		
3. Is the installation subject to any of the following air emission standards:				
a. Particulates?				<del></del>
b. NO <sub>x</sub> ?			_	*****
c. SO <sub>2</sub> ?			_	***
d. Volatile organic compounds (VOCs)?			_	
e. CO?			_	
f. Toxic air pollutants?			_	<del></del>
If yes, please specify source of standards:				
4. Does the installation operate any incinerators (i.e., for classified documents, waste, solid waste, etc.)?	medical	_		
a. How many?				
b. What type?				
Attach list of locations.				
5. Does the installation engage in:				
a. Open burning?				_
b. Open detonation?		_		******
c. Fire fighter training?				_
6. Does the installation use any solvent degreasers?			_	
7. Does the installation have a drycleaning facility?		<del>_</del>	_	

Table 1: Sample Previsit Environmental Management Questionnaire (continued)

	OPR	DATE		
ITEM		YES	NO	N/A
8. Does the installation have a:				
a. Spray painting operation?				
b. Surface coating operation?		_		
Attach list of locations if answered yes to either.				
9. Have installation emissions resulted in complaints from the public due to:				
a. Odors?			_	
b. Fugitive dusts?		_		-
c. Other?			_	
10. Does the installation use air pollution control equipment?				
If yes, please list and explain:				
11. Does installation operate a motor vehicle station?		_		
12. Does the installation dispense fuel to motor vehicles?				
13. List each fuel storage area and the fuel type.				
Fuel type Quantity Fuel type Quantity				
14. Does the installation have active aircraft operations?		_	_	
15. Does the installation have active aircraft maintenance operations?		_		
16. Does the installation have AGE operations?		-		
17. Does the installation recycle/reclaim chlorofluorocarbon (CFCs) or halons? Wh	ere?		_	
18. Please list any additional shop activities that generate any form of air pollution:				
<u> </u>				
Cultural Resources Management				
1. Does the installation have an area which is designated as any of the following? please have maps indicating locations available for team on arrival.):	(If so,			
a. Cultural resource?		_		
b. Archaeological resource?		_		
c. Historic structure?				

Table 1: Sample Previsit Environmental Management Questionnaire (continued)

	OPR	DATE		
ITEM		YES	NO	N/A
Hazardous Materials Management				
1. Does the installation store any flammable materials?		<u> </u>	_	_
2. Does the installation transport any hazardous materials off-installation?		<del>,</del>	_	
3. Does the installation have a procedure to ensure the proper labeling, packaging spill response for hazardous materials?	g, and	<del></del>	_	
4. Does the installation store:				
a. Acids?		_		_
b. Caustics?				
c. Flammables?				
d. Combustibles?		_		_
e. Compressed gases?				
f. Oxidizers?				
Hazardous Waste Management				
1. Does the installation produce any wastes classified as:				
a. Ignitable?		_		
b. Corrosive?		_		
c. Reactive?			_	
d. Toxic?				_
2. Does the installation operate a Hazardous Waste Storage Area onsite?				
3. Does the installation treat or dispose of hazardous wastes onsite?			_	_
If so, please specify waste type and treatment method:				
4. Does the installation accept wastes from other installations for treatment, stora	ge, or			
disposal?				_
5. Does the installation engage in the transportation of hazardous wastes:				
a. Onbase?			_	_
b. Offbase?		_	_	_
c. Central transport (transportation squadron)?		_	_	
d. Individual unit transport?	-			_
6. Does the installation have a hazardous waste management (contingency) plan?		-	_	
7. Does the installation have a spill, prevention, and response (contingency) plan?	*		_	
8. Does the installation utilize other locations for the treatment, storage, or disponing hazardous waste?	sal of			_
Please specify:				

 Table 1: Sample Previsit Environmental Management Questionnaire (continued)

	OPR	DATE		
ITEM		YES	NO	N/A
9. Does the installation use any nonhazardous solid waste (including used of supplemental fuel source?	il) as a		_	_
10. Does the installation have a contractor dispose of its hazardous waste?				_
Which office monitors this contract?				
11. Does the installation have any tank systems used in the treatment or storage of hazardous waste?		_	_	_
Natural Resources Management				
1. Does the installation have an area designated as a natural resource, including protected and more generally protected?	highly		<u>.</u>	_
2. Does the installation have a plan for managing its natural resources?	•			
3. Does the installation serve as habitat for any threatened or endangered species?			_	_
4. Are there any areas on the installation which have any of the following? (If so, have maps indicating locations available for team on arrival.):	please			
a. Wetlands?				
b. Flood Plains?				
Other Environmental Issues				
Environmental Impacts				,
1. Does the base civil engineering office perform Environmental Planning functions?				<u>-</u>
Do they maintain copies of AF Form 813, Request for Environmental Analysis?				
2. Does the Environmental Protection Committee review, and approve or disapprove environmental documents during the EIAP?			_	_
Environmental Noise Management				
3. Does the installation have an active runway?				_
4. Does the installation have any operations or maneuvers that produce environs noise (i.e., target ranges, skeet range, helicopter pad)?	mental		_	_
Installation Restoration Program				
5. Does the installation currently have any designated IRP sites?			_	
Pollution Prevention				
6. Does the installation have a Pollution Prevention Management Plan?				
7. Does the installation still purchase ODCs?		_		
8. Does the installation reclaim ODCs?				

Table 1: Sample Previsit Environmental Management Questionnaire (continued)

ITEM  Are the purchase, issue, and distribution of hazardous materials under centralized control?  Does the installation have a hazardous waste minimization program?		YES	NO	N/A
centralized control?				
0. Does the installation have a hazardous waste minimization program?		<del></del>		
		_	_	
1. Does the installation have a Qualifying Recycling Program?		_	_	_
2. Does the installation actively purchase recycled products?		_		
3. Does the installation operate a Hazardous Materials Pharmacy?			_	_
4. Are the hazardous materials managed by the Hazardous Materials Pharmacy supplied through the Standard Base Supply System (SBSS)?		_	_	
5. Does the Hazardous Materials Pharmacy centrally manage materials from other sources of supply (i.e., COCESS, IMPAC, COPARS, NAF, MEDLOG, other installation contractors, local purchase)?		.—		
Program Management				
6. Does the installation operate an air-to-surface weapon range?		_		_
7. Does the installation include all environmental projects listed in the Civil Engineering Contract Reporting System (CECORS) in the A-106 report?		_		
8. Does the installation have a single POC for the A-106 Pollution Abatement Plan?			_	
9. Who is responsible for the quality and dating of the automated A-106 WIMS-ES?				
O. Does the installation have a mechanism in place to ensure that the automate accurately reflects the project and requirement data maintained in other d (CECORS, Programming Design and Construction (PDC), etc.)?			_	
1. Does the installation accurately reflect financial data (obligations, expenditure A-106 systems?	es) in the			
2. Does the installation receive deployments from CONUS or other locations?			_	_
Pesticide Management				
. Does the installation use pesticides in regulated quantities?				
Do installation personnel apply pesticides?				
Does the installation hire contractors to apply pesticides?		_	_	
Are pesticide wastes disposed of at the installation?		_	_	_
Are pesticides stored on the installation?			_	
Please list locations:				

Table 1: Sample Previsit Environmental Management Questionnaire (continued)

		OPR	DATE		
	ITEM		YES	NO	N/A
7.	. Where are pesticides prepared at the installation?				•
-					
-					
P	etroleum, Oil and Lubricant (POL) Management				
1.	Does the installation have a motor pool?				
	a. How many?				
	b. Locations (if more than one)				
2.	Does the installation store oil in large volumes?				
3.	Does the installation have a spill prevention and response plan?		_		
4.	Does the installation's spill plan include provisions pertaining to hazardous subsor hazardous wastes?	tances		_	
5.	Does the installation conduct spill response training?				
	Does the installation use fuel bladders during field exercises?				
	Does the installation have any oil/water separators? (Please have a map available for the team showing locations.)				
8.	Does the installation use a hydrant system for aircraft fueling?				
9.	Does the installation use fuel trucks for aircraft fueling?				_
			•		
So	olid Waste Management				,
1.	Does the installation have a solid waste management facility onsite?		_	_	
2.	Does the installation have a:				
	a. Resource recovery facility (DRMO) on the installation?		_	-	-
	b. Resource recovery facility (DRMO) off the installation?			_	
	c. Sanitary landfill?				
	d. Construction debris landfill?				_
	e. Municipal solid waste landfill?				
	f. Solid waste incinerator?			_	
	g. Solid waste recycling program?			_	_
	h. Composting facility for sludge from a domestic wastewater treatment plant?		_		
3.	Does the installation have any unofficial landfill sites that are no longer in use?		_		
4.	Is waste transported off-installation for disposal:				
	a. In landfills?				_
	b. In incinerators?				
	c. Others (specify):		<u>.</u>		
5.	Does the installation dispose of ash residues or sludge:				

Table 1: Sample Previsit Environmental Management Questionnaire (continued)

		OPR	DATE		
	ITEM		YES	NO	N/A
a. Onbase?					_
b. Offbase?					_
6. Is the installation monitored for:					
a. Leachate?			. —	_	
b. Groundwater?					_
7. Does the installation currently di asbestos?	spose of, or has it been used for the disp	osal of	_		
3. Does the installation generate medi	cal/pathological wastes?			_	_
9. Does the installation dispose of me	dical/pathological wastes onbase by incinera	ation?	_		
Storage Tank Management					
<ol> <li>Do the installation's aboveground s containment dikes equipped with d</li> </ol>	storage tanks have properly sized and constructions and constructions.	ucted	_		
2. Does the installation have jet fuel d	isposing/hydrant systems?		_		
If yes, how many USTs serve easystem?	ch pump house (normally Panars and Pitc	ch) and			
3. Does the installation have a ground				_	
If yes, how many USTs are in the they?	ground vehicle fuel storage yard and what s	size are			
4. Does the installation have an Ar other type of gas station located on	my/Air Force Exchange Service (AAFES)	-run or			
••	at the gas station and what size are they?		_		
	<u> </u>				
5. Does the base have any other USTs	used to store petroleum products?		_	_	
If yes, where are they located, how	many are there, and what size are they?				
6. Does the installation have any UST buildings?	s used for storing heating fuel located at ind	ividual	_	_	

 Table 1: Sample Previsit Environmental Management Questionnaire (continued)

OPR	DAT	E	
ITEM	YES	NO	N/A
7. Does the installation have any USTs used to store hazardous substances?			
If yes, where are they located, how many are there, what size are they, and what hazardous product do they contain?	t		
8. Does the installation have any underground tanks out-of-service?			
If yes, provide locations:			
Toxic Substances Management			
PCBs			
1. Are PCB (polychlorinated biphenyl) or PCB-contaminated fluids in use or stored or the installation:	l		
a. Transformers?			
b. Capacitors?		<del></del>	
c. Switch gear?			
d. Circuit Breakers?		_	
e. Other?			
2. Are there any PCB items in storage for disposal?			
Item Concentration			
3. Does installation dispose of PCBs or PCB-contaminated equipment on- or offbase?		_	_
Asbestos			
4. Does the installation have Air Force-owned primary or secondary schools?	_		
5. Has the installation conducted a complete base-wide asbestos facility survey?			_
6. Does the installation have a written Asbestos Management Plan?	_		·
7. Does the installation have a written Asbestos Operating Plan?		_	

Table 1: Sample Previsit Environmental Management Questionnaire (continued)

	OPR	DATE		
ITEM		YES	NO	N/A
8. Does the installation operate an in-house asbestos removal team?				
9. Has the installation undergone any asbestos removal projects in the past?				
10. Is there any asbestos on the installation that has been removed and is awaiting disposal at this time?				
11. Will the installation have any demolition, remodeling or renovation projects underway at the time of the ECAMP assessment?				
Please identify those projects and buildings:				
12. Does the installation maintain training records for asbestos workers?				
Location of records:				
13. Does the installation dispose of asbestos on the installation?			<del></del>	
Radon				
14. Is the installation located in a geographic area where high levels of radon are type found?	oically			
15. Has the installation been monitored for radon?				
Location of records			•	
LBP				
24. Does the installation have a LBP Management Plan?				
25. Is LBP currently being used on the installation in the course of maintenance or construction?		****	_	_
26. Are any buildings with LBP hazards being demolished or renovated?		**********	_	_
27. Has the installation ever had a case of elevated levels of lead in the blood?			_	_
28. Has the installation been identified for closure?			_	
Wastewater Management				
1. Does the installation have any discharges of the following:				
a. Stormwater runoff from operational or storage area?		-		_
b. Stormwater runoff from undeveloped area?				_
c. Dredge and fill solids drainage water?				
or = 10 - 80 - 1111 - 1				

 Table 1: Sample Previsit Environmental Management Questionnaire (continued)

	OPR	DATE		
ITEM		YES	NO	N/A
e. Process wastewater?		_	_	
f. Heat or power production cooling water?				_
g. Other?				_
2. Does the installation discharge into a publicly owned treatment works (POTW)?			_	
If yes, please specify types of discharge: (i.e., process wastewater, sanitary wastewater, etc.)				
3. Does the installation make use of an onsite wastewater treatment system p effluent discharge?	rior to	_	<u> </u>	_
4. Does the installation conduct any effluent monitoring?		_		
5. Are monitoring samples analyzed by:				
a. Installation personnel?			_	
b. Offsite contractor?				
6. Does the installation have a separate stormwater runoff system?				
7. Does the installation have vehicle/aircraft washrack (or other designated vehicle/aircraft wash areas)?				
Water Quality Management				
1. Does installation operate a public water system?				
2. Does the installation operate a community water system?				
3. Does the installation operate a noncommunity water system?			_	_
4. Does the installation operate a nontransient, noncommunity water system?				
5. Does any portion of the installation's drinking water supply come from onsite w surface water sources?	ells or			
6. Does the installation monitor onsite drinking water sources?	•	_	_	***
7. Does the installation provide filtration of its drinking water?			_	
If yes, what type of filtration?				•
General Information				
1. Does the installation contain water protection areas?				
2. Is the installation suspected of contributing to a groundwater contamination		_		
problem?		_		_

# Table 1: Sample Previsit Environmental Management Questionnaire (continued)

ALL PURPOSE CHECKLIST	PAGE	OF	PAGES
Briefly state the installation mission, size, scope of operations, and activities. approximate base population, housing units, industrial operations, aerospace supported land area, and other significant factors:	Include systems		
Signature of individual completing this form:			
Date completed:			

ATTENTION: The following records should be available for review by the assessment team either prior to the assessment or immediately upon arrival at the installation.

(NOTE: Not all installations will have, or are even required to have, all of the following documents.)

#### General

- 1. Detailed maps of the installation indicating street names and building numbers. Enough for one for every member of the assessment team
- 2. A phone list
- 3. Copies of notice of violations (NOVs) issued to the installation in any of these areas

#### Air Emissions Management

- 1. Air emissions inventory
- 2. All air related permits
- 3. A list of steam generating units and boilers and their size, fuel used, and locations

#### **Cultural Resources Management**

- 1. Any cultural or archeological resources surveys
- 2. Management plans for cultural and archeological resources
- 3. A list of properties included on the host nation's equivalent of the National Register

## **Hazardous Materials Management**

- 1. A list of hazardous material storage/use areas
- 2. A waste minimization plan
- 3. Material Safety Data Sheet (MSDS)
- 4. Documentation of personnel training
- 5. A copy of any reports of spills
- 6. Copies of the Tier I or Tier II reports
- 7. Documentation on contaminated sites

#### **Hazardous Waste Management**

- 1. The Hazardous Waste Management Plan
- 2. A list of hazardous wastes generated at the installation
- 3. A list of waste generation/storage areas
- 4. Manifests
- 5. Any permits
- 6. The biennial report
- 7. Personnel training records

#### **Natural Resources Management**

- 1. The endangered species survey
- 2. The Natural Resources Management Plan
- 3. Any land management plans

#### Other Environmental Issues

#### Environmental Impacts

1. Recent environmental assessments (EAs), environmental impact statements (EISs), Environmental Studies, Environmental Reviews

#### Environmental Noise Management

- 2. ICUZ dccumentation
- 3. Noise complaints

#### Installation Restoration Program

4. IRP documentation

#### Pollution Prevention

5. The Pollution Prevention Management Plan

#### Program Management

6. The A-106 Pollution Abatement Plan

#### **Pesticides Management**

- 1. The Pesticide Management Plan
- 2. A list of pesticide storage sites
- 3. Application records
- 4. MSDSs for pesticides
- 5. Personnel certifications for applicators
- 6. Contracts for pesticide application

#### Petroleum, Oil, and Lubricant (POL) Management

- 1. The Spill Prevention, Control, and Countermeasures SPCC plan
- 2. A list of POL storage areas

#### **Solid Waste Management**

- 1. Any contracts with waste haulers
- 2. Any recycling plans
- 3. All documentation pertaining to landfill operation or closure
- 4. Records on groundwater sampling resulting from monitoring wells

#### **Storage Tank Management**

- 1. List of organizational fuel tanks
- 2. List of support tanks authorized to receive fuel
- 3. Records of all spills and leaks and associated site assessement/cleanup activities
- 4. Tank custodian training records
- 5. UST inventory
- 6. UST integrity test results
- 7. Upgrading and/or closure plans and site contamination reports after tank removals

#### **Toxic Substances Management**

- 1. The PCB inventory
- 2. The PCB annual report
- 3. The results of the asbestos survey
- 4. The Asbestos Management Plan
- 5. Radon survey results.
- 8. Lead-based Paint Management Plan

#### Wastewater Management

- 1. Maps of the storm, sanitary, and industrial sewers
- 2. A copy of pretreatment standards imposed on the installation
- 3. A list of maintenance shops/operations, including wash facilities
- 4. Locations of holding ponds, sedimentation pits, and open/end-of-pipe discharge points

#### Water Quality Management

1. Copies of drinking water test results

Table 2

		Sect	ions	
Major Activities/Operations	Air Emissions Management 1	Cultural Resources Management 2	Hazardous Materials Management 3	Hazardous Waste Management 4
1. Incinerators	•			•
2. Heat/Power Production	•			•
3. AGE Operation	•		•	•
4. Aircraft Operations	•			
5. Aircraft Maintenance			•	•
6. Fuel Storage	•		•	
7. Surface Coating Operations	•		• .	•
8. Sanitary Wastewater				
9. Stormwater Runoff				
10. Sludge Disposal	•			
11. POL Dispensing	•			
12. Wastewater Treatment				
13. Vehicle Maintenance	•		•	•
14. Shop Activities	•		•	•
15. Solid Waste Generation				
16. Water Supply				
17. Toxic/hazardous Materials Use			•	
18. Firefighting Training	•			
19. PCB Electrical Equipment				
20. Pesticide/ Herbicide Use				•
21. Environmental Noise				
22. Emergency Planning			•	•
23. Asbestos Removal				
24. Underground Storage Tanks		,	•	•
25. Remodeling Activities		•		
26. Construction Activities		•		
27. Soil Removal		•		

Table 2 (continued)

		Sec	tions	
Major Activities/Operations	Natural Resources Management 5	Other Envirnmtl Issues 6	Pesticide Management	POL Management
1. Incinerators				
2. Heat/Power Production			·	•
3. AGE Operation				•
4. Aircraft Operations		•		•
5. Aircraft Maintenance		•		•
6. Fuel Storage				•
7. Surface Coating Operations		•		
8. Sanitary Wastewater				
9. Stormwater Runoff			•	•
10. Sludge Disposal		•		
11. POL Dispensing				•
12. Wastewater Treatment				
13. Vehicle Maintenance		•		•
14. Shop Activities		. •		
15. Solid Waste Generation		•		
16. Water Supply				
17. Toxic/hazardous Materials Use		•		
18. Firefighting Training				•
19. PCB Electrical Equipment	·			
20. Pesticide/ Herbicide Use		•	•	
21. Environmental Noise		. •		
22. Emergency Planning		•		•
23. Asbestos Removal		•		
24. Underground Storage Tanks				•
25. Remodeling Activities	•		·	
26. Construction Activities	•			
27. Soil Removal	•			

Table 2 (continued)

		Sect	tions	
Major Activities/Operations	Solid Waste Management	Storage Tank Management	Toxic Substances Management 11	Wastewater Management 12
1. Incinerators	•			
2. Heat/Power Production	•	•	·	•
3. AGE Operation		• '		
4. Aircraft Operations				
5. Aircraft Maintenance				•
6. Fuel Storage		•		
7. Surface Coating Operations				•
8. Sanitary Wastewater				•
9. Stormwater Runoff				•
10. Sludge Disposal	•			•
11. POL Dispensing				
12. Wastewater Treatment				•
13. Vehicle Maintenance	•		•	•
14. Shop Activities	•			•
15. Solid Waste Generation	•			
16. Water Supply				
17. Toxic/hazardous Materials Use			•	
18. Firefighting Training			1	•
19. PCB Electrical Equipment				
20. Pesticide/ Herbicide Use		·		•
21. Environmental Noise				
22. Emergency Planning			`	
23. Asbestos Removal			•	
24. Underground Storage Tanks		•		
25. Remodeling Activities	•		•	
26. Construction Activities	•		•	
27. Soil Removal				

# Table 2 (continued)

		Sec	tions	
Major Activities/Operations	Water Quality Management 13			
1. Incinerators				
2. Heat/Power Production				
3. AGE Operation				
4. Aircraft Operations				
5. Aircraft Maintenance				
6. Fuel Storage				
7. Surface Coating Operations				
8. Sanitary Wastewater				
9. Stormwater Runoff				
10. Sludge Disposal				
11. POL Dispensing				
12. Wastewater Treatment				
13. Vehicle Maintenance			-	
14. Shop Activities				
15. Solid Waste Generation				
16. Water Supply	•			
17. Toxic/hazardous Materials Use				
18. Firefighting Training				
19. PCB Electrical Equipment			_	
20. Pesticide/ Herbicide Use		,		
21. Environmental Noise			-	
22. Emergency Planning				
23. Asbestos Removal				
24. Underground Storage Tanks				·
25. Remodeling Activities			·	
26. Construction Activities				
27. Soil Removal				

# Glossary of Acronyms

Acronym	Expansion
AAFES	Army/Air Force Exchange Service
ACM	asbestos-containing material
ACWM	asbestos-containing waste material
AF	Air Force
AFCEE	Air Force Center for Environmental Excellence
AFI	Air Force Instruction
AFJ	Air Force Joint [Publication]
AFM	Air Force Manual
AFMAN	Air Force Manual
AFOSH	Air Force Occupational Safety and Health
AFP	Air Force Pamphlet
AFPD	Air Force Policy Directive
AFPMB	Armed Forces Pest Management Board
AFR	Air Force Regulation
AFTO	Air Force Technical Order
AST	aboveground storage tank
ASTM	American Society for Testing and Materials
AVGAS	aviation gasoline
BASH	Bird Air Strike Hazard
BOD	biochemical oxygen demand
CAA	Clean Air Act
CAS	Chemical Abstract Service
CATEX	categorical exclusion
CBOD	carbonaceous biochemical oxygen demand
CDC	Child Development Center
CE	Civil Engineering
CECORS	Civil Engineering Contract Reporting System
CEM	Continuous Emissions Monitoring
CEP	Civil Engineering Programmer
CERCLA	Comprehensive Environmental Restoration, Compensation and Liability Act
CFC	chlorofluorocarbon
CFR	Code of Federal Regulations

Acronym	Expansion
CONUS	continental United States
CPSA	Consumer Product Safety Act
CT	concentration/time
CWS	community water system
DBCP	1,2-Dibromo-3-chloropropane
DCM	Deputy Commander for Maintenance
DDT	Dichlorodiphenyltrichloroethane
DLA	Defense Logistic Agency
DOD	Department of Defense
DODAAC	DOD Activity Address Code
DODD	DOD Directive
DODI	DOD Instruction
DOE	Department of Energy
DOPAA	description of proposed action and alternatives
DOT	Department of Transportation
DRMO	Defense Reutilization and Marketing Office
DRMS	Defense Reutilization and Marketing Service
DWTP	domestic wastewater treatment plant
EA	environmental analysis
EA	environmental assessment
EA	Executive Agent
EC	Environmental Coordinator
ECAMP	Environmental Compliance Assessment and Management Program
ECD	estimated compliance date
EDB	Ethylene dibromide
EEA	Environmental Executive Agent
ЕНО	Environmental Health Officer
EIAP	Environmental Impact Analysis Process
EIS	Environmental Impact Statement
EMO	Environmental Management Office
EPC	Environmental Protection Committee
EPCRA	Emergency Planning and Community Right-to-Know Act
EPF	Environmental Planning Function
ER	environmental review

#### **Expansion**

environmental study ES **FGS** Final Governing Standards Finding of No Significant Impact **FONSI** government-owned contractor-operated **GOCO** General Services Administration **GSA** groundwater under the direct influence of surface water **GWUDISW** Hazardous Waste Operations and Emergency Response **HAZWOPER** hydrochlorofluorocarbon **HCFC** hazardous materials HM **HMIP** Her Majesty's Inspectorate of Pollution **HMIS** Hazardous Materials Information System **HMTA** Hazardous Materials Transportation Act HQ Headquarters HUD Housing and Urban Development **HVAC** Heating, Ventilation, and/or Air-conditioning HW hazardous waste **HWAP** hazardous waste accumulation point **HWPS** hazardous waste profile sheet **HWSA** hazardous waste storage area **IAPMO** International Association of Plumbing and Mechanical Officials IC Installation Commander **ICUZ** installation compatible use zone ID(Finding) Identification **IEX** issue exception (code) **IOSC** Installation On-Scene Coordinator **IPM Integrated Pest Management IRP Installation Restoration Program IRT Installation Response Team ISCP** Installation Spill Contingency Plan ITP industrial toxic project **IWTP** industrial wastewater treatment plant **JCS** Joint Chiefs of Staff LBP lead-based paint **LCCA** Lead Contamination Control Act

	Glossary of Acronyms (continued)
Acronym	Expansion
LTI	lead toxicity investigation
MAFF	Ministry of Agriculture, Fisheries and Food
MAJCOM	Major Command
MCL	maximum contamination level
MFH	military family housing
MILCON	military construction
MIPR	military interdepartmental purchase request
MOA	Memorandum of Agreement
MOGAS	motor gasoline
MP	Management Practice
MSDS	material safety data sheet
MSHA	Mine Safety and Health Administration
MSW	municipal solid waste
MSWLF	municipal solid waste landfill
MTR	military training route
NACE	National Association of Corrosion Engineers
NFPA	National Fire Protection Association
NLR	noise level reduction
NM	Nautical Miles
NOI	notice of intent
NOV	notice of violation
NPS	nonpoint (or nonstationary) source
NPWS	nonpublic water system
NRA	National Rivers Authority
NTNCWS	nontransient, noncommunity water system
O&M	Operations and Maintenance

Outside of the Continental United States

Overseas Environmental Baseline Guidance Document

Occupational Safety and Health Administration

Project by Contract Management System

ozone depleting chemical

ozone depleting substance

polychlorinated biphenyl

Office of Primary Responsibility

**OCONUS** 

ODC

**ODS** 

OPR

OSHA PCB

**PCMS** 

**OEBGD** 

(continued)

Acronym	Expansion
PDC	Programming, Design, and Construction (System)
PEL	permissible exposure limit
POC	point-of-contact
POE	point-of-entry
POL	petroleum, oil, and lubricant
POTW	publicly owned treatment works
POU	point of use
PPE	personal protective equipment
PWS	public water system
QAE	Quality Assurance Evaluator
QA/QC	quality assurance/quality control
QC&I	quality control and inspection
QRP	qualified recycling program
RAC	risk assessment code
RAMP	Radon Assessment and Mitigation Program
RCRA/HSWA	Resource Conservation and Recovery Act/Hazardous and Solid Waste Amendments
RCS	Report Control Symbol
RDF	refuse derived fuel
RMA	require management action
RQ	reportable quantity
RRR	Resource, Recovery, and Recycling (Program)
SARA	Superfund Amendment and Reauthorization Act
SBSS	Standard Base Supply System
SEL	sound exposure level
SF	standard form
SOFA	Status of Forces Agreement
SUA	special use airspace
SWDA	Solid Waste Disposal Act
TIM	Technical Information Memorandum
TM	Technical Manual
TNCWS	transient, noncommunity water system
TO	Technical Order
TSDF	treatment, storage, and disposal facility
TSS	total suspended solids

Acronym	Expansion
TTHM	total trihalomethanes
UIC	unit identification code
UK	United Kingdom
ULV	ultra-low volume
UPC	Uniform Plumbing Code
USACERL	U.S. Army Construction Engineering Research Laboratories
USAF	U.S. Air Force
USC	U.S. Code
USEPA	U.S. Environmental Protection Agency
UST	underground storage tank
VHAP	volatile hazardous air pollutant
VOC	volatile organic compound
VOL	volatile organic liquid
WIMS	Work Information Management System
WIMS-ES	Work Information Management System-Environmental Subsystem

### **Abbreviations**

C	Celsius	mgd	million gallons per day
cm	centimeter	μg	microgram
$cm^2$	square centimeter	μm	micrometer
F	Fahrenheit	min	minute
ft	feet	mo	month
$ft^2$	square feet	mm	millimeter
$ft^3$	cubic feet	mm Hg	millimeters of mercury
g	gram	mrem	millirem
gal	gallons	MW	megawatt
gpd	gallons per day	NTU	nephelometric turbidity unit
gpm	gallons per minute	pCi	picoCurie
gr	grain	ppm	parts per million
gr/dscf	grain/dry standard cubic foot	ppmv	parts per million by volume
h	hour	psi	pounds per square inch
ha	hectare	psia	pounds per square inch absolute
in.	inch	psig	pounds per square inch gauge
J	Joule	qt	quart
kg	kilogram	S	second
kPa	kiloPascal	V	volt
kW	kilowatt		•
L	liter		•
lb	pound		
m	meter		
$m^2$	square meter		
$m^3$	cubic meter		
mi	mile		
mg	milligram		
CO	carbon monoxide	$NO_2$	nitrogen dioxide
	carbon monoxide	$NO_2$	nitrogen oxides
CO <sub>2</sub>			sulfur dioxide
Hg	mercury	$SO_2$	Sulful dioxide

#### **Metric Conversion Table**

The following conversion table may be used throughout this manual to convert the measures stated in U.S. units to their approximate metric equivalents.

1 in. = 25.4 mm

1 ft = 0.3048 m

1 kip = 4448 N

1 psi = 6.89 kPa

1 psi =  $89.300 \text{ g/cm}^2$ 

1 lb = 0.453 kg

1 lb/h = 0.126 g/s

1 cu ft =  $0.028 \text{ m}^3$ 

1 mi = 1.61 km

 $1 \text{ sq ft} = 0.093 \text{ m}^2$ 

1 gal = 3.78 L

 $^{\circ}F$  =  $(^{\circ}C + 17.78) \times 1.8$ 

 $^{\circ}$ C = 0.55 ( $^{\circ}$ F - 32)

1 yd = 0.9144 m

1 Btu/lb = 0.556 cal/g

### **SECTION 1**

### AIR EMISSIONS MANAGEMENT

United Kingdom ECAMP

#### **SECTION 1**

#### AIR EMISSIONS MANAGEMENT

#### A. Applicability of this Section

This section includes regulations, responsibilities, and compliance requirements associated with air pollution emissions at Air Force (AF) installations. The major sources of air pollution emissions at AF installations are:

- particulates, SO<sub>2</sub>, and NO<sub>x</sub> from fuel burning at steam generation plants and boilers
- particulate emissions from the operation of classified material and pathological incinerators
- the emission of volatile organic compound (VOC) vapors from the storage and transfer of certain petroleum fuels and chemicals (solvents), and the operation of degreasers and other processes (paint stripping and metal finishing) that use solvents.

Most AF installations have air emissions sources in each of these four categories. Therefore, this section is applicable to some extent at all AF installations.

The regulatory requirements in this section are based on Department of Defense (DOD), Air Force Regulations (AFRs), and Air Force Instructions (AFIs) that apply at overseas installations. Management Practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas, but are important to follow to preserve the health and safety of AF employees and protect the environment. Any procedural USEPA requirements, such as permits and notifications, are not applicable overseas and, therefore, are not in the United Kingdom manual. MPs in the Air Emissions Management section are derived from the following USEPA regulations: 40 Code of Federal Regulations (CFR) 51, 60, and 80.

#### **B.** DOD Directives/Instructions

• Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 2, outlines performance standards for fossil fuel-fired steam generators, hot water generating plants, electric utility steam generators, and incinerators. Motor vehicles, ozone-depleting substances (ODSs), and VOCs are also included.

#### C. U.S. Air Force Documents

- AFR 19-6, Air Pollution Control Systems for Boilers and Incinerators, 9 May 1988, provides guidance on how to select, design, operate, and maintain emission control devices on boilers and incinerators. This AFR is scheduled to be replaced by Air Force Joint [Publication] (AFJ) 132-1056.
- AFI 48-119, Medical Service Environmental Quality Program, 25 July 1994, provides directive requirements for the Medical Service Environmental Quality Program and identifies responsibilities of participants in that program at U.S. AF bases.
- Air Force Technical Order (AFTO) 00-20B-5, U.S. Air Force (USAF) Motor Vehicle and Vehicular Equipment Inspection, establishes procedures for vehicle inspection and reporting on vehicle emissions.

#### D. Responsibility for Compliance

- The Combat Support Group Commander is usually the person responsible for compliance.
- Base Civil Engineering (BCE) is responsible for the maintenance of incinerators and fuel handling and storage equipment, as well as the operation and maintenance of all fuel burners (boilers). The heating and boiler plant managers are responsible for the operation of fuel burners and are part of the Operations Branch of Civil Engineering.
- The Environmental Coordinator in BCE is responsible for the preparation of all air pollution emission source permit applications.
- The regional hospital or base clinic is responsible for the operation of any pathological incinerators located in its facility.
- The Fuels Management Branch of Base Supply is responsible for the operation of all fuel handling, transportation (tanks and/or pipelines), and storage facilities onbase. They are also responsible for insuring that all fuels satisfy specifications.
- The Fuels Management Branch is also responsible for operating the Military Service Station that dispenses leaded or unleaded fuel.
- The Automotive Maintenance Branch of Base Transportation is responsible for the emission testing and vehicle maintenance required by FGS-UK and AF documents.
- The various maintenance squadrons at the base are responsible for the operation of degreasers and other industrial processes that are regulated or may require operating permits.
- The Base Exchange operates a service station that dispenses leaded and unleaded fuels and is subject to FGS-UK requirements. The service station is normally operated by a contractor, but the labeling and nozzle size regulations still apply. The Government is responsible for compliance, but the contractor may also be responsible, depending on the contract wording.
- Bioenvironmental Engineering Services (BES) is responsible for monitoring ambient air quality and preparing the installation air emission inventory.

#### E. Definitions

- Black Smoke smoke that appears to be as dark or darker than Shade 4 on a Ringelmann Chart (FGS-UK 20).
- Coal Refuse waste products of coal mining, cleanings, and coal preparation operations, containing coal, matrix material, clay, and other organic and inorganic material (FGS-UK 20).
- Dark Smoke smoke that appears to be as dark or darker than Shade 2 on a Ringelmann Chart (FGS-UK 20).
- Electric Utility Steam-Generating Unit any furnace, boiler, or other device used for combusting fuel for the purpose of producing steam to generate electricity (FGS-UK 20).

- Fossil Fuel natural gas, petroleum, coal, and any form of solid, liquid, or gaseous fuel derived from such material for the purpose of creating useful heat (FGS-UK 20).
- *Incinerator* any furnace used in the process of burning solid or liquid waste for the purpose of reducing the volume of the waste by removing combustible matter, including equipment with heat recovery systems for either hot water or steam generation (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- New any facility, discharge source, or project with a construction start date, or that was significantly modified, on or after 1 October 1994 (FGS-UK 20).
- Nontactical Vehicles commercially available vehicles that are adapted for military use (FGS-UK 20).
- Ozone-Depleting Substances (ODS) those substances listed in Table 1-1 (FGS-UK 20).
- Steam-Generating Unit any furnace, boiler, or other device used for combusting fuel for the purpose of producing steam, including fossil fuel-fired generators associated with the combined cycle of gas turbines; nuclear generators are not included (FGS-UK 20).
- Substantial Modification any modification the cost of which exceeds \$1 million, regardless of the funding source (FGS-UK 20).
- Volatile Organic Compound (VOC) any compound of carbon and hydrogen, or containing carbon and hydrogen in combination with any other element which has a vapor pressure of 1.5 psia (77.6 mm Hg) or greater under actual storage conditions (FGS-UK 20).
- Wood Residue bark, sawdust, slabs, chips, shavings, mill trim, and other wood products derived from wood processing and forest management operations (FGS-UK 20).

### AIR EMISSIONS MANAGEMENT

#### **GUIDANCE FOR CHECKLIST USERS**

All Installations 1-1 through 1-3 (1)(2)(11)  Fuel-Burning Facilities (central steam plant, hot water boiler, or hot water steam boiler)  Fuel-Burning Sources 1-12 through 1-17 (2)(3)  Incinerators 1-18 through 1-20 (2)(3)  Gasoline 1-21 and 1-22 (4)(5)(10)  Motor Vehicles 1-23 and 1-24 (5)  VOCs 1-25 through 1-28 (2)(3)(4)	
(central steam plant, hot water boiler, or hot water steam boiler)  Fuel-Burning Sources 1-12 through 1-17 (2)(3)  Incinerators 1-18 through 1-20 (2)(3)  Gasoline 1-21 and 1-22 (4)(5)(10)  Motor Vehicles 1-23 and 1-24 (5)	
Incinerators 1-18 through 1-20 (2)(3)  Gasoline 1-21 and 1-22 (4)(5)(10)  Motor Vehicles 1-23 and 1-24 (5)	
Gasoline 1-21 and 1-22 (4)(5)(10)  Motor Vehicles 1-23 and 1-24 (5)	
Motor Vehicles 1-23 and 1-24 (5)	
VOCs 1-25 through 1-28 (2)(3)(4)	
Fugitive Emissions 1-29 through 1-34 (2)(3)	
Vapor Degreasers 1-35 (3)(4)(5)(7)(8)(9)	(10)
Dry Cleaning 1-36 (2)(3)	
CFCs and Halons 1-37 (2)(5)(6)(7)(8)(9)	

### (a) CONTACT/LOCATION CODE:

- (1) BCE (Base Civil Engineering/Environmental Planning)
- (2) BES (Bioenvironmental Engineering Services)
- (3) Air Pollution Source Operator
- (4) Fuels Management Branch
- (5) Transportation Maintenance Branch
- (6) Logistics Supply (LGS) (Base Supply)
- (7) SV (Services Squadron) Auto Hobby Shop
- (8) BCE (Refrigeration Shops)
- (9) Equipment Maintenance Squadron
- (10) AAFES (Army/Air Force Exchange Service) Gas Station
- (11) Base Staff Judge Advocate (SJA)

#### AIR EMISSIONS MANAGEMENT

#### **Records To Review**

- Emissions inventory
- All air pollution source permits
- Plans and procedures applicable to air pollution control
- Emission monitoring records
- · Opacity records
- Instrument calibration and maintenance records
- · Reports/complaints concerning air quality
- · UK regulatory inspection reports
- Documentation of preventive measures or actions
- Results of air sampling at the conclusion of response action

#### **Physical Features To Inspect**

- All air pollution sources (fuel burners, incinerators, VOC sources, etc.)
- Air pollution monitoring and control devices
- · Air emission stacks
- · Air intake vents

#### **People To Interview**

- BCE (Base Civil Engineering/Environmental Planning)
- BES (Bioenvironmental Engineering Services)
- Air Pollution Source Operator
- Fuels Management Branch
- Transportation Maintenance Branch
- LGS (Base Supply)
- SV (Services Squadron) Auto Hobby Shop
- BCE (Refrigeration Shops)
- Equipment Maintenance Squadron
- AAFES (Army/Air Force Exchange Service) Gas Station
- Base Staff Judge Advocate (SJA)

United Kingdom ECAWF		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ALL INSTALLATIONS		
1-1. Copies of all relevant DOD directives/ instructions, USAF directives, and guidance documents on air emissions should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(11)  (NOTE: Among the relevant documents are the following:  - AFI 48-119, Medical Service Environmental Quality Programs, 25 July 1994  - AFTO 00-20B-5, USAF Motor Vehicle and Vehicular Equipment Inspections.)  (NOTE: Regulations on asbestos management are addressed in Section 11, Toxic Substances Management.)	
1-2. Installations must meet regulatory and AF requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning air quality have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.	
1-3. Installations must take and maintain an air emissions inventory (AFI 48-119, para 9.5.1.2).	Verify that the installation has done an air emissions inventory. (2)  Verify that BES maintains copies of the inventory.	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
FUEL-BURNING FACILITIES	(NOTE: Emissions limitations and percent reduction requirements are determined on a 30-day rolling average.)	
	(NOTE: Particulate matter emission criteria do not apply during periods of startup, shutdown, and malfunction.)	
	(NOTE: SO <sub>2</sub> emission criteria do not apply during periods of startup and shutdown and when emergency conditions exist.)	
<b>1-4.</b> New or substantially modified fossil fuel-fired	Determine whether the facility burns coal, oil, wood, or a combination of fuels. (3)	
steam-generating units with a heat input capacity of greater than 100 million British thermal units	Verify that no flue gas discharged into the atmosphere contains particulate matter in excess of 43 ng/J heat input (0.10 lb/MBtu) derived from fossil fuel or fossil fuel and wood residue.	
(MBtu)/h heat input must meet specific emissions limitations for particulate	Verify that discharged flue gases do not exhibit more than 20 percent opacity, except for one 6-min period per hour of not more than 30 percent opacity.	
matter and SO <sub>2</sub> (FGS-UK 2-1.A through 2-1.D).	Verify that discharged flue gases do not contain SO <sub>2</sub> in excess of 340 ng/J heat input (0.80 lb/MBtu) derived from liquid fossil fuel or liquid fossil fuel and wood residue.	
	Verify that discharged flue gases do not contain SO <sub>2</sub> in excess of 520 ng/J heat input (1.2 lb/MBtu) derived from solid fossil fuel or solid fossil fuel and wood residue.	
1-5. New or substantially modified fossil fuel-fired steam-generating units	Verify that flue gas discharged to the atmosphere does not contain $NO_x$ in excess of the following: (2)(3)	
with a heat input capacity of greater than 100 MBtu/h heat input must meet specific emissions limitations for NO <sub>x</sub> (FGS-UK 2-1.E through 2-1.G).	<ul> <li>86 ng/J heat input (0.20 lb/MBtu) derived from gaseous fossil fuel</li> <li>129 ng/J heat input (0.30 lb/MBtu) derived from liquid fossil fuel, liquid fossil fuel and wood residue, or gaseous fossil fuel and wood residue</li> <li>300 ng/J heat input (0.70 lb/MBtu) derived from solid fossil fuel or solid fossil fuel and wood residue</li> <li>260 ng/J heat input (0.60 lb/MBtu) derived from lignite or lignite and wood residue.</li> </ul>	
	Verify that, if they are compatible with existing combustion configurations, low excess air/low NO <sub>x</sub> burners are used in new construction and major modifications.	
·	(NOTE: This does not apply when a fossil fuel containing at least 25 percent by weight of coal refuse is burned in combination with gaseous, liquid, other solid fossil fuel, or wood residue.)	
	•	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMT		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
1-6. New or substantially modified fossil fuel-fired steam-generating units with a maximum design heat input capacity of greater than 100 MBtu/h must meet specific requirements with regard to fuel sulfur content (FGS-UK 2-1.H).	Verify that the installation conducts and records measurements of fuel sulfur content for each fuel batch. (3)(4)  Verify that the fuel sulfur content does not exceed 0.5 percent by weight.	
1-7. New or substantially modified fossil fuel-fired steam-generating units with a maximum design heat input capacity of greater than 100 MBtu/h must maintain records of ash contents and higher heating values (FGS-UK 2-1.I).	Verify that the installation maintains a record of ash contents and higher heating values for the fuel combusted in the source. (3)(4)	
1-8. New or substantially modified steam-generating units or electric utility steam-generating units rated greater than 100 MBtu/h heat input must operate a properly calibrated and maintained continuous emissions monitoring (CEM) system for opacity, NO <sub>x</sub> , and the O <sub>2</sub> or CO <sub>2</sub> content of flue gases (FGS-UK 2-3).	Verify that the opacity of emissions is continuously monitored, except where gaseous or distillate fuels are the only fuels combusted. (2)(3)  Verify that NO <sub>x</sub> emissions are continuously monitored.  Verify that the O <sub>2</sub> or CO <sub>2</sub> content of flue gases is continuously monitored at each location where either SO <sub>2</sub> or NO <sub>x</sub> emissions are monitored.	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

### REGULATORY REQUIREMENTS:

### REVIEWER CHECKS: February 1997

1-9. New or substantially modified electric utility steam-generating units with a rated capacity of greater than 100 MBtu/h heat input must meet specific emissions limitations (FGS-UK 2-2).

Verify that flue gases discharged into the atmosphere do not contain particulate matter in excess of 13 ng/J heat input (0.03 lb/MBtu) derived from the combustion of solid, liquid, or gaseous fuel. (2)(3)

Verify that no flue gases are discharged that:

- exhibit greater than 20 percent opacity, except for one 6-min period per hour of not more than 30 percent opacity
- contain SO<sub>2</sub> in excess of 520 ng/J heat input (1.2 lb/MBtu) and 10 percent of the potential combustion concentration derived from solid fuel
- contain SO<sub>2</sub> in excess of 340 ng/J heat input (0.80 lb/MBtu) and 10 percent of the potential combustion concentration derived from liquid or gaseous fuels
- contain NO<sub>x</sub> in excess of the emissions limits listed in Table 1-2.

(NOTE: When emissions of SO<sub>2</sub> are less than 260 ng/J heat input (0.60 lb/MBtu), there is a limit of 30 percent of the potential combustion concentration derived from solid fuel.)

(NOTE: The following fuels require the specified percent reduction in potential combustion concentrations:

- gaseous fuels, 25 percent
- liquid fuels, 30 percent
- solid fuels, 65 percent.)

Verify that fuel consumption and electrical steam output values are verified monthly in order to calculate boiler efficiency.

1-10. Existing and new or substantially modified steam-generating units or electric utility steam-generating units rated greater than 100,000 Btu/h (29 kW) heat input must have an annual tune-up to ensure that specific operating requirements are met (FGS-UK 2.4).

Verify that the identified steam-generating unit has an annual tune-up to ensure combustion efficiency of the unit so that the following requirements are met: (1)(2)(3)

- for natural gas, the minimum excess  $O_2$  level at high firing rates is 0.5 percent through 3 percent
- for liquid fuels, the minimum excess O<sub>2</sub> level at high firing rates is 2 percent through 4 percent
- CO emissions are below 400 ppm by volume
- the flame is stable and does not impinge on the furnace walls or burner parts
- the environmental executive agent (EEA) is consulted if the unit:
  - produces more than 825,000 Btu/h of heat output
  - uses waste oil or other wastes as a fuel
- the production of dark or black smoke does not exceed the limitations given in Table 1-3.

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAM		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
1-10. (continued)	<ul> <li>(NOTE: Limitations on dark or black smoke production do not apply to smoke that is solely due to: <ul> <li>the lighting up of the unit when cold</li> <li>some failure in the apparatus</li> <li>the use of an unstable fuel if suitable fuel was unobtainable, the least unstable fuel was used, and all practicable steps were taken to prevent or minimize smoke from the use of the fuel.)</li> </ul> </li> </ul>	
1-11. New or substantially modified steam-generating units or electric utility steam-generating units rated greater than 100,000 Btu/h (29 kW) heat input must operate a properly calibrated and maintained CEM system to measure O <sub>2</sub> emissions and CO emissions (FGS-UK 2-5).	Verify that such steam-generating units operate a properly calibrated and maintained CEM system for O <sub>2</sub> emissions and CO emissions. (3)	
FUEL-BURNING SOURCES		
1-12. Fuel-burning facilities with greater than 250	Verify that the opacity of emissions is less than 20 percent, except for one 6-min period of no greater than 27 percent per hour. (2)(3)	
MBtu/h heat input should meet specific emissions standards (MP).	Verify that particulate emissions do not exceed 0.10 lb/MBtu.	
standards (WF).	Verify that SO <sub>2</sub> emissions do not exceed levels outlined in Table 1-4.	
	Verify that NO <sub>x</sub> emissions do not exceed levels outlined in Table 1-4.	
1-13. Fuel-burning facil-	Verify that the following monitors are in place: (2)(3)	
ities with greater than 250 MBtu/h heat input should be equipped with specific types of monitoring instruments (MP).	<ul> <li>NO<sub>2</sub> continuous monitor</li> <li>opacity monitor (except in gaseous fuel burners)</li> <li>SO<sub>2</sub> monitor (except for fossil fuel-fired steam-generators not using a fuel gas desulfurization device, and gaseous fuel burners)</li> <li>fuel sampling monitor when SO<sub>2</sub> monitor is not required</li> <li>CO<sub>2</sub> or O<sub>2</sub> monitors (except when continuous monitoring systems are not required for SO<sub>2</sub> or NO<sub>x</sub>).</li> <li>Verify that such monitors are calibrated and properly maintained.</li> </ul>	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

DECLI ATODY DEVIEWED CHECKS.		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
1-13. (continued)	Verify that, for fuel consumption and electrical steam output instruments:	
	<ul> <li>instruments are correctly installed and operating</li> <li>instruments are calibrated every 24 h</li> <li>monitoring records are maintained for 2 yr.</li> </ul>	
	Verify that the installation maintains records of fuel analysis.	
	Verify that such records contain information on:	
	<ul> <li>sulfur content</li> <li>ash content</li> <li>heating value.</li> </ul>	
<b>1-14.</b> Steam-generating units with a maximum design heat input capacity of greater than or	Verify that facilities that combust coal or mixtures of coal with other fuels and have a heat input capacity of 30 MBtu/h or greater do not discharge particulate matter in excess of: (2)(3)	
equal to 10 MBtu/h but less than 100 MBtu/h should meet specific stan- dards for emissions of	<ul> <li>- 22 ng/J heat input (0.05 lb/MBtu), if the facility combusts only coal or coal with other fuels and has an annual capacity factor of 10 percent for the other fuels</li> <li>- 43 ng/J heat input (0.10 lb/MBtu), if the facility combusts coal with other fuels,</li> </ul>	
particulates (MP).	and has an annual capacity factor greater than 10 percent for the other fuels.	
	Verify that facilities that combust wood or mixtures of wood with other fuels, except coal, and have a heat input capacity of 30 MBtu/h or greater do not discharge particulate matter in excess of:	
	<ul> <li>43 ng/J heat input (0.10 lb/MBtu), if the facility has an annual capacity factor for wood greater than 30 percent</li> <li>130 ng/J heat input (0.30 lb/MBtu), if the facility has an annual capacity factor for wood of 30 percent or less.</li> </ul>	
	Verify that facilities with a heat input capacity of greater than 30 MBtu/h that combust coal, wood, or oil do not discharge gases with greater than 20 percent opacity (6-min average), except for one 6-min period per hour of not more than 27 percent opacity.	
	(NOTE: Particulate matter and opacity standards apply at all times, except during periods of startup, shutdown, or malfunction.)	
	vironmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operato	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
1-15. Steam-generating units with a maximum design heat input capacity of greater than or equal to 10 MBtu/h, but	Verify that the installation installs, calibrates, maintains, and operates CEM systems for measuring SO <sub>2</sub> concentrations and either O <sub>2</sub> or CO <sub>2</sub> concentrations at the outlet of the SO <sub>2</sub> control device or the outlet of the steam-generating unit if no control device is used. (2)(3)	
less than 100 MBtu/h, should meet specific mon- itoring standards for SO <sub>2</sub>	Verify that, if CEM systems for SO <sub>2</sub> are not used, the fuel is sampled prior to combustion.	
and particulate matter (MP).	Verify that the installation installs, calibrates, maintains, and operates a continuous monitoring system for measuring opacity.	
1-16. Municipal waste combustors with a capacity greater than 225 Mg	Verify that gases are not discharged that contain the following constituents in excess of the least stringent amount listed: (2)(3)	
(250 tons) per day of municipal solid waste or refuse-derived fuel should meet specific operational	<ul> <li>dioxin/furan in excess of 30 ng/dscm (12 gr/bdscf, corrected to 7 percent O<sub>2</sub> (dry basis)</li> <li>SO<sub>2</sub> in excess of 20 percent of the potential SO<sub>2</sub> emission rate or 30 ppm by volume, corrected to 7 percent O<sub>2</sub> (dry basis)</li> </ul>	
standards (MP).	<ul> <li>hydrogen chloride in excess of 5 percent of the potential hydrogen chloride emission rate (95 percent reduction by weight or volume), or 25 ppm by volume, corrected to 7 percent O<sub>2</sub> (dry basis)</li> <li>NO<sub>x</sub> emissions in excess of 180 ppm by volume, corrected to 7 percent O<sub>2</sub> (dry basis).</li> </ul>	
	Verify that facilities meet the operating standards for CO emissions outlined in Table 1-5.	
	Verify that the installation implements the following operating practices:	
	<ul> <li>facilities do not operate at a load level greater than 110 percent of the maximum demonstrated municipal waste combustor unit load</li> <li>facilities do not operate at a temperature exceeding 17 °C [≈63 °F] above the maximum demonstrated particulate matter control device temperature.</li> </ul>	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	

United Kingdom ECAIVIF		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
INCINERATORS		
1-18. New or substantially modified incinerators that burn more than 50 tons/day [=45359 kg/	Verify that no incinerator discharges any gas into the atmosphere that contains particulate matter in excess of 0.18 g/dscm (0.08 gr/dscf) corrected to 12 percent CO <sub>2</sub> . (2)(3)	
day] or that burn more than 10 percent sewage sludge must meet specific emissions limitations	Verify that incinerators that process beryllium-containing waste, beryllium, beryllium oxide, or beryllium alloys do not emit more than 10 g [0.02 lb] of beryllium into the atmosphere over a 24-h period.	
(FGS-UK 2-6.A).	(NOTE: All air emissions should be: - colorless	
	- free from persistent mist, persistent fume, and droplets - free from offensive odor outside the process boundary.)	
	(NOTE: Air emissions from combustion processes in normal operations should:  - be free from visible smoke  - not exceed shade one of the Ringelmann Chart.)	
	(NOTE: The preceding notes do not apply to emissions that are due solely to:  - the lighting up of the incinerator when cold - some failure of the apparatus.)	
1-19. Clinical waste incinerators must meet specific emissions limitations (FGS-UK 2-6.B).	Verify that the concentrations of air emissions shown in Tables 1-3 and 1-6 are not exceeded. (2)(3)	
1-20. General waste incinerators that burn less than one ton [≈907 kg/h] but more than 50 kg/h [≈110 lb/h] must meet specific emissions limitations (FGS-UK 2-6.C).	Verify that the concentrations of air emissions shown in Tables 1-3 and 1-7 are not exceeded. (2)(3)	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
GASÓLINE		
1-21. Leaded gasoline should not be introduced into any motor vehicle that is labeled UNLEADED GASOLINE ONLY or that is equipped with a gasoline tank filler inlet designed for introduction of	Determine what grades of gasoline are used and where they are dispensed. (4)(5)(10)  Verify that controls are in place to ensure proper fueling of vehicles.  Verify that fuel pump nozzles are properly sized.	
unleaded gasoline (MP).		
1-22. Bulk gasoline terminals that deliver liquid product into large tank trucks should meet spe-	(NOTE: A bulk gasoline terminal is any gasoline facility that receives gasoline by pipeline, ship, or barge, and has a gasoline throughput greater than 75,700 L/day [≈ 20,000 gal/day].)	
cific operating standards (MP).	Verify that the bulk gasoline terminal has a vapor collection system designed to collect the total organic compound vapors displaced from tank trucks during product loading and to prevent the total organic compounds collected at on-loading racks from passing to another loading rack. (4)(5)	
	Verify that emissions from the vapor collection system do not exceed 35 mg of total organic compound per liter of gasoline loaded.	
	Verify that the following loading procedures are followed:	
	<ul> <li>vapor tightness documentation is available for each gasoline tank truck</li> <li>the tank identification number is recorded as each gasoline tank truck is loaded</li> <li>each tank identification number is cross-checked with the file of tank vapor tightness documentation within 2 week after the tank is loaded</li> <li>steps are taken to ensure that only vapor-tight tanks are loaded and that vapor collection systems are operational.</li> </ul>	
	Verify that the vapor collection and liquid loading equipment is designed and operated to prevent gauge pressure in the delivery tank from exceeding 4500 Pa (450 mm of water) during product loading.	
	Verify that pressure vacuum vents in the vapor collection system do not open at a system pressure of less than 4500 Pa (450 mm of water).	
	Verify that the installation conducts a monthly inspection of the vapor collection system, the vapor processing system, and each loading rack handling gasoline.	
	Verify that the above inspections are conducted when loading is in progress.	
	Verify that the installation establishes inspection records and keeps them on file for	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

2 yr.

United Kingdom ECAM		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
1-22. (continued)	Verify that leaks are repaired within 15 calendar days after detection.	
	Verify that records of all replacements or additions of components performed on existing vapor processing systems are kept for at least 3 yr.	
MOTOR VEHICLES	·	
1-23. Installations must maintain DOD-owned, nontactical vehicles so as	Verify that all vehicles are inspected every 2 yr to ascertain if the factory-installed emission control equipment is intact and operational. (5)	
to prevent excessive emissions (FGS-UK 2-9).	Verify that, if available on the local economy, only unleaded gasoline is used in vehicles designed for unleaded gasoline.	
1-24. All Air Force vehicles must be tested with an infrared exhaust tester (for gasoline engines) or an opacity meter (for diesel engines) to certify exhaust emissions required by UK (AFTO 00-20B-5, Section 2-6(d)).	Verify that an infrared emission tester/opacity meter is used to certify emission tests on gasoline/diesel engines. (6)	
VOCs		
1-25. Publication rotogravure printing presses,	Determine whether the installation operates any publication rotogravure printing presses. (3)	
except for proof presses, should meet specific VOC emissions standards (MP).	Verify that gases are not being discharged that contain VOCs in amounts greater than or equal to 16 percent of the total mass of VOC solvent and water used at that facility during any single performance averaging period.	
·	(NOTE: Each performance averaging period is 30 consecutive calendar days.)	
	Verify that, if the installation uses waterborne ink systems or solventborne ink systems with solvent recovery systems, it records:	
	- the amount of solvent and water used - the amount of solvent recovered - an estimated emission percentage for each calendar month.	
	Verify that the installation maintains these records for 2 yr.	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

## REGULATORY REQUIREMENTS:

### REVIEWER CHECKS: February 1997

1-26. Liquid petroleum storage vessels with a storage capacity greater than 151,600 L (40,000 gal) should meet specific standards (MP).

Determine the true vapor pressure of the liquids stored in such vessels. (2)(4)

Verify that vessels storing petroleum liquid with a true vapor pressure equal to or greater than 1.5 psia [10.3 kPa absolute], but less than 11.1 psia [76.5 kPa absolute], are equipped with one of the following:

- an external floating roof
- a fixed roof with an internal floating type cover equipped with a continuous closure device between the tank wall and edges
- a vapor recovery system that collects all VOC vapors and gases discharged from the storage vessel and a vapor return or disposal system to process the VOC vapors and gases to reduce emissions by at least 95 percent by weight
- an equivalent, approved system.

Verify that vessels storing petroleum liquids with a vapor pressure greater than 11.1 psia [76.5 kPa absolute] are equipped with a vapor recovery system that collects all VOC vapors and gases and a vapor return or disposal system that is designed to process the VOC vapors to reduce emissions by at least 95 percent by weight.

Verify that the installation takes the following measurements:

- gap measurement for primary seals of external floating roofs at least once every 5 yr
- gap measurement for secondary seals of external floating roofs at least annually.

Verify that the following records are kept:

- gap measurement, for at least 2 yr following the date of measurement
- the petroleum liquid stored, the period of storage, and the maximum true vapor pressure during the storage, unless the storage vessel has a vapor recovery and return or disposal system.

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

#### **REVIEWER CHECKS:** REGULATORY February 1997 **REOUIREMENTS:** Determine the vapor pressure of the liquids stored in such vessels. (2)(4) 1-27. Volatile organic liquid (VOL) storage ves-Verify that storage vessels with a design capacity greater than or equal to 151 m<sup>3</sup> sels with a capacity of [≈39,890 gal] containing VOL with a vapor pressure equal to or greater than 5.2 kPa greater than or equal to 75 [0.75 psia], but less than 76.6 kPa [11.1 psia], or storage vessels with a capacity $m^3$ ( $\approx 19,800$ gal) should greater than or equal to 75 m<sup>3</sup> [≈19,800 gal], but less than 151 m<sup>3</sup> [≈39,890 gal], conmeet specific standards taining VOL that has a maximum vapor pressure equal to or greater than 5.2 kPa (MP). [0.75 psia], but less than 76.6 kPa [≈11.1 psia], are equipped with one of the following: - a fixed roof in combination with an internal floating roof - an external floating roof - a closed vent system and control device that reduces emissions by 95 percent by weight - an approved, equivalent system. Verify that storage vessels with a design capacity greater than or equal to 75 m<sup>3</sup> [≈19,800 gal] containing a VOL with a maximum true vapor pressure greater than or equal to 76.6 kPa [≈11.1 psia] are equipped with one of the following: - a closed vent system and control device that reduces emissions by 95 percent - an approved, equivalent alternative method. Verify that the accumulated area of gaps does not exceed 212 cm²/m [≈10 in.²/ft] of tank diameter between the tank wall and the primary seal and that the width of any portion of any gap does not exceed 3.81 cm [≈2 in.]. Verify that the accumulated area of gaps does not exceed 21.2 cm<sup>2</sup>/m [1 in.<sup>2</sup>/ft] of tank diameter between the tank wall and the secondary seal and that the width of any portion of any gap does not exceed 1.27 cm [0.5 in.]. Verify that the installation inspects internal floating roofs, primary seals, and second-1-28. VOL storage vessels with a capacity of ary seals for holes, tears, or defects before filling the tank. (2)(3)(4) greater than or equal to 40 $m^3$ ( $\approx 10,567$ gal) should Verify that the installation conducts visual inspections of the internal floating roof meet specific inspection and primary or secondary seals of vessels with a liquid-mounted or mechanical shoe and documentation stanprimary seal at least once every 12 mo after the initial fill. dards (MP). Verify that the installation either repairs vessels or removes them from service within 45 days of discovering problems. Verify that the installation inspects vessels with double-seal systems at least once every 5 yr.

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
1-28. (continued)	Verify that the installation inspects internal floating roofs, primary seals, secondary seals, gaskets, slotted membranes, and sleeve seals each time the storage vessel is emptied and degassed.
	Verify that, when control equipment is installed, gap areas are measured at least:
	- once every 5 yr for gaps between the tank wall and the primary seal - once a year for gaps between the tank wall and the secondary seal.
	Verify that, for vessels with a design capacity greater than or equal to 151 m <sup>3</sup> [≈39,890 gal], storing a liquid with a maximum true vapor pressure greater than or equal to 3.5 kPa [0.5 psia], or with a design capacity greater than or equal to 75 m <sup>3</sup> [≈19,800 gal], but less than 151 m <sup>3</sup> [≈39,890 gal], storing a liquid with a true vapor pressure greater than or equal to 15.0 kPa [2.2 psia], the installation keeps a record of the following:
	<ul> <li>- the VOL stored</li> <li>- the period of storage</li> <li>- the maximum true vapor pressure of that VOL during the storage period.</li> </ul>
	(NOTE: This requirement does not apply to vessels that store a waste mixture of indefinite or variable composition or vessels equipped with a closed vent system and control device.)
FUGITIVE EMISSIONS	
1-29. Installations should manage the emission of volatile hazardous	Determine whether the installation operates such sources in VHAP service. (2)(3)  Verify that when a leak is detected:
air pollutants (VHAPs) in accordance with specific requirements (MP).	<ul> <li>weatherproof and readily visible identification, marked with the equipment identification number, is attached to the leaking equipment</li> <li>identification is removed only after no leak has been detected for 2 mo or the leak is repaired</li> <li>leaks detected for pumps, compressors, pressure-relief devices in liquid service, and flanges are recorded in a log that is maintained for 2 yr at a readily accessible location.</li> </ul>

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

	United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
1-29. (continued)	Verify that the following records are maintained:	
	<ul> <li>a list of identification numbers of all equipment to which a standard applies</li> <li>a list of equipment designated for no detectable emissions</li> <li>dates of compliance tests</li> <li>a list of identification numbers for equipment in vacuum service</li> <li>information and data used to demonstrate that a piece of equipment is not in VHAP service.</li> </ul>	
	(NOTE: VHAPs include vinyl chlorides and benzene from pumps, compressors, pressure relief devices, sampling connection systems, flanges and other connectors, and product accumulator vessels operating in VHAP service.)	
1-30. Installations should monitor and con-	Determine whether the installation operates pumps in VHAP service. (2)(3)	
trol the emission of VHAPs from pumps in	Verify that the installation visually inspects such pumps for leaks each week.	
VHAP service (MP).	Verify that the installation monitors pumps monthly for leaks, using standard test methods.	
·	Verify that leaks are repaired within 15 days of their discovery.	
1-31. Installations should monitor and con-	Determine whether the installation operates compressors in VHAP service. (2)(3)	
trol the emission of VHAPs from compressors in VHAP service (MP).	Verify that compressors are equipped with a seal system that includes a barrier fluid system and prevents leakage of process fluids.	
	Verify that the seal system either:	
	<ul> <li>operates with the barrier fluid at a pressure greater than the compressor stuffing box pressure</li> <li>is equipped with a barrier fluid system connected by a closed-vent system to a control device</li> <li>is equipped with a system that purges the barrier fluid into a process stream with zero VHAP emissions</li> <li>contains barrier fluid that is not in VHAP service.</li> </ul>	
	Verify that barrier fluid systems are equipped with a sensor to detect the failure of the seal system, barrier fluid system, or both.	
	Verify that sensors are checked daily or have an audible alarm, unless the compressor is located within the boundary of an unmanned plant site.	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
1-32. Installations should monitor and control the emission of VHAPs from pressure relief devices, sampling	Determine whether the installation operates such sources in VHAP service. (2)(3)  Verify that, except during pressure releases, the pressure relief devices in gas/vapor service are operated with no detectable emissions, as indicated by an instrument reading of less than 500 ppm above background.
connection systems, flanges and other connec- tors, and product accumu- lator vessels operating in	Verify that after a pressure release, the device is returned to a state of no detectable emissions within 5 days.
VHAP service (MP).	Verify that sampling connectors are equipped with a closed-purge system or closed-vent system that either:
	<ul> <li>returns the purged process fluid directly to the process line</li> <li>collects and recycles the purged process fluid</li> <li>is designed and operated to capture and transport all purged process fluid to a control device.</li> </ul>
	Verify that pressure relief devices in liquid service and flanges and other connectors are monitored within 5 days if evidence of a potential leak is found by visual, audible, olfactory, or any other detection method and repaired within 15 days.
	Verify that product accumulator vessels are equipped with a closed-vent system capable of capturing and transporting any leakage from the vessel to a control device.
1-33. Valves and lines in VHAP service should be operated according to	Determine whether valves and lines at the installation, including those exposed to vinyl chlorides and benzene, are in VHAP service. (2)(3)
specific procedures (MP).	Verify that open-ended valves or lines are equipped with a cap, blind flange, or second valve that seals the open end at all times, except during operations requiring process fluid flow through the valve or line.
	Verify that open-ended valves or lines with a second valve are operated so that the valve on the process fluid end is closed before the second valve.
1-34. Systems and devices used to control VHAP emissions should	Verify that vapor recovery systems are designed and operated to recover the organic vapors vented to them with 95 percent or greater efficiency. (2)(3)
be operated according to specific standards (MP).	Verify that enclosed combustion devices are designed and operated to reduce the VHAP and benzene emissions vented to them with an efficiency of 95 percent or greater or provide a minimum residence time of 0.50 s at a minimum temperature of 760 °C [1400 °F].
e e	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP	
REVIEWER CHECKS: February 1997	
Verify that closed-vent systems:	
<ul> <li>have no detectable emissions</li> <li>are monitored annually</li> <li>have leaks repaired within 15 days of their discovery.</li> </ul>	
Verify that closed-vent systems and control devices are operated at all times when emissions may be vented to them.	
Verify that the installation maintains in a readily accessible location the following records pertaining to closed-vent systems and control devices:	
<ul> <li>detailed schematics</li> <li>dates and descriptions of any changes to the system</li> <li>periods when they are not operating</li> <li>dates of startups and shutdowns.</li> </ul>	
Verify that the installation uses systems such as covered or refrigerated systems to minimize direct release of VOCs to the atmosphere. (3)(4)(5)(7)(8)(9)(10)  Verify that, if any activity of respraying (painting) road vehicles involves the use of 2 or more tons of organic solvents in any 12-mo period, the installation consults with the Executive Agent for applicable standards.	
Verify that installation dryers are solvent recovery dryers. (2)(3)  Verify that the petroleum solvent filters are cartridge filters that are drained in their sealed housing for at least 8 h before their removal.  Verify that a clearly visible label regarding fire protection and inspection is posted on the dryer.	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
CFCs AND HALONS		
1-37. Installations must meet specific standards during the servicing of equipment that contains CFCs or halons (FGS-UK 2-7.B through 2-7.D).	Verify that all repairs or service to nontactical vehicle air conditioners use commercially available refrigerant recycling equipment, operated by trained personnel. (5)(7)(8)  Verify that no activity intentionally vents any Class I or Class II CFC refrigerant (see Table 1-1) in the process of maintaining, servicing, repairing, or disposing of an appliance or industrial process refrigeration unit.	
	Verify that any ozone-depleting substance that is not banked/accumulated for future use is disposed of in accordance with the standards of Section 9, Solid Waste Management, and is accompanied by a Hazardous Waste Profile Sheet through the disposal process.	
	·	
	•	

<sup>(1)</sup> BCE (Base Civil Engineering/Environmental Planning (2) BES (Bioenvironmental Engineering Services) (3) Air Pollution Source Operator (4) Fuels - Management Branch (5) Transportation - Maintenance Branch (6) LGS (Base Supply) (7) SV (Services Squadron) Auto Hobby Shop (8) Refrigeration Shops (BCE) (9) Equipment Maintenance Squadron (10) AAFES (Army/Air Force Exchange Service) Gas Station (11) Base Staff Judge Advocate (SJA)

Table 1-1
Class I and Class II Ozone-Depleting Substances (ODSs)
(FGS-UK, Table 2-1)

HC#	Name		
Class I Ozone depleting chemicals (ODCs)			
CFC-11	Trichlorofluoromethane		
CFC-12	Dichlorodifluoromethane		
CFC-113	Trichlorotrifluoroethane		
CFC-114	Dichlorodifluoroethane		
CFC-115	Chloropentafluoroethane		
R-500	R-500 -		
R-502	R-502		
HALON-1202	Dibromodifluoromethane		
HALON-1211	Bromochlorodifluoromethane		
HALON-1301	Bromotrifluoromethane		
HALON-2402	Dibromotetrafluoroethane		
MB	Methyl Bromide		
CFC-13	Chlorotrifluoromethane		
CFC-111	Pentachlorofluoroethane		
CFC-112	Tetrachlorodifluoroethane		
CFC-211	Heptachlorofluoropropane		
CFC-212	Hexachlorodifluoropropane		
CFC-213	Pentachlorotrifluoropropane		
CFC-214	Tetrachlorotetrafluoropropane		
CFC-215	Trichloropentafluoropropane		
CFC-216	Dichlorohexafluoropropane		
CFC-217	Chloroheptafluoropropane		
Carbon Tetrachloride	Tetrachloromethane		
Methyl Chloroform	Trichloroethane (1,1,1 TCA)		
Class I	I ODCs		
HCFC-21	Dichlorofluoromethane		
HCFC-22	Chlorodifluoromethane		
HCFC-31	Chlorofluoromethane		
HCFC-121	Tetrachlorofluoroethane		

(continued)

Table 1-1 (continued)

HCFC-122	Trichlorodifluoroethane
HCFC-123	Dichlorotrifluoroethane
HCFC-124	Chlorotetrafluoroethane
HCFC-131	Trichlorofluoroethane
HCFC-132	Dichlorodifluoroethane
HCFC-133	Chlorotrifluoroethane
HCFC-141	Dichlorofluoroethane
HCFC-142	Chlorodifluoroethane
HCFC-221	Hexachlorofluoropropane
HCFC-222	Pentachlorodifluoropropane
HCFC-223	Tetrachlorotrifluoropropane
HCFC-224	Trichloropentafluoropropane
HCFC-225	Dichloropentafluoropropane
HCFC-226	Chlorohexafluoropropane
HCFC-231	Pentachlorofluoropropane
HCFC-232	Tetrachlorodifluoropropane
HCFC-233	Trichlorotrifluoropropane
HCFC-234	Dichlorotetrafluoropropane
HCFC-235	Chloropentafluoropropane
HCFC-241	Tetrachlorofluoropropane
HCFC-242	Trichlorodifluoropropane
HCFC-243	Dichlorotrifluoropropane
HCFC-244	Chlorotetrafluoropropane
HCFC-251	Trichlorofluoropropane
HCFC-252	Dichlorodifluoropropane
HCFC-253	Chlorotrifluoropropane
HCFC-261	Dichlorofluoropropane
HCFC-262	Chlorodifluoropropane
HCFC-271	Chlorofluoropropane

**Table 1-2** 

# NO<sub>x</sub> Emission Limits for New or Substantially Modified Electric Steam-Generating Units (FGS-UK, Table 2-2)

Type of Fuel	ng/J	Emission Limits lb/MBtu
Gaseous Fuels:		
Coal derived	210	0.50
Other	86	0.20
Liquid Fuels:		
Coal derived and shale oil	210	0.50
Other	130 .	0.30
Solid Fuels:		
Coal derived	210	0.50
Subbituminous	210	0.50
Bituminous	260	0.60
Anthracite	260	0.60
Other	260	0.60

### **Table 1-3**

### **Dark Smoke Limitations**

(FGS-UK, Table 2-5)

1. Aggregate emissions of dark smoke are limited to the following time periods:		
Number of Furnaces/Sources Served by the Chimney	Permitted Emission During Any 8-h Period	
1	10 min	
2	18 min	
3	24 min	
4 or more	29 min	

<sup>2.</sup> Continuous single emissions of dark smoke must not exceed 4 min in length.

<sup>3.</sup> Aggregate emission of black smoke must not exceed 2 min in length during any period of 30 min.

Table 1-4
Performance Standards
(40 CFR 60)

Source Category	Fuel Type	Pollutant	Emission Level	Monitoring Requirement
	4	0 CFR 60, Subpart L	):	
Steam generators* (> 250 MBtu/h) constructed or modified after 8/17/71	Solid Fossil Fuel	Particulate Opacity SO <sub>2</sub> NO <sub>x</sub> (except lignite and coal refuse)	0.10 lb/MBtu 20%; 27% 6 min/h 1.20 lb/MBtu 0.70 lb/MBtu	None Continuous Continuous Continuous
	Liquid Fossil Fuel	SO <sub>2</sub> NO <sub>x</sub>	0.80 lb/MBtu 0.30 lb/MBtu	Continuous Continuous
	Gaseous Fossil Fuel	NO <sub>x</sub>	0.20 lb/MBtu	Continuous
	Lignite	NO <sub>x</sub>	0.60 lb/MBtu	Continuous
·	Lignite mined in ND, SD, or MT, burned in a cyclone fired unit	NO <sub>x</sub>	0.80 lb/MBtu	Continuous
	4	0 CFR 60, Subpart 1	Ξ:	
Incinerators (> 50 tons/day) constructed or modified after 8/17/71	Incinerators	Particulate CO <sub>2</sub>	0.08 gr/dscf** corrected to 12% CO <sub>2</sub>	Record of daily charging rates and hours of operation

<sup>\*</sup> Does not include electric utility steam-generating units that started construction or modification after 18 September 1978.

<sup>\*\*</sup> gr/dscf - grains per dry standard cubic foot.

Table 1-5

Municipal Waste Combustor Operating Standards for CO
(40 CFR 60.56a Table I)

Municipal Waste Combustor Technology	Emission Limit (ppm by volume)
Mass burn waterwall	100
Mass burn refractory	100
Mass burn rotary waterwall	100
Modular starved air	50
Modular excess air	50
Refuse-derived fuel (RDF) stoker	150
Bubbling fluidized bed combustor	100
Circulating fluidized bed combustor	100
Coal/RDF mixed fuel-fired combustor	150

Table 1-6
Clinical Waste Incinerator Emissions Concentration Limits
(FGS-UK, Table 2-3)

Emission	Concentration
Chloride	100 mg/mg <sup>3</sup> expressed as HCl
Total particulate matter	100 mg/m <sup>3</sup>
СО	100 mg/m <sup>3</sup> averaged over 1 h
SO <sub>2</sub>	300 mg/m <sup>3</sup>
Organic compounds excluding particulate matter	20 mg/m <sup>3</sup> expressed as total carbon
Heavy metals and their compounds (total of cadmium, mercury, arsenic, lead, chromium, nickel, copper, and manganese) expressed as metal	5 mg/m <sup>3</sup>

Table 1-7

General Waste Incinerator Emissions Concentration Limits
(FGS-UK, Table 2-4)

Emission	Concentration
Chloride	250 mg/mg <sup>3</sup> expressed as HCl
Total particulate matter	200 mg/m <sup>3</sup>
СО	100 mg/m <sup>3</sup> averaged over 1 h
SO <sub>2</sub>	300 mg/m <sup>3</sup>
Organic compounds excluding particulate matter	20 mg/m <sup>3</sup> expressed as total carbon
Heavy metals and their compounds (total of cadmium, mercury, arsenic, lead, chromium, nickel, copper, and manganese) expressed as metal	5 mg/m <sup>3</sup>

INSTALLATION:	COMPLIANCE CATEGORY: AIR EMISSIONS MANAGEMENT United Kingdom ECAMP	DATE:	REVIEWER(S
STATUS NA C RMA		REVIEWER COMMENTS:	
			•

.

# **SECTION 2**

# CULTURAL RESOURCES MANAGEMENT United Kingdom ECAMP

#### **SECTION 2**

### **CULTURAL RESOURCES MANAGEMENT**

### A. Applicability of this Section

This chapter, relevant to all Air Force (AF) installations, includes plans and programs needed to ensure proper protection and management of cultural resources (which includes historic and prehistoric properties under Department of Defense (DOD) control), and properties on the World Heritage List or on the United Kingdom's (UK's) list equivalent to the U.S. National Register of Historic Places.

The regulatory requirements in this section are based on DOD regulations and Air Force Instructions (AFIs) that apply at overseas installations. Management Practices (MPs) are derived from DOD regulations and other documents that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### **B. DOD Directives/Instructions**

• Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 12 contains criteria for required plans and programs needed for the protection and management of cultural resources.

#### C. U.S. Air Force Documents

- AFI 32-7062, Air Force Comprehensive Planning, 18 April 1994, requires installations to comply
  with the specifications contained in the Master Statement of Work, the AF document that provides
  specific details regarding the structure, content, symbology, and other guidance for preparing AF
  comprehensive plan documents, maps, and databases. The Master Statement of Work (developed by
  the Air Force Center for Environmental Excellence (AFCEE)) requires that installations maintain
  maps that address specific environmental issues, including natural and cultural resources issues.
- The National Historic Preservation Act of 1966 (16 U.S. Code (USC) 470a-2) requires Installation Commanders (ICs) to inform the Secretary of the AF of property listed on the UK's equivalent of the U.S. National Register prior to approval of any Federal undertaking that may directly and adversely affect such property.

#### D. Responsibility for Compliance

- Base Civil Engineering (BCE) is responsible for funding, supervising, controlling, and managing installation historic preservation programs.
- The Base Cultural Resources Manager is responsible for implementing the historic preservation program, and for locating, inventorying, and evaluating installation cultural resources. This is usually an additional duty assignment within BCE.

#### E. Definitions

- Action all activities or programs of any kind authorized, funded, or carried out, in whole or in part, on DOD-controlled installations (FGS-UK 20).
- Adverse Effect changes that diminish the quality or significant value of natural resources, archaeological resources, or cultural resources or properties. For biological resources, adverse effects include overall population fitness (FGS-UK 20).
- Archaeological Resource any material remains of prehistoric or historic human life or activities. Such resources include, but are not limited to: pottery, basketry, bottles, weapons, weapon projectiles, tools, structures or portions of structures, pit houses, rock paintings, rock carvings, intaglios, graves, human skeletal materials, or any portion of any of the foregoing items (FGS-UK 20).
- Cultural Mitigation specific steps designed to lessen the adverse effects of a DOD action on a cultural or archaeological resource, including (FGS-UK 20):
  - 1. limiting the magnitude of the action
  - 2. relocating the action in whole or in part
  - 3. repairing, rehabilitating, or restoring the affected property
  - 4. recovering and recording data from cultural properties that may be destroyed or substantially altered.
- Cultural Property or Resources physical remains of any prehistoric or historic district, site, building, structure, or object significant in world, national, or local history, architecture, archaeology, engineering, or culture. The term includes artifacts, records, and remains that are related to such a district, site, building, structure, or object (FGS-UK 20).
- Cultural Resources Program identification, evaluation, documentation, curation, acquisition, protection, rehabilitation, restoration, management, stabilization, maintenance, recording, and reconstruction of cultural resources and any combination of the foregoing (FGS-UK 20).
- *Inventory* to determine the location of cultural resources that may have world, national, or local significance (FGS-UK 20).
- Major Action an action involving substantial expenditures of time, money, or resources, that affects the environment on a large geographic scale or has substantial environmental effects on a more limited geographic area, and that is substantially different or a significant departure from other actions previously analyzed with respect to environmental considerations and approved, with which the action under consideration may be associated. A deployment of units, ships, aircraft, or mobile military equipment that does not involve significant changes to the physical environment and that does not require additional support facilities that would significantly change the physical environment is not a major action for the purposes of this section (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.

- Material Remains physical evidence of human habitation, occupation, use, or activity, including the site, loci, or context in which such evidence is situated, including (FGS-UK 20):
  - 1. surface or subsurface structures
  - 2. surface or subsurface artifact concentrations or scatters
  - 3. whole or fragmentary tools, implements, containers, weapons, clothing, and ornaments
  - 4. by-products, waste products, or debris resulting from manufacture or use
  - 5. organic waste
  - 6. human remains
  - 7. rock carvings, rock paintings, and intaglios
  - 8. rock shelters and caves
  - 9. all portions of shipwrecks
  - 10. any portion or piece of any of the foregoing.
- Preservation the act or process of applying measures to sustain the existing form, integrity, and material of a building or structure and the existing form and vegetative cover of a site. It may include initial stabilization work where necessary, as well as ongoing maintenance of the historic building materials (FGS-UK 20).
- Property a site, building, object, structure, or collection of such items (FGS-UK 20).
- Protection the act or process of applying measures designed to affect the physical condition of a property by safeguarding it from deterioration, loss, attack, or alteration, or to cover or shield the property from danger or injury. In the case of buildings and structures, such treatment is generally temporary and anticipates future historic preservation treatment; in the case of archaeological sites, the protective measure may be temporary or permanent (FGS-UK 20).

# CULTURAL RESOURCES MANAGEMENT GUIDANCE FOR CHECKLIST USERS

REFER TO CHECKLIST ITEMS: CONTACT THESE PERSONS OR GROUPS: (a)

All Installations 2-1 through 2-4 (1)(2)

Cultural Resources 2-5 through 2-12 (1)

Management

# (a) CONTACT/LOCATION CODE:

- (1) Cultural Resources Manager (or Environmental Coordinator)
- (2) Base Staff Judge Advocate

### **CULTURAL RESOURCES MANAGEMENT**

### **Records To Review**

- Historic Preservation Plan
- Inventories of cultural property and archaeological resources, if any
- Base Environmental Maps

## **Physical Features To Inspect**

- Construction sites
- Site or landmark of historic or archaeological interest

## **People To Interview**

- Cultural Resources Manager (or Environmental Coordinator)
- Base Staff Judge Advocate

# COMPLIANCE CATEGORY: CULTURAL RESOURCES MANAGEMENT United Kingdom ECAMP

United Kingdom ECAMP		
REVIEWER CHECKS: February 1997		
Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF directives. (2)  (NOTE: Among the relevant documents is AFI 32-7062, Air Force Comprehensive Planning, 18 April 1994.)		
Determine whether any new regulations concerning cultural resources have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.		
Verify that the Cultural Resources Manager is included in the coordination process for all actions that may affect the installation's cultural resources. (1)		
Verify that the installation is developing the following maps: (1)  - Map A: Natural and Cultural Resources - Map A-1: Areas of Critical Concern - Map A-2: Management Areas - Map B: Environmental Quality - Map B-1: Environmental Regulatory Issues - Map B-2: Environmental Emission Sources.  (NOTE: These maps are specified in the Master Statement of Work developed by AFCEE.)		

# COMPLIANCE CATEGORY: CULTURAL RESOURCES MANAGEMENT United Kingdom ECAMP

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
CULTURAL RESOURCES MANAGEMENT	•	
2-5. Installations must inventory cultural property and archaeological resources in areas under DOD control, if financially and otherwise practical (FGS-UK 12-2).	Verify that, if financially and otherwise practical, the installation inventories cultural property in areas under DOD control. (1)  Verify that the inventory includes buildings, conservation areas, and monuments identified by the UK Secretary of State for the Environment or local planning authorities for special protection.  (NOTE: The cultural inventory can be developed from a records search and visual survey.)  Verify that, if financially and otherwise practical, the installation inventories archaeological resources in areas under DOD control.  Verify that the inventory includes archaeological areas designated by the UK Secretary of State for the Environment or local planning authorities.	
2-6. Installations must ensure that planning for major actions includes consideration of possible cultural or archaeological property or resources (FGS-UK 12-3.B).	Verify that the installation's planning for major actions includes consideration of possible effects on cultural or archaeological property or resources. (1)	
2-7. ICs have specific responsibilities with regard to properties on the host nation's equivalent of the United States' National Register (16 USC 470a-2, Section 402).	Determine whether any Federal undertaking may directly and adversely affect a property that is on the host nation's equivalent of the United States' National Register. (1)  Verify that the IC informs the Secretary of the Air Force (SAF/MIQ) of such property.  (NOTE: This notification is to be made so that the Secretary of the Air Force may take into account the effect of the undertaking on such property for purposes of avoiding or mitigating any adverse effects.)  Verify that the IC takes the above action prior to the approval of the undertaking.	

# COMPLIANCE CATEGORY: CULTURAL RESOURCES MANAGEMENT United Kingdom ECAMP

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
2-8. Installations must notify appropriate UK officials of the discovery of any potential cultural property or resources or archaeological resources not previously inventoried that are discovered in the course of a DOD action (FGS-UK 12-4.E).	Determine whether any potential cultural property or resources or archaeological resources not previously inventoried have been discovered. (1)  Verify that appropriate UK officials are notified within 30 days of the discovery of potential cultural or resources or archaeological resources not previously inventoried that are discovered on lands managed by U.S. Forces, or in the course of a DOD action.	
2-9. Installations must preserve and protect certain newly discovered items pending a decision on final disposition by the IC (FGS-UK 12-4.D).	Verify that the installation preserves and protects potential cultural property or resources or archaeological resources discovered on lands managed by U.S. Forces, or in the course of a DOD action that have not previously been inventoried. (1)  Verify that the installation preserves and protects such items pending a decision on final disposition by the IC.	
2-10. Installations must develop a plan for the protection and preservation of cultural resources (FGS-UK 12-3.A).	Verify that installations with cultural resources identified on the installation inventory have a plan for the protection and preservation of cultural resources and mitigation of any adverse effects. (1)	
2-11. Personnel who perform cultural or archaeological resource functions must have the required expertise in world, national, and local history and culture (FGS-UK 12-1).	Verify that personnel who perform cultural or archaeological resource functions have the requisite expertise in world, national, and local history and culture. (1)	
2-12. Installations must establish measures sufficient to protect known cultural property or archaeological resources until appropriate mitigation or preservation can be completed (FGS-UK 12-4.A-through 12-4.C).	Verify that known cultural property or archaeological resources are protected at the installation. (1)  Verify that the installation has established measures to prevent personnel from disturbing or removing archaeological resources without the permission of the host nation.	

INSTAL	LATION:	COMPLIANCE CATEGORY: CULTURAL RESOURCES MANAGEMENT United Kingdom ECAMP	DATE:	REVIEWER(S):	
STATUS		REVIEWER COMMENTS:			
NA	C RMA		····		
	1				
:					

# **SECTION 3**

# HAZARDOUS MATERIALS MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 3**

#### HAZARDOUS MATERIALS MANAGEMENT

### A. Applicability of this Section

Most Air Force (AF) installations handle many chemicals and substances that may be considered hazardous if not handled, stored, or used properly. A complete list of chemicals used at AF installations would be too lengthy to include in this section, but many of the materials are hazardous, i.e., toxic chemicals, flammable substances, reactive substances, and corrosive materials.

This section primarily addresses the proper storage and handling of chemicals and the spill contingency and response requirements related to hazardous materials. Oil, pesticides, and asbestos are hazardous materials that require special management practices at AF installations and are addressed in separate sections. Radioactive substances and the general category of hazardous wastes are also not included in this section of the manual, and it does not focus on individual hazardous chemicals or substances used at AF installations. It deals, instead, with the generic requirements and Management Practices (MPs) associated with minimizing impacts on the environment from spills or releases of hazardous materials as a result of improper storage and handling. As a general rule, most subsections of this section will be applicable to most AF installations.

The regulatory requirements in this section are based on Department of Defense (DOD) Regulations, Air Force Occupational Safety and Health Standards (AFOSH STD), and Air Force Regulations (AFRs) and Air Force Instructions (AFIs) that apply at overseas installations. MPs are derived from U.S. Environmental Protection Agency (USEPA) regulations and National Fire Protection Association (NFPA) publications that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and to protect the environment.

#### **B.** DOD Directives/Instructions

- Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 5, contains criteria for the storage, handling, and disposition of hazardous materials used by DOD installations.
- DOD 4145.19-R-1, Storage and Materials Handling. Chapter 5, Section 4, Hazardous Commodities, dated September 1979, addresses the storage and handling of compressed gases and other hazardous commodities.
- DOD Directive (DODD) 6050.8, Storage and Disposal of Non-DOD Owned Hazardous or Toxic Materials on DOD Installations, dated 27 February 1986, does not allow the storage of non-DOD owned toxic or hazardous materials onsite.

#### C. U.S. Air Force Documents

• Air Force Manual (AFM) 67-1, Storage and Related Operations, requires that the installation have a comprehensive list of all chemicals used or generated onsite.

- AFI 91-301, Air Force Occupational and Environmental Safety, Fire Prevention, and Health (AFOSH) Program. This AFI, dated 1 June 1996, outlines the Air Force's Occupational and Environmental Safety, Fire Prevention, and Health Program. It specifically requires the Bioenvironmental Engineering Services (BES) to maintain material safety data sheets (MSDSs) and other related information.
- AFOSH STD 127-43, Flammable and Combustible Liquids, 21 September 1980, applies to the storage, use, and handling of flammable and combustible liquids in containers or tanks of 60 gal [=227 L] or less and in portable tanks of up to 660 gal [=2498 L] capacity. The standard implements those portions of Title 29, Code of Federal Regulations (29 CFR) 1910.106, Flammable and Combustible Liquids, that are applicable to AF operations. In addition, it covers several items not addressed in the Occupational Safety and Health Administration (OSHA) standard.
- AFOSH STD 161-21, *Hazard Communication*, 23 January 1989, contains minimum requirements for an effective hazard communication program for activities that handle or use hazardous materials. It implements 29 CFR 1910.1200, *Hazard Communication*.

#### D. Responsibility for Compliance

- Base Supply (Logistics) has primary responsibility for receiving, storing, and issuing all hazardous
  commodities. Base Supply reviews all items that have a potential health hazard and determines if an
  issue exception code should be assigned to the item before being placed in storage. The receipt of
  hazardous materials with the proper documentation and shipping papers is also the responsibility of
  Base Supply. The proper maintenance and operation of flammable/combustible materials storage
  facilities, acid storage facilities, and compressed gas storage facilities is also the responsibility of
  Base Supply.
- The Director of Base Medical Services, through the BES, is responsible for reviewing the issue exception codes for hazardous materials assigned by Base Supply and for approving or disapproving the recommendations.
- The Base Civil Engineer (BCE) is responsible for the storage and handling of all hazardous materials used by the civil engineering shops.
- The Base Fire Department provides support in emergency response, spill events, exercises, and fire protection activities. In addition, the department is responsible for making periodic fire safety inspections of flammable/combustible storage and handling areas on the installation.
- The Base Safety Manager is responsible for conducting workplace safety evaluations and inspections of the handling and storage of hazardous materials. The Safety Manager provides the appropriate manager with a report of findings and recommended corrective actions. He or she is also responsible for ensuring the prompt and accurate investigation of any hazardous material mishaps that result in injury or property damage.

#### E. Definitions

- Combustible Liquid a liquid having a flashpoint at or above 100 °F (37.8 °C). Combustible liquids are categorized as Class II or Class III liquids and are further subdivided as follows (AFOSH STD 127-43, para 2f):
  - 1. Class II liquids are those having a flashpoint at or above 100 °F (37.8 °C) and below 140 °F (60 °C)
  - 2. Class IIIA liquids are those having flashpoints at or above 140 °F (60 °C) and below 200 °F (93.3 °C), except any mixture having components with flashpoints of 200 °F (93.3 °C)
  - 3. Class IIIB liquids are those having flashpoints at or above 200 °F (93.4 °C).
- Flammable Liquid a liquid with a flashpoint below 100 °F (37.8 °C) with a vapor pressure not exceeding 40 psia at 100 °F (37.8 °C). Flammable liquids are categorized as Class I liquids, and are further subdivided as follows (AFOSH STD 127-43, para 2i):
  - 1. Class IA are those that have a flashpoint below 73 °F (22.8 °C) and boiling point below 100 °F (37.8 °C).
  - 2. Class IB are those that have flashpoints below 73 °F (22.8 °C) and boiling points at or above 100 °F (37.8 °C).
  - 3. Class IC are those that have flashpoints at or above 73 °F (22.8 °C) and below 100 °F (37.8 °C).
- Hazardous Chemical Warning Label a label, tag, or marking on a container that is prepared in accordance with DOD 6050.5-H, DOD Hazardous Chemical Warning Labeling System, and that provides the following information (FGS-UK 20):
  - 1. identification/name of hazardous chemicals
  - 2. appropriate hazard warnings
  - 3. the name and address of the manufacturer, importer, or other responsible party.
- Hazardous Material any material that is capable of posing an unreasonable risk to health, safety, or the environment if improperly handled, stored, issued, transported, labeled, or disposed of because it displays a characteristic identified in Table 3-1 or the material is listed in Table 3-1, Chart A.4 of Section 3, Hazardous Waste Management. Munitions are excluded (FGS-UK 20).
- Hazardous Material Information System (HMIS) the computer-based information system developed to accumulate, maintain, and disseminate important information on hazardous material used by DOD (FGS-UK 20).
- Hazardous Material Shipment any movement of hazardous material in a DOD land vehicle either from an installation to a final destination off the installation, or from a point of origin off the installation to a final destination on the installation, in excess of any of the following quantities (FGS-UK 20):
  - 1. for hazardous material identified as a result of inclusion in Table 3-1, Chart A.4, any quantity in excess of the reportable quantity listed in Table 3-1, Chart A.4
  - 2. for other liquid or semi-liquid hazardous material, in excess of 416 L (110 gal)
  - 3. for other solid hazardous material, in excess of 225 kg (500 lb)
  - 4. for combinations of liquid, semi-liquid and solid hazardous materials, in excess of 340 kg (750 lb).

- Hazardous Substance any substance having the potential to do serious harm to human health or the environment if spilled or released in reportable quantity. A listing of these substances and corresponding reportable quantity is contained in Table 3-1, Chart A.4. The term does not include (FGS-UK 20):
  - 1. petroleum, including crude petroleum, oil, and lubricant (POL) or any fraction thereof, that is not otherwise specifically listed or designated as a hazardous substance above
  - 2. natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas).
- Installation On-Scene Coordinator (IOSC) the official who coordinates and directs DOD control and cleanup efforts at the scene of a POL or hazardous substance spill due to DOD activities on or near the installation. This official is designated by the Installation Commander (IC) (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Material Safety Data Sheet (MSDS) a form used by manufacturers of chemical products to communicate to users the chemical, physical, and hazardous properties of their product (FGS-UK 20).

# HAZARDOUS MATERIALS MANAGEMENT

# **GUIDANCE FOR CHECKLIST USERS**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations	3-1 and 3-2	(2)(8)
Excess Hazardous Materials	3-3	(1)(2)(4)(5)
Training	3-4	(1)(2)(3)(4)(5)(6)(7)
Releases	3-5	(4)(6)
General Operating Requirements	3-6 through 3-11	(2)(3)(4)(5)
General Storage Requirements	3-12	(1)(2)(5)
Documentation	3-13 through 3-19	(1)(2)(3)(4)(5)(6)(7)
Flammable/Combustible Liquids Handling General Storage Requirements Storage Cabinets Storage Rooms Storage Buildings Outdoor Storage Industrial Storage Areas	3-20 3-21 through 3-26 3-27 through 3-30 3-31 3-32 through 3-34 3-35 and 3-36 3-37 through 3-39	(1)(2)(4) (1)(2)(4)(5) (1)(2)(4)(5) (1)(2)(4)(5) (1)(2)(4)(5) (1)(2)(4)(5) (1)(2)(4)(5)
Batteries	3-40	(2)
Compressed Gases	3-41 through 3-43	(1)(2)(4)(5)
Acid Storage	3-44 and 3-45	(1)(2)(4)(5)
Transportation	3-46 through 3-48	(2)(4)(5)(7)

# (a) CONTACT/LOCATION CODE:

- (1) Logistics Supply (LGS (Base Supply))
- (2) BCE (Base Civil Engineering)
- (3) Fire Department
- (4) Safety Officer
- (5) BES (Bioenvironmental Engineering Services)
- (6) Disaster Preparedness Office
- (7) LGT (Transportation Officer)
- (8) Base Staff Judge Advocate

# HAZARDOUS MATERIALS MANAGEMENT

#### **Records To Review**

- Emergency Plan documents
- MSDSs
- Inventory records
- Training records
- Inspection records
- · Shipping papers
- Placarding of hazardous materials

### **Physical Features To Inspect**

- Hazardous materials storage areas
- Shop activities
- Shipping and receiving area

### **People To Interview**

- LGS (Base Supply)
- BCE (Base Civil Engineering)
- Fire Department
- · Safety Officer
- BES (Bioenvironmental Engineering Services)
- Disaster Preparedness Office
- LGT (Transportation Officer)
- Base Staff Judge Advocate

# COMPLIANCE CATEGORY: HAZARDOUS MATERIALS MANAGEMENT United Kingdom ECAMP

United Kingdom ECAM		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ALL INSTALLATIONS		
3-1. Copies of all relevant DOD directives/instructions, U.S. Air Force (USAF) directives, and guidance documents should be maintained at the installation (MP).	<ul> <li>Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (8)</li> <li>(NOTE: Among the relevant documents are the following:     <ul> <li>DOD 4145.19-R-1, Chapter 5, Section 4, Hazardous Commodities, September 1979</li> <li>DODI 6050.5-H, DOD Hazardous Chemical Warning Label System, June 1989</li> <li>DODD 6050.8, Storage and Disposal of Non-DOD Owned Hazardous or Toxic Materials on DOD Installations, 27 February 1986</li> <li>AFM 67-1, Vol. 2, Part Two, Chapter 14, Storage and Related Operations</li> <li>AFM 67-1, Vol. 2, Part Two, Chapter 21, Special Logistical Support Procedures</li> <li>AFI 91-301, Air Force Occupational and Environmental Safety, Fire Prevention, and Health (AFOSH) Program, 1 June 1996</li> <li>AFOSH STD 127-43, Flammable and Combustible Liquids, 21 September 1980</li> <li>AFOSH STD 161-21, Hazard Communication, 23 January 1989</li> <li>International Civil Aviation Organization, Technical Instructions for the Safe Transport of Dangerous Goods by Air.)</li> </ul> </li> </ul>	
3-2. Installations must meet regulatory and AF requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning hazardous materials have been issued since the finalization of the manual. (2)  Verify that the installation is in compliance with newly issued regulations.	
EXCESS HAZARDOUS MATERIALS  3-3. All excess hazardous materials must be processed through the Defense Reutilization and Marketing Service (DRMS) (FGS-UK 5-10).	Verify that excess hazardous materials are processed through DRMS. (1)(2)(4)(5)	

# COMPLIANCE CATEGORY: HAZARDOUS MATERIALS MANAGEMENT United Kingdom ECAMP

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
TRAINING		
3-4. Personnel who manage, use, store, and/or ultimately dispose of hazardous materials must be trained (FGS-UK 5-11 and AFOSH STD 161-21, para 5e).	Verify that personnel who manage, use, store, and/or ultimately dispose of hazardous materials are trained in spill response and related handling issues. (1)(2)(3)(4)(5)(6)(7)  Verify that the installation provides personnel with effective information and training on the hazardous chemicals in their work area.  Verify that information and training are provided at the time of initial assignment and whenever a new physical or health hazard on which personnel have not been trained is introduced into the work area.  Verify that personnel are informed of the following:  - any operations in their work area where hazardous chemicals are present - the location and availability of the written hazard communication program, including the required list(s) of hazardous chemicals, and MSDSs.  Verify that the training provided to personnel includes at least the following:  - methods and observations that may be used to detect the presence of or release of a hazardous chemical in the work area (such as monitoring conducted by the installation, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.)  - the physical and health hazards of the chemicals in the work area - the measures that personnel can take to protect themselves from these hazards, including specific procedures implemented to protect personnel from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used - the details of the hazard communication program developed by the installation, including an explanation of the labeling system and the MSDS, and how personnel can obtain and use the appropriate hazard information.	
RELEASES		
3-5. Installations must take specific actions in the event of hazardous substance spills (FGS-UK 18-4.B, 18-4.D, and 18-4.E).	Verify that spills of reportable quantities (RQs) of hazardous substances, hazardous waste, or POL are reported to the Installation On-Scene Coordinator (IOSC) immediately. (4)(6)  Verify that immediate action is taken to eliminate the source and contain the spill.  Verify that the appropriate Military Department and/or Defense Agency and Headquarters U.S. Air Force Europe (HQ USAFE) are notified immediately when any of the following occurs:	

(1) LGS (Base Supply) (2) BCE (Base Civil Engineering) (3) Fire Department (4) Safety Officer (5) BES (Bioenvironmental Engineering Services) (6) Disaster Preparedness Office (7) LGT (Transportation Officer) (8) Base Staff Judge Advocate

# COMPLIANCE CATEGORY: HAZARDOUS MATERIALS MANAGEMENT United Kingdom ECAMP

	United Kingdom ECAWI	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
3-5. (continued)	<ul> <li>a spill occurs inside a DOD installation and cannot be contained within any required berm or containment</li> <li>a spill exceeds 416 L of POL</li> <li>a water resource has been polluted</li> <li>the IOSC has determined that the spill is significant.</li> </ul>	
	Verify that a written follow-up report is submitted in any of the above instances.	
	Verify that, when a POL or hazardous substance spill occurs inside the installation and cannot be contained within its boundaries, the following are notified immediately:	
	<ul> <li>- the appropriate Military Department and/or Defense Agency</li> <li>- HQ USAFE</li> <li>- the appropriate UK authorities.</li> </ul>	
	Verify that, when a POL or hazardous substance spill threatens a local UK drinking water resource, the following are notified immediately:	
	<ul> <li>the appropriate Military Department and/or Defense Agency</li> <li>HQ USAFE</li> <li>the appropriate UK authorities.</li> </ul>	
	Verify that, if a hazardous substance spill in excess of the RQ occurs outside of the installation, the person in charge at the scene immediately notifies UK authorities and local fire departments and obtains necessary assistance.	
GENERAL OPERATING REQUIREMENTS		
3-6. Installations must reduce the use of hazardous materials through resource recovery, recycling, source reduction, acquisition, or other minimization strategies (FGS-UK 5-9).	Verify that the installation has a Hazardous Materials Minimization Program and that it addresses hazardous material management through the use of: (2)(4)(5)  - resource recovery - recycling - source reduction - acquisition, etc.	

Onica ixingaoni Berivii	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
<b>3-7.</b> All hazardous materials on DOD installations must be labeled and have	Verify that all hazardous materials are labeled with a Hazardous Chemical Warning Label. (2)(4)(5)
MSDS information attached or available	Verify that MSDS information is on hand or available through the HMIS.
through the HMIS (FGS-UK 5-8 and AFOSH STD 161-21, para 5d).	(NOTE: These requirements apply throughout the life cycle of the hazardous materials.)
	Verify that labels provided by chemical manufacturers, importers, or distributors are not removed, defaced, or changed.
3-8. Installations should arrange for coordination with the fire department concerning the types of hazardous chemicals used at the installation, the areas in which they are used, what they are used for, and the quantities used in a given operation (MP).	Verify that the fire department is aware of areas that are at high risk for chemical incidents. (3)
3-9. Specific persons should be designated responsible for hazardous materials storage areas, and the precise nature of their responsibilities should be specified (MP).	Verify that specific individuals have been designated responsible for hazardous materials storage areas. (2)(5)  Verify that the individuals designated responsible for hazardous materials storage areas are aware of the precise nature of their responsibilities.
3-10. Installations must prevent the unauthorized entry of people or livestock into hazardous materials storage areas (FGS-UK 5-12).	Verify that the installation prevents unauthorized entry into hazardous materials storage areas. (2)(4)
3-11. Installations must maintain hazardous materials dispensing areas	Verify that drums and containers in hazardous materials dispensing areas are not leaking. (2)(4)
properly (FGS-UK 5-2).	Verify that drip pans/absorbent materials are placed under containers as needed in order to collect drips or spills.

Office Kingdom Derivit	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-11. (continued)	Verify that container contents are clearly marked.
	Verify that dispensing areas are located away from catch basins and storm drains.
GENERAL STORAGE REQUIREMENTS	
3-12. Installations must not allow the storage of non-DOD-owned toxic or hazardous materials onsite (DODD 6050.8, para D).	Verify that the installation does not allow the storage of non-DOD-owned toxic or hazardous materials onsite. (1)(2)(5)  (NOTE: This does not apply to:  - agreements with the General Services Administration (GSA) for storage of strategic and critical materials in the National Stockpile Program  - agreements between DOD Components and other Federal agencies for temporary storage or disposal of explosives  - emergency lifesaving assistance to civil authorities involving temporary storage or disposal of explosives  - excess explosives generated under a DOD contract  - arrangements with the Department of Energy (DOE) for the temporary storage of nuclear materials or nonnuclear classified materials  - military resources used during peacetime civil emergencies  - assistance and refuge for commercial carriers containing material of other Federal agencies during transportation emergencies.)
DOCUMENTATION  3-13. The installation must have a comprehensive list of all chemicals used or generated onsite and an assessment of their hazards (AFM 67-1, Volume 2, Part Two, Chapters 14 and 21).	Verify that the installation has a comprehensive list of all chemicals used or generated onsite and an assessment of their hazards. (1)(2)(3)(4)(5)
3-14. Each work area that has hazardous materials must keep an inventory of all the hazardous materials used within the work area (AFOSH STD 161-21, para 5f).	Verify that each work area has an inventory of its hazardous chemicals and that the inventory is attached to the Workplace Hazard Communication Program. (2)(4)(5)  Verify that supervisors maintain the inventory and update it as necessary.  Verify that BES reviews the inventory annually.  (NOTE: This requirement does not apply to areas in which personnel only handle materials in sealed containers.)

(1) LGS (Base Supply) (2) BCE (Base Civil Engineering) (3) Fire Department (4) Safety Officer (5) BES (Bioenvironmental Engineering Services) (6) Disaster Preparedness Office (7) LGT (Transportation Officer) (8) Base Staff Judge Advocate

Office Kingdom ECAMI	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-15. Installations must have a written Hazard Communication Program that details specific information at each workplace where hazardous materials are used or handled (AFOSH STD 161-21, para 5a).	Verify that each workplace has a copy of the written Hazard Communication Program that includes the following: (1)(2)(4)(5)(6)(7)  - location and access to MSDSs - requirements for personnel training - availability of personnel training - work area hazardous chemical inventory - standard operation procedures, operating instructions, or technical orders concerning nonroutine tasks that involve hazardous materials - any contractor operations/interface.
<b>3-16.</b> Installations must maintain a master listing of all storage facilities for hazardous materials and an inventory of all hazardous materials contained therein (FGS-UK 5-5).	Verify that the installation maintains a master listing of all storage facilities for hazardous materials and the hazardous materials contained therein. (1)(4)
3-17. Installations must ensure that the most current MSDS data is available for all hazardous materials on the installation (FGS-UK 5-7; AFI 91-301, paras 2.10.1.17 and 2.10.1.18).	Verify that the installation maintains a current copy of DOD List 6050.5-L, Hazardous Material Information System (HMIS) Hazardous Item Listing, on compact disc. (5)  Verify that the installation maintains copies of other MSDSs for items:  - not listed in the HMIS - locally purchased through base supply, medical supply, or civil engineering supply channels.  Verify that BES maintains a file of MSDSs for all hazardous materials used in the industrial facilities on the installation.
3-18. Installations must have MSDSs for each hazardous chemical procured, stored, or used onsite (FGS-UK 5-7; AFOSH STD 161-21, para 5c).	Verify that an MSDS is readily accessible for each hazardous chemical in the work-place during each work shift. (4)(5)  Verify that each work center maintains a file of MSDSs for each hazardous material procured, stored, or used at the work center.

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-19. The content of MSDSs must meet specific criteria (FGS-UK 5-6).	Verify that the MSDSs are in English and contain at least the following information: (2)(4)(5)  - the identity used on the label: - if the hazardous chemical is a single substance, the chemical and common name of the substance - if the hazardous chemical is a mixture that has been tested as a whole to determine its hazards, the chemical and common name(s) of the ingredients that contribute to these known hazards and the common names(s) of the mixture itself - if the hazardous chemical is a mixture that has not been tested as a whole: - the chemical and common name(s) of all ingredients that have been determined to be health hazards and that comprise 1 percent or greater (0.1 percent or greater for carcinogens) of the composition - the chemical and common name(s) of all ingredients that have been determined to be health hazards and that comprise less than 1 percent (0.1 percent for carcinogens) of the mixture, if there is evidence that the ingredient(s) could be released from the mixture in concentrations that would exceed an established OSHA permissible exposure limit (PEL), or could present a health hazard to personnel - the chemical and common name(s) of all ingredients that have been determined to present a physical hazard when present in the mixture - physical and chemical characteristics of the hazardous chemical (such as vapor pressure, flash point, etc.) - physical hazards of the chemical, including the potential for fire, explosion, and reactivity - health hazards of the chemical, including signs and symptoms of exposure and any medical conditions that are generally recognized as being aggravated by exposure to the chemical (primary route(s) of entry (e.g., inhalation, skin absorption, ingestion, etc.) - OSHA PELs and any other pertinent exposure limit - whether the chemical has been found to be a potential carcinogen - any generally applicable procuous, including appropriate hygienic practices, protective measures during repair and maintenance of contaminated equipment, and procedures for cleanup of sp

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
FLAMMABLE/ COMBUSTIBLE LIQUIDS	(NOTE: FGS-UK incorporates the requirements of DOD 4145.19-R-1 by reference. Therefore, since the requirements of AFOSH STD 127-43 are substantially identical to those of DOD 4145.19-R-1, all citations to the AFOSH STD must be considered to be requirements of FGS-UK as well. DOD 4145.19-R-1 is cited directly only where its requirements are not found in the AFOSH STD.)
Handling	
3-20. Flammable/Combustible liquids must be handled according to specific procedures (AFOSH STD 127-43, para 4g).	Verify that the following procedures are followed when flammable/combustible materials are handled: (1)(2)(4)  - transfer of liquids from or into vessels, containers, or portable tanks within a building takes place only by means of the following methods:  - a closed piping system  - safety cans  - a device drawing from the top  - from a container or tank by gravity through an approved self-closing valve  - transfer of liquids from a safety can is by means of a device drawing through the top  - transfer of liquids from a container or tank is done by gravity through an approved self-closing valve  - approved safety cans are used for transporting and dispensing flammable liquids in quantities of 19 L (5 gal) or less  - flammable liquids are kept in covered containers when not actually in use  - Class I liquids are used only when there are no open flames or other sources of ignition.  Verify that safety cans and other portable containers of flammable liquids having a flashpoint at or below 80 °F [26 °C] are painted red with some additional clearly visible identification either in the form of a yellow band around the can or the name of the contents conspicuously stenciled or painted on the can in yellow.
	(NOTE: This provision does not apply to shipping containers.)

	United Kingdom ECAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
FLAMMABLE/ COMBUSTIBLE LIQUIDS		
General Storage Requirements		
3-21. Flammable or combustible liquids must not be stored in ways that limit the use of exits, stairways, or areas normally used for the safe egress of people (AFOSH STD 127-43, para 4d(1)).	Verify that exits and common traffic routes are not blocked. (1)(4)	
3-22. Specific MPs should be considered when storing and handling flammable/combustible materials (MP).	Verify that the installation observes the following MPs: (1)(4)  - no positive sources of ignition (open flames, welding, radial heat, mechanical sparks) are in the immediate area  - no items are stored against pipes or coils that produce heat  - paint drums that are stored horizontally are rolled a half turn every 90 days  - containers of paint are palletized prior to storage  - aerosol containers are stored in well ventilated areas.  (NOTE: These MPs are suggested in DOD 4145.19-R-1.)	
3-23. Flammable and combustible liquid containers must meet specific design and capacity standards (AFOSH STD 127-43, para 4a).	Verify that containers meet the design and capacity standards in Table 3-2. (1)(2)(4)	
3-24. Plastic containers should not be used to store certain liquids in general purpose warehousing (MP).	Verify that plastic containers are not used to store Class I or II liquids in general purpose warehousing. (1)	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-25. Flammable/combustible material containers must be stored and handled in accordance with specific requirements (FGS-UK 5-1 and DOD 4145.19-R-1, para 5-404i).	Verify that containers are stored and handled such that: (1)(2)(4)(5)  - open flame devices are not in use in the storage area - combustible materials, other than wood pallets used in the storage of flammable/combustibles, are not stored in the storage facility - labels are not damaged - materials received without a date of manufacture label are marked with the shipping document date - leaking containers are removed from the storage area immediately - containers are stored so that they are issued or used in the order of dates of manufacture, with the oldest material used first - there are no open containers - containers are inspected periodically while in storage.
3-26. Flammable/combustible storage areas must meet certain fire protection standards (AFOSH STD 127-43, para 4f).	Verify that flammable/combustible storage locations meet the following requirements: (1)(2)(4)(5)  - at least one portable fire extinguisher rated not less than 10-BC is located outside the door of any room used for storage and within 3 m (10 ft) of the door opening  - at least one portable fire extinguisher rated not less than 20-BC is located within 3 to 7.5 m (10 to 25 ft) of any Class I or Class II liquid storage area outside of a storage room, but inside a building  - fire extinguishing systems are sprinklers, water spray, or other USAF approved systems  - open flames and smoking are not permitted within 15 m (50 ft) of flammable/combustible liquid storage areas  - water reactive materials are not stored in the same room with flammable/combustible liquids, except for small quantities that can be stored in laboratories  - containers and portable tanks used for Class I liquids are electrically bonded and grounded during transfer of liquids  - liquid containers are protected from heat sources.  Verify that the installation takes positive measures to eliminate sources of ignition, such as open flames, electrical smoking, cutting and welding, hot surfaces, static, mechanical sparks, radiant heat, and spontaneous ignition.

United Kingdom ECAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
FLAMMABLE/ COMBUSTIBLE LIQUIDS	
Storage Cabinets	
3-27. Flammable and combustible liquid storage cabinets must meet specific structural requirements (AFOSH STD 127-43, para 4b(2)).	Verify that flammable and combustible storage cabinets meet the following structural requirements: (1)(2)(4)(5)  - all cabinets are constructed to limit internal temperature to no more than 163 °C (325 °F) when subject to the standard 10 min fire test specified in NFPA 251-196  - the bottom, top, door, and sides of metal cabinets are at least 18 gauge sheet steel and double-walled with 1.5 in. [≈4 cm] air space, and joints are riveted or welded  - the doors of metal cabinets have a three-point lock and the door sill is raised at least 2 in. [≈5 cm] above the bottom of the steel cabinet  - existing wood cabinets are knot free and of at least 1 in. [≈3 cm] nominal thickness, and all joints are rabbeted and fastened in two directions with flathead wood screws.
3-28. Flammable and combustible liquid storage cabinets are subject to specific limitations on their contents (AFOSH STD 127-43, para 4b(1)).	<ul> <li>Verify that the following storage requirements are met: (1)(2)(4)(5)</li> <li>no more than 455 L (120 gal) of Class I, Class II, and Class IIIA liquids are stored in any cabinet</li> <li>no more than 227 L (60 gal) of the 455 L (120 gal) are Class I or II liquids.</li> </ul>
3-29. Flammable/combustible liquid storage cabinets should meet specific requirements (MP).	Verify that newly purchased cabinets are of steel rather than wood. (1)(2)(4)(5)  Verify that materials within storage cabinets are segregated. (1)(2)(4)(5)  Verify that all containers in cabinets are labeled.  Verify that cabinets are constantly closed.  Verify that cabinets are conspicuously labeled FLAMMABLEKEEP FIRE AWAY.

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-30. Installations must not have more than three	Verify that no more than three cabinets are located in a single fire area. (1)(2)(4)(5)
cabinets in a single fire area (AFOSH STD 127-	(NOTE: This requirement does not apply to industrial areas.)
43, para 4b(1)).	(NOTE: The limit of three cabinets in a single area may be increased where small cabinets are used; however, the maximum amount of flammable storage cannot exceed 1365 L (360 gal) total.)
	(NOTE: Additional cabinets may be located in the same fire area of an industrial area if the additional cabinet, or group of not more than three 455 L (120 gal) cabinets, is separated from other cabinets or group of cabinets by at least 30.5 m (100 ft).)
FLAMMABLE/ COMBUSTIBLE LIQUIDS	
Storage Rooms	
3-31. Indoor flammable/combustible storage rooms must meet specific standards (AFOSH STD 127-43, para 4c).	Verify that the installation's flammable/combustible storage rooms have: (1)(2)(4)  - walls that meet fire resistance test NFPA 251-1969  - liquid tight wall/floor joints  - self-closing fire doors (NFPA 80)  - one clear aisle at least 3 ft [≈1 m] wide  - a continuous mechanical exhaust ventilation system.
	Verify that a 4 in. [≈10 cm] raised sill or ramp is provided to adjacent rooms or buildings or that the floor of the storage area is 4 in. [≈10 cm] lower than the surrounding floors.
	Verify that, if a sill or ramp is not present, the building has an open grated trench that drains to a safe area.
	Verify that wooden shelving, flooring, dunnage, scuffboards, and/or floor overlay is at least 1 in. [=3 cm] thick.
	Verify that electrical wiring and equipment meet NFPA 70 requirements.
	Verify that dispensing is done by an approved pump or self-closing faucet.
	Verify that storage in the rooms meets the requirements in Table 3-3.
	Verify that mechanical exhaust systems are controlled by a switch outside the door and have exhaust outlets on exterior walls.
	Verify that makeup and exhaust air openings are within 12 in. [≈30 cm] above the floor on one side of the room with one or more makeup air inlets located on the opposite wall.

<sup>(1)</sup> LGS (Base Supply) (2) BCE (Base Civil Engineering) (3) Fire Department (4) Safety Officer (5) BES (Bioenvironmental Engineering Services) (6) Disaster Preparedness Office (7) LGT (Transportation Officer) (8) Base Staff Judge Advocate

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-31. (continued)	Verify that air movement occurs across all portions of the floor, as far as practical.
	Verify that containers of over 114 L (30 gal) capacity are not stacked one upon the other.
FLAMMABLE/ COMBUSTIBLE LIQUIDS	
Storage Buildings	
3-32. Flammable/com-	Verify that containers in indoor storage areas are tightly sealed. (1)(2)(4)
bustible liquids stored in buildings where storage rooms or cabinets are not	(NOTE: This provision does not apply when container contents are transferred, poured, or applied.)
used must meet specific standards (AFOSH STD 127-43, para 4d(2) and 4d(4)).	Verify that flammable paints, oils, and varnishes in 3.8 L or 19 L (1 gal or 5 gal) containers used for building maintenance are stored temporarily in closed containers at the job site for fewer than 10 calendar days.
	Verify that the storage of flammable/combustible liquids does not physically obstruct means of egress from the building or area.
3-33. Flammable and combustible liquid stor-	Verify that flammable/combustible storage buildings are one story and devoted principally to the handling and storing of flammable or combustible liquids. (1)(2)(4)
age buildings must meet specific structural require- ments (AFOSH STD 127- 43, para 4d(3)).	Verify that such buildings have 2 h fire-rated exterior walls with no openings within 3 m (10 ft) of the storage area.
43, para (3)).	
	·

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
3-34. The storage of flammable/combustible liquids in warehouses or storage buildings must meet specific requirements (AFOSH STD 127-43, para 5d).	<ul> <li>Verify that the following requirements are met: (1)(2)(4)(5)</li> <li>if the storage building is located 15 m (50 ft) or fewer from a building or line of adjoining property that may be built upon, the wall facing the building or property line is a blank wall with a fire-resistance rating of at least 2 h</li> <li>any quantity of liquids may be stored as long as the storage arrangements outlined in Table 3-4 are met</li> <li>stacked containers are separated by pallets or dunnage when necessary to provide stability and prevent excess stress on container walls</li> <li>portable tanks stored over one tier high are designed to nest securely</li> <li>no stack is closer than 1 m (3 ft) to the nearest beam, chord, girder, or other obstruction</li> <li>piles are 1 m (3 ft) below sprinkler deflectors or discharge points of water spray or other fire protection system</li> <li>containers have clearly legible labels that identify contents and indicate hazards</li> <li>aisles are at least 1 m (3 ft) wide when necessary for access to doors, windows, or standpipe connections.</li> </ul>
FLAMMABLE/ COMBUSTIBLE LIQUIDS	
Outdoor Storage	,
3-35. Installations must meet specific requirements with regard to	Verify that no more than 4169 L (1100 gal) of flammable/combustible liquids are stored adjacent to buildings. (1)(2)(4)(5)
flammable/combustible materials stored outside	Verify that the quantity and arrangement of materials is in accordance with Table 3-4.
(AFOSH STD 127-43, para 4e).	Verify that the storage area is graded to divert spills or is surrounded by a curb at least 15 cm (6 in.) high.
	Verify that drains terminate in a safe location.
3-36. When flammable/combustible liquids are stored outside, specific procedures and practices	Verify that no leaking or severely corroded drums are present. (1)(2)(4)(5)  Verify that drums stored in outdoor storage areas are placed horizontally (on sides) in double rows, butt-to-butt, with closures (bungs and vents) facing outward.
should be followed (MP).	Verify that the end drum of the bottom tier is braced to prevent rolling.

operations that do not involve chemical reactions.)  Verify that the following requirements are met: (1)(2)(4)(5)  - portable fire extinguishers and fire control equipment are in place in quantity and type as needed for the hazards of operation and storage at the site - adequate precautions are taken to prevent sources of ignition at the site - Class I liquids are not dispensed into containers unless nozzles and containers are electrically interconnected - operations such as welding and cutting for repairs to equipment are done under the supervision of an individual in charge - maintenance and operating practices control leakage and prevent the accidental escape of flammable or combustible liquids: - adequate aisles are maintained - combustible waste materials and residues are kept to a minimum, stored in covered metal containers, and disposed of daily - the grounds area around the buildings and unit operating areas are kept free of weeds, trash, or other unnecessary combustibles - tank vehicle and tank car loading or unloading facilities are separated from aboveground tanks, warehouses, and other plant buildings or nearest line of adjoining property by a distance of 25 ft [=7 m] for Class I liquids and 15 ft [=5 m] for Class II and III liquids.  Verify that the following requirements are met in industrial areas: (1)(2)(4)(5)  - storage is limited to 4 L (1 gal) of Class I or 40 L (10 gal) of Class II and III liquids in industrial areas (AFOSH STD 127-43, para 4h).	United Kingdom ECAMP	
Industrial Storage Areas  Industrial Storage Areas  (NOTE: Checklist items 3-38 through 3-40 pertain to industrial areas in which the use of flammable or combustible liquid is incidental to the principal business or where flammable or combustible liquids are handled or used only in unit physical operations that do not involve chemical reactions.)  Verify that the following requirements are met: (1)(2)(4)(5)  - portable fire extinguishers and fire control equipment are in place in quantity and type as needed for the hazards of operation and storage at the site - adequate precautions are taken to prevent sources of ignition at the site - Class I liquids are not dispensed into containers unless nozzles and containers are electrically interconnected - operations such as welding and cutting for repairs to equipment are done under the supervision of an individual in charge - maintenance and operating practices control leakage and prevent the accidental escape of flammable or combustible liquids: - adequate aisles are maintained - combustible waste materials and residues are kept to a minimum, stored in covered metal containers, and disposed of daily - the grounds area around the buildings and unit operating areas are kept free of weeds, trash, or other unnecessary combustibles - tank vehicle and tank car loading or unloading facilities are separated from aboveground tanks, warehouses, and other plant buildings or nearest line of adjoining property by a distance of 25 ft [=7 m] for Class I liquids and 15 ft [=5 m] for Class II and III liquids.  3-38. Installations must meet specific requirements with regard to incidental storage of flammable/combustible ilquids in industrial areas (AFOSH STD 127-43, para 4h).  Verify that the following requirements are met in industrial areas: (1)(2)(4)(5)  - storage is limited to 4 L (1 gal) of Class I or 40 L (10 gal) of Class II and III liquids - amount of liquid stored in the cabinet are closed - storage is limited to a 5-day supply - each work center has only one cabinet.  Verify		
use of flammable or combustible liquid is incidental to the principal business or where flammable or combustible liquids are handled or used only in unit physical operations that do not involve chemical reactions.)  Verify that the following requirements are met: (1)(2)(4)(5)  - portable fire extinguishers and fire control equipment are in place in quantity and type as needed for the hazards of operation and storage at the site adequate precautions are taken to prevent sources of ignition at the site class I liquids are not dispensed into containers unless nozzles and containers are electrically interconnected operations such as welding and cutting for repairs to equipment are done under the supervision of an individual in charge maintenance and operating practices control leakage and prevent the accidental escape of flammable or combustible waste materials and residues are kept to a minimum, stored in covered metal containers, and disposed of daily the grounds area around the buildings and unit operating areas are kept free of weeds, trash, or other unnecessary combustibles adjoining property by a distance of 25 ft [=7 m] for Class I liquids and 15 ft [=5 m] for Class II and III liquids.  3-38. Installations must meet specific requirements with regard to incidental storage of flammable/combustible liquids in industrial areas (AFOSH STD 127-43, para 4h).  Verify that the following requirements are met in industrial areas: (1)(2)(4)(5)  - storage is limited to 4 L (1 gal) of Class I or 40 L (10 gal) of Class II and III liquids in industrial areas; (1)(2)(4)(5)  - amount of liquid stored in the cabinet does not exceed 40 L (10 gal) containers in the cabinet are closed storage is limited to a 5-day supply each work center has only one cabinet.  Verify that the fire department was consulted prior to the establishment of incidental	COMBUSTIBLE	
<ul> <li>flammable/combustible materials are stored, dispensed, or used in industrial plants should meet specific guidelines (MP).</li> <li>Class I liquids are not dispensed into containers unless nozzles and containers are electrically interconnected</li> <li>operations such as welding and cutting for repairs to equipment are done under the supervision of an individual in charge</li> <li>maintenance and operating practices control leakage and prevent the accidental escape of flammable or combustible liquids:         <ul> <li>adequate aisles are maintained</li> <li>combustible waste materials and residues are kept to a minimum, stored in covered metal containers, and disposed of daily</li> <li>the grounds area around the buildings and unit operating areas are kept free of weeds, trash, or other unnecessary combustibles</li> <li>tank vehicle and tank car loading or unloading facilities are separated from aboveground tanks, warehouses, and other plant buildings or nearest line of adjoining property by a distance of 25 ft [≈7 m] for Class I liquids and 15 ft [≈5 m] for Class II and III liquids.</li> </ul> </li> <li>3-38. Installations must meet specific requirements with regard to incidental storage of flammable/combustible liquids in industrial areas: (1)(2)(4)(5)</li> <li>storage is limited to 4 L (1 gal) of Class I or 40 L (10 gal) of Class II and III liquids and III liquids tored in the cabinet does not exceed 40 L (10 gal)</li> <li>containers in the cabinet are closed</li> <li>storage is limited to a 5-day supply</li> <li>each work center has only one cabinet.</li> <li>Verify that the fire department was consulted prior to the establishment of incidental</li> </ul>	Industrial Storage Areas	use of flammable or combustible liquid is incidental to the principal business or where flammable or combustible liquids are handled or used only in unit physical
3-38. Installations must meet specific requirements with regard to incidental storage of flammable/combustible liquids in industrial areas (AFOSH STD 127-43, para 4h).  Verify that the following requirements are met in industrial areas: (1)(2)(4)(5)  - storage is in metal cabinets stenciled FLAMMABLE KEEP FIRE AWAY  - storage is limited to 4 L (1 gal) of Class I or 40 L (10 gal) of Class II and III liquids in industrial areas (AFOSH STD 127-43, para 4h).  - amount of liquid stored in the cabinet does not exceed 40 L (10 gal)  - containers in the cabinet are closed  - storage is limited to a 5-day supply  - each work center has only one cabinet.  Verify that the fire department was consulted prior to the establishment of incidental	flammable/combustible materials are stored, dis- pensed, or used in indus- trial plants should meet	<ul> <li>portable fire extinguishers and fire control equipment are in place in quantity and type as needed for the hazards of operation and storage at the site</li> <li>adequate precautions are taken to prevent sources of ignition at the site</li> <li>Class I liquids are not dispensed into containers unless nozzles and containers are electrically interconnected</li> <li>operations such as welding and cutting for repairs to equipment are done under the supervision of an individual in charge</li> <li>maintenance and operating practices control leakage and prevent the accidental escape of flammable or combustible liquids: <ul> <li>adequate aisles are maintained</li> <li>combustible waste materials and residues are kept to a minimum, stored in covered metal containers, and disposed of daily</li> <li>the grounds area around the buildings and unit operating areas are kept free of weeds, trash, or other unnecessary combustibles</li> <li>tank vehicle and tank car loading or unloading facilities are separated from aboveground tanks, warehouses, and other plant buildings or nearest line of</li> </ul> </li> </ul>
	meet specific require- ments with regard to inci- dental storage of flammable/combustible liquids in industrial areas (AFOSH STD 127-43,	Verify that the following requirements are met in industrial areas: (1)(2)(4)(5)  - storage is in metal cabinets stenciled FLAMMABLE KEEP FIRE AWAY - storage is limited to 4 L (1 gal) of Class I or 40 L (10 gal) of Class II and III liquids - amount of liquid stored in the cabinet does not exceed 40 L (10 gal) - containers in the cabinet are closed - storage is limited to a 5-day supply - each work center has only one cabinet.  Verify that the fire department was consulted prior to the establishment of incidental

Onted Kingdom ECAM			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
3-39. Areas in which flammable/combustible liquids are used in unit operations, such as mixing, drying, evaporating, filtering, or distilling, should meet specific operating standards (MP).	Verify that the following requirements are met: (1)(2)(4)(5)  - areas are located so that each building or unit of equipment is accessible from at least one side for fire fighting  - areas in which unstable liquids are handled or small scale unit chemical processes are carried on are separated from the remainder of the area by a fire wall of 2 h minimum fire resistance rating  - emergency drainage systems direct leakage and fire protection water to a safe location  - emergency drainage systems, if connected to public sewers or discharged into public waterways, are equipped with traps or a separator  - when Class I liquids are being used, yentilation is provided at a rate of not less than 1 ft <sup>3</sup> /min/ft <sup>2</sup> of solid floor area through either natural or mechanical means  - equipment is designed to limit flammable vapor-air mixtures.		
BATTERIES			
3-40. Lead-acid batteries that are to be recycled must be treated as hazardous material (FGS-UK 6.9.C).	Verify that lead-acid batteries that are to be recycled are treated as hazardous material. (2)		
COMPRESSED GASES	·		
3-41. Installations must meet specific requirements with regard to storage of compressed gases in roofed, open-sided sheds (FGS-UK 5-1 and DOD 4145.19-R-1, para 5-405d(1)).	Verify that the compressed gas storage sheds meet the following requirements: (1)(2)(4)(5)  - they are on concrete slabs above grade - they are located in a secured area - they are separated from other buildings by at least 15 m (50 ft) - if they have one or more sides, provisions are made to ensure complete change of air at least six times per hour - they are unheated.  Verify that flammable gases and gases that support combustion are stored in separate sheds with at least 15 m (50 ft) between sheds.  Verify that, if necessary, stationary or rotating roof vents are used to lower temperature near ceilings to ambient conditions during warm weather.  Verify that cylinders and portable tanks have pressure relief devices installed.		

	United Kingdom Echton			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
3-42. Installations must meet specific requirements with regard to storage of compressed gas cylinders in enclosed storage facilities (FGS-UK 5-1 and DOD 4145.19-R-1, para 5-405d(2)).	Verify that the compressed gases storage areas meet the following requirements:  (1)(2)(4)(5)  - buildings are one story in height, above grade, of noncombustible construction - separate storage compartments or rooms are available for flammable gases and gases that support combustion - at least one wall of each storage room or compartment for combustible gases is an exterior wall - every storage room or compartment is provided with either a gravity or a mechanical exhaust ventilation system designed to provide complete change of air at least six times per hour - buildings are not heated - cylinders and portable tanks have pressure relief devices installed.			
3-43. Compressed gases must be handled in accordance with specific good practices (FGS-UK 5-1 and DOD 4145.19-R-1, para 5-405c(6) through 5-405c(9), 5-405c(14), and 5-405c(22)).	Verify that the following practices and procedures are observed in the handling of compressed gases: (1)(2)(4)(5)  - oxygen cylinders are free from grease or oil - numbers or markings that are stamped on the cylinders are not altered or defaced - additional markings are not applied to cylinders without approval - empty cylinders are stored separately but in the same manner as full cylinders - valves on empty cylinders are closed - NO SMOKING signs are posted in and around compressed gas storage sheds.			
3-44. Installations must meet specific requirements with regard to the storage and handling of acids in bulk (FGS-UK 5-1 and DOD 4145.19-R-1, para 5-406).	Verify that the bulk acid storage areas meet the following: (1)(2)(4)(5)  - buildings are one story in height, of noncombustible or fire-resistant construction  - permanent louvered openings at floor and ceiling levels or other gravity ventilation methods are provided  - safety equipment is available and operational (eye wash, deluge shower, self-contained breathing apparatus, protective clothing)  - buildings are heated to prevent freezing (if applicable)  - different acids are stored separately in designated areas  - NO SMOKING signs are posted  - there are either floor drains or wall scuppers, if the building has automatic  - sprinkler protection  - workers are provided with protective safety equipment and a copious, flowing supply of fresh, clean water for first aid.  (NOTE: Acid storage buildings should have automatic sprinkler protection.)			

	United Kingdom ECAM				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997				
3-44. (continued)	(NOTE: In lieu of aisle space, noncombustible barriers that are at least 3 ft [≈ 1 m] high and sealed at floor level may be used to obtain maximum storage space.)				
3-45. Workers in facilities where acids are stored in bulk should be provided with a copious, flowing supply of fresh, clean water for first aid (MP).	Verify that workers in facilities where acids are stored in bulk are provided with a copious, flowing supply of fresh, clean water for first aid. (2)(4)				
TRANSPORTATION					
<b>3-46.</b> Hazardous materials shipments must meet specific standards (FGS-UK 5-3).	Verify that hazardous materials shipments are accompanied by shipping papers that clearly describe the quantity and identity of the material and include an MSDS. (2)(4)(5)				
· ·	Verify that all drivers of hazardous material shipments are briefed on the hazardous material included in the shipment, including:				
	<ul> <li>health risks of exposure</li> <li>physical hazards of the material, including the potential for fire, explosion, and reactivity.</li> </ul>				
	Verify that hazardous materials are identified as ignitable, corrosive, reactive, or toxic in both the shipping papers and the briefing for the driver.				
	Verify that supervisory personnel do a walk-around inspection of the vehicles before and after the material is loaded.				
	Verify that all packages are properly labeled (see checklist item 3-7).				
3-47. International air shipments of hazardous materials originating from	Determine whether the installation ships hazardous materials internationally by air. (7)				
a DOD installation must meet specific standards (FGS-UK 5-4).	Verify that the installation follows the shipping standards found in the International Civil Air Organization Rules and appropriate DOD and component instructions.				
(1°05-0°K 5-4).	(NOTE: FGS-UK refers the reader to AFR 71-4, which has been superceded by AFJ-MAN 24-204, <i>Preparing Hazardous Materials for Military Air Shipments</i> , of November 1994.)				

United Kingdom ECANIP					
REGULATORY REQUIREMENTS:	REQUIREMENTS: February 1997				
3-48. Certain practices should be carried out in the course of onsite transportation of hazardous	Verify that procedures exist to manage movement of hazardous materials throughout the installation. (7)  Verify that drivers are trained in spill control procedures.  Verify that provisions have been made for securing hazardous materials in vehicles when transporting.				
materials between buildings (MP).					

<sup>(1)</sup> LGS (Base Supply) (2) BCE (Base Civil Engineering) (3) Fire Department (4) Safety Officer (5) BES (Bioenvironmental Engineering Services) (6) Disaster Preparedness Office (7) LGT (Transportation Officer) (8) Base Staff Judge Advocate

#### Table 3-1

#### Typical Hazardous Material Characteristics (FGS-UK, Table 5-1)

I.	The item is a health or physical hazard. Health hazards include carcinogens, corrosive materials, irritants, sensitizers, toxic materials, and materials that damage the skin, eyes, or internal organs. Physical hazards include combustible liquids, compressed gases, explosives, flammable materials, organic peroxides, oxidizers, pyrophoric materials, unstable (reactive) materials, and water-reactive materials.
II.	The item and/or its disposal is regulated by the UK because of its hazardous nature.
III.	The item contains asbestos, mercury, or polychlorinated biphenyls (PCBs).
IV.	The item has a flashpoint below 93 °C (200 °F) closed cup, or is subject to spontaneous heating, or is subject to polymerization with release of large amounts of energy when handled, stored, and shipped without adequate control.
V.	The item is a flammable solid, or is an oxidizer, or is a strong oxidizing or reducing agent with a standard reduction potential of greater than 1.0 V or less than -1.0 V.
VI.	In the course of normal operations, accidents, leaks, or spills, the item may produce dusts, gases, fumes, vapors, mists, or smokes with one or more of the above characteristics.
VII.	The item has special characteristics that, in the opinion of the manufacturer or the DOD Components, could cause harm to personnel if used or stored improperly.

**Table 3-2** 

# Maximum Allowable Capacity of Containers and Portable Tanks for Hazardous Materials (AFOSH STD 127-43, Table 1)

Container Type	Flammable Liquids			Combustible Liquids	
	IA	IB	IC	II	II
Glass or approved plastic 1	1 pt <sup>2</sup>	1 qt <sup>2</sup>	1 <sup>3</sup>	1	1
Metal (other than Department of Transportation (DOT) drums))	1	5	5	5	5
Safety cans	2	5	5	5	5
Metal drums (DOT specifications)	60	60	60	60	60
Approved portable tanks	660	660	660	660	660

<sup>&</sup>lt;sup>1</sup> Nearest metric size is also acceptable for the glass and plastic containers listed.

<sup>&</sup>lt;sup>2</sup> One gallon or nearest metric equivalent size may be used if metal containers must be avoided because of chemical reaction with their contents.

<sup>&</sup>lt;sup>3</sup> Quantities are in gallons for the rest of this table.

3 - 32

Table 3-3
Storage of Hazardous Materials in Inside Rooms
(AFOSH STD 127-43, Table 2)

Fire Protection Provided <sup>1</sup>	Fire Resistance	Maximum Size	Total Allowable Quantities <sup>2</sup> (gal/ft <sup>2</sup> floor area)
Yes	2 h	500 ft <sup>2</sup>	10
No	2 h	500 ft <sup>2</sup>	4
Yes	1 h	150 ft <sup>2</sup>	5
No	1 h	150 ft <sup>2</sup>	2

<sup>&</sup>lt;sup>1</sup> Fire protection system will be sprinkler, water spray, or other approved method.

<sup>&</sup>lt;sup>2</sup> If metric containers are being stored, use the nearest metric equivalent.

Table 3-4

Indoor/Outdoor Storage for Flammable/Combustible Materials
(DOD 4145.19-R-1, Tables 5-1 through 5-4)

	Indoor Container Storage				
Class Liquid	Storage Level	*Protected Storage Maximum per Pile In Gallons	Unprotected Storage Maximum per Pile In Gallons		
IA	Ground and upper floors  Basement	2750 (50) Not permitted	600 (12) Not permitted		
IB	Ground and upper floors  Basement	5500 (100) Not permitted	1375 (25) Not permitted		
IC	Ground and upper floors  Basement	16,500 (300) Not permitted	4125 (25) Not permitted		
II	Ground and upper floors  Basement	16,500 (300) 5500 (100)	4125 (75) Not permitted		
III	Ground and upper floors  Basement	55,000 (1000) 8250 (450)	13,750 (250) Not permitted		

<sup>\*</sup>A sprinkler or equivalent fire protection system installed in accordance with NFPA Standard 30.

#### NOTES:

- 1. When two or more classes of materials are stored in a single pile, the maximum gallonage permitted in that pile must be the smallest of the two or more separate maximum gallonages.
- 2. Aisles must be provided so that no container is more than 4 m (12 ft) from an aisle. Main aisles must be at least 2 m (8 ft) wide and side aisles at least 1 m (4 ft) wide. (Numbers in parentheses indicate the number of 55-gal [≈208-L] drums.)
- 3. Each pile must be separated from every other by at least 1 m (4 ft).

Table 3-4 (continued)

	Outdoor Container Storage					
Class Liquid	Maximum per pile <sup>1</sup> (gal)	Distance between piles <sup>2</sup> (ft)	Distance to property line that can be built upon <sup>1,3</sup> (ft)	Distance to street, alley, public way <sup>4</sup> (ft)		
IA	1100	5	20	10		
IB	2200	5	20	10		
IC	4400	5	20	10		
II	8800	5	10	5		
III	22,000	5	10	5		

When two or more classes of materials are stored in a single pile, the maximum gallonage permitted in that pile must be the smallest of the two or more separate maximum gallonages.

<sup>&</sup>lt;sup>2</sup> Within 200 ft [≈61 m] of each container, there must be a 12 ft [≈4 m] wide accessway to permit access to fire control apparatus.

<sup>&</sup>lt;sup>3</sup> The distances listed apply to properties that have protection for exposures as defined. If there are exposures, and such protection for exposures does not exist, the distances in column 4 must be doubled.

When total quantity stored does not exceed 50 percent of maximum per pile, the distance in columns 4 and 5 may be reduced 50 percent, but not to less than 3 ft [≈1 m].

Table 3-4 (continued)

	Indoor Portable Tank Storage				
Class Liquid	Storage Level	*Protected Storage Maximum per Pile In Gallons	Unprotected Storage Maximum per Pile In Gallons		
IA	Ground and upper floors Basement	Not permitted Not permitted	Not permitted Not permitted		
IB	Ground and upper floors Basement	20,000 Not permitted	2000 Not permitted		
IC	Ground and upper floors Basement	40,000 Not permitted	5500 Not permitted		
П	Ground and upper floors Basement	40,000 20,000	5500 Not permitted		
III	Ground and upper floors Basement	60,000 20,000	22,000 Not permitted		

<sup>\*</sup>A sprinkler or equivalent fire protection system installed in accordance with NFPA Standard 30.

#### NOTES:

- 1. When two or more classes of materials are stored in a single pile, the maximum gallonage permitted in that pile must be the smallest of the two or more separate maximum gallonages.
- 2. Aisles must be provided so that no container is more than 4 m (12 ft) from an aisle. Main aisles must be at least 2 m (8 ft) wide and side aisles at least 1 m (4 ft) wide.
- 3. Each pile must be separated from every other by at least 1 m (4 ft).

Table 3-4 (continued)

Outdoor Portable Tank Storage					
Class Liquid	Maximum per pile <sup>1</sup> (gal)	Distance between piles <sup>2</sup> (ft)	Distance to property line that can be built upon <sup>1,3</sup> (ft)	Distance to street, alley, public way <sup>4</sup> (ft)	
IA	2200	5	20	10	
IB	4400	5	20	10	
IC	8800	5	20	10	
П	17,600	5	10	. 5	
III	44,000	5	10	5	

INSTALLATION:		TION:	COMPLIANCE CATEGORY: HAZARDOUS MATERIALS MANAGEMENT United Kingdom ECAMP	DATE:	REVIEWER(S):
	STATUS REVIEWER COMMENT			S:	
NA	С	RMA			
			·		
					·

#### **SECTION 4**

#### HAZARDOUS WASTE MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 4**

#### HAZARDOUS WASTE MANAGEMENT

#### A. Applicability of this Section

This section applies to U.S. Air Force (USAF) installations that generate, store, treat, or dispose of any type of hazardous waste.

The regulatory requirements in this section are based on Department of Defense (DOD) regulations, Air Force Regulations (AFRs), and Air Force Instructions (AFIs) that apply at overseas installations. Management practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### **B. DOD Directives/Instructions**

• Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 6, addresses the management of hazardous waste. It includes criteria for the identification, accumulation, storage, transportation, and disposal of hazardous waste.

#### C. U.S. Air Force Documents

- AFI 48-119, Medical Service Environmental Quality Programs, 25 July 1994, provides directive requirements for the Medical Service Environmental Quality Programs. Included are responsibilities in cleanup, compliance, conservation, and pollution prevention.
- AF Hazardous Waste Management Policy Letter, 6 June 1991, provides guidance on the management of hazardous waste, employee training, turn-in and disposal procedures, contracting, and pollution prevention.
- AF Policy Letter, 21 January 1994, Air Force Policy on the Application of the Resources Conservation and Recovery Act to Conventional Explosive Ordnance Operations, addresses the issue of when waste ordnance is to be handled as a hazardous waste; only that portion of the letter that specifies the procedures for identifying when conventional explosive ordnance becomes a waste is applicable to AF components located outside the United States and its territories.

#### D. Responsibility for Compliance

• The Installation Commander (IC) - The installation commander is responsible for establishing and maintaining an active surveillance program of users, generators, transporters, and storers of hazardous wastes; for the waste minimization program; and for disposal activities. By DOD direction, the IC is responsible for compliance with UK regulations involving host and tenant organizations on the installation. In either case, operational responsibility for the hazardous waste program rests with the activities that generate, treat, store, transport, or dispose of the waste and the activities responsible for implementing health, safety, and environmental protection programs.

- The Installation Environmental Protection Committee (EPC) The EPC is responsible for reviewing
  and coordinating the IC's hazardous waste program. The EPC reviews summary data on waste generation, personnel training, and disposal practices.
- The Base Civil Engineer (BCE) or designated Environmental Management Office (EMO) The BCE/EMO develops installation-specific policy for all aspects of hazardous waste management for all activities on the installation, including AF and non-AF tenants. The BCE/EMO: manages the hazardous waste program; reviews all hazardous waste storage, treatment, and disposal facilities and ensures their compatibility with hazardous waste regulations; serves as Office of Primary Responsibility (OPR) for developing and implementing the hazardous waste management plan; identifies to the contracting office those hazardous wastes that the installation elects to dispose of by local contract, along with the necessary conditions the contractor is required to meet; and approves siting and design of all hazardous waste management facilities.
- Base Fire Department This department provides support in emergency response, spill events, exercises, and fire protection activities. In addition, the department will be responsible for making periodic fire safety inspections of hazardous waste storage areas and accumulation points on the installation.
- Civil Engineering Environmental Planning Function or EMO Subgroup The environmental planner is responsible for monitoring day-to-day hazardous waste management activities, maintaining hazardous waste files, and establishing procedures for transfer of accountability and/or custody of hazardous waste from the generating activity to the Defense Reutilization and Marketing Office (DRMO).
- Bioenvironmental Engineering Services (BES) BES reviews workplace processes and practices to
  ensure all hazardous materials/wastes are identified; conducts or arranges for environmental monitoring as required; interprets monitoring results for health risks; reviews plans to build or modify
  facilities used to treat, store, or dispose of hazardous wastes; reviews all material requests for issues
  of stock classes listed in Federal Standard 313; and maintains a master file of material safety data
  sheets (MSDSs).
- The Environmental Health Officer (EHO) The EHO conducts Hazardous Communication Training for all supervisors who have personnel who handle hazardous materials.
- The Supply Officer The supply officer: receives, stores, and issues hazardous materials; ensures that turn-in hazardous waste documents contain information necessary to comply with all regulatory requirements; and ensures all hazardous materials are properly labeled.
- The Ground Safety Officer The ground safety officer performs workplace safety inspections, monitors hazardous conditions, and performs occupational safety training.
- The Transportation Officer The transportation officer coordinates as necessary with shipping activities to ensure hazardous wastes are properly labeled, packaged, manifested, and transported in appropriate vehicles (contract or AF-owned vehicles).
- The Deputy Commander for Maintenance (DCM)/Chief of Maintenance The DCM ensures that
  nonhazardous/nontoxic materials are used where possible; maintains a list of hazardous materials
  used in the work area by shop and maintenance-related task; ensures personnel are properly trained

in ordering, using, handling, controlling, and storing hazardous materials and wastes; and ensures hazardous waste is properly labeled.

- Hazardous Waste Generators Generators manage hazardous waste in their custody, including proper storage, inspection, recordkeeping, labeling of containers, and transfer for disposal.
- Hazardous Waste Treatment, Storage, and Disposal Facility (TSDF) Operators Each TSDF operator is responsible for ensuring compliance with hazardous waste regulations applicable to the facility, including maintaining operational and training records.
- Defense Reutilization and Marketing Office (DRMO) This agency may or may not be located on
  the installation, but it is the single agency designated by DOD to provide hazardous waste disposal
  service on a pay for services rendered basis to the installation. The DRMO is responsible for compliance with all UK national and local regulations, and AF (including base guidance) regulations at
  its storage/disposal facility. The DRMO is not in the scope of the assessment unless it is located on
  the installation.

#### E. Definitions

- Acute Hazardous Waste those wastes listed in Table 4-1, Chart A.4 with a USEPA waste number with the designator "P" or those wastes with (H) following the waste number (FGS-UK 20).
- Combustible Liquid a liquid having a flashpoint at or above 100 °F (37.8 °C). Combustible liquids are categorized as Class II or Class III liquids and are further subdivided as follows (AFOSH STD 127-43, para 2f):
  - 1. Class II liquids are those having a flashpoint at or above 100 °F (37.8 °C) and below 140 °F (60 °C).
  - 2. Class IIIA liquids are those having flashpoints at or above 140 °F (60 °C) and below 200 °F (93.3 °C), except any mixture having components with flashpoints of 200 °F (93.3 °C).
  - 3. Class IIIB liquids are those having flashpoints at or above 200 °F (93.4 °C).
- Disposal the utilization of those methods of treatment and/or containment technologies, as are approved in Chapter 6, Section 11 of FGS-UK, that effectively mitigate the hazards to human health or the environment of the discharge, deposit, injection, dumping, spilling, leaking, or placing of a hazardous waste into, or on any land or water in a manner that, without application of such methods, such hazardous wastes or any constituent thereof may enter the environment or be emitted into the air or discharged into any waters, including groundwater (FGS-UK 20).
- DOD Hazardous Waste Generator a generator is considered to be the installation or activity on an
  installation that produces a regulated hazardous waste (FGS-UK 20).
- Flammable Liquid a liquid with a flashpoint below 100 °F (37.8 °C) with a vapor pressure not exceeding 40 psia at 100 °F (37.8 °C). Flammable liquids are categorized as Class I liquids, and are further subdivided as follows (AFOSH STD 127-43, para 2i):
  - 1. Class IA are those that have a flashpoint below 73 °F (22.8 °C) and boiling point below 100 °F (37.8 °C).
  - 2. Class IB are those that have flashpoints below 73 °F (22.8 °C) and boiling points at or above 100 °F (37.8 °C).

- 3. Class IC are those that have flashpoints at or above 73 °F (22.8 °C) and below 100 °F (37.8 °C).
- Hazardous Constituent a chemical compound that is listed by name in Table 4-1 or possesses a characteristic described in Table 4-1 (FGS-UK 20).
- Hazardous Waste (HW) a discarded material that may be solid, semisolid, liquid, or contained gas and either exhibits a characteristic of a hazardous waste in Table 4-1, Section A-1 or is listed as a hazardous waste in Table 4-1, Chart A.4 (FGS-UK 20).
- Hazardous Waste Accumulation Point (HWAP) an area at or near the point of generation where hazardous wastes are temporarily stored, up to 208 L (55 gal) of hazardous waste or 1L (1 qt) of acute hazardous waste, from each waste stream, until removed to a hazardous waste storage area (HWSA) or shipped for treatment or disposal (FGS-UK 20).
- Hazardous Waste Fuel hazardous wastes burned for energy recovery are termed hazardous waste fuel. Fuel produced from hazardous waste by processing, blending, or other treatment is also hazardous waste fuel (FGS-UK 20).
- Hazardous Waste Generation any act or process that produces hazardous waste as defined in FGS-UK (FGS-UK 20).
- Hazardous Waste Profile Sheet (HWPS) a document that identifies and characterizes the waste by providing user's knowledge of the waste and/or lab analysis, and details the physical, chemical, and other descriptive properties or processes that created the hazardous waste (FGS-UK 20).
- Hazardous Waste Storage Area (HWSA) a location on a DOD installation where more than 208 L (55 gal) of hazardous waste or 1 L (1 qt) of acute hazardous waste from any one waste stream is stored prior to shipment for treatment or disposal (FGS-UK 20).
- Hazardous Waste Storage Area Manager a person or agency on the installation assigned the operational responsibility for receiving, storing, inspecting, and general management of the installation's HWSA or HWSA program (FGS-UK 20).
- Incompatible Wastes wastes are incompatible when their mixture causes reactions which: (FGS-UK 20)
  - 1. generate extreme heat or pressure, fire or explosions, or violent reactions
  - 2. produce uncontrolled toxic mists, fumes, dusts, or gasses in sufficient quantities to threaten human health or the environment
  - 3. produce uncontrolled flammable gasses in sufficient quantities to pose a risk of fire or explosion
  - 4. damage the structural integrity of the storage device or the environment.

(NOTE: See 40 Code of Federal Regulations (CFR) 264.17(b) and Appendix V for examples of potentially incompatible wastes.)

• Land Disposal - placement in or on the land, including, but not limited to, land treatment facilities, surface impoundments, underground injection wells, salt dome formations, salt bed formations, underground mines, or caves (FGS-UK 20).

- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Treatment any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, recover energy or material resources from the waste, or render such waste nonhazardous, or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume (FGS-UK 20).
- Treatment, Storage, and Disposal Facility (TSDF) refers to any facility not located on a DOD installation that is used for the collection, source separation, storage, transportation, transfer, processing, treatment, or disposal of hazardous waste (FGS-UK 20).
- Unique Identification Number a number assigned to generators of hazardous waste to identify the generator and used to assist in tracking the waste from point of generation to ultimate disposal. The number could be the Unit Identification Code (UIC) or the DOD Activity Address Code (DODAAC) (FGS-UK 20).
- Used Oil Burned for Energy Recovery used oil that is burned for energy recovery is termed used oil fuel. Used oil fuel includes any fuel produced from used oil by processing, blending or other treatment. "Used oil" means any oil or other waste petroleum, oil, and lubricant (POL) product that has been refined from crude oil, or is a synthetic oil, has been used, and as a result of such use, is contaminated by physical or chemical impurities. Used oil exhibiting the characteristics of reactivity, ignitability, and corrosivity is still considered used oil, unless it has been mixed with other hazardous waste. However, used oil that exhibits the characteristic of toxicity as described in Table 4-1 is a hazardous waste and will be managed as such. In addition, used oil mixed with hazardous waste is a hazardous waste and will be managed as such (FGS-UK 20).

4 - 6

#### HAZARDOUS WASTE MANAGEMENT

#### GUIDANCE FOR CHECKLIST USERS

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations General Plans/Surveys Waste Identification	4-1 through 4-6 4-7 through 4-12 4-13	(1)(2)(5)(6)(7)(8)(9)(10)(11) (1)(2)(5)(6)(7)(8)(9)(10)(11) (1)(9)
Training	4-14 and 4-15	(1)(2)(3)(4)(5)(6)(9)
Hazardous Waste Generators Operating Procedures Specific Wastes	4-16 through 4-19 4-20 through 4-25	(2)(4)(5)(9)(10) (1)(2)(3)(5)(7)(9)
Hazardous Waste Accumulation Points Design Requirements Operating Procedures Containers Documentation	4-26 through 4-29 4-30 through 4-32 4-33 4-34	(3)(9) (3)(9) (3)(9) (3)(9)
Hazardous Waste Storage Areas Design Requirements Operating Procedures Containers Documentation Closure	4-35 through 4-42 4-43 through 4-48 4-49 4-50 and 4-51 4-52	(1)(2)(5) (2)(5) (2)(5) (2)(3)(5)(9) (2)(5)
Transportation of Hazardous Waste	4-53 through 4-55	(7)(8)
Hazardous Waste Disposal General Land Disposal Incinerators	4-56 through 4-60 4-61 and 4-62 4-63	(1)(2)(5)(7)(8) (1)(2)(5) (1)(2)(5)

#### (a) CONTACT/LOCATION CODE:

- (1) BCE (Environmental Planning)
- (2) DRMO (Defense Reutilization and Marketing Office)
- (3) Accumulation Point Managers
- (4) Fire Department
- (5) HWSA Manager
- (6) Safety Manager
- (7) Transportation Officer

- (8) Base Supply
- (9) Generating Activities(10) BES (Bioenvironmental Engineering Services)
- (11) Base Staff Judge Advocate

#### HAZARDOUS WASTE MANAGEMENT

#### **Records To Review**

· Generators:

Hazardous waste manifests
Manifest exception reports
Personnel training documentation
Contingency plan
Notifications of hazardous waste oil fuel marketing or blending activity
Hazardous waste disposal turn-in document (DD Form 1348-1)

• HWSAs (in addition to the above records):

Unmanifested waste reports
Facility audit reports (inspection log)
Waste analysis plan(s)
Operating record
Groundwater monitoring records and annual reports
Closure/post-closure plans
Closure/post-closure notices (where applicable)

#### **Physical Features To Inspect**

- Disposal sites
- Generating areas
- Accumulation points
- Incinerators
- Vehicles used for transport
- Storage facilities (including drums)

#### **People To Interview**

- BCE (Environmental Planning)
- DRMO (Defense Reutilization and Marketing Office)
- Accumulation Point Managers
- Fire Department
- HWSA Manager
- · Safety Manager
- Transportation Officer
- Base Supply
- Generating Activities
- Base Staff Judge Advocate

United Kingdom ECAMI		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ALL INSTALLATIONS		
General	• .	
4-1. Copies of all relevant DOD directives/instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Advocate has available the host-nation FGS and relevant USAF documents. (1)(11)  (NOTE: Among the relevant documents are the following:  - AF Hazardous Waste Management Policy Letter, 6 June 1991  - AF Policy Letter, 21 January 1994.)	
4-2. Installations must maintain copies of certain U.S. laws and applicable host nation hazardous waste laws (AF Hazardous Waste Management Policy Letter, 6 June 1991, para (IIa)).	Verify that the installation maintains copies of the following laws: (1)(11)  - Occupational Safety and Health Act - Hazardous Material Transportation Act (HMTA) - Resource Conservation and Recovery Act and Hazardous and Solid Waste Amendments (RCRA/HSWA) - Comprehensive Environmental Restoration, Compensation, and Liability Act (CERCLA) and Surperfund Amendment and Reauthorization Act (SARA) - Hazardous Materials Transportation Uniform Safety Act - AFI 48-119, Medical Service Environmental Quality Programs, 25 July 1994.  Verify that the installation maintains copies of applicable UK hazardous waste laws.	
4-3. Installations must meet regulatory and AF requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulations as a basis of finding).	Determine whether any new regulations concerning hazardous waste have been issued since the finalization of the manual. (1)(7)  Verify that the installation is in compliance with newly issued regulations.	
4-4. Installations must recycle or reuse hazardous waste to the maximum extent practical (FGS-UK 6-11.F).	Verify that hazardous waste is recycled or reused to the maximum extent practical. (1)(8)(9)	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

Office Kingdom ECAMT		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-5. Installations with HWSAs should provide specific information to certain agencies (MP).	Verify that police, fire departments, and emergency response teams are familiar with the layout of the facility, properties of the waste being handled, and general operations. (4)(5)	
	Verify that the hospital is familiar with the site and the types of injuries that could result in an emergency.	
<b>4-6.</b> Installations must inspect HWSAs for malfunction, deterioration, operator errors, and dis-	Verify that inspections are conducted according to a written schedule that is kept at the HWSA and at a sufficient frequency to identify problems in time to correct them before they harm human health or the environment. (2)(5)	
charges (FGS-UK 6-3.H).	Verify that the schedule identifies the type of problems that are to be looked for during the inspection.	
	Verify that inspections cover all equipment and areas involved in the storage and handling of hazardous waste.	
	Verify that areas subject to spills, such as loading and unloading areas, are inspected daily when in use.	
	(NOTE: The frequency at which equipment/facilities other than containers are inspected should be based on the rate of possible deterioration of the equipment and probability of an environmental or human health incident if the deterioration or malfunction or any operator error goes undetected between inspections. In addition, containers are inspected weekly by the HWSA manager (see checklist item 4-43).)	
	Verify that the installation remedies any deterioration or malfunction of equipment or structures that the inspection reveals on a schedule that ensures that the problem does not lead to an environmental or human health hazard.	
	Verify that, when an imminent hazard is identified or one has already occurred, the installation takes immediate action.	
	Verify that inspections are recorded in an inspection log or summary that is kept for at least 3 yr from the date of inspection and that includes at least:	
1	<ul> <li>the date and time of inspection</li> <li>the name of the inspector</li> <li>notation of the observations made</li> </ul>	
,	- the date and nature of any repairs or other remedial actions.	
·		

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
ALL INSTALLATIONS	
Plans/Surveys	
4-7. Installations that generate hazardous waste must have a Hazardous Waste Management Plan (AF Hazardous Waste Management Policy 6 June 1991, para III(b)).	Verify that the installation has a Hazardous Waste Management Plan that includes the following: (1)(6)(7)  - letter of instruction - information and emergency contacts - introductory materials - introduction - responsibilities - organizational chart - location maps - waste inventory - waste analysis plan - recordkeeping - reporting - training - contingency plan preparedness and spill prevention - pollution prevention.
<b>4-8.</b> Installations must develop a waste analysis plan (FGS-UK 6-3.C.1).	Verify that the installation, in conjunction with the HWSA manager, has developed a plan to determine how and when wastes are to be analyzed. (2)(5)  Verify that the plan includes:  - procedures for characterizing and verifying the testing of both onsite and offsite hazardous waste  - testing parameters and the rationale for selecting them  - frequency of analysis  - test and sampling methods.
<ul> <li>4-9. The hazardous waste analysis plan must be updated every 3 yr (AFI 48-119, para 9.3.1).</li> <li>4-10. BES must conduct annual surveys of industrial processes and waste storage facilities (AFI 48-</li> </ul>	Verify that BES updates the hazardous waste analysis plan at least every 3 yr. (10)  Verify that BES conducts annual surveys of industrial processes and waste storage facilities to assess compliance with applicable worker and environmental protection requirements. (10)
119, para 9.3.7).	

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-11. Installations must	Verify that the installation maintains a file of HWPSs. (2)(5)	
maintain an HWPS for each waste stream handled by each HWSA (FGS-UK 6-3.C.2).	Verify that the HWSA accepts no waste for storage unless it has received an HWPS.	
4-12. Installations must have a contingency plan to manage spills and	Verify that the installation has a contingency plan to manage spills and releases of hazardous waste. (2)(5)	
releases of hazardous waste (FGS-UK 6-6).	Verify that a copy of the contingency plan is maintained at the HWSA and each HWAP.	
	Verify that a copy of the plan has been submitted to all police departments, fire departments, hospitals, and emergency response teams upon which the plan relies to provide emergency services.	
	(NOTE: See Section 8, Petroleum, Oil, and Lubricant (POL) Management, for further details on the contents of the spill plan.)	
ALL INSTALLATIONS	·	
Waste Identification		
4-13. Generators must identify and characterize the wastes generated at	Determine whether the installation generates, transports, treats, stores, or disposes of any hazardous waste (see Table 4-1 for guidance). (1)(9)	
their sites (FGS-UK 6-1.A and 6-1.B; AF Haz-	Verify that the generators identify and characterize their wastes.	
ardous Waste Manage- ment Policy, 6 June 1991,	(NOTE: Used oil must also be characterized.)	
para III(c); AFI 48-119, para 9.3.1 and 9.3.4).	(NOTE: Wastes may be identified and characterized on the basis of knowledge of the materials and processes that generated the wastes, or on the basis of laboratory analysis of the waste.)	
	Verify that wastes have been identified on the HWPS according to the inherent hazardous characteristics associated with the wastes in terms of:	
	<ul> <li>physical properties (solid, liquid, contained gases)</li> <li>chemical properties (chemical constituents, technical or chemical name)</li> <li>other descriptive properties (ignitable, corrosive, reactive, toxic).</li> </ul>	
·	(NOTE: The properties defining the characteristics should be measurable by standardized and available testing procedures.)	
	(NOTE: See Tables 4-2 and 4-3.)	

	United Kingdom ECAMP
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
4-13. (continued)	Verify that an HWPS is used to identify each hazardous waste stream.
	Verify that BES maintains copies of HWPSs after completing the health sections.
	Verify that the installation has a hazardous waste inventory that identifies all waste streams and a hazardous waste analysis plan that identifies and characterizes the hazardous waste streams.
TRAINING	·
4-14. Installation personnel who handle hazardous waste must meet specific training requirements (FGS-UK 6-10.A through 6-10.D and 6-3.I).	Verify that all DOD personnel (including U.S. military, civilian, and local national personnel) whose duties involve actual or potential exposure to hazardous waste receive training. (1)(2)(3)(4)(5)(6)(9)
	(NOTE: The following persons are subject to this requirement:  - those who determine which wastes are hazardous wastes  - those who complete hazardous waste recordkeeping requirements  - those who handle/store hazardous waste containers  - those who transfer hazardous waste to or from accumulation tanks or containers  - those who transport hazardous waste  - those who perform hazardous waste cleanup (nonemergency)  - those who inspect, manage, or work at an HWAP or HWSA  - those who collect hazardous waste samples  - those who conduct other hazardous waste related activities as designated by the Base Commanders and/or ECs.)
	Verify that the training program is conducted by qualified trainers who have completed an instructor training program in the subject or who have comparable academic credentials and experience.
	Verify that the training program includes sufficient information to enable personnel to comply fully with and carry out requirements in FGS-UK.
	Verify that the program is designed to ensure that facility personnel are able to respond effectively to emergencies by familiarizing them with emergency procedures, equipment, and systems.
	Verify that training for personnel whose duties include hazardous waste handling and management addresses the following in particular:
	<ul> <li>emergency procedures (response to fire/explosion/spills; use of communications/alarm systems; body and equipment cleanup)</li> <li>handling and storage of drums and containers</li> <li>safe use of hazardous waste equipment</li> </ul>

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
4-14. (continued)	- protection of personnel, including:
4-15. All hazardous waste training for each individual assigned duties involving actual or potential exposure to hazardous waste must be documented (FGS-UK 6-10.E; Hazardous Waste Management Policy, 6 June 1991, para III(d)(2)).	the individual.)  Verify that all hazardous waste training for each individual assigned duties involving actual or potential exposure to hazardous waste is documented. (1)(2)(5)(6)(9)  Verify that updated training records are kept by the HWSA manager or the responsible installation office.  Verify that training records are retained for 3 yr after termination of duty of these personnel.

United Kingdom ECAMP	
REVIEWER CHECKS: February 1997	
Verify that each generator uses a unique identification number for all recordkeeping, reports, and manifests for hazardous wastes. (9)	
Verify that generators maintain an audit trail of hazardous waste from the point of generation to disposal. (2)(9)  Verify that generators using the Defense Reutilization and Marketing Service (DRMS) disposal services have a signed copy of the manifest from the initial DRMS	
recipient of the waste.  Verify that, if a generator uses a hazardous waste management and/or disposal program of a DOD component with a different unique identification number, it obtains a signed copy of the manifest from the receiving component.	
Verify that installations that dispose of their wastes outside of the DRMS system have developed their own manifest tracking system to provide an audit trail from point of generation to ultimate disposal.	
Verify that: (2)(9)  - generators provide an HWPS along with the waste - generators hand-carry AF Form 2005 to Base Supply to initiate timely action - generators hand-carry DD Form 1348-1 when received from Base Supply, to BCE for certification - generators hand-carry certified DD Form 1348-1 from BCE to the DRMO.  (NOTE: HQ USAF/CEV 25 September Memorandum, Hazardous Waste Disposal, allows installations to use alternate procedures in which the installation hazardous waste managers prepare and certify the DD Form 1348-1 instead of Base Supply. The Hazardous Waste Management Plan needs to indicate what procedure is used. In the approved alternate procedure no AF Form 2005 is prepared, and the hazardous waste managers also maintain records of all transactions.)	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
4-18. (continued)	Verify, by examining records and interviewing the staff at Base Supply (Customer Service Unit), that:
	<ul> <li>computer records of all hazardous waste transfer actions are maintained</li> <li>a DD Form 1348-1 is processed for each transaction and includes:</li> <li>the hazardous waste stock number</li> <li>waste quantity</li> <li>applicable disposal cost and funding information.</li> </ul>
	Verify, by examining records and interviewing BCE personnel, that:
	<ul> <li>a letter identifying personnel eligible to certify hazardous waste disposal turnin documents (DD Form 1348-1) is current and on file at the servicing DRMO</li> <li>all DD Forms 1348-1 are properly certified, indicating that hazardous waste is properly identified (USEPA identification number), labeled, and packaged</li> <li>DD Form 448, Military Interdepartmental Purchase Request (MIPR), has been executed with DRMO, and the Accounting and Finance Office (AFO) maintains DD Form 448 after execution</li> <li>billings from DRMO are on a standard form (SF) 1080 and are reviewed and certified for payment by BCE through the AFO.</li> </ul>
	Verify, by examining records and interviewing BES personnel, that:
	<ul> <li>BES conducts a semiannual review of the health hazard listing to review all issue exception code (IEX) 8 and 9 items and determines whether health hazard items produce a specific hazardous waste</li> <li>nomenclatures are included in the health hazard listing</li> <li>BES reviews all plans to build or modify facilities used to treat, store, or dispose of hazardous waste.</li> </ul>
4-19. Generators must update HWPSs as needed to reflect new waste streams or process modifications (FGS-UK 6-3.C.2).	Verify that the generator updates the HWPS as needed to reflect any new waste streams or process modifications that change the character of the hazardous waste stream being handled at the storage area. (9)

	United Kingdom ECAM
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
HAZARDOUS WASTE GENERATORS	
Specific Wastes	·
<b>4-20.</b> Hazardous waste must not be used for dust suppression or road treatment (FGS-UK 6-9.B).	Verify that neither used oil, hazardous waste, nor used oil contaminated with any hazardous waste is used for dust suppression or road treatment. (1)(7)
<b>4-21.</b> Installations must manage lead-acid batteries that are not recycled as	Determine whether the installation has lead-acid batteries that have exhausted their life-cycle and are not recycled. (1)(3)(5)(9)
hazardous waste (FGS-UK 6-9.C).	Verify that such batteries are managed as hazardous waste.
4-22. Mercury, nickel-cadmium, lithium, and lead-acid batteries must be treated prior to disposal (FGS-UK 6-11.I.5).	Verify that mercury, nickel-cadmium, lithium, and lead-acid batteries are being treated prior to disposal to stabilize, fix, or recover heavy metals and neutralize any corrosives. (2)(5)
4-23. Treatment residues of wastes categorized as hazardous must be man-	(NOTE: This requirement applies to the treatment residues of all wastes categorized as hazardous on the basis of Table 4-1, except for those wastes covered under Section A-1 of the table.)
aged as hazardous waste (FGS-UK 6-11.I.1 through 6-11.I.4).	Verify that treatment residues from the following technologies are managed as hazardous waste: (1)(2)(5)
	<ul> <li>for organics:         <ul> <li>incineration</li> <li>fuel substitution where the units are operated so that destruction of hazardous constituents is efficient, and hazardous emissions are no greater than those produced by incineration (consult with HQ USAFE for incineration standards)</li> <li>degradation by microbial action</li> <li>recovery</li> <li>chemical degradation</li> </ul> </li> <li>for heavy metals:         <ul> <li>stabilization or fixation</li> </ul> </li> </ul>
	- recovery - for reactives: - treatments that change the chemical or physical composition of a material so that it no longer exhibits the characteristic of reactivity

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-23. (continued)	- for corrosives:  - neutralization of corrosives to a pH value between 6.0 and 9.0  - recovery  - incineration  - chemical or electrolytic oxidation  - chemical reduction  - stabilization.	
<b>4-24.</b> Installations must identify conventional explosive ordnance as hazardous waste in spe-	Verify that the installation identifies conventional explosive ordnance as hazardous waste when: (1)(9)  - an authorized official records in writing a determination that the conventional	
cific circumstances (AF Policy Letter, 21 January 1994, para IV.c.2, IV.c.3, and IV.c.7).	explosive ordnance will be discarded - custodians of the conventional explosive ordnance receive this written determination.	
	(NOTE: The authorized official is identified by being designated in writing.)  (NOTE: Prior written authorization is not required if safety or other considerations (such as an emergency response conducted by an Explosive Ordnance Disposal Unit or a response to mitigate an imminent hazard) preclude obtaining prior written authorization.)	
	(NOTE: An authorized official may make a written designation that conventional explosive ordnance that has previously been designated as waste, but for which a legitimate use is subsequently identified, is no longer waste. If the official cannot make this redesignation, the waste remains a hazardous waste until it ceases to exhibit a characteristic of a hazardous waste, or until it has been specifically excluded by regulation (i.e., delisted).)	
·	(NOTE: Generally, conventional explosive ordnance manufacture, assembly, testing, training, intended use, or range management do not constitute hazardous waste management.)	

Omted Kingdom ECAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
4-25. Authorized individuals must take into account the facts and circumstances applicable to each situation in making a determination to discard (AF Policy Letter, 21 January 1994, para IV.c.4).	Verify that decisions to discard conventional explosive ordnance are based on the facts and circumstances applicable to each situation. (1)(9)  (NOTE: The following guidelines should be used in making the determination to discard:  - a determination to discard excess conventional explosive material that is safe and stable in normal logistical environments may be made only after all efforts have been exhausted to reuse, recycle, recover, or sell such material  - a determination to discard conventional explosive ordnance that may be unstable or unsafe to store or transport should be made by an authorized official after conducting appropriate testing or inspection, if conditions allow, or if it is readily apparent that there is no reasonable alternative to discarding the material.)
HAZARDOUS WASTE ACCUMULATION POINTS	
Design Requirements	
<b>4-26.</b> HWAPs must meet specific design standards (FGS-UK 6-2.A and 6-2.B).	Verify that the HWAP is at or near the point of generation and that no more than 208 L (55 gal) of hazardous waste or 1 L (1 qt) of acute hazardous waste (see Table 4-1) from each waste stream is accumulated there. (3)  Verify that each HWAP is designed to provide appropriate segregation for different
	waste streams, including those that are chemically incompatible.
	(NOTE: See Table 4-4 for a list of incompatible wastes.)
4-27. Each HWAP must have warning signs appropriate to the waste being accumulated at the site (FGS-UK 6-2.A).	Verify that each HWAP has warning signs appropriate to the waste being accumulated at the site. (3)
4-28. HWAP container storage areas must have containment systems (FGS-UK 6-2.C).	Verify that each container storage area has a containment system, such as a drip pan, with sufficient capacity to contain 10 percent of the volume of the containers or the volume of the largest container, whichever is greater. (3)  (NOTE: This applies only to containers that hold free liquids.)

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-29. HWAPs that have containers holding ignitable or reactive waste must be located at least 15 m (50 ft) inside the installation boundary (FGS-UK 6-2.C and 6-4.C).	Verify that containers which hold ignitable or reactive waste are at least 15 m (50 ft) inside the installation boundary. (3)(9)	
HAZARDOUS WASTE ACCUMULATION POINTS		
Operating Procedures		
4-30. When accumulation limits are reached, the generator must make arrangements either to move the hazardous waste to an HWSA or to ship it offsite for treatment or disposal (FGS-UK 6-2.B).	Verify that, when the accumulation limits are reached, the generator makes arrangements either to move the hazardous waste to an HWSA or to ship it offsite for treatment or disposal. (3)(9)  (NOTE: Accumulation limits for HWAPs are: 208 L (55 gal) of hazardous waste or 1 L (1 qt) of acute hazardous waste.)	
<b>4-31.</b> HWAPs must be inspected weekly for leaking containers and deterioration of the containment system caused by corrosion and other factors (FGS-UK 6-2.C and 6-4.A.5).	Verify that a weekly inspection is performed for leaking containers and for deterioration of containers and the containment system. (3)(9)  Verify that secondary containment systems are inspected for defects and emptied of accumulated releases.	
<b>4-32.</b> HWAPs must handle incompatible wastes according to specific requirements (FGS-UK 6-2.C and 6-4.D).	Verify that incompatible wastes and materials are not placed in the same container. (3)(9)  Verify that hazardous waste is not placed in an unwashed container that previously held an incompatible waste or material.  Verify that storage containers holding a hazardous waste that is incompatible with any waste or other materials stored nearby in containers, piles, open tanks, or surface impoundments, are separated from the other materials or protected from them by means of a dike, berm, wall, or other device.	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

COMPLIANCE CATEGORY:
HAZARDOUS WASTE MANAGEMENT
United Kingdom ECAMP

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
HAZARDOUS WASTE ACCUMULATION POINTS		
Containers		
<b>4-33.</b> Containers at HWAPs must meet specific requirements (FGS-	Verify that containers are in good condition and free from severe rusting, bulging, or structural defects. (3)	
UK 6-2.C and 6-4.A.1 through 6-4.A.4).	Verify that containers, including overpack containers, are compatible with the materials stored.	
	Verify that containers are kept closed, except when they need to be opened to add or remove waste.	
	Verify that containers are not opened, handled, or stored in a manner that could cause a rupture or a leak.	
	Verify that containers are marked with a hazardous waste marking and a label indicating the hazard class of the contents (flammable, corrosive, etc.).	
HAZARDOUS WASTE ACCUMULATION POINTS		
Documentation	•	
4-34. HWAPs must maintain a hazardous waste log, inspection logs, manifests, and waste analysis/characterization records (FGS-UK 6-5.A through 6-5.E).	Verify that a written hazardous waste log is maintained that includes the following: (2)(3)(5)(9)  - name and address of the generator - description and hazard class of the waste - number and types of containers - quantity of hazardous waste - date stored - storage location - disposition data, including dates received, sealed, transported, and transporter used.  Verify that the hazardous waste log is available to emergency personnel in the event of a fire or a spill and is maintained until closure of the installation.  Verify that the HWAP maintains inspection logs for 3 yr.  Verify that the HWAP retains manifests of incoming and outgoing hazardous wastes for 3 yr.	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

Omteu Kingdom DCAMI		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-34. (continued)	Verify that the HWAP retains waste analysis/characterization records until 3 yr after closure.	
HAZARDOUS WASTE STORAGE AREAS		
Design Requirements		
4-35. New HWSAs must be located so as to minimize the risk of a release	Verify that new HWSAs are (to the maximum extent possible) located so as to minimize the risks of release due to seismic activity, floods, or other natural events. (5)	
due to seismic activity, floods, or other natural events (FGS-UK 6-3.A).	Verify that, for storage areas located where such risks may be encountered, the installation spill prevention and control plan addresses the risk.	
4-36. HWSAs that have containers holding ignitable or reactive waste must be located at least 15 m (50 ft) inside the installation boundary (FGS-UK 6-4.C).	Verify that containers which hold ignitable or reactive waste are at least 15 m (50 ft) from the installation boundary. (2)(5)	
<b>4-37.</b> HWSAs must meet specific security requirements (FGS-UK 6-3.D).	Verify that the installation prevents the unknowing entry, and minimizes the possibility of unauthorized entry, of people or livestock onto HWSA grounds. (5)	
	Verify that the HWSA security system consists of either:	
	<ul> <li>a 24-h surveillance system (e.g., television monitors, surveillance by guards) that continuously monitors and controls entry</li> <li>an artificial or natural barrier (e.g., a fence in good repair or a fence combined with a cliff) that completely surrounds the area, combined with a means to control entrance at all times (e.g., an attendant, television monitors, locked gate, or controlled roadway access).</li> </ul>	
<b>4-38.</b> HWSAs must have signs that meet specific requirements (FGS-UK 6-3.D.3 and 6-3.J.2.b).	Verify that a sign is posted with the words DANGER UNAUTHORIZED PERSONNEL KEEP OUT at each entrance and at other locations in sufficient numbers to be seen from any approach to the HWSA. (5)	
3.2.10 and 5.10 ano).	Verify that signs are legible from at least 25 ft [8 m].	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

	Office Kingdom Domini
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
4-38. (continued)	(NOTE: Existing signs with a legend other than the above may be used if the legend indicates that only authorized personnel are allowed to enter, and that entry can be dangerous.)
	Verify that NO SMOKING signs are conspicuously placed wherever there is a hazard from ignitable or reactive waste.
	Verify that, in areas where access by non-English-speaking persons is expected, the legend is written in English and in any other language predominant in the area.
4-39. Aisle space at each HWSA must allow unobstructed movement (FGS-UK 6-3.E)	Verify that sufficient aisle space is maintained to allow unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of the facility operation. (5)
OK 0-3.E)	Verify that containers do not obstruct any exit.
4-40. HWSA container storage areas must have a containment system (FGS-UK 6-4.B).	Verify that the container storage area has a containment system that has sufficient capacity to contain 10 percent of the volume of stored containers or the volume of the largest container, whichever is greater. (2)(5)
(100-010-4.5).	Verify that the HWSA is sufficiently impervious to contain leaks, spills, and accumulated precipitation until the collected material is detected and removed.
	(NOTE: Storage areas that store containers holding only wastes that do not contain free liquids need not have such a containment system, provided that the storage area is sloped or otherwise designed and operated to drain and remove liquid from precipitation, or the containers are elevated or otherwise protected from contact with accumulated liquid.)
	•

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-41. Specific equipment must be present at each HWSA and must be	Verify that the following equipment is easily accessible to personnel in HWSAs and in working condition: (5)	
tested (FGS-UK 6-3.F and G).	<ul> <li>an internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to HWSA personnel</li> <li>a device, such as an intrinsically safe telephone (immediately available at the scene of operations) or hand-held two-way radio, capable of summoning emergency assistance from base security, fire departments, or emergency response teams</li> </ul>	
	<ul> <li>portable fire extinguishers, fire control equipment appropriate to the material in storage (including special extinguishing equipment as needed, such as that using foam, inert gas, or dry chemicals)</li> <li>spill control equipment</li> </ul>	
	<ul> <li>decontamination equipment</li> <li>water at adequate volume and pressure to supply water hose streams, foam producing equipment, automatic sprinklers, or water spray systems</li> <li>readily available PPE appropriate to the materials stored</li> <li>eyewash and shower facilities.</li> </ul>	
	Verify that the equipment is periodically tested and maintained as necessary to ensure proper operation in an emergency.	
4-42. HWSAs must be designed, constructed, maintained, and operated with specific goals in mind (FGS-UK 6-3.B).	Verify that the HWSA is designed, constructed, maintained, and operated to minimize the possibility of a fire, explosion, or any unplanned release of hazardous waste or hazardous waste constituents to air, soil, or surface water that could threaten human health or the environment. (1)(2)(5)	
HAZARDOUS WASTE STORAGE AREAS		
Operating Procedures		
4-43. HWSAs must be inspected weekly for leaking containers and	Verify that a weekly inspection is performed. (2)(5)	
leaking containers and for deterioration of containers and the containment system caused by corrosion and other factors (FGS-UK 6-4.A.5).	Verify that secondary containment systems are inspected for defects and emptied of accumulated releases.	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

	United Kingdom Bearin
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
<b>4-44.</b> The storage of ignitable, reactive, or incompatible wastes at	Verify that the storage of ignitable, reactive, or incompatible wastes is accomplished so as to prevent threats to human health or the environment. (2)(5)
HWSAs must not threaten human health or the envi-	Verify that the HWSA manager takes precautions to prevent accidental ignition or reaction of ignitable or reactive wastes.
ronment (FGS-UK 6-3.J).	Verify that ignitable and reactive wastes are separated and protected from sources of ignition or reaction.
	(NOTE: Sources of ignition or reaction include but are not limited to, open flames, smoking, cutting and welding, hot surfaces, frictional heat, sparks (static, electrical, or mechanical), spontaneous ignition (e.g., from heat-producing chemical reactions), and radiant heat.)
	Verify that, while ignitable or reactive waste is being handled, smoking and open flames are confined to specially designated areas.
	Verify that water reactive waste is not stored in the same area as flammable and combustible liquids.
<b>4-45.</b> HWSAs must handle incompatible wastes in accordance with spe-	Verify that incompatible wastes and materials are not placed in the same container. (2)(5)
cific requirements (FGS-UK 6-4.D).	Verify that hazardous waste is not placed in an unwashed container that previously held an incompatible waste or material.
	Verify that storage containers holding a hazardous waste that is incompatible with any waste or other materials stored nearby in containers, piles, open tanks, or surface impoundments are separated from the other materials or protected from them by means of a dike, berm, wall, or other device.
4-46. Certain precautions with regard to handling ignitable, reactive, or incompatible wastes	Verify that, when treating, storing, or disposing of ignitable or reactive wastes, or when mixing incompatible wastes and other materials, precautions are taken to prevent dangerous reactions, including:
should be taken in HWSAs (MP).	<ul> <li>generation of extreme heat or pressure, fires or explosions, or violent reactions</li> <li>production of uncontrolled toxic mists, fumes, dusts, or gases sufficient to threaten human health or the environment</li> </ul>
	<ul> <li>production of uncontrolled flammable fumes or gases sufficient to pose a risk of fire or explosions</li> <li>damage to the structural integrity of the device or facility.</li> </ul>
	•

REGULATORY REQUIREMENTS:  4-47. HWSA managers must conduct periodic verification testing of the hazardous waste in storage (FGS-UK 6-3.C.2).  4-48. Prior to accepting waste from a generator, the HWSA manager must follow specific procedures (FGS-UK 6-3.C.3).  4-49. Prior to accepting waste from a generator, the HWSA manager must follow specific procedures (FGS-UK 6-3.C.3).  4-49. Prior to accepting waste from generators, the HWSA manager: (2) the specific procedures (FGS-UK 6-3.C.3).  4-49. Prior to accepting waste from generators, the HWSA manager: (2) the specific procedures (FGS-UK 6-3.C.3).  4-49. Prior to accepting waste from generators, the HWSA manager: (2) the specific procedures (FGS-UK 6-3.C.3).  4-49. Prior to accepting waste to ensure that it matches the description provided analyzes waste shipments to see if they match the waste description accompanying manifest and documents accompanying manifest and documents accompanying waste description accompanying manifest and documents accompanying waste description.	Office Kingdom ECAM		
must conduct periodic verification testing of the hazardous waste in storage (FGS-UK 6-3.C.2).  4-48. Prior to accepting waste from a generator, the HWSA manager must follow specific procedures (FGS-UK 6-3.C.3).  - inspects the waste to ensure that it matches the description provided requests a new HWPS from the generator if there is reason to believe the process generating the waste has changed analyzes waste shipments to see if they match the waste description accompanying manifest and documents rejects shipments that do not match the accompanying waste description.  HAZARDOUS WASTE STORAGE AREAS			
waste from a generator, the HWSA manager must follow specific procedures (FGS-UK 6-3.C.3).  - inspects the waste to ensure that it matches the description provided requests a new HWPS from the generator if there is reason to believe the process generating the waste has changed accompanying manifest and documents rejects shipments that do not match the accompanying waste description.  HAZARDOUS WASTE STORAGE AREAS	accurately		
STORAGE AREAS	eve that the		
Containers			
4-49. Containers at HWSAs must meet specific standards (FGS-UK 6-4.A.1 through 6-4.A.4). Verify that containers are in good condition, and free from severe rusting, bulg structural defects. (2)(5)  Verify that containers, including overpack containers, are compatible with the rials stored.			
Verify that containers are kept closed, except when they need to be opened to remove waste.	d to add or		
Verify that containers are not opened, handled, or stored in a manner that could a rupture or a leak.	ould cause		
Verify that containers are marked with a hazardous waste marking and a labe cating the hazard class of the contents (flammable, corrosive, etc.).	label indi-		

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
HAZARDOUS WASTE STORAGE AREAS		
Documentation		
4-50. HWSAs must maintain a hazardous waste log, inspection logs, manifests, and waste analysis/characterization records (FGS-UK 6-5.A through 6-5.E).	Verify that the HWSA maintains a written hazardous waste log that includes the following: (2)(3)(5)(9)  - name and address of the generator - description and hazard class of the waste - number and types of containers - quantity of hazardous waste - date stored - storage location - disposition data, including dates received, sealed, transported, and transporter used.  Verify that the hazardous waste log is available to emergency personnel in the event of a fire or a spill and is maintained until closure of the installation.	
	Verify that the HWSA maintains inspection logs for 3 yr.	
	Verify that the HWSA retains manifests of incoming and outgoing hazardous wastes for 3 yr.	
	Verify that the HWSA retains waste analysis/characterization records until 3 yr after closure.	
4-51. HWSAs must have a written closure plan (FGS-UK 6-5.F).	Verify that the HWSA has a closure plan that includes: (2)(5)  - estimates of the storage capacity of hazardous waste  - the steps to be taken to remove or decontaminate all waste residues  - an estimate of the expected date of closure.	
	Verify that the installation develops a closure plan prior to opening a new HWSA.	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

United Kingdom ECAWF		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
HAZARDOUS WASTE STORAGE AREAS		
Closure		
4-52. At the closure of an HWSA, all hazardous waste and hazardous waste residues must be	Verify that, at the closure of an HWSA, all hazardous waste and hazardous waste residues, including remaining containers, liners and bases, are removed from the containment system. (2)(5)	
removed (FGS-UK 6-7).	Verify that the closure is done in a manner which eliminates or minimizes the need for future maintenance or the potential for future releases of hazardous waste.	
	Verify that the HWSA is closed in accordance with the Closure Plan.	
TRANSPORTATION OF HAZARDOUS WASTE		
4-53. Hazardous waste generators must prepare offsite hazardous waste	Verify that offsite hazardous waste shipments are prepared in accordance with applicable host nation requirements. (7)	
shipments in accordance with applicable host nation transportation reg-	(NOTE: This requirement applies when transporting hazardous waste, via military vehicle or commercial transportation, on UK public roads and highways.)	
ulations (FGS-UK 6-1.D.1).	(NOTE: Standards may include requirements for placarding, marking, containerization, and labeling among others.)	
	Verify that hazardous waste designated for international transport is prepared in accordance with applicable international regulations.	
	(NOTE: In the absence of host nation regulations, international standards should be used.)	
4-54. All hazardous waste that leaves the installation must be accompanied by an HWPS and a manifest	Verify that all hazardous waste that leaves the installation is accompanied by an HWPS and a manifest. (7)	
	Verify that the installation uses UK transfer and/or consignment notes as appropriate.	
(FGS-UK 6-1.D.2).		
	·	
}		

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

Office Kingdom Borking		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-55. Installations should ensure that transportation of hazardous	Verify that procedures exist to manage movement of hazardous wastes throughout the installation. (7)(8)	
wastes between buildings is accomplished so as to	Verify that drivers are trained in spill control procedures.	
help prevent spills, releases, and accidents (MP).	Verify that provisions are made to secure wastes in vehicles during transport.	
HAZARDOUS WASTE DISPOSAL		
General		
<b>4-56.</b> DOD hazardous waste must normally be disposed of through the	Verify that the installation normally disposes of its DOD hazardous waste through the DRMS. (1)(5)	
DRMS (FGS-UK 6-11.A; AF Hazardous Waste Management Policy 6 June 1991, para III(f)).	Verify that, if the installation does not use the DRMS for disposal, the Staff Judge Advocate and the Base Civil Engineer reviews the contract prior to its submission to the Base Contracts Office (BCO) to ensure that host nation laws are followed.	
June 1991, para III(1)).	(NOTE: A decision not to use the DRMS for hazardous waste disposal may be made for best accomplishment of the mission, but the decision should be concurred in by the component chain of command and the EA to ensure that installation contracts and disposal criteria are at least as protective as the criteria used by the DRMS.)	
4-57. Neither hazardous waste nor UK special waste may be disposed of in the UK unless disposal	Verify that, if a hazardous waste or UK special waste cannot be disposed of in the UK in accordance with the provisions of FGS-UK, the waste is then either: (1)(2)(5)(7)	
methods meet applicable final governing standards (FGS-UK 6-11.B and 6-11.C).	<ul> <li>retrograded to the United States</li> <li>transhipped, if permissible under international agreements, to another country for disposal where it can be disposed of in compliance with the applicable FGS (if any).</li> </ul>	
	Verify that any transshipment to a country other than the U.S. has been approved by at least the DOD.	
	(NOTE: The determination whether particular DOD-generated hazardous waste may be disposed of in a nation other than the UK or the U.S. is made by the DOD Executive Agent for that nation, in coordination with the Director of the Defense Logistics Agency or other relevant DOD components and the Chief of the U.S. Diplomatic Mission.)	

<sup>(1)</sup> BCE (Environmental Planning) (2) DRMO (Defense Reutilization and Marketing Office) (3) Accumulation Point Managers (4) Fire Department (5) HWSA Manager (6) Safety Manager (7) Transportation Officer (8) Base Supply (9) Generating Activities (10) BES (Bioenvironmental Engineering Services) (11) Base Staff Judge Advocate

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
4-57. (continued)	(NOTE: HQ USAFE has determined that all types of hazardous waste may be disposed of in the UK.)	
<b>4-58.</b> Hazardous material that meets the definition of hazardous waste	Determine whether the installation has any hazardous materials that meet the definition of hazardous waste. (1)(2)(5)(8)	
must be disposed of as a hazardous waste in cer-	Verify that the installation disposes of such materials as hazardous wastes whenever:	
tain circumstances (FGS-UK 6-11.D).	<ul> <li>the installation is discarding the materials as being no longer useful</li> <li>the materials have failed DRMS reutilization, transfer, or sales cycles.</li> </ul>	
4-59. All UK facilities that store, treat, or dispose of DOD-generated waste must be properly licensed (FGS-UK 6-11.E).	Verify that all UK facilities the installation uses to dispose of DOD-generated waste are licensed to treat, store, or dispose of DOD-generated waste. (1)(2)(5)	
4-60. Hazardous wastes that are disposed of as solid wastes must be	Determine whether wastes that are categorized as hazardous on the basis of Table 4-1, Section A-1 have been disposed of as solid wastes. (1)(2)(5)	
treated prior to disposal so that they no longer	Verify that the following approved treatment technologies are used:	
exhibit hazardous charac-	- for organics:	
teristics (FGS-UK 6-	- incineration	
11.I.1 through 6-11.I.4).	- fuel substitution where the units are operated so that destruction of haz- ardous constituents is efficient, and hazardous emissions are no greater than those produced by incineration (consult with HQ USAFE for inciner- ation standards)	
	- biodegradation	
,	- recovery - chemical degradation	
	- chemical degradation - for heavy metals:	
,	- stabilization or fixation	
	- recovery	
	- for reactives: - treatments that change the chemical or physical composition of a material	
	so that it no longer exhibits the characteristic of reactivity	
	- for corrosives:	
	- neutralization of corrosives to a pH value between 6.0 and 9.0	
	- recovery - incineration	
	- chemical or electrolytic oxidation	
	- chemical reduction	
	- stabilization.	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
HAZARDOUS WASTE DISPOSAL	•	
Land Disposal		
4-61. Installations may use only landfills that have been licensed by Her	Determine whether the installation disposes of hazardous waste by landfilling.  (1)(2)(5)	
Majesty's Inspectorate of Pollution (HMIP) for land	Verify that landfills used by the installation have been licensed by HMIP for land disposal of hazardous waste.	
disposal of hazardous waste (FGS-UK 6-11.G).	(NOTE: Effective 1 April 1996 HMIP was incorporated into the Environment Agency.)	
<b>4-62.</b> The Base Environmental Manager must provide the information	Verify that the following information is provided on the HWPS: (1)(2)(5)  - treatability groups	
required on the HWPS concerning land disposal	- USEPA hazardous waste codes - all subcategories if there is more than one code	
restrictions (AF Hazardous Waste Management Policy, 6 June 1991, Appendix C, Section B,	<ul> <li>the five letter treatment code or the section of the CFR where the treatment appears</li> <li>whether or not a lab pack contains a waste identified as a restricted waste.</li> </ul>	
para 2(c)(1)(c)).		
HAZARDOUS WASTE DISPOSAL		
Incinerators	(NOTE: Specific requirements for incineration of polychlorinated biphenyl (PCB)-containing wastes are set forth in Section 11, <i>Toxic Substances Management</i> .)	
4-63. Incinerators used to dispose of hazardous waste must be licensed to accept the type of waste being burned (FGS-UK 6-11.H).	Verify that incinerators used to dispose of hazardous waste are licensed by HMIP to accept the type of waste being burned. (1)(2)(5)	

#### Table 4-1

### Characteristics of Hazardous Wastes and

#### Lists of Hazardous Wastes and Hazardous Materials

(FGS-UK, Appendix A)

#### A-1 CHARACTERISTICS OF HAZARDOUS WASTE

#### A. General

- 1. A solid waste is a hazardous waste if it exhibits any of the characteristics identified in this section.
- A hazardous waste that is identified by a characteristic in this section is assigned every USEPA Hazardous Waste Number that is applicable. This number must be used in complying with the notification, recordkeeping, and reporting requirements of these alternate standards.

#### B. Characteristic of Ignitability

- 1. A waste exhibits the characteristic of ignitability if a representative sample of the waste has any of the following properties:
  - a. It is a liquid, other than an aqueous solution, that contains less than 24 percent alcohol by volume and has a flash point less than 60 °C (140 °F), as determined by a Pensky-Martens Closed Cup Tester, using the test method specified in American Society for Testing and Materials (ASTM) Standard D-93-80, or a Setaflash Closed Cup Tester, using the test method specified in ASTM Standard D-3278-78, or as determined by an equivalent test method.
  - b. It is not a liquid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture, or spontaneous chemical changes and, when ignited, burns so vigorously and persistently that it creates a hazard.
  - c. It is an ignitable, compressed gas as determined by appropriate test methods or the USEPA.
  - d. It is an oxidizer.
- A waste that exhibits the characteristic of ignitability has the USEPA Hazardous Waste Number of D001.

#### C. Characteristic of Corrosivity

- 1. A waste exhibits the characteristic of corrosivity if a representative sample of the waste has either of the following properties:
  - a. It is aqueous and has a pH less than or equal to 2.0 or greater than or equal to 12.5, as determined by a pH meter.

- b. It is a liquid and corrodes steel (SAE 1020) at a rate greater than 6.35 mm or 0.250 in. per year at a test temperature of 55 °C (130 °F) as determined by the test method specified in National Association of Corrosion Engineers (NACE) Standard Technical Manual (TM)-01-69 as standardized in *Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods*.
- 2. A waste that exhibits the characteristic of corrosivity has the USEPA Hazardous Waste Number of D002.

#### D. Characteristic of Reactivity

- 1. A waste exhibits the characteristic of reactivity if a representative sample of the waste has any of the following properties:
  - a. It is normally unstable and readily undergoes violent change without detonating.
  - b. It reacts violently with water.
  - c. It forms potentially explosive mixtures with water.
  - d. When mixed with water, it generates toxic gases, vapors, or fumes in a quantity sufficient to present danger to human health or the environment.
  - e. It is a cyanide or sulfide bearing waste that, when exposed to pH conditions between 2.0 and 12.5, can generate toxic gases, vapors, or fumes in a quantity sufficient to present a danger to human health or the environment.
  - f. It is capable of detonation or explosive reaction if subjected to a strong initiating source or if heated under confinement.
  - g. It is readily capable of detonation, explosive decomposition, or reaction at standard temperature and pressure.
  - h. It is a forbidden explosive.
- 2. A waste that exhibits the characteristic of reactivity has the USEPA Hazardous Waste Number of D003.

#### E. Characteristic of Toxicity

- 1. A waste exhibits the characteristic of toxicity if, the extract from a representative sample of the waste contains any of the contaminants listed in Charts A.1 or A.2 at the concentration equal to or greater than the respective value given in that Table. Where the waste contains less than 0.5 percent filterable solids, the waste itself is considered to be the extract for the purpose of this section.
- A waste that exhibits the characteristic of toxicity has the USEPA Hazardous Waste Number specified in Charts A.1 or A.2 that corresponds to the toxic contaminant causing it to be hazardous.

#### A-2 LISTS OF HAZARDOUS WASTES

#### A. General

- 1. A solid waste is a hazardous waste if it is listed in this section.
- 2. The basis for listing the classes or types of wastes listed employed one or more of the following Hazard Codes:

Ignitable Waste	(I)
Corrosive Waste	(C)
Reactive Waste	(R)
Toxicity Characteristic Waste	(E)
Acute Hazardous Waste	(H)
Toxic Waste	(T)

- 3. Each hazardous waste listed in Section A-2 is assigned a USEPA Hazardous Waste Number that precedes the name of the waste. This number must be used in complying with the notification, recordkeeping and reporting requirements of these alternative standards.
- B. Hazardous Wastes from Nonspecific Sources

The solid wastes in Chart A.3 are listed hazardous wastes from nonspecific sources.

C. Hazardous Wastes from Specific Sources

The solid wastes listed in Chart A.4, denoted "K" as the first character in the USEPA number are listed hazardous wastes from specific sources.

D. Discarded Commercial Chemical Products, Off-Specification Species, Container Residues, and Spill Residue Thereof

The following materials or items are hazardous wastes if and when they are discarded or intended to be discarded: when they are mixed with waste oil or used oil, or other material and applied to the land for dust suppression or road treatment: when they are otherwise applied to the land in lieu of their original intended use; when they are contained in products that are applied to the land in lieu of their original intended use; or when, in lieu of their original intended use, they are produced for use as (or as a component of) a fuel, distributed for use as a fuel, or burned as a fuel.

- 1. Any commercial chemical product, or manufacturing chemical intermediate with the generic name listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number.
- 2. Any off-specification commercial chemical product or manufacturing chemical intermediate that, if it met specifications, would have the generic name listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number.
- 3. Any residue remaining in a container or in an inner liner removed from a container that has held any commercial chemical product or manufacturing chemical intermediate having the generic name listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number, unless the container is empty.

(NOTE: Unless the residue is being beneficially used or reused, being legitimately recycled or reclaimed, or being accumulated, stored, transported, or treated prior to such use, reuse, recycling or reclamation, the residue should be discarded, and is thus, a hazardous waste. An example of a legitimate reuse of the residue would be where the residue remains in the container, and the container is used to hold the same commercial chemical product or manufacturing chemical intermediate it previously held. An example of the discard of the residue would be where the drum is sent to a drum reconditioner who reconditions the drum but discards the residue.)

4. Any residue or contaminated soil, water or other debris resulting from the cleanup of a spill into or on any land or water of any commercial chemical product or manufacturing chemical intermediate having the generic name listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number, or any residue or contaminated soil, water or other debris resulting from the cleanup of a spill into or on any land or water of any off-specification chemical product and manufacturing chemical intermediate that, if it me specifications, would have the generic name listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number of this section.

(NOTE: The phrase "commercial chemical product or manufacturing chemical intermediate having the generic name listed in..." refers to a chemical substance that is manufactured or formulated for commercial or manufacturing use that consists of the commercially pure grade of the chemical, any technical grades of the chemical that are produced or marketed, and all formulation in which the chemical is the sole active ingredient. It does not refer to a material, such as a manufacturing process waste, that contains any of the substances listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number. Where a manufacturing process waste is deemed to be a hazardous waste because it contains a substance listed in Chart A.4, annotated "P" or "U" as the first character in the USEPA waste number, such waste will be listed in Chart A.3 or will be identified as a hazardous waste by the characteristics set forth in section A-1.)

5. The commercial chemical products, manufacturing chemical intermediates, or off-specification commercial chemical products or manufacturing chemical intermediates referred to in Chart A.4, denoted "P" as the first character in the USEPA waste number, are hereby identified as acute hazardous wastes (H).

(NOTE: For the convenience of the regulated community, the primary hazardous properties of these materials have been indicated by the letters T (Toxicity) and R (Reactivity). Absence of a letter indicates that the compound only is listed for acute toxicity.)

These wastes and their corresponding USEPA Hazardous Waste Numbers are listed in Chart A.4, annotated "P" as the first character in the USEPA waste number.

6. The commercial chemical products, manufacturing chemical intermediates, or off-specification commercial chemical products referred to in Chart A.4 are hereby identified as toxic wastes (T), unless otherwise designated.

(NOTE: For the convenience of the regulated community, the primary hazardous properties of these materials have been indicated by the letter T (Toxicity), R (Reactivity), I (Ignitability), and C (Corrosivity). Absence of a letter indicates that the compound is only listed for toxicity.)

Chart A.1

Maximum Concentration of Contaminants for the Toxicity Characteristics

USEPA HW No.1	Contaminant	CAS No. <sup>2</sup>	Regulatory Level (mg/L)
D004	Arsenic	7440-38-2	5.0
D005	Barium	7440-39-3	100.0
D006	Cadmium	7440-43-2	1.0
D007	Chromium	7440-47-3	5.0
D016	2,4-D	94-75-7	10.0
D012	Endrin	72-20-8	0.02
D008	Lead	7439-92-1	5.0
D013	Lindane	58-89-9	0.4
D009	Mercury	7439-97-6	0.2
D014	Methoxychlor	72-43-5	10.0
D010	Selenium	7782-49-2	1.0
D011	Silver	7440-22-4	5.0
D015	Toxaphene	8001-35-2	0.5
D017	2,4,5-TP (Silvex)	93-72-1	1.0

<sup>&</sup>lt;sup>1</sup> USEPA Hazardous Waste Number.

<sup>&</sup>lt;sup>2</sup> Chemical Abstracts Service (CAS) Number.

Chart A.2

### MAXIMUM CONCENTRATION OF CONTAMINANTS FOR NONWASTEWATER

USEPA HW No. <sup>1</sup>	Contaminant	CAS No. <sup>2</sup>	Regulatory Level mg/kg
D018	Benzene	71-43-2	36
D019	Carbon tetrachloride	56-23-5	5.6
D020	Chlordane	57-74-9	0.13
D021	Chlorobenzene	108-90-7	5.7
D022	Chloroform	67-66-3	5.6
D023	o-Cresol	95-48-7	5.6
D024	m-Cresol	108-39-4	3.2
D025	P-Cresol	106-44-5	3.2
D026	Cresol		3.2
D027	1,4-Dichlorobenzene	106-46-7	6.2
D028	1,2-Dichloroethane	107-06-2	7.2
D029	1,1-Dichloroethylene	75-35-4	33
D030	2,4-Dinitrotoluene	121-14-2	140
D031	Heptachlor (and its epoxide)	76-44-8	0.066
D032	Hexachlorobenzene	118-74-1	37
D033	Hexachlorobutadiene	87-68-3	28
D034	Hexachloroethane	67-72-1	28
D035	Methyl Ethyl Ketone	78-93-3	. 36
D036	Nitrobenzene	98-95-3	14
D037	Pentachlorophenol	87-86-5	7.4
D038	Pyridine	110-86-1	16
D039	Tetrachloroethylene	127-18-4	5.6
D040	Trichloroethylene	79-01-6	5.6
D041	2,4,5-Trichlorophenol	95-95-4	37
D042	2,4,6-Trichlorophenol	88-06-2	37
D043	Vinyl Chloride	75-01-4	33

<sup>&</sup>lt;sup>1</sup> USEPA Hazardous Waste Number.

<sup>&</sup>lt;sup>2</sup> CAS Number.

LISTED HAZARDOUS WASTES FROM NONSPECIFIC SOURCES

Chart A.3

USEPA Waste No. <sup>1</sup>	Hazardous Waste	Hazard Code
F001	The following spent halogenated solvents used in degreasing: tetra- chloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloro- ethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing containing, before use, a total of 10 percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(T)
F002	The following spent halogenated solvents: tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, orthodichlorobenzene, trichlorofluoromethane, and 1,1,2-trichloroethane; all spent solvent mixtures/blends containing, before use, a total of 10 percent or more (by volume) of one or more of the above halogenated solvents or those listed in F001, F004, or F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(T)
F003	The following spent nonhalogenated solvents: xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone, and methanol; all spent solvent mixtures/ blends containing, before use, only the above spent nonhalogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above nonhalogenated solvents and a total of 10 percent or more (by volume) of one or more of those solvents listed in F001, F002, F004, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	
F004	The following spent nonhalogenated solvents: cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of 10 percent or more (by volume) of one or more of the above nonhalogenated solvents or those solvents listed in F001, F002, and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures.	(T)
F005	The following spent nonhalogenated solvents: Toluene, methyl- ethyl ketone, carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, and 2-nitropropane; all spent solvent mixtures/blends containing, before use, a total of 10 percent or more (by volume) of one or more of the above nonhalogenated solvents or those solvents listed in F001, F002, or F004; and still bottoms from the recovery of these spent solvents and spent solvent mixtures	(I,T) <sup>2</sup>

Table 4-1 (continued)

USEPA Waste No. <sup>1</sup>	Hazardous Waste	Hazard Code
F006	Wastewater treatment sludges from electroplating operations except from the following processes: (1) sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc planting (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.	(T)
F007	Spent cyanide plating bath solutions from electroplating operations.	(R,T)
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.	(R,T)
F009	Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.	(R,T)
F010	Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.	(R,T)
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.	(R,T)
F012	Quenching wastewater treatment sludges from metal heat treating operations where cyanides are used in the process.	(T)
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating is an exclusion conversion coating process.	(T)

#### 1. USEPA Hazardous Waste Number

2. (I,T) should be used to specify mixtures containing ignitable and toxic constituents.

LIST OF HAZARDOUS WASTE/SUBSTANCES/MATERIALS

Chart A.4

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Acenaphthene	83329			100
Acenaphthylene	208968			5000
Acetaldehyde (i)	75070		U001	1000
Acetaldehyde, chloro-	107200		P023	1000
Acetaldehyde, trichloro-	75876		U034	5000
Acetamide, N-(aminothioxomethyl)-	591082		P002	1000
Acetamide, N-(4-ethoxyphenyl)-	62442		U187	100
Acetamide, 2-fluoro-	640197		P057	100
Acetamide, N-9H-fluoren-2-yl-	53963		U005	1
Acetic acid	64197			5000
Acetic acid (2,4-dichlorophenoxy)-	94757		U240	100
Acetic acid, lead(2+) salt	301042		U144	\$
Acetic acid, thallium(1+) salt	563688		U214	100
Acetic acid, ethyl ester (I)	141786		U112	5000
Acetic acid, fluoro-, sodium salt	62748		P058	10
Acetic anhydride	108247			5000
Acetone (I)	67641		· U002	5000
Acetone cyanohydrin	75865	1000	P069	· 10
Acetone thiosemicarbazide	1752303	1000/10,000		1
Acetonitrile (I,T)	75058		U003	5000
Acetophenone	98862		U004	5000
2-Acetylaminofluorene	53963		U005	1
Acetyl bromide	506967			5000
Acetyl chloride (C,R,T)	75365		U006	5000
1-Acetyl-2-thiourea	591082		P002	1000
Acrolein	107028	500	P003	1
Acrylamide	79061	1000/10,000	U007	5000
Acrylic acid (I)	97107		U008	5000
Acrylonitrile	107131	10,000	U009	100
Acrylyl chloride	814686	100		1
Adipic acid	124049			5000
Adiponitrile	111693	1000		1
Aldicarb	116063	100/10,000	P070	1
Aldrin	309002	500/10,000	P004	1
Allyl alchol	107186	1000	P005	100
Allylamine	107119	500		100

Table 4-1 (continued)

	gray 1	Threshold Planning <sup>2</sup>	USEPA Waste	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	
Ally chloride	107051			1000
Aluminum phosphide (R,T)	20859738	500	P005	100
Aluminum sulfate	10043013			5000
5-(Aminomethyl)-3-isoxazolol	2763964		P007	1000
Aminoptenn	54626	500/10,000		1
4-Aminopyndine	504245		P008	1000
Amiton	78535	500		1
Amiton oxalate	3734972	100/10,000		1
Amitrole	61825		U011	10
Ammonia	7664417	500		100
Ammonium acetate	631618			5000
Ammonium benzoate	1863634			5000
Ammonium bicarbonate	1066337			5000
Ammonium bichromate	7789095			10
Ammonium bifluonde	1341497			100
Ammonium bisulfite	10192300			5000
Ammonium carbamate	1111780			5000
Ammonium carbonate	506876	`		5000
Ammonium chloride	12125029			5000
Ammonium chromate	778989			10
Ammonium citrate, dibasic	3012655			5000
Ammonium fluoborate	13826830			5000
Ammonium fluoride	12125018			100
Ammonium hydroxide	1336216			1000
Ammonium oxalate	6009707			5000
	5972736		1	
	14258492			
Ammonium picrate (R)	131748		P009	10
Ammonium silicofluoride	16919190			1000
Ammonium sulfamate	7773060			5000
Ammonium sulfide	12135761			100
Ammonium tartrate	14307438	·		5000
	3164292			
Ammonium thiocyanate	1762954			5000
Ammonium vanadate	7803556		P119	1000
Amphetamine	300629	1000		1
Amyl acetate	628637			5000
iso-Amyl acetate	123922			
Sec-Amyl acetate tert-Amyl acetate	626380			
Aniline (I,T)	625161	1000	11010	7000
Annule (1,1)	62533	1000	U012	5000

Table 4-1 (continued)

		Threshold Planning <sup>2</sup>	USEPA Waste	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	(lb) <sup>3</sup>
Aniline, 2,4,6- trimethyl	88051	500		1
Anthracene	120127			5000
Antimony++	7440360			5000
Antimony pentachloride	7647189			1000
Antimony pentafluoride	7783702	500		1
Antimony potassium tartrate	28300745			100
Antimony tribromide	7789619			1000
Antimony trichloride	10025919			1000
Antimony trifluoride	7783564			1000
Antimony trioxide	1309644			1000
Antimycine A	1397940	1000/10,000		1
ANTU	86884	500/10,000		100
Argentate(1-), bis(cyano-C)-, potassium	506616		P099	1
Aroclor 1016	12674112			1
Aroclor 1221	11104282			1
Arcolor 1232	11141165			1
Aroclor 1242	53469219			1
Aroclor 1248	12672296			1
Aroclor 1254	11097691			1
Aroclor 1260	11096825			1
Arsenic++	7440382			1
Arsenic acid H <sub>3</sub> AsO <sub>4</sub>	1327522 7778394		P010	1
Arsenic disulfide	1303328			1
Arsenic oxide As <sub>2</sub> O <sub>3</sub>	1327533		P012	1
Arsenic oxide As <sub>2</sub> O <sub>5</sub>	1303282		P011	1
Arsenic pentoxide	1303282	100/10,000	P011	1
Arsenic trichloride	7784341			1
Arsenic trioxide	1327533		P012	1
Arsenic trisulfide	1303339		·	1
Arsenous trichloride	7784341	500		5000
Arsine	7784421	100		1
Arsine, diethyl-	692422		P038	1
Arsinic acid, dimethyl-	75605		U136	1
Arsorous dichloride, phenyl-	696286		P036	1
Asbestos+++	1332214			1
Auramine	492808		U014	100
Azasenne	115028		U015	1
Azindine	151564		P054	1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Azindine, 2-methyl-	75558		P067	1
Azinno[2',3',3,4]pyrrolo[1,2-a] indole-4, 7-dione,6-amino-8- [(aminocarbonylooxy) methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-,[1aS-(1a-alpha,8-beta, 8a-alpha, 8b-alpha)]-	50077		U010	10
Aziphos-ethyl	2642719	100/10,000		1
Azinphos-methyl	86500	10/10,000		1
Banum cyanide	542621		P013	10
Benz[1]aceanthrylene, 1,2-dihydro-3-methyl-	56421		U157	10
Benz[c]acridine	225514		U016	100
Benzal chloride	98873	500	U017	5000
Benzamide, 3,5-dichloro-N-(1,1-dimethyl-2-propynyl)-	23950595		U192	5000
Benz[a]anthracene	56553		U018	10
1,2-Benzathracene	56553		U018	10
Benz[a]anthracene, 7,12-dimethyl-	57976		U094	1
Benzenamine (I,T)	62533		U012	5000
Benzenamine, 3-(Trifluoromethyl)	98168	500		. 1
Benzenamine, 4,4'-carbonimidoylbis (N,N-dimethyl-	492808		U014	100
Benzenamine, 4-chloro-	106478		P024	1000
Benzenamine 4-chloro-2-methyl-hydrochloride,	3165933		U049	100
Benzenamine, N,N-dimethyl-4- (phenylazo-)	60117	•	U093	10
Benzenamine, 2-methyl-	95534 .		U328	100
Benzenamine, 4-methyl-	106490		U353	100
Benzenamine, 4,4'-methylenebis(2-chloro-	101144		U158	10
Benzenamine, 2-methyl-, hydrochlo- ride	636215		U222	100
Benzenamine, 2-methyl-5-nitro-	99558		U181	100
Benzenamine, 4-nitro-	100016		P077	5000
Benzene (I,T)	71432		U109	10
Benzene, 1-(Chloromethyl)-4-Nitro-	100141	500/10,000		1
Benzeneacetic acid, 4-chloro- alpha-(4-chlorophenyl)-alpha- hydroxy-, ethyl ester	510156	·	U038	1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Benzene, 1-bromo-4-phenoxy-	101553		U030	100
Benzenearsonic Acid	98055	10/10,000		1
Benzenebutanoic acid, 4-[bis (2-chloroethyl)amino]-	305033		U035	10
Benzene, chloro-	108907		U037	100
Benzene, chloromethyl-	100447		P028	100
Benzenediamin, ar-methyl-	95807 496720 823405		U221	10
1,2-Benzenedicarboxylic acid, dioctyl ester	117840		U107	5000
1,2-Benzenedicarboxylic acid, [bis(2-ethylhexyl)]-ester	117817		U028	100
1,2-Benzenedicarboxylic acid, dibutyl ester	84742		U069	10
1,2-Benzenedicarbosylic acid, diethyl ester	84662		U088	1000
1,2-Benzenedicarbosylic acid, dimethyl ester	131113		U102	5000
Benzene, 1,2-dichloro-	95501		U070	100
Benzene, 1,3-dichloro-	541731		U071	100
Benzene, 1,4-dichloro-	106467		U072	100
Benzene, 1,1'-(2,2-dichloroeth- ylidene) bis[4-chloro-	72548		U060	1
Benzene, dichloromethyl-	98873		U017	5000
Benzene, 1,3-diisocyanotomethyl-(R,T)	584849 91087 264716254		U223	100
Benzene, dimethyl (I,T) m-Benzene, dimethyl o-Benzene, dimethyl p-Benzene, dimethyl	1330207 108383 95476 106423		U239	1000
1,3-Benzenediol	108463		U201	5000
1,2-Benzenediol, 4-[1 -hydroxy-2- (methylamino)ethyl]- (R)	51434		P042	1000
Benzeneethanamine, alpha, alpha-dimethyl-	122098		P046	5000
Benzene, hexachloro-	118741		U127	10
Benzene, hexahydro- (I)	110827		U056	. 1000
Benzene, hydroxy-	108952		U188	1000
Benzene, methyl-	108883		U220	1000

**Table 4-1 (continued)** 

		Threshold Planning <sup>2</sup>	USEPA Waste	RO
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	$\begin{array}{c} \mathbf{RQ} \\ (\mathbf{lb})^3 \end{array}$
Benzene, 2-methyl-1,3-dinitro-	606202		U106	100
Benzene, 1-methyl-2,4-dinitro-	121142		U105	10
Benzene, 1-methylethyl- (I)	98828		U055	5000
Benzene, nitro-	98953		U169	1000
Benzene, pentachloro	608935	,	U183	10
Benzene, pentachloronitro-	82688		U185	100
Benzenesulfonic acid chloride (C,R)	98099	-	U020	100
Benzenesulfonyl chloride	98099		U020	100
Benzene, 1,2,4,5-tetrachloro-	95943		U207	5000
Benzenethiol	108985		P014	100
Benzene, 1,1'-(2,2,2-tri-	50293		U061	1
chloroethylidene)bis[4-chloro-				
Benzene, 1,1'-(2,2,2-tri-	72435		U247	1
chloroethylidene)bis[4-methoxy-				
Benzene,(trichloromethyl)-	98077		U023	10
Benzene, 1,3,5-trinitro-	99354		U234	10
Benzidine	92875		U021	1
Benzimidazole, 4,5-Dichloro-2- (Trifluormethyl)-	3615212	500/10,000		1
1,2-Benzisothiazol-3(2H)-one, 1,1-dioxide	81072		U202	100
Benzo[a]anthracene	56553		U018	10
Benzo[b]fluoranthene	205992		0010	1
Benzo[k]fluoranthene	207089		· ·	5000
Benzo[j,k]fluorene	206440		U120	100
1,3-Benzodioxole, 5-(1-propenyl)-	120581		U141	100
1,3-Benzodioxole, 5-(2-propenyl)-	94597		U203	100
1,3-Benzodioxole, 5-propyl	94586		U090	10
Benzoic acid	65850		0070	5000
Benzonitrile	100470			5000
Benzo[rst]pentaphene	189559	•	U064	10
Benzo[ghi]perylene	191242			5000
2H-1-Benzophyran-2-one,	81812		P001	100
4-hydroxy-3-oxo-1-				100
phenyl-butyl)-, & salts,				
when present at concentrations		ĺ		
greater than 0.3%				
Benzo[a]pyrene	50328		U022	1
3,4-Benzopyrene	50328		U022	· 1
p-Benzoquinone	106514		U197	10
Benzotrichloride (C,R,T)	98077	100	U023	10

Table 4-1 (continued)

	a.av 1	Threshold Planning <sup>2</sup>	USEPA Waste	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	
Benzoyl chloride	98884			1000
1,2-Benzphenanthrene	218019		U050	100
Benzyl chloride	100447	500	P028	100
Benzy cyanide	140294	500		1
Beryllium++	7440417		P015	10
Beryllium chloride	7787475			1
Beryllium fluoride	7787497			1
Beryllium nitrate	13597994			1
	7787555			
alpha-BHC	319846	,		10
beta-BHC	319857			1
delta-BHC	319868			1
gamma-BHC	58899		U129	1
Bicyclo [2,2,1]Heptane-2- carbonitrile, 5-chloro-6- (((Methylamino)Carbonyl)Oxy- lmino)-, (1s-(1-alpha, 2-beta, 4-alpha, 5-alpha, 6E))-	15271417	500/10,000		1
2,2'-Bioxirane	1464535		U085	10
(1,1'-Biphenyl)-4,4'diamine	92875		U021	1
(1,1'-Biphenyl)-4,4'diamine, 3,3'dichloro-	91941		U073	. 1
(1,1'-Biphenyl)-4,4'diamine, 3,3'dimethoxy-	119904		U091	100
(1,1'-Biphenyl)-4,4'diamine, 3,3'dimethyl-	119937		U095	10
Bis(chloromethyl) ketone	534076	10/10,000		1
Bis(2-chloroethyl)ether	111444		U025	10
Bis(2-chloroethoxy)methane	111911		U024	1000
Bis(2-ethylhexyl)phthalate	117817		U028	100
Bitoscanate	4044659	500/10,000		1
Boron trichloride	10294345	500		1
Boron trifluoride	7637072	500		1
Boron trifluoride compound with methyl ether (1:1)	353424	1000		1
Bromoacetone	598312		P017	1000
Bromadiolone	28772567	100/10,000		1
Bromine	7726956	500		1
Bromoform	75252		U225	100
4-Bromophenyl phenyl ether	101553		U030	100

Table 4-1 (continued)

	grav 1	Threshold Planning <sup>2</sup>	USEPA Waste	RQ
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	(lb) <sup>3</sup>
Brucine	357573		P018	100
1,3-Butadiene, 1,1,2,3,4,4-	87683		U128	1
hexachloro-		•		
1-Butanamine, N-butyl-N-nitroso-	924163		U172	1
1-Butanol	71363		U031	5000
2-Butanone	78933		U159	5000
2-Butanone peroxide (R,T)	1338234		U160	10
2-Butanone, 3,3-dimethyl-1- (methylthio)-, O[(methylamno) carbonyl] oxime	3916184		P045	100
2-Butenal	123739 4170303		U053	100
2-Butene, 1,4-dichloro- (I,T)	764410		U074	1
2-Butenoic acid, 2-methyl-, 7[[2, 3-dihydroxy-2-(1-meth- oxyethyl)-3-methyl-1-oxobutoxy]methyl]-2,3,5, 7a-tetrahydro-1H- pyrrolizine-1-yl ester, [1S-[1- alpha(Z), 7(2S*,3R*), 7a-alpha]]-	303344		U143	10
Butyl acetate	123864			5000
iso-Butyl acetate	110190	·		
sec-Butyl acetate	105464			
tert-Butyl acetate	540885			
n-Butyl alcohol (I)	71363		U031	5000
Butylamine	109739			1000
iso-Butylamine sec-Butylamine	78819 513495			
sec-Butylanime	13952846			
tert-Butylamine	75649			
Butyl benzyl phthalate	85687			100
n-Butyl phthalate	84742		U069	10
Butyric acid	107926		000)	5000
iso Butyric acid	79312			
Cacodylic acid	75605		U136	
Cadmium++2 <sup>+</sup>	7440439		0130	10
Cadmium acetate	543908			10
Cadmium bromide	7789426			10
Cadmium chloride	10108642			10
Cadmium oxide	1306190	100/10,000		10
Cadmium stearate	2223930	100/10,000		1
Calcium arsenate	7778441	500/10,000		1
Calcium arsenite	52740166	300/10,000		1
Calviani arbonito	32770100		1	1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Calcium carbide	75207			10
Calcium chromate	13765190		U032	10
Calcium cyanide Ca(CN)2	592018		P0221	10
Calcium dodecylbenzenesulfonate	26264062			1000
Calcium hypochlorite	7778543			10
Camphechlor	8001352	500/10,000		1
Camphene, octachloro-	8001352		P123	1
Cantharidin	56257	100/10,000		1
Carbachol chloride	51832	500/10,000		1
Captan	133062			10
Carbamic acid, ethyl ester	51796		U238	100
Carbamic acid, methylnitroso-, ethyl ester	615532		U178	1
Carbamic acid, Methyl-, 0-(((2,4-Dimethyl-1, 3- Dithiolan-2-yl)Methyliene)Amino)-	26419738	100/10,000		1
Carbamic chloride, dimethyl-	79447		U097	1
Carbamodithioic acid, 1,2- ethaneiylbis, salts & esters	111546		U114	5000
Carbamothioic acid, bis(1- methylethyl)-, S-(2,3-dichloro-2- propenyl) ester	2303164		U062	100
Carbaryl	63252			100
Carbofuran	1563662	10/10,000		. 10
Carbon disulfide	75150	10,000	P022	100
Carbon oxyfluoride (R,T)	353504		U033	1000
Carbon tetrachloride	56235		U211	10
Carbonic acid, dithallium(1+)salt	6533739		U215	100
Carbonic dichloride	75445		P095	10
Carbonic difluoride	353504		U033	1000
Carbonochloridic acid, methyl ester	79221		U156	1000
Carbophenothion	786196	500		1
Chloral	75876		U034	5000
Chlorambucil	305033		U035	10
Chlordane	57749	1000	U036	1
Chlordane, alpha & gamma isomers	57749		U036	1
Chlordane, technical	57749		U036	1
Chlorfenvinfos	470906	500		1
Chlorine	7782505	100		. 10
Chlormephos	24934916	500		1
Chlormequat chloride	999815	100/10,000		1

Table 4-1 (continued)

2AS No. <sup>1</sup> 494031 107200 79118 106478 108907 510156 59507 124481 75003 107073 627112 110758 67663 542881	Planning <sup>2</sup> Quantity (lb)  100/10,000  500 1000	Waste Number U026 P023 P024 U037 U038 U039	RQ (lb) <sup>3</sup> 100  1000  1 1000  100  100  100  100
107200 79118 106478 108907 510156 59507 124481 75003 107073 627112 110758 67663 542881	500	P023 P024 U037 U038	100 1000 1 1000 100 10 5000 100
79118 106478 108907 510156 59507 124481 75003 107073 627112 110758 67663 542881	500	P024 U037 U038	1000 100 10 10 5000 100
106478 108907 510156 59507 124481 75003 107073 627112 110758 67663 542881	500	U037 U038	1000 100 10 10 5000 100
108907 510156 59507 124481 75003 107073 627112 110758 67663 542881		U037 U038	100 10 5000 100
510156 59507 124481 75003 107073 627112 110758 67663 542881		U038	10 5000 100
59507 124481 75003 107073 627112 110758 67663 542881			5000 100
124481 75003 107073 627112 110758 67663 542881		U039	100
75003 107073 627112 110758 67663 542881			
107073 627112 110758 67663 542881			100
627112 110758 67663 542881			
110758 67663 542881	1000		1
67663 542881		1	1
67663 542881		U042	1000
542881	10,000	U044	10
	100		1
107302	100	U046	10
91587		U047	5000
91587		U047	5000
3691358	100/10,000		1
95578		U048	100
7005723			5000
5344821		P026	100
542767		P027	1000
7790945			1000
3165933		U049	100
2921882			1
1982474	500/10,000		1
21923239	500		1
1066304			1000
11115745			10
7738945	·		
		U032	10
1	1/10,000		1
			1000
	-		5000
ì			1000
		U050	100
2207765	100/10,000		1
	7790945 3165933 2921882 1982474 21923239 1066304 11115745	7790945 3165933 2921882 1982474 500/10,000 21923239 500 1066304 11115745 7738945 3765190 0025737 1/10,000 0101538 7440473 0049055 218019	7790945 3165933 U049 2921882 1982474 500/10,000 21923239 500 1066304 11115745 7738945 3765190 U032 0025737 1/10,000 0101538 7440473 0049055 218019 U050

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Cobaltous bromide	7789437			1000
Colbalt carabonyl	10210681	10/10,000		1
Cobaltous formate	544183			1000
Colbaltous sulfamate	14017415			1000
Coke Oven Emissions	NA			1
Colchicine	64868	10/10,000		1
Copper cyanide	544923		P029	10
Coumaphos	56724	100/10,000		10
Coumatetralyl	5836293	500/10,000		1
Creosote	8001589	,	U051	1
Cresol(s)	1319773		U052	1000
m-Cresol	108394			
o-Cresol	95487	1000/10,000		1000
p-Cresol	106445	·		
Cresylic acid	1319773		U052	1000
m-Cresol	108394			
o-Cresol	95487			
p-Cresol	106445			
Crimidine	535897	100/10,000		1
Crotonaldehyde	123739	1000	U053	100
	4170303	100		100
Cumene (I)	98828		U055	5000
Cupric acetate	142712			100
Cupric acetoarsenite	12002038			1
Cupric chloride	7447394			10
Cuprice nitrae	3251238			100
Cupric oxalate	5893663			100
Cupric sulfate	7758987			10
Cupric sultate, ammoniated	10380297			100
Cupric tartrate	815827			100
Cyanides (soluble salts and complexes)	57125		P030	10
not otherwise specified				
Cyanogen	460195		P031	100
Cyanogen bromide	506683	500/10,000	U246	1000
Cyanogen chloride	506774		P033	10
Cyanogen iodide	506785	1000/10,000		1
Cyanophos	2636262	1000		1
Cyanuric fluoride	675149	100		. 1
2,5-Cyclohexadiene-1,4-dione	106514		U197	10
Cyclohexane (I)	110827		U056	1000

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Cyclohexane, 1,2,3,4,5,6-hexachloro, (1-alpha, 2-alpha, 3-beta, 4-alpha, 5-alpha, 6-beta)-	58899		U129	1
Cyclohexanone (I)	108941		Y057	5000
2Cyclohexanone	131895		P034	100
Cycloheximide	66819	100/10,000		1
Cyclohexylamine	108918	10,000		1
1,3-Cyclopentadiene, 1,2,3,4,5,5-hexachloro-	77474		U130	10
Cyclophosphamide	50180		U058	10
2,4-D Acid	94757		U240	100
2,4-D Ester	94111 94791 94804 1320189			100
	1928387 1928616 1929733 2971382 25168267			
2,4-D, salts & esters	53467111 94757		U240	100
Daunomycin	20830813		U059	100
Decarborane(14)	17702419	500/10,000	0037	10
Demeton	8065483	500		1
Demeton-S-Methyl	919868	500		1
DDD, 4,4'DDD	72548		U060	. 1
DDD, 4,4'DDE	72559			1
DDT, 4,4'DDT	50293		U061	1
Diallate	2303164		U062	100
Dialifor	10311849	100/10,000	0002	100
Diazinon	333415	100/10,000		1
Dibenz[a,h]anthracene	53703		U063	1
1,2:5,6-Dibenzanthracene	53703		U063	1
Dibenzo[a,h]anthracene	53703		U063	1
Dibenz[a,i]pyrene	189559	· .	· U064	10
1,2-Dibromo-3-chloropropane	96128		U066	1
Diborane	19287457	100		1
Dibutyl phthalate	84742	100	U069	10
Di-n-butyl phthalate	84742		U069	10
Dicamba	1918009			1000

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Dichlobenil	119456			100
Dichlone	117806			1
Dichlorobenzene	25321226			100
m-Dichlorobenzene (1,3)	541731		U071	100
o-Dichlorobenzene (1,2)	95501		U070	100
p-Dichlorobenzene (1,4)	106467		U072	100
3,3'-Dichlorobenzidine	91941		U073	1
Dichlorobromomethane	75274			5000
1,4-Dichloro-2-butene (I,T)	764410		U074	1
Dichloroifluoromethane	75718		U075	5000
1,1-Dichloroethane	75343		U076	1000
1.2-Dichloroethane	107062		U077	100
1,1-Dichloroethylene	75354		U078	100
1,2-Dichloroethylene	156605		U079	1000
Dichloroethyl ether	11444	10,000	U025	10
Dichloroisopropyl ether	108601		U027	1000
Dichloromethoxy ethane	111911		U024	1000
Dichloromethyl ether	542881	•	P016	10
Dichloromethylphenylsilane	149746	1000		1
2,4-Dichlorophenol	120832		U081	100
2,6-Dichlorophenol	87650		U082	100
Dichlorophenylarsine	696286		P036	1
Dichloropropane 1,1-Dichloropropane	26638197 78999			1000
1,3-Dichloropropane	142289			4000
1,2-Dichloropropane	78875		U083	1000
Dichloropropane-Dichloropropene (mixture)	8003198			100
Dichloropropene	26952238			100
2,3-Dichloropropene	78886		77004	100
1,3-Dichloropropene	542756		U084	100
2,2-Dichloropropionic acid	75990			5000
Dichlorvos	62737	1000		100
Dicofol	115322			10
Dicrotophos	141662	100		1
Dieldrin	60571		P037	1
1,2:3,4-Diepoxybutane (I,T)	1464535	500	U085	10
Diethyl chlorophospate	814493	500		1
Diethylamine	109897			100
Diethylarsine	692422		P038	1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Diethylcarbmazine citrate	1642542	100/10,000		1
1,4-Diethylenedioxide	123911	,	U108	100
Diethylhexyl phthalate	117817		U028	100
N,n'-Diethylhydrazine	1615801		U086	10
O,O-Diethyl S-methyl dithiophosphate	3288582		U087	5000
Diethyl-p-nitrophenyl phosphate	311455		P041	100
Diethyl phthalate	84662		P088	1000
O,O-Diethyl O-pyrazinyl phosphorothioate	297972		P040	100
Diethylstilbestrol	56531		U089	1
Digitoxin	71636	100/10,000		1
Diglycidyl Ether	2238075	1000		1
Digoxin	20830755	10/1000		1
Dihydrosafrole	94586	,	U090	10
Diisopropylfluorophosphate, 1,2,3,4, 10,10-10-hexa-chloro-1,4,4a,5,8, 8a-hexahydro-(1-alpha, 4-alpha, 4-beta, 5-alpha, 8-alpha,	309002	·	U004	1
8a-beta)1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5, 8,8a-hexahydro, (1-alpha, 4-alpha, 4a-beta, 5a-beta, 8-beta,	465736		P060	1
8a-beta)-2,7:3,6-Dimethanon-aphth[2,3 b]oxirene,3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1a-alph, 2-beta, 2a-alpha, 3-beta, 6-beta	60571		P037	1
6a-alpha, 7beta, 7aalpha)-2,7:3,6 Dimethanonaphth[2,3-b]oxirene, 3,4,5,6,9,9-hexachloro-1a,2,2a, 3,6,6a,7,7a-octa-hydro-, (1a-alpha, 2-beta, 2a-beta, 3-alpha, 6-alpha,	72206		P051	1
6a-beta, 7-beta, 7a-alpha)-Dimethoate	60515		P044	10
3,3'-Dimethoxybenzidine	119904		U091	100
Dimefox	115264	500		1
Dimethoate	60515	500/10,000		10
Dimethyl Phosphorochloridothioate	2524030	500		1
Dimethyl sulfate	77781	500		1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Dimethyl sulfide	75183	100		1
Dimethylamine (I)	124403		U092	1000
p-Dimethylaminoazobenzene	60117		U093	10
7,12-Dimethylbenz[a]anthracene	57976		U094	1
3,3'Dimethylbenzidine	119937		U095	10
alpha, alpha- Dimethylbenzylhydroperoxide (R)	80159	·	U096	10
Dimethylcarbamoyl chloride	79447		U097	1
Dimethyldichlorosilane	75785	500		1
1,1-Dimethylhydrazine	57147	1000	U098	1
1,2-Dimethylhydrazine	540738		U099	1
alpha, alph-Dimethylphenethylamine	122098		P046	5000
Dimethyl-p-phenylenediamine	99989	10/10,000	·	1
2,4-Dimethylphenol	105679		U101	100
Dimethyl phthalate	131113		U102	5000
Dimethyl sulfate	77781		U103	100
Dimetilian	644644	500/10,000	-	1
Dinitrobenzene (mixed)	25154545			100
m-Dinitrobenzene	99650			
o-Dinitrobenzene	528290			
p-Dinitrobenzene	100254			
4,6-Dinitro-o-cresol and salts	534521	10/10,000	P047	10
Dinitrophenol	25550587			10
2,5-Dinitrophenol	329715			
2,6-Dinitrophenol	573568		P048	10
2,4-Dinitrophenol	51285 25321146		P046	10
Dinitrotoluene 3,4-Dinitrotoluene	610399		:	10
2,4-Dinitrotoluene	121142		U105	10
2,6-Dinitrotoluene	606202		U106	100
Dinoseb	88857	100/10,000	P020	1000
	1420071	500/10,000	F020	1000
Dinoterb	l	300/10,000	U107	5000
Di-n-octyl phthalate	117840		U107	100
1,4-Dioxane	123911	500	0108	
Dioxathion	78342	500 10/10,000		1 1
Diphacinone	82666	10/10,000	11100	
1,2-Diphenylhydrazine	122667	100	U109	100
Disphosphoramide, octamethyl-	152169	100	P085	100
Diphosphoric acid, tetraethyl ester	107493		P111	10
Dipropylamine	142847		U110	5000
Di-n-propylnitrosamine	621647		U111	10

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Diquat	85007			1000
	2764729			
Disulfoton	298044	500	P039	1
Dithiazanine iodine	514738	500/10,000		1
Dithiobiuret	541537	100/10,000	P049	100
Diuron	330541			100
Dodecylbenzenesulfonic acid	27176870			1000
Emetine, Dihydrochloride	316427	1/10,000		1
Endosulfan	115297	10/10,000	P050	1
alpha-Endosulfan	959988			1
beta-Endosulfan	33213659			1
Endosulfant sulfate	1031078			1
Endothall	145733		P088	1000
Endothion	2778043	500/10,000		1
Endrin	72208	500/1000	P051	1
Endrin aldehyde	742934			1
Endrin & metabolites	72208		P051	1
Epichlorohydrin	106898	1000	U041	1000
Epinephrine	51434		P042	1000
EPN	2104645	100/10,000		1
Ergocalciferol	50146	1000/10,000		1
Ergotamine tartrate	379793	500/10,000		. 1
Ethanal	75070		U001	1000
Ethanamine, N-ethyl-N-nitroso-	55185		U174	1
1,2-Ethanediamine, N,N-dimethyl-N'- 2-pyridinyl-N'-(2-thienylmethyl)-	91805		U155	5000
Ethane, 1,2-dibromo-	106934		U067	1
Ethane, 1,1-dichloro-	75343		U076	1000
Ethane, 1,2-dichloro-	107062		U077	100
Ethanedinitrile	460195		P031	100
Ethane, hexachloro-	67721		U131	100
Ethane, 1,1'-[methylenebis(oxy)] bis(2-chloro-	111911		U024	1000
Ethane, 1,1'-oxybis-	60297		U117	100
Ethane, 1,1'-oxybis(2-chloro-	111444		U025	10
Ethane, pentachloro-	76017		U184	10
Ethanesulfonyl chloride, 2-chloro	1622328	500		1
Ethane, 1,1,1,2-tetrachloro-	630206		U208	100
Ethane, 1,1,2,2-tetrachloro-	79345	·	U209	100

Table 4-1 (continued)

	gray 1	Threshold Planning <sup>2</sup>	USEPA Waste	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	
Ethanethioamide	62555		U218	10
Ethane, 1,1,1-trichloro-	71556		U226	1000
Ethane, 1,1,2-trichloro-	79005		U227	100
Ethanimidothioic acid, N-[[(methylamino) carbonyl]oxy]-, methyl ester	16752775		P066	100
Ethanol, 1,2-Dichloro-, acetate	10140871	1000		1
Ethanol, 2-ethoxy-	110805		U359	1000
Ethanol, 2,2'-(nitrosoimino)bis-	1116547		U173	1
Ethanone, 1-phenyl-	98862		U004	5000
Ethene, chloro-	75014		U043	1
Ethene, 2-chloroethoxy-	110758		U042	1000
Ethene, 1,1-dichloro-	75354		U078	100
Ethene, 1,2-dichloro- (E)	156605		U079	1000
Ethene, tetrachloro-	127184		U210	100
Ethene, trichloro-	79016		U228	100
Ethion	563122	1000		10
Ethoprophos	13194484	1000		1
Ethyl acetate (I)	141786		U112	5000
Ethyl acrylate (I)	140885		U113	1000
Ethylbenzene	100414			1000
Ethylbis(2-Chloroethyl)amine	538078	500		. 1
Ethyl carbamate (urethane)	51796		U238	100
Ethyl cyanide	107120		P101	10
Ethylenebisdithiocarbamic acid, salts, andesters	111546		U114	5000
Ethylenediamine	107153		·	5000
Ethylenediamine-tetraacetic acid (EDTA)	60004			5000
Ethylene dibromide	106934		U067	1
Ethylene dichloride	107062		U077	100
Ethylene fluorohydrin	371620	10		1
Ethylene glycol monoethyl ether	110805		U359	1000
Ethylene oxide (I,T)	75218	. 1000	U115	10
Ethylenediamine	107153	10,000		5000
Ethylenethiourea	96457		U116	10
Ethylenimine	151564	500	P054	1
Ethyl ether (I)	60297	•	U117	100
Ethylthiocyanate	542905	10,000		1
Ethylidene dichloride	75343		U076	1000

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Ethyl methacrylate	97632		U118	1000
Ethyl methanesulfonate	62500		U119	1
Famphur	52857		P097	1000
Fenamiphos	22224926	10/10,000		1
Fenitrothion	122145	500		1
Fensulfothion	115902	. 500		1
Ferric ammonium citrate	1185575			1000
Ferric ammonium oxalate	2944674			1000
	55488874		;	
Ferric chloride	7705080			100
Ferric fluoride	7783508			1000
Ferric nitrate	10421484			1000
Ferric sulfate	10028225			1000
Ferrous ammonium sulfate	10045893			1000
Ferrous chloride	7758943			100
Ferrous sulfate	7720787			1000
	7782630			
Fluentil	4301502	100/10,000		1
Fluoranthene	206440	·	U120	100
Fluorene	86737			5000
Fluorine	7782414	500	P056	10
Fluoroacentamide	640197	100/10,000	P057	100
Fluoracetic acid	144490	10/10,000		1
Fluoroacetic acid, sodium salt	62786		P058	10
Fluoroacetyl chloride	359068	10		1
Fluorouracil	51218	500/10,000		1
Fonofos	944229	500		1
Formaldehyde	50000	500	U122	100
Formaldehyde cyanohydrin	107164	1000		1
Formetanate hydrochloride	23422539	500/10,000		1
Formothion	2540821	100		1
Formparanate	17702577	100/10,000		1
Formic acid (C,T)	64186		U123	5000
Fosthietan	21548323	500		1
Fuberidazole	3878191	100/10,000		1
Fulminic acid, mercury(2), salt (R,T)	628864		P065	10
Fumaric acid	110178			5000
Furan (I)	110009	500	U124	100, 100
Furan, tetrahydro- (I)	109999		U213	1000
2-Furancarboxaldehyde (I)	98011		U125	5000

Table 4-1 (continued)

	1	Threshold Planning <sup>2</sup>	USEPA Waste	RQ
Hazardous Waste/Substances	CAS No. <sup>1</sup>	Quantity (lb)	Number	(lb) <sup>3</sup>
2,5-Furandione	108316		U147	5000
Furfural (I)	98011		U125	5000
Furfuran (I)	110009		U124	100
Gallium trichloride	13450903	500/10,000		1
Glucopyranose, 2-deoxy-2- (3-methyl-3-nitrosoureido)-	18883664		U206	1
D-Glucose, 2-deoxy-2- [[(methylnitrosoamino)- carbonyl]amino]-	18883664		U206	1
Glycidylaldehyde	765344		U126	10
Guanidine, N-methyl-N'-nitro- N-nitroso-	70257		U163	10
Guthion	86500			1
Heptachlor	76448		P059	1
Heptachlor epoxide	1024573			1
Hexachlorobenzene	118741		U127	10
Hexachlorobutadiene	87683		U128	1
Hexachlorocyclohexane (gamma isomer)	58899		U129	1
Hexachlorocyclopentadiene	77474	100	U130	10
Hexachloroethane	67721		U131	100
Hexachlorophene	70304		U132	100
Hexachloropropene	1888717		U243	1000
Hexaethyl tetraphosphate	757584		P062	100
Hexamethylenediamine, N,N'- Dibutyl	4835114	500		1
Hydrazine (R,T)	302012	1000	U133	1
Hydrazine, 1,2-diethyl-	1615801		U086	10
Hydrazine, 1,1-dimethyl-	57147		U098	10
Hydrazine, 1,2-dimethyl-	540738		U099	1
Hydrazine, 1,2-diphenyl-	122667	•	U109	10
Hydrazine, methyl-	60344		P068	10
Hydrazinecarbothioamide	79196		P116	100
Hydrochloric acid	7647010		·	5000
Hydrocyanic acid	74908	100	P063	10
Hydrofluoric acid	7664393		U134	100
Hydrogen chloride (gas only)	7647010	500		5000
Hydrogen cyanide	74908		P063	10
Hydrogen fluoride	7664393	100	U134	. 100
Hydrogen peroxide (Conc > 52%)	7722841	1000		1
Hydrogen selenide	7783075	10		1

Table 4-1 (continued)

		Threshold Planning <sup>2</sup>	USEPA Waste	RQ
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	$(lb)^3$
Hydrogen sulfide	7783064	500	U135	100
Hydroperoxide, 1-methyl-1-	80159		U096	10
phenylethyl-				
Hydroquinone	123319	500/10,000		1
2-Imidazoliainethione	96457		U116	10
Indeno(1,2,3-cd)pyrene	193395		U137	100
Iron, Pentacarbonyl-	13463406	100		1
Isobenzan	297789	100/10,000		1
1,3-Isobenzofurandione	85449		U190	5000
Isobutyronitrile	78820	1000		1
Isobutyl alcohol (I,T)	78831		U140	5000
Isocyanic acid, 3,4-Dichlorophenyl	102363	500/10,000		1
ester	465706	100/10 000	7060	
Isodrin	465736	100/10,000	P060	1
Isofluorphate	55914	100		100
Isophorone	78591			5000
Isophorone Diisocyanbate	4098719	100		1
Isoprene	78795			100
Isopropanolamine dodecylbenzene sulfonate	42504461			1000
Isopropyl chloroformate	108236	1000		1
Isopropyl formate	625558	500		, 1
Isoproplymethylpryrazolyl dimethylcarbamate	119380	500		1
Isosafrole	120581		U141	100
3(2H)-Isoxazolone, 5-(aminomethyl)-	2763964		P007	1000
Kepone	143500		U142	1000
Lactonitrile	78977	1000	0142	1
Lasiocarpine	303344	1000	U143	10
Lead acetate	301042		U144	#
Lead arsenate	7784409		0144	1
Load arsonate	7645252			1
·	10102484			
Lead, bis(acetato-O)tetrahydroxytri	1335326		U146	100
Lead chloride	7758954.			100
Lead fluoborate	13814965			100
Lead iodide	10101630			100
Lead nitrate	10099748			100
Lead phosphate	7446277		U145	#

Table 4-1 (continued)

		Threshold Planning <sup>2</sup>	USEPA Waste	RQ
Hazardous Waste/Substances	CAS No. <sup>1</sup>	Quantity (lb)	Number	$(lb)^3$
Lead stearate	7428480			5000#
	1072351			
	52652592			
	56189094		U146	100
Lead subacetate	1335326		0140	100
Lead sulfate	15739807			100
	7446142			5000#
Lead sulfide	1314870			100
Lead thiocyanate	592870	500/10 000		
Leptophos	21609905	500/10,000		1
Lewisite	541253	10	T/100	1
Lindane	58899	1000/10,000	U129	1
Lithium chromate	14307358			10
Lithium hydride	7580678	100		1
Malathion	121755			100
Maleic acid	110167			5000
Maleic anhydride	108316		U147	5000
Maleic hydrazide	123331		U148	5000
Malononitrile	109773	500/10,000	U149	1000
Manganese, tricarbonyl	12108133	100		1
methylcyclopentadienyl				
Mechlorethamine	51752	10		1
Melphalan	148823		U150	1
Mephosfolan	950107	500		1
Mercaptodimethur	2032657			10
Mercuric acetate	1600277	500/10,000	•	1
Mercuric chloride	747947	500/10,000		1
Mercuric cyanide	592041			1
Mercuric nitrate	10045940			10
Mercuric oxide	21908532	500/10,000		1
Mercuric sulfate	7783359			10
Mercuric thiocyanate	592858			10
Mercurous nitrate	10415755			10
	7782867			
Mercury	7439976		U151	1
Mercury (acetate-O)phenyl-	62384		P092	100
Mercury fulminate	628864		P065	10
Methacrolein diacetate	10476956	1000		1
Methacrylic anhydride	760930	500		. 1
Methacrylonitrile (I,T)	126987	500	U152	1000
Methacryloyl chloride	920467	100		1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Methacryloyloxyethyl isocyanate	30674807	100		1
Methamidophos	10265926	100/10,000		1
Methanamine, N-methyl-	124403		U092	1000
Methanamine, N-methyl-N-nitroso-	62759		P082	10
Methane, bromo-	74839		U029	1000
Methane, chloro- (I,T)	74873		U045	100
Methane, chloromethoxy-	107302		U046	10
Methane, dibromo-	74953		U068	1000
Methane, dichloro-	75092		U080	1000
Methane, dichlorodifluoro-	75718		U075	5000
Methane, iodo-	74884		U138	100
Methane, isocyanato-	624839		P064	##
Methane, oxybis(chloro-	542881		P016	10
Methanesulfenyl chloride, trichloro-	594423		P118	100
Methanesulfonyl fluoride	558258	1000		1.
Methanesulfonic acid, ethyl ester	62500		U119	1
Methane, tetrachloro-	56235		U211	10
Methane, tetranitro- (R)	509148	· · · · · · · · · · · · · · · · · · ·	P112	10
Methane, tribromo-	75252		U225	100
Methane, trichloro-	67663		U044	10
Methane, trichlorofluoro-	75694		U121	5000
Methanethiol (I,T)	74931		U153	100
6,9-Methano-2,4,3-benzodioxathiepin, 6,7,8,9,10,10-hexa-chloro-1,5,5a, 6,9,9a-hexahydro-, 3-oxide	115297		P050	1
1,3,4-Metheno-2H-cyclobutal[cd] pentalen-2-one,1,1a,3,3a,4, 5,5a,5b,6-decachlorocatahydro-	143500		U142	1
4,7-Methano-1H-indene, 1,4,5,6,7,8,8 heptachloro-3a, 4,7,7a-tetrahydro-	76448		P059	1
4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8 octachloro-2,3, 3a,4,7,7a-hexahydro-	57749		U036	1
Methanol (I)	67561		U154	5000
Methapyrilene	91805		U155	5000
Methidathion	950378	500/10,000		1
Methiocarb	2032657	500/10,000		10

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Methomyl	16752775	500/10,000	P066	100
Methoxychlor	72435		Y247	1
Methoxyethylmercuric acetate	151382	500/10,000		1
Methyl alcohol (I)	67561		U154	5000
Methyl bromide	74839	1000	U029	1000
1-Methylbutadiene (I)	504609		U186	100
Methyl chloride (I,T)	74873		U045	100
Methyl 2-chloroacrylate	80637	500		1
Methyl chlorocarbonate (I,T)	79221		U156	1000
Methyl chloroform	71556		U226	1000
Methyl chloroformate	79221	500	U156	1000
Methyl disulfide	624920	100		1
3-Methylcholanthrene	56495		U157	10
4,4'-Methylenebis(2-chloroaniline)	101144		U158	10
Methylene bromide	74953		U068	1000
Methylene chloride	75092		U080	1000
Methyl ethyl ketone (MEK) (I,T)	78933		U159	5000
Methyl ethyl ketone peroxide (R,T)	1338234		U160	10
Methyl hydrazine	60344	500	P068	10
Methyl iodide	74884		U138	100
Methyl isobutyl ketone	108101		U161	5000
Methyl isocyanate	624839	500	P064	`##
Methyl isothiocyante	556616	500		1
2-Methyllactonitrile	75865		P069	10
Methyl mercaptan	74931	500	U153	100
Methyl methacrylate (I,T)	80626		U162	1000
Methyl parathion	298000		P071	100
Methyl phenkapton	3735237	500		1
Methyl phosphoric dichloride	676971	100		1
4-Methyl-2-pentanone (I)	108101	,	U161	5000
Methyl thiocyanate	556649	10,000		1
Methylthiouracil	56042		U164	10
Methyl vinyl ketone	78944	10	·	1
Methylmercuric dicyanamide	502396	500/10,000		1
Methyltrichlorosilane	75796	500		1
Metolcarb	1129415	100/10,000		1
Mevinphos	7786347	500		10
Mexacarbate	315184	500/10,000		1000
Mitomycin C	50077	500/10,000	U010	10
MNNG	70257		U163	10

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Monocrotophos	6923224	10/10,000		1
Monoethylamine	75047			100
Monomethylamine	73895			100
Muscimol	2763964	10,000	P007	1000
Mustard gas	505602	500		1
Naled	300765			10
5,12-Naphthaacenedione, 8-acetyl-10-[3 amino-2,3,6-tri-deoxy- alpha-L-lyxo-hexopyranosyl)- 7,8,9,10-tetrahydro- 6,8,11-trihydroxy-1-methoxy-, (8S-cis)-	20830813		U059	10
1-Naphthalenamine	134327		U167	100
2-Naphthalenamine	91598		U169	10
Naphthalenamine, N,N'-bis(2-chloroethyl)-	494031		U026	100
Naphthalene, 2-chloro-	91587		U047	5000
1,4-Naphthalenedione	130154		U166	5000
2,7-Naphthalenedisulfonic acid, 3,3' [(3,3'-dimethyl-(1,1'-biphenyl)- 4,4'-dryl)-bis(azo)]bis(5-amino- 4-hydroxy)-tetrasodium salt	72571		U236	10
Naphthenic acid	1338245			100
1,4-Naphthoquinone	130154		U166	5000
alpha-Naphthylamine	134327		U167	100
beta-Naphthylamine	91598		U168	10
alpha-Naphthylthiourea	86884		P072	100
Nickel++	7440020			100
Nickel ammonium sulfate	15699180			100
Nickel carbonyl	13463393	1	P073	10
Nickel carbonyl Ni(CO)4, (T-4)-	13463393		P073	10
Nickel chloride	7718549 37211055			100
Nickel cyanide	557197		P074	10
Nickel hydroxide	12054487			10
Nickel nitrate	14216752			100
Nickel sulfate	7786814			100
Nicotine & salts	54115	100	P075	100
Nicotine sulfate	65305	100/10,000		1
Nitric acid	7697372	1000		1000

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Nitric acid, thallium(1+) salt	10102451		U217	100
Nitric oxide	10102439	100	P076	10
p-Nitroaniline	100016		P077	5000
Nitrobenzene (I,T)	98953	10,000	U169	1000
Nitrocyclohexane	1122607	500		1
Nitrogen dioxide	10102440 10544726	100	P078	10
Nitrogen oxide	10102439		P076	10
Nitroglycenne	55630		P981	10
Nitrophenol (mixed) m-Nitrophenol	25154556 554847			100 100
o-Nitrophenol (2)	88755		11170	100 100
p-Nitrophenol (4)	100027		U170	100
2-Nitropropane (I,T)	96469		U171	
N-Nitrosodi-n-butylamine	924163		U172	10
N-Nitrosodiethanolamine	1116547		U173	1
N-Nitrosodiethylamine	55185	1000	U174	1
N-Nitrosodimethylamine	62759	1000	P082	10
N-Nitrosodiphenylamine	86306			100
N-Nitroso-N-ethylurea	759739		U176	1
N-Nitroso-N-methylurea	684935		U177	1
N-Nitroso-N-methylurethane	615532		U178	1
N-Nitrosomethylvinylamine	4549400		P084	10
N-Nitrosopipendine	199754		U179	10
N-Nitrosopyrrolidine	930552		U180	1
Nitrotoluene m-Nitrotoluene o-Nitrotoluene p-Nitrotoluene	1321126 99081 88722 99990			1000
5-Nitro-o-toluidine	99558		U181	100
Norbormide	991424	100/10,000		1
Octamethylpyrophosphoramide	152169	, della dell	P085	100
Organorhodium complex (PMN-82-147)	0	10/10,000		1
Osmium tetroxide	20816120		P087	1000
Ouabain	630604	100/10,000		1
7-Oxabicyclo[2,2,1]heptane-s,3-dicarboxylic acide	145733		P088	1000
Oxamyl	23135220	100/10,000		1
1,2-Oxathiolane, 2,2-dioxide	1120714		U193	10

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
2H-1,3,2-Oxazaphosphorin-2-amine, N,N bis(2-chloroethyl)tetrahydro-, 2-oxide	50180	Quantity (iii)	U058	10
Oxetane, 3,3-bis(chloromethyl)-	78717	500		
Oxirane (I,T)	75218		U115	10
Oxiranecarboxyaldehyde	765344		U126	10
Oxirane, (chloromethyl)-	106898		U041	100
Oxydisulfoton	2497076	500		1
Ozone	10028156	100		1
Paraformaldehyde	30525894			1000
Paraldehyde	123637		U182	1000
Paraquat	1910425	10/10,000		1
Paraquat methosulfate	2074502	10/10,000		1
Parathion	56382	100	P089	10
Parathion-methyl	298000	100/10,000		100
Paris green	12002038	500/10,000		100
Pentaborane	19624227	500		1
Pentachlorobenzene	608935		U183	10
Pentachlorethane	76017		U184	10
Pentachlorophenol	87865		U242	10
Pentachloronitrobenzene (PCNB)	82688		· U185	100
Pentadecylamine	2570265	100/10,000		, 1
Peracetic acid	79210	500		1
1,3-Pentadiene (I)	504609		U186	100
Perachloroethylene	127184		U210	100
Perchloromethylmercaptan	594423	500		100
Phenacetin	62442	-	U187	100
Phenanthrene	85018			5000
Phenol	108952	500/10,000	U188	1000
Phenol, 2-chloro-	95578		U048	100
Phenol, 4-chloro-3-methyl-	59507		U039	5000
Phenol, 2-cyclohexyl-4,6-dinitro-	131895		P034	100
Phenol, 2,4-dichloro	120832		U081	100
Phenol, 2,6-dichloro-	87650		U082	100
Phenol, 4,4'-(1,2-diethyl-1,2-ethenediyl)bis-, (E)	56531	•	U089	1
Phenol, 2,4-dimethyl-	105679		U101	100
Phenol, 2,4-dinitro-	51285		P048	10

Table 4-1 (continued)

II. Weste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances		Quantity (10)	U052	1000
Phenol, methyl-	1319773		0032	1000
m-Cresol	108394 95487			
o-Cresol	106445			
p-Cresol	534521		P047	10
Phenol, 2-methyl-4,6-dinitro-			U132	100
Phenol, 2,2'-methylenebis[3,4,6-trichloro-	70304		0132	
Phenol, 2,2'-thiobis(4,6-dichloro-	97187	100/10,000		1
Phenol, 2,2'-thiobis(4-chloro-6-methyl)-	4418660	10/10,000		1
Phenol, 2-(1-methylpropyl)-4,6-dinitro	88857		P020	1000
Phenol, 3-(1-methylethyl)-, methylcarbamate	64006	500/10,000		1
Phenol, 4-nitro-	100027		U170	100
Phenol, pentachloro-	87865		U242	10
Phenol, 2,3,4,6-tetrachloro-	58902		U212	10
Phenol, 2,4,5-trichloro-	95954		U230	10
Phenol, 2,4,6-trichloro-	88062		U231	10
Phenol, 2,4,6-trinitro-, ammonium salt	131748		P009	10
Phenoxarsine, 10,10'-oxydi-	58366	500/10,000		1
L-Phenylalanine, 4-[bis(2-chloroethyl) aminol]	148823		U150	1
Phenyl dichloroarsine	696286	500		1
1,10-(1,2-Phenylene)pyrene	193395		U137	100
Phenylhydrazine hydrochloride	59881	1000/10,000		1
Phenylmercury acetate	62384	500/10,000	P092	100
Phenylsilatrane	2097190	100/10,000		1
Phenylthiourea	103855	100/1000	P093	100
Phorate	298022	10	P094	1010
Phosacetim	4104147	100/10,000		1
Phosfolan	947024	100/10,000		1
Phosgene	75445	10	P095	10
Phosmet	732116	10/10,000		1
Phosphamidon	13171216	100		1
Phosphine	7803512	500		100
Phosphonothioic acid, methyl-, o-ethyl o-(4-(methylthio)phenyl) ester	2703131	500		1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Phosphonothioic acid, methyl-, s-(2-(bis(1- methylethyl)amino) ethyl o-ethyl ester	50782699	100		1
Phosphonothioic acid, methyl-, 0-(4-nitrophenyl) o-phenyl ester	2665307	500		1
Phosphoric acid	7664382			5000
Phosphoric acid, diethyl 4-nitrophenyl ester	311455		P041	100
Phosphoric acid, dimethyl 4-(methylthio) phenyl ester	3254635	500		1
Phosphoric acid, lead(2+) salt (2:3)	7446277	500	U145	#
Phosphorodithioic acid, O,O-diethyl S-[2(ethylthio)ethyl]ester	298044		P039	1
Phosphorodithioic acid, O,O-diethyl S(ethylthio), methyl ester	298022		P094	10
Phosphorodithioic acid, O,O-diethyl S-methyl ester	3288582		U087	5000
Phosphorodithoic acid, O,O-dimethyl S-[2(methyl-amino)-2-oxoethyl] ester	60515		P044	10
Phosphorofluondic acid, bis(1-methylethyl)ester	55914		P043	100
Phsphorothioic acid, O,O-diethyl O-(4-nitrophenyl) ester	56382		P089	10
Phosphorothioic acid, O,[4[(dimethylamino)sulfonyl]phenyl]O,Odimethyl ester	52857		P097	1000
Phosphorothioic acid, O,O-dimethyl O-(4-nitrophenyl) ester	298000		P071	100
Phosphorus	7723140	100		1
Phosphorus oxycloride	10025873	500		1000
Phosphorous pentachloride	10026138	500		1
Phosphorus pentasulfide (R)	1314803		U189	100
Phosphorus pentoxide	1314563	10		1
Phosphorus trichloride	7719122	1000		1000
Phthalic anhydride	85449		U190	5000
Physostigmine	57476	100/10,000		1
Phosostigmine, salicylate (1:1)	57647	100/10,000		1
2-Picoline	109068		U191	5000
Picotoxin	124878	500/10,000		1
Piperidine	110894	1000		1
Piperidine, 1-nitroso-	100754		U179	10

Table 4-1 (continued)

	CAS No.1	Threshold Planning <sup>2</sup>	USEPA Waste Number	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances		Quantity (lb)	Number	`
Piprotal	5281130	100/10,000		1
Primifos-ethyl	23505411	1000	D110	
Plumbane, tetraethyl-	78002		P110	10
PCBs (See Aroclor)	1336363			1
Potasium arsenate	7784410			1 1000
Potassium arsenite	10124502	500/10,000		1000
Potassium bichromate	7778509			10
Potassium chromate	7789006			10
Potassium cyanide	151508	100	P098	10
Potassium hydroxide	1310583			1000
Potassium permanganate	7722647			100
Potassium silver cyanide	506516	500	P099	1
Promecarb	2631370	500/10,000		1
Pronamide	23950585		U192	5000
Propanal, 2-methyl-2-(methylthio)-, O-[(methylamino)carbonyl] oxime	116063		P070	1
1-Propanamine (I,T)	107108		U194	5000
1-Propanamine, N-propyl-	142847		U110	5000
1-Propanamine, N-nitroso-N-proply-	621647		U111	10
Propane, 1,2-dibromo-2-chloro	96128		U066	1
Propane, 2-intro- (I,T)	79469		U171	10
1,3-Propane sultone	1120714		U193	10
Propane 1,2-dichloro-	78875		U083	1000
Propanedinitrile	109773		U149	100
Propanenitrile	107120		P101	10
Propanenitrile, 2-chloro-	542767		P027	1000
Propanenitrile, 2-hydroxy-2-methyl-	75865		P069	10
Propane, 2,2'-oxybis[2-chloro-	108601		U027	1000
1,2,3-Propanetnol, trinitrate- (R)	55630		P081	10
1-Propanol, 2,3-dibromo-, phosphate (3:1)	126727		U235	10
1-Propanol, 2-methyl- (I,T)	78831		U140	5000
2-Propanone (I)	67641		U002	5000
2-Propanone, 1-bromo-	598312		P017	1000
Propargite	2312358			10
Propargyl alcohol	107197		P102	1000
Propargyl bromide	106967	10		1
2-Propenal	107028		P003	1
2-Propenamide	79061		U007	5000

Table 4-1 (continued)

		Threshold	USEPA	D.O.
Hazardous Waste/Substances	CAS No.1	Planning <sup>2</sup> Quantity (lb)	Waste Number	RQ (lb) <sup>3</sup>
1-Propene, 1,1,2,3,3,3-hexachloro-	1888717	•	U243	1000
1-Propene, 1,3-dichloro-	542756		U084	100
2-Propenenitrile	107131		U009	100
2-Propenenitrile, 2-methyl- (I,T)	126987		U152	1000
2-Propenoic acid (I)	79107		U008	5000
2-Prepenoic acid, ethyl ester (I)	140885		U113	1000
2-Prepenoic acid, 2-methyl-, ethyl ester	97632		U118	1000
2-Prepenoic acid, 2-methyl-, methyl ester (I,T)	80626		U162	1000
2-Propen-1-o1	107186		P005	100
Propiolactone, beta-	57578	500		1
Propionic acid	79094			5000
Propionic acid, 2-(2,4,5-trichlorophenoxyl)-	93721		U233	100
Propionic anhydride	123626			5000
Propiolactone, beta	57578	500		1
Propionitrile	107120	500		10
Propionitrile, 3-chloro-	542767	1000		1000
Propiophenone, 4-amino	70699	100/10,000		1
n-Propylamine	107108		U194	5000
Propyl chloroformate	109615	500		1
Propylene dichloride	78875		U083	1000
Propylene oxide	75569	10,000		100
1,2-Propylenimine	75558	10,000	P067	1
2-Propyn-1-o1	107197		P102	1000
Prothoate	2275185	100/10,000		1
Pyrene	129000	1000/10,000		5000
Pyrethrins	121299 121211			1
3,6-Pyridazinedione, 1,3-dihydro-	8003347		T71.40	5000
4-Pyridinamine	123331 504245		U148 P008	5000
Pyridine	110861			1000
Pyridine, 2-methyl-	109068		U196 U191	1000
Pyridine, 2-methyl-5-vinyl-	140761	500	0191	5000
Pyridine, 4-amino-	504245	500/10 000		1
Pyridine, 4-nitro-, 1-oxide	1124330	500/10,000		1000
Pyridine, 3-(1-methyl-2-	54115	500/10,000	D075	100
pyrrolidinyl)-, (S)	34113		P075	100

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
2,4-(1H,3H)-Pyrimidinedione,	66751		U237	10
5-[bis(2-chloroethyl)amino]-				
4(1H)-Pyrimidinone,	56042	·	U164	10
2,3-dihydro-6-methyl-2-thioxo-				
Pyriminil	53558251	100/10,000	·	1
Pyrrolidine, 1-nitroso-	930552		U180	1
Quinoline 91225	91225			5000
Reserpine	50555		U200	5000
Resorcinol	106463		U201	5000
Sacchann and salts	81072		U202	100
Salcomine	14167181	500/10,000		1
Sarin	107448	10		1
Satrole	94597		U203	100
Selenious acid	7783008	1000/10,000	U204	10
Selenious acid, dithallium (1+) salt	12039520		P114	1000
Selenium ++	7782492			100
Selenium dioxide	7446084		U204	10
Selenium oxychloride	7791233	500		1
Selenium sulfide (R,T)	7488564		U205	10
Selenourea	630104		P103	1000
Semicarbazide hydrochloride	56417	1000/10,000		1
L-Senne, diazoacetate (ester)	115026		U015	1
Silane, (4-aminobutyl)diethoxymethyl-	3037727	1000		1
Silver++	7440224			1000
Silver cyanide	506649		P104	1
Silver nitrate	7761888	•		1
Silvex (2,4,5-TP)	93721		U233	100
Sodium	7440235			10
Sodium arsenate	7631892	1000/10,000		1
Sodium arsenite	7784465	500/10,000		1
Sodium azide	26628228	500	P105	1000
Sodium bichromate	10588019			10
Sodium bifluoride	1333831			100
Sodium bisulfite	7631905			5000
Sodium Cacodylate	124652	100/10,000		1.
Sodium chromate	7775113			10
Sodium cyanide	143339		P106	10
Sodium dodecylbenzenesulfonate	25155300			1000
Sodium fluoride	7681494			1000

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Sodium fluoroacetate	62748	10/10,000		10
Sodium hydrosulfide	16721805	10,10,000		5000
Sodium hydroxide	1310732			1000
Sodium hypochlorite	7681529			1000
Source	10022705			1000
Sodium methylate	124414			1000
Sodium nitrite	763200			100
Sodium prentachlorophenate	131522	100/10,000		1
Sodium phosphate, dibasic	7558794 10039324 10140655			5000
Sodium phosphate, tribasic	7601549 7758294 7785844 10101890 10124568 10361894			5000
Sodium selenate	13410010	100/10,000		1
Sodium selenite	10102188 7782823	100/1000		100
Sodium tellurite	10102202	500/10,000		1
Stannane, acetoxytriphenyl	900958	500/10,000		1
Streptozotocin	18883664		U206	. 1
Strontium chromate	7789062			10
Strychnidin-1-one, 2,3-dimethoxy-	357573		P018	100
Strychnine, & salts	572494	100/10,000	P018	10
Strychnine, sulfate	60413	100/10,000		1
Styrene	100425			1000
Sulfotep	3689245	500		100
Sulfoxide, 3-chlorophpropyl octyl	3569571	500		1
Sulfur monochloride	12771083			1000
Sulfur dioxide	7446095	500		1
Sulfur phosphide (R)	1314803		U189	100
Sulfur tetrafluoride	7783600	100		1
Sulfur trioxide	7446119	100		1
Sulfuric acid	7664939 8014957	1000		1000
Sulfuric acid, dithallium (1 <sup>+</sup> ) salt	7446186 10031591		P115	100
Sulfuric acid, dimethyl ester	77781		U103	100
Tabun	77816	10		1

Table 4-1 (continued)

II	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances	1 - L	Quantity (10)	U232	1000
2,4,5-T acid	93765		0232	5000
2,4,5-T amines	2008460			2000
	1319728			į
	3813147 6369966			
	6369977			
Tellurium	13494809	500/10,000		1
Tellurium hexafluoride	7783804	100		1
2,4,5-T esters	93798	100		1000
2,4,3-1 esters	1928478		*	1000
	25168154			
	61792072			;
2,4,5-T salts	13560991			1000
2,4,5-T	93765		U232	1000
TDE	72548		U060	1
TEPP	10749	100		10
Terbufos	13071799	100		1
1,2,4,5-Tetrachlorobenzene	95943		U207	5000
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	1746016			1
1,1,1,2-Tetrachlorethane	630206		U208	100
1,1,2,2-Tetrachloroethane	79345		U209	100
Tetrachloroethene	127184		U210	100
Tetrachloroethylene	127184	·	U210	100
2,3,4,6-Tetrachlorophenol	58902		U212	10
Tetraethyl lead	78002	. 100	P110	10
Tetraethyl pyrophosphate	107493		P111	10
Tetraethyldithiopyrophosphate	3589245		P109	100
Tetraethyltin	597648	100		1
Tetramethyllead	75741	100		1
Tetrahydrofuran (I)	109999	·	U213	1000
Tetranitromethane (R)	509148	500	P112	10
Tetraphosphoric acid, hexaethyl ester	757584		P062	100
Thallic oxide	1314325		P113	100
Thallium ++	7440280			1000
Thallium acetate	563688		U214	100
Thallium carbonate	6533739		U215	100
Thallium chloride	7791120	A	U216	100
Thallium nitrate	10102451		U217	100
Thallium oxide	1314325		P113	100

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
Thallium selenite	12039520	<b>Q</b> ====================================	P114	1000
Thallium sulfate	7446186	100/10,000	P115	100
Thamam surface	10031591	100/10,000	1113	100
Thallous carbonate	6533739	100/10,000		100
Thallous chloride	7791120	100/10,000		100
Thallous malonate	2757188	100/10,000		1
Thallous sulfate	7446186	100/10,000	,	100
Thioacetamide	62555		U218	10
Thiocarbazide	2231574	1000/10,000		1
Thiodiphosphoric acid, tetraethyl ester	3689245	,	P109	100
Thiofanox	39196184	100/10,000	P045	100
Thioimidodicarbonic diamide [(H2N)C(S)] 2NH	541537		P049	100
Thiomethanol (I,T)	74931		U153	100
Thionazin	297972	500		100
Thioperoxydicarbonic diamide [(H2N)C(S)] 2S2, tetra-methyl-	137268		U244	10
Thiophenol	108985	500	P104	. 100
Thiosemicarbazide	79196	100/10,000	P116	100
Thiourea	62566		U219	10
Thiourea, (2-chlorophenyl)-	5344821	100/10,000	P026	100
Thiourea, (2-methylphenyl)-	614788	500/10,000		1
Thiourea, 1-naphthalenyl-	86884		P072	100
Thiourea, phenyl-	103855		P093	100
Thiram	137268		U244	10
Titanium tetrachloride	7550450	100		1
Toluene	108883		U220	1000
Toluenediamine	95807 496720 823405 25376458		U221	10
Toluene diisocyanate (R,T)	584849 91087 26471625	500 100	U223	100 100
o-Toluidine	95534		U238	100
p-Toluidine	106490		U353	100
o-Toluidine hydrochloride	636215		U222	100
Toxaphene	8001352		P123	. 1
2,4,5-TP acid	93721		U233	100
2,4,5-TP esters	32534955			100

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
1H-1,2,4-Triazol-3-amine	61825	Quantity (10)	U011	10
Trans-1,4-dichlorobutene	110576	500	0011	1
	1031476	500/10,000		$\frac{1}{1}$
Triamiphos Triazofos	24017478	500/10,000		1
	76028	500		$-\frac{1}{1}$
Trichloroacety chloride	52686	300		100
Trichlorfon	120821			100
1,2,4-Trichlorobenzene	I		U226	1000
1,1,1-Trichloroethane	71556		U227	1000
1,1,2-Trichloroethane	79005			
Trichloroethene	79016		U228	100
Trichloroethylene	79016		U228	100
Trichloroethylsilane	115219	500		1
Trichloronate	327980	500		1
Trichloromethanesulfenyl chloride	594423		P118	100
Trichloromonofluoromethane	75694		U121	5000
2,3,4-richlorophenol	15950660			·
2,3,5-Trichlorophenol	933788 933755			
2,3,6-Trichlorophenol 2,4,5-Trichlorophenol	95954		U230	10
2,4,6-Trichlorophenol	88062		U231	10
3,4,5-Trichlorophenol	609198			
2,4,5-Trichlorophenol	95954		U230	10
2,4,6-Trichlorophenol	88062		I231	10
Trichlorphenylsilane	98135	500		1
Trichloro(chloromethyl)silane	1558254	100		1
Trichloro(dichlorophenyl)silane	27137855	500		1
Triethanolamine	27323417			1000
dodecylbenzene-sulfonate				
Triethoxysilane	998301	500		1
Triethylamine	121448			5000
Trimethylamine	75503			100
Trimethylchlorosilane	75774	1000		1
Trimethylolpropane phosphite	824113	100/10,000		1
Trimethyltin chloride	1066451	500/10,000	·	1
1,3,5-Trinitrobenzene (R,T)	99354		U234	10
1,3,5-Trioxane, 2,4,6-trimethyl-	123637		U182	1000
Triphenyltin chloride	639587	500/10,000		1
Tris(2-chloroethyl)amine	555771	100		1
Tris(2,3-dibromopropyl) phosphate	126727		U235	10
Trypan blue	72571		U236	10

Table 4-1 (continued)

	gray 1	Threshold Planning <sup>2</sup>	USEPA Waste	RQ
Hazardous Waste/Substances	CAS No. <sup>1</sup>	Quantity (lb)	Number	(lb) <sup>3</sup>
Unlisted Hazardous Wastes Characteristic of Corrosivity	NA		D002	100
Unlisted Hazardous Wastes	NA			
Characteristic:	NA			
Arsenic (D004)	NA		D004	1
Barium (D005)	NA NA		D004 D005	1000
Cadmium (D005)	NA NA		D005	1000
Chromium (D007)	NA NA		D007	10
2,4-D (D016)	NA NA		D016	100
Endrin (D9012)	NA NA		D012	1
Lead (D008)	NA		D008	_
Lindane (D013)	NA	•	D013	1
Mercury (D009)	NA		D009	1
Metoxychlor (D014)	NA		D014	1
Selenium (D010)	NA		D010	10
Silver (D011)	NA		D011	1
Toxaphene (D015)	NA		D015	1
2,4,5-TP (D017)	NA		D017	100
Vinyl chloride (D043)	NA		D043	1
Unlisted Hazardous Wastes	NA		D001	00
Characteristic of Ignitability				
Unlisted Hazardous Wastes	NA		D003	00
Characteristic Reactivity				
Uracil mustard	66751		U237	10
Uranyl acetate	541093			100
Uranyl nitrate	10102064	,		100
	36478769			
Urea, N-ethyl-N-nitroso	759739		U176	1
Urea, N-methyl-N-nitroso	684935		U177	1
Valinomycin	2001958	1000/10,000		1
Vanadic acid, ammonium salt	7803556		P119	1000
Vanadic oxide V <sub>2</sub> O <sub>5</sub>	1314621		P120	1000
Vanadic pentoxide	1314621		P120	1000
Vanadium pentoxide	1314621	100/10,000		1000
Vanadyl sulfate	27774136			1000
Vinyl chloride	75014		U043	1
Vinyl acetate	108054			5000
Vinyl acetate monomer	108054	1000		5000
Vinylamine, N-methyl-N-nitroso-	4549400		P084	10
Vinylidene chloride	75354		U078	100
Warfarin, & salts, when present at	81812	500/10,000	P001	100
concentrations greater than 0.3%		,		
Warfarin sodium	129066	100/10,000		1

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
		Quantity (10)	U239	1000
Xylene (mixed)	1330207 108383		0239	1000
m-Benzene, dimethyl	95476			
o-Benzene, dimethyl p-Benzene, dimethyl	106423			
Xylenol	1300716			1000
Xylylene dichloride	28347139	100/10,000		1
Yohimban-16-carboxylic acid, 11,17	50555	100/10,000	U200	5000
dimethosy-18-[(3,4,5-trimethoxy-benzoyl)oxy]-, methyl ester (3-beta, 16-beta,17-alpha, 18-beta,20-alpha)-	30333		0200	·
Zinc	7440666			1000
Zinc acetate	557346			1000
Zinc ammonium chloride	52628258			1000
	14639975			!
	14639986			1000
Zinc borate	1332076			1000
Zinc bromide	7699458			1000
Zinc carbonate	3486359			1000
Zinc chloride	7646857		·	1000
Zinc cyanide	557211		P121	10
Zinc, dichloro(4,4-dimethyl- 5(((((methylamino)carbonyl) oxy)imino)pentaenitrile)-,(t-4)-	58270089	100/1000		1
Zinc fluoride	7783495			1000
Zinc formate	557415			1000
Zinc hydrosulfite	7779864			1000
Zinc nitrate	7779886			1000
Zinc phenosulfonate	127822			5000
Zinc phosphide	1314847	500	P122	100
Zinc phosphide Zn <sub>3</sub> P <sub>2</sub> ' when present at concentrations greater than 10%	1314847		P122	100
Zinc silicofluoride	16871719			5000
Zinc sulfate	7733020			1000
Zirconium nitrate	13746899			5000
Zirconium potassium fluoride	16923958			1000
Zirconium sulfate	14644612			5000
Zirconium tetrachloride	10026116			5000
F001			F001	10

Table 4-1 (continued)

		Threshold	USEPA	
		Planning <sup>2</sup>	Waste	RQ
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	$(lb)^3$
The following spent halogenated solv	vents used in deg	reasing; all spent solve	nt mixtures/b	lends used in
degreasing containing, before use, a t	otal of 10 percen	t or more (by volume) o	of one or more	e of the above
halogenated solvents or those solvent	ts listed in F002,	F004, and F005; and st	ill bottoms fr	om the recov-
ery of these spent solvents and spent				
a. Tetrachlorethylene	127184		U210	100
b. Trichloroethylene	79016		U228	100
c. Methylene chloride	75092		U080	1000
d. 1,1,1-Trichloroethane	71556		U226	1000
e. Carbon tetrachloride	56235		U211	10
f. Chlorinated fluorocarbons	NA			5000
F002			F002	10
The following spent halogenated solv	vents: all spent so	lvent mixtures/blends	containing, be	efore use, a
total of 10 percent or more (by volum	-		_	
in F001, F004, or F005; and still botto				
mixtures.		c very er uneer spent se	- volue only of	
a. Tetrachloroethylene	127184		U210	100
b. Methylene chloride	75092		U080	1000
c. Trichloroethylene	79016	•	U228	100
d. 1,1,1-Trichloroethane	71556		U226	1000
e. Chlorobenzene	108907		U037	100
f. 1,1,2-Trichloro-1,2,2	76131			5000
trifluoroethane				
g. o-Dischlorobenzene				
h. Trichlorofluoromethane	95501		U070	100
i. 1,1,2-Trichloroethane	75694		U121	5000
	79005		U227	100
F003			F003	100
The following spent nonhalogenated	solvents and the	still bottoms from the re	ecovery of the	ese solvents:
a. Xylene	1330207	1000		
b. Acetone	67641	5000		
c. Ethyl acetate	141786	5000		
d. Ethylbenzene	100414	1000		i
e. Ethyl ether	60297	100		
f. Methyl isobutyl ketone	108101	5000		
g. n-Butyl alcohol	71363	5000		
h. Cyclohexanone	108941	5000	ļ	
i. Methanol	67561	5000		

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
F004			F004	1000
The following spent nonhalogenated so	lvents and the	still bottoms from the	recovery of thes	se solvents:
a. Cresols/Cresylic acid	131773		U052	1000
b. Nitrobenzene	98953		U169	1000
F005			F005	100
The following spent nonhalogenated so	lvents and the	still bottoms from the	recovery of thes	se solvents:
a. Toluene	108883		U220	1000
b. Methyl ethyl ketone	78933		U159	5000
c. Carbon disulfide	75150		P022	100
d. Isobutanol	78831		U140	5000
e. Pyndine	110861		U196	1000
F006			F006	10
acid anodizing aluminum, (2) tin platin steel, (4) aluminum or zinc-aluminum pzinc and aluminum plating on carbon s	lating on carbo	n steel, (5) cleaning/s	tripping associat	ed with tin,
F007			1007	10
Spent cyanide plating bath solutions from	om electroplatir	ng operations.	T-000	10
F008			F008	10
Plating bath residues from the bottom of are used in the process.	of plating baths	from electroplating o		
F009			F009	10
Spent stripping and cleaning bath solut the process.	ions from elect	roplating operations v	where cyanides a	re used in
F010			F010	10
Quenching bath residues from oil baths cess.	from metal he	at operations where c	yanides are used	in the pro-
F011			F011	10
Spent cyanide solution from salt bath p	oot cleaning from	m metal heat treating	operations.	
F012			F012	10
Quenching wastewater treatment sludg the process.	es from metal h	eat treating operations	where cyanides	are used in
F019			F019	10
Wastewater treatment sludges from the nium phosphating in aluminum can wa				
F020			F020	1
Waste (except wastewater and spent car manufacturing use (as a reactant, chemor-tetrachlorophenol, or of intermediat not include wastes from the production	ical intermedia es used to produ	te, or component in a uce their pesticide der	formulating prorivatives. (This	cess) of tri- listing does

Table 4-1 (continued)

		Threshold	USEPA	
İ		Planning <sup>2</sup>	Waste	RQ
Hazardous Waste/Substances	CAS No.1	Quantity (lb)	Number	$(lb)^3$
F021			F021	1
Wastes (except wastewater and spent ca	arbon from hyd	rogen chloride purifica	tion) from the	production
or manufacturing use (as a reactant, che	•	<del>-</del>		-
pentachlorophenol, or of intermediates		<del>-</del>	J	•
F022			F022	1
Wastes (except wastewater and spent ca	rbon from hyd	rogen chloride purificat	tion) from the	manufactur-
ing use (as a reactant, chemical intermed	diate, or compo	nent in a formulating pr	rocess) or tetr	a-, penta-, or
hexachlorobenzenes under alkaline con-	ditions.			
F023			F023	1
Wastes (except wastewater and spent ca	rbon from hyd	rogen chloride purificat	tion) from the	production
of materials on equipment previously us	•	_		•
ical intermediate, or component in a for	mulating proce	ess) of tri- and tetrachlo	rophenols. (	This listing
does not include wastes from equipmen	t used only for	the production or use of	of hexa-chloro	ophene from
highly purified, 2,4,5-tri-chlorophenol.)		-		_
F024			F024	1
Wastes, including but not limited to dist	illation residue	es, heavy ends, tars, and	reactor clear	nout wastes,
from the production of chlorinated aliph				
lizing free radical catalyzed processes. (	•	_		•
aids, spent desicants, wastewater, waste	water treatmen	t sludges, spent catalys	ts, and wastes	s listed in
Section 261.32.)				
F025			F025	1
Condensed light ends, spent filters and f				
tain chlorinated aliphatic hydrocarbons,				
hydrocarbons are those having carbon c		nging from one to and i	including five	, with vary-
ing amounts and positions of chlorine su	ibstitution.			
F026			F026	1
Wastes (except wastewater and spent car				
of materials on equipment previously us				
ate, or component in a formulating proce	ess) of tetrapen	ta-, or hexachlorobenze	ene under alk	aline condi-
tions.		r		
F027			F027	1
Discarded unused formulations containing				
lations containing compounds derived fr				
tions containing hexachlorophene synthe	sized from pre	purified 2,4,5-tri-chlore	ophenol as the	e sole
component.)			<u> </u>	
F028			K028	1
Residues resulting from the incineration ous Waste Nos. F020, F021, F022, F023			ted with USE	EPA Hazard-
K001			K001	1
Bottom sediment sludge from the treatm	ent of wastewa	ters from wood preserv		s that use
creosote and/or pentachlorophenol.			01	
K002			K002	#
Wastewater treatment sludge from the pr	oduction of ch	rome yellow and orange		
- F		- J 5 5 5 5 5	- r-o	

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
K003			K003	#
Wastewater treatment sludge from the p	production of n	nolyodate orange pigme	ents.	
K004			K004	10
Wastewater treatment sludge from the p	production of z	inc yellow pigments.		
K005			K005	#
Wastewater treatment sludge from the p	production of c	hrome green pigments.		
K006			K006	10
Wastewater treatment sludge from the phydrated).	production of c	hrome oxide green pigr		
K007			K007	10
Wastewater treatment sludge from the p	production of in	on blue pigments.		
K008			K008	10
Oven residue from the production of ch	rome oxide gr	een pigments.		
K009			K009	10
Distillation bottoms from the productio	n of acetaldehy	de from ethylene.		
K010			K010	10
Distillation side cuts from the production	on of acetaldeh	yde from ethylene.	1	
K011			K011	10
Bottom stream from the wastewater str	ipper in the pro	duction of acrylonitrile		
K013			K013	10
Bottom stream from the acetonitrile col	lumn in the pro	duction of acrylonitrile		
K014			K014	5000
Bottom from the acetonitrile purification	n column in th	e production of acrylon	itrile.	
K015			K015	10
Still bottoms from the distillation of be	nzyl chloride.			
K016			K016	1
Heavy ends or distillation residues from	n the production	n of carbon tetrachloric	le.	
K017			K017	10
Heavy ends (still bottoms) from the pur	rification colum	nn in the production of	epi-chlorohyd	rin.
K018			K018	1
Heavy ends from the fractionation colu	mn in ethyl ch	loride production.		
K019		1	K019	1
Heavy ends from the distillation of ethy	ylene dichlorid	e in ethylene chloride p	roduction.	
K020			K020	1
Heavy ends from the distillation of viny	yl chloride in v	inyl chloride monomer	production.	
K021			K021	10
Aqueous spent antimony catalyst waste	from fluorome	ethanes production.	<u> </u>	
K022	]	-	K022	1
Distillation bottom tars from the produc	ction of phenol	lacetone from cumene.		

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
K023	,		K023	5000
Distillation light ends from the product	ion of ophthalic	c anhydride from napht	halene.	
K024			K024	5000
Distillation bottoms from the productio	n of phthalic ar	nhydride from naphthal	ene.	
K025			K025	10
Distillation bottoms from the productio	n of nitrobenze	ne by the nitration of b	enzene.	
K026			K026	1000
Stripping still tails from the production	of methyl ethy	l pyndines.		
K027			K027	10
Centrifuge and distillation residues from	n toluene diiso	cyanate production.	<u> </u>	
K028			K028	1
Spent catalyst from the hydrochlorinato	r reactor in the	production of 1,1,1-tri	chloroethane.	
K029			K029	1
Waste from the product steam stripper i	n the production	n of 1.1.1-trichloroetha		
K030	F		K030	1
Column bottoms or heavy ends from the	e combined pro	duction of trichloroeth	i	chloroethyl-
ene.	<b>.</b>		) <b>F</b>	
K031			K031	1
By-product salts generated in the produ-	ction of MSMA	A and cacodylic acid.	<u> </u>	
K032			K032	10
Wastewater treatment sludge from the p	roduction of ch	nlordane.		
K033			K033	10
Wastewater and scrub water from the ch	lorination of c	yclopentadiene in the p	roduction of o	chlordane.
K034			K034	10
Filter solids from the filtration of hexacl	nlorocyclopent	adiene in the production	n of chlordand	2.
K035		. [	K035	1
Wastewater treatment sludges generated	in the product	ion of creosote.	J.	
K036			K036	1
Still bottoms from toluene reclamation of	distillation in th	e production of disulfo	ton.	
K037	I		K037	1
Wastewater treatment sludges from the	production of d	isulfoton.		
K038		·	K038	10
Wastewater from the washing and stripp	ing of phorate	production.		
K039	]		K039	10
Filter cake from the filtration of diethylp	hosphorodithic	oic acid in the production	on of phorate.	
K040			K040	10
Wastewater treatment sludge from the pr	roduction of ph	orate.	·······	
K041			K041	1
Wastewater treatment sludge from the pr	roduction of tox	xaphene.		

Table 4-1 (continued)

	CAS No.1	Threshold Planning <sup>2</sup>	USEPA Waste Number	RQ (lb) <sup>3</sup>
Hazardous Waste/Substances	CAS No.	Quantity (lb)		10
K042	<u> </u>	C 11 1	K042	
Heavy ends or distillation residues from	n the distillation	n of tetrachlorobenzene	in the product	ion of 2,4,3-
T.	1	I	K043	10
K043	duction 2.4 D		1043	
2,6-Dichlorophenol waste from the pro	duction 2,4-D.		K044	10
K044		and processing of evn	1	
Wastewater treatment sludges from the	manuracturing	and processing of exp	K045	10
K045			K043	10
Spent carbon from the treatment of was	stewater contai	ning explosives.	K046	100
K046	<u> </u>	6 1 111	1	
Wastewater treatment sludges from the compounds.	manufacturing	, formulation and loads		
K047			K047	10
Pink/red water from TNT operations.				
K048			K048	#
Dissolved air flotation (DAF) float from	n the petroleun	n refining industry.		
K049			K049	#
Slop oil emulsion solids from the petro	leum refining i	ndustry.		
K050			K050	10
Heat exchanger bundle cleaning sludge	from the petro	oleum refining industry	•	
K051			K051	#
American Petroleum Institute (API) se	parator sludge	from the petroleum refi	ning industry.	
K052			K052	10
Tank bottoms (leaded) from the petrole	eum refining in	dustry.		
K060			K060	1
Ammonia still lime sludge from coking	g operations.			
K061			K061	#
Emission control dust/sludge from the	primary produc	ction of steel in electric	furnaces.	
K062			K062	#
Spent pickle liquor generated by steel for (Standard Industrial Classification Code)			the iron and st	eel industry
K064			K064	##
Acid plant blowdown slurry/sludge res	ulting from thi	ckening of blowdown s	lurry from prir	nary copper
production.	<i>S</i>	C		• ••
K065		,	K065	##
Surface impoundment solids contained smelting facilities.	in and dredge	d from surface impound	dments at prim	ary lead
K066			K066	##
Sludge from treatment of process wast tion.	ewater and/or a	acid plant blowdown fr	om primary zin	c produc-

# **Table 4-1 (continued)**

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
K069			K069	#
Emission control dust/sludge from seco	ndary lead sme	elting.		
K071			K071	1
Brine purification muds from the mercu fied brine is not used.	iry cell process	in chlorine production.	, where separa	ately prepuri-
K073			K073	10
Chlorinated hydrocarbon waste from th anodes in chlorine production.	e purification s	tep of the diaphragm co	ell process us	ing graphite
K083			K083	100
Distillation bottoms from aniline extrac	tion.			
K084			K084	1
Wastewater treatment sludges generated arsenic or organo-arsenic compounds.	l during the pro	oduction of veterinary p		
K085			K085	10
Distillation or fractionation column bott	toms from the p	production of chlorober	nzenes.	
K086			K086	#
tubs and equipment used in the formular ing chromium and lead.  K087  Decanter tank tar sludge from coking or			K087	100
K088	Torucions.		K088	
Spent potliners from primary aluminum	reduction		11000	
K090	Todaton.		K090	
Emission control dust or sludge from fe	rrochromiumsi	licon production.	1000	
K091			K091	
Emission control dust or sludge from fer	rrochromium p	roduction.		
K093			K093	5000
Distillation light ends from the production	on of phthalic a	anhydride from ortho-x	ylene.	
K094			K094	5000
Distillation bottoms from the production	of phthalic an	hydride from ortho-xyl	ene.	
K095			K095	100
Distillation bottoms from the production	of 1,1,1-trichl	oroethane.		
K096			K096	100
Heavy ends from the heavy ends column	from the prod	uction of 1,1,1-trichlor	oethane.	
K097			K097	1
Vacuum stripper discharge from the chlo	ordane chlorina	tor in the production of	chlordane.	
K098		.	K098	1
Untreated process wastewater from the p	production of to	oxaphene.		

# Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
K099			K099	10
Untreated wastewater from the product	ion of 2,4-D.			
K100			K100	#
Waste leaching solution from acid leach	ning of emissic	n control dust/sludge f	rom secondary	lead smelt-
ing.				
K101			K101	1
Distillation tar residues from the distilla	tion of aniline	based compounds in the	ne production of	f veterinary
pharmaceuticals from arsenic or organo	o-arsenic comp	ounds.		
K102			K102	1
Residue from the use of activated carbo	on for decoloriz	zation in the production	of veterinary	pharmaceu-
ticals from arsenic or organo-arsenic co	ompounds.			
K103			K103	100
Process residues from aniline extraction	n from the prod	luction of aniline.		
K104			K104	10
Combined wastewater streams generate	ed from nitrobe	nzene/aniline producti		
K105		-	K105	10
Separated aqueous stream from the rea	ctor product wa	ashing step in the produ	action of chlore	obenzenes.
K106			K106	1
Wastewater treatment sludge from the	mercury cell pr	ocess in chlorine produ	iction.	
K107			K107	10
Column bottoms from product separati	on from the pro	duction of 1,1-dimethy	lhydrazine (U	DMH) from
carboxylic acid hydrazines.				
K108			K108	10
Condensed column overhead from production of 1,1-dimethylhydrazine (UD)				m the pro-
K109			K109	10
Spent filter cartridges from product pur from carboxylic acid hydrazides.	ification from t	he production of 1,1-di	methylhydrazi	ne (UDMH)
K110			K110	10
Condensed column overheads from int zine (UDMH) from carboxylic acid hy		ration from the produc	tion of 1,1-dim	ethylhydra-
K111			K111	10
Product washwaters from the production	on of dinitrotol	uene via nitration of to	luene.	
K112			K112	10
Reaction by-product water from the drution of dinitrotoluene.	ying column in	the production of tolu	enediamine via	hydrogena-
K113			K113	10
Condensed liquid light ends from the pamine via hydrogenation of dinitrotolu		oluenediamine in the p	roduction of to	luenedi-

Table 4-1 (continued)

Hazardous Waste/Substances	CAS No.1	Threshold Planning <sup>2</sup> Quantity (lb)	USEPA Waste Number	RQ (lb) <sup>3</sup>
K114			K114	10
Vicinais from the purification of toluene of dinitrotoluene.	ediamine in the	production of toluened	liamine via hy	ydrogenation
K115			K115	10
Heavy ends from the purification of tolution of dinitrotoluene.	ienediamine in	the production of tolue		
K116			K116	10
Organic condensate from the solvent rephosgenation of toluenediamine.	covery column	in the production of to		inate via
K117			K117	1
Wastewater from the reaction vent gas s of ethene.	scrubber in the	production of ethylene		bromination
K118			<b>K</b> 118	1
Spent absorbent solids from purification	of ethylene di	bromide in the product	ion of ethylen	e dibromide.
K123			K123	10
Process wastewater (including supermatisdithiocarbamic acid and its salts.	tes, filtrates, an	d washwaters) from the	e production o	of ethyleneb-
K124			K124	10
Reactor vent scrubber water from the pr	oduction of eth	ylene-bisdithiocarbam	ic acid and its	s salts.
K125			K125	10
Filtration, evaporation, and centrifugation acid and its salts.	on solids from	the production of ethyle	ene-bisdithio	carbamic
K126			K126	10
Baghouse dust and floor sweepings in material lation of ethylene-bisdithiocarbamic acid		caging operations from	the production	n or formu-
K131			K131	100
Wastewater from the reactor and spent sulfuric acid from the acid dryer in the production of methyl bro-mide.				methyl bro-
K132		·	K132	1000
Spent absorbent and wastewater solids f	rom the produc	tion of methyl bromide	e.	
K136		•	K136	1
Still bottoms from the purification of eth bromination of ethene.	ylene dibromic	de in the production of	ethylene dibro	omide via

- 1. Chemical Abstract Service (CAS) Registry Number.
- 2. Quantity in storage above which the Executive Agent must be notified (see Section 2, Hazardous Materials Management).
- 3. Reportable Quantity (RQ) release that requires notification (see Section 7, Petroleum, Oil, and Lubricant (POL) Management).

### Table 4-1 (continued)

- ++ No reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is equal to or exceeds  $100 \, \mu m$  (0.004 in.).
- +++ The RQ for asbestos is limited to friable forms only.
- 1\* Indicates that the 1-lb [0.37-kg] RQ is a statutory RQ.
- \*\* Indicates that no RQ is being assigned to the generic or broad class.
- # Indicates that the RQ is subject to change when the assessment of potential carcinogenicity is completed.
- ## The statutory RQ for this hazardous substance may be adjusted in a future rulemaking; until then, the statutory RQ applies.

4 - 90

**Table 4-2** 

# Commercial Chemical Products or Manufacturing Chemical Intermediates Identified as Toxic Wastes (40 CFR 261.33, 8 May 1990)

(NOTE: Primary hazardous properties of these materials are indicated by the letter (t) (toxicity), (r) (reactivity), (i) (ignitability), and (c) (corrosivity); absence of a letter indicates that the compound is listed only for acute toxicity.)

USEPA Hazardous Waste No.	Substance	
U001	acetaldehyde (i)	
U034	acetaldehyde, trichloro-	
U187	acetamide, N-(4-ethoxyphenyl)-	
U005	acetamide, N-9H-fluoren-2-y1-	
U240	acetic acid, (2,4-dichlorophenoxy)-, salts and esters	
U112	acetic acid, ethyl ester (i)	
U144	acetic acid, lead(2+) salt	
U214	acetic acid, thallium(1+) salt	
see F027	acetic acid, (2,4,5-trichlorophenoxy)-	
U002	acetone (i)	
U003	acetonitrile (i,t)	
U004	acetophenone	
U005	2-acetylaminoflourene	
U006	acetyl chloride (c, r, t)	
U007	acrylamide	
U008	acrylic acid (i)	
U009	acrylonitrile	
U011	amitrole	
U012	aniline (i, t)	
U136	arsenic acid, dimethyl-	
U014	auramine	
U015	azaserine	

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U010	azirino(2,3,3,4(pyrrolo(1,2-a)indole -4,7-dione, 6-amino-8-[((aminocarbonyl) oxy)methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-,
U157	benz[j]aceanthrylene, 1,2-dihydro-3- methyl-
U016	benza[c]ridine
U017	benzal chloride
U192	benzamide, 3,5-dichloro-n- (1,1-diethyl-2-propynyl-
U018	benz[a]anthracene
U094	1,2-benzanthracene, 7,12-dimethyl-
U012	benzenamine (i,t)
U014	benzenamine, 4,4-carbonimidoylbis(N,N-dimethyl-
U049	benzenamine, 4-chloro-2-methyl-, hydrochloride
U093	benzenamine, N,N-dimethyl-4- (phenylazo)-
U328	benzenamine, 2-methyl-
U353	benzenamine, 4-methyl-
U158	benzenamine, 4,4-methylenebis(2-chloro-
U222	benzenamine, 2-methyl-, hydrochloride
U181	benzenamine, 2,-methyl-5-nitro
U019	benzene (i, t)
U038	benzeneacetic acid, 4-chloro-alpha- (4-chlorophenyl)-alpha-hydroxy, ethyl ester
U030	benzene, 1-bromo-4-phenoxy-
U035	benzenebutanoic acid, 4-[bis (2-chloroethyl)amino]-
U037	benzene, chloro-
U221	benzenediamine, ar-methyl-
U028	1,2-benzendicarboxylic acid, [bis(2-ethyl-hexyl)]ester

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance	
U069	1,2-benzenedicarboxylic acid, dibutyl ester	
U088	1,2-benzenedicarboxylic acid, diethyl ester	
U102	1,2-benzendicarboxylic acid, dimethyl ester	
U107	1,2-benzenedicarboxylic acid, dioctyl ester	
U070	benzene, 1,2-dichloro-	
U071	benzene, 1,3-dichloro-	
U072	benzene, 1,4-dichloro-	
U060	benzene, 1,1'- (2,2-dichloroethylidene) bis[4-chloro-	
U017	benzene, (dichloromethyl)-	
U223	benzene, 1,3-diisocyanatomethyl- (r,t)	
U239	benzene, dimethyl-(i,t)	
U201	1,3-benzenediol	
U127	benzene, hexachloro-	
U056	benzene, hexahydro- (i)	
U220	benzene, methyl-	
U105	benzene, 1-methyl-2,4-dinitro-	
U106	benzene, 2-methyl-1,3-dinitro-	
U055	benzene, (1-methylethyl)-(i)	
U169	benzene, nitro- (i,t)	
U183	Benzene, pentachloro-	
U185	benzene, pentachloronitro-	
U020	benzenesulfonic acid chloride (c,r)	
U020	benzenesulfonyl chloride (c,r)	
U207	benzene, 1,2,4,5-tetrachloro-	
U061	benzene, 1,1'-(2,2,2- trichloroethylidene) bis[4-chloro	
U247	benzene, 1,1'(2,2,2- trichloroethylidene)[4-methoxy-	

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U023	benzene, (trichloromethyl)-
U234	benzene, 1,3,5-trinitro-
U021	benzidine
U202	1,2-benzisothiazolin-3-one, 1,1-dioxide and salts
U203	1,3-benzodioxole, 5-(2-propenyl)-
U141	1,3-benzodioxole, 5-(1-propenyl)-
U090	1,3-benzodioxole, 5-propyl-
U064	benzo[rst]pentaphene
U248	2-H-1-benzopyran-2-on2, 4-hydroxy-3-(3-oxo-1-phenylbutyl)-, and salts, when present at concentrations of 0.3% or less
U022	benzo[a]pyrene
U197	p-benzoquinone
U023	benzotrichloride (c,r,t)
U085	2,2-bioxirane (i,t)
U021	(1,1-biphenyl)-4,4-diamine
U073	(1,1-biphenyl)-4,4-diamine, 3,3-dichloro
U091	(1,1-biphenyl)-4,4-diamine, 3,3-dimethoxy-
U095	(1,1-biphenyl)4,4-diamine, 3,3- dimethyl-
U225	bromoform
U030	4-bromophenyl phenyl ether
U128	1,3-butadiene, 1,1,2,3,4,4- hexachloro
U172	1-butanamine, N-butyl-N-nitroso-
U031	1-butanol (i)
U159	2-butanone (i,t)
U160	2-butanone peroxide (r,t)
U053	2-butenal

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U074	2-butene, 1,4-dichloro- (i,t)
U143	2-butenoic acid, 2-methyl-, 7- [(2,3-dihydroxy-2-(1-methoxyethyl) -3-methyl-1-oxobutoxy)methyl] -2,3,5,7s-yrytshyfto-1- pyrrolizin-1-yl ester, [1S-[alpha(Z),7(2S,3R), 7aalpha]]-
U031	n-Butyl alcohol (i)
U136	cacodylic acid
U032	calcium chromate
U238	carbamic acid, ethyl ester
U178	carbamic acid, methylnitroso- ethyl ester
U097	carbamic chloride, dimethyl-
U114	carbamodithioic acid, 1,2- ethanediylbis-, salts and esters
U062	carbamothioic acid, bis(1-methylethyl)-S- (2,3-dichloro-2-propenyl) ester
U215	carbonic acid, dithallium(1+)salt
U033	carbonic difluoride
U156	carbonochlorodic acid, methyl ester (i,t)
U033	carbon oxyfluoride (r,t)
U211	carbon tetrachloride
U034	chloral
U035	chlorambucil
U036	chlordane, alpha and gamma isomers
U026	chlomaphazine
U037	chlorobenzene
U039	p-chloro-m-cresol
U041	1-chloro-2,3-epoxypropane

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U042	2-chloroethyl vinyl ether
U044	chloroform
U046	chloromethyl methyl ether
U047	beta-chloronaphthalene
U048	o-chlorophenol
U049	4-chloro-o-toluidine, hydrochloride
U032	chromic acid H2CrO4, calcium salt
U050	chrysene
U051	creosote
U052	cresols (cresylic acid)
U053	crotonaldehyde
U055	cumene (i)
U246	cyanogen bromide
U197	2,5-cyclohexadiene-1, 4-dione
U056	cyclohexane (i)
U129	cyclohexane 1,2,3,4,5,6- hexachloro-, (1alpha, 2alpha, 3beta, 4alpha, 6beta)-
U057	cyclohexanone (i)
U130	1,3-cyclopentadiene, 1,2,3,4,5,5-hexachloro-
U058	cyclophosphamide
U240	2,4-d, salts and esters
U059	daunomycin
U060	ddd
U061	ddt
U062	diallate
U063	dibenz[a,h]anthracene
U064	dibenzo[a,i]pyrene
U066	1,2-dibromo-3-chloropropane
U069	dibutyl phthalate
U070	o-Dichlorobenzene
U071	m-Dichlorobenzene

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U072	p-Dichlorobenzene
U073	3,3'-dichlorobenzidine
U074	1,4-dichloro-2-butene (i,t)
U075	dichlorodifluoromethane
U078	1,1-dichloroethylene
U079	1,2-dichloroethylene
U025	dichloroethyl ether
U027	dichloroisopropyl ether
U024	dichloromethoxy ethane
U081	2,4-dichlorophenol
U082	2,6-dichlorophenol
U084	1,3-dichlorpropene
U085	1,2:3,4-diepoxybutane (i, t)
U108	1,4-diethyleneoxide
U028	diethylhexyl phthalate
U086	N,N-diethylhydrazine
U087	O,O-diethyl-s-methyl dithiophosphate
U088	diethyl phthalate
U089	diethylstilbestrol
U090	dihydrosafrole
U091	3,3'-dimethoxybenzidine
U092	dimethylamine (i)
U093	dimethylaminoazobenzene
U094	7,12-dimethylbenz[a]anthracene
U095	3,3-dimethylbenzidine
U096	alpha,alpha-dimethylbenzylhydroperox- ide (r)
U097	dimethylcarbamoyl chloride
U098	1,1-dimethylhydrazine
U099	1,2-dimethylhydrazine
U101	2,4-dimethylphenol
U102	dimethyl phthalate
U103	dimethyl sulfate

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U105	2,4-dinitrotoluene
U106	2,6-dinitrotoluene
U107	di-n-octyl phthalate
U108	1,4-dioxane
U109	1,2-diphenylhydrazine
U110	dipropylamine (i)
U111	di-n-propylnitrosamine
U041	epichlorhydrin
U001	ethanal (i)
U174	ethanamine, N-ethyl-N-nitroso-
U155	1,2-ethanediamine, n,n- dimethyl-n'-2-pyridinyl- n'-(2-thienylmethyl)-
U067	ethane, 1,2-dibromo-
U076	ethane, 1,1-dichloro-
U077	ethane, 1,2-dichloro-
U131	ethane, hexachloro-
U024	ethane, 1,1-[methylenebis(oxy)] bis[2-chloro-
U117	ethane, 1,1-oxybis- (i)
U025	ethane 1,1-oxybis[2-chloro-
U184	ethane, pentachloro-
U208	ethane, 1,1,1,2-tetrachloro-
U209	ethane, 1,1,2,2-tetrachloro-
U218	ethanethioamide
U359	ethane, 1,1,2-trichloro-
U173	ethanol 2,2'-(nitrosoimino)bis- 2,2'-(nitrosoimino)bis-
U004	ethanone, 1-phenyl-
U043	ethene, chloro-
U042	ethene, (2-chloroethoxy-)
U078	ethene, 1,1-dichloro-
U079	ethene, 1,2-dichloro- (e)
U210	ethene, tetrachloro-

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U228	ethene, trichloro
U112	ethyl acetate (i)
U113	ethyl acrylate (i)
U238	ethyl carbamate (urethane)
U117	ethyl ether (i)
U114	ethylenebisdithiocarbamic acid, salts and esters
U067	ethylene dibromide
U077	ethylene dichloride
U359	ethylene glycol monoethyl ether
U115	ethylene oxide (i,t)
U116	ethylenethiourea
U076	ethylidene dichloride
U118	ethyl methacrylate
U119	ethyl methanesulfonate
U120	fluoranthene
U122	formaldehyde
U123	formic acid (c,t)
U124	furan (i)
U125	2-furancarboxaldehyde (i)
U147	2,5-furandione
U213	furan, tetrahydro- (i)
U125	furfural (i)
U124	furfuran (i)
U206	glucopyranose, 2-deoxy-2 (3-methyl-3-nitrosoureido)-
U126	glycidylaldehyde
U163	guanidine, N-methyl-N'-nitro- N-nitroso-
U127	hexachlorobenzene
U128	hexachlorobutadiene
U130	hexachlorocyclopentadiene
U131	hexachloroethane

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U132	hexachlorophene
U243	hexachloropropene
U133	hydrazine (r,t)
U086	hydrazine, 1,2-diethyl-
U098	hydrazine, 1,1-dimethyl-
U099	hydrazine, 1,2-dimethyl-
U109	hydrazine, 1,2-diphenyl-
U134	hydrofluoric acid (c,t)
U134	hydrogen fluoride (c,t)
U135	hydrogen sulfide
U096	hydroperoxide, 1-methyl-1-phenylethyl- (r)
U116	2-imidazolidinethione
U137	indeno(1,2,3-cd)pyrene
U190	1,3-isobenzofurandione
U140	isobutyl alcohol (i,t)
U141	isosafrole
U142	kepone
U143	lasiocarpine
U144	lead acetate
U146	lead, bis(acetato-O) tetrahydroxytri-
U145	lead phosphate
U146	lead subacetate
U129	lindane .
U163	mnng
U147	maleic anhydride
U148	maleic hydrazide
U149	malononitrile
U150	melphalan
U151	mercury
U152	methacrylonitrile (i,t)
U092	methanamine (N-methyl- (i)

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U029	methane, bromo-
U045	methane, chloro- (i,t)
U046	methane, chloromethoxy-
U068	methane, dibromo-
U080	methane, dichloro-
U075	methane, dichlorodifluoro-
U138	methane, iodo-
U119	methanesulfonic acid, ethyl ester
U211	methane, tetrachloro-
U153	methanethiol (i,t)
U225	methane, tribromo-
U044	methane, trichloro-
U121	methane, trichlorofluoro-
U154	methanol (i)
U155	methapyrilene
U142	1,3,4-metheno-2H- cyclobuta[cd]pentalen-2-one- 1,1a,3,3a,4,5,5,5a,5b,6- decachlorooctahydro-
U247	methoxychlor
U154	methyl alcohol (i)
U029	methyl bromide
U186	1-methylbutadiene (i)
U045	methyl chloride (i,t)
U156	methyl chlorocarbonate (i,t)
U226	methyl chloroform
U157	3-methylcholanthrene
U158	4,4-methylenebis-(2-chloroaniline)
U068	methylene bromide
U080	methylene chloride
U159	methyl ethyl ketone (mek) (i,t)
U160	methyl ethyl ketone peroxide (r,t)
U138	methyl iodide
U161	methyl isobutyl ketone (i)

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U162	methyl methacrylate (i,t)
U161	4-methyl-2-pentanone (i)
U164	methylthiouracil
U010	mitomycin C
U059	5,12-Naphthacenedione, (Bs(cis)8-acetyl-10-[(3-amino-2,3,6-trideoxy-alpha-L-lyxo-hexopyranosyl)oxyl]-7-8,9,10-tetrahydro-6,8,11-trihydroxy-1-methoxy-
U167	1-naphthalenamine
U168	2-naphthalenamine
U026	naphthalenamine, N,N'-bis (2-chloroethyl)-
U165	naphthalene
U047	naphthalene, 2-chloro-
U166	1,4-naphthalenedione
U236	2,7-naphthalenedisulfonic acid, 3,3'-[(3,3'-dimethyl-(1,1'-biphenyl)- bis(azo)bis(5-amino-4-hydroxy)-, tetrasodium salt
U166	1,4-Naphthoquinone
U167	alpha-naphthylamine
U168	beta-naphthylamine
U217	nitric acid, thallium(1+) salt (2-chloromethyl)-
U169	nitrobenzene (i,t)
U170	p-nitrophenol
U171	2-nitropropane (i)
U172	n-nitrosodi-n-butylamine
U173	n-nitrosodiethanolamine
U174	n-nitrosodiethylamine
U176	n-nitroso-n-ethylurea
U177	n-nitroso-n-methylurea
U178	n-nitroso-n-methylurethane
U179	n-nitrosopiperidine

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U180	n-nitrosopyrrolidine
U181	5-nitro-o-toluidine
U193	1,2-oxathiolane, 2,2-dioxide
U058	2H-1,3,2-Oxazaphosphorine,2[bis(2-chloroethyl)amino]tetrahydro-, 2-oxide.
U115	oxirane (i,t)
U126	oxiranecarboxyaldehyde
U041	oxirane, 2-(chloromethyl)-
U182	paraldehyde
U183	pentachlorobenzene
U184	pentachloroethane
U185	pentachloronitrobenzene
see F027	pentachlorophenol
U161	pentanol, 4-methyl-
U186	1,3-pentadiene (i)
U187	phenacetin
U188	phenol
U048	phenol, 2-chloro-
U039	phenol, 4-chloro-3-methyl-
U081	phenol, 2,4-dichloro-
U082	phenol, 2,6-dichloro-
U089	phenol, 4,4'-(1,2-diethyl- 1,2-ethenediyl)bis-, (e)
U101	phenol, 2,4-dimethyl-
U052	phenol, methyl
U132	phenol, 2,2'-methylenebis [3,4,6-trichloro-
U170	phenol, 4-nitro-
see F027	phenol, pentachloro-
see F027	phenol, 2,3,4,6-tetrachloro-
see F027	phenol, 2,4,5-trichloro-
see F027	phenol, 2,4,6-trichloro-

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U150	l-phenylalanine, 4- [bis(2-chloroethyl)amino]-
U145	phosphoric acid, lead salt
U087	phosphorodithioic acid, 0,0-diethyl S-methyl ester
U189	phosphorus sulfide (r)
U190	phthalic anhydride
U191	2-picoline
U179	piperidine, 1-nitroso-
U192	pronamide
U194	1-propanamine (i,t)
U111	1-propanamine, n-nitroso-n-propyl-
U110	1-propanamine, n-propyl- (i)
U066	propane, 1,2-dibromo-3-chloro-
U083	propane, 1,2-dichloro-
U149	propanedinitrile
U171	propane, 2-nitro- (i,t)
U027	propane, 2,2-oxybis[2-chloro-
U193	1,3-propane sultone
see F027	propanoic acid, 2-(2,4,5- trichlorophenoxy)-
U235	1-propanol, 2,3-dibromo-, phosphate (3:1)
U140	1-propanol, 2-methyl- (i,t)
U002	2-propanone (i)
U007	2-propenamide
U084	1-propene, 1,3-dichloro-
U243	1-propene, 1,1,2,3,3,3-hexachloro-
U009	2-propenenitrile
U152	2-propanenitrile, 2-methyl- (i,t)
U008	2-propenoic acid (i)
U113	2-propenic acid, ethyl ester (i)
U118	2-propenoic acid, 2-methyl-, ethyl ester

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance
U162	2-propenoic acid, 2-methyl-, methyl ester (i,t)
U194	n-propylamine (i,t)
U083	propylene dichloride
U148	3,6-pyridazinedione, 1,2-dihydro-
U196	pyridine
U191	pyridine, 2-methyl-
U237	2,4(1H,3H)-pyrimidinedione, 5- [bis(2-chloroethyl)amino]-
U164	4(1H)-pyrimidinone, 2,3-dihydro-6- methyl 2-thioxo-
U180	pyrrolidine, 1-nitroso
U200	reserpine
U201	resorcinol
U202	saccharin and salts
U203	safrole
U204	selenious acid
U204	selenium dioxide
U205	selenium sulfide
U205	selenium sulfide SeS2 (r,t)
U015	1-serine, diazoacetate (ester)
see F027	silvex (2,4,5-tp)
U206	streptozotocin
U103	sulfuric acid, dimethyl ester
U189	sulfur phosphide (r)
U232	2,4,5-T
U207	1,2,4,5-tetrachlorobenzene
U208	1,1,1,2-tetrachloroethane
U209	1,1,2,2-tetrachloroethane
U210	tetrachloroethylene
see F027	2,3,4,6-tetrachlorophenol
U213	tetrahydrofuran (i)

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance		
U214	thallium (i) acetate		
U215	thallium (i) carbonate		
U216	thallium chloride		
U216	thallium chloride Tlcl		
U217	thallium (i) nitrate		
U218	thioacetamide		
U153	thiomethanol (i,t)		
U244	thioperoxydicarbonic diamide, tetramethyl-		
U219	thiourea		
U244	thiuram		
U220	toluene		
U221	toluenediamine		
U223	toluene diisocyanate (r,t)		
U328	o-toluidine		
U353	p-toluidine		
U222	o-toluidine hydrochloride		
U011	1H-1,2,4-triazol-3-amine		
U227	1,1,2-trichloroethane		
U228	trichloroethylene		
U121	trichloromonofluoromethane		
U230	2,4,5-trichlorophenol		
U231	2,4,6-trichlorophenol		
U234	1,3,5-trinitrobenzene (r,t)		
U182	1,3,5-trioxane, 2,4,6-trimethyl-		
U235	tris(2,3-dibromopropyl)phosphate		
U236	trypan blue		
U237	uracil mustard		
U176	urea, n-ethyl-n-nitroso-		
U177	urea, n-methyl-n-nitroso-		
U043	vinyl chloride		
U248	warfarin, when present at concentrations of .3% or less		

Table 4-2 (continued)

USEPA Hazardous Waste No.	Substance		
U239	xylene (i)		
U200	yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5- trimethoxy-benzoyl)oxy], methyl ester		
U249	zinc phosphide, when present at concentrations of 10% or less.		

Table 4-3

Toxicity Characteristics Constituents and Regulatory Levels
(40 CFR 261.24)

USEPA HW No.			Chronic toxicity reference level	Regulatory Level(mg/L)	
D004	Arsenic	7440-38-2	0.05	5.0	
D005	Barium	7440-39-3	1.0	100.0	
D018	Benzene	71-43-2	0.005	0.5	
D006	Cadmium	7440-43-9	0.01	1.0	
D019	Carbon tetrachloride	56-23-5	0.005	0.5	
D020	Chlordane	57-74-9	0.0003	0.03	
D021	Chlorobenzene	108-90-7	1	100.0	
D022	Chloroform	67-66-3	0.06	6.0	
D007	Chromium	7440-47-3	0.05	5.0	
D023	o-Cresol	95-48-7	2	200.0 1	
D024	m-Cresol	108-39-4	2	200.0 1	
D025	p-Cresol	106-44-5	2	200.0 1	
D026	Cresol		2	200.0 1	
D016	2,4-D	94-75-7	0.1	10.0	
D027	1,4-Dichlorobenzene	106-46-7	0.075	7.5	
D028	1,2-Dichloroethane	107-06-2	0.005	0.5	
D029	1,1-Dichloroethylene	75-35-4	0.007	0.7	
D030	2,4-Dinitrotoluene	121-14-2	0.0005	0.13 <sup>2</sup>	
D012	Endrin	Endrin 72-20-8		0.02	
D031	Heptachlor (and its hydroxide)	76-44-8	0.00008	0.008	
D032	Hexachlorobenzene	118-74-1	0.0002	0.13 <sup>2</sup>	
D033	Hexachloro-1,3-butadiene	87-68	3	0.005	
D034	Hexachloroethane	67-72-1 0.03		3.0	
D008	Lead	ad 7439-92-1 0.05		5.0	
D013	Lindane	58-89-9	0.004	0.4	
D009	Mercury	Mercury 7439-97-6 0.002		0.2	
D014	Methoxychlor	72-43-5	0.1	10.0	
D035	Methyl ethyl ketone	78-93-3	2	200.0	
D036	Nitrobenzene	98-95-3	0.02	2.0	
D037	Pentachlorophenol	87-86-5	1	100.0	
D038	Pyridine	110-86-1	0.04	5.0 <sup>2</sup>	

Table 4-3 (continued)

USEPA HW No.	Constituent	CAS No.	Chronic toxicity reference level	Regulatory Level(mg/L)	
D010	Selenium	7782-49-2	0.01	1.0	
D011	Silver	7440-22-4	0.05	5.0	
D039	Tetrachloroethylene	127-18-4	0.007	0.7	
D015	Toxaphene	8001-35-2	0.005	0.5	
D040	Trichloroethylene	79-01-6	0.005	0.5	
D041	2,4,5-Trichlorophenol 95-95-4		4	400.0	
D042	2,4,6-Trichlorophenol	88-06-2	0.02	2.0	
D017	2,4,5-TP (Silvex)	93-72-1	0.01	1.0	
D043	Vinyl chloride	75-01-4	0.002	0.2	

If o-, m-, and p-cresol concentrations cannot be differentiated, the total cresol (D026) concentration is used.

Quantitation limit is greater than the calculated regulatory level. Therefore, the quantitation limit becomes the regulatory level. (Source: Federal Register 55:61, page 11804.)

Table 4-4
Hazardous Materials/Hazardous Waste Storage Incompatibility Chart

Substances in bold have detailed example lists on the next page.

If the material contains:	It may not be stored with any of the following:
Acid (pH below 2.0)	Caustics (pH above 12.5) Reactive Metals Alcohol Water Aldehydes Halogenated, Nitrated, or Unsaturated Hydrocarbons Reactive Organic Compounds and Solvents Spent Cyanide and Sulfide Solutions Oxidizers
Caustic (pH above 12.5)	Acid (pH below 2.0) Reactive Metals Alcohol Water Aldehydes Halogenated, Nitrated, or Unsaturated Hydrocarbons Reactive Organic Compounds and Solvents
Reactive Metals	Caustics Acids Alcohol Aldehydes Halogenated, Nitrated, or Unsaturated Hydrocarbons Reactive Organic Compounds and Solvents Oxidizers
Reactive Organic Compounds and Solvents	Caustics Acids Reactive Metals
Spent Cyanide and Sulfide Solutions	Acids
Oxidizers	Acetic or Other Organic Acids Concentrated Mineral Acids Reactive Metals Reactive Organic Compounds and Solvents Ignitable [Flammable/Combustible] Wastes*

<sup>\* &</sup>quot;Ignitable" in this context refers to substances with a flashpoint below 140 °F, and includes:

Combustible substances, with a flashpoint below 140 °F

Flammable substances, with a flashpoint below 100 °F.

#### **Some Deadly Combinations**

Acids + Oil or Grease = Fire

Acids + Caustics = Heat/Spattering

Caustics + Epoxies = Extreme Heat

Chlorine Gas + Acetylene = Explosion

Flammable Liquids + Hydrogen Peroxide = Fire/Explosion

Aluminum Powder + Ammonium Nitrate = Explosion

Sodium Cyanide + Sulfuric Acid = Lethal Hydrogen Cyanide

Ammonia + Bleach = Noxious Fumes

## Table 4-4 (continued)

In general:

Reactives must be segregated from Ignitables

Acids must be segregated from Caustics

Corrosives should be segregated from Flammables
Oxidizers should be segregated from EVERYTHING

Many Corrosives are "Water Reactive"

Most Organic Reactives must be segregated from Inorganic Reactives (metals)

Ignitables	Corrosives			
(Flammables/Combustibles)	Acids	Caustics		
Carburetor Cleaners	Battery Acids	Acetylene Sludge		
Engine Cleaners	Degreasers and Engine	Alkaline Battery Acids		
Epoxy, Resins, Adhesives, and Rubber Cements	Cleaners	Alkaline Cleaners		
Finishes	Etching Fluids	Alkaline Degreasers		
Fuels	Hydrobromic Acid	Alkaline Etching Fluids		
Lacquers	Hydrochloric Acid (Muri-	Lime and Water		
Paints	atic Acid)	Lime Wastewater		
Paint Thinners	Nitric Acid (<40%)	Potassium Hydroxide		
Paint Wastes	(Aquafortis)	(Caustic Potash)		
Pesticides that contain Solvents (such as Methyl	Phosphoric Acid	Rust Removers		
Alcohol, Ethyl Alcohol, Isopropyl Alcohol,	Rust Removers	Sodium Hydroxide (Caus-		
Toluene, Xylene).	Sulfuric Acid (Oil of Vit-	tic Soda, Soda Lye)		
Petroleum Solvents (Drycleaning Fluid)	riol)			
Solvents:				
Acetone	Reactive Metals	Reactive Organic Com-		
Benzene		pounds and Solutions		
Carbon Tetrachloride (Carbon Tet)	Lithium (Batteries)	Alcohols		
Ethanol (Ethyl Alcohol)	Aluminum	Aldehydes		
Ethyl Benzene	Beryllium	Chromic Acids (from		
Isopropanol (Isopropyl Alcohol)	Calcium	chrome plating, copper		
Kerosene (Fuel Oil #1)	Magnesium	stripping and aluminum		
Methanol (Wood Alcohol)	Sodium	anodizing)		
Methyl Ethyl Ketone (MEK)	Zinc Powder	Cyanides (from electro-		
Petroleum Distillates	Zine i owder	plating operations)		
Tetrahydrofuran (THF)		Hypochlorides (from water		
Toluene (Methacide, Methylbenzene,		treatment plants,		
Methylbenzol, Phenylmethane, Toluol,		swimming pools, sani-		
Antisal 1A)	Oxidizers	tizing operations)		
White Spirits (White Spirits, Mineral Spirits,	Chlorine Gas	Organic Peroxides (includ-		
Naptha)	Nitric Acid (>40%), aka	ing Hydrogen Perox-		
Xylene (Xylol)	Red Fuming Nitric	ide)		
Stains	Nitrates (Sodium Nitrate,	Perchlorates		
Stripping Agents	Ammonium Nitrate)	Permanganates		
Varsol	Perchlorates	Sulfides		
Waste Fuels	Perchloric Acid			
Waste Ink	Perchloric Acid Peroxides			
Wax Removers	Calcium Hypochlorite (>60%)			

INSTALLATION:			COMPLIA	NCE CATEGO	RY:	DATE:	REVIEWER(S):	
		HAZARDOUS WASTE MANAGEMENT United Kingdom ECAMP						
S	TATU	J <b>S</b>		REVIEWER COMMENTS			TC.	
NA	C	RMA			KEVIEWE	K COMMEN	113.	
				,				
							r	
		,						
		-						
								•
							•	

## **SECTION 5**

# NATURAL RESOURCES MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 5**

#### NATURAL RESOURCES MANAGEMENT

## A. Applicability of this Section

This chapter applies to any Air Force (AF) installation with improved, semi-improved, and unimproved grounds. Included are required plans and programs needed to ensure proper protection and management of natural resources such as soil, water, plants, and wildlife.

The regulatory requirements in this section are based on DOD regulations that apply at overseas installations. Management Practices (MPs) are derived from DOD regulations and other documents that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### **B.** DOD Directives/Instructions

Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 13, addresses required plans and programs for the protection, enhancement, and management of natural resources and endangered or threatened species.

#### C. U.S. Air Force Documents

· None.

#### D. Responsibility for Compliance

- Base Civil Engineering (BCE) is responsible for funding, supervising, controlling, and managing installation natural resources.
- The Natural Resources Manager is responsible for preparing management plans, cooperative agreements, budgets, and the annual natural resources report. The natural resources manager also implements and controls all activities that promote natural resources management. On installations without a full-time Natural Resources Manager, these duties would normally be assigned to the environmental coordinator or community planner.

#### E. Definitions

- Action all activities or programs of any kind authorized, funded, or carried out, in whole or in part, on DOD-controlled installations (FGS-UK 20).
- Adverse Effect changes that diminish the quality or significant value of natural resources, archaeological resources, or cultural resources or properties. For biological resources, adverse effects include overall population fitness (FGS-UK 20).
- Conservation wise management and use of natural resources to provide the best public benefits for present and future generations (FGS-UK 20).

- Endangered Species any species of flora or fauna whose continued existence is, or is likely to be, threatened and is therefore subject to special protection from destruction or adverse modification of associated habitat (See Tables 5-1 and 5-2) (FGS-UK 20).
- Management Plan a document describing natural resources, and their quantity and condition, and actions to ensure conservation and good stewardship (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Natural Resource all living and inanimate materials supplied by nature that are of aesthetic, ecological, educational, historical, recreational, scientific, or other value (FGS-UK 20).
- Natural Resources Management action taken to protect, manipulate, alter, or manage environmental, human, and biological resources in harmony with each other to meet present and future human needs (FGS-UK 20).
- Preservation the act or process of applying measures to sustain the existing form, integrity, and material of a building or structure and the existing form and vegetative cover of a site. It may include initial stabilization work where necessary, as well as ongoing maintenance of the historic building materials (FGS-UK 20).
- Property a site, building, object, structure, or collection of such items (FGS-UK 20).

### NATURAL RESOURCES MANAGEMENT

### **GUIDANCE FOR CHECKLIST USERS**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations	5-1 through 5-3	(1)(2)
Natural Resources	5-4 through 5-7	(1)
Endangered or Threatened Species	5-8	(1)
Fish and Wildlife	5-9	(1)
Grounds Management	5-10 through 5-13	(1)

### (a) CONTACT/LOCATION CODE:

- (1) Natural Resources Manager (or Environmental Coordinator)
- (2) Base Staff Judge Advocate

5 - 4

#### NATURAL RESOURCES MANAGEMENT

#### **Records To Review**

- Documentation of finding of no adverse effect (for construction activities)
- Environmental Impact Statement (EIS)
- · Land Use Plan
- Fish and Wildlife Plan
- · Outdoor Recreation Plan
- Cropland and Grazing Plan
- Forest Management Plan

#### **Physical Features To Inspect**

- Construction sites
- Site or landmark of historic or archaeological interest
- Facilities constructed in the past 2 yr
- Wildlife containment areas
- Wildlife habitat and land and water resources
- Equipment that could damage wildlife, its habitat, or land and water resources

#### **People To Interview**

- Natural Resources Manager (or Environmental Coordinator)
- Base Staff Judge Advocate

# COMPLIANCE CATEGORY: NATURAL RESOURCES MANAGEMENT United Kingdom ECAMP

United Kingdom ECAM		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>5-1.</b> Copies of all relevant DOD directives/instructions, U.S. Air Force (USAF) directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF directives. (2)	
5-2. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning natural resources have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.	
5-3. The Installation Natural Resource Manager should be included in the coordination process for all actions that may affect the installation's natural resources (MP).  NATURAL RESOURCES	Verify that the Natural Resources Manager is included in the coordination process for all actions that may affect the installation's natural resources. (1)	
5-4. Certain installations must develop programs for conserving, managing, and protecting natural resources (FGS-UK 13-1).	Determine whether the installation has any of the following resources: (1)  - land (soil and water) - grazing and cropland - forest - fish and wildlife - outdoor recreation.  Verify that the installation has management plans for such resources, where they exist.  Verify that the installation consults with the Defence Land Agent in developing a program for conserving, managing, and protecting natural resources.	

<sup>(1)</sup> Natural Resources Manager (or Environmental Coordinator) (2) Base Staff Judge Advocate

## COMPLIANCE CATEGORY: NATURAL RESOURCES MANAGEMENT United Kingdom ECAMP

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
5-5. The installation's land management plan should address certain	Verify that the land management plan reflects a comprehensive effort to educate installation personnel. (1)	
topics (MP).	Verify that the plan includes programs and policies and reduces nonpoint sources of water pollution, including:	
	<ul> <li>fertilizer application</li> <li>pesticide use</li> <li>stormwater runoff</li> </ul>	
	<ul> <li>waste oil recovery</li> <li>grounds maintenance</li> <li>car washing</li> </ul>	
	- erosion/sedimentation control.	
5-6. Technical instruction should be provided for personnel engaged in the care of the installation (MP).	Verify that the installation provides periodic and comprehensive technical instruction concerning land preparation, soil management, fertilization, pruning, spraying, and other horticulture skills to personnel engaged in the care of the installation. (1)	
5-7. Personnel who manage natural resources must be properly trained (FGS-UK 13-3).	Verify that personnel who manage natural resources are properly trained. (1)	
ENDANGERED OR THREATENED SPECIES		
<b>5-8.</b> Installations must manage endangered species (FGS-UK 13-2 and	Verify that the IC takes reasonable steps to protect and enhance known endangered species and their habitat. (1)	
13-4.A).	(NOTE: Consult Tables 5-1 and 5-2 for a list of species determined to be threatened or endangered by the United Kingdom.)	
	Verify that, if it is financially and otherwise practical, a survey of endangered species is conducted.	
	Verify that, if it is financially and otherwise practical, the installation supports UK-initiated surveys.	
	Verify that UK officials are normally notified when a new endangered species is identified on the installation.	

<sup>(1)</sup> Natural Resources Manager (or Environmental Coordinator) (2) Base Staff Judge Advocate

## COMPLIANCE CATEGORY: NATURAL RESOURCES MANAGEMENT United Kingdom ECAMP

Office Kingdom Bornin		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
FISH AND WILDLIFE		
5-9. Installations must emphasize the maintenance and protection of habitat favorable to the local fish and wildlife (FGS-UK 13-4.B).	Verify that habitats that are favorable to the reproduction and survival of indigenous fish and wildlife are maintained and protected. (1)	
GROUNDS MANAGEMENT		
5-10. Installations must meet specific standards with regard to grounds maintenance (FGS-UK 13-4.C and 13-4.E).	Verify that installation grounds are maintained in ways that meet designated mission use and assure harmony with the natural landscape. (1)	
5-11. Land management operations must be consistent with modern conservation and land use principles (FGS-UK 13-4.C).	Verify that land and vegetation management activities are consistent with modern conservation and land-use principles. (1)	
5-12. A protective vegetative cover (or other standard soil erosion/ sediment control measures) must be used to control dust and/or stabilize sites (FGS-UK 13-4.D).	Verify that the installation uses a protective vegetative cover (or other standard soil erosion/sediment control measures) to control dust and/or stabilize sites. (1)	
5-13. The installation should have a mitigation and monitoring plan (MP).	Verify that there is a mitigation and monitoring plan for environmental compliance.  (1)  Verify that the installation has developed plans to preserve, protect, and acquire the water supplies necessary to support all natural resources projects and programs.	

**Table 5-1** 

## **Endangered/Threatened Species**

(FGS-UK, Table 13-1)

COMMON NAME	SCIENTIFIC NAME	HISTORIC RANGE	
	MAMMALS		
Ass, Asian wild (=kulgan, onager)	Equus hemionus	Southwestern and Central Asia	
Bandicoot, barred	Perameles bougainville	Australia	
Bandicoot, desert	Perameles eremiana	Australia	
Bandicoot, lesser rabbit	Perameles leucura	Australia	
Bandicoot, pig-footed	Chaeropus ecaudatus	Australia	
Bandicoot, rabbit	Macrotus lagotis	Australia	
Banteng	Bos javanicus (=banteng)	Southeast Asia	
Bat, Mexican long-nosed	Leptonycteris nivalis	Central America	
Bat, Sanborn's long-nosed	Leptonycteris sanborni (=yerbabuenae)	USA, Mexico, Central America	
Cat, Iriomote	Felis (Mayailurus) iriomotensis	Japan (Iriomote Island, Ryuku Islands)	
Cat, marbled	Felis marmorata	Southeast Asia	
Chamois, Apennine	Rupicapra rupicapta ornata	Italy	
Deer, Eld's brow-antlered	Cervus eldi	Southeast Asia	
Deer, Philippine	Axis (=Cervus) porcinus calamianensis	Philippines (Calamian Islands)	
Deer, Ryukyu sika	Cervus nippon keramae	Japan (Ryukyu Islands)	
Dhole (=Asiatic wild dog)	Cuon alpinus	Southeast Asia	
Dibbler	Antechinus apicalis	Australia	
Dugong	Dugong dugon	Japan	
Gibbons	Hylobates spp. (including Nomascus)	Southeast Asia	
Goat, wild (=Chiltanmarkhor)	Capra aegagrus (=falconen chiltanensis)	Southwestern Asia	
Goral	Nemorhaedus goral	East Asia	
Hutia, Cabrera's	Capromys angelcabrerai	Cuba	
Hutia, dwarf	Capromys nana	Cuba	
Hutia, large eared	Capromys auntus	Cuba	
Hutia, little earth	Capromys sanfelipensis	Cuba	
Ibex, Pyrenean	Capra pyrenaicapyrenaica	Spain	
Kangaroo, eastern gray	Macropus giganteus	Australia	
Kangaroo, red	Macropus (Megaleia) rufus	Australia .	
Kangaroo, Tasmanian forester	Macropus giganteus tasmaniensis	Australia (Tasmania)	

Table 5-1 (continued)

COMMON NAME	SCIENTIFIC NAME	HISTORIC RANGE
Mammals (continued)		
Kangaroo, western gray	Macropus fuliginosis	Australia
Leopard	Panthera pardus	Asia
Leopard, clouded	Neofelis nebulosa	Southeast and south-central Asia, Taiwan
Leopard, snow	Panthera uncia	Central Asia
Lion, Asiatic	Panthera leo persica	Turkey
Lynx, Spanish	Felis (=Lynx) pardina	Spain, Portugal
Macaque, Japanese	Macaca fuscata	Japan (Shikoku, Kyushu and Honshu Islands)
Marsupial, eastern jerboa	Antechinomys laniger	Australia
Marsupial-mouse, large1ep	Sminthopsis psammophila	Australia
Marsupial-mouse, long-tailed	Sminthopsis longacaudata	Australia
Monkey, red-backed squirrel	Saimiri oerstedii	Panama
Monkey, spider	Ateles geoffroyl panamensis	Panama
Mouse, Australian native	Zyzomys (=Notomys) pedunculatus	Australia
Mouse, Australian native	Notomys aquilo	Australia
Mouse, Field's	Pseudomys fieldi	Australia
Mouse, Gould's	Pseudomys gouldii	Australia
Mouse, New Holland	Pseudomys novaehollandiae	Australia
Mouse, Shark Bay	Pseudomys praeconis	Australia
Mouse, Shortridge's	Pseudomys shortridgei	Australia
Mouse, Smoky	Pseudomys fumeus	Australia
Mouse, western	Pseudomys occidentalis	Australia
Native-cat, eastern	Dasyurus viverrinus	Australia
Numbat	Mymecodius fasciatus	Australia
Planigale, little	Planginale ingrami subtilissima (formerly P. subtilissima)	Australia
Planigale, southern	Planigale tenuirostris	Australia
Possum, mountain pygmy	Burramys parvus	Australia
Possum, scaly-tailed	Wyulda squamicaudata	Australia
Puma, Costa Rican	Felis concolor costaricensis	Panama
Quokka	Setonix brachyurus	Australia
Rabbit, Ryukyu	Pentalagus furnessi	Japan (Ryuku Islands)
Rat, false water	Xeromys myoides	Australia
Rat, stick-nest	Leporillus conditor	Australia
Rat-kangaroo, brush-tailed	Bettongia penicillata	Australia

Table 5-1 (continued)

COMMON NAME	SCIENTIFIC NAME	HISTORIC RANGE
Mammals (continued)		
Rat-kangaroo, Gaimard's	Bettongia gaimardi	Australia
Rat-kangaroo, Lesuer's	Bettongia lesuer	Australia
Rat-kangaroo, plain	Caloprymnus campestris	Australia
Rat-kangaroo, Queensland	Bettongia tropica	Australia
Seledang (=Gaur)	Bos gaurus	Southeast Asia
Serow	Capricornis sumatraensis	East Asia
Solenodon, Cuban	Solenodon (Atopogale) cubanus	Cuba
Tamaraw	Bubalus mindorensis	Philippines
Tarsier, Philippine	Tarsius syrichta	Philippines
Tiger	Panthera tigris	Temperate and tropical Asia
Tiger, Tasmanian(=Thylacine)	Thylacinus cynocephalus	Australia
Wallaby, banded hare	Lagostrophus fasciatus	Australia
Wallaby, brindled nail-tailed	Onychogalea fraenata	Australia
Wallaby, cresent nail-tailed	Onychogalea lunata	Australia
Wallaby, Parma	Macropus parma	Australia
Wallaby, western hare	Lagorchestes hirsutus	Australia
Wallaby, yellow-footed	Petrogale xanthopus	Australia
Wombat, hairy-nosed (=Barnard's and Queensland hairy-nosed)	Lasiorhinus krefftii (formerly L. barnardi and L. gillespiel)	Australia
	BIRDS	
Albatross, short-tailed	Diomedea albatrus	Japan
Bristlebird, western	Dasyomis brachypterus longirostris	Australia
Bristlebird, western rufous	Dasyomis broadbenti littoralis	Australia
Caracara, Audobon's crested	Polyborus plancus audubonii	Panama, Cuba
Eagle, Philippine	Pithecophaga jefferyi	Philippines
Falcon, Arctic peregrine	Falco peregrinus tundrius	Central America
Falcon, Eurasian peregrine	Falco peregrinus peregrinus	Europe, Eurasia
Goose, Aleutian Canada	Branta canadensis leucopareia	Japan
Grasswren, Eyrean (flycatcher)	Amytomis goyderi	Australia
Greenshank, Nordmann's	Tringa guttifer	Japan
Honeyeater, helmeted	Meliphaga cassidix	Australia
Ibis, Japanese crested	Nipponia nippon	Japan, Korea
Ibis, northern bald	Geronticus eremita	Southern Europe, Southwestern Asia
Kite, Cuba hook-billed	Chondrohierax uncinatus wilsonii	Cuba

Table 5-1 (continued)

COMMON NAME	SCIENTIFIC NAME	HISTORIC RANGE
Birds (continued)		
Kite, Everglade snail	Rostrhamus sociabilis plumbeus	Cuba
Parakeet, orange-billed	Neopherna chrysogaster	Australia
Parakeet, paradise(=beautiful)	Psephotus pulchemmus	Australia
Parakeet, scarlet-chested (=splendid)	Neophema splendida	Australia
Parakeet, turquoise	Neophema pulchella	Australia
Parrot, Australian	Geopsittacus occidentalis	Australia
Parrot, Bahaman or Cuban	Amazona leucocephala .	West Indies, Bahamas
Parrot, ground	Pezoporus wallicus	Australia
Pheasant, Palawan peacock	Polyplectron emphanum	Philippines
Pigeon, Mindoro zone-tailed	Ducula mindorensis	Philippines
Quetzel, resplendent	Pharomachrus mocinno	Panama
Scrup-bird, noisy	Atrichornis clamosus	Australia
Shama, Cebu black (thrush)	Copsychus niger cebuensis	Philippines
Stork, oriental white	Ciconia ciconia boyciana	Japan, Korea
Wanderer, plain (collared-hemipode)	Pedionomous torquatus	Australia
Warbler (wood), Bachman's	Vermivora bachmanii	Cuba
	REPTILES	
Crocodile, Philippine	Crocodylus novaeguineae mindorensis	Philippine Islands
Crocodile, saltwater (=estuarine)	Crocodylus porosus	Southeast Asia
Crocodile, Siamese	Crocodylus siamensis	Southeast Asia
Iguana, Cuban ground	Cyclura nubila nubila	Cuba
Lizard, Hierro giant	Gallotia simonyi simonyi	Spain (Canary Islands)
Lizard, Ibiza wall	Podarcis pityusensis	Spain (Balearic Islands)
Turtle, short-necked or western swamp	Pseudemydura umbrina	Australia
	FISHES	
Ala Balik (trout)	Salmo platycephalus	Turkey
Ayumodoki (loach)	Hymenophysa (=Botia) curta	Japan
Cicek (minnow)	Acanthorutilus handlirschi	Turkey
Nekogigi (catfish)	Coreobagrus ichikawai	Japan
Tango, Miyako (Tokyo bitterling)	Tanakia tanago	Japan

## Table 5-1 (continued)

COMMON NAME	SCIENTIFIC NAME	HISTORIC RANGE	
EN	ENDANGERED/THREATENED PLANTS		
Key tree-cactus	Cereus robinii	Cuba	
American hart's-tongue fern	Phyllitis scolopendrium var. americana (=P. japonica) (ssp. americana)	Canada (Ontario)	
Pitcher's thistle	Cirsium pitchen	Canada (Ontario)	
Lakeside daisy	Hymenoxys acaulis var. glabra	Canada (Ontario)	
Houghton's goldenrod	Solidago houghtonii	Canada (Ontario)	
Hayun lagu (Guam), Tronkon guafi rota	Serianthes neisonii	Western Pacific Ocean	
Dwarf lake iris	Iris facustris	Canada (Ontario)	
Small whorled pogonia	Isotria nedeoloides	Canada (Ontario)	
Eastern prairie fringed orchid	Platanthera leucophaea	Canada (Ontario, NewBrunswick)	
Furbish lousewort	Pedicularis furbishiae	Canada (New Brunswick)	

**Table 5-2** 

## Species Protected in the United Kingdom (FGS-UK, Table 13-2)

COMMON NAME	SCIENTIFIC NAME	
ANIMALS		
Adder	Vipera berus	
Allis shad*	Alosa alosa	
Bats, Horseshoe (all species)	Rhinolophidae	
Bats, Typical (all species)	Vespertilionidae	
Beetle, Rainbow Leaf	Chrysolina cerealis	
Burbot	Lota lota	
Butterfly, Adonis Blue*	Lysandra bellargus	
Butterfly, Black Hairstreak*	Strymonidia pruni	
Butterfly, Brown Hairstreak*	Thecla betulae	
Butterfly, Chalkhill Blue*	Lysandra coridon	
Butterfly, Chequered Skipper*	Carerocephalus palaemon	
Butterfly, Duke of Burgandy Fritillary*	Hamearis lucina	
Butterfly, Glanville Fritillary*	Melitaea cinxia	
Butterfly, Heath Fritillary	Mellicta athalia	
Butterfly, High Brown Fritillary*	Argynnis adippe	
Butterfly, Large Blue	Maculinea arion	
Butterfly, Large Copper*	Lycaena dispar	
Butterfly, Large Heath*	Coenonympha	
Butterfly, Large Tortoiseshell*	Nymphalis polychloros	
Butterfly, Lulworth Skipper*	Thymelicus acteon	
Butterfly, Marsh Fritillary*	Eurodryas aurinia	
Butterfly, Mountain Ringlet*	Erebia epiphron	
Butterfly, Northern Brown Argus*	Aricia artaxerxes	
Butterfly, Pearl-Bordered Fritillary	Boloria euphrosyne	
Butterfly, Purple Emporer*	Aparatura iris	
Butterfly, Silver Spotted Skipper*	Hesperia comma	
Butterfly, Silver-Studded Blue*	Plebejus argus	
Butterfly, Small Blue*	Cupido minimus	
Butterfly, Swallowtail	Papilio machaon	
Butterfly, White Letter Hairstreak*	Stymonida w-album	
Butterfly, Wood White*	Leptidea sinapis	

Table 5-2 (continued)

COMMON NAME	SCIENTIFIC NAME
Animals (continued)	
Cricket, Field	Gryllus campestris
Cricket, Mole	Gryllotalpa gryllotalpa
Dolphin, Bottle-Nosed	Tursiops truncatus
Dolphin, Common	Delphinus delphis
Dragonfly, Norfolk Aeshna	Aeshna isosceles
Frog, Common*	Rana temporaria
Grasshopper, Wart-Biter	Decticus verrucivorus
Lizard, Sand	Lacerta agilis
Lizard, Viviparous*	Lacerta vivipara
Moth, Barberry Carpet	Pareulype berberata
Moth, Black-Veined	Siona lineata
Moth, Essex Emerald	Thetidia smaragdaria
Moth, New Forest Burnet	Zygaena viciae
Moth, Reddish Buff	Acosmetia caliginosa
Mussel, Freshwater Pearl*	Margaritifera margaritifera
Newt, Great Crested	Triturus crisatus
Newt, Palmate*	Triturus helveticus
Newt, Smooth*	Triturus vulgaris
Otter, Common	Lutra lutra
Porpoise, Harbour	Phocaena phocaena
Slow-Worm*	Anguis fragilis
Snail, Carthusian	Monacha cartusiana
Snail, Glutinous	Myxas glutinosa
Snail, Sandbowl	Catinella arenaria
Snake, Grass*	Natrix helvetica
Snake, Smooth	Coronella austriaca
Spider, Fen Raft	Dolomedes planarius
Spider, Ladybird	Eresus niger
Squirrel, Red	Sciurus vulgaris
Toad, Common*	Bufo bufo
Toad, Natterjack	Bufo calamita
	BIRDS
Avocet	Recurvirostra avosetta
Bee-Eater	Merops apiaster
Bittern	Botaurus stellaris

Table 5-2 (continued)

COMMON NAME	SCIENTIFIC NAME
Birds (continued)	
Bittern, Little	Ixobrychus minutus
Bluethroat	Luscinia svecia
Brambling	Fringilla montifringilla
Bunting, Cirl	Emberiza cirlus
Bunting, Lapland	Calcarius laponicus
Bunting, Snow	Plectrophenax nivalis
Buzzard, Honey	Pernis apivorus
Chough	Pyrrhocorax pyrrhocorax
Corncrake	Crex crex
Crake, Spotted	Porzana prozana
Crossbills (all species)	Loxia
Curlew, Stone	Burhinus oedicnemus
Divers (all species)	Gavia
Dotterel	Charadrius morinellus
Duck, Long-Tailed	Clangula hyemalis
Eagle, Golden	Aquila chrysaetos
Eagle, White-Tailed	Haliaetus albicilla
Falcon, Gyr	Falco rusticolus
Fieldfare	Turdus pilaris
Firecrest	Regulus ignicapillus
Garganey	Anas querquedula
Godwit, Black-tailed	Limosa limosa
Goshawk	Accipiter gentilis
Grebe, Black-Necked	Podiceps nigricollis
Grebe, Slavonian	Podiceps auritus
Greenshank	Tringa nebularia
Gull, Little	Larus minutus
Gull, Mediterranean	Larus melancephalus
Harriers (all species)	Circus
Heron, Purple	Ardea purpurea
Hobby	Falco subbuteo
Ноорое	Upupa epops
Kingfisher	Alcedo atthis
Kite, Red	Milvus milvus
Merlin	Falco columbarius

Table 5-2 (continued)

COMMON NAME	SCIENTIFIC NAME	
Birds (continued)		
Oriole, golden	Oriolus oriolus	
Osprey	Pandion haliaetus	
Owl, Barn	Tyto alba	
Owl, Snowy	Nyctea scandiaca	
Peregrine	Falco peregrinus	
Petrel, Leach's	Oceanodroma leucorhoa	
Phalarope, Red-Necked	Phalaropus lobatus	
Plover, Kentish	Charadrius alexandrinus	
Plover, Little Ringed	Charadrius dubius	
Quail, Common	Coturnix coturnix	
Redstart, Black	Pheonicurus ochruros	
Redwing	Turdus iliacus	
Rosefinch, Scarlet	Carpodacus erythrinus	
Ruff	Philomachus pugnax	
Sandpiper, Green	Tringa ochropus	
Sandpiper, Purple	Calidris maritima	
Sandpiper, Wood	Tringa glareola	
Scaup	Aythya marila	
Scoter, Common	Melanitta nigra	
Scoter, Velvet	Melanitta fusca	
Serin	Serinus serinus	
Shorelark	Eremophila alpestris	
Shrike, Red-Backed	Lanius collurio	
Spoonbill	Platalea leucorodia	
Stilt, Black-Winged	Black-Winged Himantopus himantopus	
Stint, Temminck's	Calidris temminckii	
Swan, Bewick's	Cygnus bewickii	
Swan, Whooper	Cygnus cygnus	
Tern, Black	Chlidonia niger	
Tern, Little	Sterna albifrons	
Tern, Roseate	Sterna dougallii	
Tit, Bearded	Tanurus biarmicus	
Tit, Crested	Parus cristatus	
Treecreeper, Short-Toed	Certhia brachydactyla	
Warbler, Cetti's	Cettia cetti	

Table 5-2 (continued)

COMMON NAME	SCIENTIFIC NAME	
Birds (continued)		
Warbler, Dartford	Sylvia undata	
Warbler, March	Acrocephalus palustris	
Warbler, Savi's	Locustella suscinioides	
Whimbrel	Numenius	
Woodlark	Lullula arborea	
Wryneck	Jynx torquilla	
PLA	NTS	
Alison, Small	Alyssum alyssoides	
Broomrape, Bestraw	Orobanche caryophyllacea	
Broomrape, Oxtongue	Orobanche loricata	
Broomrape, Thistle	Orobanche reticulata	
Calamint, Wood	Calamintha sylvatica	
Catchfly, Alpine	Lychnis alpina	
Cinquefoil, Rock	Potentilla rupestris	
Club-Rush, Triangular	Scirpus triquetrus	
Cotoneaster, Wild	Cotoneaster integerrimus	
Cow-Wheat, Field	Melampyrum arvense	
Cudweed, Jersey	Gnaphalium luteoalbum	
Diapensia	Diapensia lapponica	
Eryngo, Field	Eryngium campestre	
Fern, Dickie's Bladder	Cystopteris dickieana	
Fern, Killarney	Trichomanes speciosum	
Galingale, Brown	Cyperus fuscus	
Gentian, Alpine	Gentiana nivalis	
Gentian, Spring	Gentiana verna	
Germander, Water	Teucrium scordium	
Gladiolus, Wild	Gladiolus illyricus	
Hare's-Ear, Sickle-leaved	Bupleurum falcatum	
Hare's-Ear, Small	Bupleurum bladense	
Heath, Blue	Phyllodoce caerulea	
Helleborine, Red	Cephalanthera rubra	
Knawel, Perennial	Scleranthus perennis	
Knotgrass, Sea	Polygonum maritimum	
Lady's Slipper	Cypripedium calceolus	
Lavender, Sea	Limonium paradoxum; Limonium recurvum	

Table 5-2 (continued)

COMMON NAME	SCIENTIFIC NAME	
Plants (continued)		
Leek, Round-Headed	Allium Sphaerocephalon	
Lettuce, Least	Lactuca saligna	
Lily, Snowdon	Lloydia serotina	
Marsh-Mallow, Rough	Althaea hirsuta	
Orchid, Early Spider	Ophrys sphegodes	
Orchid, Fed	Liparis loeselii ,	
Orchid, Ghost	Epipogium aphyllum	
Orchid, Late Spider	Ophrys fuciflora	
Orchid, Lizard	Himantoglossum hircinum	
Orchid, Military	Orchis militaris	
Orchid, Monkey	Orchis simia	
Pear, Plymouth	Pyrus cordata	
Pink, Cheddar	Dianthus gratianopolitanus	
Pink, Childing	Petroraghia nanteuilii	
Sandwort, Norwegian	Arenaria norvegica	
Sandwort, Teesdale	Minuartia stricta	
Saxifrage, Drooping	Saxifraga cernua	
Saxifrage, Tufted	Saxifraga cespitosa	
Solomon's Seal, Whorled		
Sow-thistle, Alpine	Cicerbita aplina	
Spearwort, Adder's-Tongue	Ranunculus ophioglossifolius	
Speedwell, Spiked	Veronica spicata	
Spurge, Purple	Euphorbia peplis	
Starfruit	Damasonium alisma	
Violet, Fen	Viola persicifolia	
Water-plantain, Ribbon-Leaved	Alisma gramineum	
Wood-Sedge, Starved	dge, Starved Carex depauperata	
Woodsia, Alpine	Woodsia alpina	
Woodsia, Oblong	Woodsia ilvensis	
Wormwood, Field	Artemisia campestris	
Woundwort, Downy	Stachys germanica	
Woundwort, Limestone	Stachys alpina	
Yellow-Rattle, Greater	Rhinanthus serotinus	

<sup>\*</sup> The provisions of §9(5) of the Wildlife and Countryside Act (1981) protect the species indicated as follows: any person who sells, offers, or exposes for sale, or has in his possession or transports for the purpose of sale, any live or dead wild animal, or any part of, or anything derived from, such an animal, will be guilty of an offence.

INSTALLATION:		TION:	COMPLIANCE CATEGORY:	DATE:	<b>REVIEWER(S):</b>		
			NATURAL RESOURCES MANAGEMENT United Kingdom ECAMP				
S	TATU	JS	REVIEWER COMMENTS:				
NA	С	RMA	REVIEWER COMMENTS.				
			•				
		1					
		İ					

## **SECTION 6**

## OTHER ENVIRONMENTAL ISSUES

**United Kingdom ECAMP** 

#### **SECTION 6**

#### OTHER ENVIRONMENTAL ISSUES

#### A. Applicability of this Section

This section applies to all U.S. Air Force (USAF) installations overseas. Currently, this section contains major subsections that address environmental impacts, environmental noise, the Installation Restoration Program (IRP), the Pollution Prevention Program, and environmental program management in general.

The regulatory requirements in this section are based on the Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), Department of Defense (DOD) regulations, and Air Force Instructions (AFIs) that apply at overseas installations. Management practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### Environmental Impacts

The topic of this subsection is the AF's Environmental Impact Analysis Process (EIAP). The subsection addresses FGS-UK and AF standards the goal of which is to ensure that decision makers are presented with sufficient relevant analysis to understand and evaluate the impact on the environment of the actions they approve and that they receive this information at appropriate times in the decision-making process.

#### Environmental Noise

This subsection contains standards to control environmental noise within installations. It is limited to measures allowing reasonable internal DOD planning efforts, but it does not address procedures for operating aircraft or ships, which are outside the scope of DOD Directive 6050.16.

#### Installation Restoration Program

This subsection contains standards to ensure that cleanup projects at sites contaminated by AF operations are executed to the appropriate point.

#### Pollution Prevention

The U.S. Environmental Protection Agency (USEPA) has developed a hierarchy of options regarding environmental management. The highest priority in this hierarchy of management methods is source reduction as a means of preventing pollution. Source reduction includes reuse or closed-loop recycling. The hierarchy then proceeds to recycling, treatment, and disposal as management methods of decreasing priority.

The concept of pollution prevention, as defined by the USEPA, is the maximum feasible reduction at the source of all wastes generated. This reduction is accomplished by the judicious use of resources through source reduction, materials substitution, energy efficiency, reuse of input materials during production, and reduced water consumption.

Some of the benefits of pollution prevention are:

- 1. reducing operating costs (materials, waste management and disposal, production, energy, and facility cleanup)
- 2. reducing risk of liability
- 3. enhancing public image
- 4. protecting the environment and public health.

In Air Force Policy Directive (AFPD) 32-70, Environmental Quality, 30 November 1993, the AF explicitly makes Pollution Prevention one of the four pillars of its Environmental Quality Program. The AF will eliminate pollution from its activities wherever possible. It will reduce the generation of waste and the procurement of environmentally damaging materials to as near zero as feasible through material substitution, process change, and other techniques. It will prevent at the source, to the greatest extent possible, environmentally harmful discharges to the air, land, surface water, and groundwater. If the generation of waste cannot be prevented at the source, spent material and waste will be reused or recycled whenever possible. What cannot be reused or recycled will be disposed of in an environmentally sound manner. Both waste disposal and releases to the environment are permitted only after all other pollution prevention alternatives have been exhausted.

The regulatory requirements in this subsection are based on the AFIs that address pollution prevention. Management Practices (MPs) are derived from USEPA regulations that are not mandatory overseas but are important to the protection of the environment.

#### Program Management

This subsection contains standards relevant to weapons ranges, the A-106 Pollution Abatement Plan, certain reporting requirements, the installation's Environmental Protection Committee (EPC), standards addressing the management of environment-related data in the Work Information Management System-Environmental Subsystem (WIMS-ES), and deployments of forces to AF installations overseas.

#### B. DOD Directives/Instructions

#### **Environmental Impacts**

- Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 17 contains procedures for informing decision makers of environmental considerations when authorizing or approving major DOD actions.
- DOD Directive (DODD) 6050.7, Environmental Effects Abroad of Major Defense Department Actions, 31 March 1979, also contains EIAP requirements for overseas installations.

#### Environmental Noise

Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 10, contains criteria for controlling environmental noise on installations.

#### Installation Restoration Program

• None.

#### Pollution Prevention

• DOD Instruction (DODI) 4715.4, *Pollution Prevention*, 18 June 1996, implements policy, assigns responsibility, and prescribes procedures for implementation of pollution prevention programs throughout the DOD. Only those portions of the Instruction that are applicable outside the United States are included here.

#### Program Management

· None.

#### C. U.S. Air Force Documents

#### Environmental Impacts

- AFI 32-7061, Environmental Impact Analysis Process, 24 January 1995, contains requirements that apply to EIAP overseas.
- HQ USAF/CEV Policy Letter, *MAJCOM EPC Coordination of EIAP Documents*, 26 August 1994, requires documentation indicating prior MAJCOM EPC coordination or approval to accompany EIAP documents sent to them for senior staff approval or signature.

#### Environmental Noise

- AFI 13-212, Volume 1, Weapons Ranges, 28 July 1994, requires that installations with air-to-surface weapons ranges address those ranges in plans required by environmental regulations.
- Air Force Instruction (AFI) 13-201, Air Force Airspace Management, 1 August 1994, includes practices to decrease disturbances from flight operations.

#### Installation Restoration Program

• AFI 32-7006, Environmental Program in Foreign Countries, 29 April 1994, contains requirements relevant to the cleanup of overseas sites that have been contaminated in the course of AF actions.

#### Pollution Prevention

- AFI 32-7080, Pollution Prevention Program, 12 May 1994, outlines the requirements for the AF's
  Pollution Prevention Program. It provides instruction in the areas of planning, use of ozone depleting chemicals (ODCs), hazardous substance management and minimization, solid waste management, nonpoint source pollution, and air pollutant emissions.
- AF Policy Letter, Air Force Ban on Purchases of ODCs, 7 January 1993, governs the purchase, use, and management of controlled ODCs. It outlines the ODCs and equipment that use them that cannot be purchased and it outlines the steps that should be taken to replace ODCs currently in use.
- AF Pollution Prevention Strategy, 24 July 1995, details the goals and strategies promoted by the AF for pollution prevention.

#### Program Management

- AFI 13-212, Volume I, Weapons Ranges, 28 July 1994, environmental requirements for bases that operate air-to-surface weapons ranges.
- AFI 32-7001, *Environmental Budgeting*, 9 May 1994, provides guidance on identifying, developing, and processing requirements to meet environmental standards at AF installations.
- AFI 32-7002, Environmental Information Management System, 31 May 1994, provides guidance and procedures to standardize the use of WIMS-ES.
- AFI 32-7005, Environmental Protection Committees, 25 February 1994, provides guidance on the make-up and responsibilities of the installation's Environmental Protection Committee (EPC).
- AFI 32-7006, Environmental Program in Foreign Countries, 29 April 1994, requires installations to
  cooperate with host nation regulatory authorities. Further, it requires that copies of host nation regulatory authority inspection reports be forwarded to HQ USAF/CE and that receipt or notification of
  the imminent receipt of findings involving media attention or off-base impacts be reported to specific authorities. It also imposes on installations requirements for planning prior to receiving deployments.

#### D. Responsibility for Compliance

#### **Environmental Impacts**

- The BCE provides support to the Environmental Planning Function (EPF), including managing and getting the technical analyses necessary to support the EIAP.
- The BES provides technical assistance to the EPF concerning environmental quality standards, effects, and monitoring capabilities relating to the action(s) being assessed.
- The Environmental Protection Committee (EPC) reviews and approves or disapproves environmental documents prepared by the EPF during the EIAP.
- The SJA advises the EPF and EPC of legal issues regarding environmental documents.
- The PAO reviews environmental documents for public affairs sufficiency and advises the EPF on issues to be addressed in environmental impact statements (EISs).
- The Proponent Activity is responsible for providing a complete description of the proposed action
  and alternatives (DOPAA) and for identifying key decision points and assisting in making sure that
  the EIAP is properly phased so that the relevant environmental documents are available to the decision maker.

#### Environmental Noise

• The Airspace Manager, under the Deputy Commander for Operations, is responsible for managing special use airspace (SUA) and military training routes (MTRs).

- The Public Affairs Officer (PAO) is responsible for making all public releases of information about AF activities.
- The Range Management Agency is responsible for activities at an air-to-ground range, including planning for the range.

#### Installation Restoration Program

- The BCE is normally responsible for IRP execution. However, this responsibility may be assigned to the installation's Environmental Management Office if one has been established.
- The BES is responsible for providing technical support in risk analysis, Quality Assurance or Quality Control (QA/QC), worker health and safety, and other areas.
- The Staff Judge Advocate (SJA) is responsible for providing legal and negotiation support.

#### Pollution Prevention

- The Installation Commander (IC) must establish and maintain an active program to survey the use, generation, and disposal of hazardous and radioactive waste. The commander must identify requirements and execute the programs to comply with AF policy.
- The Deputy Commander for Maintenance (DCM) ensures that nonhazardous/nontoxic materials are used where possible, maintains a list of hazardous materials used in the work area by shop and maintenance related task, ensures that personnel are properly trained in ordering, using, handling, controlling, and storing hazardous materials and wastes. DCM is also responsible for ensuring that hazardous waste is properly labeled and for notifying the appropriate headquarters when a nonhazardous substitute can be used. In addition, he/she works with the civil and bioenvironmental engineers to develop the installation's waste management plan.
- The Base Civil Engineer (BCE) is responsible for the maintenance and operation of incinerators, fuel burners (boilers), and all installed petroleum storage and dispensing systems. The BCE is also responsible for the storage and handling of all hazardous materials and fuels used by civil engineering shops. The BCE or designated Environmental Management Office (EMO) develops installation-specific policy for all aspects of hazardous waste and pollution prevention management for all activities on the installation (including AF and non-AF tenants). The BCE/EMO also manages the pollution prevention program and serves as the Office of Primary Responsibility (OPR) for developing and implementing the pollution prevention plan.
- The Bioenvironmental Engineering Services (BES) provides technical expertise on hazardous waste
  identification and, along with the Environmental Manager and the Environmental Protection Committee, establishes the baseline inventory of the Industrial Toxic Project (ITP) targeted chemicals
  (see Table 6-1). The BES identifies pollution prevention opportunities based on workplace surveys
  and recommends substitute processes. The BES reviews all substitutions to ensure that substituted
  materials do not introduce new hazards.
- The Supply Officer has primary responsibility to receive, store, and issue all items ordered. He/she
  serves as the equipment approval authority, administers the supply improvement program, provides
  technical guidance and assistance on supply matters to agencies across the installation, and serves as
  the primary stock fund manager.

- The Environmental Protection Committee (EPC) is comprised of representatives from all activities involved in pollution prevention management. It reviews and coordinates the installation commander's pollution prevention management program. The committee reviews summary data on waste generation and personnel exposure. The EPC helps with establishing the baseline inventory of ITP targeted chemicals. It should also adopt a policy recommending against the procurement of hazardous materials containing any USEPA ITP chemicals.
- The Environmental Manager (EM) is responsible for managing the installation hazardous waste (HW) management program. The EM, along with the BES and the EPC, establishes the baseline inventory of ITP chemical quantities. The EM then tracks the issue of these chemicals and sends the information to the MAJCOM.
- Hazardous Waste Generators manage hazardous waste in their custody. Management includes proper storage, inspection, recordkeeping, labeling of containers, and transfer for disposal.
- The Water and Waste Shop within Base Civil Engineering has responsibility for operations and maintenance of treatment plants, pretreatment facilities, pump stations, oil/water separators, and other associated facilities around the installation.

#### Program Management

#### A-106 Pollution Abatement Plan

- The BEC is responsible for managing the A-106 program, including updating the current plan, inputting new projects, and coordinating with the Civil Engineering Programmer to ensure projects are included in the Civil Engineering Contract Reporting System (CECORS) or the Programming Design and Construction (PDC) System.
- The Civil Engineering Programmer (CEP) is responsible for getting projects into the CECORS or the PDC system.
- The EPC is responsible for coordinating and approving the A-106 Plan.

#### WIMS-ES

• The BCE or the Environmental Manager (EM) will coordinate the input of data into WIMS-ES.

#### Reporting Requirements and Deployments

• AFI 32-7006 does not designate the parties responsible for actions required by these sections.

#### E. Definitions

• Affirmative Procurement - Federal agencies must establish programs to encourage purchase of products containing recycled materials, in particular, USEPA Guideline Items. Affirmative procurement programs must establish preference for products containing recycled material, must include a promotion plan to place emphasis on buying recycled, and must have procedures for obtaining and verifying estimates and certifications of recycled content (AFI 32-7080, Attachment 1, Section C).

- Alternatives ways of reducing adverse effects of hazardous materials (HM). Alternatives, as applied to HM decision making, include, but are not limited to, such possibilities as substituting less hazardous or nonhazardous material; redesigning a component such that HM is not needed in its manufacture, use, or maintenance; modifying processes or procedures; restricting users; consumptive use; on-demand supply; direct ordering; extending shelf life; regenerating spent material; downgrading and reuse of spent material; use of waste as raw material in other manufacturing and combinations of those factors. Alternatives are to be analyzed in a could cost approach, considering what the lowest amount the decision could cost by overcoming barriers to getting the job done, while ensuring protection of human health and the environment (AFI 32-7080, Attachment 1, Section C).
- A-Weighted Sound Level calculation of noise exposure that emphasizes sound in the frequency range where most speech information occurs, and thus closely resembles the frequency response of the human ear. Sound measures that are measured on the A-scale are abbreviated dB(A) (FGS-UK 20).
- Baseline quantified starting points from which progress is measured. For the purposes of this instruction, baselines are quantities of material purchased or generated over a specified period of time (AFI 32-7080, Attachment 1, Section C).
- Categorical Exclusion a class of actions, defined and approved in accordance with Executive
  Order 12114, DODD 6050.7 and service regulations, that normally do not, individually or cumulatively, significantly harm the environment and that require no further environmental review beyond
  appropriate documentation of the decisions to apply the exclusion (FGS-UK 20).
  (NOTE: Attachment 2 to AFI 32-7061 contains an extensive list of actions that are categorically
  excluded in the absence of unique circumstances.)
- Characteristic Waste a waste that exhibits any of the characteristics listed in 40 Code of Federal Regulations (CFR) 261, Subpart C (i.e., toxicity, corrosiveness, ignitability, reactivity) (AFI 32-7080, Attachment 1, Section C).
- Cost Factors the expense and cost avoidance associated with hazardous materials that may be reduced to monetary terms, which includes future liability. Cost factors refer to direct and indirect costs attributable to hazardous materials that are encountered in operations such as acquisition, manufacture, supply use, supply, use, storage inventory control, treatment, recycling, emission control, training, work place safety, labeling, hazard assessments, engineering controls, personal protective equipment, medical monitoring, regulatory overhead, spill contingency, disposal, remedial action and liability (AFI 32-7080, Attachment 1, Section C).
- Day-Night Average Sound Level (L<sub>dn</sub>) a measure of installation noise exposure expressed in a single number ("xx L<sub>dn</sub>" as in 55 L<sub>dn</sub>) that is obtained by adding a 10 dB penalty to nighttime sound levels (2200-0700) to account for increased annoyance caused by noise during these hours (FGS-UK 20).
- Decibel (dB) the unit of sound pressure is the decibel and is symbolically represented as dB. Sound pressure is the amplitude or measure of the difference between atmospheric pressure (with no sound present) and total pressure (with sound present). The decibel scale is a logarithmic scale (FGS-UK 20).

- Description of Proposed Action and Alternatives (DOPAA) an AF document that is the framework for assessing the environmental impact of a proposal. It describes the purpose and need for the action, the alternatives to be considered, and the rationale used to arrive at the proposed action (AFI 32-7061, Attachment 1).
- Economic Analysis an evaluation of the costs associated with the use of hazardous materials and potential alternatives. An economic analysis is not a specific, step-by-step procedure that can be applied by rote to all cases of analyzing whether to use a hazardous material. Rather, organizations shall be guided by basic principles of economics and informed judgment (AFI 32-7080, Attachment 1, Section C).
- Environmental Assessment a concise analysis to assist DOD components in determining whether there is a potential for significant environmental impacts associated with the proposed action and whether an environmental impact statement is required (FGS-UK 20).
- Environmental Impact Statement (EIS) an analysis of the likely environmental consequences of a proposal for a major Federal action that is to be considered by DOD components in deciding whether to approve the proposal. It includes a review of the affected environment, a description of any adverse environmental effects that cannot be avoided if the proposal is adopted, alternatives to the proposed action (including a no-action alternative), actions taken to avoid environmental harm or otherwise to better the environment, and environmental considerations and actions by the other participating nations, bodies, or organizations (FGS-UK 20).
- Environmental Manager the Base environmental management function supervisor or designated representative. Synonymous with the term Environmental Coordinator (AFI 32-7080, Attachment 1, Section C).
- Environmental Review an analysis of the likely environmental consequences of the action that is to be considered by DOD components in the decision-making process. It includes a review of the affected environment, actions taken to avoid environmental harm or otherwise to better the environment, and environmental considerations and actions by the other participating nations, bodies, or organizations. Environmental reviews are prepared either unilaterally by DOD or in conjunction with another U.S. Agency but do not include foreign government participation (FGS-UK 20).
- Environmental Study an analysis of the likely environmental consequences of the action that is to be considered by DOD components in the decision-making process. It includes a review of the affected environment, actions taken to avoid environmental harm or otherwise to better the environment, and environmental considerations and actions by the other participating nations, bodies, or organizations. Environmental studies are prepared by the United States in conjunction with one or more foreign nations or by an international body or organization in which the United States is a member or participant (FGS-UK 20).
- Environmentally Preferable products or services that are less harmful to human health and the environment to use, reuse, operate and maintain, and dispose of in comparison with competing products or services of equal value (AFI 32-7080, Attachment 1, Section C).
- Equivalent Level (L<sub>eq</sub>) the equivalent steady-state sound that, in a stated period of time, would contain the same acoustic energy as the time-varying sound during the same period (FGS-UK 20).

- Excluded Materials excluded items may not be sold through a qualified recycling program (QRP), and the proceeds from their sale shall not be returned to a QRP. Excluded items include but are not limited to: (DODI 4715.4, Enclosure 3):
  - a. government-furnished material
  - b. precious metal bearing scrap
  - c. hazardous waste (including household hazardous waste)
  - d. ozone-depleting substances (ODS)
  - e. electrical components
  - f. unopened containers of solvents, paints, or oil
  - g. fuel
  - h. material that can be sold (as is) as a usable item
  - i. repairable items that may be used again for their original purposes or functions, e.g., used vehicles, vehicle or machine parts, etc.
  - j. ships, aircraft, weapons, and other material required to be demilitarized or mutilated, and scrap resulting from demilitarization
  - k. all Munitions List Items and Strategic List Items as defined in DOD 4160.21-M-1, except firing range expended brass and mixed metals gleaned from firing range cleanup
  - l. types of surplus personal property whose sales proceeds must be deposited to accounts other than a QRP per 32 CFR 172, Appendix B
    - 1. scrap generated from Defense Business Operations Fund (DBOF) activities
    - 2. usable personal property purchased by DBOF activities
    - 3. property purchased with commissary surcharge funds
    - 4. automatic data processing equipment owned by the General Services Administration
    - 5. property purchased for the Military Assistance Program or purchased with Foreign Military Sales Administrative funds
    - 6. Coast Guard property
    - 7. property owned by nonappropriated fund activities
    - 8. lost, abandoned, or unclaimed privately owned personal property
    - 9. property owned by a country or international organization
    - 10. bones, fats, and meat trimmings generated by a commissary.
- Federal Action an action that is implemented or funded directly by the United States Government. It does not include actions in which the United States participates in an advisory information gathering, representational, or diplomatic capacity, nor does it include actions taken by a foreign government in a foreign country in which the United States is a beneficiary of the action or actions in which foreign governments use funds derived indirectly from the United States (FGS-UK 20).
- Global Commons geographic areas that are outside the jurisdiction of any nation, and include the oceans outside territorial limits and Antarctica. Global commons do not include contiguous zones and fisheries zones of foreign nations (DODD 6050.7, para C(4)).
- Hazardous Materials any substances or materials that pose a threat to human health or the environment typically due to their toxic, corrosive, ignitable, explosive, or chemically reactive nature. More specific definitions may be found in various Federal regulations that implement statutes (i.e., Hazardous Material Transportation Act, Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)) (AFI 32-7080, Attachment 1, Section C).
- Hazardous Material Pharmacy single point control of hazardous material (AFI 32-7080, Attachment 1, Section C).

- Hazardous Waste any waste by-products of society that can pose a substantial or potential hazard to human health or the environment when improperly managed; possess at least one of five characteristics (toxic, corrosive, ignitable, explosive, or chemically reactive) or are listed in 40 CFR 261.3 or applicable state or local waste management regulations (AFI 32-7080, Attachment 1, Section C).
- Hazardous Waste Characterization the identification, description, and quantification of a hazardous waste stream (AFI 32-7080, Attachment 1, Section C).
- Level 1 Projects and Services in the context of the A-106 Pollution Abatement Plan (AFI 32-7001, para 3.4.2.1.1):
  - 1. correct conditions out of compliance with the FGS or the *Overseas Environmental Baseline Guidance Document* (OEBGD) if there are no FGS (see AFI 32-7006)
  - 2. restore contaminated sites posing imminent and substantial endangerment to human health and safety
  - 3. restore contaminated sites as needed to sustain current operations.
- Level 2 Projects and Services in the context of the A-106 Pollution Abatement Plan, these address (AFI 32-7001, para 3.4.2.2.1):
  - 1. conditions that will be out of compliance with future requirements of international agreements such as treaties, Status of Forces Agreements (SOFAs), or bilateral agreements
  - 2. conditions that will be out of compliance with future FGS requirements.
- Level 3 Projects and Services in the context of the A-106 Pollution Abatement Plan, these projects and services enhance the environment beyond current and future FGS requirements. (AFI 32-7001, para 3.4.2.2)
  - (NOTE: Do not use U.S. funds to restore contaminated sites beyond that needed to eliminate imminent and substantial endangerment to human health and safety or sustain current operations (unless required by international agreement).)
- Life Cycle Economic Analysis an evaluation of the costs associated with the use of hazardous materials and potential alternatives over the life of the investment or hazardous material. The analysis is not a specific, step-by-step procedure that can be applied by rote to all cases. Analysis shall be guided by basic principles of economics and informed judgement (AFI 32-7080, Attachment 1, Section C).
- Life Cycle of Hazardous Material the period starting when the use or potential use of hazardous material is first encountered and extending as long as the actual material or its after effects, such as a discarded residual in a landfill, have a bearing on cost. In the case of weapon system acquisition, the life cycle starts when the system is first envisioned. Effects of the use of hazardous material on later operations and maintenance are to be considered. This also holds true for a new use of a hazardous material. Where the hazardous material is already in general use, the life cycle starts when the material is first encountered by any organization that must deal with it (AFI 32-7080, Attachment 1, Section C).
- Major Action an action involving substantial expenditures of time, money, or resources, that
  affects the environment on a large geographic scale or has substantial environmental effects on a
  more limited geographic area, and that is substantially different or a significant departure from other
  actions previously analyzed with respect to environmental considerations and approved, with which
  the action under consideration may be associated. A deployment of units, ships, aircraft, or mobile

military equipment that does not involve significant changes to the physical environment and that does not require additional support facilities that would significantly change the physical environment is not a major action for the purposes of this section (FGS-UK 20).

- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- *Media* the term referring to air, land, water, and groundwater (AFI 32-7080, Attachment 1, Section C).
- Municipal Solid Waste (MSW) trash wastes generated by administrative and domestic activities. MSW does not include hazardous wastes (AFI 32-7080, Attachment 1, Section C).
- Negative Decision a record of decision not to prepare environmental analyses (FGS-UK 20).
- Nonpoint or Nonstationary Source (NPS) Pollution a diffuse source of pollution that does not discharge through a single point, such as (AFI 32-7080, Attachment 1, Section C):
  - 1. for water runoff from construction activities and agricultural, silvicultural, urban areas, and industrial areas including airfield operating areas
  - 2. for air aircraft test stands, vehicles, aerospace ground equipment (AGE), and aircraft operations.
- Opportunity Assessment a systematic procedure to identify and assess ways to prevent pollution by reducing or eliminating wastes (AFI 32-7080, Attachment 1, Section C).
- Other Qualified Recyclable Program Materials materials that fit neither the definition of recyclable materials nor the definition of excluded materials (DODI 4715.4, Enclosure 3).
- Ozone Depleting Chemicals (ODCs) chlorofluorocarbons, halons, and other substances that deplete the stratospheric ozone layer as classified by the Clean Air Act (CAA) Amendment of 1990 (AFI 32-7080, Attachment 1, Section C).
- Pollution Prevention all the actions necessary, to include use of processes, practices, products or management actions that eliminate or reduce undesirable impacts on human health and the environment. These actions are a hierarchy of source reduction, recycling, treatment, and disposal or means source reduction and other practices that reduce or eliminate the creation of pollutants through increased efficiency in the use of raw materials, energy, water, or other natural resources, and the protection of natural resources (AFI 32-7080, Attachment 1, Section C).
- *Proponent* any office, unit, or activity that proposes to initiate an action (AFI 32-7061, Attachment 1).
- Qualified Recycling Program organized operations that require concerted efforts to divert or recover scrap or waste, as well as efforts to identify, segregate, and maintain the integrity of the recyclable materials in order to maintain or enhance their marketability. If the program is administered by a DOD component, a QRP includes adherence to a control process providing accountability for all materials processed through program operations (DODI 4715.4, Enclosure 3).
- Recyclable Materials recyclable materials can include, but are not limited to: high-quality paper and paper products, mixed paper, newspaper, cardboard, plastic, metal cans, glass, used oil (except

when hazardous waste), batteries, and tires. In addition, scrap (including ferrous and nonferrous scrap) and firing range expended brass and mixed metals gleaned from firing range cleanup that do not require demilitarization may be included in a QRP (DODI 4715.4, Enclosure 3).

- Recycling the series of activities, including collection, separation, and processing, by which products or other materials are recovered from the solid waste stream for use in the form of raw materials in the manufacture of new products other than fuel for producing heat or power by combustion (DODI 4715.4, Enclosure 3).
- Recycling the use, reclamation and reuse of a material. Use/reuse includes return of the recovered
  waste to the original process or when the waste is substituted for a raw material in another process.
  Waste reclamation includes processing of residual waste to recover a useful product and generation
  of waste material (AFI 32-7080, Attachment 1, Section C).
- Sound Exposure Level (SEL) a measure of single noise events. It is the level, in decibels, of the time integral of squared A-weighted sound pressure over a given time period or event, with reference to the square of the standard reference sound pressure of 20 micropascals (μPa) and a reference duration of 1 s (FGS-UK 20).
- Source Reduction any practice that reduces or eliminates any hazardous material, pollutant, or contaminant entering any waste stream or otherwise residual waste generation at the source, usually within the generation process. The term includes equipment or technology modifications, process or procedure modifications, reformulation or redesign of products, feedstock substitutions, improvements in feedstock purity, shipping and packaging modifications, improvements in housekeeping, maintenance, training, and management practices, increases in machinery efficiency, and recycling within a process (AFI 32-7080, Attachment 1, Section C).
- Toxic Chemicals those chemicals listed in Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) as of 1 December 1993 (AFI 32-7080, Attachment 1, Section C).
- Volatile Organic Compound (VOC) organic substances that react rapidly with NO<sub>x</sub> in the air and in the presence of sunlight to form oxidants or smog (AFI 32-7080, Attachment 1, Section C).

#### OTHER ENVIRONMENTAL ISSUES

#### **GUIDANCE FOR CHECKLIST USERS**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
Environmental Impacts		
All Installations	6-1 through 6-6	(1)(2)(3)(4)(14)
Environmental Analyses	6-7 through 6-22	(1)
Environmental Noise		
All Installations	6-23 through 6-31	(1)(3)(4)(5)(6)
IRP	6-32 through 6-35	(1)(3)
Pollution Prevention (P2)		
All Installations	6-36 and 6-37	(1)(3)(7)
Opportunity Assessments	6-38	(8)(11)
P2 Management Plan	6-39 and 6-40	(8)(10)(11)
ODCs	6-41 through 6-50	(1)(2)(7)(8)(9)(11)(12)
Hazardous Substances	6-51 through 6-55	(1)(7)(8)(9)(11)
Solid Waste	6-56 through 6-60	(1)(7)(8)(9)(11)(12)
Program Management		
All Installations	6-61 and 6-62	(1)(3)
Weapons Ranges	6-63 and 6-64	(1)(3)(13)
A-106	6-65 and 6-66	(1)(3)
Reporting Requirements	6-67 through 6-69	(1)
EPC	6-70 through 6-72	(1)(11)
WIMS-ES	6-73 and 6-74	(1)(3)
Deployments	6-75 and 6-76	(1)

#### (a) CONTACT/LOCATION CODE:

- (1) BCE (Environmental Planning)
- (2) BES (Bioenvironmental Engineering Services)
- (3) Base Staff Judge Advocate
- (4) PAO (Public Affairs Officer)
- (5) Deputy for Operations (Airspace Manager)
- (6) Range Operating Agency
- (7) Supply Officer
- (8) Environmental Manager
- (9) Generating Activities (Including Accumulation Point Managers/Operators)
- (10) Water and Waste Shop
- (11) EPC (Environmental Protection Committee)
- (12) Contracting
- (13) Natural and Cultural Resources Managers (or Environmental Coordinator)
- (14) Base Safety Officer

#### OTHER ENVIRONMENTAL ISSUES

#### **Records To Review**

#### Environmental Impacts

- · Documentation related to EIAP
- Documentation of finding of no adverse effect (for construction activities)
- Environmental Impact Statements (EISs)
- Environmental Analyses (EAs)

#### Environmental Noise

- Installation Master Plan Document
- Log of complaints from the local community

#### Installation Restoration Program

· Documentation related to IRP

#### Pollution Prevention

- Inventory records
- Supply/distribution procedures
- Opportunity assessments
- · Baseline records
- Pollution Prevention Management Plan
- Records of any waste reduction/pollution prevention programs
- · Records of resource recovery practices including the sale of materials for the purpose of recycling
- · Equipment maintenance and inspection records
- Records of waste recovery equipment (i.e., solvent distillation equipment)
- Plans and procedures applicable to air pollution control
- Air emission inventories

#### Program Management

- A-106 Pollution Abatement Plan
- · Exercise- or contingency-specific environment plans, if any

#### **Physical Features To Inspect**

#### Environmental Impacts

• None

#### Environmental Noise

- Power generators or other noise sources
- Emergency generators
- Test tracks

#### Installation Restoration Program

• None

#### Pollution Prevention

- Shop activities
- · Hazardous materials and wastes storage areas
- Fire fighting equipment
- Vehicle maintenance areas/motor pool
- Supply area
- Waste recovery areas
- Reuse facility
- VOC sources
- Recycling area

#### Program Management

• None

#### **People To Interview**

#### Environmental Impacts

- BCE (Environmental Planning)
- BES (Bioenvironmental Engineering Services)
- Base Staff Judge Advocate
- PAO (Public Affairs Officer)
- Base Safety Officer

#### Environmental Noise

- BCE (Environmental Planning)
- Deputy for Operations (Airspace Manager)
- PAO (Public Affairs Officer)
- Range Operating Agency

#### Installation Restoration Program

- BCE (Environmental Planning)
- BES (Bioenvironmental Engineering Services)

#### Pollution Prevention

- BCE (Base Civil Engineer)
- Supply Officer
- BES (Bioenvironmental Engineering Services)
- Environmental Manager
- Generation Activities (Including Accumulation Point Managers/Operators)
- Water and Waste Shop
- EPC (Environmental Protection Committee)
- Contracting

#### Program Management

- BCE (Environmental Planning)
- Natural and Cultural Resources Managers (or Environmental Coordinator)

United Kingdom ECAMP
REVIEWER CHECKS: February 1997
<ul> <li>Verify that the Base Staff Judge Advocate has available the host-nation Final Governing Standards and relevant USAF documents. (3)</li> <li>(NOTE: Among the relevant documents are the following: <ul> <li>AFI 32-7061, The Environmental Impact Analysis Process, 24 January 1995</li> <li>DODD 6050.7, Environmental Effects Abroad of Major Department of Defense Actions, 31 March 1979</li> <li>HQ USAF/CEV Policy Letter, MAJCOM EPC Coordination of EIAP Documents, 26 August 1994</li> <li>USAFE/CE Message, Policy Change, EIAP, MILCON Projects, 100900Z November 1994.)</li> </ul> </li> </ul>
Determine whether new regulations concerning EIAP have been issued since the finalization of the manual. (1)  Verify that the installation is in compliance with newly issued regulations.
Verify that the installation has an EPF. (1)(3)  (NOTE: The EPF is the interdisciplinary staff responsible for the EIAP.)

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

6 - 17

United Kingdom ECAMP	
REVIEWER CHECKS: February 1997	
Verify that the EPF:	
<ul> <li>assists the proponent in preparing a DOPAA</li> <li>evaluates proposed actions and completes Sections II and III of AF Form 813, Request for Environmental Impact Analysis subsequent to submissions by the proponent and makes categorical exclusion (CATEX) determinations</li> <li>identifies and documents, with technical advice from the bioenvironmental engineer and other staff members, environmental quality standards that relate to the action under evaluation</li> <li>prepares environmental documents, or obtains technical assistance through the AF channels or contract support, and adopts the documents as official AF papers when completed and approved</li> <li>ensures the EIAP is conducted on base-level plans, including contingency plans for the training, movement, and operation of AF personnel and equipment</li> <li>prepares Notices of Intent (NOI) to prepare an EIS with assistance from the proponent and the PAO</li> <li>prepares AF Form 813 and applicable portions of Certificates of Compliance for each military construction (MILCON) project according to AFI 32-1021, and the U.S. Air Force - Europe (USAFE) 10 November 94 message</li> <li>determines if an action significantly affects the environment (has potential to do significant harm) in accordance with USAFE 5 May 92 letter.</li> <li>(NOTE: Determining whether an action significantly affects the environment entails procedures set up to review AF Form 332 and project documentation such as DD Form 1391/C.)</li> <li>Verify that the EPF responsible official signs the AF Form 813 certification.</li> </ul>	
Verify that the proponent of an action does the following: (1)(3)  - notifies the EPF of pending actions and completes Section I of AF Form 813, including a DOPAA for submittal to the EPF - identifies key decision points and coordinates with the EPF on EIAP phasing to ensure that environmental documents are available to the decision maker before the final decision is made and activities associated with the proposal are not implemented until the EIAP is complete - integrates the EIAP into the planning stage of a proposed program or action and, with the EPF, determines as early as possible whether to prepare an EIS - presents the DOPAA to the EPC for review and comment - coordinates with the EPF prior to organizing public or interagency meetings that deal with EIAP elements of a proposed action and involve persons or agencies outside the Air Force - assists the EPF and PAO in preparing a draft NOI when a decision is made to prepare an EIS.	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
<b>6-5.</b> The SJA, PAO,	Verify that the SJA does the following: (3)
BES, and Safety Office must perform specific functions in the EIAP process (AFI 32-7061, para 1.3.7 through 1.3.10).	<ul> <li>advises the command level proponent EPF and EPC on CATEX determination and the legal sufficiency of environmental documents</li> <li>advises the EPF during the scoping process of issues that should be addressed in EISs and on procedures for the conduct of public hearings</li> <li>coordinates with AFLSA/JAJT on the appointment of an independent hearing officer</li> <li>refers matters causing, or likely to cause substantial public controversy or litigation through channels to AFLSA/JACE.</li> </ul>
	Verify that the PAO: (4)
	<ul> <li>advises the EPF, the EPC, and proponents on public affairs implications of proposed actions and review environmental documents for public affairs issues</li> <li>advises the EPF during the scoping process of issues that should be addressed in the EIS</li> <li>prepares, coordinates, and distributes news releases related to the proposal and associated EIAP documents</li> <li>notifies the media and purchases advertisements when newspapers will not run the notices free of charge.</li> </ul>
	Verify that, as a representative of Medical Services, the bioenvironmental engineer provides technical assistance to the EPF in the areas of environmental health standards, effects, and monitoring capabilities. (2)
	Verify that the Safety Office provides technical assistance to the EPF to ensure consideration of safety standards and requirements. (14)
6-6. The EPC must help the commander assess,	Verify that the EPC helps the commander assess, review, and approve EIAP documents. (1)
review, and approve EIAP documents (AFI 32-7061, para 1.3.6).	(NOTE: The HQ USAF/CEV policy letter of 26 August 1994 requires documentation indicating prior MAJCOM EPC coordination or approval to accompany EIAP documents sent to them for senior staff approval or signature. The policy is directed at, but not limited to, Draft and Final EISs, EAs, Records of Decision, Findings of No Practicable Alternative, and FONSIs.)

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
Environmental Analyses (EAs)	(NOTE: The term 'environmental analysis' is understood to include environmental impact statements (EISs), environmental reviews, and environmental studies.)
<b>6-7.</b> A service component that is responsible	Determine whether the installation has sponsored proposals that require EAs. (1)
for a proposal must complete the appropriate EAs	Verify that the installation has completed the EA appropriate to each such proposal.
(FGS-UK 17-1).	(NOTE: See Table 6-2 for a summary of which types of actions require which kinds of analysis.)
<b>6-8.</b> If a proponent determines that no EA is required, the proponent	Verify that, if it is determined that no environmental analysis is required, the EPF completes a negative decision. (1)
must document that decision (FGS-UK 17-3).	(NOTE: The negative decision should be recorded on AF Form 813 or 332, or on the Certificate of Compliance (DD Form 1391/C).)
Environmental Impact Statements	<ul> <li>(NOTE: EISs are required for the following types of actions only: <ul> <li>major DOD actions that do significant harm to the environment of the global commons</li> <li>major DOD actions that significantly affect natural or ecological resources of global importance designated for protection by the President or in the case of such a resource protected by an international agreement that is binding on the United States.)</li> </ul> </li> </ul>
6-9. Installations must take certain actions with regard to decisions not to	Determine whether the installation has made any decisions not to prepare EISs for the types of actions listed in the above note. (1)
prepare an EIS (FGS-UK 17-4 and AFI 32-7061,	Verify that the EPF documents its decisions not to do EISs.
para 5.2.1).	Verify that the installation forwards decisions not to prepare EISs to the appropriate headquarters and to the Executive Agent.
<b>6-10.</b> Installations in the process of completing an EIS must meet certain	Verify that no action is taken that does significant harm or limits the choice of a reasonable alternative until the completion of the documentation process. (1)
requirements while engaged in that process (DODD 6050.7, Encl. 1,	(NOTE: In the case of an emergency where the actions are taken that do significant harm to the environment, the DOD component concerned must consult with the Assistant Secretary of Defense (Manpower, Reserve Affairs, and Logistics.)
para C(2) through C(6)).	(NOTE: Environmental documents may be combined with other documents to reduce duplication. Both the use of collective statements and tiering is acceptable.)

Cintta Mingdoin Derivit	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-10. (continued)	(NOTE: If a current and acceptable environmental document already exists for a particular action, regardless of which federal agency prepared it, DODD 6050.7 does not require the preparation of a new document.)
6-11. EISs must be prepared in two stages (DODD 6050.7, Encl. 1, para D(2)).	Verify that the installation prepares both a draft and a final version of its EISs. (1)
<b>6-12.</b> Draft EISs must be sufficiently complete to permit meaningful analysis and comment (DODD 6050.7, Encl. 1, para D(2)).	Verify that the installation's draft EISs are sufficiently complete to permit meaningful analysis and comment. (1)
6-13. Installations must take into account substantive comments received on draft EISs (DODD 6050.7, Encl. 1, para D(3)).	Verify that final EISs consider, either individually or collectively, substantive comments received on draft EISs. (1)
6-14. Installations must use supplements to draft or final EISs under certain circumstances (DODD 6050.7, Encl. 1, para D(4)).	Verify that supplements to draft or final EISs are prepared when: (1)  - substantial changes to the proposed action are made relative to the environment of the global commons  - significant new information or circumstances (relevant to environmental concerns) bears on the proposed action or its environmental effects on the global commons.
6-15. Draft and final EISs must include certain information (DODD 6050.7, Encl. 1, para D(5) and D(6)).	Verify that EISs contain the following: (1)  - a section on consideration of the purpose and need for the proposed action - a section on the environmental effects of the proposed action and reasonable alternatives - a section that provides a succinct description of the environment of the global commons affected by the proposed action and reasonable alternatives - a section that analyzes, in comparative form, the environmental effects on the global commons of the proposed action and reasonable alternatives.

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

6 - 21

Office Kingdom ECANT	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-15. (continued)	Verify that the EIS contains clear statements as to why relevant information is missing, whether that information is unavailable or scientifically uncertain.
Environmental Studies and Environmental Reviews	(NOTE: The decision whether a proposed action is one that would significantly affect the environments (potential for significant harm) covered by this section is taken by the EPF.)
<b>6-16.</b> Specific analyses and documentation procedures must be carried out	Verify that the installation performs appropriate analyses and creates documentation for the following types of major Federal actions: (1)
when an installation per- forms certain types of	- those that significantly affect the environment of a foreign nation that is not involved in the action
major DOD actions that do significant harm to the environment of a foreign nation or to a protected global resource (FGS-UK 17-1 and 17-2 and DODD 6050.7, Encl. 2, para B(1) and C(3)(a)).	<ul> <li>those that are determined to cause significant harm to the environment because they provide to that nation: <ul> <li>a product or involve a physical project that produces a principal product, emission, or effluent that is prohibited or strictly regulated by Federal law in the United States because its toxic effects on the environment create a serious public health risk</li> <li>a physical project that is prohibited or strictly regulated in the United States by Federal law to protect the environment against radioactive substances</li> </ul> </li> <li>those that significantly harm natural or ecological resources of global importance designated for protection by the President or, in case of such a resource protected by international agreement binding on the United States, designated for protection by the Secretary of State.</li> </ul>
	ing: asbestos, vinyl chloride, acrylonitrile, isocyanates, polychlorinated biphenyls, mercury, beryllium, arsenic, cadmium, and benzene.)
	Determine whether any of the actions occurring at the installation have been granted a categorical exclusion by the DOD.
	Verify that either an environmental study or an environmental review was prepared, as appropriate.
	·
)) DGE (Facility of the second	2) BES (Bioenvironmental Engineering Services) (3) SIA (Staff Indge Advocate) (4) PAO (Public Affaire

	United Kingdom ECAMP
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-16. (continued)	<ul> <li>(NOTE: The following are exempt from these requirements: <ul> <li>actions that the EPF determines do not significantly affect the environment of a foreign nation that is not participating in the action, or that do not cause significant harm to a designated resource of global importance</li> <li>actions taken by the President</li> <li>actions taken by or pursuant to the direction of the President or a cabinet officer in the course of armed conflict</li> <li>actions taken by or pursuant to the direction of the President or a cabinet officer when the national security or national interest is involved</li> <li>intelligence activities and arms transfers</li> <li>votes and other actions in international conferences and organizations</li> <li>actions involving export licenses, export permits, or export approvals, other than those relating to nuclear activities</li> <li>actions relating to nuclear activities and nuclear material, except actions providing a nuclear production or utilization facility as defined in the Atomic Energy Act of 1954, as amended, or a nuclear waste management facility to a foreign nation</li> <li>disaster and emergency relief action.)</li> </ul> </li> </ul>
	(NOTE: Additional exemptions may be granted on a case-by-case basis.)  (NOTE: If a current and acceptable environmental document already exists for a particular action, regardless of which federal agency prepared it, DODD 6050.7 does not require the preparation of a new document.)
6-17. Certain information must be recorded in the event that a decision is made not to prepare an ES (DODD 6050.7, Encl. 2, para D(3)).	Verify that, if a negative decision is made, the file is documented with a a record of that decision and the names of the decision makers who participated. (1)  (NOTE: The negative decision should be recorded on AF Form 813 or 332, or on the Certificate of Compliance (DD Form 1391/C).)
6-18. Installations in the process of completing an environmental study (ES) must meet certain requirements while engaged in that process (DODD 6050.7, Encl. 2, para D(3)).	Verify that no action concerning the proposal is taken that would do significant harm to the environment until the study has been completed and the results considered. (1)
·	

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

	United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
6-19. The content of an ES is subject to certain requirements (DODD 6050.7, Encl. 2, para D(4)).	Verify that the environmental study includes the following: (1)  - a general review of the affected environment - the predicted effects of the action on the environment - significant know actions taken by governmental entities with respect to the proposed action to protect or improve the environment - if no actions are being taken to protect or enhance the environment, a statement as to whether the decision not to do so was made by the affected foreign government or international organization.	
6-20. Certain information must be recorded in the event that a decision is made not to prepare an environmental review (ER) (DODD 6050.7, Encl. 2, para E(3)).	Verify that, if a decision is made not to prepare an ER, a record is made of that decision and its basis. (1)  (NOTE: The negative decision should be recorded on AF Form 813 or 332, or on the Certificate of Compliance (DD Form 1391/C).)	
6-21. Installations in the process of completing an ER must meet certain requirements while engaged in that process (DODD 6050.7, Encl. 2, para E(3)).	Verify that no action concerning the proposal is taken that would do significant environmental harm until the review has been completed. (1)	
6-22. The content of an ER is subject to certain requirements (DODD 6050.7, Encl. 2, para E(4)).	Verify that the environmental review includes the following, to the extent reasonably practical: (1)  - a statement of the proposed action including its timetable, physical features, general operating plan, and other similar broad-gauge descriptive factors - identification of the important issues involved - the aspects of the actions taken or to be taken by the AF that ameliorate or minimize the impact on the environment - the actions known to have been taken or to be planned by the government of any participating and affected foreign nations that will affect environmental considerations.	
	2) RES (Pioenvisonmental Engineering Services) (2) SIA (G. W. J. A.	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ENVIRONMENTAL NOISE		
All Installations		
6-23. Copies of all relevant DOD directives/instructions, U.S. Air Force (USAF) directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(3)	
<b>6-24.</b> Installations must meet regulatory requirements issued since the	Determine whether any new regulations concerning noise emissions have been issued since the finalization of the manual. (1)(5)	
finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Verify that the installation is in compliance with newly issued regulations.	
6-25. Installations with	Determine whether the installation has significant noise sources. (1)(5)	
significant noise sources must develop and main- tain a noise contour map	Verify that the installation has developed and maintains a noise contour map limited to the installation.	
(FGS-UK 10-1 through 10-3).	Verify that noise contours for significant noise sources are developed using a computerized program from operational data using the Day-Night Average Sound Level $(L_{dn})$ noise descriptor system.	
	Verify that noise analysis for airfields is developed using the A-weighted $L_{dn}$ .	
	(NOTE: The noise simulation program used to assess heavy weapons noise is MicroBNOISE. This software was developed and is maintained by the U.S. Army Construction Engineering Research Laboratories (USACERL).)	
	(NOTE: Noise level contours are generated using the NOISEMAP 6.1 computer program. This program is maintained by the USAF Armstrong Aerospace Medical Research Laboratory.)	
	·	
1		

	United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
<b>6-26.</b> Installations must maintain records of incompatible buildings	Verify that the installation maintains records of incompatible buildings and land uses on the installation. (1)(5)		
and land uses (FGS-UK 10-4).	(NOTE: Table 6-3 establishes compatible uses and the Noise Level Reduction (NLR) to achieve acceptable indoor noise levels for facilities.)		
6-27. Installations must review installation master plans to ensure that existing and future facility siting are consistent with an acceptable noise environment (FGS-UK 10-5).	Verify that the installation master plan has been reviewed to ensure that existing and future facility siting is consistent with an acceptable noise environment. (1)(5)		
6-28. The siting and conduct of ground runup must be evaluated for low frequency vibration as well as general audible noise (FGS-UK 10-6).	Verify that the siting and conduct of ground runup are evaluated for both low frequency vibration and general audible noise. (1)(5)		
6-29. Installations must maintain operational data on noise producing activities (FGS-UK 10-8).	Verify that the installation maintains operational data to facilitate development of noise level contour installation compatible land use zone studies. (1)(5)		
<b>6-30.</b> Installations must have procedures to regis-	Verify that a noise complaint procedure has been instituted. (1)(4)(5)(6)		
ter and resolve noise complaints (FGS-UK 10-9).	(NOTE: In the UK, these responsibilities are carried out by the Royal Air Force.)		
6-31. Installations must take specific actions with	Verify that the installation identifies noise sources that create noise impacts. (1)(5)(6)		
regard to noise mitigation (FGS-UK 10-7).	Verify that the installation investigates possible mitigation measures.		
	Verify that, if practical, the installation programs resources to reduce noise impacts.		
	(NOTE: In the UK, these responsibilities are carried out by the Royal Air Force.)		

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
INSTALLATION RESTORATION PROGRAM (IRP)	
6-32. Copies of all relevant DOD directives/ instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(3)  (NOTE: Among the relevant documents is AFI 32-7006, Environmental Program in Foreign Countries, 29 April 1994.)
6-33. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether new regulations or policies concerning the cleanup of contaminated sites have been issued since the finalization of the manual. (1)  Verify that the installation is in compliance with newly issued regulations.
6-34. Cleanup projects at sites contaminated by AF operations must be executed to a point established by AF policy (AFI 32-7006, para 2.2 and 2.3).	Determine whether the installation has planned or conducted any cleanup projects.  (1)  Verify that cleanup projects are executed to the point that contamination no longer poses an imminent and substantial danger to human health and safety.  Verify that cleanup projects are executed as needed to sustain current operations.  (NOTE: These requirements do not apply if the AF is bound by international agreement to do more.)
6-35. Installations or facilities identified for return to the host nation must meet specific requirements with regard to documentation (AFI 32-7006, para 2.3.2).	Determine whether the installation or facility has been identified for return to the host nation. (1)  Verify that the installation or facility documents all known environmental contamination and provides the documentation to the host nation.  (NOTE: This requirement applies only after appropriate U.Shost public announcement of the return, and only after Major Command (MAJCOM) has granted clearance to release the documentation.)

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

	United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
POLLUTION PREVENTION			
All Installations			
6-36. Copies of all relevant DOD directives/instructions, U.S. Air Force (USAF) directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation Final Governing Standards and relevant USAF documents. (1)(3)  (NOTE: Among the relevant documents are the following:  - AFI 32-7080, Pollution Prevention Program, 12 May 1994  - AF Policy Letter, Air Force Ban on Purchases of ODCs, 7 January 1993  - DODI 4715.4, Pollution Prevention, 18 June 1996.)		
6-37. Installations must meet regulatory and AF requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning pollution prevention have been issued since the finalization of the manual. (1)(7)  Verify that the installation is in compliance with newly issued regulations.		
Opportunity Assessments			
6-38. Installations must conduct Opportunity Assessments to review waste generating activities and installation waste streams (AFI 32-7080, para 2.2.1).	Verify that the Opportunity Assessment provides a systematic review of the waste generating activities and installation waste streams.  Verify that the assessment examines the total waste generation by type and volume of content and determines the most economical and practical waste minimization option.  Verify that consideration is given to cost/benefit analysis when evaluating options.		

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-38. (continued)	(NOTE: An example of the composition of an assessment team includes the following persons:  - raw material supplier  - Quality Assurance/Quality Control (QA/QC) Officer  - consultant  - process engineer  - safety engineer  - purchasing specialist  - line laborer  - plant manager.)
Pollution Prevention Management Plan	
6-39. Installations must develop and execute a Pollution Prevention Management Plan (AFI 32-7080, para 2.2 and DODI 4715.4, para F2(c)(2)).	Verify that the installation has a Pollution Prevention Management Plan. (8)(11)  Verify that the plan addresses all of the following issues:  - the process required to run a pollution prevention program - the program required to fund pollution prevention projects - the road map to achieve AF pollution prevention goals - the actions required to execute the program.  Verify that the plan contains management strategies for the following areas:  - ODCs - USEPA 17 industrial toxics - hazardous wastes - municipal solid waste - affirmative procurement of recycled materials - energy conservation - air pollution reduction.  Verify that the plan identifies and programs projects needed to achieve stated objectives.  Verify that the installation maintains and executes pollution prevention plans that identify goals and cost-effective management processes or technologies to eliminate or reduce the use and disposal of hazardous materials.

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-40. Installations should include additional strategies for improving the pollution prevention program in the Pollution Prevention Management Plan (MP).	Verify that the plan includes the following information: (8)(10)(11)  - plans to crossfeed information to the rest of the AF - plans to brief the base EPC - plans to implement Opportunity Assessments - oil/water separator management strategies - usable measures of success - programming and budgeting strategies.
ODCs	(NOTE: See also Section 1, Air Emissions Management.)  (NOTE: The only Halon 1211 extinguishers classified as mission critical are the 150 lb flight line extinguishers listed in TO 00-25-172 to support parked aircraft and those hand-held extinguishers on board large frame aircraft.)  (NOTE: As of March 1996 no acceptable replacement for Halon 1211 had been identified.)
6-41. Installations must eliminate dependence on ODCs (AF Policy Letter, 7 January 1993).	Determine whether the installation uses any of the substances listed in Table 6-4. (8)(11)(12)  Verify that the installation's dependence on chlorofluorocarbons (CFCs), halons, and other substances that deplete the stratospheric ozone layer is being reduced.  Verify that any new system or modification to an existing system does not include the use of ODCs as a solvent.  (NOTE: This requirement does not apply if the system or modification is approved by the proper waiver approval authority.)
6-42. Installations should have a refrigerant management plan (MP).	Verify that the installation has a plan for managing the use and disposal of refrigerant. (8)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-43. Installations must follow specific requirements during the period of transition away from	Verify that, when non-ODC substitutes need long research and development lead times, existing uses are converted to ODCs with lower ozone depletion potential as interim substitutes, (i.e., hydrochlorofluorocarbons (HCFCs)). (1)(2)(7)(8)
ODC dependence (AF Policy Letter, 7 January	Verify that inventory reserves are used only to aid a transition from ODCs.
1993 and AFI 32-7080, para 3.1.2).	(NOTE: This requirement applies after production has been outlawed.)
	(NOTE: Inventory reserves may not be used as a substitute for changing to non-ozone-depleting practices.)
	Verify that, if reserves are used to extend the service life of ODC dependent equipment, the installation practices conservation, recovery, and reuse.
<b>6-44.</b> Installations must initiate certain ODC replacement programs	Verify that halon systems on crash/rescue vehicles are disabled and a phased program is in place to replace them with nonhalon fire fighting agents. (1)(8)
(AF Policy Letter, 7 January 1993).	Verify that a phased replacement program has been initiated to replace halon in the 150 lb [≈68 kg] flightline extinguishers.
	(NOTE: Halon removed from crash/rescue vehicles, or from existing installation stock, may be used to service flightline extinguishers until the phased replacement program is complete.)
	Verify that existing halon fire extinguishers for facilities are replaced through attri- tion.
	Verify that refrigerators and other domestic equipment are replaced at the end of their economic life with non-ODC equipment.
	(NOTE: Existing airborne cooling systems and subsystems that require ODC refrigerants are considered mission critical.)
6-45. Installations must follow specific requirements regarding contract	Verify that contracts awarded after 1 June 1993 do not include a requirement to use ODCs or any requirement that can be met only through the use of ODCs. (8)(11)
writing for the use of ODCs (AF Policy Letter, 7 January 1993).	(NOTE: This requirement does not apply if waived by the waiver approval authority (Air Force Logistics (AF/LG), Air Force Civil Engineering (AF/CE), or Deputy Assistant Secretary of the Air Force (SAF/AQ)).)

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

## **COMPLIANCE CATEGORY:** OTHER ENVIRONMENTAL ISSUES

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
<b>6-46.</b> Installations must reduce the atmospheric	Verify that the discharge of ODCs is reduced to zero as soon as possible. (8)(11)
discharge of ODCs (AF Policy Letter, 7 January	Verify that one of the following is being used to reduce discharges:
1993).	<ul> <li>modification of operating, training, and testing practices</li> <li>implementation of conservation measures such as:</li> <li>recovery</li> <li>recycling</li> <li>reuse</li> <li>material substitution.</li> </ul>
	Verify that existing halon systems that discharge to the atmosphere for other than actual fire situations, such as fuel tank inerting systems, are used only in actual combat or in in-flight emergencies.
	Verify that fire warning systems and operational procedures operate so that there are no false alarms or false discharges.
	Verify that automatic discharge extinguisher systems in facilities are disabled and placed on manual activation.
į	Verify that all servicing of aircraft halon systems captures the halon for recycling with no atmospheric discharge, other than <i>de minimis</i> amounts.
	Verify that leaking systems are repaired quickly.
<b>6-47.</b> Installations must eliminate purchases of ODCs (AF Policy Letter,	Verify that the substances listed in Table 6-5 are no longer being purchased. (8)(11)(12)
7 January 1993 and AFI 32-7080, paras 3.1.1 and	Verify that the following are no longer purchased:
3.1.3).	<ul> <li>new or recycled ODCs, unless a waiver has been granted</li> <li>halon extinguishers for facilities</li> <li>total flooding systems</li> </ul>
	<ul> <li>facility air conditioning systems, AGE, and other refrigeration and support equipment that use ODCs</li> <li>commercial vehicles with ODC air conditioning equipment</li> </ul>
	- ODC solvents and the equipment/systems/products that require these solvents for maintenance or operation.
	(NOTE: ODC needed to meet the mission critical applications will be obtained by using stocks, or from the Defense Logistic Agency (DLA) Defense Reserve, or purchased from commercial sources if the reserve is not able to fill a request.)
·	Verify that ODC-containing products are not purchased or obtained from the Defense Reserve without an approved waiver.

United Kingdom ECAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-47. (continued)	(NOTE: Organizations may apply for waivers prior to the award of any contract which requires the use of Class I ODCs to purchase new or recycled ODCs, or obtain ODCs from the DLA Ozone Depleting Chemical Bank for mission critical applications. Waivers are not required for government use of ODCs currently in stock on Air Force facilities.)
6-48. Installations should follow specific procedures for the processing of reclaimed ODCs (MP).	Verify that processes are in place to ensure that reclaimed and excess ODC halons, refrigerants, and solvents are routed to the DLA Defense Reserve. (2)(7)(9)
6-49. Installations must	Verify that halons are removed from aircraft that are being retired from service. (9)
manage halons in existing systems in a specific manner (AF Policy Letter, 7 January 1993).	Verify that such halons are redeployed or added to the AF account at the DLA Defense Reserve.
6-50. Installations must maintain equipment and inventories at a certain level (AF Policy Letter, 7 January 1993).	Verify that chillers are well maintained and repaired promptly. (1)(9)
Hazardous Substances (Waste and Material)	
6-51. Installations must	Verify that the purchase of hazardous materials is under centralized control. (7)(8)
develop centralized control procedures for the purchase and use of hazardous materials (AFI 32-7080, para 2.4.1).	(NOTE: This requirement also applies to ODCs.)
	Verify that the issuance and distribution of hazardous materials is centrally controlled.
	Verify that hazardous materials are issued in the smallest quantity necessary to meet the customer's need.
	(2) DEC (Discoving and L. Estimatica Carriago) (2) SIA (Staff Index Advants) (4) DAO (Dublic Afficia

Office Kniguon ECAMF		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
6-52. Installations must reduce the use of USEPA ITP chemicals (AFI 32-	Verify that the installation is working to reduce the use of the chemicals listed in Table 6-1. (1)(7)(8)	
7080, para 3.2).	(NOTE: Due to the high levels of certain USEPA 17 Toxics in jet fuel, and the direct link between fuels and flying hours, the AF's USEPA 17 reduction goals exempt jet fuels.)	
6-53. Installations must work to minimize hazardous waste generation	Verify that hazardous waste from industrial, maintenance, and cleanup operations is minimized to the greatest extent practical and economical. (8)(9)(11)	
(AFI 32-7080, para 3.3 and para 2.4.3).	Verify that the installation strives to reduce hazardous waste generation at the source.	
	Verify that alternatives to hazardous materials and processes are used whenever possible.	
	Verify that, when technical orders require the use of many hazardous substances or out-of-date technology, the installation submits an Air Force Technical Order (AFTO) Form 22.	
·	(NOTE: This requirement applies only if alternative substances/technology are known to exist.)	
6-54. Installations must maintain inventory management and control processes that minimize the use of hazardous materials (DODI 4715.4, para F2(c)(1)).	Verify that the installation maintains inventory management and control processes that minimize the use of hazardous materials, as appropriate, in the most economical manner. (1)(7)(8)(9)	
6-55. Installations should encourage complete use of hazardous materials (MP).	Verify that a reuse facility of some type is established. (7)(8)(11)	
·		

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
Solid Waste		
<b>6-56.</b> Installations must institute pollution prevention procedures as part of	Verify that cost-effective waste reduction and recycling programs have been integrated into the Municipal Solid Waste Management program. (1)(9)	
their solid waste management (AFI 32-7080, para 3.4.1 and para 3.4.1.1).	Verify that the installation either operates a composting program for yard wastes, or participates in a regional composting program.	
a p	(NOTE: This requirement does not apply if the program can be shown to be cost prohibitive.)	
	Verify that the installation establishes a single qualified recycling program (QRP) that serves all AF and tenant organizations occupying space on the installation, including leased space.	
	Verify that the installation has a QRP manager.	
	Verify that the Services Squadron, AAFES, and the Commissary coordinate their recycling activities with the QRP manager.	
	Verify that recycling includes the following materials: (8)	
	<ul> <li>high quality copier paper</li> <li>plastic</li> <li>metals</li> <li>glass</li> <li>used oil</li> <li>lead acid batteries</li> <li>cardboard</li> <li>newspaper</li> <li>tires.</li> </ul>	
	Verify that contracts awarded after 20 October 1993 for government owned, contractor operated (GOCO) facilities include provisions that obligate the contractor to participate with a DOD installation or establish their own qualified recycling program.	
	Verify that where economically feasible and to the extent required by law, existing contracts covering GOCO facilities are modified to incorporate these recycling provisions.	
	Verify that the installation conducts an annual opportunity assessment of the solid waste stream to identify source reduction potential and additional recyclable materials.	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-57. Installations must establish recycling programs and procedures, if cost-effective (DODI 4715.4, para F2(c)(3)).	Verify that, if cost-effective, the installation has a recycling program and procedures in place that: (1)  - ensure the installation has or participates in a QRP - ensure installation recycling programs are available to serve all host and tenant organizations that occupy space on the installation, including leased space - ensure QRP procedures address recyclable materials, excluded materials, and other qualified recycling program materials - divert recyclable materials from the non-hazardous solid waste stream if economically feasible - establish controls to ensure excluded materials are not sold through a QRP - authorize ICs, as appropriate, to sell directly recyclable and other QRP materials or to consign them to DRMS for sale - ensure that distribution of recycling proceeds is consistent with 10 USC 2577.  (NOTE: Installations should require participation by contractors operating government-owned or leased facilities overseas where recycling programs are available.)
6-58. Installations must issue a municipal solid waste and recycling report quarterly (AFI 32-7080, para 3.4.2).	Verify that the municipal solid waste and recycling report (RCS, HAF-CEV(Q)9424 is released quarterly to the Air Staff within 45 days after the end of each quarter. (8)  (NOTE: This report can be discontinued during emergency conditions.)
6-59. Installations must implement affirmative procurement programs for materials with recycled content (AFI 32-7080, para 3.5).	Verify that each activity reviews and revises specifications for the following designated items to allow procurement of products containing recycled materials: (1)(7)(8)(11)(12)  - paper - retread tires - building insulation - cement/concrete containing fly ash - re-refined oils.  Verify that all of the following elements are included in the installation's affirmative procurement program:  - a preference program - a promotion plan - procedures requiring vendors and contractors to estimate and certify the content of recovered materials in the above designated items that they sell to the installation or use in construction projects on the installation - annual review of the effectiveness of the program.

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
6-60. Installations must issue an affirmative pro-	Verify that the affirmative procurement report (RCS, HAF-CEV(Q)9424 is released quarterly WIMS-ES to the Air Staff within 45 days after the end of each quarter. (8)
curement purchases report quarterly (AFI 32-7080, para 3.5.4).	(NOTE: This report can be discontinued during emergency conditions.)
	·
	·
	(2) DEC (Discoving and Expired Society) (2) SIA (Stoff Index Advects) (4) DAO (Dublic Afficial)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
PROGRAM MANAGEMENT		
All Installations		
6-61. Copies of all relevant DOD directives/instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (3)  (NOTE: Among the relevant documents are the following:  - AFI 13-212, Volume 1, Weapons Ranges, 28 July 1994  - AFI 32-7001, Environmental Budgeting, 9 May 1994  - AFI 32-7002, Environmental Management System, 31 May 1994  - AFI 32-7005, Environmental Protection Committees, 25 February 1994  - AFI 32-7006, Environmental Program in Foreign Countries, 29 April 1994.)	
6-62. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether new regulations concerning the following program management topics have been issued since the finalization of the manual: (1)(3)  - weapons ranges - A-106 - reporting requirements - the EPC - WIMS-ES - deployments.  Verify that the installation is in compliance with newly issued regulations.	
Weapons Ranges	(NOTE: These requirements apply to air-to-surface weapons ranges only.)	
6-63. Weapons ranges must be addressed in plans required by environmental regulations (AFI 13-212, Volume 1, para 1.10.2.2).	Determine whether the installation has air-to-surface weapons ranges. (13)  Verify that each weapons range is addressed in the plans required by environmental regulations.  (NOTE: Examples of such plans are:  - the hazardous materials management plan  - the hazardous waste management plan  - the spill plan.)	

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

United Kingdom ECAMP	
REGULATORY REQUIREMENTS	REVIEWER CHECKS: February 1997
6-64. Installations in develop a comprehen weapons range plan meets specific requirements (AFI 13-212, ume 1, para 1.10.1.1).	Verify that the installation has a comprehensive weapons range plan. (13)  Verify that the plan addresses:  Verify that the plan addresses:
	(NOTE: For overseas ranges, Major Commands (MAJCOMs) may alter the requirements of this plan as necessary to comply with host nation requirements.)  Verify that a brief narrative is included in the plan for only those items that are impacted.  Verify that the plan contains a statement that all of the following areas have been considered:  - Range: - equipment - targets - structures - land requirements (waivers and exemptions) - airspace requirements - maintenance and decontamination - Environmental: - fauna and flora - endangered species - emissions - ambient air quality
	<ul> <li>noise</li> <li>water resources</li> <li>wetlands</li> <li>coastal zones</li> <li>mineral resources</li> <li>soil conservation</li> <li>timber resources</li> <li>grazing and croplands</li> </ul>

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
6-64. (continued)	- Environmental (continued):	
A-106 Pollution Abatement	(NOTE: See Table 6-6 for additional guidance on determining A-106 compliance.)	
6-65. Installations must submit a 5 yr pollution abatement plan (the A-106 report) that details the actions they plan to take to get into or maintain compliance (AFI 32-7001, para 3.8).	Verify that the installation submits a 5-yr pollution abatement plan (the A-106 report) that details the actions they plan to take to get into or maintain compliance. (1)	

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
<b>6-66.</b> The installation's A-106 Plan should meet specific requirements with regard to content	Verify that the installation A-106 Pollution Abatement Plan reflects environmental requirements and properly prioritizes each as Operation and Services, Level 1, Level 2, or Level 3. (1)			
(MP).	Verify that the A-106 Plan includes all projects involving costs that are necessary to comply with environmental standards.			
	Verify that projects resulting from previous Environmental Compliance Assessment and Management Program (ECAMP) evaluations or regulatory inspections are included in the A-106 Plan.			
	(NOTE: Management action plans from ECAMP will give projects required to get installation back in compliance.)			
	Verify that the A-106 Plan includes funds required for studies, management, and monitoring associated with the definition and development of corrective measures and necessary equipment to assure compliance with standards.			
	Verify that the installation budgets for the environmental requirements are recorded in the installation A-106 Plan.			
	(NOTE: Assessors compare listings in the A-106 with the Project by Contract Management System (PCMS) and PDC listings in Civil Engineering and compare official financial records with obligation/expenditure data reflected in the A-106 system.)			
	Verify that funds have been requested for Level 1 projects in the current fiscal year			
	Verify that design funds have been requested for those projects that will be Lev projects in the subsequent fiscal year.			
Reporting Requirements				
6-67. Installations must cooperate with host nation regulatory authorities to achieve and maintain environmental quality (AFI 32-7006, para 6.3.5).	Verify that the installation cooperates with host nation regulatory authorities to achieve and maintain environmental quality. (1)			
	·			

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
6-68. Installations must promptly forward copies of host nation regulatory authority inspection reports to HQ USAF/CE (AFI 32-7006, para 6.3.5).	authority inspection reports to HQ USAF/CE. (1)			
6-69. Installations must immediately report receipt or notification of the imminent receipt of findings involving media attention or off-base impacts to certain authorities (AFI 32-7006, para 6.3.5).	Verify that the installation immediately reports receipt or notification of the imminent receipt of findings involving media attention or off-base impacts to the following: (1)  - HQ USAF/CE - MAJCOM Surgeon - AFLSA/JACE - HQ USAF/JAI.			
Environmental Protection Committee (EPC)				
6-70. Installations must have an EPC that fulfills specific functions (AFI 32-7005, para 4.3).	Verify that it meets at least quarterly or at the direction of the chairperson.  Verify that the EPC reviews and approves environmental impact analysis on proposed actions and forwards to the decision maker.  Verify that the EPC reviews environmental policy, resources, and performance and makes recommendations on required changes.  Verify that the EPC ensures that appropriate training and manpower exist to meet environmental responsibilities.			

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
<b>6-71.</b> The EPC must consist of certain members (AFI 32-7005, para	Verify that the membership of the EPC mirrors the membership of the USAF EPC. (1)(11)			
3.3).	(NOTE: The membership of the USAF EPC includes:  - the Assistant Secretary of the Air Force for Manpower, Reserve Affairs, Installations, and Environment (SAF/MII) and the Assistant Vice Chief of Staff (HQ USAF/CVA) cochair the EPC  - Assistant Secretary for Acquisition (SAF/AQ)  - Assistant Secretary for Budget (SAF/FM)  - The General Counsel (SAF/IG)  - The Inspector General (SAF/IG)  - Office of Legislative Liaison (SAF/LL)  - Office of Public Affairs (SAF/PA)  - the Civil Engineer (HQ USAF/CE) is the EPC Executive Secretary  - Deputy Chief of Staff (DCS) Logistics (HQ USAF/LG)  - Director, Programs and Evaluations (HQ USAF/PE)  - DCS Plans and Operations (HQ USAF/XO)  - Chief of Safety (HQ USAF/SE)  - The Judge Advocate General (HQ USAF/JA)  - DCS Personnel (HQ USAF/DP)  - Services (HW USAF/MW)  - DCS Command, Control, Communications and Computers (HQ USAF/SC)  - Surgeon General (HQ USAF/SG)  - Chief of Air Force Reserves (HQ USAF/RE)  - Director, Air National Guard (NGB/CF)  - Director, Air Force Base Conversion Agency (AFBC/DR).)  Verify that the membership of the EPC also includes representatives from tenant organizations, including DRMO and the Army/Air Force Exchange Services (AAFES).			
6-72. The EPC has particular responsibilities with regard to record-keeping (AFI 32-7005, para 5).	Verify that a record of the EPC meetings is prepared within 30 days of the meeting. (1)(11)  Verify that the minutes of EPC meetings and related documents are kept for at least 10 yr.			
para 3).	10 jii			

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) SJA (Staff Judge Advocate) (4) PAO (Public Affairs Officer) (5) Deputy for Operations (Airspace Manager) (6) Range Operating Agency (7) Supply Officer (8) Environmental Manager (9) Generating Activities (Including Accumulation Point Managers/Operators) (10) Water and Waste Shop (11) EPC (Environmental Protection Committee) (12) Contracting (13) Natural & Cultural Resources Managers (or Environmental Coordinator) (14) Base Safety Officer

REGULATORY REQUIREMENTS:  VIMS-ES Management  -73. Installations must neet specific requirements with regard to the tacking and reporting of the ertain data (AFI 32-006, para 6.1).  -74. Program management reporting should be one in WIMS-ES (AFI 2-7002, paras 3.1, 4.1, 1, 6.1, 7.1, 8.1, 9.1, 0.1, 11.1, 12.1, 13.1,	WIMS-ES: (1) - cleanup
-73. Installations must neet specific requirements with regard to the acking and reporting of ertain data (AFI 32-006, para 6.1).  -74. Program management reporting should be one in WIMS-ES (AFI 2-7002, paras 3.1, 4.1, 1, 6.1, 7.1, 8.1, 9.1,	WIMS-ES: (1)  - cleanup - compliance with FGS - ECAMP - EIAP - comprehensive planning
neet specific requirements with regard to the acking and reporting of ertain data (AFI 32-006, para 6.1).  -74. Program management reporting should be one in WIMS-ES (AFI 2-7002, paras 3.1, 4.1, 1, 6.1, 7.1, 8.1, 9.1,	WIMS-ES: (1)  - cleanup - compliance with FGS - ECAMP - EIAP - comprehensive planning
nent reporting should be one in WIMS-ES (AFI 2-7002, paras 3.1, 4.1, 1, 6.1, 7.1, 8.1, 9.1,	- data on host nation regulatory findings.
1.1, 11.1, 12.1, 13.1, 14.1, and 15.1).	Services expenses.

United Kingdom ECAMP	
REVIEWER CHECKS: February 1997	
<ul> <li>Pollution Prevention Module, for reporting data related to the pollution prevention program, including the following:         <ul> <li>solid waste disposal</li> <li>hazardous material purchases</li> <li>affirmative procurement of recycled products</li> <li>justification information for funding requirements</li> </ul> </li> <li>Conservation Module, for tracking and reporting of the following:         <ul> <li>Base Comprehensive Plan status</li> <li>Installation compatible use zone (ICUZ) status</li> <li>EIAP actions</li> <li>Natural and Cultural Resource data.</li> </ul> </li> </ul>	
(NOTE: The Training Tracking Module may be used to track environmental training received by personnel at all levels.)	
Verify that the installation complies with the provisions of AFI 32-7061 (EIAP) for deployments. (1)  (NOTE: See checklist items 6-4, 6-5, and 6-9).	
Verify that the installation develops and complies with an exercise- or contingency-specific environmental plan. (1)	
Verify that the plan meets the requirements of Joint Chiefs of Staff (JCS) Publication 4-04.	
Verify the plan specifies environmental responsibilities and policies.	
Verify that the plan addresses at least the following concerns:  - certification of local water sources by medical field units - solid and liquid waste management - hazardous materials management - protection of flora and fauna - archaeological and historical preservation - spill response.	

6 - 46

#### **Table 6-1**

## **USEPA 17 Industrial Toxic Chemicals**

(AFI 32-7080, A2.2)

- 1. Benzene
- 2. Cadmium and its compounds
- 3. Carbon Tetrachloride
- 4. Chloroform
- 5. Chromium and its compounds
- 6. Cyanide and its compounds
- 7. Lead and compounds
- 8. Mercury and compounds
- 9. Methylene Chloride
- 10. Methyl Ethyl Ketone
- 11. Methyl Isobutyl Ketone
- 12. Nickel and its compounds
- 13. Tetrachloroethylene
- 14. Toluene
- 15. 1,1,1 Trichloroethane
- 16. Trichloroethylene
- 17. Xylenes

## Table 6-2

### **Environmental Effects Abroad**

(FGS-UK, Table 17-1)

Analyses Of Overseas Actions				
Action		Analyses Required		
a.	Major DOD actions significantly affecting the environment of the geographic areas outside the jurisdiction of any nation (i.e., outside any economic zone, fishery zone, territorial sea, or other claim established consistent with customary international law). Antarctica is considered outside the jurisdiction of any nation.	Environmental Impact Statement		
b.	Major DOD actions significantly affecting the environment of a foreign nation that is not participating with the United States and not otherwise involved in the action.	Environmental Review or Environmental Study		
c.	Major DOD actions significantly affecting the environment of a foreign nation in which the actions provide, to that nation, a product or physical project producing a principal product or an emission or effluent that is prohibited or strictly regulated by Federal law in the United States because its toxic effects on the environment create a serious public health risk.	Environmental Review or Environmental Study		
d.	Major DOD actions significantly affecting the environment of a foreign nation in which the actions provide, to that nation, a physical project that is prohibited or strictly regulated by Federal law in the United States to protect against radioactive substances.	Environmental Review or Environmental Study		
e.	Major DOD actions that significantly affect natural or ecological resources of global importance designated for protection by the President or, in the case of such a resource protected by international agreement binding on the United States, by the Secretary of State. Recommendations to the President in such cases will be accompanied by the views of the Council on Environmental Quality and the Secretary of State.	Environmental Impact Statement, Environmental Review, or Environmental Study		
f.	Major DOD actions affecting only the environment of a participating or otherwise involved foreign nation and that do not involve emissions, effluents that are prohibited or strictly regulated by Federal law in the United States, or resources of global importance that have been designated for protection.	No formal document required.		

6 - 50

Table 6-3

# Minimum Building Sound Level Requirements and Acceptable Land Uses

(FGS-UK, Table 10-1)

Facility	Outdoor Noise Environment (L <sub>dn</sub> /L <sub>eq</sub> in dB(A))				
	85-89	80-84	75-79	70-74	65-69
Family housing	No	No	No	NLR30 <sup>(4)</sup>	NLR25 <sup>(4)</sup>
Bachelor housing	No	No	NLR35 <sup>(4)</sup>	NLR30 <sup>(4)</sup>	NLR25 <sup>(4)</sup>
Transient Lodging - Hotel, Motel, etc.	No	No	NLR35 <sup>(4)</sup>	NLR30 <sup>(4)</sup>	NLR25 <sup>(4)</sup>
*Classrooms, Libraries, Churches	No	No	No	NLR30	NLR25
*Offices and Administration Buildings - Military	NLR40	NLR35	NLR30	NLR25	Yes
*Offices - Business and Professional	No	No	NLR30	NLR25	Yes
Hospitals, Medical Facilities, Nursing Homes (24-h occupancy)	No	No	No	NLR30	NLR25
*Dental Clinic, Medical Dispensaries	NLR40	NLR35	NLR30	NLR25	Yes
*Outdoor Music Shells	No	No	No	No	No
*Commercial and Retail Stores, Exchanges, Movie Theaters, Restaurants and Cafeterias, Banks, Credit Unions, Enlisted Member (EM)/ Officer Clubs	No	No	NLR30	NLR25	Yes
*Flight Line Operations, Maintenance and Training	NLR35 <sup>(5)</sup>	NLR30 <sup>(5)</sup>	Yes	Yes	Yes
*Industrial, Manufacturing and Laboratories	No	NLR35 <sup>(5)</sup>	NLR30 <sup>(5)</sup>	NLR25 <sup>(5)</sup>	
*Outdoor Sports Arenas, Outdoor Spectator Sports	No	No	No	Yes <sup>(1)</sup>	Yes <sup>(1)</sup>
*Playgrounds, Active Sport Recreational Areas	No	No	No	Yes	Yes
*Neighborhood Parks	No	No	No	Yes	Yes
*Gymnasiums, Indoor Pools	No	NLR30	NLR25	Yes	Yes
*Outdoor - Frequent Speech Communication	No <sup>(2,3)</sup>	No	(2,3)	No	No
*Outdoor - Infrequent Speech Communication	No	(2,3)	No	(2,3)	Yes
Livestock Farming, Animal Breeding	No	No	No	Yes	Yes
*Agricultural (except livestock)	Yes <sup>(3)</sup>	Yes <sup>(3)</sup>	Yes	Yes	Yes

<sup>\*</sup>For detailed design, the L<sub>eq</sub> for the appropriate period of usage is the preferred measure of the noise environment.

Yes - Land use compatible with noise environment. No special noise control restriction. Normal construction appropriate.

(continued)

#### Table 6-3 (continued)

- NLR Appropriate noise level reduction where indoor activities predominate.
- No Land use not compatible with noise environment, even if special building noise insulation provided.

#### KEY:

- (1) Land use is acceptable, provided special sound reinforcement systems are installed.
- (2) Land use may be acceptable, provided special speech communication systems are used.
- (3) Land use may be acceptable provided hearing protection devices are worn by personnel. Check applicable hearing damage regulations.
- (4) Although it is recognized that local conditions may require residential uses in these areas, this use is strongly discouraged in L<sub>dn</sub> 70-74 and L<sub>dn</sub> 75-79 and discouraged in L<sub>dn</sub> 65-69. The absence of viable development options should be determined. NLR criteria will not eliminate outdoor environment noise problems, and, as a result, site planning and design should include measures to minimize this impact, particularly where the noise is from ground level sources.
- (5) The NLR must only be incorporated into the design and construction of portions of these buildings where the public is received, where office areas and noise sensitive work areas exist, or where the normal noise level is low.

#### Table 6-4

### ODCs Subject to AF Policy Letter, 7 January 1993

(AF Policy Letter, 7 January 1993)

#### **HALONS**

Halon 1211, Halon 1301, Halon 1202, and Halon 1011 are used primarily as firefighting agents.

#### **CFCs**

CFCs -11, -12, -13, -111, -112, -113, -114, -115, -211, -213, -214, -215, -216, and -217 are used primarily as refrigerants and cleaning solvents.

#### OTHER CONTROLLED SUBSTANCES

Carbon tetrachloride and methyl chloroform are used primarily as cleaning solvents. Methyl bromide is used as pesticide and fumigant.

Table 6-5

Ozone Depleting Chemicals to which AFI 32-7080 Applies
(AFI 32-7080, A2.1)

Halocarbon Number	Molecular Formula	Name
Sec	tion A: Class I Ozone Depletin	g Chemicals
CFC-11	CCl <sub>3</sub> F	Trichlorofluoromethane
CFC-12	CCl <sub>2</sub> F <sub>2</sub>	Dichlorodifluoromethane
CFC-113	C <sub>2</sub> Cl <sub>3</sub> F <sub>3</sub>	Trichlorotrifluoroethane
CFC-114	C <sub>2</sub> Cl <sub>2</sub> F <sub>4</sub>	Dichlorotetrafluoroethane
CFC-115	C <sub>2</sub> ClF <sub>5</sub>	Chloropentafluoroethane
Halon 1211	CF <sub>2</sub> ClBr	Bromochlorodifluoromethane
Halon 1301	CF <sub>3</sub> Br	Bromotrifluoromethane
Halon 2402	C <sub>2</sub> F <sub>4</sub> Br <sub>2</sub>	Dibromotetrafluoroethane
CFC-13	CCIF <sub>3</sub>	Chlorotrifluoromethane
CFC-111	C <sub>2</sub> Cl <sub>5</sub> F	Pentachlorofluoroethane
CFC-112	C <sub>2</sub> Cl <sub>4</sub> F <sub>2</sub>	Tetrachlorodifluoroethane
CFC-211	C <sub>3</sub> Cl <sub>7</sub> F <sub>3</sub>	Heptachlorofluoropropane
CFC-212	C <sub>3</sub> Cl <sub>6</sub> F <sub>2</sub>	Hexachlorodifluoropropane
CFC-213	C <sub>3</sub> Cl <sub>5</sub> F <sub>3</sub>	Pentachlorotrifluoropropane
CFC-214	C <sub>3</sub> Cl <sub>4</sub> F <sub>4</sub>	Tetrachlorotetrafluoropropane
CFC-215	C <sub>3</sub> Cl <sub>3</sub> F <sub>5</sub>	Trichloropentafluoropane
CFC-216	C <sub>3</sub> Cl <sub>2</sub> F <sub>6</sub>	Dichlorohexafluoropropane
CFC-217	C <sub>3</sub> ClF <sub>7</sub>	Chloroheptafluoropropane
Carbon Tetrachloride	CCl <sub>4</sub>	Tetrachloroethane
Methyl Chloroform	CHCl <sub>3</sub>	Trichloroethane (all isomers)
Methyl Bromide		
Sec	tion B: Class II Ozone Depleti	ng Chemicals
HCFC-12	CHCl <sub>2</sub> F	Dichloromethane
HCFC-22	CHCIF <sub>2</sub>	Chlorodifluoromethane
CHFC-121	C₂HCl₄F	Tetrachlorofluoroethane
CHFC-122	C <sub>2</sub> HCl <sub>3</sub> F <sub>2</sub>	Trichlorodifluoroethane
CHFC-123	C <sub>2</sub> HCl <sub>2</sub> F <sub>3</sub>	Dichlorotrifluoroethane
HCFC-124	C <sub>2</sub> HClF <sub>4</sub>	Chlorotetrafluoroethane
HCFC-131	C <sub>2</sub> H <sub>2</sub> Cl <sub>3</sub> F	Trichlorofluoroethane
HCFC-132	C <sub>2</sub> H <sub>2</sub> Cl <sub>2</sub> F <sub>2</sub>	Dichlorodifluoroethane

(continued)

Table 6-5 (continued)

Halocarbon Number	Molecular Formula	Name
HCFC-133	C <sub>2</sub> H <sub>2</sub> CIF <sub>3</sub>	Chlorotrifluoroethane
HCFC-141	C <sub>2</sub> H <sub>3</sub> Cl <sub>2</sub> F	Dichlorofluoroethane
HCFC-142	C <sub>2</sub> H <sub>3</sub> CIF <sub>2</sub>	Chlorodifluoroethane

#### Table 6-6

### **Guidance for A-106 Compliance**

Use the following list of questions to aid in determining whether the A-106 package has been completed correctly.

- 1. Is MAJCOM field correct?
- 2. Is the **BASE** field filled in?
- 3. Is the PROJECT number correct in accordance with CEV A-106 guidance letter?
- 4. Does the MODULE IND read PREV?
- 5. Is the TITLE one of the standard titles included in the call letter?
- 6. Is the Nature of the PROJECT I, E, or O? If it is E. is it fully justified? If it is O is it an O&S project?
- 7. Is a **BASE POC** and a **PHONE** listed?
- 8. Is there an N on screen two?
- 9. Is the **Pgm FY** correct?
- 10. Does the PA amount match the PPPN?
- 11. Is the CWE entered in? For an initial entry is it the same as the PA amount?
- 12. Is the **fund type** entered?
- 13. Is there an N in Multiple INST?
- 14. **PGM Element** for 3400, 3010, or 3020 money should be 78054. For 3600 money it should be 65854.
- 15. Is Assessment left blank?
- 16. Is the progress code only one of the following: (for an initial entry it should be either 1 or 9)
  - 1 = project validated and funded
  - 2 = funds have been obligated
  - 6 = project canceled
  - 9 = all O&S
- 17. Is ownership type and statutory auth filled in?
- 18. Does design/plan have a year and month that the project will be RTA? Does it make sense (i.e., too late in the FY or already past)?

(continued)

### Table 6-6 (continued)

- 19. Is pollutant category entered only for O&S projects?
- 20. **COMPL level** is left blank for O&S. For all other purposes ensure the validated level is entered as follows:

Level 1 - ESDP

Level 2 = ESDF

Level 3 = ESDL

21. Narrative Screen, does the narrative match the PPPN and is it complete?

[NSTA]	LLATION	COMPLIANCE CATEGOR OTHER ENVIRONMENTAL I United Kingdom ECAMF	SSUES	TE:	REVIEWER(S)
STATUS REVIEWER COMMENTS:					
NA	C RM				
			•		
	>				
					٠
			•		
	,				

## **SECTION 7**

PESTICIDE MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 7**

#### PESTICIDE MANAGEMENT

#### A. Applicability of this Section

This section applies to any U.S. Air Force (USAF) installation that uses, stores, or handles pesticides. This section integrates the requirements of Department of Defense Directives (DODDs), DOD Instructions (DODIs), and Air Force Instructions (AFIs) into a single document that normally will apply to any installation that handles pesticides.

Much of the guidance for pest management involves operations and maintenance (O&M) procedures. This section combines O&M guidance and compliance matters. It is used to determine the compliance status of operations, facilities, and equipment used to store and apply pest control chemicals. The section addresses the adequacy of facilities and operating procedures, and personnel qualifications.

The regulatory requirements in this section are based on DODIs, DODDs, and AFIs that apply at overseas installations. Management Practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### **B.** DOD Directives/Instructions

- Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 11, contains criteria regulating the use, storage, and handling of pesticides, herbicides, and defoliants at DOD installations. It does not address the use of these items by individuals acting in an unofficial capacity in a residence of garden.
- DODI 4150.7, Department of Defense Pest Management Program, 22 April 1996, sets forth the policy, responsibilities, and procedures for pest management programs. This instruction establishes the DOD policy of maintaining safe, efficient, and environmentally sound integrated pest management programs to prevent or control pests that may adversely affect health, readiness, or military operations, or damage structures, materiel, or property. The DOD Plan for the Certification of Pesticide Applicators of Restricted-Use Pesticides establishes the requirement that USAF military and civilian pest managers be certified. DODI 4150.7 requires that a component pest management consultant do an onsite consultant review of each installation's pest management program at least every 36 months. An Environmental Compliance Assessment and Management Program (ECAMP) assessment does not preclude such a visit. DODI 4150.7 applies outside the continental United States consistent with applicable international agreements, Status of Forces Agreements, and the FGS issued for the host nation.
- Technical Information Memoranda (TIM) supplement DODI 4150.7. They provide specific criteria and procedures for the operation of a pest management program, but they contain guidance only and are not regulatory in nature. The following TIM are appropriate to have on hand:
  - TIM 13 Ultra Low Volume Dispersal of Insecticides by Ground Equipment (March 1985)
  - TIM 14 Personal Protective Equipment for Pest Management Personnel (March 1992)
  - TIM 15 Pesticide Spill Prevention and Management (June 1992)
  - TIM 16 Pesticide Fires: Prevention, Control, and Cleanup (June 1981)

- TIM 18 Installation Pest Management Program Guide (February 1987)
- TIM 20 Pest Management Operations in Medical Treatment Facilities (October 1989)
- TIM 21 Pesticide Disposal Guide for Pest Control Shops (October 1986)
- TIM 24 Contingency Pest Management Pocket Guide (September 1991)
- TIM 25 Devices for Electrocution of Flying Insects (August 1988)
- TIM 26 Lyme Disease Vector Surveillance and Control (March 1990)
- TIM 27 Stored Products Pest Monitoring Techniques (June 1992)
- TIM 29 Integrated Pest Management In and Around Buildings (July 1994).
- Military Handbook 1028-8A, *Design of Pest Management Facilities*, 1 November 1991, includes basic criteria for planning and designing military pest control facilities.
- DOD 4145.19-R-1, Storage and Materials Handling, September 1979. Chapter 5, Section 4 of this
  regulation provides overall guidance for storage and handling of various hazardous commodities at
  AF installations.

#### C. U.S. Air Force Documents

 AFI 32-1053, Pest Management Program, 18 May 1994, provides guidance for pest management at AF installations. It updates, clarifies, and streamlines previous guidance on the subject and more fully emphasizes environmental impact.

#### D. Responsibility For Compliance

- Base Civil Engineering (BCE): assures that pest management facilities comply with all applicable USAF and DOD regulations and standards; submits annual reports; and assumes responsibility for the completion of daily records, inspections, requests for additional support, biennial physical examinations, notifications to Public Health (PH), protection of the health and safety of pest management personnel, and required training and certification/recertification of pesticide applicators. The Installation Pest Control Supervisor (i.e., pest management coordinator) within BCE is the principal individual charged with proper pesticide management at AF installations.
- Public Health (PH): determines the type, source, and prevalence of vectors and medical nuisance
  pests that affect the health and efficiency of personnel; recommends preventive and control measures and monitors the effectiveness of BCE pest management efforts; schedules occupational physical examinations for all BCE and golf course personnel who apply pesticides; provides Hazard
  Communication training to pest management personnel.
- Bioenvironmental Engineering Services (BES): sets local standards for obtaining and using personal
  protective equipment (PPE) for pest management personnel and trains all pest management personnel in testing the fit of respiratory protection equipment.

#### E. Definitions

Certified Pesticide Applicators - personnel who apply pesticides and who have been authorized to
do so by successfully completing a training program approved by the USEPA, or under the authority
of the United Kingdom's Ministry of Agriculture, Fisheries and Food (MAFF), followed by formal
certification (FGS-UK 20).

- Chemical Waste Landfill a landfill at which a high level of protection against risk of injury to human health or the environment from migration of deposited polychlorinated biphenyls to land, water, or the atmosphere is provided by incorporating special methods for locating, engineering, and operating the landfill (FGS-UK 20).
- Direct Supervision supervision that includes being at the specific location where pest management work is conducted; providing instruction and control; and maintaining a line-of-sight view of the work performed. Certain circumstances may temporarily remove the line-of-sight view of the application of pesticide from the supervisor such as topographic constraints, vegetation constraints, or building structural constraints. Under these temporary circumstances, the supervisor shall be responsible for the actions of the pesticide applicators (DODI 4150.7, Enclosure 2).
- Disease Vector any animal capable of transmitting the causative agent of a human disease; serving as an intermediate or reservoir host of a pathogenic organism; or producing human discomfort or injury, including (but not limited to) mosquitoes, flies, other insects, ticks, mites, snails, and rodents. It is recognized that certain disease vectors are predominately economic pests that as conditions change may require management or control as a disease vector (DODI 4150.7, Enclosure 2).
- DOD-Certified Pesticide Applicator DOD military or civilian personnel certified in accordance with the DOD Plan for the Certification of Pesticide Applicators of Restricted-Use Pesticides (DODI 4150.7, Enclosure 2).
- Hazardous Waste Profile Sheet a document that identifies and characterizes the waste by providing user's knowledge of the waste, and/or lab analysis, and details the physical, chemical, and other descriptive properties or processes that created the hazardous waste (FGS-UK 20).
- Installation Pesticide Applicator DOD employees or contract personnel whose job responsibilities involve the application of pesticides on DOD installations and property (DODI 4150.7, Enclosure 2).
- Integrated Pest Management (IPM) the use of all appropriate technology and management techniques to bring about pest prevention and suppression in a cost-effective and environmentally sound manner (FGS-UK 20).

For the purposes of DODI 4150.7, a planned program, incorporating continuous monitoring, education, record-keeping, and communication to prevent pests and disease vectors from causing unacceptable damage to operations, people, property, materiel, or the environment. IPM uses targeted, sustainable (effective, economical, environmentally sound methods, including education, habitat modification, biological control, genetic control, cultural control, mechanical control, physical control, regulatory control, and where necessary, the judicious use of least-hazardous pesticides (DODI 4150.7, Enclosure 2).

- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- On-Site Supervision supervision that includes being physically located on the installation, but not necessarily at the specific worksite, during the work performance and being able to be contacted and at the worksite within 30 min (DODI 4150.7, Enclosure 2).

- Personal Relief pest management control efforts made by DOD personnel or their family members at their own expense for control of pests consistent with DOD and component pest management policy (DODI 4150.7, Enclosure 2).
- Pest arthropods, birds, rodents, nematodes, fungi, bacteria, viruses, algae, snails, marine borers, snakes, weeds, undesirable vegetation, and other organisms (except for microorganisms that cause human or animal disease) that adversely affect the well being of humans or animals, attack real property, supplies, equipment or vegetation, or are otherwise undesirable (FGS-UK 20).

(NOTE: The term 'pest' is defined by AFI 32-1053, para 1.2.2, as a plant or animal out of place.)

• Pest Management - the effective, economical, and environmentally sound prevention or control of animal pests and vectors, undesirable terrestrial and aquatic plants, and plant diseases. It includes such methods as education; inspection (surveys); sanitation and proper waste management (such as use of pressure washing and self-closing compactors); proper storage of food and other pest-susceptible items; exclusion, trapping, and other mechanical or physical means of containing pests (such as using portable vacuum cleaners); pest-preventive building construction and maintenance (caulking); biological control; minimal use of pesticidal chemicals in a manner (such as containerized baits and crack and crevice application) that causes the least harm to the environment (AFI 32-1053, para 1.2.1).

For DODI 4150.7, the prevention and control of disease vectors and pests that may adversely affect the DOD mission or military operations; the health and well-being of people; or structures, material, or property (DODI 4150.7, Enclosure 2).

- Pest Management Consultant professional DOD pest management personnel located at component
  Headquarters, field operating agencies, major commands, facilities engineering filed divisions or
  activities, or area support activities who provide technical and management guidance for the conduct of installation pest management operations. Some pest management consultants may be designated by their component as certifying officials (DODI 4150.7, Enclosure 2).
- Pest Management Coordinator the individual officially designated by the Installation Commander (IC) to coordinate and oversee the installation pest management program and installation pest management plan. Pest management coordinators shall be certified as pesticide applicators if their job responsibilities require them to apply or supervise the use of pesticides (DODI 4150.7, Enclosure 2).

(NOTE: This term is understood to be synonymous with 'installation pest control supervisor,' a term which is used in AFI 32-1053 but not defined there.)

• Pest Management Personnel - personnel involved with activities that monitor or mitigate pest problems, including personnel that manage a pest management program, carry out pest control work (that includes selecting, mixing or applying pesticides), monitor pest populations, coordinate various activities that prevent or mitigate pest problems. This includes active duty, civilian (United States and local nationals) and contract workers directly involved with the program; it does not include persons whose contact with pesticides is limited to transporting, loading and unloading closed containers (FGS-UK 20).

- Pest Management Plan a long-range, comprehensive installation planning and operational document that establishes the strategy and methods for conducting a safe, effective and environmentally sound IPM program. Written pest management plans are required as a means of establishing and implementing an installation pest management program (DODI 4150.7, Enclosure 2).
- Pesticide any substance or mixture of substances used to destroy pests, control their activity, or prevent them from causing damage (FGS-UK 20).
- Pesticide Applicator any individual who applies pesticides or supervises the use of pesticides by others (DODI 4150.7, Enclosure 2). See also Certified Pesticide Applicator, DOD-Certified Pesticide Applicator, Installation Pesticide Applicator, and Uncertified Installation Pesticide Applicator.
- Pesticide Handling operations involving contact or potential contact with pesticides, including loading, unloading, transferring, mixing and applying pesticides, filling or cleaning pest management equipment, preparing pesticide waste for disposal, and pesticide spill response (FGS-UK 20).
- Pesticide Waste materials that are subject to pesticide disposal restrictions and should be treated as excess pesticides for purposes of disposal (FGS-UK 20):
  - 1. any pesticide that has been suspended, that does not meet specifications, or that is contaminated, improperly mixed, or otherwise unusable, whether concentrated or diluted
  - 2. used spill cleanup material
  - 3. any containers, equipment, or material that are contaminated with pesticides; empty pesticide containers that have been triple rinsed are not considered hazardous waste but are normal solid waste.
- Professional Pest Management Personnel DOD military officers commissioned in the Medical Service or Biomedical Sciences Corps or DOD civilian personnel with college degrees in biological or agricultural sciences who are in a current assignment that includes pest management responsibilities exercised regularly. DOD civilian employees also shall meet Office of Personnel Management qualification standards. Based on assignment, some professional pest management personnel are pest management consultants (DODI 4150.7, Enclosure 2).
- Registered Pesticide a pesticide that has been registered and approved for sale or use within the United States or the host nation (FGS-UK 20).
- Restricted-Use Pesticide (also Restricted Pesticide) a pesticide that has been determined to merit
  additional restrictions by either the United States or the host nation because it would cause unreasonable adverse effects on health or the environment (FGS-UK 20).
- Specially Designated Landfill a landfill at which complete long-term protection is provided for the
  quality of surface and subsurface waters from pesticides, pesticide containers, and pesticide-related
  wastes, and against hazards to public health and the environment, including a chemical waste landfill (q.v.) (FGS-UK 20).
- Uncertified Pesticide Applicator DOD employees who are not certified under the DOD plan during an apprenticeship period not exceeding two years and who must apply pesticides under the supervision of a DOD-certified applicator (DODI 4150.7, Enclosure 2).
- *Vector* an arthropod or other organism that transmits a disease agent to another organism (AFI 32-1053, para 1.2.3).

7 - 6

### PESTICIDE MANAGEMENT

### **GUIDANCE FOR CHECKLIST USERS**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations	7-1 through 7-13	(1)(2)(3)(4)(5)(7)(8)
Pesticide Application	7-14 through 7-35	(1)(2)(3)(4)(5)
Documentation and Notifica- tion	7-36 through 7-39	(3)(4)(5)(6)
Pest Management Facilities	7-40 through 7-56	(1)(4)(5)
Storing, Mixing, and Preparation of Pesticides	7-57 through 7-68	(1)(2)(4)(5)
Highly and Moderately Toxic Pesticides	7-69 through 7-74	(1)(3)(4)(5)(6)
Disposal	7-75 through 7-78	(1)(2)(4)(5)

### (a) CONTACT/LOCATION CODE:

- (1) BCE (Base Civil Engineering)
- (2) BES (Bioenvironmental Engineering Services)
- (3) BMS (Base Medical Service)/EHO (Environmental Health Office)
- (4) Pest Management Shop
- (5) Golf Course Maintenance
- (6) Base Fire Department
- (7) Base Contracting Officer
- (8) Base Staff Judge Advocate

7 - 8

### PESTICIDE MANAGEMENT

#### **Records To Review**

- Records of pesticides purchased by the facility (purchase orders, inventory)
- Pesticide application records
- Description of the facility's pest control program
- Certificates of applicators of restricted-use pesticides
- · Facility applicator certification and training program
- Pesticide disposal manifests
- Installation Spill Contingency Plan (ISCP)
- Inventory of stored pesticides
- · Copy of notification letter to local emergency officials of pesticides stored onsite
- Pest Management Plan

### **Physical Features To Inspect**

- Pesticide application equipment
- Pesticide storage areas, including storage containers
- Golf course maintenance areas

#### **People To Interview**

- BCE (Base Civil Engineering)
- BES (Bioenvironmental Engineering Services)
- BMS (Base Medical Service)/EHO (Environmental Health Office)
- Pest Management Shop
- Golf Course Maintenance
- Base Fire Department
- Base Contracting Officer
- Base Staff Judge Advocate

7 - 10

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ALL INSTALLATIONS		
7-1. Copies of all relevant DOD directives/instructions, USAF directives/	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(8)	
tives, and guidance documents should be maintained at the installation (MP).	<ul> <li>(NOTE: Among the relevant documents are the following: <ul> <li>DODI 4150.7, DOD Pest Management Program, 22 April 1996</li> <li>AFI 32-1053, Pest Management Program, 18 May 1994.)</li> </ul> </li> </ul>	
7-2. Pest Management personnel should have	Verify that the following are readily available to Pest Management personnel: (4)(5)	
certain documents readily available (MP).	- TIM 13 - Ultra Low Volume Dispersal of Insecticides by Ground Equipment (March 1985) - TIM 14 - Personal Protective Equipment for Pest Management Personnel	
	<ul> <li>(March 1992)</li> <li>TIM 15 - Pesticide Spill Prevention and Management (June 1992)</li> <li>TIM 16 - Pesticide Fires: Prevention, Control, and Cleanup (June 1981)</li> <li>TIM 18 - Installation Pest Management Program Guide (February 1987)</li> <li>TIM 20 - Pest Management Operations in Medical Treatment Facilities (October 1989)</li> <li>TIM 21 - Pesticide Disposal Guide for Pest Control Shops (October 1986)</li> <li>TIM 24 - Contingency Pest Management Pocket Guide (September 1991)</li> <li>TIM 25 - Devices for Electrocution of Flying Insects (August 1988)</li> <li>TIM 26 - Lyme Disease - Vector Surveillance and Control (March 1990)</li> <li>TIM 27 - Stored Products Pest Monitoring Techniques (June 1992)</li> <li>TIM 29 - Integrated Pest Management In and Around Buildings (July 1994)</li> <li>Military Handbook 1028-8A, Design of Pest Management Facilities (1 November 1991).</li> </ul>	
7-3. Installations must meet regulatory requirements issued since the	since the finalization of the manual. (1)(2)(8)	
finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Verify that the installation is in compliance with newly issued regulations.	

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>7-4.</b> Each installation must have a comprehensive pest management plan (FGS-UK 11-1 and DODI 4150.7, E.3.v(1)).	Verify that the installation implements and maintains a written pest management plan. (1)(2)(4)	
7-5. Installation pest management plans must meet specific content requirements (FGS-UK 11-1 and DODI 4150.7, Encl. 4, para 4b).	Verify that the plan is a comprehensive, long-range, narrative document that: (1)(2)(4)  describes all installation and satellite installation pest management requirements and programs, including those for contracts, natural resources, golf courses, and out leases, and identifies minimum pest management staffing requirements  describes all IPM procedures for surveillance and control of disease vectors identifies all resources, such as work years, facilities, and equipment, required to support the installation pest management program  identifies all pesticides (including USEPA registration numbers) approved by the component pest management consultant for use in the installation pest management program  describes all health and safety measures that will be taken to protect both pest management personnel and the general public from pesticide exposure and risk describes pest management functions that can be done more economically through commercial contracts and provides, or references, cost comparison analysis  describes any pest management operation with special environmental considerations such as those that:  use a restricted-use pesticide  use any pesticide application that may contaminate surface or ground water  include 259 or more contiguous hectares (640 acres) in one pesticide operation  may adversely affect endangered or other protected species and their habitat  involve aerial application of pesticides  involve permits for the use of experimental-use pesticides  involve permits for the use of experimental-use pesticides  identifies animal control efforts for feral cats, feral dogs, or wildlife  identifies active or potential vector-borne diseases and describe medical department collaboration with host nation agencies for vector surveillance and control matters  identifies golf course pest management operations.	

meet additional requirements with regard to pest management plans (DODI 4150.7, Encl. 4, paras 2, 8d, and 8h, and AFI 32-1053, para 2.4).  Verify that the plan with the senior medical officer, environmental coordinator, are senior engineering officer and that these individual sign the cover sheet of the plan. Verify that appropriate portions of the plan are reviewed by the Natural Resource Program Manager for consistency with the National Resources Management Plan. Verify that the plan was forwarded to the cognizant component pest manageme consultant for review, technical approval, and signature on the cover sheet.  Verify that the plan has been signed and approved by the IC.  Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property. Verify that the plan specifically addresses the surveillance and control of insects and other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)	United Kingdom ECAMP		
meet additional requirements with regard to pest management plans (DODI 4150.7, Encl. 4, paras 2, 8d, and 8h, and AFI 32-1053, para 2.4).  Verify that the pest management coordinator formally coordinates appropriate pot tions of the plan with the senior medical officer, environmental coordinator, are senior engineering officer and that these individual sign the cover sheet of the plan. Verify that appropriate portions of the plan are reviewed by the Natural Resource Program Manager for consistency with the National Resources Management Plan. Verify that the plan was forwarded to the cognizant component pest manageme consultant for review, technical approval, and signature on the cover sheet. Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property. Verify that the plan specifically addresses the surveillance and control of medically important insects and other arthropods.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate post tion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.			
Verify that the pest management coordinator formally coordinates appropriate potions of the plan with the senior medical officer, environmental coordinator, are senior engineering officer and that these individual sign the cover sheet of the plan. AFI 32-1053, para 2.4).  Verify that appropriate portions of the plan are reviewed by the Natural Resource Program Manager for consistency with the National Resources Management Plan.  Verify that the plan was forwarded to the cognizant component pest manageme consultant for review, technical approval, and signature on the cover sheet.  Verify that the plan has been signed and approved by the IC.  Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property.  Verify that the plan specifically addresses the surveillance and control of insects and other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate post tion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.	meet additional require-	Verify that the plan is reviewed and updated annually by qualified personnel. (1)(2)(3)(4)	
Verify that appropriate portions of the plan are reviewed by the Natural Resource Program Manager for consistency with the National Resources Management Plan.  Verify that the plan was forwarded to the cognizant component pest manageme consultant for review, technical approval, and signature on the cover sheet.  Verify that the plan has been signed and approved by the IC.  Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property.  Verify that the plan specifically addresses the surveillance and control of insects at other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate postion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.	management plans (DODI 4150.7, Encl. 4, paras 2, 8d, and 8h, and	Verify that the pest management coordinator formally coordinates appropriate portions of the plan with the senior medical officer, environmental coordinator, and senior engineering officer and that these individual sign the cover sheet of the plan.	
consultant for review, technical approval, and signature on the cover sheet.  Verify that the plan has been signed and approved by the IC.  Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property.  Verify that the plan specifically addresses the surveillance and control of insects at other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate postion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.	AFI 32-1033, para 2.4).	Verify that appropriate portions of the plan are reviewed by the Natural Resources Program Manager for consistency with the National Resources Management Plan.	
Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property.  Verify that the plan specifically addresses the surveillance and control of insects at other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate post tion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.		Verify that the plan was forwarded to the cognizant component pest management consultant for review, technical approval, and signature on the cover sheet.	
Verify that the plan specifically addresses the surveillance and control of insects at other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate post tion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.		Verify that the plan has been signed and approved by the IC.	
other arthropods in child care and food service facilities.  Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate post tion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.		Verify that the plan lists all program objectives, arranged in order of priority, according to potential or actual impact on health, morale, structures, materiel, or property.	
of medically important insects and other arthropods.  (NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)  Verify that the installation's pest management coordinator has an appropriate post management coordinator must meet specific requirements (DODI 4150.7, Encl. 4, paras 5a  Verify that the pest management coordinator is DOD-certified.		Verify that the plan specifically addresses the surveillance and control of insects and other arthropods in child care and food service facilities.	
7-7. The installation's pest management coordinator has an appropriate post management coordinator must meet specific requirements (DODI 4150.7, Encl. 4, paras 5a  Verify that the installation's pest management coordinator has an appropriate post management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.		Verify that the plan clearly delineates the responsibilities for surveillance and control of medically important insects and other arthropods.	
pest management coordinator must meet specific requirements (DODI 4150.7, Encl. 4, paras 5a tion and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)  Verify that the pest management coordinator is DOD-certified.		(NOTE: A suggested format for the plan appears in Enclosure 8 of DODI 4150.7.)	
4150.7, Encl. 4, paras 5a Verify that the pest management coordinator is DOD-certified.	pest management coordinator must meet specific	Verify that the installation's pest management coordinator has an appropriate position and educational background and has the management skills necessary to implement the installation's pest management plan. (4)(5)	
	4150.7, Encl. 4, paras 5a	Verify that the pest management coordinator is DOD-certified.	
1			

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
7-8. Installations must meet specified measures of merit in the pest management program (DODI	Verify that the installation meets the following measures of merit: (1)(4)(5)(7)  - Measure of Merit 1: by the end of FY97 the installation has a pest management plan that is prepared, reviewed, and updated annually by pest management pro-	
4150.7, Encl. 3).	fessionals  - Measure of Merit 2: by the end of FY 2000, the amount of pesticides applied annually on DOD installations is reduced by 50% from the FY 93 baseline in pounds of active ingredients	
	(NOTE: The goal for this measure of merit must not be obtained by substituting more toxic pesticides that have lower application rates than the pesticide in use.)	
	- Measure of Merit 3: by the end of FY 98, 100 percent of installation pesticide applicators are properly certified.	
	(NOTE: Direct hire employees have a maximum of 2 yr to become certified after initial employment, contract employees need appropriate certification when the contract is let.)	
7-9. Installations must notify component pest management consultants whenever host nation regulators ask to inspect pest management operations (DODI 4150.7, Encl. 4, para 4c(2)).	Verify that the installation notifies the component pest management consultant whenever host nation regulators ask to inspect pest management operations. (1)(4)(5)	
7-10. Installations must not construct buildings that have heating, ventila-	Verify that buildings are not constructed with HVAC ducts located in and below the floor. (1)	
tion, or air-conditioning (HVAC) ducts located below the floor (DODI	(NOTE: This prohibition is intended to prevent accidental contamination of the ducts with termiticides.)	
4150.7, Encl. 4, para 4c(2)).	(NOTE: Postconstruction treatment of structures with HVAC ducts is prohibited without a waiver from the component pest management consultant.)	

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>7-11.</b> Self-help programs must be managed in accordance with specific	Verify that self-help programs are established for military housing when cost effective and when IPM monitoring indicates the need for a self-help program. (1)(4)	
standards (DODI 4150.7, para. E.3.v.(3) and Encl.	Verify that liquid pesticides are not issued.	
4, para 8i(3)).	(NOTE: Self-help pest management materials issued may include cockroach and ant baits and/or traps, mouse traps, glue boards, and general use pesticide aerosols with crack and crevice devices as recommended by the component pest management consultant.)	
·	Verify that self-help personnel provide written instructions and appropriate precautions beyond those on pesticide labels to military quarters' and housing occupants.	
	Verify that, if a pesticide is issued to an occupant, records are maintained.	
7-12. Pest management and disease vector control during military contingency operations,	Verify that pesticides are applied consistent with the policies and procedures described in DODI 4150.7 during military contingency operations, readiness training exercises, and deployments. (1)(4)	
readiness training exercises, and deployments must meet specific standards (DODI 4150.7,	Verify that individuals who apply pesticides in these situations are certified in accordance with the DOD Plan for the Certification of Pesticide Applicators of Restricted-Use Pesticides or are under the direct or on-site supervision of a certified individual.	
Encl. 4, para 9).	(NOTE: Shipboard independent duty technicians and other military personnel who have received special training for limited site application of preselected pesticides during military operations or deployments are exempt from the certification requirement, but they must be fully trained.)	
7-13. Pest management consultants must provide the guidance needed to protect all closing or closed facilities from pests from the beginning of deactivation until property disposal (DODI 4150.7, Encl. 4, para 8j).	Verify that pest management consultants provide the guidance needed to protect all closing or closed facilities from pests from the beginning of deactivation until property disposal. (1)(4)	
	•	

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
PESTICIDE APPLICATION		
7-14. Installations must use approved pesticides only (FGS-UK 11-4.A and 11-4.B; DODI 4150.7, para E.3.v(6) and Encl. 4, para 6a(2)).	Verify that pesticides that are used at the installation are approved for stocking by both: (4)(5)  - the Armed Forces Pest Management Board (AFPMB) or other cognizant DOD pest management authority - the UK MAFF.	
7-15. Certain information must be included on ordering documents in order to make sure that no one buys or issues nonapproved pesticides (AFI 32-1053, para 3.5.3.).	Verify that advice code 2B is used on ordering documents to tell Supply that it may not substitute another product for the requested item. (4)(5)	
<b>7-16.</b> Installations must follow specific restrictions when ordering pesticides and application equipment (AFI 32-1053, para 3.5.2.).	Verify that standard pesticide application equipment is ordered from Federal supply catalogues. (4)(5)  Verify that only pesticides from the Federal listings approved by the AFPMB and the preapproved WIMS Air Force master inventory are used.  Verify that the installation has sought and received MAJCOM approval before ordering or using nonstandard, locally purchased pesticides or application equipment.	
7-17. Installations must use the least toxic but effective product in their pest management efforts (FGS-UK 11-1).	Verify that, where the use of pesticides is warranted, the installation uses the least toxic but effective product. (4)(5)	
7-18. Paint containing insecticides is prohibited from use on DOD property (DODI 4150.7, Encl. 4, para 6f).	Verify that neither interior nor exterior paint that contains pesticides is used on the installation. (1)(4)(5)  (NOTE: This prohibition also applies to insecticides formulated and labelled for use as paint additives.)  (NOTE: Paints containing fungicides as mildew inhibitors may be used when the application directions specify no special restrictions due to the fungicide. Approved marine anti-fouling compounds or coatings may be applied to protect the surfaces of watercraft.)	

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

	Office Kingdom BCAM
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
7-19. The use of regularly scheduled, periodic pesticide applications and of preventative pesticide treatments is prohibited (DODI 4150.7, Encl. 4, para 6g).	Verify that the installation does not perform regularly scheduled, periodic pesticide applications. (4)(5)  (NOTE: This prohibition does not apply in situations where the installation pest management plan clearly documents that no other technology or approach is available to protect personnel or property of high value.)  Verify that preventative pesticide treatments are not used unless the component pest management consultant has given approval based on current surveillance information or records documenting past disease vectors or pest problems that require this approach.
7-20. Installations must use recyclable and refillable pesticide containers and closed pesticide mixing and transfer systems as much as possible (AFI 32-1053, para 2.4.11.).	Verify that the installation uses recyclable and refillable pesticide containers and closed pesticide mixing and transfer systems as much as possible. (4)(5)
7-21. Pest management personnel must use all pesticides according to label directions and use equipment according to the manufacturer's instructions (AFI 32-1053, para 3.5.4.).	Verify that pest management personnel use all pesticides according to label directions and use equipment according to the manufacturer's instructions. (4)(5)
7-22. Pesticide applicators must meet certification requirements (FGS-UK 11-2; DODI 4150.7, para E.3.v(4) and Encl. 4, para 5b; and AFI 32-1053, para 2.4.3).	Verify that pesticide applicators are certified either: (4)(5)  - in accordance with DODI 4150.7, DOD Pest Management Program and the DOD Plan for the Certification of Pesticide Applicators of Restricted-Use Pesticides  - under the authority of the UK MAFF.  Verify that personnel who are undergoing apprenticeship training, but are not yet certified, apply pesticides only under the direct supervision of a certified pesticide applicator.  (NOTE: Uncertified but trained pest management personnel may apply general-use pesticides under the supervision of certified personnel.)
	·

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

	United Kingdom ECAMP	
	REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
	7-22. (continued)	<ul> <li>(NOTE: After receiving training from pest management personnel, nonpest-management personnel may apply pesticides in the following situations:         <ul> <li>adult military housing occupants and facility building managers may apply approved self-help pesticides</li> <li>military personnel may apply approved arthropod repellents (aerosol, creme, lotion, stick)</li> <li>military personnel may apply approved aerosol insecticide for quarantine insect extermination on aircraft.)</li> </ul> </li> <li>Verify that neither prisoners nor volunteer workers are assigned to apply pesticides.</li> </ul>
		Verify that contractor personnel are certified prior to beginning the job.
	<b>7-23.</b> DOD-certified pesticide applicators must be recertified every 3 yr (DODI 4150.7, Encl. 4, para 5b(3).	Verify that DOD-certified pesticide applicators are recertified every 3 yr. (1)(4)(5)
,	7-24. Restricted-use pesticides may be applied only by or under the direct supervision of certified pesticide applicators (FGS-UK 11-4.C and AFI 32-1053, para 2.4.3.)	Verify that restricted-use pesticides are applied only by or under the direct supervision of certified pesticide applicators. (4)(5)  (NOTE: See Table 7-1 for a list of restricted-use pesticides.)
	<b>7-25.</b> Medical treatment facilities personnel may neither store nor use pesticides (AFI 32-1053, para 2.6.).	Verify that medical treatment facilities personnel neither store nor use pesticides. (2)  (NOTE: This prohibition does not apply to disinfectants or germicides.)
	7-26. All pesticide applicators must participate in a medical surveillance program (FGS-UK 11-3; AFI 32-1053, para 2.4.9.).	Verify that all pesticide applicators are included in a medical surveillance program. (3)(4)(5)  Verify that all BCE personnel who apply pesticides receive a baseline physical examination and an interview with Public Health within 30 days after they arrive.

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

Olited Kingdom ECAMI	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
7-26. (continued)	Verify that the program for pesticide applicators includes:
	<ul> <li>baseline physical examination with a cholinesterase test</li> <li>annual physical</li> <li>at a minimum, quarterly physical and cholinesterase test for personnel who work with organophosphates or carbamate pesticides.</li> </ul>
<b>6-27.</b> All pest management personnel must be provided with PPE (FGS-UK 11-7).	Verify that all pest management personnel are provided with PPE that is appropriate for the work they perform and the types of pesticides to which they may be exposed.  (4)
<b>7-28.</b> Specific operational practices should be observed in dealing with	Verify that health and safety procedures emphasizing good work habits, reduction or elimination of hazards, and use of PPE are followed. (4)(5)
pesticides (MP).	Verify that protective clothing and equipment are stored away from chemical areas.
	Verify that respirator cartridges/canisters are changed at appropriate intervals.
·	Verify that periodic fit testing of respirators is conducted.
7-29. Pest management personnel who mix and apply pesticides must meet specific requirements with regard to PPE and clothing (AFI 32-1053, para 3.4).	Verify that overalls are kept clean at all times. (4)(5)  Verify that shop washing machines and dryers are used or that any clothing sent to base laundry services is clearly identified as being contaminated with pesticides.
7-30. Individuals who handle pesticides must wear an approved respiratory device (DOD 4145.19-R-1, para 3-415a(6) and 3-415a(7)).	Verify that all personnel who handle pesticides wear an approved respiratory device that is appropriate for protection against the pesticides they use. (4)(5)  Verify that all respirators, gas masks, cartridges, and canisters are Occupational Safety and Health Administration/Mine Safety and Health Administration (OSHA/MSHA) approved for the specific pesticide being handled.  (NOTE: Paint respirators do not provide protection from pesticide vapors.)
!	

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

	United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>7-31.</b> Installations must meet specific require-	Verify that only pest management personnel use pest control vehicles. (4)(5)	
ments with regard to their pest control vehicles (AFI 32-1053, para 3.6).	Verify that pest management vehicles are painted with a chemical-resistant coating (similar to fire department vehicles) and equipped with plastic bed liners.	
	Verify that vehicles are equipped with locking compartments for safe handling, storage, and transport of pesticides.	
	(NOTE: A telephone maintenance truck will suit the purpose.)	
	Verify that the truck carries emergency phone numbers and a spill cleanup kit.	
	Verify that placards are attached to trailer-mounted sprayers that identify the pesticide that is being applied.	
	Verify that all pesticide dispersal equipment is kept in the BCE pest management section.	
	(NOTE: Equipment at base golf courses that have certified pesticide applicators is exempt from this requirement.)	
	Verify that vehicles (prime movers) used for fogging, misting, dusting, or ultra-low volume (ULV) application are equipped with air conditioning.	
<b>7-32.</b> Equipment used for pesticide applications should be dedicated to the pest management operation (MP).	Verify that such vehicles and dispersal equipment are used solely in support of pest management activities. (4)(5)	
7-33. Insecticides and termiticides must not be injected into the soil to	Determine whether pesticide applications are undertaken to control subterranean termites. (1)(4)	
control subterranean termites in any military buildings with subslab or	Verify that no subterranean termite control is undertaken for the types of buildings listed.	
in-slab heating, ventilation, or air conditioning ducts (AFI 32-1053, para 2.4.11.).	(NOTE: This prohibition does not apply if such systems are made inoperable and duct registers are blocked to prevent air flow.)	
	·	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
7-34. Installations must ensure the prevention of damage to wildlife from pesticide applications (DOD 4145.19-R-1, para 3-417).	Verify that basic precautions are observed that prevent drift of pesticides to the following: (1)(2)(4)(5)  - wooded areas occupied by wildlife - land area not intended for treatment - fish-bearing waters.  Verify that the installation guards against runoff or washoff by rain from treated areas to fish-bearing waters.
7-35. Public safety should be ensured when applying or using pesticides (MP).	Verify that hazardous exposure to the general public has been eliminated by: (4)(5)  - posting appropriate signs for treatment area - scheduling low-use periods or restricted usage for a number of days - following water-use restrictions and reentry times according to the pesticide labels.
DOCUMENTATION AND NOTIFICATION  7-36. Copies of material safety data sheets (MSDSs) for all pesticides must be available at the storage and holding facility (FGS-UK 11-6.D).	Verify that MSDSs are available at the storage and holding facility for the pesticides used at the installation. (4)(5)
7-37. Records must be maintained and summary reports written for pest management activities (AFI 32-1053, para 2.4.13 and DODI 4150.7, para E.3.h.).	Verify that Work Information Management System (WIMS) pesticide software is used to track pesticide inventories and pesticide applicator certifications. (4)(5)  Verify that daily pesticide use is recorded on the WIMS pesticide software.  (NOTE: DD Forms 1532 and 1532-1 may be used if WIMS is not on-line.)  Verify that historical data are kept on pesticide application in accordance with Air Force Manual (AFM) 37-139, Record DispositionStandards (formerly Air Force Regulation (AFR) 4-20, volume 2).  Verify that Quarterly Reports are sent no later than 15 days after the close of quarter to the MAJCOM.

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

COMPLIANCE CATEGORY: PESTICIDE MANAGEMENT United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
7-37. (continued)	Verify that the Quarterly Reports include the following:	
	<ul> <li>pesticide inventory data</li> <li>pesticide applicator certification data</li> <li>pesticide application data (equivalent of Report Control Symbol (RCS) DD-P&amp;L[A&amp;AR]1080) for all pest management operations on AF real property: <ul> <li>pest management shop</li> <li>self-help pest control</li> <li>roads and grounds</li> <li>golf course</li> <li>contractors</li> <li>forestry</li> <li>lessee and land permit holders.</li> </ul> </li> </ul>	
7-38. Installations must meet additional record keeping requirements (DODI 4150.7, para E.3.v(7) and Encl. 4, para	Verify that records of all pest management operations performed on the installation are properly maintained and reported to the component pest management consultant. (4)(5)  Verify that the records:	
10).	<ul> <li>account for all shop operations and provide a historical record of pest management operations and pesticide applications for each building, structures, or outdoor site</li> <li>include information on kinds, amounts, uses, dates, places of application, and applicator's names and certification numbers</li> <li>include all pesticide application performed on the installation, including work done on golf courses by nonappropriated fund activities, by contract services, and as a part of leases and land management and forestry programs as well as the work performed by the installation pest management shop.</li> </ul>	
	Verify that applications performed during military operations, excluding arthropod skin and clothing repellant, are recorded.	
	Verify that DD Form 1532, Pest Management Report, or an equivalent computer product, is produced monthly using the DD Form 1532-1 information.	
	Verify that these records are archived after 2 yr for permanent retention.	
	(NOTE: Pesticides applied by installation personnel for their own relief are excluded from the recordkeeping requirements.)	

	DEMONS CANCELS
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
7-39. Notification must be made and/or approval received for certain application activities (AFI 32-1053, para 2.4.10 and 2.4.12.).	Verify that PH is notified prior to any pesticide applications in food preparation or consumption facilities, medical facilities, or child development centers. (3)(4)(6)
	Verify that PH and the fire department are notified prior to any fumigation activities.
	Verify that the Installation Pest Control Supervisor (i.e., pest management coordinator) coordinates all fumigations with installation medical, fire, security police, and safety personnel.
	Verify that no internal combustion or electrical power-driven spraying machines for aerosol or mist sprays are used inside buildings without approval from BES and the installation Fire Chief.
PEST MANAGEMENT FACILITIES	
7-40. Pesticide management facilities and service vehicles must be provided with spill kits (MIL-HDBK 1028-A, para 3.5.2.2, implementing FGS-UK 11-6.A and 11-6.B).	Verify that pesticide management facilities and service vehicles are provided with spill kits. (4)(5)
7-41. Installations must include certain features in pest management facilities (MIL-HDBK 1028-A, paras 3.1.3, 3.1.4.3, and 3.4.8, implementing FGS-UK 11-6.A).	Verify that pest management facilities include at least the following: (1)(4)  - clean areas (office, vestibule and airlock (where appropriate, given weather conditions), and mechanical and electrical spaces)  - pesticide handling areas (storage and mixing rooms)  - transitional areas (dressing area, shower and locker rooms, toilet, laundry, and cleaning gear room)  - an outdoor hardstand and parking apron for vehicles and equipment.
7-42. Pest management facilities must have security fencing and gates (MIL-HDBK 1028-A, para 3.4.6, implementing	Verify that a climb-resistant chain link fence prevents unauthorized entry. (1)(4)  (NOTE: The fence may be omitted if other security measures, such as bars or heavy-gauge wire mesh over the windows, are taken.)
FGS-UK 11-6.A).	Verify that the fence is at least 7 ft (2.13 m) high, without top rail.
	Verify that the fence fabric is twisted and barbed at the top and bottom.
	Verify that security gates to the fence are kept locked.

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
7-43. Holding tanks are prohibited in new construction (MIL-HDBK 1028-A, para 3.5.2.3, implementing FGS-UK 11-6.A).	Verify that the facility has no drainage to holding tanks. (4)
7-44. Pest management facilities must be located in accordance with specific criteria (MIL-HDBK 1028-A, para 3.4.1 and 3.4.2, implementing FGS-UK 11-	Verify that pest management facilities are located away from congested areas. (1)(4)
	Verify that new construction results in isolated, single-purpose structures.
	Verify that pest management facilities are located a minimum of 200 ft (61 m) from surface water, existing wells and cisterns, and 100-yr flood plains.
6.A).	Verify that the facility is located downhill from the above sensitive areas.
	(NOTE: Diking must be provided if space is limited.)
	Verify that the facility is not located uphill from potable water sources or continuously occupied structures.
	(NOTE: Facilities should not be located over aquifers (subsurface potable water supplies), unless the aquifer is adequately protected through containment measures.)
	Verify that the facility is located at least 100 ft (30.4 m) from other structures.
7-45. Pest management facilities must meet specific standards with	Verify that vehicles carrying supplies or pulling trailer-mounted dispersal equipment have access to the facility. (1)(4)
regard to accessibility, grading, and parking (MIL-HDBK 1028-A, para 3.4.3 through 3.4.5, implementing FGS-UK 11-6.A).	Verify that the facility is accessible to vehicles and pedestrians on at least two sides.
	Verify that runoff from fire-fighting is prevented from reaching ponds, lakes, streams, or rivers.
	(NOTE: Diking, if provided, is recommended for large pest management facilities only.)
	Verify that there is adequate space to park all pesticide dispersal equipment inside the pest management area, under cover.
	Verify that the part of the compound used for travel and vehicle parking is covered with gravel or paved.
	Verify that employee parking, if provided, is located outside the security fence or perimeter.

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
7-46. The arrangement of spaces in pest management facilities must meet specific requirements (MIL-HDBK 1028-A, para 3.1.3 and 3.1.4.3, implementing FGS-UK 11-6.A).	Verify that arrangement of spaces allows workers to arrive in a clean area, dress for hazardous exposure in the change area, leave through a pesticide area doorway, and retrace that path at the end of the workday. (1)(4)
	Verify that there is no direct access between the office and the pesticide storage and mixing areas.
	Verify that doorways are arranged so that no pesticide need be carried through clean areas.
	Verify that the mixing room is located adjacent to the storage area and the equipment storage area (if indoors).
	Verify that the mixing room is accessible through the corridor to the shower and locker rooms and the exterior.
7-47. Installations must	Verify that there are no floor drains in the interior pesticide areas. (1)(4)
meet specific require- ments with regard to the foundations, floor slabs, and floor finishes in pest	Verify that, in areas where pesticides are handled or stored, floors slope (3/100) from sills to the center.
management facilities (MIL-HDBK 1028-A, para 3.1.5.1, implement-	Verify that, if the floor does not slope, a 4 in. (102 mm) concrete curb is provided in the pesticide areas.
ing FGS-UK 11-6.A).	Verify that exterior slabs slope to a sump with a closeable drain located not more than 6 ft (1.829 m) from the outer margin of the washstand.
	Verify that exterior ramps slope downward from exterior flat (flushed) door sills.
	(NOTE: The intent of these provisions is to provide containment for at least 110 percent of the capacity of the largest bulk liquid pesticide container anticipated for the facility.)
	Verify that no utility, heating, or ventilation ducting is located in or below slabs.
	Verify that pesticide concentrates and finished (formulated) materials are prevented from entering the sanitary or storm sewer systems.
	Verify that concrete floors are finished with a nonabsorbent nonskid finish.
	(NOTE: Change rooms and office floors may be tiled.)
	Verify that the floors in both the storage and mixing areas are covered with nonskid epoxy sealant or are otherwise made impermeable.

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

Officed Kingdom ECAMA				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-48. Installations must meet specific requirements with regard to the exterior walls of pesticide management facilities (MIL-HDBK 1028-A, para 3.1.5.2, implementing FGS-UK 11-6.A).	Verify that exterior walls are constructed of metal, concrete, or masonry. (1)(4)  Verify that the interior surfaces of exterior walls are constructed of metal, coated concrete, or masonry.  Verify that no porous surface finishes are used.			
7-49. Installations must meet specific requirements with regard to the doors and windows in pesticide management facilities (MIL-HDBK 1028-A, para 3.1.5.3, implementing FGS-UK 11-6.A).	Verify that exterior doors are self-locking and self-closing with weather stripping. (1)(4)  Verify that doors have locks that prevent unauthorized entry.  Verify that flat (flush) sills are provided for all doors between the mixing and storage areas.  Verify that the facility has a 9 x 9 ft (2.74 x 2.74 m) overhead garage door with weather stripping.  (NOTE: Higher doors may be necessary to accommodate high-mast equipment.)  Verify that, if the garage is separate from the pesticide mixing and storage areas, a flat (flush) sill is provided for the garage doorway.  Verify that, if the garage is not separate from the pesticide mixing and storage areas, a ramp to a 4 in. (104 mm) high sill is provided.  Verify that there is a slope away from the exterior of the door to prevent rain water from entering the facility.  Verify that the pest management facility has nonporous framed windows that are double glazed, where appropriate, with a thermal barrier feature.  Verify that, if the facility is not surrounded by a climb-resistant chain link fence and security gates, it has interior security mesh windows.  (NOTE: It is permissible to have no windows as an alternative.)  Verify that drop ceilings are not used in pesticide areas.			

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-50. A fire extinguisher must be provided by the door between the storage and mixing areas (MIL-HDBK 1028-A, para 3.7.1, implementing FGS-UK 11-6.A).	Verify that a fire extinguisher is located by the door between the storage and mixing areas. (4)			
<b>7-51.</b> Drains from pesticide mixing areas must not be connected to septic systems, sanitary sewers, or stormwater systems (MIL-HDBK 1028-A, para 3.5.2.5, implementing FGS-UK 11-6.A).	Verify that no pesticide mixing area is connected to septic systems, sanitary sewers, or stormwater systems. (1)(4)			
7-52. Pesticide management areas must have backflow prevention devices (MIL-HDBK 1028-A, para 3.5.2.10 and 3.5.2.11, implementing FGS-UK 11-6.A).	Verify that reduced pressure backflow prevention devices are installed on plumbing that provides a source of water for filling pesticide dispersal equipment tanks. (1)(4)  Verify that permanent hose bibs (overhead filling pipes) have a discharge hose and an approved backflow prevention device.  (NOTE: The requirement as to hose bibs applies to outdoor washdown areas of medium and large facilities.)			
7-53. Mixing and storage areas must have a ventilation system separate from that in the rest of the facility (MIL-HDBK 1028-A, para 3.5.4.2, implementing FGS-UK 11-6.A).	Verify that mixing and storage areas have a ventilation system separate from that in the rest of the facility. (1)(4)  Verify that the system is provided with a roof-mounted, centrifugal fan system selected for a minimum of six air changes per hour.  Verify that fans discharge vertically.  Verify that replacement air is heated to 55 °F (13 °C).  Verify that the ventilation system has a control switch with a light to indicate ON at the entrance to the pesticide handling areas.			

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-53. (continued)	Verify that the control switch has a sign that reads as follows:			
	VENTILATION SYSTEM SHOULD OPERATE CONTINUOUSLY DO NOT ENTER UNLESS VENTILATION SYSTEM HAS OPERATED FOR AT LEAST 10 MINUTES.			
7-54. Mixing sinks must have slotted hood, local exhaust systems (MIL-HDBK 1028-A, para 3.5.4.2, implementing FGS-UK 11-6.A).	Verify that the mixing sink has a slotted hood, local exhaust system. (4)			
7-55. Outdoor hard- stands and parking aprons for vehicles must	Verify that the outdoor hardstand and parking apron consists of a concrete pad sufficiently large to park a truck and trailer (at least 15 x 25 ft (4.57 x 7.62 m)). (1)(4)			
meet specific standards (MIL-HDBK 1028-A, para 3.4.8, implementing	Verify that the hardstand pad slopes (3/100) to a sump fitted with a removable grate cover suitable for the anticipated vehicular traffic load.			
FGS-UK 11-6.A).	Verify that the sump is sufficiently large to contain a minimum of 110 percent of the capacity of the largest bulk liquid pesticide container anticipated to be used at the facility.			
	Verify that there is a curb at least 4 in. (102 mm) high at the low edge of the pad to direct liquid into the sump.			
	Verify that, if an industrial sewer is available, a 3 in. (75 mm) sump drain is provided.			
	Verify that, if a connection to an industrial sewer exists, the sump has a ball valve in the sump drain to control discharge.			
	Verify that the valve is located adjacent to the sump in a pit with a grate cover.			
	Verify that the ball valve is normally closed and manually opened.			
	Verify that, if no industrial sewer is available, a small section of removable grate is provided to accommodate a hose for recovering sump contents.			
	Verify that the hardstand area has an elevated hose bib (fill pipe) of 1.5 to 2 in. (38 to 51 mm) diameter.			
·	(NOTE: This requirement applies if application equipment with tanks 50 gal (189.9 L) or larger will be used at the facility.)			
	·			

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

### **COMPLIANCE CATEGORY:** PESTICIDE MANAGEMENT **United Kingdom ECAMP REVIEWER CHECKS:** REGULATORY February 1997 REQUIREMENTS: Verify that the hardstand area has an emergency eyewash and a deluge shower with 7-55. (continued) manually operated, delayed-closing valves located adjacent to the mixing site. (NOTE: This requirement does not apply if devices inside the facility are accessible within 10 s from the outdoor mixing site.) (NOTE: The hardstand area may be provided with a canopy roof to protect parked vehicles and equipment and to minimize the accumulation of water.) Verify that identification signs are provided in appropriate rooms and buildings and 7-56. Pesticide management facilities must meet on fences. (1)(4)(5)requirements specific (NOTE: Signs such as DANGER, POISON, PESTICIDE STORAGE AREA are with regard to signs (MIL-HDBK 1028-A, suggested.) para 3.8, implementing Verify that a NO SMOKING sign is located in pesticide areas. FGS-UK 11-6.A and 11-6.B). Verify that warning signs are provided on the exterior of the building at each entrance. Verify that building identification information is visible from 100 ft (30.48 m). Verify that a sign is installed over the sink that reads as follows: DO NOT DISCHARGE PESTICIDES INTO THE SINK. Verify that a sign is posted at the entrance(s) to toilets that reads: WASH HANDS BEFORE USING TOILET. Verify that the hardstand has a sign that reads as follows: CLOSE DRAIN WHILE HANDLING PESTICIDES ON HARDSTAND. Verify that a sign is provided near the hardstand's pit valve stating: RECOVER PESTICIDE SPILLS USE VALVE TO DRAIN WASHWATER AND RAIN. Verify that, if a flammable liquid storage cabinet is present, a sign is provided that reads as follows: FLAMMABLE PESTICIDES.

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-56. (continued)	Verify that a list of the types of materials stored is posted on the outside of the storage area.			
	(NOTE: Copies of this list should be given to the installation on-scene hazardous waste coordinator and to the fire department.)			
	Verify that the list includes chemical names and formulations rather than brand names.			
	Verify that a sign is posted at the mixing area that requires the use of protective gloves, aprons and boots, protective eyewear or face shields, coveralls, and an approved pesticide respirator.			
STORAGE, MIXING, AND PREPARATION OF PESTICIDES				
7-57. Pesticides must be addressed in the ISCP (FGS-UK 11-5).	Verify that the ISCP addresses procedures and techniques used to contain and cleanup pesticide spills. (1)(2)			
<b>7-58.</b> Labels on pesticides must bear the appro-	Verify that the pesticides are properly labeled. (4)(5)			
priate use instructions and precautionary messages (FGS-UK 11-8).	Verify that labels bear the appropriate use instructions and precautionary message based on the toxicity category of the pesticide.			
(1 dd dif 11 d).	(NOTE: Examples of precautionary messages include DANGER, WARNING, or CAUTION.)			
7-59. Pesticide storage areas must be regularly	Verify that storage areas are inspected regularly and secured to prevent unauthorized access. (4)(5)			
inspected and secured to prevent unauthorized access (FGS-UK 11-6.C				
and MIL-HDBK 1028-A, para 3.1.4.1.1, imple- menting FGS-UK 11-6.A				
and 11-6.B).				
·				

(1) BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP					
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997				
<b>7-60.</b> Pesticide storage areas must have a readily visible, current inventory of all items in storage (FGS-UK 11-6.C).	Verify that the inventory includes all items in storage and items awaiting disposal. (1)(2)(4)(5)				
<b>7-61.</b> Indoor storage areas for pesticides must meet specific require-	Verify that pesticides are stored in an area sealed or separated from clean areas, with direct access to the exterior. (1)(4)(5)				
ments (MIL-HDBK 1028-A, para 3.1.4.1.2,	Verify that pesticides are stored in such a way that:				
implementing FGS-UK 11-6.B).	- they are off the floor, with all labels visible - they are stored no more than 8-ft (2.44-m) high.				
	Verify that lanes are present to provide effective access and inspection.				
	Verify that pesticides are stored in a dry building in which a temperature is maintained that is above 50 °F (12 °C) and below 100° F (38° C).				
	Verify that pesticides are stored separated from the following areas:				
	<ul> <li>mixing areas</li> <li>shower and locker room</li> <li>offices</li> <li>any area where personnel work for prolonged periods.</li> </ul>				
	Verify that no pesticide concentrates are stored in a room containing a floor drain of any type.				
	Verify that storage and mixing areas have containment provided either by curbing or sloped floors.				
7-62. Certain chemicals must be stored outside of occupied buildings (MIL-	Verify that all liquid fumigants are stored outside of occupied buildings in hazardous chemical lockers. (4)				
HDBK 1028-A, para 3.1.4.1.4, implementing FGS-UK 11-6.B).	Verify that toxic or flammable pesticides are stored on the ground floor of unoccupied buildings.				

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-63. Outdoor storage areas for pesticides must meet specific requirements (MIL-HDBK 1028-A, para 3.1.4.1.4, implementing FGS-UK 11-6.A and 11-6.B).	Verify that outdoor storage areas for pesticides are: (4)  - secured and under cover - protected from radiant heating, freezing temperatures, and moisture.			
7-64. Motor vehicles may not be stored in the same areas as pesticides (MIL-HDBK 1028-A, para 3.1.4.1.3, implementing FGS-UK 11-	Verify that no motor vehicles are stored in the same area as pesticides. (4)(5)  (NOTE: Wherever possible, vehicles are to be located outside or in a separate building from the pesticide storage or handling area.)  Verify that, where motor vehicles are located under the same roof as the pesticide			
6.B).  7-65. Mixing rooms	area, they are separated from the pesticide area by a minimum of 2-h fire rated construction.  Verify that mixing rooms have electricity and hot and cold water. (4)			
must meet specific requirements (MIL-HDBK 1028-A, para 3.1.4.2, implementing FGS-UK 11-6.A).	Verify that mixing rooms have metal or plastic shelves to hold pesticides off the floor.  (NOTE: Plastic is preferred for the pallets, and steel stands are recommended for keeping drums off the floor.)			
	Verify that no wooden pallets are in use.  Verify that the work area contains a pesticide-resistant sink equipped with the following:			
	<ul> <li>a closeable drain</li> <li>a contiguous self-draining drip-proof counter top at least 5-ft (1.524-m) long</li> <li>sideboards</li> <li>splash panel on back</li> <li>an adjacent shelf for holding measuring devices and concentrates.</li> </ul>			
<b>7-66.</b> Installations should store pesticides, pesticide containers, and pesticide residues in accordance with specific restrictions (MP).	Verify that pesticides, pesticide containers, and/or pesticide residues are stored such that: (4)(5)  - labeling is consistent - there is no open dumping of pesticides or pesticide containers - there is no open burning, except when allowed by regulation - there is no water dumping or ocean dumping.			

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

Omica Kingdom Dorina				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-67. Installations must store contingency pesticides under the same controlled temperature, security, and other conditions as daily use pesticides (AFI 32-1023, para 2.4.6.).	Verify that the installation stores contingency pesticides under the same controlled temperature, security, and other conditions as daily use pesticides. (1)(4)			
7-68. Installations must rotate contingency pesticide stocks back to pest management shop inventories and replace them with fresh chemicals annually (AFI 32-1023, para 2.4.6.).	Verify that the installation rotates contingency pesticide stocks back to pest management shop inventories and replaces them with fresh chemicals annually. (1)(4)			
HIGHLY AND MODERATELY TOXIC PESTICIDES				
7-69. Installations should consider installing an environmental monitoring system in the vicinity of pesticide storage facilities under certain conditions (MP).	Verify that the installation has considered providing monitoring systems when appropriate. (1)(4)(5)  (NOTE: Monitoring systems are particularly appropriate when there is no spill management system and when the facility handles large quantities of pesticides and is located near a sensitive area.)			
7-70. Storage facilities for pesticides and excess pesticides that are classed as highly toxic or moderately toxic and that must be labeled DANGER, POISON, WARNING, or with the skull and crossbones should meet specific requirements (MP).	Verify that the site location, where possible, is in an area where flooding is unlikely and where hydrogeologic conditions prevent contamination of any water system by runoff or percolation. (1)(4)(5)  (NOTE: The following may be considered: - proximity to surface water and to sanitary wastewater or stormwater systems - location relative to floodplains, depth of groundwater, and general soil types and typical permeabilities.)  Verify that storage is in a dry, separate room, building, or covered area where fire protection is provided.			

COMPLIANCE CATEGORY: PESTICIDE MANAGEMENT United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
7-70. (continued)	Verify that:  - pesticide containers are stored with the labels plainly visible - all containers are in good condition - the lids and bungs on metal or rigid plastic containers are tight - the pesticides are segregated, and if practicable, stored under a sign containing the name of the formulation - rigid containers are stored upright and all containers are stored off of the ground.  Verify that containers are regularly inspected for corrosion and leaks and that absorbent material is available for spill cleanup.  Verify that excess pesticides and containers are segregated.			
7-71. Personnel in storage/usage facilities for pesticides classed as highly toxic or moderately toxic and labeled DANGER, POISON, WARNING, or with the skull and crossbones symbol, should follow specific practices and procedures to ensure safety (MP).	Verify that no food consumption, drinking, smoking, or tobacco use is undertaken in any area where pesticides are present. (4)(5)  Verify that the following practices are part of pest management operations:  - people handling pesticides keep hands away from mouths and eyes and wear rubber gloves during all pesticide handling  - people handling pesticides wash hands immediately upon completion of working with pesticides and always prior to eating, smoking, or using toilet facilities  - inspections are made once a month to determine if any pesticide containers are leaking  - pesticide containers are inspected for leakage prior to handling.			
7-72. Installations must post signs and safety procedures in pesticide storage facilities and equipment that contain or use pesticides classed as highly toxic or moderately toxic and labeled DANGER, POISON, WARNING, or with the skull and crossbones symbol (MP).	Verify that signs reading DANGER, POISON, and PESTICIDE STORAGE are posted on or near entries to storage facilities. (4)(5)  Verify that safety precautions and accident prevention measures are posted.  Verify that an inventory of pesticides is displayed outside of the storage facility, identifying all chemicals in storage.  Verify that mobile equipment used for pesticide applications is labeled:  CONTAMINATED WITH PESTICIDES.			

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

#### **REVIEWER CHECKS:** REGULATORY February 1997 REQUIREMENTS: Verify that notification has been submitted and includes a statement of the hazards 7-73. Installations must that pesticides may present during a fire. (3)(6) notify the local fire hospitals, department, Verify that a floor plan of the storage facility, indicating the location of the different public health officials, pesticide classifications, has been submitted to the fire department. and police department in writing that pesticides are Verify that the fire chief has the home telephone numbers of the person(s) responsibeing stored (MP). ble for the pesticide storage facility. (NOTE: These requirements apply where large quantities of pesticides classed as highly toxic or moderately toxic and labeled DANGER, POISON, WARNING, or with the skull and crossbones symbol are being stored, or where other conditions warrant.) Verify, by interviewing the fire chief, that the following precautions are taken: (6) 7-74. Certain precautions should be taken in - fire-fighting personnel wear supplied air suits and rubberized clothing the event of a fire at a pes-- personnel avoid breathing or otherwise contacting toxic smoke and fumes ticide storage area where - personnel wash completely as soon as possible after encountering smoke and pesticides are classed as highly toxic or moderfumes - water used in fire fighting is contained within the storage site drainage system ately toxic and labeled - individuals who might be threatened by the fumes/smoke are evacuated DANGER, POISON, - firemen take cholinesterase tests after fighting fires involving organophosphate WARNING, or with the or N-alkyl carbamate pesticides. skull and crossbones symbol (MP). DISPOSAL Verify that the installation's pest management program is conducted so as to ensure 7-75. Installation pest that pesticides do not become hazardous wastes. (1)(4)(5) management programs must be conducted so as to ensure that pesticides Verify that excess USEPA registered pesticides are either: do not become hazardous wastes (DODI 4150.7, - returned to the DLA Materials Return Program - transferred to a DOD installation able to use the materials Encl. 4, para 6c and FGS-- transferred to the servicing DRMO. UK 11-9.A). (NOTE: The component pest management consultant can, if requested, provide assistance in identifying installations were usable pesticides could be used.) (NOTE: When the USEPA publishes a proposed pesticide regulatory action involving pesticide label suspension or cancellation that affects DOD, installations are required to comply with administrative procedures developed between the DLA and

AFPMB.)

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

	United Kingdom ECAMP				
	REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
	<b>7-76.</b> If waste pesticides are generated, the installation must dispose of them	Verify that pesticide wastes are tested to determine if they are hazardous wastes. (1)(2)(4)(5)			
	in accordance with specific standards (FGS-UK 11-9 and AFI 32-1053, para 3.5.5).	Verify that, if the pesticide waste is not a hazardous waste, it is disposed of in accordance with the label instructions, through Defense Reutilization and Marketing Office (DRMO), or in a specially designated landfill under Section 9, Solid Waste Management.			
		Verify that, if the pesticide is a hazardous waste, it is disposed of in accordance with the provisions of Section 4, <i>Hazardous Waste Management</i> .			
		Verify that pesticide transferred to a UK transporter or facility is accompanied by a Hazardous Waste Profile Sheet.			
,	7-77. Installations must properly dispose of any clothing that is heavily contaminated with pesticides (AFI 32-1053, para 3.4.2.).	Verify that the installation properly disposes of any clothing that is heavily contaminated with pesticides. (4)(5)			
	7-78. No concentrated pesticides may be discarded to the sanitary sewer or storm drain (MIL-HDBK 1028-A, para 3.5.2.1, implementing FGS-UK 11-6.A and 11-6.B).	Verify that no concentrated pesticides are discarded to the sanitary sewer or storm drain. (1)(4)(5)			

<sup>(1)</sup> BCE (Base Civil Engineering) (2) BES (Bioenvironmental Engineering Services) (3) BMS (Base Medical Service)/EHO (Environmental Health Office) (4) Pest Management Shop (5) Golf Course Maintenance (6) Base Fire Department (7) Base Contracting Officer (8) Base Staff Judge Advocate (SJA)

### **Table 7-1**

### **Restricted-Use Pesticides**

(40 CFR 152.175)

The following uses of pesticide products containing the active ingredients specified below have been classified for restricted use and are limited to use by or under the direct supervision of a certified applicator.

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing Restriction
Acrolein	As sole active ingredient. No mixtures registered.	All uses	Restricted	Inhalation hazard to humans. Residue effects on avian species and aquatic organisms.
Aldicarb	As sole active ingredient.  No mixtures registered.	Ornamental uses (indoor and outdoor). Agricultural cropuses.	*do Under further evaluation.	Other hazards- accident history.
Aluminum phosphide	As sole active ingredient. No mixtures registered.	do	do	Inhalation hazard to humans.
Azinphos methyl	All liquids with a concentration greater than 13.5 percent.	do	do	do
	All other formulations.	do	Under further evaluation.	
Carbofuran	All concrete suspensions and wettable powders 40 percent and greater.	do	do	Acute inhalation toxicity.
÷	All granular formulations.	Rice	Under evaluation.	
	All granular and fertilizer formulations.	All uses except rice.	do	
Chloropicrin	All formulations greater than 2 percent.	All uses.	Restricted .	Acute inhalation toxicity.
	All formulations.	Rodent control.	Restricted	Hazard to nontarget organisms.
	All formulations 2 percent and less.	Outdoor uses (other than rodent control).	Unclassified	

<sup>\*</sup>do means same as above (previous row).

Table 7-1 (continued)

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing
				Restriction
Clonitralid	All wettable powders 70 percent and greater.	All uses.  Molluscide uses.	do	Acute inhalation toxicity.
	All granulars and wettable powders.		do	Effects on aquatic organisms.
	Pressurized sprays 0.55 percent and less.	Hospital antiseptics.	Unclassified	
Dicrotophos	All liquid formulations 8 percent and greater.	All uses.	Restricted	Acute dermal toxicity; residue effects on avian species (except for tree injections).
Disulfoton	All emulsifiable concentrates 65 percent and greater, all emulsifiable concentrates and concentrate solutions 21 percent and greater with fensulfothion 43 percent and greater, all emulsifiable concentrates 32 percent and greater in combination with 32 percent fensulfothion and greater.	do	Restricted	do Acute inhalation toxicity.
	Nonaqueous solution 95 percent and greater.  Granular formulations 10	Commercial seed treatment.  Indoor uses	Restricted do	Acute dermal toxicity.  Acute inhalation
	percent and greater.	(greenhouse).		toxicity.
Ethoprop	Emulsifiable concentrates 40 percent and greater.	do	do	Acute dermal toxicity.
	All granular and fertilizer formulations.	do	Under evaluation.	
Ethyl par- athion	All granular and dust for- mulations greater than 2 percent fertilizer formula- tions, wettable powders, emulsifiable concen- trates, concentrated sus- pensions, concentrated solutions.	do	Restricted	Inhalation hazard to humans. Acute dermal toxicity. Residue effects or mammalian, aquatic, avian species.
*4	ne as above (previous row).			

<sup>\*</sup>do means same as above (previous row).

Table 7-1 (continued)

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing Restriction
Ethyl par- athion (continued)	Smoke fumigants.	do	do	Inhalation hazard to humans.
(00000000)	Dust and granular formulations 2 percent and below.	do	do	Other hazards- accident history.
Fenamiphos	Emulsifiable concentrates 35 percent and greater.	do	do	Acute dermal toxicity.
Fonofos	Emulsifiable concentrates 44 percent and greater.	All uses.	do	Acute dermal toxicity.
	Emulsifiable concentrates 12.6 percent and less with pebulate 50.3 percent and less.	Tobacco	Unclassified	
Methami- dophos	Liquid formulations 40 percent and greater.	All uses.	Restricted	Acute dermal toxicity; residue effects on avian species.
	Dust formulations 2.5 percent and greater.	All uses.	Restricted	Residual effects on avian species.
Methidathion	All formulations.	All uses except stock safflower and sunflower.	Restricted	Residue effects on avian species.
	All formulations.	Nursery stock, safflower, and sunflower.	Unclassified	Residue effects on avian species.

<sup>\*</sup>do means same as above (previous row).

Table 7-1 (continued)

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing Restriction
Methomyl	As sole active ingredient in 1 percent to 2.5 baits (except 1 percent fly bait).	Nondomestic out- door agricultural crops, ornamen- tal and turf. All other registered uses.	Restricted	Residue effects on mammalian species.
	All concentrated solution formulations.	do	do	Other hazards accident history.
	90 percent wettable powder formulations (not in water soluble bags).	do	do	do
	90 percent wettable pow- der formulation in water soluble bags.	do	Unclassified	
	All granular formulations.	do	do	
	25 percent wettable powder formulations.	do	do	
	In 1.24 percent to 2.5 percent dusts as sole active ingredient and in mixtures with fungicides and chlorinated hydrocarbon, inorganic phosphate and biological insecticides.	do	do	
Methyl bro- mide	All formulations in containers greater than 1.5 lb.	All uses.	Restricted	Other hazards accident history.
	Containers with not more than 1.5 lb of methyl bromide with 0.25 percent to chloropicrin as an indicator.	Single applications (nondomestic use) for soil treatment in closed systems.	Unclassified	·
	Containers with not more than 1.5 lb having no indicator.	All uses.	Restricted	do

<sup>\*</sup>do means same as above (previous row).

Table 7-1 (continued)

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing Restriction
Methyl parathion	All dust and granular formulations less than 5 percent.	do	do	Other hazards-accident history. All foliar applications restricted based on residue effects on mammalian and avian species.
	Microencapsulated. All dust and granular formulations 5 percent and greater and all wettable powders and liquids.	do	do	Residue effects on avian species. Hazard to bees. Acute dermal toxicity. Residue effects on mammalian and avian species.
Nicotine (alkaloid)	Liquid and dry formulations 14 percent and above.	Indoor (green-house).	Restricted	Acute inhalation toxicity.
	All formulations.	Applications to cranberries.	Restricted	Effects on aquatic organisms.
	Liquid and dry formulations 1.5 percent and less.	All uses (domestic and nondomestic).	Unclassified	
Paraquat (dichloride) and paraquat	All formulations and concentrations except those listed below.	All uses.	Restricted	Other hazards. Use and accident history, human toxicological data.
bis(methyl- sulfate)	Pressurized spray formulations containing 0.44 percent Paraquat bis(methylsulfate) and 15 percent petroleum distillates as active ingredients.	Spot weed and grass control.	do	
	Liquid fertilizers containing concentrations of 0.025 percent paraquat dichloride and 0.03 percent atrazine; 0.03 percent paraquat dichloride and 0.37 percent atrazine,	All uses.	Unclassified	
	0.04 percent atrazine, 0.04 percent paraquat dichloride and 0.49 per- cent atrazine.	·		

<sup>\*</sup>do means same as above (previous row).

Table 7-1 (continued)

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing Restriction
Phorate	Liquid formulations 65 percent and greater.	do	Restricted	Acute dermal toxicity. Residue effects on avian species (applies to foliar applications only). Residue effects on mammalian species (applies to foliar appli- cation only).
	All granular formulations.	Rice	Restricted	Effects on aquatic organisms.
Phosphami- don	Liquid formulations 75 percent and greater.	do	do	Acute dermal toxicity. Residue effects on mammalian species. Residue effects on avian species.
	Dust formulations 1.5 percent and greater.	do	do	Residue effects on mammalian species.
Picloram	All formulations and concentrations except tordon 101R.	do	do	Hazard to nontarget organisms (specifically nontarget plants both crop and noncrop).
	Tordon 101 R forestry herbicide containing 5.4 percent picloram and 20.9 percent 2, 4-D.	Control of unwanted trees by cut surface treatment.	Unclassified	
Sodium cyanide <sup>3</sup>	All capsules and ball formulations.	All uses.	Restricted	Inhalation hazard to humans.
Sodium fluo- roacetate	All solutions and dry baits.	do	do	Acute oral toxicity. Hazard to nontarget organisms. Use and accident history.

<sup>\*</sup>do means same as above (previous row).

Table 7-1 (continued)

Active Ingredient	Formulation	Use Pattern	Classification <sup>1</sup>	Criteria Influencing Restriction
Strychnine	All dry baits pellets and powder formulations greater than 0.5 percent.	do .	do	Acute oral toxicity. Hazard to nontarget avian species. Use and accident history.
·	All dry baits pellets and powder formulations.	All uses calling for burrow builders.	do	Hazard to nontarget organisms.
	All dry baits, and pellets, and powder formulations 0.5 percent and below.	All uses except subsoil.	do	do
	do	All subsoil uses.	Unclassified	do
Sulfotepp	Sprays and smoke generators.	All uses.	Restricted	Inhalation hazard to humans.
Zinc Phosphide	All formulations 2 percent and less.	All domestic uses and nondomestic uses in and around buildings.	Unclassified	
	All dry formulations 60 percent and greater.	All uses.	Restricted	Acute inhalation toxicity.
	All bait formulations.	Nondomestic out- door uses (other than around build- ings).	Restricted	Hazard to nontarget organisms.
	All dry formulations 10 percent and greater.	Domestic uses.	Restricted	Acute oral toxicity.

<sup>\*</sup>do means same as above (previous row).

#### NOTES:

The provisions in this amended table were effective as of 8 August 1995.

<sup>&</sup>lt;sup>1</sup> Under evaluation means no classification decision has been made and the use/formulation in question is still under active review within the USEPA.

 $<sup>^{2}</sup>$  Percentages given are the total of dioxathion plus related compounds.

<sup>&</sup>lt;sup>3</sup> NOTE: M-44 sodium cyanide capsules may only be used by certified applicators who have also taken the required additional training.

INSTALLATION: STATUS		PESTIC	LIANCE CATEO CIDE MANAGE Ed Kingdom ECA	MENT	DATE:	REVIEWER(S):	
			PEVIEW	ER COMME	NTS:		
NA	C	RMA		KE VIE VV	DR COMME		4.04
						•	
			٠				
				·			
						,	
				•			
							-
		1					

## **SECTION 8**

PETROLEUM, OIL, AND LUBRICANT (POL) MANAGEMENT
United Kingdom ECAMP

#### **SECTION 8**

### PETROLEUM, OIL, AND LUBRICANT (POL) MANAGEMENT

#### A. Applicability of this Section

This section applies to U.S. Air Force (USAF) installations that store, transport, dispose of, or use petroleum, oil, and lubricant (POL), including petroleum-based fuels. The section presents review action items that respond to regulations, procedures, and organizational mechanisms designed to prevent or limit the accidental release of POL materials to surface water, groundwater, or soils. Procedures to control volatile organic compounds (VOCs) from POL sources are addressed in Section 1, Air Emissions Management.

This section covers management of pipeline delivery systems, truck fill stands, immediate operating storage areas, and fueling/defueling flightline operations. POL materials addressed include jet fuel (JP-4, fuel oil, JP-8), aviation gasoline (AVGAS), motor gasoline (MOGAS), diesel fuel, and lubricating oils. Spill prevention and response requirements are also included here. Waste petroleum-based solvents (including PD-680) are addressed in Section 4, Hazardous Waste Management.

The regulatory requirements in this section are based on Department of Defense (DOD) regulations, Air Force Regulations (AFRs), and Air Force Instructions (AFIs) that apply at overseas installations. Management Practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to follow to preserve the health and safety of Air Force (AF) employees and protect the environment.

#### **B.** DOD Directives/Instructions

• Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 9, outlines the criteria for the control and abatement of pollution from the storage, transfer, and distribution of petroleum products. Chapter 18 contains criteria for a spill plan and a contingency plan.

#### C. U.S. Air Force Documents

- AFI 13-212, Volume 1, Weapons Ranges, 28 July 1994, includes a number of provisions relevant to the handling of used POL generated at air-to-surface weapons ranges.
- AFI 23-201, Fuels Management, 1 October 1996, provides managers at all AF activities with policy and procedures for fuels operations.
- AFI 23-502, Recoverable and Unusable Liquid Petroleum Products, 6 April 1994, sets goals, assigns responsibilities, and provides guidance for recovering usable and disposing of unusable liquid petroleum products. The Instruction applies to lubricating oils, aviation fuel, distillates, and gasoline.
- Air Force Manual (AFM) 85-16, Maintenance of Petroleum Systems, governs the maintenance of permanently installed storage and dispensing systems for petroleum and unconventional fuels.

 AFTO 42B-1-23, Management of Recoverable and Waste Liquid Petroleum Products, provides guidelines for collecting, segregating, and processing reclaimed, recoverable, and waste petroleum products.

#### D. Responsibility for Compliance

- The Base Environmental Protection Committee (EPC) is usually responsible for drafting and reviewing the installation spill plan prior to its promulgation by the Base Commander and for the annual review and update of the plan. Often, the EPC delegates the specific preparation of the plan to the Base Civil Engineer (BCE) for implementation by the Base Environmental Coordinator (BEC).
- The Installation Response Team (IRT) responds to spills, when requested by an Installation On-Scene Commander (IOSC), and performs spill containment, recovery, cleanup, disposal, and restoration activities as directed by the IOSC. The IRT is a multidisciplinary team often including the following: BCE, BEC, Bioenvironmental Engineering Services (BES), Fire Chief, Security Police Chief, Public Affairs Officer, Base Fuels Officer, Safety Chief, and Staff Judge Advocate (SJA).
- The Base Fire Department provides support in emergency response, spill events, exercises, and fire protection activities. In addition, the department will be responsible for making periodic fire safety inspections of flammable/combustible storage and handling areas, hazardous waste storage areas, and accumulation points on the installation.
- The Safety Manager is responsible for conducting workplace safety evaluations and inspections of the handling and storage of hazardous materials and waste. The Safety Manager will provide the appropriate manager with a report of his or her findings and recommended corrective actions. The Safety Manager is also responsible for ensuring the prompt and accurate investigation of any hazardous material mishaps that result in injury or property damage.
- The Base Fuels Management Officer (BFMO) is responsible for the safe and efficient receipt, storage, handling, issuing, and accounting of all petroleum products and for all general operations and inspections.
- The Base Civil Engineer (BCE) is responsible for the maintenance of all installed petroleum storage and dispensing systems. This responsibility often is discharged by the Liquid Fuels Maintenance (LFM) shop. The BCE also is responsible for the calibration of permanently installed meters.
- The Base Environmental Coordinator (BEC) monitors all POL activities that may affect the environment and usually is responsible for the coordination of the EPC review and updates of the spill plan. The BEC often coordinates notification of reportable spills on behalf of the IOSC.
- The Bioenvironmental Engineering Services (BES) takes samples to determine the chemical nature, pollutant concentration, and extent of each reportable-quantity spill as required for response actions and documentation.

#### E. Definitions

- Generating Activity a base agency (host, tenant, or contractor) that generates recoverable or unusable petroleum products (AFI 23-502, Attachment 1, Section B).
- Hazardous Substance any substance having the potential to do serious harm to human health or the
  environment if spilled or released in a reportable quantity. A listing of these substances and corresponding reportable quantity is contained in Table 3-1, Chart A.4. The term does not include (FGSUK 20):
  - 1. petroleum, including crude POL or any fraction thereof, that is not otherwise specifically listed or designated as a hazardous substance
  - 2. natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas).
- Hazardous Waste Fuel a waste petroleum product mixed with a hazardous waste or exhibiting a characteristic of hazardous waste, in which there is an intent to discard (AFI 23-502, Attachment 1, Section B).
- Installation On-Scene Coordinator (IOSC) the official who coordinates and directs DOD control and cleanup efforts at the scene of a POL or hazardous substance spill due to DOD activities on or near the installation. This official is designated by the Installation Commander (IC) (FGS-UK 20).
- Installation Response Team (IRT) a team performing emergency functions as defined and directed by the IOSC (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Off-Specification Product product which has one or more off-specification characteristics (e.g., color, vapor pressure, flashpoint, etc.). Off-specification products can be blended as regraded products. Off-specification products are not identified as hazardous waste fuel (AFI 23-502, Attachment 1, Section B).
- Oil POL of any kind or in any form, including, but not limited to, petroleum, fuel POL, sludge, POL refuse, and POL mixed with wastes other than dredged spoil (FGS-UK 20).
- On-Specification Product product of suitable quality for return to the base inventory. AFTO 42B-1-23, Table 3-1, Management of Recoverable and Waste Liquid Petroleum Products, sets the criteria for a suitable quality. Do not consider as off-specification if solids and water that can be removed by rotation through on-hand separators are present (AFI 23-502, Attachment 1, Section B).
- Pipeline Facility includes new and existing pipes, pipeline rights of way, auxiliary equipment (e.g., valves, manifolds, etc.), and buildings or other facilities used in the transportation of POL (FGS-UK 20).
- POL includes, but is not limited to, petroleum and petroleum-based substances comprised of complex blends of hydrocarbons derived from crude oil through processes of separation, conversion, upgrading, and finishing, such as motor fuels, residual fuel oils, lubricants, petroleum solvents, and used oils (FGS-UK 20).

- POL Facility an installation with any individual aboveground tank of 2500 L (660 gal) or greater, aggregate aboveground storage of 5000 L (1320 gal) or greater, UST storage of greater than 15,900 L (4200 gal), or a pipeline facility as identified in the definition of a UST (FGS-UK 20).
- Recoverable Products products that still have useful physical or chemical properties; see Off-Specification Product and On-Specification Product (AFI 23-502, Attachment 1, Section B).
- Recyclable Products products determined to be surplus to AF needs that are burned for energy recovery (e.g., JP-4 contaminated with hydraulic fuel and used lubricating oil are recyclable products when burned for energy recovery as a fuel) (AFI 23-502, Attachment 1, Section B).
- Reportable Quantity (RQ) a released quantity of POL or quantities of hazardous substances that exceeds those identified in this section of the manual or in the RQ column, Table 3-1, Chart A.4 (FGS-UK 20).
- Significant Spill an uncontained release to the land or water in excess of any of the following quantities (FGS-UK 20):
  - 1. for hazardous waste or hazardous substance identified as a result of inclusion in Table 3-1, Chart A.4, any quantity in excess of the reportable quantity listed therein
  - 2. for POL or liquid or semi-liquid hazardous material, hazardous waste or hazardous substance, in excess of 416 L (110 gal)
  - 3. for other solid hazardous material, in excess of 225 kg (500 lb).
- Spill a spill can occur and must be rectified for any amount. Only significant spills need be reported (see Significant Spill) (FGS-UK 20).
- Unusable Petroleum Product product that is no longer suitable for any use on an installation due to excessive contamination or quality degradation (AFI 23-502, Attachment 1, Section B).
- Used Oil any oil or other waste POL product that has been refined from crude oil, or is a synthetic oil, has been used, and as a result of such use, is contaminated by physical or chemical impurities. Used oil exhibiting the characteristics of reactivity, ignitability, and corrosivity is still considered used oil, unless it has been mixed with other hazardous waste. However, used oil that exhibits the characteristic of toxicity is a hazardous waste and will be managed as such. In addition, used oil mixed with hazardous waste is a hazardous waste and will be managed as such (FGS-UK 20).
- Used Oil Burned for Energy Recovery used oil that is burned for energy recovery is termed used oil fuel. It includes any fuel processed from used oil by processing, blending, or other treatment (FGS-UK 20).

## PETROLEUM, OIL, AND LUBRICANT (POL) MANAGEMENT GUIDANCE FOR CHECKLIST USERS

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations	8-1 through 8-6	(1)(2)(11)
POL Management	8-7 through 8-12	(1)(2)(3)(4)(5)(6)
Pipelines	8-13 through 8-18	(1)(3)(4)(7)
Discharges/Spills	8-19 through 8-21	(1)(2)(3)(4)(5)(6)
Used POL/Waste POL	8-22 through 8-26	(1)(2)(5)(8)(10)

#### (a) CONTACT/LOCATION CODE:

- (1) BEC (Base Environmental Coordinator)
- (2) BCE (Base Civil Engineer)
- (3) BFMO (Base Fuels Management Office)
- (4) LFM (Liquid Fuels Maintenance)
- (5) BES (Bioenvironmental Engineering Services)
- (6) Base Fire Department
- (7) Power Production
- (8) AAFES (Army/Air Force Exchange Service) Service Station Manager
- (9) Generating Activities
- (10) Vehicle Maintenance Shop
- (11) Base Staff Judge Advocate

## PETROLEUM, OIL, AND LUBRICANT (POL) MANAGEMENT

#### **Records To Review**

- Records of all spills, leaks, and associated site assessment/cleanup activities (for 3 yr)
- Installation Spill Plan
- · Records of spill response training

#### **Physical Features To Inspect**

- Refueling facilities
- Washrack areas
- Vehicle maintenance areas
- Oil separators
- Oil and hazardous substance sites

#### **People To Interview**

- BEC (Base Environmental Coordinator)
- BCE (Base Civil Engineer)
- BFMO (Base Fuels Management Office)
- LFM (Liquid Fuels Maintenance)
- BES (Bioenvironmental Engineering Services)
- Base Fire Department
- Power Production
- AAFES (Army/Air Force Exchange Service) Service Station Manager
- Generating Activities
- Vehicle Maintenance Shop
- Base Staff Judge Advocate

REGULATORY	REVIEWER CHECKS:
REQUIREMENTS:	February 1997
ALL INSTALLATIONS	
<b>8-1.</b> Copies of all relevant DOD directives/instructions, U.S. Air	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(11)
Force (USAF) directives, and guidance documents should be maintained at	(NOTE: Among the relevant documents are the following:  - AFI 13-212, Volume I, Weapons Ranges, 28 July 1994  - AFI 23-201, Fuels Management, 1 October 1996  - AFI 23-502, Recoverable and Unusable Liquid Petroleum Products, 6 April
the installation (MP).	1994 - AFM 85-16, Maintenance of Petroleum Systems.)
8-2. Installations must meet regulatory require-	Determine whether any new regulations concerning POL management have been issued since the finalization of the manual. (1)(2)(11)
ments issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Verify that the installation is in compliance with newly issued regulations.
8-3. Installations must have in place a program for the management of	(NOTE: This requirement applies to lubricating oils, aviation fuel, distillates, and gasoline.)
recoverable and unusable liquid petroleum products (AFI 23-502, para	Verify that the installation has a comprehensive program to manage the segregation and collection, reuse, or recycling of recoverable petroleum products and the disposition of unusable petroleum products. (1)(3)(4)
6.2 through 8.7).	(NOTE: Documentation may be in the form of a plan or a base operating instruction.)
	Verify that the program includes:
	<ul> <li>specific responsibilities and criteria for the collection, storing, returning to inventory, reusing, recycling, and disposing of all unusable petroleum products and hazardous waste fuels generated at the base</li> <li>identification of generating activities by organization</li> <li>a list of all recoverable and unusable products and hazardous waste fuels generated by an organization, including source, approximate quantity, and condition</li> </ul>
	<ul> <li>specific responsibilities of base organizations</li> <li>the methods and facilities available to the base to collect, store, return to inventory, reuse, recycle, and dispose of products</li> </ul>

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Base Staff Judge Advocate

United Kingdom ECAMP			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
8-3. (continued)	<ul> <li>accounting procedures for recoverable and unusable petroleum products and procedures to credit organizations using the guidelines in AFMAN 23-110, USAF Supply Manual</li> <li>specific base and organizational procedures for the entry, exit, and control of unusable petroleum product vehicles</li> <li>stress on sound conservation and property management of unusable products</li> <li>where feasible, specification of positive product control by designating pick-up locations, verifying pick-up quantities, and whenever possible, using a single entry and exit.</li> </ul>		
	<ul> <li>(NOTE: The priorities for disposition of products are:         <ul> <li>return on-specification fuel to the base inventory or use as the original grade</li> <li>return off-specification fuel to the base inventory and blend into the original or different grade making a regraded product</li> <li>recycle products on base by reusing in secondary applications such as a heating fuel</li> <li>categorize any remaining products as surplus, send them as recyclable products to DRMO, credit DRMO sales to the base RRR account</li> <li>contract with a service company to remove nonrecylable waste from the base.)</li> </ul> </li> </ul>		
	Verify that the BCE has developed procedures at the base level for the disposal of petroleum products.		
	Verify that generating activities have obtained enough containers to properly segregate and store recoverable and unusable products and hazardous waste fuel by product type.		
	(NOTE: Once the generating activity decides to discard the fuel rather than reuse, recover, or recycle it, the fuel is to be managed as hazardous waste.)		
·	Verify that the generating activity submits data on the quantity and identity of recoverable and unusable petroleum products, as required, to the designated installation environmental component of the program.		
<b>8-4.</b> BFMO must appoint a Fuels Environmental	Verify that BFMO has appointed a Fuels Environmental Coordinator. (3)		
Coordinator (AFI 23-201, para 1.5).	Verify that the Fuels Environmental Coordinator carries out the following functions:		
	- follows the guidance in FGS-UK and the policies contained in AFPDs and AFIs		
	- consults with agencies (such as the EPC, Base Environmental Manager, BCE, BES, and SJA).		
,			
	rdington) (2) BCE (Rose Civil Engineer) (2) BEMO (Rose Evels Management Office) (4) LEM (Liquid		

Onica Kingaoni Berivii		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
8-5. Certain equipment must be located in or near the fuels management area (AFI 23-201, para 1.14.1).	Verify that the following are located in or near the fuels management area: (3)  - a vehicle washrack equipped with an oil-water separator and located within or near the refueling unit parking area  - a liquid degreasing machine capable of cleaning engines on mobile fueling equipment.	
·	Verify that the discharge from the degreaser drains into an oil-water separator.	
<b>8-6.</b> The Fuels Management Flight Commander (FMFC) must take specific actions to ensure appropriate environmental management of fuel (AFI 23-201, A10.1)	Verify that the FMFC develops local operating procedures for collection, segregation, storage, and disposition of waste and reusable bulk petroleum products in accordance with AFI 23-502, Recoverable and Unusable Liquid Petroleum Products.  (3)  Verify that the FMFC ensures that adequate spill prevention and cleanup materials are readily available.	
(A11 23-201, A10.1)	are readily available.	

United Kingdom ECAMP			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
POL MANAGEMENT			
8-7. All DOD installations must prepare, maintain, and implement a plan that provides for the prevention, control, and reporting of all spills of POL and hazardous substances (FGS-UK 9-1 and 18-1 through 18-5).	Verify that the installation has, maintains, and implements a plan that provides for the prevention, control, and reporting of all spills of POL and hazardous substances. (1)(2)(5)(6)  Verify that the prevention portion of the spill plan includes, at a minimum:  - name, title, responsibilities, duties, and telephone number of the designated IOSC  - general information on the installation, including:  - name  - type or function - location and address - charts of drainage patterns - designated water protection areas - maps showing locations of facilities - critical water resources - land uses - possible migration pathways - inventory of all storage, handling, and transfer facilities that could produce a significant spill of POL or hazardous substances; or each listing include: - prediction of direction and rate of flow - total quantity of POL or hazardous substance that could be spilled as a result of major failure  - inventory of all POL and hazardous substances at storage and handling and transfer facilities - detailed description of countermeasures, including structures and equipment for diversion and containment of spills for each facility listed in the inventory - description of deficiencies in spill prevention and control measures at each listed site, including corrective measures required, procedures to be followed to correct listed deficiencies, and any interim control measures in place - written procedures for: - operations to preclude spills of POL or hazardous substances - inspections - recordkeeping requirements.		

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
8-7. (continued)	Verify that the control section of the plan contains:	
	- specification of the responsibilities, duties, procedures, and resources to be used to contain and cleanup spills - description of immediate response actions - responsibilities, composition, and training requirements of the IRT - procedures for IRT alert and response to include: - access to a reliable communications system for timely notification of a POL or hazardous substance spill - public affairs involvement - current roster of persons and alternates who must be notified of a spill, including: - name - organization mailing address - work and home telephone number - without compromising security, provisions for the notification of the emergency coordinator after normal working hours - procedure for notifying the IC and appropriate local authorities in the event of hazard to human health and the environment - assignment of responsibilities for making notifications to emergency services providers - surveillance procedures for early detection of spills - prioritized list of critical water resources to be protected - other resources available through prearranged agreements to cleanup a large spill - cleanup methods, including procedures and techniques used to identify, contain, disperse, reclaim, and remove POL, hazardous substances, or hazardous wastes - disposal procedures for contaminated POL, absorbent, or product - procedures to be accomplished prior to resumption of operations - description of general safety and fire prevention precautions for spill cleanup actions - public affairs section.  Verify that, if the installation stores hazardous waste in addition to POL, the contingency plan addresses the following: - names and office telephone numbers of all individuals qualified to act as an emergency coordinator - arrangements with local hospitals, police and fire departments, contractors and emergency response teams - means to contact emergency services (i.e, phone numbers) on a 24 h basis - list of all emergency equipment at the facility and list and location of decontamination equipment, including the	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Base Staff Judge Advocate

United Kingdom ECAIVIP			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
8-7. (continued)	<ul> <li>evacuation plan for personnel where there is a possibility that evacuation would be necessary.</li> </ul>		
	Verify that the reporting section of the plan addresses the following:		
	<ul> <li>recordkeeping when emergency procedures are implemented</li> <li>immediate report to the IOSC of any spill of POL, hazardous substance, or hazardous waste that exceeds the RQ</li> <li>a written report from the IOSC to the appropriate military department and/or Defense Agency and HQ USAFE in any of the following circumstances: <ul> <li>when the spill cannot be contained inside a DOD installation and cannot be contained within any required berm or secondary containment</li> <li>when the spill exceeds 416 L (110 gal) of POL</li> <li>when a water resource has been polluted</li> <li>when the IOSC has determined that the spill is significant</li> <li>notification of appropriate authorities.</li> </ul> </li> </ul>		
	Verify that the contingency plan addresses each POL storage and distribution facility specifically.		
	Verify that the plan is certified by a competent authority.		
	Verify that the spill plan has been updated at least once every 5 yr.		
<b>8-8.</b> All fuels elements must be evaluated at least once every 6 mo (AFI 23-	Verify that the Quality Control and Inspection (QC&I) Supervisor evaluates each fuels element at least once every 6 mo (not to exceed 180 days). (3)		
201, para 8.7).	(NOTE: The QC&I function does not evaluate itself.)		
	Verify that a fuels element is revisited after 30 days (but within 45 days) to check any negative indicators found during the semiannual assessment.		
	Verify that at least 10 no-notice spot checks are performed each week.		
	Verify that all shifts are spot checked.		
	Verify that spot checks are conducted during exercises and contingencies.		
	(NOTE: At bases with fewer than 20 full-time fuels personnel, at least two no-notice spot checks are performed per week.)		

Chited Kingdom ECAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
<b>8-9.</b> Installations must provide necessary training to ensure the effectiveness of personnel and equipment (FGS-UK 18-6).	Verify that the installation provides necessary training to ensure the effectiveness of personnel and equipment. (3)(4)(5)(6)
8-10. Facilities and equipment for storing, handling, or using oils should be designed to prevent or minimize spills to the environment and should be periodically tested and inspected (MP).	Verify that one of the following preventive systems, or an equivalent, is used: (1)(4)(5)  - absorbent material - sand bags/temporary curbing devices - dikes, berms, or retaining walls sufficiently impervious to contain spilled oil - culverting gutters or other drainage system - weirs, booms, or other barriers - spill diversion ponds - retention ponds.  Verify that each oil storage area:
8-11. The materials and equipment needed to manage a spill should be readily available (MP).	<ul> <li>has adequate supplies of appropriate materials that are readily accessible</li> <li>has equipment that is in good condition.</li> <li>Verify that materials and equipment needed to manage a spill as specified in the plan are readily available, including, for example: (1)(2)(3)(4)(5)(6)(7)(8)(9)(10)</li> <li>respiratory protection</li> </ul>
	- absorbents - ear/eye protection - spill kits - protective clothing - neutralizers.
8-12. Secondary containment must be provided for all loading and unloading facilities and must be managed properly (AFI 23-201, para A10.1).	Verify that all loading and unloading facilities have secondary containment that is impermeable to petroleum products. (3)  Verify that no drainage water is discharged from the secondary containment if the water contains residual petroleum products or hazardous chemicals.
	-

United Kingdom ECANIP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
PIPELINES		
<b>8-13.</b> Air Force operated offsite pipelines should be inspected at least once per week by air patrol, and once a year by line walker or vehicle patrol (MP).	Verify that records confirm that inspections were performed. (1)(3)(4)  Verify that any detected leaks were reported and leaking pipes repaired or replaced.  (NOTE: This MP is based on guidance found in AFM 85-16, Chapter 8.)	
<b>8-14.</b> All Air Force operated above and underground fuel piping systems at transfer operations, pumping and inplant processing operations should be managed according to specific parameters (MP).	Verify that pressure tests have been conducted once a year. (3)(4)(7)  (NOTE: Check under remarks Section of AF Form 172 if the testing pressure was maintained during the 2-h period.)  Verify that confirmed leaks have been reported and leaking pipes repaired or replaced.  Verify that pipelines are walked at least twice a year and that any suspicious circumstances lead to immediate investigation to include pressure testing of the line and excavation if soil conditions permit.  (NOTE: This MP is based on guidance outlined in AFM 85-16, Chapter 8.)	
<b>8-15.</b> All underground aviation fuel transfer pipelines should be subject to a hydrostatic pressure test on a 5-yr recurring basis (MP).	Verify that hydrostatic pressure tests were conducted as required by reviewing attachments to AF Form 172 and interviewing LFM personnel. (4)  Verify that detected leaks were corrected through repair or replacement by inspecting test results.  Verify that 150 percent of normal pressure was maintained during the 4-h test period by reviewing the Remarks section of AF Form 172.  (NOTE: This MP is based on guidance outlined in AFM 85-16, Chapter 8.)	
8-16. Buried fuel piping should have a protective wrapping and coating and should be cathodically protected if soil conditions warrant (MP).	Verify that the voltage is greater than -0.85 V, but not more than -3.0 V (monthly), for impressed current systems.  Verify that the voltage is greater than -0.85 V, but not more than -3.0 V (biannually), for sacrificial anode systems.  Verify that leak detection and failure are reported.	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Base Staff Judge Advocate

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
8-17. All pipeline facilities with a construction start date after 1 October 1994 must be designed and constructed to meet recognized U.S. industry standards (FGS-UK 9-5).	Verify that all pipeline facilities with a construction start date after 1 October 1994 are designed and constructed to meet recognized U.S. industry standards. (3)(4)(7)	
<b>8-18.</b> All pipeline facilities carrying POL must be tested and maintained in	Verify that each pipeline operator handling POL prepares and follows a procedural manual for operations, maintenance, and emergencies. (3)(4)(7)	
accordance with recognized U.S. industry standards (FGS-UK 9-4).	Verify that each new pipeline system and each system in which pipe has been replaced or relocated is hydrostatically tested, in accordance with recognized U.S. industry standards, and is without leakage.	
DISCHARGES/SPILLS		
8-19. Installations must take specific actions in the event of POL spills (FGS-	Verify that, in the event of a spill, the installation follows the guidance in the spill plan. (1)	
UK 9-6).	Verify that, when there is a spill, the immediate response involves: (1)	
	<ul> <li>stopping the leak at the source</li> <li>controlling the migration of the spill</li> <li>calling for help.</li> </ul>	
	Verify that follow-up steps include:	
	<ul> <li>preventing the migration of released POL into soils and nearby surface waters</li> <li>continuing the monitoring and mitigation of any fire and safety hazards posed by vapors or free product</li> <li>determining soil and water cleanup action</li> <li>beginning free product removal as soon as possible.</li> </ul>	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>8-20.</b> Installations must make specific notifications in the event of a spill	Verify that spills of POL or hazardous substances which exceed RQs are reported to the IOSC immediately. (1)(2)(3)(4)(5)(6)	
of POL, hazardous sub- stance, or hazardous	Verify that immediate action is taken to eliminate the source and contain the spill.	
waste (FGS-UK 18-5.B, 18-5.C, 18-5.D and 18-5.E).	Verify that, when a spill of POL or hazardous substances occurs inside the installation and cannot be contained within its boundaries, that following are notified immediately:	
	<ul> <li>the appropriate Military Department and/or Defense Agency</li> <li>HQ USAFE</li> <li>the appropriate UK authorities.</li> </ul>	
	Verify that, when a spill of POL or hazardous substances threatens a local host nation drinking water resource, the following are notified immediately:	
	<ul> <li>the appropriate Military Department and/or Defense Agency</li> <li>HQ USAFE</li> <li>the appropriate UK authorities.</li> </ul>	
	Verify that, if a POL spill in excess of the RQ occurs outside of the installation, the person in charge at the scene immediately notifies host nation authorities and local fire departments and obtains necessary assistance.	
	Verify that the IOSC immediately notifies the appropriate military department and/or defense agency and HQ USAFE and submits a follow-up report whenever any of the following occurs:	
·	<ul> <li>a spill occurs inside a DOD installation and cannot be contained within any required berm or secondary containment</li> <li>a spill exceeds 416 L (110 gal) of POL</li> </ul>	
	<ul> <li>a water resource has been polluted</li> <li>IOSC has determined that the spill is significant.</li> </ul>	
<b>8-21.</b> BFMO must report fuel-related mishaps in accordance with specific requirements (AFI 23-	Verify that BFMO reports fuel-related mishaps in accordance with AFI 91-204, Investigating and Reporting Mishaps, and to MAJCOM and DFO/DFR as soon as possible by telephone. (3)	
201, para 1.8).	Verify that BFMO sends a follow-up message within 24 h to the MAJCOM with an info copy to HQ USAF/LGSP, DFSC-FQ, and the applicable DFO/DFR.	
	Verify that BFMO sends an advisory message within 30 days to MAJCOM with an info copy to USAF/LGSP on the outcome of the investigation and lessons learned.	
	Verify that BFMO coordinates with the base environmental manager on follow-up messages for reportable fuels spills.	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Base Staff Judge Advocate

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
USED POL / WASTE POL		
8-22. The FMFC has specific responsibilities with regard to the management of waste fuel (AFI 23-201, para A10.2).	<ul> <li>Verify that the FMFC: (3)</li> <li>designates interim storage and final disposition locations and procedures for off-specification bulk products and product-water mixtures under fuels management control</li> <li>does not use installed hydrants, storage sumps, or slop tanks to collect or store waste fuels</li> <li>obtains written MAJCOM approval to use stock listed vehicles and trailers for the collection and transport of waste fuels or oils</li> <li>clearly marks and completely isolates the tanks and equipment used for waste products from active product storage and equipment to prevent contamination</li> <li>ensures that there is direct supervision when waste materials are delivered to waste product tankage in the fuels area by the generating activity</li> <li>properly trains fuels personnel who handle hazardous waste.</li> </ul>	
8-23. Installations that burn used oil may do so in certain devices only (FGS-UK 6-9.A).	Verify that used oil fuel is burned in the following devices only: (1)(2)(5)  - industrial furnaces - industrial boilers located on the site of a facility engaged in a manufacturing process where substances are transformed into new products, including the component parts of products, by mechanical or chemical processes - utility boilers used to produce electric power, steam, heated or cooled air, or other gases or fluids - used-oil-fired space heaters if: - the heat burns only used oil that the installation generates - the heater is designed to have a maximum capacity of not more than 0.5 MBtu/h [0.147 MW] - the combustion gases from the heater are properly vented to the ambient air.	
8-24. Neither used oil nor used oil contaminated with any hazardous waste may be used for dust suppression or road treatment (FGS-UK 6-9.B).	Verify that the installation does not use used oil for dust suppression or road treatment. (1)	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>8-25.</b> Accumulation points must be set up for used petroleum products	Determine whether the installation operates air-to-surface weapons ranges that generate used petroleum products. (1)(3)(5)	
generated as part of the operation and mainte-	Verify that accumulation points have been set up for such weapons ranges.	
nance of air-to-surface weapons ranges (AFI 13-212, para 1.10.2.1).	Verify that arrangements have been made for periodic transport of such products to a storage facility.	
8-26. Installations that generate used oil and market it directly to a burner should meet specific standards (MP).	Verify that the installation prepares and sends the receiving facility an invoice detailing the following for off-specification used oil: (1)(2)(5)(8)(10)  - an invoice number - the names and addresses of the shipping and receiving facilities - the quantity of off-specification oil to be delivered - the dates of shipment or delivery.	
	Verify that copies of the invoices are kept for 3 yr.	
	Verify that, for used oil that is not off-specification, copies of the waste analyses are kept for 3 yr.	
	Verify that the installation has a signed notice from the burner that the oil will be burned only in approved furnaces and/or boilers.	
	·	

INSTALLATION:	COMPLIANCE CATEGORY: PETROLEUM, OIL, AND LUBRICANT MANAGEMENT United Kingdom ECAMP	DATE: REVIEWER(S):
STATUS	REVIEWER COMME	NTS:
NA C RMA		
:		
·		
	•	

## **SECTION 9**

### SOLID WASTE MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 9**

#### SOLID WASTE MANAGEMENT

#### A. Applicability of this Section

This section addresses the collection, storage, and disposal of solid waste on Air Force (AF) installations. Solid waste is considered to be nonhazardous trash, rubbish, garbage, bulky wastes, liquids, or sludges generated by any AF installation operations and activities. This section also addresses the management of medical/pathological waste. The handling and disposal of asbestos waste materials are addressed in Section 11, *Toxic Substances Management*.

Recycling and resource recovery activities are also included in this section because this form of solid waste management is required by Department of Defense (DOD) and U.S. Air Force (USAF) directives.

The regulatory requirements in this section are based on DOD regulations and Air Force Policy that apply at overseas installations. Management Practices (MPs) are nonregulatory but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### **B.** DOD Directives/Instructions

- Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 7, includes criteria concerning the identification, classification, collection, transportation, storage, treatment, and safe disposal of solid waste. Chapter 8 addresses the management of medical waste.
- DOD Directive (DODD) 4165.60, Solid Waste Management, 1 October 1976, provides guidance and direction to all DOD facilities relative to solid waste collection, disposal, material recovery, and recycling in agreement with the Solid Waste Disposal Act (SWDA).

#### C. U.S. Air Force Documents

· No additional documents.

#### D. Responsibility for Compliance

- Base Civil Engineering (BCE) is responsible for site location, licensing, construction, and operation of onbase landfills and for the storage and transportation of solid wastes to either onbase or offbase disposal activities.
- Bioenvironmental Engineering Services (BES) is responsible for reviewing and coordinating asbestos disposal plans and operations.

#### E. Definitions

- Bottom Ash the solid material that remains on a hearth or falls off the grate after thermal processing is complete (DODD 4165.60, para V(A)).
- Bulky Waste large items of solid waste such as household appliances, furniture, large auto parts, trees, branches, stumps, and other oversized wastes whose large size precludes or complicates their handling by normal solid waste collection, processing, or disposal methods (FGS-UK 20).
- Carry-out Collection collection of solid waste from a storage area proximate to the dwelling unit(s) or establishment where generated (FGS-UK 20).
- Cell compacted solid wastes that are enclosed by natural soil or cover material in a land disposal site (FGS-UK 20).
- Class A Compost compost that contains average contaminant levels no greater than the following levels (FGS-UK 7-16.A):

Allowable Average Concentration, mg/kg
1
10
1000
500
500
5
100
1000

- Class B Compost compost that fails to meet the standards for Class A Compost (FGS-UK 7-16.B).
- Collection the act of consolidating solid wastes (or materials that have been separated for the purpose of recycling) from various locations (FGS-UK 20).
- Collection Frequency the number of times collection is provided in a given period of time (FGS-UK 20).
- Commercial Solid Waste all types of solid wastes generated by stores, offices, restaurants, ware-houses, and other nonmanufacturing activities, excluding residential and industrial wastes (FGS-UK 20).
- Compactor Collection Vehicle a vehicle with an enclosed body, containing mechanical devices, that conveys solid waste into the main compartment of the body and compresses it into a smaller volume of greater density (FGS-UK 20).

- Construction and Demolition Waste the waste building materials, packaging, and rubble resulting from construction, remodeling, repair, and demolition operations on pavement, houses, commercial buildings, and other structures (FGS-UK 20).
- Cover Material material used to cover compacted solid wastes in a land disposal site (FGS-UK 20).
- Curb Collection collection of solid waste placed adjacent to a street (FGS-UK 20).
- Daily Cover cover material that is spread and compacted on the top and side slopes of compacted solid wastes at least at the end of each operating day in order to control vectors, fire, moisture, and erosion and to assure an aesthetic appearance (40 CFR 241.101 as adopted by DODD 4165.60, para V(A)).

(NOTE: In addition to the above definition, soil that is spread and compacted or synthetic material that is placed on the top and side slopes of compacted solid waste at least at the end of each operating day in order to control vectors, fire, moisture, and erosion and to assure an aesthetic appearance (FGS-UK 20).)

- Final Cover cover material that serves the same function as daily cover but, in addition, may be permanently exposed on the surface (FGS-UK 20).
- Fly Ash suspended particles, charred paper, dust, soot, and other partially oxidized matter carried in the products of combustion (40 CFR 240.101 as adopted by DODD 4165.60, para V(A)).
- Food Waste the organic residues generated by the handling, storage, sale, preparation, cooking, and serving of foods, commonly called garbage (FGS-UK 20).
- Generation the act or process of producing solid waste (FGS-UK 20).
- Groundwater water present in the unsaturated zone of an aquifer (40 CFR 241.101 as adopted by DODD 4165.60, para V(A)).
- Human Blood and Blood Products (includes serum, plasma, and other blood components) items
  contaminated with liquid or semiliquid blood or blood products, items saturated or dripping with
  blood or blood products, or items caked with blood or blood products that are capable of releasing
  these materials during handling (FGS-UK 20).
- Industrial Solid Waste solid waste generated by industrial processes and manufacturing (FGS-UK 20).
- Infectious Medical Waste solid waste, produced by medical and dental treatment facilities that is specially managed because it has the potential for causing disease in humans and may pose a risk to both individuals or community health if not managed properly. The term includes microbiology waste, pathology waste, human blood and blood products, potentially infectious materials, sharps, and infection wastes from isolation rooms (including only those items that are contaminated, with infectious agents or pathogens, and excretion exudates and discarded material contaminated with blood) (FGS-UK 20).

- Institutional Solid Waste solid waste generated by educational, health care, correctional, and other institutional facilities (FGS-UK 20).
- Intermediate Cover cover material that serves the same function as daily cover but must resist erosion for a longer period of time because it is applied in areas where additional cells are not to be constructed for extended periods of time (40 CFR 241.101 as adopted by DODD 4165.60, para V(A)).
- Land Application Unit an area where wastes are applied onto or incorporated into the soil surface (excluding manure spreading operations) for agricultural purposes or for treatment or disposal (FGS-UK 20).
- Land Disposal placement in or on the land, including, but not limited to, land treatment, facilities, surface impoundments, underground injection wells, salt dome formations, salt bed formations, underground mines or caves (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Microbiology Waste includes cultures and stocks of etiologic agents that, due to their species, type, virulence, or concentration, are known to cause disease in humans (FGS-UK 20).
- Municipal Solid Waste (MSW) normally, residential and commercial solid waste generated within a community, not including yard waste (FGS-UK 20).
- Municipal Solid Waste Landfill Unit (MSWLF) a discrete area of land or an excavation, on or off the installation, that receives household waste and that is not a land application unit, surface impoundment, injection well, or waste pile. An MSWLF unit also may receive other types of wastes, such as commercial solid waste and industrial waste (FGS-UK 20).
- Noninfectious Medical Waste solid waste created in medical and dental treatment facilities that does not require special management because it has been determined to be incapable of causing disease in humans or it has been treated to render it noninfectious. Prescription-only medications do require special management (FGS-UK 20).
- Open Burning burning of solid wastes in the open, such as in an open dump (FGS-UK 20).
- Open Dump a land disposal site at which solid wastes are disposed of in a manner that does not protect the environment, are susceptible to open burning, and are exposed to the elements, vectors, and scavengers (FGS-UK 20).
- Pathology Waste includes human tissues and organs, amputated limbs or other body parts, fetuses, placentas, and similar tissues from surgery, delivery, or autopsy procedures. Animal carcasses, body parts, blood, and bedding are also included (FGS-UK 20).
- Potentially Infectious Materials include human body fluids such as semen, vaginal secretions, cerebrospinal fluid, pericardial fluid, pleural fluid, peritoneal fluid, amniotic fluid, saliva in dental procedures, any body fluid that is visibly contaminated with blood, and all body fluids in situations where it is difficult or impossible to differentiate between body fluids (FGS-UK 20).

- Residential Solid Waste the wastes generated by the normal activities of households, including, but not limited to, food wastes, rubbish, ashes, and bulky wastes (FGS-UK 20).
- Resource Recovery Facility Any physical plant that processes residential, commercial or institutional solid waste, biologically, chemically, or physically, and recovers useful products, such as shredded fuel, combustible oil or gas, steam, metal, glass, etc., for resale or reuse (DODD 4165.60, Enclosure 2, J).
- Rubbish a general term for solid waste, excluding food wastes and ashes, taken from residences, commercial establishments, and institutions (FGS-UK 20).
- Sanitary Landfill a land disposal site employing an engineered method of disposing of solid wastes on land in a manner that minimizes environmental hazards by spreading the solid wastes in thin layers, compacting the solid wastes to the smallest practical volume, and applying and compacting cover material at the end of each operating day (FGS-UK 20).
- Satellite Vehicle a small collection vehicle that transfers its load into a larger vehicle operating in conjunction with it (FGS-UK 20).
- Scavenging the uncontrolled and unauthorized removal of materials at any point in the solid waste management system (FGS-UK 20).
- Sharps includes hypodermic needles, syringes, biopsy needles and other types of needles used to obtain tissue or fluid specimens, needles used to deliver intravenous solutions, scalpel blades, pasteur pipettes, specimen slides, cover slips, glass petri plates, and broken glass potentially contaminated with blood (FGS-UK 20).
- Sludge the accumulated semiliquid suspension of settled solids deposited from wastewaters or
  other fluids in tanks or basins. It does not include solids or dissolved material in domestic sewage or
  other significant pollutants in water resources, such as silt, dissolved or suspended solids in industrial wastewater effluent, dissolved materials in irrigation return flows, or other common water pollutants (FGS-UK 20).
- Solid Waste garbage, refuse, sludge, and other discarded materials, including solid, semisolid, liquid, and contained gaseous materials resulting from industrial and commercial operations and from community activities. It does not include solids or dissolved material in domestic sewage or other significant pollutants in water resources, such as silt, dissolved or suspended solids in industrial wastewater effluent, dissolved materials in irrigation return flows or other common water pollutants (FGS-UK 20).
- Solid Waste Storage Container a receptacle used for the temporary storage of solid waste while awaiting collection (FGS-UK 20).
- Stationary Compactor a powered machine that is designed to compact solid waste or recyclable materials, and which remains stationary when in operation (FGS-UK 20).
- Storage the interim containment of solid waste after generation and prior to collection for ultimate recovery or disposal (FGS-UK 20).

- Street Wastes material picked up by manual or mechanical sweepings of alleys, streets, and sidewalks, wastes from public waste receptacles, and material removed from catch basins, runways, and taxiways (FGS-UK 20).
- Thermal Processing processing of waste material by means of heat (40 CFR 240.101 as adopted by DODD 4165.60, para V(A)).
- Transfer Station a site at which solid wastes are concentrated for transport to a processing facility or land disposal site. A transfer station may be fixed or mobile (FGS-UK 20).
- Treatment any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, or so as to recover energy or materials resources from the waste, or so as to render such waste nonhazardous, or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. It also includes any method, technique, or process designed to render infectious medical waste noninfectious (FGS-UK 20).
- *Vector* a carrier, usually an arthropod, that is capable of transmitting a pathogen from one organism to another (FGS-UK 20).
- Working Face that portion of the land disposal site where solid wastes are discharged and are spread and compacted prior to the placement of cover material (40 CFR 241.101 as adopted by DODD 4165.60, para V(A)).
- Yard Waste grass and shrubbery clippings, tree limbs, leaves, and similar organic materials commonly generated in residential yard maintenance (also known as green waste) (FGS-UK 20).

#### SOLID WASTE MANAGEMENT

#### **GUIDANCE FOR CHECKLIST USERS**

	REFER TO	CONTACT THESE
	CHECKLIST ITEMS:	PERSONS OR GROUPS: (a)
All Installations	9-1 through 9-6	(1)(2)(4)
Recycling	9-7 through 9-11	(1)(2)(3)(4)
Solid Waste Storage and Collection	9-12 through 9-23	(1)(2)(3)
Land Disposal Sites Specific Wastes Operations Closure and Postclosure New Landfills	9-24 through 9-27 9-28 through 9-42 9-43 through 9-46 9-47 through 9-49	(1)(2)(3) (1)(2)(3) (1)(2)(3) (1)(2)(3)
Thermal Processing Facilities	9-50 through 9-63	(1)(2)(3)
Resource Recovery Facilities	9-64 and 9-65	(1)(2)(3)
Composting Facilities	9-66 and 9-67	(1)(2)(3)
Medical Waste General Infectious Medical Waste Disposal	9-68 and 9-69 9-70 through 9-81 9-82 through 9-86	(1)(3) (1)(3) (1)(3)

### (a) CONTACT/LOCATION CODE:

- (1) BEC (Base Environmental Coordinator)
- (2) BCE (Base Civil Engineer)
- (3) BES (Bioenvironmental Engineering Services)
- (4) Base Staff Judge Advocate

#### SOLID WASTE MANAGEMENT

#### **Records To Review**

- Record of current nonhazardous solid waste management practices
- Documentation of locations (map) and descriptions of all nonhazardous waste treatment, storage, and disposal facilities (TSDFs)
- Records of operational history of all active and inactive TSDFs
- Environmental monitoring procedures or plans
- · Records of resource recovery practices, including the sale of materials for the purpose of recycling
- Solid waste removal contracts and inspection records

#### **Physical Features To Inspect**

- · Resource recovery facilities
- Incineration and land disposal facilities (active and inactive)
- · Areas where hazardous and nonhazardous wastes are disposed of
- · Construction debris areas
- Waste receptacles
- Solid waste vehicle storage and washing areas

#### **Sources To Interview**

- BEC (Base Environmental Coordinator)
- BCE (Base Civil Engineer)
- BES (Bioenvironmental Engineering Services)
- Base Staff Judge Advocate

REVIEWER CHECKS: February 1997  that the Base Staff Judge Advocate has available the host-nation FGS and rel-
that the Dage Staff Indee Advocate has available the host nation EGS and rela
that the Door Staff Judge Advacete has available the host-nation EGS and rel-
USAF documents. (1)(2)(4)  E: Among the relevant documents is DODD 4165.60, Solid Waste Manage-Collection, Disposal, Resource Recovery, and Recycling Program, 4 October
mine whether any new regulations concerning solid waste management have ssued since the finalization of the manual. (1)(2)(4) that the installation is in compliance with newly issued regulations.
that the installation cooperates, to the extent possible, with local, regional, and all officials of the UK in the solid waste management planning process. (2)
that the installation has developed and implemented a strategy for reducing waste disposal. (1)(2)  This strategy could include recycling, composting, and waste minimization (s.)

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-5. Buildings and all other facilities that are constructed, modified, or leased after the effective date of the FGS-UK must provide for storage areas that can be easily cleaned and maintained and that allow for safe and efficient collection of solid waste (FGS-UK 7-6).	Verify that buildings and facilities in the design phase will have appropriate solid waste storage areas. (1)(2)	
9-6. Installations must not use open burning as the regular method of solid waste disposal (FGS-UK 7-14).	Verify that open burning is not the installation's regular method of solid waste disposal. (1)(2)  Verify that, if burning is the disposal method of choice, the installation uses incinerators that meet applicable air quality standards.  (NOTE: For air quality standards, see Section 1, Air Emissions Management.)	
RECYCLING		
9-7. AF installations must institute recycling programs, where cost effective, and must reduce the volume of solid waste materials at the source (FGS-UK 7-9; DODD 4165.60, para V(A), V(C), and V(D)).	Verify that a solid waste reduction/resource recovery program exists. (1)(3)  Verify that efforts are made to reduce the volume of solid waste materials at the source.	
9-8. Reusable and marketable materials should be collected at regular intervals (MP).	Verify that reusable or marketable materials are collected at regular intervals. (1)(3)	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

United Kingdom ECAIVIP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-9. Installations with office facilities of over	Determine whether the installation has over 100 office workers. (1)(3)	
100 office workers must recover high-grade paper	Verify that high-grade paper is separated at the source of generation.	
(DODD 4165.60, para V(L)).	Verify that high-grade paper is separately collected.	
(2)).	Verify that high-grade paper is sold for recycling.	
9-10. Installations where	Determine whether the installation has more than 500 families residing on it. (1)(3)	
more than 500 families reside must recycle newspapers (DODD 4165.60,	Verify that used newspapers are separated at the source of generation.	
para V(J)).	Verify that used newspapers are separately collected.	
	Verify that used newspapers are sold for recycling.	
9-11. Installations that generate 10,160 kg (10 tons) or more of waste	Determine whether the installation generates 10,160 kg (10 tons) or more of waste corrugated containers per month. (1)(2)(3)	
corrugated containers per month must sell this	Verify that waste corrugated containers are collected separately.	
material for recycling (DODD 4165.60, para	Verify that waste corrugated containers are sold for recycling.	
V(K)).	(NOTE: Alternatively, waste corrugated containers may be used as an energy resource.)	
SOLID WASTE STORAGE AND COLLECTION		
meet specific require-	Determine whether the installation disposes of waste at any non-DOD facility or transfers waste to such a facility or transporter. (1)	
ments when they dispose of waste at any non-DOD facility or transfer waste	Verify that the waste is transferred to persons in the following categories only:	
to such a facility or trans-	- a waste collection authority	
porter (FGS-UK 7-1).	- the holder of a waste management license, or someone who is exempt from holding a license	
	- a registered carrier of controlled waste, or someone who is exempt from registration	
	- a waste regulation authority.	
·	Verify that the waste is accompanied by a transfer/consignment manifest.	
	•	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
9-12. (continued)	Verify that the waste is accompanied by a description that contains the following:
	<ul> <li>identification of the waste</li> <li>quantity of the waste</li> <li>if containerized, the size and type of container</li> <li>time and place of transfer</li> <li>name and address of transferor and transferee.</li> </ul>
	Verify that the installation maintains records of each transfer of waste for at least 3 yr.
9-13. Installations must use solid waste storage containers that meet spe-	Verify that storage containers are leakproof, waterproof, and vermin-proof, including sides, seams, and bottoms. (2)(3)
cific design standards (FGS-UK 7-7).	Verify that storage containers are durable enough to withstand anticipated usage without rusting, cracking, or deforming in a manner that would impair serviceability.
	Verify that storage containers have functional lids.
9-14. Installations must store containers in accordance with specific	Verify that containers are stored on a firm, level, well-drained surface that is large enough to accommodate all of the containers. (2)(3)
requirements (FGS-UK 7-8).	Verify that the storage area is clean and free of spills.
9-15. Installations must store all solid wastes and materials separated for recycling according to	Verify that all solid wastes and materials separated for recycling are stored so as not to constitute a fire, health, or safety hazard or provide food or harborage for vectors. (1)(2)(3)
specific guidelines (FGS-UK 7-4 and DODD 4165.60, para V(A)).	Verify that such materials are contained or bundled to prevent spillage.
	Verify that all solid waste containing food wastes is stored in covered or closed containers that are nonabsorbent, leakproof, durable, easily cleaned, and designed for safe handling.
	Verify that solid waste containers are of an adequate size and number to contain all waste generated between collections.
	Verify that reusable containers are capable of being serviced without the collector coming into contact with the waste.

United Kingdom ECAMP	
REVIEWER CHECKS: February 1997	
Verify that a program exists at the installation to keep personnel informed about proper waste disposal practices. (1)(2)(3)	
Verify that the collection system is operated safely. (1)(2)(3)	
Verify that all such vehicles used for the collection and transportation of solid waste meet all applicable standards established by the Federal Government, including: (1)(2)(3)  - Motor Carrier Safety Standards (49 ČFR 390 through 396)  - Noise Emission Standards for Motor Carriers Engaged in Interstate Commerce (40 CFR 202)  - Federal Motor Vehicle Safety Standards (49 CFR 500 through 580) (Federally owned collection equipment only).	
Verify that all vehicles used for collection and transportation of solid wastes or materials separated for recycling are enclosed and have suitable covers to prevent spillage. (2)(3)  Verify that equipment used in the compaction, collection, and transportation of solid waste or materials separated for recycling is constructed, operated, and maintained adequately.	

	United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-19. (continued)	Verify that the following types of equipment meet the standards established by the American National Standards Institute:	
	- rear-loading compaction equipment - side-loading compaction equipment - front-loading compaction equipment - tilt-frame equipment - hoist-type equipment - satellite vehicles	
	<ul> <li>special collection compaction equipment</li> <li>stationary compaction equipment.</li> </ul>	
9-20. All installations must collect solid wastes or materials separated for	Verify that solid wastes that contain food wastes are collected at a minimum of once a week. (1)(2)(3)	
recycling according to a certain schedule (DODD	Verify that bulky wastes are collected at a minimum of once every 3 mo.	
4165.60, para V(A)).	Verify that all wastes are collected with sufficient frequency to inhibit the propagation or attraction of vectors and the creation of nuisances.	
9-21. Installations must collect solid waste in a safe and efficient manner	Verify that solid wastes or materials separated for recycling are collected in a safe, efficient manner. (2)(3)	
(DODD 4165.60, para V(A)).	Verify that the operator of the collection vehicle immediately cleans up any spillage caused by his or her operations.	
9-22. Installations should inspect recepta-	Verify that receptacles are inspected quarterly. (2)(3)	
cles for industrial shop waste quarterly to verify that hazardous wastes are not being deposited in them (MP).	Verify that corrective actions are taken where indicated.	
9-23. Installations must meet specific requirements with regard to the management of bulky wastes (FGS-UK 7-5).	Verify that bulky wastes are stored so as not to create an attractive nuisance and to avoid the accumulation of solid waste and water in and around the bulky items by removing all doors from large household appliances and covering the items. $(1)(2)(3)$	
	Verify that bulky wastes are screened for the presence of hazardous constituents and ozone depleting substances.	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

	United Kingdom ECAWIF
REGULATORY REQUIREMENTS:	REVIEWEŖ CHECKS: February 1997
9-23. (continued)	Verify that readily detachable or removable hazardous constituents are segregated and disposed of properly.
	(NOTE: See Section 4, Hazardous Waste Management.)
LAND DISPOSAL SITES	(NOTE: The requirements of this section of the manual apply only to those installations that operate a MSWLF.)
Specific Wastes	
9-24. Bulky wastes must be disposed of in a spe- cific fashion (DODD	Verify that automobile bodies, furniture, and appliances are either salvaged or crushed and pushed onto the working face near the bottom of the cell. (1)(2)(3)
4165.60, para V(A)).	Verify that demolition and construction debris, tree stumps, and large timbers are pushed onto the working face near the bottom of the cell.
9-25. Water treatment plant sludges must be covered with soil or MSW (DODD 4165.60, para V(A)).	Verify that water treatment plant sludges are covered with soil or MSW. (1)(2)(3)
9-26. Incinerator and air pollution control residues must be disposed of in a specific fashion (DODD 4165.60, para V(A)).	Verify that incinerator and air pollution control residues are incorporated into the face and covered as necessary to prevent them from becoming airborne. (1)(3)
9-27. Installations must develop procedures for dealing with yard waste and construction debris (FGS-UK 7-12.F).	Verify that the installation has developed procedures for dealing with yard waste and construction debris that keep it out of MSWLF units to the maximum extent possible. (1)(3)
Operations	
9-28. Installations must investigate options for composting MSW (FGS-UK 7-12.D).	Verify that the installation has investigated options for composting MSW as an alternative to landfilling or treatment prior to landfilling. (1)(2)

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

<b>COMPLIANCE CATEGORY:</b>
SOLID WASTE MANAGEMENT
United Kingdom ECAMP

Office Kingdom DCAMI		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>9-29.</b> Installations must implement programs to detect and prevent the disposal of certain wastes in	Verify that the installation has a program that effectively prevents the disposal in the MSWLF of hazardous waste, infectious waste, PCB waste, and other waste determined to be unsuitable for the specific landfill. (1)(2)(3)	
their MSWLFs (FGS-UK 7-12.C and 7-12.M).	Verify that the installation prohibits the disposal of bulk or noncontainerized liquids in the MSWLF, if possible.	
<b>9-30.</b> Installations that operate land disposal sites must provide a list of	Verify that a list of excluded materials is displayed prominently at the entrance to the site. (1)(2)	
excluded materials to reg- ular users and develop	Verify that a list of excluded materials is given to all regular users of the site.	
criteria for unacceptable materials (FGS-UK 7-12.B and DODD 4165.60,	Verify that the installation has established criteria for unacceptable wastes based on site-specific factors.	
para V(A)).	(NOTE: Examples of site-specific factors are: - hydrology - chemical and biological characteristics of the waste	
	<ul> <li>available alternative disposal methods</li> <li>environmental and health effects</li> <li>safety of personnel.)</li> </ul>	
9-31. Installations must use certain standard sanitary landfill techniques as	Verify that standard techniques of spreading and compacting solid wastes are used. (1)(2)(3)	
part of their operations (FGS-UK 7-12.A and	Verify that, on any operating day, MSW handling equipment is capable of:	
DODD 4165.60, para V(A)).	<ul> <li>spreading solid waste in layers no more than 0.6 m (2 ft) thick while confining it to the smallest practicable area</li> <li>compacting the spread solid wastes to the smallest practicable volume.</li> </ul>	
	Verify that daily cover is placed over disposed solid waste at the end of each operating day, regardless of weather.	
9-32. Specific requirements as to cover material	Verify that cover material is applied as necessary to: (1)(2)(3)	
must be met at land disposal sites (DODD	<ul> <li>minimize fire hazards</li> <li>minimize infiltration of precipitation</li> </ul>	
4165.60, para V(A)).	- minimize odors - minimize blowing litter	
·	- control gas venting - control vectors	
	<ul> <li>discourage scavenging</li> <li>provide a pleasing appearance.</li> </ul>	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-32. (continued)	Verify that intermediate cover is applied on areas where additional cells are not to be constructed for extended periods of time.	
	Verify that final cover is applied on each area as it is completed or if the area is to remain idle for over 1 yr.	
9-33. Land disposal sites that accept special wastes must have approval of the responsible agency (DODD 4165.60, para V(A)).	Determine whether the land disposal site accepts special wastes. (1)(2)  Verify that the land disposal site has agency approval to accept special wastes.	
9-34. Installations must operate land disposal sites in such a way as to protect	Verify that surface watercourses and runoff are diverted from the land disposal site. (1)(2)	
water quality (FGS-UK 7-12.K and DODD 4165.60,	Verify that the land disposal site is constructed and graded to promote rapid surface water runoff without excessive erosion.	
para V(A)).	Verify that the site is regraded as necessary to avoid ponding of precipitation and to maintain the integrity of cover material.	
	Verify that siltation or retention basins or other approved methods of retarding runoff are used where necessary to avoid stream siltation or flooding problems.	
	Verify that leachate collection and treatment systems are used where necessary to protect groundwater and surface water resources.	
	Verify that MSW and leachate are not in contact with groundwater or surface water.	
	Verify that aquifers will not be contaminated.	
	Verify that there is no open burning of MSW. (1)(2)(3)	
operate land disposal sites in such a way as to protect air quality (FGS-UK 7- 12.E and DODD 4165.60, para V(A)).	(NOTE: Infrequent burning of agricultural wastes, silvicultural wastes, land-clearing debris, diseased trees, or debris from emergency cleanup operations is allowed.)	
	Verify that dust control measures are initiated as necessary.	
	•	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

Office Kingdom BCAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
9-36. Installations must control decomposition	Verify that decomposition gases are not allowed to migrate laterally from the land disposal site. (1)(2)(3)
gases at land disposal sites (FGS-UK 7-12.I and	Verify that decomposition gases do not pose an explosion or toxicity hazard.
DODD 4165.60, para V(A)).	Verify that methane generated by the MSWLF unit does not exceed 25 percent of the lower explosive limit for methane in facility structures.
	(NOTE: The lower explosive limit for methane is 5.0 percent by volume.)
9-37. Installations must control vectors at land disposal sites (FGS-UK	Verify that conditions at the land disposal site are unfavorable for the harboring, feeding, and breeding of disease vectors. (1)(2)(3)
7-12.H and DODD 4165.60, para V(A)).	Verify that vector control contingency programs are implemented when necessary to prevent or rectify vector problems.
9-38. Land disposal sites must be designed and	Verify that blowing litter is controlled through portable litter fences or other devices. (1)(2)(3)
operated in an aesthetically acceptable manner (FGS-UK 7-12.J and DODD 4165.60, para	Verify that wastes that are easily moved by wind are covered as necessary to prevent their becoming airborne.
V(A)).	Verify that onsite vegetation is cleared only as necessary.
	Verify that natural windbreaks are maintained.
	Verify that buffer strips and/or berms are used to screen the site from nearby residences and major roadways.
	Verify that salvage material is removed from the site frequently.
9-39. Installations must control public access to landfill facilities (FGS-UK 7-12.L).	Verify that public access to landfill facilities is controlled. (1)(2)(3)
	·
<del></del>	Maria de la companya

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-40. Land disposal sites must be designed, con-	Verify that a safety manual is available to personnel. (1)(2)(3)	
structed, and operated in such a way as to protect	Verify that personal safety devices are provided to facility personnel.	
the health and safety of personnel (FGS-UK 7-	Verify that equipment is provided with safety devices.	
12.G and DODD 4165.60, para V(A)).	Verify that there are provisions to extinguish fires.	
pmu ((12)).	Verify that communications equipment is available on-site.	
	Verify that scavenging is prohibited.	
	Verify that traffic signs or markers are provided to promote an orderly traffic pattern to and from the discharge area.	
9-41. Operators of land disposal sites must maintain records of their operations (FGS-UK 7-12.N).	Verify that records on the operations of the landfill are maintained. (1)(2)(3)	
9-42. The records kept by operators of land disposal sites must contain certain information (DODD 4165.60, para V(A)).	Verify that records include at least: (1)(2)(3)  - major operational problems, complaints, or difficulties - results of leachate sampling and analyses - results of gas sampling and analyses - results of groundwater and surface water quality sampling and analyses upstream and downstream from the site - vector control efforts - dust and litter control efforts - quantitative measurements of the solid wastes handled - description of solid waste materials received.	
Closure and Postclosure		
9-43. Installations should survey for and be aware of old disposal sites (MP).	Verify that the installation has conducted a survey for old disposal sites. (1)(2)	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

Office Kingdom ECAMI		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
<b>9-44.</b> Installations must take specific actions in the course of closure and	Verify that a final cover is installed that is designed to minimize infiltration and erosion. (1)(2)(3)	
postclosure operations (FGS-UK 7-13.A through 7-13.C).	Verify that the infiltration layer is made up of a minimum of 46 cm (18 in.) of earthen material, geotextiles, or combination thereof, that have a permeability less than or equal to the permeability of any bottom liner system or natural subsoils present or a permeability no greater than 0.00005 cm/s, whichever is less.	
	Verify that the erosion layer is a minimum of 21 cm (8 in.) of earth material that can sustain native plant growth.	
9-45. Installations must prepare a written closure	Verify that the installation has a written closure plan. (1)(2)(3)	
plan that meets specific requirements (FGS-UK 7-	Verify that the closure plan is kept as part of the installation's permanent records.	
13.D).	Verify that the closure plan includes the following, at a minimum:	
	- a description of the monitoring and maintenance activities required to ensure the integrity of the final cover	
	<ul> <li>a survey plot showing the exact site location</li> <li>a description of planned uses during the postclosure period</li> <li>the duration of the postclosure period, to be a minimum of 5 yr.</li> </ul>	
9-46. Installations should, upon closure of a site, record a detailed description with the area's land recording authority (MP).	Verify that, upon closure of a site, a detailed description is recorded with the area's land recording authority. (1)(2)(3)	
New Landfills		
9-47. Installations must not initiate new or expand existing waste landfill	Determine whether the installation is planning to start a new landfill or expand an existing one. (1)(2)(3)	
units without approval of the component and only after showing that unique circumstances necessitate a new unit (FGS-UK 7- 10).	Verify that appropriate component approval has been received.	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

	Office Kingdom Beatth
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
9-48. The design and operation of new MSWLF units must incorporate certain broad factors (FGS-UK 7-11 and DODD 4165.60, para V(A)).	Verify that the following broad factors are taken into account in the design and operation of the new MSWLF: (1)(2)(3)  - location restrictions in regard to airport safety (i.e., bird hazards), floodplains, wetlands, aquifers, seismic zones, and unstable areas - procedures for excluding hazardous waste - cover material criteria (e.g., daily cover) - disease vector control - explosive gas control - air quality standards (e.g., no open burning) - access requirements - liquids restrictions - recordkeeping requirements - inspection program.  Verify that the following have been evaluated: - the onsite soil characteristics - climatic conditions - socioeconomic factors.
9-49. Plans for the design, construction, and operation of new sites or modifications to existing sites must be prepared or approved by a professional engineer (DODD 4165.60, para V(A)).	Verify that a professional engineer has prepared or approved plans. (1)(2)
THERMAL PROCESSING FACILITIES	
9-50. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must provide special areas for certain wastes while they await processing (DODD 4165.60, para V(A)).	Verify that storage areas for bulky wastes, digested and dewatered sludges from wastewater treatment facilities, raw sewage sludges, and septic tank pumpings are clearly marked. (1)(2)(3)  (NOTE: This does not apply to hazardous, agricultural, or mining wastes.)

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-51. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must train personnel in any unusual handling requirements for accepting certain wastes (DODD 4165.60, para V(A)).	Verify that personnel are thoroughly trained to handle bulky wastes, digested and dewatered sludges from wastewater treatment facilities, raw sewage sludges, and septic tank pumpings. (1)(2)(3)  (NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	
9-52. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must inform regular users about materials that are excluded (DODD 4165.60, para V(A)).	Verify that regular users are given a list of excluded materials. (1)(2)(3)  Verify that a list of excluded materials is posted prominently at the facility.  (NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	
9-53. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must have certain procedures and precautions to deal with unacceptable wastes that are delivered to or left at the facility (DODD 4165.60, para V(A)).	Verify that there is an operating plan that specifies procedures and precautions to be taken if unacceptable wastes are delivered to or left at the facility. (1)(2)(3)  Verify that operating personnel are thoroughly trained in such procedures.  (NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
9-54. Installations with thermal processing facilities designed to process or	Verify that the facility is located in an area zoned for industrial use and has adequate utilities to serve it. (1)(2)(3)
that are processing 50,800 kg (50 tons) or more per day of MSW must meet	Verify that the site is accessible by permanent roads leading from the public road system.
certain site selection criteria (DODD 4165.60, para V(A)).	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)
9-55. Installations with thermal processing facilities designed to process or	Verify that a professional engineer prepares or approves plans for the design of new facilities or modification of existing facilities. (1)(2)(3)
that are processing 50,800 kg (50 tons) or more per day of MSW must have plans for the design of new facilities or modification of existing facilities prepared or approved by a professional engineer (DODD 4165.60, para V(A)).	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)
9-56. Installations with thermal processing facilities designed to process or	Verify that all waters discharged from the facility are treated to meet the most stringent of applicable water quality standards. (1)(2)(3)
ties designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must operate in a manner that protects water quality (DODD 4165.60, para V(A)).	Verify that, when monitoring instrumentation indicates excessive discharge contamination, appropriate adjustments are made to lower the concentrations to acceptable levels.
	Verify that, in the event of an accidental spill, the local regulatory agency is notified immediately.
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)
	·

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-57. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must operate in a manner that protects air quality (DODD 4165.60, para V(A)).	Verify that emissions do not exceed applicable, existing emission standards. (1)(2)(3)	
	Verify that all emissions, including dust from vents, are controlled.	
	Verify that, when monitoring equipment indicates excessive emissions, appropriate adjustments are made to lower the emissions to acceptable levels.	
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	
9-58. Installations with thermal processing facili-	Verify that a housekeeping schedule is established and maintained. (1)(2)(3)	
ties designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must control vectors (DODD 4165.60, para V(A)).	Verify that solid waste and residue do not accumulate at the facility for more than 1 week.	
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	
9-59. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must operate in an aesthetically acceptable manner (DODD 4165.60, para V(A)).	Verify that a routine housekeeping and litter removal schedule is established and implemented. (1)(2)(3)	
	Verify that solid wastes that cannot be processed by the facility are removed on a weekly basis.	
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	
9-60. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must dispose of residue and other solid waste products resulting from the thermal process in an environmentally acceptable manner (DODD 4165.60, para V(A)).	Verify that the furnace operator records, in a log, the estimated percentage of unburned combustibles. (1)(2)(3)	
	Verify that, if residue or fly ash is collected in a wet condition, it is drained of free moisture.	
	Verify that residue and fly ash are transported by means that prevent the loads from shifting, falling, or blowing from the container.	
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

United Kingdom ECAIVIT		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-61. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must be designed, operated, and maintained in a manner to protect the health and safety of personnel (DODD 4165.60, para V(A)).	Verify that procedures are developed for operation in emergency situations.  (1)(2)(3)	
	Verify that approved respirators or self-contained breathing apparatus are available at convenient locations.	
	Verify that training in first aid practices and emergency procedures are given to all personnel.	
	Verify that personal safety devices are provided to all personnel.	
	Verify that any regular user or individual who poses a safety hazard is barred from the facility and reported to the responsible agency.	
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	
9-62. Installations with thermal processing facilities designed to process or that are processing 50,800 kg (50 tons) or more per day of MSW must follow certain general operation criteria (DODD 4165.60, para V(A)).	Verify that the facility supervisor is experienced in the operation of the type of facility designed. (1)(2)(3)	
	Verify that alternate and standby disposal and operating procedures are established for implementation during emergencies, air pollution episodes, and shutdown periods.	
	Verify that a routine maintenance schedule is established.	
	Verify that engineering drawings are updated as the facility is modified.	
	Verify that key operational procedures are prominently posted.	
	Verify that equipment manuals, catalogs, spare parts lists, and spare parts are readily available at the facility.	
	Verify that training opportunities are available for personnel.	
	(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
l .	Verify that extensive monitoring and recordkeeping are practiced during: (1)(2)(3)  - the first 12 to 18 mo of operation of a new or renovated facility - periods of high air pollution - periods of upset conditions at the facility.  Verify that operating records are kept in a daily log and include as a minimum:  - the total weight and volume of solid waste received during each shift, including the number of loads received, the ownership or specific identity of delivery vehicles, and the source and nature of the solid wastes accepted - furnace and combustion chamber temperatures recorded at least every 60 min and as changes are made, including explanations for abnormally high and low temperatures - rate of operation, such as grate speed - overfire and underfire air volumes and pressure and distribution recorded at least every 60 min and as changes are made - weights of bottom ash, grate siftings, and fly ash, individually or combined, recorded at intervals appropriate to normal facility operation - estimated percentages of unburned material in the bottom ash - water used on each shift for bottom ash quenching and scrubber operation - power produced and utilized during each shift - quality, production totals, and consumption rates if steam is produced	
	<ul> <li>auxiliary fuel used for each shift</li> <li>gross calorific value of daily representative samples of bottom ash, grate siftings, and fly ash</li> <li>required emission measurements and laboratory analyses</li> <li>complete records of monitoring instruments</li> <li>problems encountered and methods of solution.</li> <li>(NOTE: Representative samples of process waters should be collected and analyzed as recommended by the responsible agency.)</li> <li>(NOTE: Sampling time should be varied so that all shifts are monitored on a weekly basis.)</li> </ul>	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
9-63. (continued)	Verify that an annual report is prepared and that it includes the following information:	
	<ul> <li>minimum, average, and maximum daily volume and weight of waste received and processed, summarized on a monthly basis</li> <li>summary of the laboratory analyses, including at least monthly averages</li> <li>number and qualifications of personnel in each job category</li> <li>total work-hours per week</li> <li>number of state certified or licensed personnel</li> <li>staffing deficiencies</li> <li>serious injuries, their cause, and preventive measures instituted</li> <li>identification and brief discussion of major operational problems and solutions</li> <li>adequacy of operation and performance with regard to environmental requirements, general level of housekeeping and maintenance, testing and reporting proficiency, and recommendations for corrective actions</li> <li>copy of all significant correspondence, reports, inspection reports, and any other communications from enforcement agencies.</li> <li>Verify that a methodology for evaluating the facility's performance has been developed.</li> <li>(NOTE: This does not apply to hazardous, agricultural, or mining wastes.)</li> </ul>	
RESOURCE RECOVERY FACILITIES	,	
9-64. Certain installations must establish and/ or use resource recovery facilities to separate and recover materials, energy, or both, from solid waste (DODD 4165.60 (V)(F) and 4165.60(V)(H)).	Determine whether the installation generates 101,600 kg (100 tons) or more per day of residential, commercial, and institutional solid waste after complying with waste reduction and source separation policies. (1)(2)(3)  Verify that the installation establishes and/or uses resource recovery facilities.  Verify that joint or regional civilian community resource recovery facilities are utilized whenever possible.	
9-65. Installations that establish or utilize a resource recovery facility must design such facilities to process a standard amount of solid waste (DODD 4165.60, para V(A)).	Verify that the facility is designed to process at least 65 percent (by wet weight) of the input solid waste into recycled material, fuel, or energy. (1)(2)(3)	

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

REVIEWER CHECKS: February 1997  aintained for the characteristics of the waste, sewage sludge, cluding the source and volume or weight of the material.  facility is controlled.  ints are secured when the facility is not in operation.  (including residual materials that can be recycled) are stored on and aesthetic degradation.  It are not composted are removed periodically.  that has come in contact with composted waste, materials residual waste is diverted to a leachate collection and treat-
facility is controlled.  ints are secured when the facility is not in operation.  (including residual materials that can be recycled) are stored on and aesthetic degradation.  It are not composted are removed periodically.
facility is controlled.  ints are secured when the facility is not in operation.  (including residual materials that can be recycled) are stored on and aesthetic degradation.  It are not composted are removed periodically.
ints are secured when the facility is not in operation.  (including residual materials that can be recycled) are stored on and aesthetic degradation.  It are not composted are removed periodically.  It that has come in contact with composted waste, materials
(including residual materials that can be recycled) are stored on and aesthetic degradation.  It are not composted are removed periodically.  It that has come in contact with composted waste, materials
on and aesthetic degradation.  t are not composted are removed periodically.  that has come in contact with composted waste, materials
that has come in contact with composted waste, materials
are and retention time for material being composted is moni-
s analyzed periodically for the following:
solids percentage of total solids
· •
oduced by a process that further reduces pathogens.
1

United Kingdom ECAMP			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
9-66. (continued)	<ul> <li>(NOTE: Two acceptable methods of production are windrowing and the enclosed vessel method:         <ul> <li>windrowing consists of an unconfined composting process involving periodic aeration and mixing such that aerobic conditions are maintained during the composting process</li> <li>enclosed vessel method involves mechanically mixing compost under controlled environmental conditions:</li></ul></li></ul>		
9-67. Compost produced at a facility that processes 5000 tons [≈4540 metric tons] of sludge from a domestic wastewater treatment plant annually must be distributed in accordance with the classification of the compost (FGS-UK 7-16.A and 7-16.C).	Verify that compost distributed or marketed as commercial fertilizer, speciality fertilizer, soil amendment, or plant amendment is registered with the Executive Agent. (1)(2)(3)  Verify that Class A compost is:  - stabilized - stored until it has matured (a 60 percent decomposition).  Verify that Class B compost is distributed on a restricted basis only.  (NOTE: Class A compost may be distributed for unrestricted use, including agricultural applications.)  (NOTE: The Executive Agent determines appropriate distribution for Class B compost.)		
MEDICAL WASTE	(NOTE: The requirements of this protocol do not apply to what would otherwise be household waste.)		
General			
9-68. Radioactive medical waste must be managed in accordance with service directives (FGS-UK 8-3).	Determine whether the installation disposes of radioactive medical waste. (1)(3)  Verify that such waste is disposed of in accordance with AF guidance.		

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

REVIEWER CHECKS: February 1997  Verify that the installation has a contingency plan for the treatment or disposal of infactions medical waste (1)(2)
infectious medical waste. (1)(3)
Verify that all personnel who handle infectious medical waste wear protective equipment such as gloves, coveralls, masks, and goggles, sufficient to prevent risk of exposure to infectious agents or pathogens. (1)(3)
Verify that infectious medical waste is separated from noninfectious medical waste at the point of origin. (1)(3)
Verify that mixtures of infectious medical waste and hazardous wastes are handled as infectious hazardous waste. (1)(3)  (NOTE: Priority is given to the hazard that presents the greatest risk.)  (NOTE: Mixtures of infectious medical wastes and hazardous wastes are the responsibility of the generating DOD component, not the Defense Reutilization and Marketing Office (DRMO).)  Verify that mixtures of solid waste and infectious medical waste are handled as infectious medical waste.
Verify that infectious medical waste is not compacted unless it has been converted to noninfectious medical waste by treatment. (1)(3)  Verify that infectious medical waste is transported and stored in such a way as to minimize human exposure to the extent possible.  Verify that infectious medical waste is not placed in chutes or dumbwaiters.
1 1 1

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

United Kingdom ECAMP			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
9-73. (continued)	Verify that infectious medical waste is segregated, transported, and stored in bags or receptacles that are a minimum of 3 mil thick, durable, puncture resistant, and have sufficient burst strength to prevent rupture or leaks during ordinary use.		
	Verify that all bags or receptacles used to segregate, transport, or store infectious medical waste are clearly marked with the universal biohazard symbol and the legend BIOHAZARD.		
	Verify that all bags or receptacles used to segregate, transport, or store infectious medical waste include marking that identifies the generator, date of generation, and the contents.		
9-74. Infectious medical waste must be treated in	Verify that medical waste is treated prior to disposal in accordance with Table 9-1. (1)(3)		
accordance with specific standards (FGS-UK 8-10.A, 8-10.B, and 8-10.E).	Verify that, if sterilization is required, sterilizers are maintained at a temperature of 121 °C (250 °F) for at least 90 min.		
10.E).	Verify that, if sterilization is required, the effectiveness of sterilizers is checked at least weekly using <i>Bacillus stearo thermophilus</i> spore strips or an equivalent biological performance test.		
	Verify that, if chemical disinfection is required, such disinfection is conducted using procedures and compounds approved by DOD medical personnel for use on any pathogen or infectious agent suspected to be present in the waste.		
9-75. Infectious medical waste that cannot be treated onsite must be	Verify that infectious medical waste is maintained in a nonputrescent state, using refrigeration as necessary. (1)(3)		
managed during storage	Verify that storage sites:		
in accordance with specific requirements (FGS-UK 8-4.D).	<ul> <li>are specifically designated</li> <li>are constructed to prevent the entry of insects, rodents, and other pests</li> <li>do not allow access by unauthorized personnel</li> <li>marked on the outside with the universal biohazard symbol and the word BIO HAZARD.</li> </ul>		

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

Office Kingdom ECAWI			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
9-76. Bags and receptacles that contain infectious medical waste must be placed into rigid or semi-rigid leakproof containers before being transported offsite (FGS-UK 8-4.E).	Verify that bags and receptacles that contain infectious medical waste are placed into rigid or semi-rigid leakproof containers before being transported offsite. (1)(3)		
9-77. Spills of infectious medical waste must be cleaned up in accordance	Verify that spills of infectious medical waste are cleaned up as soon as possible. (1)(3)		
with specific requirements (FGS-UK 8-12).	Verify that response personnel wear personal protective equipment (PPE) that is sufficient to prevent risk of exposure to infectious agents or pathogens.		
	Verify that spills of blood or body fluids are removed with absorbent material.		
	Verify that such absorbent material is then managed as infectious medical waste.		
	Verify that surfaces contacted by infectious medical waste are washed with soap and water and chemically decontaminated using procedures and compounds approved by DOD medical personnel for use on any pathogen or infectious agent suspected to be present.		
<b>9-78.</b> The handling of anatomical pathology waste is subject to specific requirements (FGS-UK 8-7).	Verify that all anatomical pathology waste is placed in containers lined with plastic bags that are a minimum of 3 mil thick, durable, puncture resistant, and have sufficient burst strength to prevent rupture or leaks during ordinary use. (1)(3)		
9-79. Noninfectious medical waste that is classified as hazardous must be managed as hazardous waste (FGS-UK 8-2.C).	Verify that noninfectious medical waste that is classified as hazardous is managed as hazardous waste. (1)(3)  (NOTE: See Section 4, Hazardous Waste Management.)		
9-80. Sharps must be managed in accordance with specific criteria (FGS-UK 8-4.C and 8-6).	Verify that sharps are discarded into rigid receptacles only. (1)(3)  Verify that needles are not clipped, cut, bent, or recapped before treatment or disposal.  Verify that containers holding sharps are not compacted.		

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

United Kingdom ECAM			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
9-81. Installations must handle prescription-only	Verify that prescription-only medications are segregated from other wastes. (1) (3)		
medications in accordance with specific criteria (FGS-UK 8-1 and 8-2.D).	Verify that prescription-only medications are disposed of in accordance with FGS-UK 7-1 (see checklist item 9-14).		
	Verify that prescription-only medications are accompanied throughout the disposal process by a Hazardous Waste Profile Sheet.		
Disposal			
9-82. Anatomical pathology waste must be either incinerated or buried (FGS-UK 8-7).	Verify that pathological waste is disposed of by incineration or burial only. (1)(3)		
9-83. Blood and other liquid infectious wastes	Verify that suction canister waste from operating rooms is either decanted into a clinical sink or sealed into leakproof containers and incinerated. (1)(3)		
must be handled in accordance with specific criteria (FGS-IJK 8-8)	Verify that bulk blood or blood products are only decanted into clinical sinks.		
ria (FGS-UK 8-8).	Verify that emptied containers previously held bulk blood or blood products are managed as infectious medical waste.		
9-84. Incinerators used to dispose of medical waste must meet specific	Verify that such incinerators are designed and operated to maintain a minimum temperature and retention time sufficient to destroy all infectious agents and pathogens. (1)(3)		
requirements (FGS-UK 8-10.C).	Verify that such incinerators meet applicable air emissions criteria in Chapter 2 of FGS-UK. (1)(3)		
	(NOTE: See Section 1, Air Quality Management.)		
9-85. Ash or residue from the incineration of infectious medical waste must be assessed for hazardous characteristics (FGS-UK 8-10.D).	Verify that ash or residue from the incineration of infectious medical waste is assessed for hazardous characteristics. (1)(3)		
	Verify that ash that is determined to be hazardous waste is managed as hazardous waste.		
	(NOTE: See Section 4, Hazardous Waste Management.)		
	Verify that all other residue that is not determined to be hazardous is disposed of in accordance with the requirements of FGS-UK Chapter 7.		

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
9-86. Installations must keep records concerning infectious medical waste	Verify that records concerning infectious medical waste are kept for at least 3 yr after the date of disposal. (1)(3)			
(FGS-UK 8-13).	Verify that such records include the following information:			
	<ul> <li>type of waste</li> <li>amount of waste (by volume or weight)</li> <li>treatment (if any), including date of treatment</li> <li>disposition, including date of disposition, and, if the waste is transferred to host nation facilities, receipts acknowledging the above three items.</li> </ul>			
	•			
	•			

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BES (Bioenvironmental Services) (4) Base Staff Judge Advocate

Table 9-1

Treatment and Disposal Methods for Infectious Medical Waste (FGS-UK, Table 8-1)

Type of Medical Waste	Method of Treatment	Method of Disposal
Microbiological	Steam sterilization Chemical disinfection Incineration	MSWLF <sup>1</sup>
Pathological	Incineration <sup>2</sup> Cremation	MSWLF Burial Cremation
Bulk blood	3	Domestic wastewater treatment plant
Suction canister waste	None	Domestic wastewater treatment plant Incineration
Sharps in sharps containers	Steam sterilization Incineration	MSWLF

<sup>1</sup> Consult the relevant requirements of this section for standards for solid waste landfills.

<sup>&</sup>lt;sup>2</sup> Placentas may also be ground and discharged to a domestic wastewater treatment plant that complies with the standards of Section 12, Wastewater Management.

<sup>&</sup>lt;sup>3</sup> Bulk blood known to be infectious must be treated by incineration or steam sterilization before disposal.

INSTALLATION:	SOLID WASTE MANAGEMENT United Kingdom ECAMP		DATE:	REVIEWER(S):
STATUS				
NA C RMA		EVIEWER COMME		
ļ				
			٠	
	•			•
	•			
·				•
		•		
·				
		·		
				·
				-

# **SECTION 10**

# STORAGE TANK MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 10**

#### STORAGE TANK MANAGEMENT

### A. Applicability of this Section

This section applies to U.S. Air Force (USAF) installations that have aboveground storage tanks (ASTs) and/or underground storage tanks (USTs), whether or not those tanks are organizational tanks and regardless of the nature of their contents; that is, it addresses the management of ASTs and USTs, whether they are used to store hazardous substances, hazardous waste, or POL.

The regulatory requirements in this section are based on Department of Defense (DOD) regulations and Air Force Instructions (AFIs) that apply at overseas installations. Management Practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to follow to preserve the health and safety of Air Force (AF) employees and protect the environment.

#### **B.** DOD Directives/Instructions

• Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 9, outlines the criteria for the control and abatement of pollution from the storage, transfer, and distribution of petroleum products. Chapter 6 of that document addresses hazardous waste tank systems, and Chapter 19 details requirements for USTs in general.

#### C. U.S. Air Force Documents

- AFI 23-201, Fuels Management, 1 October 1996, provides managers at all AF activities with policy and procedures for fuels operations.
- Air Force Manual (AFM) 85-16, *Maintenance of Petroleum Systems*, governs the maintenance of permanently installed storage and dispensing systems for petroleum and unconventional fuels.

#### D. Responsibility for Compliance

- The Safety Manager is responsible for conducting workplace safety evaluations and inspections of
  the handling and storage of hazardous materials and waste. The Safety Manager will provide the
  appropriate manager with a report of his or her findings and recommended corrective actions. The
  Safety Manager is also responsible for ensuring the prompt and accurate investigation of any hazardous material mishaps that result in injury or property damage.
- The Base Fuels Management Officer (BFMO) is responsible for the safe and efficient receipt, storage, handling, issuing, and accounting of all petroleum products and for all general operations and inspections.
- The Base Civil Engineer (BCE) is responsible for the maintenance of all installed petroleum storage and dispensing systems. This responsibility often is discharged by the Liquid Fuels Maintenance (LFM) shop. The BCE also is responsible for the calibration of permanently installed meters.

- The Base Environmental Coordinator (BEC) monitors all POL activities that may affect the environment and usually is responsible for the coordination of the EPC review and updates of the spill plan. The BEC often coordinates notification of reportable spills on behalf of the IOSC.
- The Bioenvironmental Engineering Services (BES) takes samples to determine the chemical nature, pollutant concentration, and extent of each reportable-quantity spill as required for response actions and documentation.

#### E. Definitions

- Bulk Petroleum Products liquid petroleum products transported by various means and stored in tanks or containers having an individual fill capacity greater than 250 L (approximately 66 gal) (AFI 23-201, Attachment 1).
- Bulk Storage Tanks field-erected tanks, usually having a capacity greater than 190,000 L (50,000 gal), and constructed aboveground or belowground (FGS-UK 20).
- Hazardous Substance any substance having the potential to do serious harm to human health or the environment if spilled or released in a reportable quantity. A listing of these substances and corresponding reportable quantity is contained in Table 4-1, Chart A.4. The term does not include (FGS-UK 20):
  - 1. petroleum, including crude POL or any fraction thereof, that is not otherwise specifically listed or designated as a hazardous substance above
  - 2. natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas).
- Hazardous Substance Underground Storage Tank (UST) a UST that contains a hazardous substance (but not including hazardous waste as defined in Section 4, Hazardous Waste Management) or any mixture of such substances and petroleum, and which is not a petroleum UST (FGS-UK 20).
- Hazardous Waste (HW) a discarded material that may be solid, semisolid, liquid, or contained gas and either exhibits a characteristic of a hazardous waste in Table 4-1, Section A-1 or is listed as a hazardous waste in Table 4-1, Chart A.4 (FGS-UK 20).
- Hazardous Waste Storage Area (HWSA) a location on a DOD installation where more than 208 L (55 gal) of hazardous waste or 1 L (1 qt) of acute hazardous waste from any one waste stream is stored prior to shipment for treatment or disposal (FGS-UK 20).
- Hazardous Waste Storage Area Manager a person or agency on the installation assigned the operational responsibility for receiving, storing, inspecting, and general management of the installation's HWSA or HWSA program (FGS-UK 20).
- Incompatible Wastes wastes are incompatible when their mixture causes reactions which: (FGS-UK 20)
  - 1. generate extreme heat or pressure, fire or explosions, or violent reactions
  - 2. produce uncontrolled toxic mists, fumes, dusts, or gasses in sufficient quantities to threaten human health or the environment
  - 3. produce uncontrolled flammable gasses in sufficient quantities to pose a risk of fire or explosion

4. damage the structural integrity of the storage device or the environment.

(NOTE: See 40 Code of Federal Regulations (CFR) 264.17(b) and Appendix V for examples of potentially incompatible wastes.)

- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- New Underground Storage Tank any UST the installation or significant modification of which began on or after 1 October 1994 (FGS-UK 20).
- Oil POL of any kind or in any form, including, but not limited to, petroleum, fuel POL, sludge, POL refuse, and POL mixed with wastes other than dredged spoil (FGS-UK 20).
- Organizational Fuel Tank any tank, other than integral vehicle tanks or hand-carried safety cans, not under exclusive fuels management control. (AFI 23-201, Attachment 5, Section B).
- POL includes, but is not limited to, petroleum and petroleum-based substances comprised of complex blends of hydrocarbons derived from crude oil through processes of separation, conversion, upgrading, and finishing, such as motor fuels, residual fuel oils, lubricants, petroleum solvents, and used oils (FGS-UK 20).
- POL Facility an installation with any individual aboveground tank of 2500 L (660 gal) or greater, aggregate aboveground storage of 5000 L (1320 gal) or greater, UST storage of greater than 15,900 L (4200 gal) or a pipeline facility as identified in the definition of a UST (FGS-UK 20).
- Reportable Quantity (RQ) a released quantity of POL or quantities of hazardous substances that
  exceeds those identified in this section of the manual or in the RQ column, Table 4-1, Chart A.4
  (FGS-UK 20).
- Significant Spill an uncontained release to the land or water in excess of any of the following quantities (FGS-UK 20):
  - 1. for hazardous waste or hazardous substance identified as a result of inclusion in Table 4-1, Chart A.4, any quantity in excess of the reportable quantity listed therein
  - 2. for POL or liquid or semi-liquid hazardous material, hazardous waste or hazardous substance, in excess of 416 L (110 gal)
  - 3. for other solid hazardous material, in excess of 225 kg (500 lb).
- Spill a spill can occur and must be rectified for any amount. Only significant spills need be reported (see Significant Spill) (FGS-UK 20).
- Storage Tank a fixed container designed to store POL (FGS-UK 20).
- Treatment any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, recover energy or material resources from the waste, or render such waste nonhazardous, or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume (FGS-UK 20).

- Underground Storage Tank (UST) any tank, including underground piping connected thereto, larger than 416 L (110 gal) that is used to contain POL products or hazardous substances and the volume of which, including the volume of connected pipes, is 10 percent or more beneath the surface of the ground, but does not include (FGS-UK 20):
  - 1. tanks containing heating oil used for consumptive use on the premises where it is stored
  - 2. septic tanks
  - 3. stormwater or wastewater collection systems
  - 4. flow through process tanks
  - 5. surface impoundments, pits, ponds, or lagoons
  - 6. field constructed tanks
  - 7. hydrant fueling systems.

#### STORAGE TANK MANAGEMENT

### **GUIDANCE FOR CHECKLIST USERS**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations	10-1 through 10-3	(1)(2)(12)
ASTs	10-4 through 10-14	(1)(3)(4)(5)(7)
USTs		
General	10-15 through 10-20	(1)(2)(3)(4)(5)(7)(9)(13)
New USTs	10-21 through 10-23	(1)(3)(4)(7)(8)(13)
Existing USTs	10-24 through 10-26	(1)(3)(4)(7)(13)
Leaking USTs	10-27 through 10-29	(1)(3)(4)(13)
Additional Requirements for	_	
Hazardous Substance USTs	10-30 through 10-32	(2)(5)(11)(13)
Hazardous Waste Tank Systems	10-33 through 10-41	(1)(2)(5)(13)

### (a) CONTACT/LOCATION CODE:

- (1) BEC (Base Environmental Coordinator)
- (2) BCE (Base Civil Engineer)
- (3) BFMO (Base Fuels Management Office)
- (4) LFM (Liquid Fuels Maintenance)
- (5) BES (Bioenvironmental Engineering Services)
- (6) Base Fire Department
- (7) Power Production
- (8) AAFES (Army/Air Force Exchange Service) Service Station Manager
- (9) Generating Activities
- (10) Vehicle Maintenance Shop
- (11) Safety Officer
- (12) Base Staff Judge Advocate
- (13) Hazardous Waste Storage Area Manager

### STORAGE TANK MANAGEMENT

#### **Records To Review**

- UST inventory
- Records of all spills, leaks, and associated site assessment/cleanup activities

### **Physical Features To Inspect**

- Aboveground storage tanks and dikes
- UST areas

### **People To Interview**

- BEC (Base Environmental Coordinator)
- BCE (Base Civil Engineer)
- BFMO (Base Fuels Management Office)
- LFM (Liquid Fuels Maintenance)
- BES (Bioenvironmental Engineering Services)
- Base Fire Department
- Power Production
- AAFES (Army/Air Force Exchange Service) Service Station Manager
- Generating Activities
- Vehicle Maintenance Shop
- Safety Officer
- Base Staff Judge Advocate
- Hazardous Waste Storage Area Manager

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
ALL INSTALLATIONS	
10-1. Copies of all relevant DOD directives/instructions, U.S. Air Force (USAF) directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(12)  (NOTE: Among the relevant documents are the following:  - AFI 23-201, Fuels Management, 1 October 1996  - AFM 85-16, Maintenance of Petroleum Systems.)
10-2. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning storage tank management have been issued since the finalization of the manual. (1)(2)(12)  Verify that the installation is in compliance with newly issued regulations.
10-3. All fuel tanks controlled by BFMO must be equipped with high-level alarms and/or automatic high-level shut-off valves (AFI 23-201, para A10.1).	Verify that all fuel tanks controlled by BFMO have high-level alarms and/or automatic high-level shut-off valves. (3)  (NOTE: This requirement applies to both ASTs and USTs under the control of BFMO.)  Verify that BFMO has established safe fill levels below the high-level alarm level.
ASTs  10-4. All ASTs must have secondary containment that is impermeable to petroleum products (AFI 23-201, para A10.1).	Verify that all ASTs have secondary containment that is impermeable to petroleum products. (3)(4)
10-5. Secondary containment for bulk POL ASTs must meet specific requirements (FGS-UK 9-2.A and FGS-UK 9-2.B).	Verify that, for all bulk POL ASTs, the secondary means of containment has sufficient capacity for the entire contents plus sufficient free board to allow for precipitation and expansion of product. (1)(3)(4)(7)  Verify that the permeability of diked areas does not exceed 10 <sup>-7</sup> cm/s [≈4 x 10 <sup>-8</sup> in./s].

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

10 - 9

United Kingdom ECAMI			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
10-6. Dikes around bulk ASTs should be inspected daily (MP).	Verify that dikes are inspected daily. (3)		
	Verify that any deficiencies noted on AFTO Form 39 have been corrected.		
	(NOTE: This MP also applies to diking around tanks that are not under exclusive fuels management control.)		
10-7. Drainage of stormwater from diked areas around bulk POL ASTs	Verify that drainage of stormwater from diked areas around bulk ASTs is controlled by a valve. (3)(4)		
must be controlled by a valve (FGS-UK 9-2.C).	Verify that such valves are locked closed when not in active use.		
<b>10-8.</b> Certain good management practices should	Verify that drainage valves are attended when open. (3)(4)		
be followed when tending diked areas around bulk POL ASTs (MP).	Verify that drainage water is tested to determine whether it represents a harmful discharge.		
·	Verify that water drained from diked areas does not cause a harmful discharge.		
	Verify that personnel draining the diked areas know how to identify a discharge.		
10-9. Drainage water from diked areas around bulk POL ASTs that is	Verify that, prior to draining stormwater from diked areas, the water is inspected for petroleum sheen. (3)(4)		
determined to contain petroleum products in harmful quantities must	Verify that any sheen is collected with adsorbent material prior to drainage, or treated using an oil-water separator.		
be treated before discharge (FGS-UK 9-2.D and AFI 23-201, para	Verify that the adsorbent material is disposed of according to any hazardous characteristics it exhibits.		
A10.1).	Verify that drainage water that contains residual petroleum products or hazardous chemicals is not discharged.		
10-10. The BCE, LFM, and BFMO should have a memorandum of agreement (MOA) pertaining to draining of floating roof tanks and interior	Verify that a MOA has been prepared and signed or coordinated through the BES and the BEC. (1)(3)(4)(5)		
	Verify that copies of the MOA are on file at BFMO, the Service Call Desk, LFM, BEC, BCE, and BES.		
dike basins (MP).	(NOTE: This MP is based on guidelines found in AFM 85-16, Attachment 5.)		

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

10 - 10

United Kingdom ECAMP						
REGULATORY REQUIREMENTS;	REVIEWER CHECKS: February 1997					
10-11. Washwater and sludge resulting from periodic tank cleaning	Verify that tank cleaning wastes are tested for hazardous characteristics as defined in Table 4-1, Section A-2. (1)(3)(4)					
must be tested for hazard- ous characteristics (FGS- UK 9-3).	Verify that tank bottom waters that are periodically drained from bulk storage tanks are collected and tested for hazardous characteristics.					
	Verify that wastes that test positive for hazardous characteristics are handled as hazardous waste.					
	Verify that wastes not testing positive for hazardous characteristics are disposed of in accordance with Section 9, Solid Waste Management or Section 12, Wastewater Management.					
10-12. ASTs should undergo periodic integ-	Verify that periodic leak tests have been conducted. (1)(3)(4)(7)					
rity testing (MP).	(NOTE: A decrease in converted fuel volume equal to or greater than 0.65 cm [0.25 in.] constitutes a suspected leak).					
	(NOTE: Such techniques as the following may be employed to test tank integrity: - hydrostatic testing - visual inspection - a system of nondestructive shell thickness testing.)					
	Verify, that the BCE, Environmental Coordinator, and Safety Officer have been notified of all confirmed leaks.					
	Verify that leaking tanks have been repaired or replaced.					
10-13. Fuels personnel must be present for all inoculations of leak detection chemicals in BFMO-controlled bulk	Verify that fuels personnel are present for all inoculations of leak detection chemicals in BFMO-controlled bulk ASTs. (3)					
ASTs (AFI 23-201, para A10.3).	•					
10-14. Installations should inspect MOGAS,	Verify that inspections have been conducted as required. (1)(3)(4)(7)					
diesel, kerosene, and aviation fuel test cell storage	Verify that leaking or deteriorated tanks have been repaired or replaced.					
tanks periodically (MP).	Verify that leaks were reported to the BCE, Environmental Coordinator, and Safety Officer.					
	1					

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

10 - 11

Office Kingdom ECAMF							
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997						
USTs							
General							
10-15. Installations must maintain a UST inventory (FGS-UK 19-1).	Verify that the installation has an inventory of USTs (including hazardous substance USTs). (1)(2)(13)						
10-16. Installations should use UST systems made of or lined with materials compatible with the substance stored (MP).	Verify that the substances stored in UST systems are compatible with the system. (1)(7)(13)						
10-17. The filling of a	Verify that controls are in use that prevent overfilling and spilling. (1)(3)(4)(13)						
UST should include the prevention of overfilling and spilling of the substance (MP).	(NOTE: It is useful to observe the filling operations, to review records for reports, and to check surrounding grounds for visible or odorous indications of contaminated soil.)						
	Verify that the level of the UST is checked before a transfer is made.						
	Verify that fill lines are capped and locked.						
10-18. UST systems with corrosion protection should meet specific	Determine which UST systems at the installation have corrosion protection. (1)(3)(4)(7)(13)						
requirements (MP).	Verify that the corrosion protection system operates continuously to provide corrosion protection to the metal components that routinely contain regulated substances and are in contact with the ground.						
·	Verify that all cathodic protection systems are tested within 6 mo after installation and every 3 yr thereafter.						
	Verify that UST systems with impressed current cathodic protection are inspected every 60 days.						
	Verify that inspection records are maintained of the last three inspections for systems with impressed current cathodic protection and of the last two inspections for all other cathodic protection systems.						
	Verify that new USTs are appropriately protected from corrosion.						
	Verify that the voltage is greater than -0.85 V, but not more than -3.0 V (monthly), for impressed current systems.						

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997					
10-18. (continued)	Verify that the voltage is greater than -0.85 V, but not more than -3.0 V (biannually), for sacrificial anode systems.					
	Verify that leak detection and failure are reported.					
<b>10-19.</b> Repairs to USTs should be performed according to industry standards (MP).	Verify that the following procedures are used to repair USTs: (1)(3)(4)(7)(13)  - fiberglass reinforced tanks are repaired by the manufacturer's authorized representative or according to industry standards  - metal pipe fittings and sections that have leaked because of corrosion are replaced, whereas fiberglass may be repaired according to manufacturer's specifications.					
	Verify that tanks and piping that have been replaced or repaired are tested for tightness within 30 days.					
	(NOTE: Tanks and piping need not be tested if: - repairs are internally inspected - repaired portion is already monitored monthly - an equally protective test is used.)					
	Verify that, within 6 mo of repair, tanks with cathodic protection systems are tested as follows:					
	<ul> <li>every 3 yr thereafter for all cathodic protection systems</li> <li>every 60 days for impressed current cathodic protection systems.</li> </ul>					
	Verify that records of repairs are maintained for the life of the tank.					
10-20. Fuels personnel must be present for all inoculations of leak detection chemicals in BFMO-controlled bulk USTs (AFI 23-201, para A10.3).	Verify that fuels personnel are present for all inoculations of leak detection chemicals in BFMO-controlled bulk USTs. (3)					
New USTs	(NOTE: These requirements apply to USTs for POL and to those for hazardous substances.)					
10-21. New tanks and piping must have corrosion protection (FGS-UK	Determine whether any USTs have been installed since 1 October 1994. (1)(3)(13)  Verify that such new tanks and piping have corrosion protection.					
19-2.A).	(NOTE: This requirement does not apply if the tanks and/or piping are constructed of fiberglass or other noncorrodible materials.)					

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/ Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

10 - 13

Officed Kingdom ECANIF									
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997								
10-21. (continued)	Verify that the corrosion protection system is certified by a competent authority.								
10-22. New USTs must be fitted with spill and overfill prevention equip-	Verify that new USTs have spill and overflow prevention equipment. (1)(3)(4)(7)(8)(13)								
ment (FGS-UK 19-2.B).	(NOTE: This equipment is not required if the UST system is filled by transfers of no more than 95 L (25 gal) at one time.)								
	Verify that, where spill and overfill prevention are required, a spill containment box is installed around the fill pipe.								
	Verify that USTs are fitted with one of the following methods of overfill prevention:								
	<ul> <li>an automatic shut-off device set at 95 percent of tank capacity</li> <li>a high level alarm set at 90 percent of tank capacity.</li> </ul>								
10-23. Leak detection systems on new USTs must meet specific operating requirements (FGS-UK 19-2.C).	n new USTs leak rate or a release of 460 L (150 gal) (or 1 percent tank volume, whichever specific operations (FGS- false alarm of not more than 0.05. (1)(3)(13)								
OK 17-2.0).	Verify that USTs installed after 1 October 1994 use one of the following leak detection methods:								
	<ul> <li>automatic tank gauging</li> <li>vapor monitoring</li> <li>groundwater monitoring</li> <li>interstitial monitoring.</li> </ul>								
	Verify that new pressurized piping is equipped with automatic line leak detectors.								
	Verify that suction piping is subject either to line tightness tests every 3 yr or to monthly monitoring.								
Existing USTs	(NOTE: These requirements apply to USTs for POL and to those for hazardous substances.)								
10-24. Existing USTs and piping must be properly closed if not needed	Verify that existing USTs and piping without leak detection are tightness tested annually according to recognized U.S. standards and inventoried monthly to verify system tightness. (1)(3)(4)(7)(13)								
or be upgraded or replaced to meet new UST standards by 1 October 2004 (FGS-UK 19-3 and 19-3.A).	Verify that a replacement and upgrading program is in place.								

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

United Kingdom ECAMP						
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997					
10-25. USTs that are put out of service temporarily should have continued maintenance (MP).	Verify that proper maintenance is being performed for corrosion protection and release detection. (1)(3)(4)(13)					
10-26. If an existing UST has not been used for 1 yr, all of the product	Determine whether there are USTs at the installation that have not been used for 1 yr or more. (1)(3)(4)(13)					
and sludges must be removed and the tank	Verify that they were either cleaned and filled with an inert substance or removed.					
either cleaned and filled with an inert substance or	(NOTE: Water is not an inert substance.)					
removed (FGS-UK 19-3.C).	Verify that tank wastes are tested for hazardous characteristics.					
	(NOTE: See Section 4, Hazardous Waste Management.)					
Leaking USTs	(NOTE: These requirements apply to USTs for POL and to those for hazardous substances.)					
10-27. Leaking USTs must be removed from	Verify that leaking USTs are removed from service immediately. (1)(3)(4)(13)					
service immediately (FGS-UK 19-3.B).	Verify that contaminated groundwater and/or soil are remediated.					
(1 65 611 15 6.2).	Verify that, if the USTs are no longer needed, they are removed from the ground.					
	Verify that, if the USTs are still needed, they are repaired or replaced.					
10-28. Installations with a confirmed release from	Verify that the following information is collected: (1)(3)(4)(13)					
a petroleum or hazardous	- data on the nature and estimated quantities of the release					
substance UST should assemble information	<ul> <li>data from available sources and/or site investigations concerning:</li> <li>surrounding population</li> </ul>					
about the site and nature	- water quality					
of the release (MP).	<ul> <li>use and approximate locations of wells potentially affected</li> <li>subsurface soil conditions</li> </ul>					
	- locations of subsurface sewers					
	- climatological conditions - land use					
	- results of site check					
	- results of free product investigation.					

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

	United Kingdom ECAMP							
	REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997						
	10-29. Installations with a confirmed release from a petroleum or hazardous	Determine whether there are release sites where the presence of free product has been confirmed. (1)(3)(4)(13)						
	substance UST, where site investigations have indicated free product, should, to the maximum extent possible, remove the free product (MP).	Verify that free product is removed in such a way that the spread of contamination is minimized.						
	Additional Require- ments for Hazardous Substance USTs							
	<b>10-30.</b> Existing hazardous substance USTs must meet specific standards (FGS-UK 19-5).	Verify that existing hazardous substance tanks and piping are either upgraded or replaced to meet the requirements for new hazardous substance tanks and piping by 1 January 1999. (2)(13)						
		Verify that existing tanks and piping that do not incorporate leak detection are tightness tested annually and inventoried monthly.						
	<b>10-31.</b> New hazardous substance USTs and piping must have secondary	Verify that new hazardous substance USTs and their associated piping have secondary containment. (2)(13)						
	containment (FGS-UK 19-2.A and 19-4.A).	(NOTE: The standards for secondary containment can be met by using double-walled tanks and piping, liners, or vaults.)						
	10-32. Installations must monitor the interstitial space between the primary and secondary containment of new hazardous substance USTs monthly (FGS-UK 19-4.B).	Verify that the interstitial space for tanks and piping is monitored monthly for liquids or vapors. (2)(13)						
L								

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

United Kingdom ECAMI					
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997				
HAZARDOUS WASTE TANK SYSTEMS					
10-33. Secondary containment must be in place for tank systems used to store or treat hazardous waste (FGS-UK 6-8.A	(NOTE: This requirement applies to: - all new tank systems or components, prior to being put into service - existing tank systems when an annual leak test detects leakage - tanks systems that store or treat hazardous wastes by 1 January 1999.)				
and 6-8.D).	Verify that such tank systems have secondary containment that is: (1)(2)(13)				
	- designed, installed, and operated to prevent the migration of wastes or accumulated liquid out of the system				
	<ul> <li>capable of detecting and collecting releases and accumulated liquids until removal is possible</li> </ul>				
	- constructed to include one or more of the following: - a liner external to the tank				
	- a vault - a double-walled tank.				
	<ul> <li>(NOTE: The provisions of this checklist item do not apply to: <ul> <li>tank systems used to store or treat hazardous wastes that contain no free liquids and are situated inside a building with an impermeable floor</li> <li>tank systems, including sumps, that serve as part of a secondary containment system to collect or contain releases of hazardous wastes.)</li> </ul> </li> </ul>				
10-34. Tank ancillary equipment should also be	Verify that ancillary equipment has secondary containment. (1)(2)(13)				
provided with secondary containment (MP).	<ul> <li>(NOTE: The following equipment is exempted from this MP:         <ul> <li>aboveground piping that is visually inspected for leaks on a daily basis</li> <li>welded flanges, welded joints, and welded connections that are visually inspected for leaks on a daily basis</li> <li>sealless or magnetic coupling pumps and sealless valves that are visually inspected for leaks on a daily basis</li> <li>pressurized aboveground piping systems with automatic shutoff valves that are</li> </ul> </li> </ul>				
	visually inspected for leaks on a daily basis.)				
10-35. Existing tank systems without proper secondary containment must	Verify that, for tank systems without proper secondary containment, an annual determination is made as to whether the tank system is leaking or is fit for use. (1)(2)(13)				
meet specific standards (FGS-UK 6-8.B).	Verify that the installation obtains, and keeps on file at the Hazardous Waste Storage Area (HWSA), a written assessment of tank system integrity reviewed and certified by a competent authority.				

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

United Kingdom ECAMP						
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997					
10-36. When new tank systems or components are installed, HWSA managers must obtain an assessment certifying	Verify that the HWSA manager has received a written assessment that the tank system has sufficient structural integrity and is acceptable for the storage and treatment of hazardous waste. (1)(2)(13)  Verify that the assessment indicates:					
that the tank system is acceptable (FGS-UK 6-8.C).	<ul> <li>that the foundation, structural support, seams, connections, and pressure controls are adequately designed</li> <li>that the tank system has sufficient structural strength, compatibility with the waste(s), and corrosion protection to ensure that it will not collapse, rupture, or fail.</li> </ul>					
	Verify that the written assessment has been reviewed and certified by a competent authority.					
10-37. Tanks used for hazardous waste treatment or storage must be operated in accordance with specific procedures (FGS-UK 6-8.E.1).	Verify that hazardous wastes or treatment reagents are not placed in tanks if the could cause the tank system (including ancillary equipment or containment system to fail. (1)(2)(13)					
10-38. Tank systems for ignitable, reactive, or incompatible wastes	Verify that ignitable or reactive wastes are not placed in a tank system unless one of the following conditions is met: (1)(2)(13)					
should meet specific requirements (MP).	<ul> <li>the waste is treated, rendered, or mixed before or immediately after placement in the tank system so that it is no longer reactive or ignitable, and the minimum requirements for reactive and ignitable wastes are met</li> <li>the waste is treated or stored in such a way that it is protected from any material or conditions that may cause the waste to ignite or react</li> <li>the tank system is used solely for emergencies.</li> </ul>					
	Verify that the installation maintains minimum protective distances between waste management areas and any public ways, streets, alleys, or an adjoining property line that can be built upon, as required in Tables 2-1 through 2-6 of the National Fire Protection Association's (NFPA) Flammable and Combustible Liquids Code.					
	Verify that, unless minimum safety requirements are met, incompatible wastes, or incompatible wastes and materials, are not placed in the same tank system.					
	Verify that, unless minimum safety requirements are met, hazardous waste is not placed in a tank system that:					
·	- previously held an incompatible waste or material - has not been decontaminated.					

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

United Kingdom ECAMF							
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997						
10-39. Installations must conduct inspections of tank systems and associated equipment (FGS-UK 6-8.E.2 and 6-8.E.3).	Verify that the installation conducts and logs inspections of the following at least once each operating day: (1)(2)(13)  - aboveground portions of the tank system, to detect corrosion or releases - data gathered from monitoring and leak detection equipment (e.g., pressure and temperature gauges, monitoring wells), to ensure that the tank system is being operated according to its design - the construction materials and the area surrounding the tank, including the secondary containment system to detect erosion or signs of leakage (wet spots and dead vegetation).  Verify that the proper operation of cathodic protection systems is confirmed within 6 mo after initial installation and annually thereafter.  Verify that all sources of impressed current are inspected and/or tested every other month.  Verify that the installation manager documents all tank system inspections in the operating record of the HWSA.						
10-40. Installations must meet specific requirements with regard to tank systems or secondary containment systems from which there has been a leak or spill, or that are unfit for use (FGS-UK 6-8.F).	Verify that such systems are immediately removed from service and repaired or closed. (1)(2)(5)(13)  Verify that the installation also takes the following steps:  - stops the flow or addition of hazardous wastes to the tank - inspects systems to determine the cause of the release - contains the visible release and prevents further migration of the leak or spill to soils or surface water - removes and properly disposes of any contamination of the soil and surface water - completes required notifications and reports.						
10-41. Installations must follow specific procedures when closing a tank system (FGS-UK 6-8.G).	Determine whether the installation has closed any tank systems. (1)(2)(5)(13)  Verify that all waste residues and contaminated containment system components, soils, structures, and equipment have been removed or decontaminated to the greatest extent practicable.						

<sup>(1)</sup> BEC (Base Environmental Coordinator) (2) BCE (Base Civil Engineer) (3) BFMO (Base Fuels Management Office) (4) LFM (Liquid Fuels Maintenance) (5) BES (Bioenvironmental Engineering Services) (6) Base Fire Department (7) Power Production (8) AAFES (Army/Air Force Exchange Service) Service Station Manager (9) Generating Activities (10) Vehicle Maintenance Shop (11) Safety Officer (12) Base Staff Judge Advocate (13) HWSA (Hazardous Waste Storage Area) Manager

10 - 19

INSTALLATION:		STORA	COMPLIANCE CATEGORY: STORAGE TANK MANAGEMENT United Kingdom ECAMP			DATE:	REVIEWER(S):		
S	TATU	JS			DEVIE	WER COM	MENTS	!•	
NA C		RMA			KEVIE	WER COM	WILLIAM	•	
			ė						
									·
							•		
						•			
						•			
						•			

# **SECTION 11**

# TOXIC SUBSTANCES MANAGEMENT

United Kingdom ECAMP

#### **SECTION 11**

#### TOXIC SUBSTANCES MANAGEMENT

#### A. Applicability of this Section

This section applies to all U.S. Air Force (USAF) installations overseas; it is written in response to regulations and policy that are applicable to the conduct of activities that involve these programs and is used to determine the compliance status of the management activities associated with:

- Polychlorinated Biphenyls (PCBs) and in-service and out-of-service PCB Items
- asbestos in schools and on the installation
- the AF Radon Assessment and Mitigation Program (RAMP)
- Lead-Base Paint (LBP).

The regulatory requirements in this section are based on the Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), Department of Defense (DOD) regulations, and Air Force Instructions (AFIs) that apply at overseas installations. Management practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to follow to preserve the health and safety of AF employees and protect the environment.

#### **B.** DOD Directives/Instructions

Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 14, discusses the actions and controls needed to abate threats to human health and the environment from the handling, use, storage, and disposal of PCBs. Chapter 15 addresses similar issues for asbestos, and Chapter 16 outlines the criteria for assessing and mitigating radon.

#### C. U.S. Air Force Documents

#### **PCBs**

- There are no AFIs on PCBs; FGS-UK addresses issues previously covered by various policy letters.
- HQ USAF/CE Letter, Air Force Policy on Measuring Air Force PCB-Free Status Action Memorandum, 21 March 1994, revises how the Air Force's PCB-free status is measured. Instead of measuring the number of PCB items rendered PCB-free, the new metric is the number of installations that are PCB-free based on data in the PCB Module of the Work Information Management System Environmental Subsystem (WIMS-ES).

#### Asbestos

AFI 32-1052, Facility Asbestos Management, 22 March 1994, establishes requirements and assigns
responsibilities to incorporate facility asbestos management principles and practices into all AF programs.

• Air Force Occupational Safety and Health (AFOSH) Standard 161-4, *Exposure to Asbestos*, January 1980, also contains information on asbestos requirements and control.

#### Radon

 There are no AFIs on radon; FGS-UK is the source for all radon-related checklist items in this manual.

#### **LBP**

 HQ USAF Policy Letter, Air Force Policy and Guidance on Lead-Based Paint (LBP) in Facilities, 24 May 1993, specifies actions necessary to protect facility occupants and workers and the environment from hazardous exposure to lead in LBPs. Table 11-1 summarizes the likelihood of LBP being present and the regulations/guidelines that normally must be followed.

#### D. Responsibility for Compliance

#### **PCBs**

- The Base Civil Engineer (BCE), through the Exterior Electrical Shop or the Base Environmental Coordinator, is responsible for identifying, inspecting, marking (labeling), and properly servicing PCB electrical equipment (transformers and capacitors).
- The Base Environmental Coordinator (BEC) is responsible for ensuring that out-of-service items are located in a technically adequate PCB storage facility. Normally, such facilities are located at a Defense Reutilization and Marketing Office (DRMO), and the DRMO is responsible for storage, disposal transportation, and contracting for disposal.
- The Bioenvironmental Engineering Services (BES) is responsible for arranging chemical analytical support in screening electrical equipment for PCBs and for cleanup verification.

#### Asbestos

- The BCE appoints an Asbestos Program Officer to prepare the Asbestos Management Plan and an Asbestos Operations Officer to prepare the Asbestos Operating Plan. The BCE ensures a sufficient number of in-house technicians and supervisors are trained and equipped to remove, repair, and control asbestos-containing materials (ACMs).
- The Asbestos Program Officer prepares the Asbestos Management Plan, that contains documentation on all asbestos management efforts and the mechanism for oversight of the program.
- The Asbestos Operations Officer prepares and implements the Asbestos Operating Plan.
- The BES takes air samples, evaluates friable materials for the preservation of asbestos, and assigns Risk Assessment Codes (RACs).

#### Radon

• The BCE is responsible for reviewing radon assessments planning and programming and for instituting radon mitigation for existing and future facility projects.

• The BES is responsible for sampling radon gas levels at installation offices, housing, day care facilities, etc. The BES provides these sample results to the BCE. The BES is also responsible for mitigation.

#### **LBP**

- The BCE participates in developing and implementing the management plan for identifying, evaluating, managing, and abating LBP. Additionally, the BCE trains personnel and maintains records of activities.
- The Chief, Aerospace Medicine ensures a coordinated epidemiological analysis of facility lead sampling results and sees to it that positive pediatric lead analysis is accomplished.
- The BES conducts testing and sampling of paint to determine the lead content. The BES participates in inspections and training activities as well.

#### E. Definitions

- Asbestos a generic term used to describe six distinctive varieties of fibrous mineral silicates, including chrysotile, amosite, crocidolite, tremolite asbestos, anthophylite asbestos, actinolite asbestos, and any other of these materials that have been chemically treated and/or altered (FGS-UK 20).
- Asbestos-Containing Material (ACM) any material containing more than 1 percent asbestos by weight (FGS-UK 20).
- Capacitor a device for accumulating and holding a charge of electricity and consisting of conducting surfaces separated by a dielectric (FGS-UK 20).
- Chemical Waste Landfill a landfill at which a high level of protection against risk of injury to human health or the environment from migration of deposited PCBs to land, water, or the atmosphere is provided by incorporating special methods for locating, engineering, and operating the landfill (FGS-UK 20).
- Detailed Radon Testing a comprehensive testing program for radon (FGS-UK 20).
- High-Priority Facilities with respect to LBP, facilities or portions of facilities that are or may be frequented/used by children under age seven, which are further prioritized as follows (USAF/CC Policy Letter, 24 May 1993, AF Guidance on LBP in Facilities, Section 5a):
  - 1. child development centers, annexes, and playground equipment
  - 2. onbase AF licensed family day care homes
  - 3. youth centers, recreational facilities, and playgrounds
  - 4. waiting areas in medical and dental treatment centers
  - 5. AF-maintained DOD schools
  - 6. military family housing (MFH) currently occupied by families with children under age seven
  - 7. remaining MFH.
- In or Near Commercial Buildings within the interior of, on the roof of, attached to the exterior wall of, in the parking area serving, or within 30 m [~98 ft] of a nonindustrial, nonsubstation building (FGS-UK 20).

- *Incinerator* an engineered device using controlled flame combustion to thermally degrade PCBs and PCB Items. Examples include rotary kilns, liquid injection incinerators, cement kilns, and high temperature boilers (FGS-UK 20).
- Leak or Leaking any instance in which a PCB article, PCB container, or PCB equipment has any PCBs on any portion of its external surface (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Marking the marking of PCB Items and PCB storage areas and transport vehicles by means of applying a legible mark by painting, fixation of an adhesive label, or by any other method that meets the criteria of FGS-UK (FGS-UK 20).
- Mitigation actions taken to reduce radon levels in facilities having radon levels higher than 4 pCi/L as identified during detailed radon testing (FGS-UK 20).
- *PCB Article* any manufactured article, other than a PCB container, that contains PCBs and whose surface(s) has been in direct contact with PCB. This includes capacitors, transformers, electric motors, pumps and pipes (FGS-UK 20).
- PCB Article Container any package, can, bottle, bag, barrel, drum, tank, or other device used to
  contain PCB articles or PCB equipment, and whose surface(s) has not been in direct contact with
  PCBs (FGS-UK 20).
- PCB Container any package, can, bottle, bag, barrel, drum, tank, or other device used to contain PCBs or PCB articles, and whose surface(s) has been in direct contact with PCBs (FGS-UK 20).
- PCB-Contaminated Electrical Equipment any electrical equipment including, but not limited to, transformers, capacitors, circuit breakers, reclosers, voltage regulators, switches, electromagnets, and cable that contain 50 ppm or greater PCB, but less than 500 ppm PCB (FGS-UK 20).
- PCB Equipment any manufactured item, other than a PCB container or a PCB article container, that contains a PCB article or other PCB equipment, and includes microwave ovens, electronic equipment, and fluorescent light ballasts and fixtures (FGS-UK 20).
- *PCB Item* any PCB article, PCB container, manufactured item containing PCB components, or electrical equipment that deliberately or unintentionally contains, or has as a part of it, any PCB at a concentration of 50 ppm or greater (FGS-UK 20).
- PCB Transformer any transformer that contains 500 ppm PCB or greater (FGS-UK 20).
- Permissible Exposure Limit (PEL) an airborne concentration of 0.2 of an asbestos fiber per cubic centimeter (f/cc) as an 8-h time-weighted average (FGS-UK 20).
- Post-Mitigation Monitoring follow-up radon testing in facilities where mitigation has been completed. The purpose of post-mitigation monitoring is to ensure that mitigation actions were effective in reducing radon levels below 4 pCi/L (FGS-UK 20).

- Radon a naturally occurring, odorless, colorless, inert radioactive gas that is formed from the radioactive decay of uranium (FGS-UK 20).
- Substantial Contact Area an area that is subject to public access on a routine basis or which could result in substantial dermal contact by employees (FGS-UK 20).

## TOXIC SUBSTANCES MANAGEMENT GUIDANCE FOR CHECKLIST USERS

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
PCB Management		
All Installations	11-1 and 11-2	(1)(2)
General	11-3 and 11-4	(1)(2)(3)
PCB Records	11-5 through 11-8	(1)(2)(3)
PCB Transformers	11-9 through 11-17	(1)(2)(3)
Other PCB Items	11-18 through 11-20	(3)
PCB Spills	11-21 through 11-23	(1)(2)(3)
PCB Storage	11-24 through 11-26	(1)(3)
PCB Disposal	11-27 through 11-39	(1)(3)(4)(5)(6)
Asbestos Management		·
All Installations	11-40 through 11-41	(1)(2)
General	11-42 through 11-48	(1)(9)(10)
Personnel Safety	11-49 and 11-50	(1)(9)(10)
Renovation and Demolition	11-51 through 11-55	(1)(7)(9)(10)

#### (a) CONTACT/LOCATION CODE:

- (1) BCE (Environmental Planning)
- (2) BES (Bioenvironmental Engineering Services)
- (3) BCE (Exterior Electric Shop)
- (4) DRMO (Defense Reutilization and Marketing Office)
- (5) BCE (Contract Programmer)
- (6) BCE (Contract Management)
- (7) BCE (Chief of Operations and Maintenance)
- (8) School Principal
- (9) Asbestos Program Officer
- (10) Asbestos Operating Officer
- (11) SJA (Staff Judge Advocate)
- (12) Base Safety Officer
- (13) PAO (Public Affairs Officer)

#### TOXIC SUBSTANCES MANAGEMENT

#### **GUIDANCE FOR CHECKLIST USERS (continued)**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
Asbestos Management (conti	nued)	
Asbestos Disposal	11-56 through 11-59	(1)(2)(9)(10)
Asbestos in Schools	11-60	(8)(9)
Radon Management		
All Installations	11-61 through 11-71	(1)(2)
Lead-Based Paint (LBP)		
All Installations	11-72 through 11-81	(1)(2)

#### (a) CONTACT/LOCATION CODE:

- (1) BCE (Environmental Planning)
- (2) BES (Bioenvironmental Engineering Services)
- (3) BCE (Exterior Electric Shop)
- (4) DRMO (Defense Reutilization and Marketing Office)
- (5) BCE (Contract Programmer)
- (6) BCE (Contract Management)
- (7) BCE (Chief of Operations and Maintenance)
- (8) School Principal
- (9) Asbestos Program Officer
- (10) Asbestos Operating Officer
- (11) SJA (Staff Judge Advocate)
- (12) Base Safety Officer
- (13) PAO (Public Affairs Officer)

#### TOXIC SUBSTANCES MANAGEMENT

#### **Records To Review**

- Inspection, storage, maintenance, and disposal records for PCBs/PCB Items
- PCB Equipment inventory and sampling results
- · Asbestos management plan
- Asbestos survey documentation
- · Documentation of asbestos sampling and analytical results
- Documentation of preventive measure or action
- Results of air sampling at the conclusion of response action
- · Records of asbestos training program
- · List of buildings insulated with asbestos or housing ACMs
- Record of demolition or renovation projects completed in the past 5 yr that involve friable asbestos
- Records of radon tests
- · LBP Hazard Abatement Plan

#### **Physical Features To Inspect**

- PCB storage areas
- Equipment, fluids, and other items, used or stored at the facility, that contain PCBs
- Pipe, spray-on, duct, and troweled cementitious insulation, and boiler lagging
- · Ceiling and floor pipes

#### **People To Interview**

- BCE (Environmental Planning)
- BES (Bioenvironmental Engineering Services)
- BCE (Exterior Electric Shop)
- DRMO (Defense Reutilization and Marketing Office)
- BCE (Contract Programmer)
- BCE (Contract Management)
- BCE (Chief of Operations and Maintenance)
- School Principal
- Asbestos Program Officer
- Asbestos Operating Officer
- (SJA) Staff Judge Advocate
- · Base Safety Officer
- (PAO) Public Affairs Officer

	United Kingdom Berivii
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
PCB MANAGEMENT	
All Installations	
11-1. Copies of all relevant DOD directives/instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(11)  (NOTE: Among the relevant documents is HQ USAF/CE Letter, Air Force Policy on Measuring Air Force PCB-Free Status - Action Memorandum, 21 March 1994.)  .
11-2. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether new regulations concerning PCBs have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.
General	
11-3. PCB Items (see definition) and rooms,	Verify that PCB Items and rooms, vaults, or storage rooms that contain them are prominently marked in English. (1)(3)
vaults, or storage rooms that contain them must be	Verify that the items or areas are identified as containing PCBs.
marked in English (FGS-UK 14-1.C).	Verify that there is a warning against improper handling and disposal.
	Verify that a phone number is provided for use in the event of spills or questions about disposal.
11-4. Installations must repair or replace leaking PCB Transformers within	Verify that the installation repairs or replaces leaking PCB Transformers within 48 h. (1)(2)(3)
48 h or as soon as possible (FGS-UK 14-1.G).	Verify that leaking PCB fluids are containerized.

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
PCB Records		
11-5. Certain installations should prepare written annual document logs by 1 July of each calendar year (MP).	Determine whether at any time the installation uses or stores any of the following: (1)(2)(3)  - more than 45 kg [99.4 lb] of PCBs in PCB Containers - PCB Transformers with concentrations of 50 ppm or greater - one or more large PCB capacitors of high or low-voltage.  Verify that, by 1 January of each calendar year, the installation prepares a written annual log that covers the previous year.  Verify that the written annual document log addresses the following:  - identification of facility - calendar year covered - manifest number for every manifest generated - total number (by type) of PCB Articles, PCB Article Containers, and PCB Containers placed into storage for disposal or disposed of during the calendar year of:  - PCBs in PCB Articles - contents of PCB Articles - contents of PCB Article Container - contents of PCB Containers - bulk PCB waste  - a list of PCBs and PCB Items remaining in service at the end of the calendar year  - the total weight of any PCBs and PCB Items in containers including identification of container contents and the total number of PCB Transformers, PCB large capacitors of high- and low-voltage, and the total weight of PCBs in PCB Transformers - a record of each telephone call or other form of verification to confirm the receipt of PCB waste transported by independent transport.	

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-5. (continued)	Verify that the annual document log contains the following for each manifest, for each unmanifested waste, and for any PCBs or PCB Items received from or shipped from another facility owned or operated by the generator:
	<ul> <li>date removed from service for disposal (first date material placed in PCB Container)</li> <li>date placed into transport for offsite storage/disposal</li> <li>date of disposal (if known)</li> <li>weight of PCB wastes <ul> <li>total bulk PCB wastes</li> <li>total in each article (PCB Transformers or capacitors)</li> <li>total in each container (PCB Containers)</li> <li>total weight of contents and of the PCB Article (in kilograms) in each PCB Article Container</li> </ul> </li> </ul>
	<ul> <li>serial number or other unique identification number (except for bulk wastes)</li> <li>description of the contents of PCB Containers and article containers.</li> </ul>
	Verify that the following information is provided in the annual record:
	<ul> <li>all signed manifests generated or received at the facility during the calendar year</li> <li>all certificates of disposal that have been generated or received during the calendar year.</li> </ul>
	Verify that the annual document log and annual records (manifests, certificates of disposal) are kept for at least 5 yr after the facility stops using or storing PCBs and PCB Items in the listed quantities.
11-6. Installations with PCB Item's must maintain	Verify that the installation maintains a written inventory of PCB Items. (1)(3)
a written inventory of those PCB Items (FGS-UK 14-1.D).	Verify that the inventory contains a current list, by type, of all PCB Items in use, placed into storage for disposal, or disposed of for that year.
11-7. All required periodic inspections must be documented at the installation (FGS-UK 14-1.F).	Verify that all required periodic inspections are documented at the installation. (1)(3)

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-8. Installations must retain records of inspections and maintenance histories for 3 yr after disposal of a transformer (FGS-UK 14-1.F).	Determine whether the installation has disposed of any transformers. (1)(3)  Verify that records of inspections and maintenance histories are retained for at least 3 yr after the disposal of a transformer.	
PCB Transformers (500 ppm or greater)	·	
11-9. Certain PCB transformers must not be used in any application that poses a risk of contamination to food or feed (FGS-UK 14-2.A).	Verify that no PCB transformer that is in use or in storage for reuse poses a risk of contamination to food or feed. (1)(3)	
11-10. Certain PCB transformers must be equipped with electrical protection (FGS-UK 14-2.C).	Verify that PCB transformers that are used in or near commercial buildings or located in sidewalk vaults have electrical protection to minimize transformer failure that would result in the release of PCBs. (1)(3)	
11-11. PCB transformers must be registered with the fire department (FGS-UK 14-2.B).	Verify that all PCB transformers with PCB concentrations greater than 500 ppm, including those in storage for reuse, are registered with the fire department. (1)(3)  (NOTE: It would be useful to provide the following information: - physical location of PCB transformer(s) - principle constituent of dielectric fluid (i.e., PCBs, mineral oil, silicone oil, etc.) - name and telephone number of contact person knowledgeable of PCB transformer(s).)	
11-12. Combustible materials should not be stored near PCB transformers (MP).	Verify that all combustible materials have been removed from areas within PCB transformer enclosures (i.e., vaults or partitioned areas) and from areas within 5 m [16 ft] of a PCB transformers or their enclosures. (1)(3)  (NOTE: Combustible materials include, but are not limited to, paints, solvents, plastics, paper, and scrap wood.)	

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-13. PCB transformers must be serviced properly (FGS-UK 14-2.E).	Verify that servicing activities are properly conducted as follows: (1)(3)  - transformers classified as PCB-contaminated electrical equipment are serviced only with dielectric fluid that contains less than 500 ppm PCB  - the transformer coil is not removed during servicing  - PCBs removed during servicing are captured and either reused or disposed of properly  - the PCBs from a PCB transformer are not mixed with or added to dielectric fluid from PCB-contaminated electrical equipment  - dielectric fluids containing less than 500 ppm that are mixed with fluids containing 500 ppm or greater are not used as dielectric fluid in any electrical equipment  - dielectric fluids containing 500 ppm or greater are not used as dielectric fluid in any transformers classified as PCB-contaminated electrical equipment.  (NOTE: PCB transformers may be serviced with dielectric fluid at any concentration.)
11-14. Installations must inspect certain PCB transformers (FGS-UK 14-1.G, 14-2.F, and 14-2.H).	Verify that leaking PCB transformers that have not been repaired or replaced are inspected daily. (1)(3)  Verify that in-service PCB transformers are inspected at least once every 3 mo.  Verify that the following are inspected at least every 12 mo:  - PCB transformers with impervious, undrained secondary containment capacities of 100 percent of dielectric fluid - PCB transformers that have been tested and found to contain less than 60,000 ppm PCBs.  (NOTE: It would be useful to record the following information as part of each PCB transformer inspection: - location of transformer - dates of each visual inspection - date when any leak was discovered - name of person conducting inspection - location and estimate of the quantity of any leaks - data and description of any cleanup, containment, or repair performed - results of any daily inspections of transformers with uncorrected active leaks.)
11-15. Personnel who discover leaking PCB transformers should follow proper reporting procedures (MP).	Verify that personnel who discover leaking PCB transformers follow proper reporting procedures. (1)(3)

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

	REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
	11-16. PCB transformers that have been removed and stored for reuse must	Verify that PCB transformers are returned to their original application and location and not used at another location. (1)(3)	
	be returned to their original application and loca-	(NOTE: This restriction does not apply if there is no practical alternative to use at another location.)	
	tion only (FGS-UK 14-2.D).	Verify that such alternative use does not exceed 1 yr.	
	11-17. Installations must take specific actions if a PCB transformer is involved in a fire (FGS-	Verify that, if a PCB transformer is involved in a fire and subjected to sufficient heat and/or pressure that might result in violent or nonviolent rupture, measures are taken to control water runoff. (1)(2)(3)	
	UK 14-2.G).	Verify that runoff water is tested and treated if required.	
		(NOTE: Blocking floor drains is one way to control water runoff.)	
	Other PCB Items		
	11-18. Installations must service electromagnets, switches, and volt-	Verify that PCB-contaminated electrical equipment is serviced only with dielectric fluid that contains less than 500 ppm PCB. (3)	
	age regulators that may contain PCBs at any con-	Verify that the installation does not service any electromagnets, switches, or voltage regulators that contain PCB concentrations of 500 ppm or greater.	
	centration in accordance with specific standards (FGS-UK 14-3.A).	(NOTE: This restriction applies only if it is necessary to remove and rework any internal components as part of service.)	
		Verify that PCBs removed during servicing are captured and either reused as dielectric fluid or disposed of properly.	
		Verify that PCBs from electromagnets, switches, and voltage regulators with a PCB concentration of at least 500 ppm are not mixed with or added to dielectric fluid from PCB-contaminated electrical equipment.	
		Verify that dielectric fluids that contain 500 ppm or greater are not used as dielectric fluid in any electromagnets, switches, and voltage regulators classified as PCB-contaminated electrical equipment.	
L			

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-19. Installations must meet specific requirements with regard	Verify that the installation does not use PCB large capacitors (whether of high or low voltage) that pose an exposure risk to food or feed. (3)
to the use and storage of PCB large capacitors	Verify that the installation does not store such capacitors for use.
(FGS-UK 14-3.B).	Verify that the installation uses PCB large capacitors (whether of high or low voltage) only in restricted-access electrical substations or in contained and restricted-access indoor areas.
	Verify that there is no public access to such capacitors that have been installed indoors.
	Verify that such capacitors have been installed indoors only where the roof, walls, and floor are adequate to contain any release of PCBs.
11-20. When PCB items are removed from service, they must be marked	Determine whether the installation is storing any PCB items that have been removed from service. (3)
with the removal date (FGS-UK 14-3.C).	Verify that all PCB items removed from service are marked with the date on which they were removed from service.
PCB Spills	
11-21. Installations must address PCBs in	Determine whether the installation has any PCB items. (1)(2)(3)
their spill contingency	Verify that PCB items are addressed in the spill contingency plan.
and 14-4.A.5).	(NOTE: This requirement also applies to PCB items in temporary storage.)
	Determine whether PCB storage facilities for PCBs and PCB items at concentrations of 500 ppm or greater are located where they are at risk from seismic activity, floods, or other natural events.
	Verify that the installation's spill contingency plan addresses such storage facilities directly.
	(NOTE: See Section 8, Petroleum, Oil, and Lubricant (POL) Management, for further details on the contents of the spill contingency plan).

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-22. Spills of PCB liquids at concentrations of 50 ppm or greater must be	Verify that the installation responds immediately to spills of PCB liquids at concentrations of 50 ppm or greater. (1)(2)(3)
responded to immediately and cleaned up according to specific stan-	Verify that surfaces located in substantial contact areas are cleaned to 10 $\mu g$ per $100 \text{ cm}^2  [\approx 15 \text{ in.}^2]$ .
dards (FGS-UK 14-1.B).	Verify that surfaces in all other contact areas are cleaned to 100 $\mu g$ per 100 cm <sup>2</sup> [ $\approx 15$ in. <sup>2</sup> ].
	Verify that contaminated soil located in restricted access areas is removed until the soil tests no higher than 25 ppm PCB.
	Verify that the area is then backfilled with clean soil containing less than 1 ppm PCB.
	Verify that contaminated soil located in unrestricted access areas is removed to a minimum depth of 25 cm (10 in.) or until the soil tests no higher than 10 ppm PCB, whichever is deeper.
	Verify that the area is then backfilled with clean soil containing less than 1 ppm PCB.
11-23. Installations should clean up spills in	Determine whether any of the following types of spills have occurred: (1)(2)(3)
accordance with good practice (MP).	<ul> <li>high-concentration spills</li> <li>low-concentration spills involving 0.45 kg [1 lb] or more of PCBs by weight</li> <li>spills of 1023 L [270 gal] or more of untested mineral oil.</li> </ul>
	Verify that the following actions are taken within 24 h of discovering the spill:
	<ul> <li>the area of the spill is cordoned off or otherwise identified to include the area with visible traces of the spill and a 2-ft [≈61 cm] buffer zone</li> <li>clearly visible signs are placed advising people to avoid the area</li> <li>the area of visible contamination is recorded and documented, identifying the extent and center of the spill</li> <li>cleanup of visible traces of the fluid from hard surfaces is initiated</li> <li>removal of all visible traces of the spill on soil and other media, such as gravel, sand, etc., is started.</li> </ul>
	(NOTE: If there are no visible traces, the area of the spill may be estimated.)
	Verify that, if the spill occurs in an outdoor substation:
	<ul> <li>contaminated solid surfaces are cleaned to a PCB concentration of 100 μg/cm<sup>2</sup> [≈0.16 in.<sup>2</sup>] (as measured by standard wipe tests)</li> <li>soil contaminated by the spill is cleaned to either 25 ppm PCB by weight or 50 ppm PCB</li> <li>postcleanup samples are collected.</li> </ul>

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-23. (continued)	(NOTE: The installation may choose the level to which cleanup is conducted if notice is placed in the area to indicate the level of cleanup.)
	Verify that, if the spill occurs in a restricted access area other than an outdoor substation:
	<ul> <li>high-contact solid surfaces are cleaned to 10 μg per 100 cm² [≈15 in.²] (as measured by standard wipe tests)</li> <li>low-contact, indoor, impervious solid surfaces are decontaminated to 10 μg per 100 cm² [≈15 in.²]</li> <li>low-contact, indoor, nonimpervious surfaces are cleaned to either 10 or 100 μg per 100 cm² [≈15 in.²] and encapsulated at the option of the installation</li> <li>low-contact, outdoor surfaces (both impervious and nonimpervious) are cleaned to 100 μg per 100 cm² [≈15 in.²]</li> <li>soil contaminated by the spill is cleaned to 25 ppm PCB by weight</li> <li>postcleanup samples are collected.</li> </ul>
	Verify that spills in nonrestricted access locations are decontaminated as follows:
	<ul> <li>furnishings, toys, and other easily replaceable household items are disposed of and replaced</li> <li>indoor solid surfaces and high-contact, outdoor solid surfaces are cleaned to 10 μg per 100 cm² [≈15 in.²] (as measured by standard wipe tests)</li> <li>indoor vault areas and low-contact, outdoor, impervious solid surfaces are decontaminated to 10 μg per 100 cm² [≈15 in.²]</li> <li>at the option of the installation, low-contact, outdoor, nonimpervious solid surfaces are cleaned to either 10 or 100 μg per 100 cm² [≈15 in.²] and encapsulated</li> <li>soil is decontaminated to 10 ppm PCB by weight provided that the soil is excavated to a minimum depth of 25 cm or 10 in. [≈25 cm] and replaced with clean soil</li> <li>postcleanup samples are collected.</li> </ul>
	Verify that records documenting all cleanup and decontamination are maintained for 5 yr.
	(NOTE: Neither the occurrence/discovery of the spill on the weekend nor overtime costs are considered acceptable reasons for delaying response.)
	(NOTE: The final numerical cleanup standards do not apply to spills directly into surface waters, drinking water, sewers, grazing lands, and vegetable gardens.)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
PCB Storage	
11-24. PCBs and PCB items at concentrations greater than 50 ppm that are to be stored before disposal must be stored in a facility that will ensure the containment of PCBs (FGS-UK 14-4.A through 14-4.C).	Verify that PCB storage areas meet the following requirements: (1)(3)  - the roof and walls of the building in which the PCBs are stored are constructed so as to prevent rainfall from contacting PCBs and PCB items - a 15 cm (6 in.) containment berm surrounds the entire area in which PCBs or PCB items are stored berming provides effective containment for twice the internal volume of the largest PCB article or 25 percent of the total internal volume of all PCB articles or containers stored, whichever is greater - drains, valves, floor drains, expansion joints, sewer lines, or other openings that would allow liquids to flow from the bermed area are not present - floors are constructed of continuous, smooth, and impervious material.  Verify that, as far as possible, new storage areas are located to minimize the risk of release because of seismic activity, floods, or other natural events.  (NOTE: The following items may be stored for up to 30 days from the date of removal from service in areas that do not meet the above requirements: - nonleaking PCB articles and PCB equipment - leaking PCB articles and PCB equipment placed in a nonleaking PCB container that contains sufficient sorbent material to absorb liquid contained on the PCB article or equipment
	<ul> <li>PCB containers in which nonliquid PCBs have been placed</li> <li>PCB containers in which liquid PCBs at a concentration between 50 and 500 ppm have been placed when containers are marked to indicate 500 ppm or less PCB.)</li> </ul>
1	Verify that the above items are inspected weekly while in temporary storage.
	(NOTE: Nonleaking and structurally undamaged large, high-voltage PCB capacitors and PCB-contaminated electric equipment that have not been drained of free-flowing dielectric fluid may be stored on pallets next to a storage area that meets the requirements above.)
	Verify that the above nonleaking items are inspected weekly.
11-25. Installations must inspect all other storage areas than the above at least monthly (FGS-UK 14-4.D).	Verify that all storage areas other than those covered by FGS-UK 14-4.A through 14-4.C (see checklist item 11-24) are inspected monthly. (3)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-26. Containers used for the storage of PCBs must be as secure as those conforming with the Defense Traffic Management Regulations (FGS-UK 14-4.E).	Verify that containers used for the storage of PCBs are at least as secure as those that conform to the Defense Traffic Management Regulations. (3)
PCB Disposal	
11-27. Installations must return DOD-generated PCBs manufactured in the United States to the Continental United States (CONUS) for delivery to a permitted disposal facil-	Determine whether UK or third-country disposal of DOD-generated PCBs manufactured in the United States is not possible, is prohibited, or will not be managed in an environmentally sound manner. (3)(5)(6)   Verify that the installation returns DOD-generated PCBs manufactured in the United States to the CONUS for delivery to a permitted disposal facility in the above circumstances.
ity under certain conditions (FGS-UK 14-5.N).	
11-28. Installations that generate PCB waste of 50 ppm or greater PCB must maintain an audit trail for the waste (FGS-UK 14-5.A).	Verify that the installation maintains an audit trail at least as stringent as the audit trail required for hazardous waste. (1)(3)(5)(6)
11-29. Installations	Verify that all PCB items are disposed of through the DRMO. (1)(3)(4)(5)(6)
must dispose of PCB Items through the DRMO only (FGS-UK 14-1.E).	Verify that the PCB items are accompanied by a Hazardous Waste Profile Sheet.
,	(NOTE: The requirements of FGS-UK 7-1 apply to PCB items (see checklist item 9-14).)
11-30. Installations must dispose of PCB-contaminated liquids in accordance with specific	Verify that PCB-contaminated dielectric fluids with concentrations of greater than 500 ppm are disposed of in an incinerator with 99.9 percent combustion efficiency. (4)
requirements (FGS-UK 14-5.B and 14-5.C).	Verify that PCB-contaminated dielectric fluids with concentrations of 50 ppm to 500 ppm are only disposed of in an incinerator with at least 99.9 percent combustion efficiency.
. •	

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-31. PCB-contaminated electrical equipment must have the free-	Verify that the free-flowing liquid is drained from electrical equipment prior to disposal as a municipal solid waste. (3)(4)	
flowing liquid drained off prior to disposal (FGS-UK 14-5.H).	(NOTE: This requirement does not apply to capacitors.)	
11-32. Rags, soils, and other debris contaminated with PCBs at concentrations greater than 50 ppm must be incinerated (FGS-UK 14-5.D).	Verify that rags, soils, and other debris contaminated with PCBs at concentrations greater than 50 ppm are disposed of in an incinerator with at least a 99.9 percent combustion efficiency. (3)(4)	
11-33. PCB transformers must be disposed of in certain ways (FGS-UK	Verify that the installation is disposing of PCB transformers in an incinerator with at least a 99.9 percent combustion efficiency or in a chemical waste landfill. (3)(4)	
14-5.E).	Verify that transformers disposed of in landfills and all their inner workings are drained of all free-flowing liquids prior to disposal.	
11-34. PCB capacitors must be disposed of in accordance with certain	Verify that the installation is disposing of PCB capacitors in an incinerator with at least a 99.9 percent combustion efficiency. (3)(4)	
requirements (FGS-UK 14-5.F).	(NOTE: Small PCB capacitors may be disposed of in a solid waste landfill, unless large quantities (more than 100 lb [≈45 kg]) are identified at the same time.)	
11-35. PCB hydraulic machines may be disposed of as municipal	Verify that no PCB hydraulic machines are disposed of as MSW unless the following conditions are met: (3)(4)	
solid waste (MSW) under certain conditions (FGS-UK 14-5.G).	<ul> <li>machines containing PCBs at concentrations of 50 ppm or greater are drained of all free-flowing liquid</li> <li>machines containing PCB liquid of 1000 ppm or greater are flushed prior to disposal with a solvent that contains less than 50 ppm PCB.</li> </ul>	
<b>11-36.</b> PCB articles must be disposed of properly (FGS-UK 14-5.I).	Verify that PCB articles with concentrations at 500 ppm or greater are disposed of in either: (3)(4)	
	<ul> <li>an incinerator with 99.9 percent combustion efficiency</li> <li>a chemical waste landfill, if all free-flowing liquids have first been drained off.</li> </ul>	
	Verify that PCB articles with PCB concentration between 50 and 500 ppm are drained of all free-flowing liquid.	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-37. PCB containers must be disposed of properly (FGS-UK 14-5.J and 14-5.M).	Verify that PCB containers with concentrations of 500 ppm or greater are disposed of in one of the following ways: (3)(4)	
	<ul> <li>in a incinerator with 99.9 percent combustion efficiency</li> <li>in a chemical waste landfill, if the container is first drained of all free-flowing liquids.</li> </ul>	
	Verify that PCB containers used to contain only PCBs at concentrations less than 500 ppm are disposed of as municipal solid waste only after draining off all free-flowing liquid.	
11-38. When PCB fluids,	Verify that the boiler is rated at a minimum of 50 MBtu/h. (3)(4)	
items, or articles are disposed of in a high temperature boiler, specific procedures must be followed (FGS-UK 14-5.K).	Verify that, if the boiler used natural gas or oil as the primary fuel, the CO concentration in the stack is 50 ppm or less and the excess O <sub>2</sub> is at least 3 percent when PCBs are being burned.	
	Verify that, if the boiler uses coal as the primary fuel, the CO concentration in the stack is 100 ppm or less and the excess O <sub>2</sub> is at least 3 percent when PCBs are being burned.	
	Verify that the mineral oil dielectric fluid:	
	- does not comprise more than 10 percent by volume of the total fuel feed rate - is not fed into the boiler unless the boiler is operating at its normal operating temperature	
	- is not fed into the boiler during startup or shutdown.	
	Verify that the performance of the boiler is continuously monitored for CO and excess O <sub>2</sub> percentage in the stack gas while burning mineral oil dielectric fluid.	
	(NOTE: If the boiler is burning less than 112,500 L (30,000 gal) of mineral oil dielectric fluid per year, monitoring is required at least every 60 min.)	
	Verify that the primary fuel feed rates, mineral oil dielectric fluid feed rates, and the total quantities of both primary fuel and mineral oil dielectric fluid fed to the boiler are measured and recorded at least every 15 min.	
	Verify that the flow of mineral oil is stopped if the CO or excess O <sub>2</sub> limits are exceeded.	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-39. Specific procedures must be followed when PCB fluids, items, or articles are disposed of in an incinerator (FGS-UK 14-5.L).	Verify that the combustion criteria require maintenance of the introduced liquids for a 2 s dwell time at 1200 °C, $\pm$ 100 °C (2200 °F, $\pm$ 212 °F), and 3 percent excess O <sub>2</sub> in the stack gas or maintenance of the introduced liquids for a 1.5 s dwell time at 1600 °C, $\pm$ 100 °C (3050 °F, $\pm$ 212 °F) and 2 percent excess O <sub>2</sub> in the stack gas. (3)(4)	
	Verify that combustion efficiency is maintained at no less than 99.9 percent.	
	Verify that the rate and quantity of PCBs that are fed to the combustion system are measured and recorded at regular intervals of not more than 15 min.	
	Verify that the temperature of the incineration process is continuously measured and recorded.	
	Verify that the flow of PCBs to the incinerator stops automatically if temperature criteria are not met.	
	Verify that sufficient monitoring is conducted to establish that an incinerator to be used for disposal for the first time is operating within the above parameters.	
·	Verify that O <sub>2</sub> and CO are monitored continuously during incineration of PCBs.	
	Verify that CO <sub>2</sub> is monitored periodically during incineration of PCBs.	
·		

United Kingdom ECAM	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
ASBESTOS MANAGEMENT	
All Installations	
11-40. Copies of all relevant DOD directives/ instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(11)  (NOTE: Among the relevant documents are the following:  - AFI 32-1052, Facility Asbestos Management, 22 March 1994  - AFOSH Standard 161-4, Exposure to Asbestos, January 1980.)
11-41. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether new regulations concerning asbestos management have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.
General  11-42. Installations must appoint an asbestos program manager (FGS-UK 15-1).	Verify that the installation has an asbestos program manager who serves as the single point of contact for all asbestos-related activities. (1)(9)

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-43. Installations must prepare and implement a written asbestos	Verify that the installation has prepared and implemented a written asbestos management plan. (1)(9)(10)	
management plan that meets specific minimum	Verify that, at a minimum, the plan addresses the following:	
requirements (FGS-UK 15-2 and AFI 32-1052, paras 2.4 and 5).	- a notification and education program to tell workers, tenants, and building occupants where potentially friable ACM is located and how and why to avoid disturbing it	
	- regular ACM surveillance to note, assess, and document any changes in the ACM's condition	
	<ul> <li>work control/permit systems to control activities which might disturb ACM</li> <li>operations and maintenance (O&amp;M) work practices to avoid or minimize fiber release during activities affecting ACM</li> </ul>	
	<ul> <li>recordkeeping to document O&amp;M activities related to asbestos identification, management, and abatement</li> <li>medical and respiratory protection programs, as applicable</li> </ul>	
	- training for the asbestos program manager and custodial and maintenance staff - procedures to assess and prioritize identified hazards for abatement.	
	(NOTE: According to AFI 32-1052, para 5, the objective of the asbestos management plan is to maintain a permanent record of the current status and condition of all asbestos containing material in an installation's facility inventory.)	
	(NOTE: Since an installation cannot know the current status of all ACM in its facility inventory without conducting an asbestos survey, this FGS requirement is understood to necessitate the carrying out of such a survey. If the installation has not conducted a full-blown asbestos survey, a major finding to that effect will be written using this checklist item.)	
11-44. Installations must have a written asbestos operating plan	Verify that the installation has prepared and implemented an asbestos operating plan. (1)(9)(10)	
that meets specific mini- mum requirements (AFI	Verify that the operating plan:	
32-1052, paras 2.4 and 6).	<ul> <li>assigns responsibilities</li> <li>establishes inspection and repair capabilities</li> <li>provides repair procedures and personnel protection instructions</li> </ul>	
	- explains applicable USEPA and Occupational Safety and Health Administration (OSHA) rules, Air Force Policy Directive (AFPD) 32-70, and AFI 91-301.	
	·	

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-44. (continued)	Verify that the operating plan addresses:
	<ul> <li>the organizational structure for carrying out asbestos-related work</li> <li>personnel training programs</li> <li>equipment and supply requirements</li> <li>identification of worker manuals or other written procedures</li> <li>yearly budget estimates</li> <li>procedures for interim control measures and extraordinary precautions</li> <li>procedures for asbestos certification and asbestos disposition statements on programming documents</li> <li>requirements for a special response team and in-house inspection capability</li> <li>contractor requirements to perform analytical work and asbestos abatement.</li> </ul>
11-45. Installations must repair or remove damaged ACM and monitor friable ACM (AFI 32-1052, para 2.1 and 2.3).	Verify that damaged ACM is removed or repaired. (1)(9)(10)  Verify that friable asbestos is routinely inspected by reviewing inspection logs.  (NOTE: Damaged ACM is presumed to be hazardous because of its potential to release airborne asbestos fibers.)
11-46. Friable materials that may be contaminated with asbestos should be tested (MP).	Verify that friable materials suspected of being contaminated are tested when located in areas where workers might be exposed. (1)(9)(10)
11-47. Installations must include complete removal of ACM in planning operations and maintenance and military construction program facility projects (AFI 32-1052, para 2.2.3).	Verify that the installation includes complete removal of ACM in planning operations and maintenance and military construction program facility projects, when safety and budgetary considerations permit. (1)(9)(10)
11-48. Installations must remove existing ACM at opportune times during minor construction or repairs (AFI 32-1052, para 2.2.4).	Verify that the installation removes existing ACM at opportune times during minor construction or repairs. (1)(9)(10)  (NOTE: This can be verified by reviewing written documentation in the installation's Asbestos Management Plan.)

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

Office Kinguon ECAM		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
Personnel Safety		
11-49. Installations should provide personnel working with asbestos with proper education and training (MP).	Verify that workers are provided with appropriate training. (1)(9)(10)  Verify that a procedure exists to notify individuals occupationally exposed to asbestos.	
11-50. The installation must not expose employees, visitors, or contractors to airborne asbestos concentrations above the PEL without appropriate personal protective equipment (PPE) (FGS-UK 15-3).	Verify that individuals are not exposed to airborne asbestos concentrations above the PEL unless they wear PPE. (1)(9)(10)	
Renovation and Demolition		
11-51. Prior to renovation or demolition, the installation must determine whether ACM will be removed or disturbed and record the determination in the project authorization document (work order) (FGS-UK 15-4.A).	Verify that facilities are surveyed for ACM prior to renovation and/or demolition and that the determination of action is noted on the work order. (1)(7)(9)(10)	
11-52. A written assessment must be prepared and furnished to the Installation Commander prior to certain actions (FGS-UK 15-4.B).	Verify that a written assessment is produced prior to the demolition or renovation of a facility that involves removing or disturbing ACM. (9)(10)  Verify that a copy of the written assessment is kept on file permanently.	

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAWF	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-53. Installations must remove certain types of ACM prior to any renovation or demolition (FGS-UK 15-4.C).	Verify that, before renovating or demolishing any facility or any part of a facility in which ACM is found, the installation removes: (9)(10)  - all friable ACM - ACM with a high degree of probability of becoming friable once disturbed.
11-54. Installations must remove ACM when it poses a threat to release airborne asbestos fibers and cannot be reliably repaired or isolated (FGS-UK 15-5.A).	Verify that ACM that poses a threat has been removed. (9)(10)
11-55. Installations must meet specific criteria before and during the removal of asbestos (FGS-UK 15-5.B).	Verify that all workers are trained prior to the removal. (1)(7)(9)(10)  Verify that monitoring programs are in place during asbestos removal to document exposure levels.  Verify that all workers involved in the removal use properly fitted respiratory protection and PPE.  Verify that appropriate engineering controls and work practices are used to contain and control asbestos fiber releases for all asbestos removal that has the potential to release airborne asbestos fibers in concentrations greater than the PEL.
Asbestos Disposal	
11-56. Installations must dispose of asbestoscontaining waste materials in accordance with specific standards (FGS-UK 15-6).	Verify that all ACM waste is adequately wetted, sealed in a leak-proof container, and properly disposed of in accordance with the requirements of Section 9, Solid Waste Management. (1)(9)(10)  Verify that containers bear a label such as that found in Table 11-2.  Verify that containers are accompanied by a Hazardous Waste Profile Sheet.  Verify that permanent records are maintained that document the disposal action and site.

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-57. It is recommended that installations follow certain practices	Verify that containers are so designed, constructed, and maintained that none of the contents can escape in the course of normal handling. (1)(9)
in their handling of asbestos waste (FGS-UK 15-6.A and 15-6.B).	Verify that double plastic sacks are used for raw fiber, friable waste, and other asbestos waste in small fragments.
0.11 and 15 0.2).	Verify that, when double sacks are used, the inner sack is not overfilled.
·	Verify that, when double sacks are used, each sack is capable of being securely tied or sealed.
	Verify that air is excluded from the sack as far as possible before sealing it.
	(NOTE: Stronger containers are necessary if the waste contains sharp objects that are likely to puncture a plastic bag.)
	Verify that large pieces of rigid material are not broken or cut for disposal in plastic sacks.
	(NOTE: Such objects should be wrapped intact in sheet plastic or other suitable material, or placed in a sealed container such as a totally enclosed skip.)
	Verify that open skips used for the disposal of asbestos waste are tightly and securely sheeted with a tarpaulin or similar strong material.
11-58. Active waste disposal sites where ACM is being disposed of should	Determine whether the installation operates a landfill where asbestos is being disposed of. (1)(2)
meet specific standards (MP).	Verify that there are no visible emissions from active asbestos-containing waste disposal sites, or that:
	<ul> <li>at the end of each operating day, or once in a 24-h period, the waste material is covered with either at least 15 cm (6 in.) of compacted non-ACM</li> <li>a resinous or petroleum based dust suppression agent is applied (waste crankcase oil is not suitable for this purpose)</li> <li>an approved alternative method of control is used.</li> </ul>
	Verify that the waste is either properly covered daily by non-ACM or that proper warning signs and fences are installed and maintained as follows:
	<ul> <li>warning signs are displayed at all entrances at intervals of 100 m (330 ft) or less along the property line of the site or the perimeter of the section of the site where ACMs are disposed of and the signs state that the site contains asbestos and warn against creating dust</li> <li>the area is adequately fenced.</li> </ul>

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-58. (continued)	(NOTE: The requirement above does not apply if a natural barrier exists that deters access by the general public.)
	Verify that a record is kept of the location, depth, and area of asbestos-containing waste on a map or diagram of the disposal area.
11-59. Inactive waste disposal sites should meet specific standards (MP).	Verify that inactive waste disposal sites meet one of the following criteria: (1)(2)  - no visible emissions are discharged - asbestos-containing waste material (ACWM) is covered with at least 15 cm (6 in.) of compacted non-ACM, and a vegetation cover is grown and maintained (in desert areas where vegetation is difficult to maintain, at least 8 cm (3 in.) of additional well-graded, nonasbestos-containing crushed rock may be used instead) - the ACWM is covered with at least 60 cm (2 ft) of non-ACM, and the cover is maintained to prevent exposure.  Verify that warning signs and a fence are installed to deter public access.  (NOTE: This requirement does not apply if a natural barrier to public access exists.)  Verify that easily legible warning signs are displayed at all entrances and at intervals of 100 m (330 ft) or less that indicate that the area is an asbestos waste disposal site.  Verify that a procedure is in place to notify the administrator in writing at least 45 days prior to excavating or disturbing any ACWM at an inactive waste disposal site.
Asbestos in Schools	
11-60. DOD Schools must meet specific	Verify that both friable and nonfriable ACM have been identified in elementary and secondary schools. (8)(9)
requirements with regard to ACM (FGS-UK 15-7).	Verify that all suspect materials that are not confirmed to be ACM have been sampled.
	Verify that samples are analyzed using appropriate techniques.
	Verify that an accredited DOD inspector has provided a written analysis of all friable, known, or assumed ACM in school buildings.
	Verify that appropriate response actions are selected and implemented in a timely manner to protect human health and the environment.
	Verify that all maintenance and custodial persons who may work in buildings that contain ACM receive awareness training regarding asbestos, its uses and forms, location in school buildings, and recognition of ACM.

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP	
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-60. (continued)	Verify that each school has an asbestos management plan that includes all leased or owned facilities.
·	
	· ·
	•
	·
	·

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

	United Kingdom ECAM
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
RADON MANAGEMENT	
All Installations	
11-61. Copies of all relevant DOD directives/instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS. (1)(11)
11-62. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether new regulations concerning radon management have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.
11-63. Installations must prioritize their facilities for radon assessment and mitigation properly (FGS-UK 16-1).	<ul> <li>Verify that the installation has prioritized its facilities in accordance with the following list: (1)(2)</li> <li>Priority 1: military family housing, day care centers, hospitals, schools, unaccompanied officers/enlisted quarters, confinement facilities, visiting officer/enlisted quarters, and dormitories/barracks</li> <li>Priority 2: administrative areas having 24-h operations</li> <li>Priority 3: all other structures routinely occupied over 4 h/day.</li> </ul>
11-64. Initial screening samples must be collected from facilities in accordance with a specific schedule (FGS-UK 16-2).	Verify that the installation has collected initial screening samples from selected priority 1 facilities before 1 October 1994. (1)(2)  (NOTE: Priority 2 and 3 facilities are not involved in the initial screening program.)  Verify that the samples are collected according to a protocol that yields a statistically representative sample.

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-65. Installations that have only Priority 2 and 3 facilities must conduct radon screening to obtain a statistically representative sample by 1 January 1996 (FGS-UK 16-4).	Determine whether the installation has only Priority 2 and 3 buildings. (1)(2)  Verify that radon screening is being carried out so that a sample is ready by 1 January 1996.	
11-66. Detailed testing for radon is required if any initial screening sample results indicate a radon concentration greater than 4 pCi/L [148 Bq/m <sup>3</sup> ] (FGS-UK 16-3).	Verify that, if any initial screening sample shows a radon level greater than 4 pCi/L [148 Bq/m³], 12-mo radon samples are collected from all Priority 1, 2, and 3 facilities. (1)(2)	
11-67. Installations must have a QA/QC program to ensure the validity of test results (FGS-UK 16-6).	Verify that the installation has a QA/QC program to ensure the validity of radon test results. (1)(2)	
11-68. Installations must mitigate certain facilities according to a specific schedule (FGS-UK 16-5).	Verify that the installation mitigates facilities that have radon levels above 4 pCi/L [148 Bq/m³]. (1)(2)  Verify that the radon mitigation of such facilities proceeds according to the schedule in Table 11-3.	
11-69. Installations must have post-mitigation monitoring programs (FGS-UK 16-8).	Verify that the installation has a post-mitigation monitoring program to confirm and document the effectiveness of mitigation. (1)(2)	
11-70. Installations should maintain or have access to a database that will permanently capture all the information derived from the assessment and mitigation of radon (MP).	Verify that the installation maintains or has access to such a database. (1)(2)  Verify that all pertinent radon information is contained in such a database.	

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

	United Kingdom ECAMP
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
11-71. Installations must develop an information package on the potential health effects of radon and provide the information along with	Verify that the installation has developed an information packet on radon. (1)(2)  Verify that the packet and the radon monitoring results are given to facility occupants upon assignment.
the test results to facility occupants (FGS-UK 16-7).	

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

	United Kingdom ECAMP
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
LEAD-BASED PAINT (LBP)	
All Installations	
11-72. Copies of all relevant DOD and AF directive, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation FGS and relevant USAF documents. (1)(11)  (NOTE: Among the relevant documents is HQ USAF/CC Policy Letter, Air Force Policy and Guidance on Lead Based Paint in Facilities, 24 May 1993.)
11-73. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning LBP have been issued since the finalization of the manual. (1)(2)  Verify that the installation is in compliance with newly issued regulations.
11-74. Installations must develop and implement a plan for identifying, evaluating, managing, and abating LBP hazards (HQ USAF/CC Policy Letter 24 May 1993, para 6).	Verify that the installation has a management plan that includes a strategy for: (1)  - identifying, evaluating, controlling, and eliminating existing LBP hazards and preventing new hazards from developing  - protecting facility occupants, especially children, and workers from LBP hazards  - ensuring compliance with all applicable environmental protection requirements and all laws and regulations pertaining to LBP activities.  Verify that the plan:  - is an integral part of the installation's overall plan for inspecting, constructing, upgrading, repairing, maintaining, and demolishing the facility inventory  - is based on local conditions and an evaluation of the health risk from LBP onbase that considers available information on the conditions of the facilities, the results of facility inspections and evaluations, and incidents of lead toxicity resulting from LBP  - gives priority to finding and reducing or eliminating the risk of existing hazardous conditions in high-priority facilities  - emphasizes in-place management to control existing hazards and reduce the risk of hazardous exposure to acceptable levels

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-74. (continued)	<ul> <li>considers abatement of LBP as part of the normal facility renovation and upgrade programs when it is cost-effective</li> <li>ensures precautions and procedures are incorporated into all maintenance, repair, renovation, and upgrade activities that are performed in-house, by contract, or self-help and that disturb painted surfaces known or likely to contain lead.</li> </ul>	
11-75. Installations must identify existing and potential LBP hazards in accordance with specific procedures (USAF/CC Policy Letter 24 May 1993, para 7).	Verify that, depending on local circumstances, one of the following is used to identify and evaluate existing and potential LBP hazards: (1)  - evaluations of observations from routine facility inspections and activities such as walk-throughs by Public Health (PH), fire and safety inspections, inspections for family day care home licensing, and occupant reports of deteriorated paint - inspections and evaluations specifically designed to locate existing and potential LBP hazards so that appropriate measures can be taken to avoid hazardous lead exposures - facility investigations to determine the source of documented lead exposure.  Verify that facility personnel who conduct routine inspections have been instructed to report signs of paint deterioration or children chewing on painted surfaces in high-priority facilities.  Verify that there are procedures in place to document and respond to information reported from inspections and occupants concerning potential LBP problems and the resulting evaluations and actions.  Verify that facility inspections that are done specifically to identify LBP problems meet the following requirements:  - they are focused on high-priority facilities and areas within those facilities with painted surfaces in deteriorated condition  - the evaluations are performed by a team consisting of PH and BES representatives or by a qualified contractor  - reports of the data results and resulting actions are collected, consolidated, and analyzed by the Chief, Aerospace Medicine for reporting through AF medical channels  - permanent records of facility evaluations are maintained by the BCE and/or BES.	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-76. Installations must determine whether LBP is present prior to the start of facility maintenance, repair, modification, and renovation activities (HQ USAF/CC Policy Letter 24 May 1993, para 11).	Verify that the installation determines whether LBP is present prior to the start of maintenance, modification, or renovation activities. (1)(2)	
	(NOTE: This requirement applies to high priority facilities and other facilities likely to contain lead.)	
11-77. Installations must restrict the use of LBP (USAF/CC Policy Letter 24 May 1993, para 12).	Verify that the installation does not use paint with more than 0.06 percent lead by weight of the nonvolatile solids. (1)	
	(NOTE: This restriction applies to all facilities, both industrial and nonindustrial.)	
11-78. AF personnel	Verify that at least one person from BCE has received USEPA certification. (1)	
who perform tests for LBP and work on painted surfaces must be trained (USAF/CC Policy Letter 24 May 1993, para 13).	Verify that all training is conducted by persons who have been trained at a USEPA- approved Regional Lead Training Center or an equivalent in-house training program presented by a certified trainer.	
	(NOTE: The person from BCE who received USEPA certification may train other installation personnel on potential hazards and proper precautions.)	
	Verify that a minimum level of training that includes the following is provided for all workers who perform tasks that disturb painted surfaces:	
	<ul> <li>potential hazards of LBP (hazard communication)</li> <li>work practices to reduce and control dust and debris</li> <li>handling of debris</li> <li>hygiene</li> </ul>	
	- cleanup procedures.	
11-79. Certain personnel must receive training beyond the minimum level (USAF/CC Policy Letter 24 May 1993, para 13).	Verify that the following personnel receive additional training in the requirements of the Occupational Safety and Health Act and those of the Department of Housing and Urban Development: (1)	
	<ul> <li>personnel who perform larger jobs in which simple work practices will not reliably reduce or control dust</li> <li>personnel who assist in LBP evaluations.</li> </ul>	

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Exterior Electric Shop) (4) DRMO (Defense Reutilization and Marketing Office) (5) BCE (Contract Programmer) (6) BCE (Contract Management) (7) BCE (Chief of Operations and Maintenance) (8) School Principal (9) Asbestos Program Officer (10) Asbestos Operating Officer (11) Base Staff Judge Advocate (12) Base Safety Officer (13) PAO (Public Affairs Officer)

## COMPLIANCE CATEGORY: TOXIC SUBSTANCES MANAGEMENT United Kingdom ECAMP

Cinted Mingdom ECAM		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
11-80. All training related to LBP must be documented (USAF/CC Policy Letter 24 May 1993, para 13).	Verify that all training is documented in official personnel folders. (1)	
11-81. Installations must perform a Lead Toxicity Investigation (LTI)	Determine whether the installation has ever had a case of elevated levels of lead in the blood. (2)	
when children with ele- vated blood lead levels	Verify that the LTI team consists of representatives from BCE, BES, PH, PAO, and SJA as needed.	
have been identified at the		
installation (USAF/CC Policy Letter, 24 May 1993, para 14).	Verify that the installation conducted an LTI.	
	· •	
	÷	
·		

#### **Table 11-1**

## Summary of Likelihood of Lead-Based Paint Being Present and Regulation/Guidelines Which Normally Must Be Followed

(USAF/CC Policy Letter 24 May 1993)

## **High-Priority Facilities**

Facility Type	LBP Likely	HUD	OSHA	RCRA	AIR
MFH/Day Care Home, Before 1980	Yes	Yes	Yes	Yes	No
MFH/Day Care Home, During/After 1980	No	Yes	No	No	No
Other High Priority Facilities Before 1980	Yes	Yes	Yes	Yes	No
Other High Priority Facilities During/After 1980, Ferrous Metal Surface	Yes*	Yes	Yes	Yes	No
Other High Priority Facilities, During/After 1980, Other Surfaces	No**	Yes	No	No	No

#### **Other Facilities (Not High-Priority)**

Facility Type	LBP Likely	HUD	OSHA	RCRA	AIR
Steel Structures	Yes	No	Yes	Yes	Yes
Industrials	Yes	No	Yes	Yes	No
Painted Yellow Pavement Markings	Yes	No	Yes	Yes	No
Nonindustrials, Ferrous Metal Surfaces	Yes*	No	Yes	Yes	No
Nonindustrials, During/After 1980, Other Surfaces	No**	No	No .	No	No

<sup>\*</sup> Consumer Product Safety Act (CPSA) restrictions uncertain but common practices favor lead present.

**HUD - Housing and Urban Development Interim Guidelines** 

OSHA - Occupational Safety and Health Administration

RCRA - Resource Conservation and Recovery Act

(continued)

<sup>\*\*</sup> CPSA restriction uncertain but common practices favor lead absent.

## Table 11-1 (continued)

AIR - National Primary and Secondary Ambient Air Quality Standards

CPSA - Consumer Product Safety Act

(NOTE: Likelihood of finding LBP on a particular surface in a facility is based on when it was constructed (before 1980 or during/after 1980), applicability of CPSA restrictions on use of LBP, and common painting practices.)

(NOTE: Although LBP may not be likely, some precautions described in the HUD guidelines will normally be considered in high priority facilities since children are potentially at risk and there is some possibility the LBP is present.)

**Table 11-2** 

## Label For Asbestos Waste (FGS-UK Table 15-1)



- In the case of any product containing crocidolite, the words contains asbestos shown in the diagram shall be replaced by the words contains crocidolite/blue asbestos.
- The label shall be clearly and indelibly printed so that the words in the lower half of the label can easily be read, and those words shall be printed in black or white.

## **Table 11-3**

## Radon Mitigation Schedule (FGS-UK, Table 16-1)

Radon Level (pCi/L)	Mitigation Within:
Greater than 200	1 mo of sample results or move occupants
200 or less, but greater than 20	6 mo of sample results
20 or less, but greater than 8	4 yr
8 or less, but greater than 4	5 yr
4 or less	No action required

INSTALLATION:			COMPLIANCE CATEGORY: TOXIC SUBSTANCES MANAGEMENT United Kingdom ECAMP	DATE:	REVIEWER(S):	
STATUS			REVIEWER COMMENTS:			
NA	C R	MA				
					•	
			·			
				•		
			•			
		:				
					· .	

## **SECTION 12**

## WASTEWATER MANAGEMENT

**United Kingdom ECAMP** 

#### **SECTION 12**

#### WASTEWATER MANAGEMENT

#### A. Applicability of this Section

This section identifies regulations, responsibilities, and compliance requirements applicable to all wastewater management and discharge on Air Force (AF) installations, including activities and procedures involved in the collection, treatment, and discharge of wastewater.

The regulations, responsibilities, and compliance requirements associated with wastewater discharge at AF installations include, but are not limited to, the following examples:

- sanitary or industrial wastewater discharged directly to a receiving stream or through an onbase treatment facility
- sanitary or industrial wastewater discharge to an offbase publicly owned treatment works (POTW) or to a treatment plant of another Department of Defense (DOD) activity
- stormwater runoff from industrialized areas of the installation to a receiving stream or water body.

Most AF installations have wastewater discharge of one type or another; therefore, this section will be applicable to most installations.

The regulatory requirements in this section are based on DOD regulations and Air Force Instructions (AFIs) that apply at overseas installations. Management Practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to preserve the health and safety of AF employees and protect the environment.

#### **B.** DOD Directives/Instructions

Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 4 contains criteria to control and regulate discharges of wastewaters into surface waters. It also addresses domestic and industrial wastewater discharges and pollutants from indirect dischargers.

#### C. U.S. Air Force Documents

- AFI 32-1067, Water Systems, 25 March 1994, provides guidelines for managing water and wastewater systems at AF installations.
- AFI 48-119, Medical Service Environmental Quality Program, 25 July 1994, provides directive requirements for the Medical Service Environmental Quality Program and identifies responsibilities of participants in that program at AF installations.
- Air Force Manual (AFM) 91-32, Operation and Maintenance of Domestic and Industrial Wastewater Systems, specifies detailed operation and maintenance guidelines and requirements for treatment works on AF installations. In particular, requirements for maintenance of operating logs, maps, and records are specified in this AFM.

HQ USAF/CE Letter, Oil/Water Separators Operations, Maintenance, and Construction, 21 October 1994, outlines requirements for the management of existing oil/water separators and the construction of new ones. The letter's requirements with respect to the construction of new oil/water separators are considered to go beyond the intent and scope of the Overseas Environmental Baseline Guidance Document and the Final Governing Standards derived from it. Those requirements are therefore not included here.

#### D. Responsibility for Compliance

- Training of operating personnel to meet proficiency levels consistent with the operator certification requirements that apply to their location is the responsibility of the BCE. The BCE is also responsible for monitoring compliance with, and reporting deviations from, minimum standards outlined in UK wastewater discharge permits (or equivalents). The BCE's design departments are responsible for the design and construction of wastewater collection and treatment systems as needed on the installation.
- Bioenvironmental Engineering Services (BES) is responsible for monitoring wastewater discharge and streamwater quality at selected locations around the installation and for characterizing discharges.
- Individual Shop Supervisors and Superintendents are responsible for ensuring that the prohibited, unpermitted discharge of wastewater containing toxic or hazardous substances into sanitary or stormwater systems does not occur on the installation.
- The Water and Waste Shop within BCE is responsible for operating and maintaining sewer lines, pretreatment facilities, pump stations, oil/water separators, and other associated facilities around the installation and for taking timely and appropriate corrective actions when deficiencies are discovered.

#### E. Definitions

- 7-Day Average the arithmetic mean of pollutant parameter values for samples collected in a period of seven consecutive days (FGS-UK 20).
- 30-Day Average the arithmetic mean of pollutant parameter values for samples collected in a period of 30 consecutive days (FGS-UK 20).
- Average Monthly Discharge Limitations the highest allowable average of daily discharges over a calendar month, calculated as the sum of all daily discharges measured during a calendar month divided by the number of daily discharges measured during that month (FGS-UK 20).
- Average Weekly Discharge Limitations the highest allowable average of daily discharges over a
  calendar week, calculated as the sum of all daily discharges measured during a calendar week
  divided by the number of daily discharges measured during that week (FGS-UK 20).
- BOD<sub>5</sub> the five-day measure of the pollutant parameter, biochemical oxygen demand (FGS-UK 20).

- CBOD<sub>5</sub> the five-day measure of the pollutant parameter, carbonaceous biochemical oxygen demand (FGS-UK 20).
- Conventional Pollutants biochemical oxygen demand (BOD<sub>5</sub>), total suspended solids (TSS), oil and grease, fecal coliforms, and pH (FGS-UK 20).
- Daily Discharge the discharge of a pollutant measured during a calendar day or any 24-h period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the daily discharge is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurement (e.g., concentration), daily discharge is calculated as the average measurement of the pollutant over the day (FGS-UK 20).
- Direct Discharge any discharge of pollutants other than an indirect discharge (FGS-UK 20).
- Discharge of a Pollutant any addition of any pollutant or combination of pollutants to waters of the UK from any point source (FGS-UK 20).
- Domestic Wastewater Treatment Plant (DWTP) any DOD or UK facility designed to treat wastewater before its discharge to waters of the UK and in which the majority of such wastewater is made up of domestic sewage (FGS-UK 20).
- Effluent Limitation any restriction imposed on quantities, discharge rates, and concentrations of pollutants that are ultimately discharged from point sources into waters of the host nation (FGS-UK 20).
- Existing Source a source that discharges pollutants that was in operation or under construction prior to 1 October 1994 (FGS-UK 20).
- Indirect Discharge the introduction of pollutants in process wastewater to a DWTP (FGS-UK 20).
- Industrial Wastewater Treatment Plant (IWTP) any DOD facility designed to treat process wastewater before its discharge to waters of the UK other than a DWTP (FGS-UK 20).
- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Maximum Daily Discharge Limitation the highest allowable daily discharge (FGS-UK 20).
- New Source a facility or system built or significantly modified on or after 1 October 1994 that discharges pollutants (FGS-UK 20).
- Point Source any discernible, confined, and discrete conveyance including, but not limited to, any
  pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, or rolling stock, but not including vessels, aircraft, or any conveyance that merely collects natural surface flows of precipitation
  (FGS-UK 20).

- Pollutant includes, but is not limited to, the following: dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt, and industrial, municipal, and agricultural waste discharged into water (FGS-UK 20).
- Process Wastewater any water that, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, by-product, or waste product (FGS-UK 20).
- Regulated Facility a facility for which standards are established in Chapter 4 of FGS-UK, such as DWTP, IWTP, or industrial dischargers (FGS-UK 20).
- Sludge the accumulated semi-liquid suspension of settled solids deposited from wastewaters or other fluids in tanks or basins. It does not include solids or dissolved material in domestic sewage or other significant pollutants in water resources, such as silt, dissolved, or suspended solids in industrial wastewater effluent, dissolved materials in irrigation return flows, or other common water pollutants (FGS-UK 20).
- Substantial Modification any functional alteration to an existing environmental control facility, the cost of which exceeds \$1 million, regardless of funding source (FGS-UK 20).
- Total Suspended Solids (TSS) the pollutant parameter total filterable suspended solids (FGS-UK 20).
- Waters of the UK surface waters and any waters contained in underground strata including the territorial seas recognized under customary international law, including (FGS-UK 20):
  - 1. all waters that are currently used, were used in the past, or may be susceptible to use in commerce
  - 2. waters that are or could be used for recreation or other purposes
  - 3. waters from which fish or shellfish are or could be taken and sold
  - 4. waters that are used or could be used for industrial purposes by industries
  - 5. waters including lakes, rivers, and streams (including intermittent streams), sloughs, prairie potholes, or natural ponds
  - 6. and tributaries of waters identified above.

(NOTE: Waste treatment systems, including treatment ponds or lagoons designed to meet the requirements of this section, are not waters of the UK. This exclusion only applies to man-made bodies of water that neither were originally waters of the UK nor resulted from impoundment of waters of the UK.)

## WASTEWATER MANAGEMENT

## GUIDANCE FOR CHECKLIST USERS

12-1 through 12-3 12-4 through 12-13	(1)(2)(5) (1)(2)(3)
12-4 through 12-13	(1)(2)(3)
12-14 through 12-17	(2)(3)(4)
12-18 through 12-23	(1)(2)(3)(4)
12-24 and 12-25	(2)(3)
12-26	(1)(4)
12-27 and 12-28	(3)
	12-24 and 12-25 12-26

## (a) CONTACT/LOCATION CODE:

- (1) BCE (Environmental Planning)
- (2) BES (Bioenvironmental Engineering Services)
- (3) Wastewater Treatment Plant Superintendent
- (4) BCE (Natural Resources Planner)
- (5) Base Staff Judge Advocate

#### WASTEWATER MANAGEMENT

#### **Records To Review**

- Discharge monitoring reports for the past year
- · Laboratory records and procedures
- · Monthly operating reports for wastewater treatment facilities
- · Flow monitoring calibration certification and supporting records
- Ash pond volume certification and supporting records
- · Red water inspection records
- Spill Prevention, Control, and Countermeasures (SPCC) Plan
- · All records required by SPCC
- Sewage treatment plant operator certification
- · Sewer and storm drain layout
- · Oil/water separator inventory
- · Installation as-built drawings

#### **Physical Features To Inspect**

- Discharge outfall pipes
- · Wastewater treatment facilities
- · Industrial treatment facilities
- Streams, rivers, open waterways
- Floor and sink drains (especially in industrial areas)
- Stormwater collection points (especially in industrial areas)
- Oil storage tanks
- Oil/water separators

#### **People To Interview**

- BCE (Environmental Planning)
- BES (Bioenvironmental Engineering Services)
- Wastewater Treatment Plant Superintendent
- BCE (Natural Resources Planner)
- Base Staff Judge Advocate

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ALL INSTALLATIONS		
12-1. Copies of all relevant DOD directives/instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	Verify that the Base Staff Judge Advocate has available the host-nation Final Governing Standards and relevant USAF documents. (1)(5)  (NOTE: Among the relevant documents are the following:  - AFI 48-119, Medical Service Environmental Quality Program, 25 July 1994  - AFI 32-1067, Water Systems, 25 March 1994  - AFM 91-32, Operation and Maintenance of Domestic and Industrial Wastewater Systems, 12 August 1988  - HQ USAF/CE Letter, Oil/Water Separators Operations, Maintenance, and Construction, 21 October 1994.)	
12-2. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning water quality have been issued since the finalization of the manual. (1)  Verify that the installation is in compliance with newly issued regulations.	
12-3. Outside of the continental U.S. (OCONUS) installations must cooperate with foreign regulatory agencies (AFI 32-1067, para 14.1).	Verify that the installation cooperates with UK regulatory agencies, consistent with host nation agreements. (1)(2)	
GENERAL		
12-4. BES must conduct periodic evaluations of the treatment works' compliance with applicable standards (AFI 32-1067, para 4.4).	Verify that BES conducts periodic evaluations of compliance with applicable standards. (2)	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
12-5. BES must characterize and monitor certain discharges for compliance (AFI 48-119, para 9.4.1).	Verify that BES performs stormwater, point and nonpoint ambient water discharge and injection well discharge (groundwater) characterization and compliance monitoring. (2)	
12-6. BES must develop and maintain stream emission inventories (AFI 48-119, para 9.4.1).	Verify that BES develops and maintains stream emission inventories. (2)	
12-7. BES must permanently identify all envi-	Verify that BES has permanently identified all environmental monitoring points. (3)	
ronmental monitoring points and maintain a master record of all locations (AFI 48-119, para 9.4.1).	Verify that BES maintains a master record of all locations.	
12-8. Major treatment works must have plant-specific O&M manuals	Verify that the installation's major treatment works have plant-specific O&M manuals. (3)	
(AFI 32-1067, para 7.3.1).	(NOTE: Domestic and industrial wastewater treatment plants are the primary facilities covered by this instruction.)	
	Verify that, if the facilities are present on the installation, plant-specific manuals address the following areas of concern:	
	<ul> <li>metal finishing and electroplating</li> <li>vehicle and aircraft wash facilities</li> </ul>	
	- aircraft maintenance: - paint stripping	
	<ul> <li>nondestructive inspection</li> <li>painting</li> <li>solvent cleaning</li> </ul>	
·	- battery shops - photo labs	
	<ul> <li>hospitals</li> <li>aircraft deicing</li> <li>fire training.</li> </ul>	
	Verify that plant-specific manuals address the proper operation and maintenance of oil/water separators and lift stations.	

	United Kingdom ECAM
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
12-9. Specific physical facility information must be developed, maintained, and kept available at treatment facilities (AFI 32-1067, para 10.2).	Verify that the following information is developed, maintained, and kept available at the treatment facilities: (1)(3)  - required plant-specific O&M manuals and applicable AF publications - system operating instructions with single-line drawings, including operational and compliance monitoring procedures - up-to-date system as-built drawings along with other system plans and blue-prints, including hydraulic water elevation profiles and a drawing of the entire collection and distribution systems - shop drawings, catalogue cuts, and any other equipment information or literature.
12-10. Installations must develop and maintain effective maintenance plans that address specific topics (AFI 32-1067, para 10.3).	Verify that the installation develops and maintains effective maintenance plans that include: (1)  - a recurring work schedule - a maintenance history for each major piece of equipment - an essential spare parts list, with spare parts stocked at the treatment facility or other accessible location - a long-range maintenance and improvement plan.
12-11. Each installation must have a system for investigating water pollution complaints from individuals and local or national water pollution control authorities (FGS-UK 4-1.D and 4-2.B).	Verify that the installation has procedures for investigating water pollution complaints. (3)  Verify that the installation provides to HQ U.S. Air Force Europe (USAFE) copies of all correspondence and documentation used to resolve complaints from UK officials.  Verify that the installation consults with HQ USAFE before attempting to resolve any complaint or dispute that could affect other DOD installations in the UK.

United Kingdom ECAMP		
REVIEWER CHECKS: February 1997		
Verify that the plan contains the following, at a minimum: (2)(3)  - a description of discharge practices, including nonroutine batch discharges - a description of stored chemicals - a plan for immediately notifying the DWTP of slug discharges and discharges that would violate standards, including procedures for subsequent written notification within 5 days - necessary practices to prevent accidental spills, including: - proper inspection and maintenance of storage areas - handling and transfer of materials - loading and unloading operations - control of plant site runoff - worker training - proper procedures for building containment structures or equipment - necessary measures to control toxic organic pollutants and solvents - proper procedures and equipment for emergency response and any subsequent plans needed to limit damage to the treatment plant or the environment.		
Verify that operators prepare the following forms: (3)  - AF Form 1462, Water Pollution Control Utility Operating Log (General)  - AF Form 1463, Water Pollution Control Plant Operating LogSupplementary.		
Verify that all new sources of pollutants to waters of the UK comply with the following effluent limitations or with more stringent discharge conditions when deemed necessary to meet water quality requirements established by the National Rivers Authority (NRA) (or, in Scotland, the River Purification Board) for the receiving waters: (2)(3)  - BOD <sub>5</sub> : - 30-day average does not exceed 30 mg/L - 7-day average does not exceed 45 mg/L - TSS: - 30-day average does not exceed 30 mg/L - 7-day average does not exceed 45 mg/L - effluent pH values are maintained between 6.0 and 9.0.  (NOTE: Effective 1 April 1996 the NRA was incorporated into the Environment Agency.)		

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) Wastewater Treatment Plant Superintendent (4) BCE (Natural Resources Planner) (5) Base Staff Judge Advocate

	United Kingdom ECAMP
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
12-14. (continued)	Verify that the installation monitors these parameters according to Table 12-1.
	(NOTE: Installations may request HQ USAFE to substitute CBOD <sub>5</sub> for the parameter BOD <sub>5</sub> at new sources. In those cases, the following apply:  - 30-day average does not exceed 25 mg/L  - 7-day average does not exceed 40 mg/L.)
	(NOTE: Discharge at a new source can be exempted from the pH limit if it is demonstrated that:
	- no inorganic chemicals are added to the waste stream as part of the treatment process
	- contributions from industrial sources do not cause the pH of the effluent to be outside the 6.0 to 9.0 range.)
12-15. Existing point source dischargers of pollutants must meet specific effluent limitations	Verify that all existing source of pollutants to waters of host nation comply with the following effluent limitations or with more stringent limitations agreed to with the NRA (or, in Scotland, the River Purification Board) to meet water quality standards: (2)(3)
and monitoring requirements (FGS-UK 4-1.B and 4-1.C).	- BOD <sub>5</sub> :  - 30-day average does not exceed 45 mg/L  - 7-day average does not exceed 65 mg/L
	- TSS:  - 30-day average does not exceed 45 mg/L  - 7-day average does not exceed 65 mg/L  - effluent pH values are maintained between 6.0 and 9.0.
	Verify that these parameters are monitored in accordance with Table 12-1.
12-16. Samples of	Verify that, for wastewater sampling: (2)(3)
wastewater discharges should be processed using	- proper sample containers are used
proper collection, testing, and shipping procedures (MP).	<ul> <li>samples are refrigerated during compositing</li> <li>proper preservation techniques are used.</li> </ul>
·	

	Omta Kingdom ECAVII
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997
12-17. Installations with live fire training facilities	Verify that there is an effective fuel and water separator. (4)
that are connected to onsite wastewater treat-	Verify that the fuel and water separator are being properly maintained.
ment plants should dis- charge the effluent gradually to avoid	Verify that there are self-monitoring reports on fuel and water separators.  Verify that wastewater treatment plant discharge is in compliance with permit
adverse impact on the wastewater treatment	requirements.
plants (MP).	Verify that the fuel used for fire training is free from contaminants that can cause adverse environmental impact.
DISCHARGES TO DWTPs	(NOTE: These and the following effluent limitations apply to all discharges of pollutants to DWTPs and associated collection systems.)
12-18. Installations must develop a base standard wastewater treatment procedure to govern the discharge of industrial and nondomestic waste to the sanitary system by generating activities (AFI 32-1067, para 7.3.2).	Verify that the installation has a base standard wastewater treatment procedure to govern the discharge of industrial and nondomestic waste to the sanitary system by generating activities. (1)(3)
	Verify that BCE outlines procedures for discharging industrial wastes to the sanitary system.
	Verify that the procedures describe the following:
	<ul> <li>pretreatment requirements</li> <li>discharge procedures</li> <li>effluent limitations for industrial waste.</li> </ul>
	(NOTE: The base commander or the municipal wastewater authority can impose these requirements.)
	Verify that generators follow the instructions given by BCE.
12-19. Generators must use pollution control techniques to minimize pol-	Verify that generators of discharges minimize the discharge of pollutants using the pollution control techniques in AFI 32-7080. (1)(3)
lutant discharges (AFI 32-1067, para 7.3.2).	(NOTE: See the pollution prevention subsection of Section 6, Other Environmental Issues.)

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
12-20. Installations must not discharge certain materials into a treatment works (FGS-UK 4-2.A.1, A.5, and A.7).	Verify that the installation does not discharge any of the following to a DWTP: (1)(2)(3)  - petroleum oil - nonbiodegradable cutting oil - products of mineral oil origin - any solid or viscous pollutants that may result in obstructions to plant flow - trucked or hauled waste.  (NOTE: DWTPs may specify locations at which trucked and hauled waste may be discharged; the prohibition on discharge of such waste does not apply at such locations.)	
12-21. Installations must not introduce specific pollutants into a DWTP (FGS-UK 4-2.A.2, A.3, and A.4).	Determine whether the installation has been granted any exemptions or variances concerning its discharges. (1)(3)  Verify that pollutants that create a fire or explosion hazard in the collection system or treatment facility are not discharged, specifically:  - wastewater with a closed cup flashpoint of less than 60 °C (140 °F)  - liquid waste solutions that contain more than 24 percent alcohol by volume with a flash point less than 60 °C (140 °F)  - nonliquid wastes which, under standard temperature and pressure, can cause a fire through friction  - ignitable compressed gases  - oxidizers, such as peroxide.  Verify that no pollutant that has the potential to be structurally corrosive is discharged to the DWTP.  Verify that no wastewater with a pH lower than 5.0 is discharged to the DWTP.  (NOTE: This prohibition does not apply if the treatment facilities and collecting systems are designed to handle such wastewater.)	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
12-21. (continued)	Verify that the following types of waste are not discharged:	
	<ul> <li>wastes that are normally unstable and readily undergo violent changes without detonating</li> <li>wastes that react violently with water</li> <li>wastes that form explosive mixtures with water or form toxic gases or fumes when mixed with water</li> <li>cyanide or sulfide wastes that can generate potentially harmful toxic fumes, gases, or vapors</li> <li>wastes capable of detonation or explosive decomposition or reaction at standard temperature and pressure</li> <li>wastes that contain regulated explosives</li> <li>wastes that produce any toxic fumes, vapors, or gases with the potential to cause safety problems or harm to workers.</li> </ul>	
12-22. Hazardous waste must not be discharged to the collection system (AFI 32-1067, para 7.3.2).	Verify that no hazardous waste is discharged to the collection system. (1)(3)	
12-23. Installations should periodically survey stormwater discharge (MP).	Verify that the installation's stormwater discharges are uncontaminated. (1)(2)(4)  (NOTE: The following sites or activities, and records related to them, may reveal problems with stormwater discharges:  - the storm sewer system, its outfalls and discharge points  - major industrial shops or areas, such as the following:  - battery shop  - corrosion control  - engine shop  - motor pool  - paint shop  - plating shop  - petroleum, oil, and lubricant (POL) area.)  (NOTE: Signs of contamination include oil sheen, discoloration, etc.)  Verify that any oil/water separators connected to the storm sewer on the installation are operating properly.	

United Kingdom ECAMP
REVIEWER CHECKS: February 1997
Determine whether the installation has any of the following activities: (2)  - electroplating - anodizing - metal coating from chromating, phosphating, or immersion plating - chemical etching and milling - electroless plating - printed circuit board manufacturing.  Verify that the installation has consulted with the HQ USAFE and obtained effluent limitations.  Verify that the installation complies with the limitations.
Verify that the installation does not allow any of the substances listed in Table 12-2 to enter the soil or any waters of the UK. (2)(3)  Verify that none of the substances listed in Table 12-2 is placed in any drain that leads to a treatment facility.  (NOTE: This requirement does not apply if either of the following conditions can be met:  - the installation will not violate the terms of its recommended discharge consent - the installation will not cause any sewage treatment works that receives its wastes to violate its discharge consent.)
Verify that the installation has developed and implemented a plan to assess the need for and effectiveness of existing oil/water separators. (1)(4)  (NOTE: The goal of the assessment/evaluation is to consolidate or eliminate ineffective units.)  Verify that an inventory of all oil/water separators has been conducted that identifies:  - all sources of pollutants being discharged from the individual shops connected to each separator  - the mode of discharge (e.g., to storm sewer, sanitary sewer, septic tank, or direct discharge to the waters of the host nation).

United Kingdom ECAMP			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
12-26. (continued)	(NOTE: For the purposes of this inventory, oil/water separators include on-line oil and grease/fuel traps and small oil/water separators outside of hangers, corrosion control facilities, fuel transfer/storage operations, AGE equipment maintenance shops, wash racks, etc. Mode of discharge includes discharge to storm sewer, septic tank, or direct discharge to the waters of the host nation.)		
	Verify that the separators are identified on the installation as-built drawings.		
	Verify that the drawings are updated as changes occur.		
TRAINING AND CERTIFICATION			
12-27. Operators of wastewater treatment plants must meet training	Verify that new operators receive classroom training and extensive supervised on- the-job training before being assigned to critical tasks. (3)		
requirements (AFI 32-1067, para 8.1).	Verify that experienced personnel receive technical refresher courses and upgrade training.		
	<ul> <li>(NOTE: Training requirements may be met by one of the following means:         <ul> <li>AF training available through technical schools, career development correspondence courses, and on-the-job training</li> <li>civilian training courses available at educational institutions, government agencies, and professional and technical associations</li> <li>correspondence courses from accredited institutions for operators in areas that do not have local resident courses.)</li> </ul> </li> </ul>		
<b>12-28.</b> Supervisors at wastewater treatment plants must meet specific	Verify that all employees are familiar with the safety instructions in the following documents, as applicable: (3)		
requirements with regard to safety training for all employees (AFI 32-1067, para 9).	<ul> <li>- AFM 91-32, Operation and Maintenance of Domestic and Industrial Wastewater Systems</li> <li>- Air Force Occupational Safety and Health Standard (AFOSH STD) 127-10, Civil Engineering</li> <li>- AFOSH STD 127-25, Confined Spaces</li> <li>- AFOSH STD 161-21, AF Hazard Communication Standard.</li> </ul>		
	Verify that the supervisor maintains current BES baseline and annual industrial hygiene survey reports.		
	(NOTE: The supervisor should use these reports to train workers on occupational health hazards.)		
	Verify that supervisors make safety instructions readily available to all operating personnel.		

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) Wastewater Treatment Plant Superintendent (4) BCE (Natural Resources Planner) (5) Base Staff Judge Advocate

	United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	EMENTS: February 1997		
12-28. (continued)			
	(NOTE: Once trained, individual workers are personally responsible for following safe procedures.)		

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) Wastewater Treatment Plant Superintendent (4) BCE (Natural Resources Planner) (5) Base Staff Judge Advocate

Table 12-1

Monitoring Requirements for Wastewater
(FGS-UK, Table 4-2)

Plant Capacity in million gallons per day (MGD)	Monitoring Frequency	
0.0 - 0.099	Quarterly	
0.1 - 0.99	Monthly	
1.0 - 4.99	Weekly	
> 5.0	Daily	

#### **Table 12-2**

## Substances Prohibited From Being Discharged Into Soil or Water

(FGS-UK, Table 4-1)

- Mercury and its compounds
- Cadmium and its compounds
- Gamma-hexachlorocyclohexane (Lindane)
- DDT
- Pentachlorophenol and its compounds
- Hexachlorobenzene
- Hexachlorobutadine [sic; = hexachlorobutadiene]
- Aldrin
- Dieldrin
- Endrin
- Polychlorinated biphenyls
- Dichlorovos
- 1,2-Dichloroethane
- Trichlorobenzene
- Atrazine
- Simazine
- Tributyltin compounds
- Triphenyltin compounds
- Trifuralin
- Fenitrothion
- Azinphos-methyl
- Malathion
- Endosulfan
- Organohalogen compounds and substances which may form such compounds in an aquatic environment, e.g., chlorinated solvents
- Organophosphorous compounds
- Organotin compounds
- Substances possessing carcinogenic, mutagenic or teratogenic properties in it via the aquatic environment; no list of these currently exists, but consideration is being given to the nomination of such a list of the substances
- Mineral oils and hydrocarbons
- Cyanides
- The following metals, metalloids and their compounds:

Boron	Lead	Silver	Uranium
Chrome	Molybendum	Tellerium	Vanadium
Cobalt	Nickel	Thallium	
Copper	Selenium	Tin	
	Chrome Cobalt	Chrome Molybendum Cobalt Nickel	Chrome Molybendum Tellerium Cobalt Nickel Thallium

- Biocides and their derivatives not otherwise prohibited
- Substances which have a deleterious effect on the taste and/or odor of groundwater, and compounds likely to cause the formation of such compounds in water and to render it unfit for human consumption

(continued)

## Table 12-2 (continued)

- Toxic or persistent organic compounds of silicon, and substances which may cause the formation of such compounds in water, excluding those which are biologically harmless or are rapidly converted in water into harmless substances
- Inorganic compounds of phosphorus and elemental phosphorus
- Fluorides
- Ammonia and nitrites
- Petroleum spirit
- Calcium carbide.

INSTALLATION:	STALLATION: COMPLIANCE CATEGORY: WASTEWATER MANAGEMENT United Kingdom ECAMP		REVIEWER(S):
STATUS	REVIEWER COMMENTS	S:	
NA C RMA			
	•		
·			
	•		
	,		
	•		

## **SECTION 13**

## WATER QUALITY MANAGEMENT

United Kingdom ECAMP

#### **SECTION 13**

### WATER QUALITY MANAGEMENT

#### A. Applicability of this Section

This section identifies regulations, responsibilities, and compliance requirements applicable to water use and management on Air Force (AF) installations, including activities and procedures involved in the collection, treatment, storage, and distribution of drinking water.

All AF installations have potable water issues of one sort or another; therefore, this section will be applicable to most installations.

The regulatory requirements in this section are based on DOD regulations and Air Force Regulations (AFRs) and Air Force Instructions (AFIs) that apply at overseas installations. Management Practices (MPs) are derived from U.S. Environmental Protection Agency (USEPA) regulations that are not mandatory overseas but are important to preserve the health and safety of AF employees and protect the environment.

#### **B. DOD Directives/Instructions**

• Standards Governing Environmental Protection for U.S. Installations in the United Kingdom (FGS-UK), January 1994, Chapter 3, addresses standards for potable water and the management of a drinking water facility.

#### C. U.S. Air Force Documents

- AFR 91-26, Maintenance and Operation of Water Supply, Treatment, and Distribution Systems, 30 August 1984, provides guidance for personnel who maintain and operate water supply, treatment, and distribution systems on AF installations.
- AFI 32-1066, *Plumbing Systems*, 4 May 1994, provides guidance for personnel who maintain and operate plumbing systems on AF installations.
- AFI 32-1067, Water Systems, 25 March 1994, provides guidelines for managing water and wastewater systems at U.S. AF bases.
- Headquarters (HQ) USAF/SG Policy Letter, Water Testing in Child Development Centers (CDCs), 21 October 1992, provides guidelines for monitoring drinking water at AF CDCs.

#### D. Responsibility for Compliance

• The Base Civil Engineer (BCE) designs, constructs, and operates the water supply system to provide sufficient drinking water to installation personnel. The BCE is responsible for providing adequate water treatment to assure that drinking water does not exceed the maximum contaminant levels established for human consumption. Training of operating personnel to meet proficiency levels consistent with the operator certification requirements that apply to their location is also the responsibil-

ity of the BCE. The BCE maintains an up-to-date map of the complete potable water system, makes repairs, and maintains the systems. The BCE is also responsible for negotiating and maintaining the base's water supply contract.

 The Director of Base Medical Services, through BES, is responsible for proper sample collection from drinking water systems at AF installations and for determining compliance with drinking water standards.

#### E. Definitions

- Action Level the concentration of a substance in the water that determines appropriate treatment for a water system (FGS-UK 20).
- Approved in the context of backflow prevention, 'approved' means that the International Association of Plumbing and Mechanical Officials (IAPMO) laboratory has tested the product and that it meets their standards. IAPMO-approved products carry an attached or imprinted IAMPO seal of approval. BCE can, with Major Command (MAJCOM) coordination, approve the installation of a new product or device not yet approved by IAPMO, but BCE must ensure that it will safely satisfy the intended purpose (AFI 32-1066, para 12.4).
- Community Water System (CWS) a public water system having at least 15 service connections used by year-round residents or that regularly serves at least 25 of the same people for more than 6 mo per year; compare with Public water system (FGS-UK 20).
- Concentration/Time (CT) the product of residual disinfectant concentration (C) in mg/L determined before or at the first customer, and the corresponding disinfectant contact time (T) in minutes (FGS-UK 20).
- Disinfectant any oxidant, including but not limited to, chlorine, chlorine dioxide, chloramines, and ozone, intended to kill or inactivate pathogenic microorganisms in water (FGS-UK 20).
- First Draw Sample a 1 L [≈0.26 gal] sample of tapwater that has been standing in plumbing at least 6 h and is collected without flushing the tap (FGS-UK 20).
- Groundwater Under the Direct Influence of Surface Water (GWUDISW) any water below the surface of the ground with either (FGS-UK 20):
  - 1. significant occurrence of insects or other microorganisms, algae, or large-diameter pathogens such as Giardia lamblia
  - 2. significant and relatively rapid shifts in water characteristics such as turbidity, temperature, conductivity, or pH that closely correlate to climatological or surface water conditions.

(NOTE: Direct influence must be determined for individual sources.)

- Lead-free a maximum lead content of 0.2 percent for solder and flux and 8.0 percent for pipes and fittings (FGS-UK 20).
- Lead Service Line a service line, made of lead, that connects the water main to the building inlet, and any lead pigtail, gooseneck, or other fitting which is connected to such a line (FGS-UK 20).

- Management Practice (MP) practices that, although not mandated by law, are encouraged to promote safe operating procedures.
- Maximum Contaminant Level (MCL) the maximum permissible level of a contaminant in water that is delivered to the free-flowing outlet of the ultimate user of a public water system, except for turbidity for which the maximum permissible level is measured after filtration (FGS-UK 20).

(NOTE: Contaminants added to the water under circumstances controlled by the user, except those resulting from the corrosion of piping and plumbing caused by water quality, are excluded.)

- Non-Public Water System (NPWS) a system that is not a public water system (FGS-UK 20).
- Non-Transient, Non-Community Water System (NTNCWS) a public water system that is not a community water system and that regularly serves at least 25 of the same persons for more than 6 mo/yr. Examples include a school or a factory with its own water supply (FGS-UK 20).
- Point-of-Entry (POE) Treatment Device a treatment device applied to the drinking water entering a structure to reduce contaminants in the drinking water throughout the structure (FGS-UK 20).
- Point-of-Use (POU) Treatment Device a treatment device applied to a tap to reduce contaminants in drinking water at that tap (FGS-UK 20).
- Potable Water water that has been tested and treated to meet the standards of FGS-UK (FGS-UK 20).
- Public Water System (PWS) a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily for at least 60 days out of the year. This term includes:
  - 1. any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system
  - 2. any collection or pretreatment storage facilities not under such control that are used primarily in connection with such system.

A public water system is either a community water system or a non-community water system (FGS-UK 20).

- Sanitary Survey an onsite review of the water source, facilities, equipment, operation, and maintenance of a public water system to evaluate the adequacy of such elements for producing and distributing potable water (FGS-UK 20).
- Total Trihalomethanes (TTHM) the sum of the concentration in mg/L of chloroform, bromoform, dibromochloromethane, and bromodichloromethane (FGS-UK 20).
- Transient, Non-Community Water System (TNCWS) See Public Water System (FGS-UK 20).
- Underground Injection a subsurface emplacement through a bored, drilled, driven, or dug well, where the depth is greater than the largest surface dimension whenever a principle function of the well is the emplacement of any fluid (FGS-UK 20).

- Volatile Organic Compound (VOC) any compound containing carbon and hydrogen or containing carbon and hydrogen in combination with any other element which has a vapor pressure of 1.5 lb/in² absolute (77.6 mm Hg) or greater under actual storage conditions (FGS-UK 20).
- Vulnerability Assessment an evaluation by the DOD that shows that contaminants of concern either have not been used in a watershed area or the source of water for the system is not susceptible to contamination (FGS-UK 20).

(NOTE: Susceptibility is based on prior occurrence, vulnerability assessment results, environmental persistence and transport of the contaminants, and any wellhead protection program results.)

• Water System - refers to PWSs and NPWSs, and purchasers who have a distribution system and water storage facilities (FGS-UK 20).

#### WATER QUALITY MANAGEMENT

#### **GUIDANCE FOR CHECKLIST USERS**

	REFER TO CHECKLIST ITEMS:	CONTACT THESE PERSONS OR GROUPS: (a)
All Installations	13-1 through 13-4	(1)(2)(6)
Backflow Prevention	13-5 through 13-17	(1)(2)(5)
Drinking Water		
General	13-18 through 13-28	(1)(2)(4)
Water Quality Standards	13-29 through 13-40	(2)(4)
Disinfection and Filtration	13-41 and 13-42	(1)(2)(3)
Child Development Centers	13-43 through 13-47	(2)
Recordkeeping and Notifi- cation Requirements	13-48 through 13-57	(1)(2)(4)
Alternative Water Supplies	13-58	(1)(2)
Underground Injection Con-		
trol	13-59	(2)(3)
Aquifers	13-60	(2)(3)
Training and Certification	13-61 and 13-62	(4)

#### (a) CONTACT/LOCATION CODE:

- (1) BCE (Environmental Planning)
- (2) BES (Bioenvironmental Engineering Services)
- (3) BCE (Natural Resources Planner)
- (4) Water Treatment Plant Superintendent
- (5) Backflow Program Manager
- (6) Base Staff Judge Advocate

#### WATER QUALITY MANAGEMENT

#### **Records To Review**

- Bacterial and chemical analyses of drinking water, including sampling dates and locations, dates of analyses, analytical methods used, and results of analyses
- Monthly operating reports (flow, chlorine residual, etc.)
- · Records of planning and construction of injection wells
- · Results of injection well monitoring
- Records of facility projects, including any petition for review, that may potentially cause contamination of a sole source aquifer through its recharge zone

#### **Physical Features To Inspect**

- Drinking water collection, treatment, and distribution facilities
- Onbase laboratory analysis facilities
- Underground injection wells

#### **People To Interview**

- BCE (Environmental Planning)
- BES (Bioenvironmental Engineering Services)
- BCE (Natural Resources Planner)
- Water Treatment Plant Superintendent
- Base Staff Judge Advocate

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
ALL INSTALLATIONS		
13-1. Copies of all relevant DOD directives/ instructions, USAF directives, and guidance documents should be maintained at the installation (MP).	<ul> <li>Verify that the Base Staff Judge Advocate has available the host-nation Final Governing Standards and relevant USAF documents. (1)(6)</li> <li>(NOTE: Among the relevant documents are the following: <ul> <li>AFR 91-26, Maintenance and Operation of Water Supply, Treatment, and Distribution Systems, 30 August 1984</li> <li>AFI 32-1066, Plumbing Systems, 4 May 1994</li> <li>AFI 32-1067, Water Systems, 25 March 1994</li> <li>HQ USAF/SG Policy Letter, Water Testing in Child Development Centers, 21 October 1992.)</li> </ul> </li> </ul>	
13-2. Installations must meet regulatory requirements issued since the finalization of the manual (a finding under this checklist item will have the citation of the new regulation as a basis of finding).	Determine whether any new regulations concerning water quality have been issued since the finalization of the manual. (1)  Verify that the installation is in compliance with newly issued regulations.	
13-3. Outside of the continental U.S. (OCONUS) installations must cooperate with foreign regulatory agencies (AFI 32-1067, para 14.1).	Verify that the installation cooperates with UK regulatory agencies, consistent with host nation agreements. (1)(2)	
13-4. Bases must not have dual water supply systems for potable and nonpotable water unless certain conditions have been met (AFI 32-1067, para 12.1).	Verify that the following conditions are met by bases with dual water supply systems: (1)  - BCE establishes and maintains a clearly defined separation of the two systems so that nonpotable water cannot contaminate the potable water system - the systems have approved backflow prevention devices to prevent contamination of potable water - the MAJCOM approves the dual system before construction and operation - connections between systems are avoided.	

COMPLIANCE CATEGORY: WATER QUALITY MANAGEMENT United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
BACKFLOW PREVENTION	(NOTE: Except for laboratory sinks and sinks with hose threaded faucets, backflow preventers integral to a standard plumbing fixture do not come under this program.)	
13-5. Installations must have a Backflow Pro-	Verify that an engineer or appropriate supervisor has been appointed the Backflow Program Manager. (1)(5)	
gram Manager who ful- fills specific responsibilities (AFI 32-	Verify that the Backflow Program Manager:	
1066, paras 6, 8, and 12.2).	<ul> <li>maintains an aggressive program to identify, isolate, record, and correct cross-connections and other potential sources of distribution system contamination</li> <li>makes sure plumbing personnel can properly test, install, maintain, and repair backflow prevention device</li> </ul>	
	- identifies and forecasts training requirements for BCE personnel - reviews all plans and drawings of new or modified water systems to identify potential cross-connections	
	- centrally maintains inspection records and the status of installation and upgrade actions.	
13-6. The installation's Backflow Program Manager must conduct a facil-	Verify that the Backflow Program Manager conducts a facility survey of plumbing devices and systems every 5 yr. (5)	
ity survey of plumbing devices and systems every 5 yr (AFI 32-1066, paras 8, 12.1).	Verify that records are updated to reflect the results of the survey.	
	(NOTE: Military family housing is excluded from the survey unless underground sprinkler systems are installed.)	
	(NOTE: The Backflow Program Manager coordinates the surveys with BES.)	
	Verify that survey personnel locate backflow prevention devices, assess their adequacy, and determine the need for more devices.	
	(NOTE: This information is used to determine potential or existing cross-connections and the degree of hazard they present.)	
	Verify that the results of the survey are recorded on AF Form 848, Inventory of Cross-Connection Control and Backflow Prevention Devices.	
13-7. BES must fulfill particular responsibilities with regard to cross-connections (AFI 32-1066, para 9).	Verify that BES assigns a degree of hazard to each cross-connection, using the <i>Uniform Plumbing Code</i> (UPC). (2)	
	Verify that BES reviews plans for water system modification to prevent cross-connections and to identify existing cross-connections or other potential sources of contamination or pollution and recommends corrective action.	

Cinted Kingdom ECAWA		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
13-8. BCE personnel must eliminate the potential for cross-connections (AFI 32-1066, para 11).	Verify that the potential for cross-connection is eliminated. (1)	
	Verify that, if elimination is not feasible, approved prevention devices are installed.	
(11132 1000, para 11).	Verify that the devices installed prevent contamination of potable water supplies that are susceptible to backpressure or back-siphonage from fixtures, equipment, appliances, or buildings.	
	Verify that, if the potable water supply is critical, approved backflow preventers are installed in parallel to allow maintenance or repair without system shutdown.	
13-9. Severe cross-connections must be eliminated immediately (AFI 32-1066, para 12.2).	Verify that severe cross-connections are eliminated immediately. (1)	
13-10. Installations must take specific actions with regard to existing backflow protection devices (AFI 32-1066, para 12.5).	Verify that existing backflow prevention devices are identified during the survey by a control number. (5)	
	Verify that unapproved devices are replaced in priority depending on the degree of hazard and without waiting for the devices to fail.	
	(NOTE: MAJCOM/CE may be contacted for help when uncertain about a device's category or level of protection.)	
13-11. Installations must meet specific	Verify that double check valve backflow preventers are installed on new dry/wet fire suppression systems that use only water as a fire suppressant. (5)	
requirements with regard to backflow prevention on new dry/wet fire suppression systems (AFI 32-1066, para 12.6).	Verify that a reduced pressure type backflow device is used where antifreeze or other hazardous chemicals are added.	
	Verify that backflow preventers are approved and listed for fire protection use by acceptable testing agencies such as Underwriters' Laboratories or Factory Mutual.	
13-12. Backflow prevention retrofit work must be performed when systems	Verify that backflow prevention retrofit work is performed when systems are down for major renovation. (5)	
are down for major renovation (AFI 32-1066, para 12.6).	(NOTE: This requirement is waived if a threat dictates that the work be performed sooner.)	

United Kingdom ECAVII			
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
13-13. Technicians who test and maintain backflow prevention devices	Verify that MAJCOM-certified technicians perform tests, inspections, and maintenance of backflow prevention devices. (5)		
must be certified by MAJ-COM (AFI 32-1066, paras 14 and 15).	(NOTE: Current certificates using forms other than AF Form 483, Certificate of Competency, are valid until they expire.)		
paras 17 and 15).	Verify that technicians are recertified by MAJCOM every 3 yr.		
	(NOTE: The MAJCOM recertifies technicians using data furnished by BCE, who requests recertification at least 60 days before the expiration date on AF Form 483. For the purposes of recertification a retraining course is unnecessary if the technician has inspected and tested a representative number (normally 50) of double-check and/ or reduced pressure backflow devices since last certified.)		
13-14. Tests and inspections of backflow devices must be conducted on a schedule established by the Backflow Prevention Manager (AFI 32-1066, para 13).	Verify that the Backflow Prevention Manager has established a schedule for testing and inspecting all backflow devices, including air gaps. (5)		
	Verify that the frequency of testing, inspection, and overhaul of each devices is established with due regard to the age, condition, and degree of hazard each prevents.		
	(NOTE: The inspecting and testing schedule should be part of the recurring work program.)		
	Verify that overhauls are performed according to manufacturer recommendations.		
	(NOTE: The following are recommended time intervals for inspection of backflow prevention devices.		
	If the Degree of Hazard is: Inspect Device Every:		
	Minor 24 mo		
	Moderate 24 mo Severe 6 mo		
	Severe 6 mo (Air Gap) 12 mo.)		
13-15. Certain tasks must be conducted in the course of inspections of	Verify that certified backflow inspectors inspect all cross-connections to make sure that: (5)		
cross-connections (AFI 32-1066, paras 13.1, 13.2, and 13.3).	<ul> <li>there is an approved air gap</li> <li>the backflow prevention devices are in good condition</li> <li>newly installed devices were installed correctly and are free of debris that could interfere with their functioning.</li> </ul>		
	Verify that all devices are tested in accordance with the UPC, the UPC Illustrated Testing Manual, or the manufacturer's instructions.		

	Cinted Kingdom Derivit		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997		
13-15. (continued)	Verify that defective devices are repaired and retested or replaced.		
	Verify that the inspector records data on all cross-connections on AF Form 845, Cross-Connection Information, or an approved computerized version.		
	(NOTE: For an air gap, the test consists of a visual inspection and an "OK" recorded if it is satisfactory.)		
	Verify that the form appropriate for the device is also filled out:		
	- AF Form 843, Backflow Prevention Inspection Data - AF Form 844, Backflow Prevention (Vacuum Breakers) Inspection Data.		
13-16. Installations must	Verify that newly installed devices are inspected within 1 week of installation. (5)		
meet specific inspection requirements on newly installed backflow pre- vention devices (AFI 32- 1066, para 13.1).	Verify that a follow-up inspection is performed 3 mo later.		
13-17. Installations must meet recordkeeping requirements with regard	Verify that the installation keeps an inventory of all device locations and an individual record (AF Form 845) for each device. (5)		
to backflow prevention (AFI 32-1066, para 13.4).	Verify that records of cross-connection control and backflow prevention devices are kept at a central location.		
	Verify that the Backflow Program Manager keeps the records current and complete.		
DRINKING WATER			
General			
13-18. Installations must use municipal or regional water supply systems	Verify that the installation uses a municipal or regional water system where feasible.  (1)		
water supply systems where feasible (AFI 32-1067, para 2).	Verify that a life cycle cost analysis is performed to determine the most cost-effective approach.		
	1		

	United Kingdom ECAMP		
REGULA REQUIRE		REVIEWER CHECKS: February 1997	
13-19. Instal develop and necessary an contingency ensure the protable wat interruptions ral disasters interruptions (1.J and AFI 3213).	update as emergency plan to provision of ter despite from natu- and service (FGS-UK 3-	Verify that the installation has an emergency contingency plan that includes, at a minimum: (1)(2)  - identification of key personnel - procedures to restore service - procedures to isolate damaged lines - identification of alternative water supplies - installation public notification procedures - a vulnerability assessment.  Verify that the plan is updated as necessary.	
develop loca instructions to specific topic 1067, para 4.3	hat address s (AFI 32-	Verify that BCE has developed local operating instructions that include the following: (1)  - operational monitoring for process control - sampling and testing procedures - emergency operations - maintenance - regulatory compliance requirements.	
maintain a cu drawing of th potable wate (FGS-UK 3-1.	arrent map/ ne complete er system	Verify that the installation maintains a current map/drawing of the complete potable water system. (1)	
have a Potable tem Master P updated at leas (FGS-UK 3-1	Water Sys- Plan that is at every 5 yr	Verify that the installation has a Potable Water System Master Plan. (1)  Verify that the plan is updated at least every 5 yr.	
13-23. Each water supply so have a water raw water sam (AFI 32-1067,	neter and a point	Verify that each separate water supply source has a water meter and a raw water sampling point for water quality monitoring. (1)(4)	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
13-24. Each active well should have an air line or electric depth gauge to measure drawdown, static level, and pumping level (MP).	Verify that each active well has an air line or electric depth gauge to measure draw-down, static level, and pumping level. (1)(4)  (NOTE: This MP is drawn from AFI 32-1067, para 6.)	
13-25. DOD water systems must meet specific requirements concerning positive pressure and	Verify that a continuous positive pressure is maintained in the water distribution system. (2)(4)  Verify that there is an effective cross connection control and backflow prevention	
maintenance practices (FGS-UK 3-1.F through 3-1.H).	program.  Verify that the water distribution operation and maintenance practices include:	
	<ul> <li>maintenance of a disinfectant residual throughout the water distribution system (except where an effective ultraviolet or ozone disinfectant process is used)</li> <li>proper repair and replacement of mains procedures (including disinfection and bacteriological testing)</li> <li>implementation of an effective annual water main flushing program</li> <li>proper operation and maintenance of storage tanks and reservoirs</li> <li>maintenance of distribution system components (including hydrants and valves).</li> </ul>	
13-26. Installations must conduct sanitary surveys of the water system (FGS-UK 3-1.D).	Verify that surveys of the water system, including a review of required water quality analyses, are conducted annually and as warranted. (1)(2)  Verify that off-installation surveys are coordinated with the appropriate UK authorities.)	
13-27. Installations must conduct vulnerability assessments (FGS-UK 3-1.N).	Verify that the installation has conducted a vulnerability assessment. (1)(2)	

Officer Kingdom Berkin		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
13-28. Installations must use only lead-free pipe, solder, flux, and fittings when installing or repairing water systems and plumbing systems for drinking water (FGS-UK 3-1.K and AFI 32-1067, para 12.4).		
Water Quality Standards	(NOTE: These requirements apply regardless of whether the installation produces or purchases water.)	
13-29. Compliance with water quality standards must be demonstrated by independent testing or validated supplier testing (FGS-UK 3-2).	Verify that the installation, regardless of whether it produces or purchases water, demonstrates compliance with applicable water quality standards by independent testing or validated supplier testing.	
13-30. DOD water systems must meet specific MCL and testing requirements for total coliform	Verify that PWSs have no more than 5 percent positive samples for the presence of total coliforms per month for a system examining 40 or more samples per month. (2)(4)	
bacteria (FGS-UK 3-2.A).	Verify that PWSs have no more than one positive sample for the presence of total coliforms per month when a system analyzes fewer than 40 samples per month.	
	(NOTE: The MCL for total coliforms is exceeded whenever a routine sample is positive for fecal coliforms or <i>Escherichia coli</i> (E. coli) or when any repeat sample is positive for total coliforms.)	
	Verify that each system has a written, site specific monitoring plan and collects routine samples according to the schedule in Table 13-1.	
	Verify that systems with initial samples testing positive for total coliforms collect repeat samples as soon as possible, preferably on the same day.	
	Verify that repeat samples are taken at the same tap as the original sample and that an upstream and a downstream sample are taken in the vicinity of the tap.	
	Verify that any additional required repeat sampling is performed according to local medical or Executive Agent guidance.	
	Verify that monitoring continues until total coliforms are no longer detected.	

<sup>(1)</sup> BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Natural Resources Planner) (4) Water Treatment Plant Superintendent (5) Backflow Program Manager (6) Base Staff Judge Advocate

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
13-30. (continued)	Verify that, when routine or repeat samples are positive for total coliforms, they are tested for fecal coliforms or <i>E. coli</i> .	
	(NOTE: Fecal-type testing can be foregone on a total coliform positive sample if fecal coliforms or <i>E. coli</i> are assumed to be present.)	
	Verify that, if the system has exceeded the MCL, the Executive Agent and installation personnel (U.S. and UK) are notified no later than the end of the next business day that an acute risk to public health may exist.	
13-31. DOD water systems must meet specific requirements with regard	Verify that the parameters in water distributed to end users do not exceed the limitations in Table 13-2. (2)(4)	
to inorganic chemical parameters and monitoring (FGS-UK 3-2.B).	Verify that systems are monitored for inorganic chemicals at the frequency set in Table 13-3.	
ing (FGS-UK 3-2.B).	Verify that, if a system is out of compliance, the Executive Agent and installation personnel (U.S. and UK) are notified as soon as possible but no later than 14 days after receipt of test results.	
	(NOTE: If the installation is only monitoring annually on the basis of a waiver, it must immediately increase monitoring in accordance with Table 13-4 until authorities determine that the system is reliable and consistent and remedial actions are completed.)	
13-32. Installations that fluoridate their water must meet specific requirements (FGS-UK, 3-2.C).	Verify that the fluoride content of drinking water does not exceed the MCL of 1.5 mg/L given in Table 13-2. (2)(4)	
	Verify that fluoride monitoring involves collecting one treated water sample at the entry point to the distribution system annually for surface water systems and once every 3 yr for groundwater systems.	
	(NOTE: Daily monitoring is recommended for systems practicing fluoridation using the criteria in Table 13-5.)	
	Verify that, if a system is out of compliance, the Executive Agent and installation personnel (U.S. and UK) are notified as soon as possible but no later than 14 days after receipt of test results.	

United Kingdom ECAMP		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
13-33. DOD water sys-	Verify that the concentration of lead does not exceed 0.015 mg/L. (2)(4)	
tems must meet specific standards for lead and	Verify that the concentration of copper does not exceed 1.3 mg/L.	
copper action levels and reporting requirements when these levels are exceeded (FGS-UK 3-	(NOTE: Actions such as corrosion control treatment, public education, and removal of lead service lines are triggered if the above lead and copper action levels are exceeded in more than 10 percent of all sampled taps.)	
2.D).	Verify that monitoring is carried out in accordance with Table 13-6.	
	Verify that sampling sites selected are as outlined in Table 13-6.	
	Verify that high risk sampling sites are targeted by conducting a materials evaluation of the distribution system.	
	Verify that, if an action level is exceeded, additional water samples are collected as specified in Table 13-6.	
	Verify that optimal corrosion control treatment is pursued.	
	Verify that, if action levels are exceeded after implementation of applicable corrosion control and source water treatment, lead service lines are replaced if it is lead service lines that are causing the excess.	
	Verify that the Executive Agent and installation personnel (U.S. and UK) are notified within 14 days when an action level is exceeded.	
	Verify that an education program for installation personnel (U.S. and UK) is implemented within 60 days.	
13-34. Installations must notify their users about	Verify that the installation provides public notification concerning the following: (2)	
lead in drinking water systems (FGS-UK 3-1.K).	<ul> <li>the lead content of materials used in distribution or plumbing systems</li> <li>the corrosivity of water that has caused leaching</li> <li>remedial actions that may be taken.</li> </ul>	
	(NOTE: This requirement appears to apply regardless of whether or not the action level for lead has been exceeded.)	
13-35. DOD water systems must meet specific requirements with regard to synthetic organics (FGS-UK 3-2.E).	Verify that synthetic organic chemicals in water distributed to people do not exceed the limitations outlined in Table 13-7. (2)(4)	
	Verify that systems are monitored for synthetic organics according to the schedule in Table 13-4.	
	•	

# COMPLIANCE CATEGORY: WATER QUALITY MANAGEMENT United Kingdom ECAMP REVIEWER CHECKS: February 1997

#### REGULATORY **REQUIREMENTS:** Verify that, if the system is out of compliance, the Executive Agent and installation **13-35.** (continued) personnel (U.S. and UK) are notified as soon as possible, but no later than 14 days after the receipt of test results. (NOTE: When the MCLs for synthetic organic chemicals are exceeded, the installation must begin immediate quarterly monitoring and must increase quarterly monitoring if the level of any contaminant is at its detection limit and must continue until the IC determines the system is reliable and consistent, and any necessary remedial measures are implemented.) 13-36. DOD water sys-Verify that PWSs or NTNCWSs that add a disinfectant (oxidant, such as chlorine, tems must meet specific chlorine dioxide, chloramines, or ozone) to any part of the treatment process do not requirements with regard exceed an MCL of 0.10 mg/L for TTHMs in drinking water. (2) to TTHMs (FGS-UK 3-Verify that systems that add a disinfectant monitor for TTHMs as outlined in Table 2.F). 13-8. Verify that, if the systems exceed the MCL for TTHMs, the Executive Agent and installation personnel (U.S. and UK) are notified as soon as possible, but no later than 14 days after the receipt of the test results, and that remedial measures are undertaken. Verify that PWSs and NTNCWSs meet the MCLs for radionuclides and that moni-13-37. DOD water systems must meet specific toring is performed as outlined in Table 13-9. (2)(4) requirements with regard to radionuclides (FGS-Verify that, if the average annual MCL for gross alpha activity, total radium, or gross UK 3-2.G). beta is exceeded, the appropriate UK authorities and the public are notified as soon as possible, but no later than 30 days after receipt of the test results. (NOTE: After a violation of an MCL for radionuclides, monitoring will continue (monthly for gross beta, quarterly for gross alpha) until remedial actions are completed and the average annual concentration no longer exceeds the MCL.) Verify that, if any gross beta MCL is exceeded, the major radioactive components are identified. **13-38.** Installations must Verify that the installation tests PWS filtered water for turbidity daily. (2)(4) test DOD PWS filtered waters daily for turbidity Verify that the monthly average of daily samples does not exceed 1 NTU in more and must meet a specific than 5 percent of the samples. MCL for turbidity (FGS-UK 3-2.I). Verify that the average of 2 consecutive days does not exceed 5 NTU.

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Natural Resources Planner) (4) Water Treatment Plant Superintendent (5) Backflow Program Manager (6) Base Staff Judge Advocate

United Kingdom ECAMF		
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997	
13-38. (continued)	Verify that, if the MCL for turbidity is exceeded, the Executive Agent and installation personnel (U.S. and UK) are notified as soon as possible, but no later than 14 days after receipt of test results.	
13-39. Installations must periodically monitor DOD NPWSs for total coliforms and disinfectant residuals (FGS-UK 3-2.J).	Determine whether the installation operates an NPWS. (2)(4)  Verify that the installation periodically monitors (as a minimum) for total coliforms and disinfectant residuals.	
13-40. DOD water systems must meet specific requirements with regard to the organoleptic and physico-chemical properties of water (FGS-UK 3-2.L).	purchases water.)	ardless of whether the installation produces or meet the following standards: (1)(2)(4)  1500 µS @ 20 °C [68 °F] 20 mg/L 1500 mg/L (after drying at 180 °C [356 °F]) 5 mg/L 60 mg/L 30 mg/L 3 dilution numbers @ 25 °C [77 °F] 3 dilution numbers @ 25 °C [77 °F].
Disinfection and Filtration  13-41. Installations that use surface water or GWUDISW to produce potable water must conform to certain treatment requirements (FGS-UK 3-1.E and 3-2.H).	Determine whether the installation employs surface water sources or GWUDISW. (1)(2)(3)  Verify that the installation meets the surface water treatment requirements specified in Table 13-10.	
use a groundwater source as their supply of drinking water must disinfect the supplies (FGS-UK 3-1.E).	Determine whether the installation's water supply is groundwater. (1)(2)(3)  Verify that, at a minimum, groundwater supplies are disinfected.	

United Kingdom ECAMP					
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997				
Child Development Centers					
13-43. Drinking water at CDCs must be sampled monthly (HQ USAF/SG Policy Letter, 21 October 1992, paras 1 and 4).	Verify that the drinking water at CDCs is sampled monthly. (2)  Verify that bacteriological sampling is accomplished monthly.  (NOTE: Chemical sampling is generally accomplished once every 3 yr.)				
13-44. BES and CDC Directors must coordinate certain efforts (HQ USAF/SG Policy Letter, 21 October 1992, para 2).	Verify that BES and the CDC Director coordinate the following: (2)  - determine whether Lead Contamination Control Act (LCCA) sampling was thorough and complete  - review records to ensure that identified corrective actions to remove sources of lead contamination were completed  - ensure that Lead Assessment Program analytical results for drinking water lead concentrations are on file in the CDC administrative office.				
13-45. The Director of the CDC must notify BES of certain activities (HQ USAF/SG Policy Letter, 21 October 1992, para 3).	Verify that BES is notified prior to the opening of a new CDC facility and when plumbing lines or fixtures are added or replaced. (2)				
13-46. Certain taps must be taken out of service and resampled (HQ USAF/SG Policy Letter, 21 October 1992, para 3).  13-47. BES must perform sampling in accordance with LCCA guidance under certain circumstances (HQ USAF/SG Policy Letter,	Verify that taps with lead concentrations exceeding 20 parts per billion (ppb) are taken out of service and resampled. (2)  Verify that remediation is accomplished when successive sample results exceed 20 ppb.  Verify that BES performs sampling in accordance with LCCA guidance when metallic materials are used in CDC plumbing systems. (2)				
21 October 1992, para 3).					

Cintu Mingdom DOMMI						
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997					
Recordkeeping and Notification Requirements						
13-48. Water treatment logs must be prepared (AFI 32-1067, para 10.1.1).	Verify that operators prepare AF Form 1461, Water Utility Operating Log (General).  (4)  Verify that, if the water requires more than minor treatment, AF Form 1460, Water					
13-49. Water treatment	Utility Operating Log (Supplemental), is prepared.					
facilities must manage logs and reports in accordance with specific	Verify that daily operating logs and laboratory records are prepared for in-plant use.  (4)  (NOTE: Computer files and printouts such as the Work Information Management					
requirements (AFI 32-1067, paras 10.1).	System (WIMS) operating logs are acceptable if they have the same information as the forms.)					
	Verify that permanent records of the printouts are kept as if they were forms.					
	Verify that backup copies of the active computer files are maintained to protect them against accidental loss.					
	Verify that operating logs or computer files are posted daily (covering one month's operation) in neat legible form.					
	Verify that the original form or computer printout is kept for the BCE permanent file.					
13-50. Specific records must be maintained for wells and pumping sta-	Verify that AF Form 996, Well Data, is completed and a file kept for each well, beginning with initial construction. (4)					
tions (AFI 32-1067, para 10.1.2 and 10.2).	Verify that the information is updated after completing a repair, redeveloping a well, or conducting a performance test.					
	Verify that the following daily operating records are maintained for wells and pumping stations:					
	- AF Form 997, Daily Well Activity Record - AF Form 998, Daily Pumping Station Activity Record - Water.					

Office Kingdom ECAM				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
13-51. Facilities should establish local proce-	Verify that water treatment and wastewater treatment facilities establish local procedures for preparing coordinating, reviewing, and approving logs and reports. (4)			
dures for preparing coordinating, reviewing, and approving logs and reports (MP).	(NOTE: This MP is found in AFI 32-1067, para 10.1.3.)			
13-52. Specific records must be maintained for	Verify that records of chemical analyses are kept for 10 yr. (2)			
DOD water systems (FGS-UK 3-1.L).	Verify that records showing monthly operating reports are maintained for at least 3 yr.			
	Verify that records of bacteriological results are maintained for at least 5 yr.			
13-53. Specific physical facility information must be developed, maintained,	Verify that the following information is developed, maintained, and kept available at the treatment facilities: (1)(4)			
and kept available at treatment facilities (AFI 32-1067, para 10.2).	<ul> <li>required plant-specific Operations and Maintenance (O&amp;M) manuals and applicable AF publications</li> <li>system operating instructions with single-line drawings, including operational</li> </ul>			
32-1007, para 10.2).	and compliance monitoring procedures  - up-to-date system as-built drawings along with other system plans and blue-prints, including hydraulic water elevation profiles and a drawing of the entire collection and distribution systems  - AF Form 996, Well Data			
	- shop drawings, catalogue cuts, and any other equipment information or literature.			
13-54. Installations must develop and maintain effective maintenance	Verify that the installation develops and maintains effective maintenance plans that include: (1)			
plans that address spe- cific topics (AFI 32-	- a recurring work schedule - a maintenance history for each major piece of equipment			
1067, para 10.3).	<ul> <li>an essential spare parts list, with spare parts stocked at the treatment facility or other accessible location</li> <li>a long-range maintenance and improvement plan.</li> </ul>			
13-55. Installations must document actions taken to	Verify that the installation documents corrective actions taken to correct breaches of criteria. (2)			
correct breaches of water quality criteria (FGS-UK 3-1.M).	Verify that such documentation is maintained for at least 3 yr.			

United Kingdom ECAMP				
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997			
13-56. Required notifications must meet specific content standards (FGS-UK 3-3).	Verify that the notices required under this checklist are clear and understandable and address the following topics: (1)(2)(4)  - explanation of the violation - any potential adverse health effects - the population at risk - the steps that the system is taking to correct the violation - the necessity for seeking alternative water supply, if any - any preventive measures the consumer should take until the violation is corrected.  (NOTE: The Executive Agent coordinates notification with UK authorities where off-installation populations are at risk.)			
13-57. Installations must notify the MAJCOM Civil Engineer when the potable water supply becomes contaminated (AFI 32-1066, para 6).	Verify that MAJCOM/CE is notified when the potable water supply becomes contaminated. (1)			
Alternative Water Supplies				
13-58. DOD installations must use only approved alternative water sources, if the use of alternative sources is necessary (FGS-UK 3-2.K).	Determine whether the installation uses alternative water sources. (1)(2)  Verify that alternative water sources have approval from the IC.  (NOTE: This requirement includes POE and POU treatment devices, as well as bottled water supplies.)			
Underground Injection Control				
13-59. Underground injection must be carried out in such a way that underground water resources are protected (FGS-UK 3-1.I).	Verify that the installation regulates underground injection so as to protect underground water sources. (2)(3)  Verify that, at a minimum, the installation conducts monitoring to determine the effects of any underground injection wells on nearby groundwater supplies. (See checklist item 12-25.)			

COMPLIANCE CATEGORY:
WATER QUALITY MANAGEMENT
United Kingdom ECAMP

United Kingdom ECAMP					
REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997				
Aquifers	·				
13-60. Installations must protect water supply aquifers from contamination (FGS-UK 3-1.C).	Determine whether the installation is located by a water supply aquifer. (2)(3)  Verify that the aquifer is protected by suitable placement and construction of wells siting and maintenance of septic systems, onsite treatment units, and appropriate lanuse management. (See checklist item 12-25.)				
TRAINING AND CERTIFICATION					
<b>13-61.</b> Operators of water treatment plants must meet training requirements (AFI 32-1067, para 8.1).	Verify that new operators receive classroom training and extensive supervised on- the-job training before being assigned to critical tasks. (3)(4)  Verify that experienced personnel receive technical refresher courses and upgrade training.				
	<ul> <li>(NOTE: Training requirements may be met by one of the following means:         <ul> <li>AF training available through technical schools, career development correspondence courses, and on-the-job training</li> <li>civilian training courses available at educational institutions, government agencies, and professional and technical associations</li> <li>correspondence courses from accredited institutions for operators in areas that do not have local resident courses.)</li> </ul> </li> </ul>				
13-62. Supervisors at water treatment plants must meet specific requirements with regard to safety training for all employees (AFI 32-1067, para 9).	<ul> <li>Verify that all employees are familiar with the safety instructions in the following documents, as applicable: (3)(4)</li> <li>AFR 91-26, Maintenance and Operation of Water Supply, Treatment, and Distribution Systems</li> <li>AFM 91-32, Operation and Maintenance of Domestic and Industrial Wastewater Systems</li> <li>Air Force Occupational Safety and Health Standard (AFOSH STD) 127-10, Civil Engineering</li> <li>AFOSH STD 127-25, Confined Spaces</li> <li>AFOSH STD 161-21, AF Hazard Communication Standard.</li> </ul>				
	Verify that the supervisor maintains current BES baseline and annual industrial hygiene survey reports.  (NOTE: The supervisor should use these reports to train workers on occupational health hazards.)				
	Verify that supervisors make safety instructions readily available to all operating personnel.				

REGULATORY REQUIREMENTS:	REVIEWER CHECKS: February 1997				
13-62. (continued)	Verify that supervisors train facility personnel on safety procedures and equipme and enforce their proper use at all times.				
	(NOTE: Once trained, individual workers are personally responsible for following safe procedures.)				
·					
	• · · · ·				

(1) BCE (Environmental Planning) (2) BES (Bioenvironmental Engineering Services) (3) BCE (Natural Resources Planner) (4) Water Treatment Plant Superintendent (5) Backflow Program Manager (6) Base Staff Judge Advocate

**Table 13-1** 

## **Total Coliform Monitoring Requirements** (FGS-UK, Table 3-2)

Population Served per Month	Minimum Number of Samples per Month
25 to 1000 <sup>1</sup>	1
1001 to 2500	2
2501 to 3300	3
3301 to 4100	4
4101 to 4900 <sup>2</sup>	5
4901 to 5800	6
5801 to 6700	7
6701 to 7600	8 .
7601 to 8500	9
8501 to 12,900	10
12,901 to 17,200	15
17,201 to 21,500	20
21,501 to 25,000	· 25
25,001 to 33,000	30
33,001 to 41,000	40
41,001 to 50,000	50
50,001 to 59,000	60
59,001 to 70,000	70
70,001 to 83,000	. 80
83,001 to 96,000	90
96,001 to 130,000	. 100
130,001 to 220,000	120
220,001 to 320,000	150
320,001 to 450,000	180
450,001 to 600,000	210
600,001 to 780,000	240
780,001 to 970,000	270
970,001 to 1,230,000	300
1,230,001 to 1,520,000	330
1,520,001 to 1,850,000	360
1,850,001 to 2,270,000	390

(continued)

Table 13-1 (continued)

Population Served per Month	Minimum Number of Samples per Month
2,270,001 to 3,020,000	420
3,020,001 to 3,960,000	450
3,960,001 or more	480

<sup>&</sup>lt;sup>1</sup> A non-community water system using groundwater and serving 1000 or fewer people may monitor once in each calendar quarter during which the system provides water, provided that a sanitary survey conducted within the last 5 yr shows the system is supplied solely by a protected groundwater source and free of sanitary defects.

<sup>&</sup>lt;sup>2</sup> Systems serving fewer than 4900 people which use groundwater and collect samples from different sites may collect all samples on a single day. All other systems must collect samples at regular intervals throughout the month.

**Table 13-2** 

#### **Inorganic Chemicals MCLs**

(FGS-UK, Table 3-3)

Contaminant	MCL	
Aluminum	200.0 μg/L	
Antimony	10.0 μg/L	
Arsenic	0.05 mg/L	
Asbestos <sup>1</sup>	7 million fibers/L (longer than 10 μm)	
Barium	1.0 mg/L	
Boron	2.0 mg/L	
Cadmium <sup>1</sup>	0.010 mg/L	
Calcium	250.0 mg/L	
Chromium <sup>1</sup>	0.05 mg/L	
Cyanide	50.0 μg/L	
Fluoride <sup>2</sup>	1.5 mg/L	
Iron	200. 0 μg/L	
Kjeldahl Nitrogen	1.0 mg/L	
Magnesium	50.0 mg/L	
Manganese	50.0 μg/L	
Mercury <sup>1</sup>	0.002 mg/L	
Nickel	50.0 μg/L	
Nitrate <sup>3</sup>	10.0 mg/L (as N)	
Nitrite <sup>3</sup>	0.1 mg/L (as N)	
Total Nitrite and Nitrate <sup>3</sup>	10.0 mg/L (as N)	
Phosphorus	2200.0 μg/L (as P)	
Potassium	12.0 mg/L	
Selenium	0.01 mg/L	
Silver	10.0 μg/L	
Sodium	150.0 mg/L	
Lead	0.05 mg/L	
Copper	1.3 mg/L	
Silver	0.05 mg/L	
Zinc	5.0 mg/L	

<sup>1</sup> MCLs apply to CWSs and NTNCWSs.

 $2\ MCL$  applies only to CWSs. See checklist item 12-33 above for additional fluoride requirements.

(continued)

#### Table 13-2 (continued)

3 MCLs apply to CWSs, NTNCWSs, and TNCWSs.

(NOTE: Additional criteria for lead and copper are addressed in checklist item 13-34 above.)

**Table 13-3** 

#### **Inorganics Monitoring Requirements**

(FGS-UK, Table 3-4)

Contaminant Groundwate  Baseline Requirement		Surface Water Baseline Requirement	Trigger That Increases Monitoring <sup>5</sup>	Waivers	
Aluminum 1 sample/yr		Annual sample	> MCL		
Antimony	1 sample/yr	Annual sample	> MCL		
Barium	1 sample/yr	Annual sample	> MCL	da 100 da	
Boron	1 sample/yr	Annual sample	> MCL		
Calcium	1 sample/yr	Annual sample	> MCL		
Cadmium	1 sample/yr	Annual sample	> MCL		
Chromium	1 sample/yr	Annual sample	> MCL		
Cyanide	1 sample/yr	Annual sample	> MCL		
Fluoride	1 sample/yr	Annual sample	> MCL		
Kjedahl Nitrogen	1 sample/yr	Annual sample	> MCL		
Magnesium	1 sample/yr	Annual sample > MCL			
Manganese	1 sample/yr	Annual sample	> MCL		
Nickel	1 sample/yr	Annual sample	> MCL		
Iron	1 sample/yr	Annual sample	> MCL		
Phosphorus	1 sample/yr	Annual sample	> MCL		
Potassium	1 sample/yr	Annual sample	> MCL		
Silver	1 sample/yr	Annual sample	> MCL		
Sodium	1 sample/yr	Annual sample	> MCL	un mit ma	
Zinc	1 sample/yr	Annual sample	le >MCL		
Asbestos	1 sample/9 yr	1 sample/9 yr	> MCL	Yes <sup>2</sup>	
Nitrate	Annual sample	Quarterly	> 50% MCL <sup>6</sup>	Yes <sup>3</sup>	
Nitrite	Annual sample	Quarterly	> 50% MCL <sup>6</sup>	Yes <sup>4</sup>	
Corrosivity <sup>7</sup>	Once	Once			

<sup>&</sup>lt;sup>1</sup> Samples must be taken as follows: groundwater systems must take a minimum of one sample at every entry point to the distribution system that is representative of each well after treatment and at a consumer's tap; surface water systems must take at least one sample at a consumer's tap and every entry point to the distribution system after any application of treatment or in the distribution system at a point that is representative of each source after the treatment.

(continued)

<sup>&</sup>lt;sup>2</sup> Necessity for analysis is predicated upon a vulnerability assessment conducted by the PWS.

#### Table 13-3 (continued)

- <sup>3</sup> The HQ USAFE may reduce repeat sampling frequency of surface water systems to an annual sample if, after 1 yr, the parameter is less than 50 percent of the annual sample MCL.
- <sup>4</sup> The HQ USAFE may reduce repeat sampling frequency to one sample if the parameter is 50 percent of MCL.
- <sup>5</sup> Increased quarterly monitoring requires a minimum of two samples per quarter for groundwater systems and at least four samples per quarter for surface water systems.
- <sup>6</sup> Increased quarterly monitoring must be undertaken for nitrate and nitrite if a sample is less than 50 percent of the MCL.
- <sup>7</sup> PWSs must be analyzed within 1 yr of the effective date of country specific final governing standards to determine the corrosivity entering the distribution system.

#### Synthetic Organic Chemical Monitoring Requirements

(FGS-UK, Table 3-8)

G4	Base Req	Base Requirement <sup>1</sup>		Waivers
Contaminant	Groundwater	Surface water	monitoring <sup>6</sup>	Walvers
VOCs	Quarterly	Quarterly	> 0.0005	Yes <sup>2,3</sup>
Pesticides/Polychlorinated Biphenyls (PCBs)	Quarterly	Quarterly	> Detection limit <sup>5</sup>	Yes <sup>3,4</sup>

<sup>&</sup>lt;sup>1</sup> Groundwater systems must take a minimum of one sample at every entry point to the distribution system that is representative of each well after treatment and at a consumer's tap; surface water systems must take at least one sample at a consumer's tap and at every entry point to the distribution system after any application of treatment or in the distribution system at a point that is representative of each source after treatment.

- systems greater than 3300 may be reduced to two samples/yr every 3 yr
- systems less than 3300 may be reduced to one sample every 3 yr.

(NOTE: Compliance is based on an annual running average for each sample point for systems monitoring quarterly or more frequently. For systems monitoring annually or less frequently, compliance is based on a single sample, unless HQ USAFE requests a confirmation sample. A system is out of compliance if any contaminant exceeds the MCL.)

<sup>&</sup>lt;sup>2</sup> Repeat sampling frequency may be reduced to annually after 1 yr of no detection and to every 3 yr after three rounds of no detection.

<sup>&</sup>lt;sup>3</sup> Monitoring frequency may be reduced, if warranted, based on a vulnerability assessment by the PWS.

<sup>&</sup>lt;sup>4</sup> Repeat sampling frequency may be reduced to the following after one round of no detection:

<sup>&</sup>lt;sup>5</sup> Detection limits noted in Table 13-7.

<sup>&</sup>lt;sup>6</sup> Increased monitoring requires a minimum of two samples per quarter for groundwater systems and at least four samples per quarter for surface water systems.

Table 13-5

Recommended Fluoride Concentration at Different Temperatures
(FGS-UK, Table 3-5)

Annual Average of	Control Limits (mg/L)		
Max. Daily Air Temperatures ( <sup>0</sup> F)	Lower	Optimum	Upper
50.0 - 53.7	0.9	1.2	1.7
53.8 - 58.3	0.8	1.1	1.5
58.4 - 63.8	0.8	1.0	1.3
63.9 - 70.6	0.7	0.9	1.2
70.7 - 79.2	0.7	0.8	1.0
79.3 - 90.5	0.6	0.7	0.8

### Monitoring Requirements for Lead and Copper Water Quality Parameters

(FGS-UK, Table 3-6)

Population Served	No. of Sites for Standard Monitoring <sup>1,2</sup>	No. of Sites for Reduced Monitoring <sup>3</sup>	No. of Sites for Water Quality Parameters <sup>4</sup>
> 100,000	100	50	25
10,001-100,000	60	30	10
3,301-10,000	40	20	3
501-3,300	20	10	2
101-500	10	5	1
< 100	5	5	1

- 1. Monitor every 6 mo for lead and copper.
- 2. Sampling sites must be based on a hierarchal approach. For CWSs, priority must be given to: single family residences that contain copper pipe with lead solder installed after 1982, contain lead pipes, or are served by lead service lines; then, structures, including multifamily residences, with the foregoing characteristics; and finally, residences and structures with copper pipe with lead solder installed before 1983. For NTNCWSs, sampling sites must consist of structures that contain copper pipe with lead solder installed after 1982, contain lead pipes, and/or are served by lead service lines. First draw samples must be collected from a cold water kitchen or bathroom tap; nonresidential samples must be taken at an interior tap from which water is typically drawn for consumption.
- 3. Monitor annually for lead and copper if action levels are met during each of two consecutive 6-mo monitoring periods. Annual sampling must be conducted during the four warmest months of the year.
- 4. Samples must be representative of water quality throughout the distribution system and include a sample from the entry to the distribution system. Samples must be taken in duplicate for pH, alkalinity, calcium, conductivity or total dissolved solids, and water temperatures to allow a corrosivity determination (via a Langelier saturation index or other appropriate saturation index); additional parameters are orthophosphate when a phosphate inhibitor is used and silica when a silicate inhibitor is used.

**Table 13-7** 

## Synthetic Organic Chemical MCLs (FGS-UK, Table 3-7)

MCL, mg/L	Detection Limit, mg/L				
Pesticides, PCBs					
0.002	0.0002				
0.003	0.0005				
0.003	0.0008				
0.003	0.0005				
0.04	0.0009				
0.002	0.0002				
0.1	0.0001				
0.0002	0.00002				
0.0002	0.00002				
0.00005	0.00001				
0.0004	0.00004				
0.0004	0.00002				
0.0002	0.00002				
0.04	0.0001				
0.0001, each >0.0005, total	0.00005				
0.0002 (until 1997)	0.0001				
0.001 (until 1997)	0.0005				
0.0001, each >0.0005, total	0.0001				
0.0005	0.0001				
0.001	0.00004				
0.003	0.001				
VOCs					
0.005	0.0005				
0.0001	0.0001				
	0.002 0.003 0.003 0.003 0.004 0.002 0.1 0.0002 0.0002 0.0005 0.0004 0.0004 0.0002 0.04 0.0001, each >0.0002 (until 1997) 0.001 (until 1997) 0.0001, each >0.0005, total 0.0005 0.0001 0.0003 VOCs 0.0005				

(continued)

Table 13-7 (continued)

Synthetic Organic Chemical	MCL, mg/L	Detection Limit, mg/L			
Carbon tetrachloride	0.005	0.0005			
o-Dichlorobenzene	0.6	0.0005			
cis-1,2-Dichloroethylene	0.07	0.0005			
trans-1,2-Dichloroethylene	0.1	0.0005			
1,1-Dichloroethylene	0.007	0.0005			
1,1,1-Trichloroethane	0.01	0.0005			
1,2-Dichloroethane	0.005	0.0005			
1,2-Dichloropropane	0.005	0.0005			
Ethylbenzene	0.7	0.0005			
Monochlorobenzene	0.1	0.0005			
para-Dichlorobenzene	0.075	0.0005			
Phenols C6 H5 OH/1	0.0005	0.0005			
Polycyclic Hydrocarbons	0.0002, total	0.0001			
Styrene	0.1	0.0005			
Tetrachloroethylene	0.005	0.0005			
Tetrachloromethane	0.003	0.0005			
Trichloroethane	0.03	0.0005			
Trichloroethylene	0.005	0.0005			
Trichloromethane	0.003	0.0005			
Toluene	1.0	0.0005			
Vinyl chloride	0.002	0.0005			
Xylene (total)	10	0.0005			
Other Organics					
Acrylamide	treatment technique <sup>1</sup>				
Epihydrochlorin	treatment technique <sup>1</sup>				
Surfactants as Laurl SO4	0.2 0.01				
Total Organic Carbon	no significant increase	e			

 $<sup>^{1}</sup>$  Best available treatment technique relates to polymer addition practices.

#### **TTHM Monitoring Requirements**

(FGS-UK, Table 3-9)

Population Served by System	Number of Samples per Distribution System	Frequency of Samples	Type of Sample	
10,000 or more	4	Quarterly	Treated	
Less than 10,000	1	1 Annually Treated		

- (NOTE: 1.One of the samples must be taken at a location in the distribution system reflecting the maximum residence time of water in the system. The remaining samples must be taken at representative points in the distribution system. Systems using ground-water sources that add a disinfectant should have one sample analyzed for maximum TTHM potential. Systems that employ surface water sources, in whole or in part, and that add a disinfectant should have one sample analyzed for TTHMs.
  - 2. Compliance is based upon a running yearly average of quarterly samples for systems serving more than 10,000 people. Noncompliance exists if the average exceeds the MCL. For systems serving less than 10,000 people and having a maximum TTHM potential sample exceeding the MCL, a sample for TTHMs must be analyzed. If the TTHM sample exceeds the MCL, noncompliance results.)

#### Radionuclide MCLs and Monitoring Requirements

(FGS-UK, Table 3-10)

MCL Contaminant	MCL, pCi/L	
Gross Alpha <sup>1</sup>	15	
Combined Radium-226 and -228	5	
Gross Beta <sup>2</sup>	50	
Strontium-90	8	
Tritium	20,000	
Radon <sup>3</sup>	300	

#### **Monitoring Requirements**

For gross alpha activity and radium-226 and radium-228, systems must be tested once every 4 yr. Testing will be conducted using an annual composite of four consecutive quarterly samples or the average of four samples obtained at quarterly intervals at a representative point in the distribution system.

Gross alpha only may be analyzed if activity is less than or equal to 5 pCi/L. Where radium-228 may be present, radium-226 and/or radium-228 analyses should be performed when activity is greater than 2 pCi/L. If the average annual concentration is less than half the maximum contaminant level, analysis of a single sample may be substituted for the quarterly sampling procedure. A system with two or more sources having different concentrations of radioactivity must monitor source water in addition to water from a free-flowing tap. If the installation introduces a new water source, these contaminants must be monitored within the first year after introduction.

<sup>&</sup>lt;sup>1</sup> Gross alpha activity includes radium-226, but excludes radon and uranium.

<sup>&</sup>lt;sup>2</sup> Gross beta activity refers to the sum of beta particle and photon activity from manmade radionuclides. If gross beta exceed the MCL, i.e., equal a dose of 4 millirem/yr, the individual components must be determined.

<sup>&</sup>lt;sup>3</sup> MCL for radon is proposed to be effective in 1995.

#### **Surface Water Treatment Requirements**

(FGS-UK, Table 3-1)

#### 1. Unfiltered Systems

- a. Systems that use unfiltered surface water or groundwater sources under the direct influence of surface water must analyze the raw water for total coliforms or fecal coliforms at least weekly and for turbidity at least daily for a minimum of 1 yr. If the total coliforms and/or fecal coliforms exceed 100/100 milliliters (mL) and 20/100 mL, respectively, appropriate filtration must be applied. Appropriate filtration must also be applied if turbidity exceeds 1 NTU.
- b. Disinfection must achieve at least 99.9 percent inactivation of Giardia lamblia cysts and 99.99 percent inactivation of viruses by meeting applicable CT values.
- c. Disinfection systems must have redundant components to ensure uninterrupted disinfection during operational periods.
- d. Daily disinfectant residual monitoring immediately after disinfection is required. Disinfectant residual measurements in the distribution system must be made weekly.
- e. Water in a distribution system with a heterotrophic bacteria concentration less than or equal to 500/mL, measured as heterotrophic plate count, is considered to have a detectable disinfectant residual.
- f. If disinfectant residuals in the distribution system are undetected in more than 5 percent of monthly samples for 2 consecutive months, appropriate filtration must be implemented.

#### 2. Filtered Systems

- a. The turbidity of filtered water must be monitored at least daily.
- b. The turbidity of filtered water must not exceed 1 NTU in 95 percent of the analyses in a month, with a maximum of 5 NTU.
- c. Disinfection requirements are identical to those for unfiltered systems.

INST	ALLA	TION:	COMPLIANCE CATEGORY: WATER QUALITY MANAGEMENT United Kingdom ECAMP		: REVIEWER(S):
STATUS REVIEWER COMMENT			MENTS:		
NA	C	RMA	KEVIEWER COM	ALIVID.	AND MAKEN MAKEN
1					
		·			
					•
		İ			
				·	
		1			