






















on the road, period. To accomplish this lofty goal, we brought all of our legendary knowledge, research, and development to the task. Because in the end, when it comes to protecting you and your passengers from danger, no standard is too high.

#### **SAFETY FEATURES**



ACTIVE BRAKE ASSIST<sup>1</sup> This advanced system senses the likelihood of a collision with a vehicle ahead and sends both a visual and audible warning followed by initiating autonomous braking.




#### **ACTIVE DISTANCE ASSIST DISTRONIC®5**

This intelligent cruise control system senses traffic conditions and actively controls your speed to keep you at a safe distance.



360° CAMERA6 When the Reverse gear is selected, this visual parking aid uses four digital cameras to generate various views of the vehicle's surroundings and show them in real time on the multimedia display.



ATTENTION ASSIST®2 helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



BLIND SPOT ASSIST<sup>3</sup> has Rear Cross-Traffic Alert (RCTA)<sup>4</sup>, which employs automatic braking to avoid a collision with traffic crossing the vehicle's path (e.g., vehicles or pedestrians) when reversing.




CROSSWIND ASSIST7 helps stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps ensure that your vehicle remains in its lane at highway speeds.



**HILL START ASSIST** briefly stops the vehicle from rolling backward or forward, giving you an extra level of safety and confidence when making a hill start. Hill Start Assist maintains brake pressure for approximately two seconds, so you can remove your foot from the brake pedal without rolling.




ACTIVE LANE KEEPING ASSIST<sup>10</sup> can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



give drivers additional help with identifying speed restriction signs, No Passing zones, and No Entry signs.



With **RESCUE ASSIST**, sm first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)8 This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels, and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



**DRIVER AND PASSENGER AIRBAGS**9 The driver and passenger front, thorax, and window airbags9 help protect you and

your passengers in the event of a collision. Sprinter airbags shown are from Model Year 2014.



HIGHBEAM ASSIST<sup>SM</sup> adjusts the highand low-beam headlamps automatically, allowing for continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.



Performance is about having the horsepower, torque, and hauling capabilities to handle whatever you have to do. The Sprinter gives you that confidence, and the flexibility to choose between two drivetrains. You can have turbocharged muscle and the convenience of gasoline in one package with a 4-cylinder turbocharged gasoline engine mated to an industry-leading 9G-TRONIC 9-speed transmission as standard equipment: And for diesel fans, there's 4-cylinder diesel and 6-cylinder diesel engines with a 7G-TRONIC 7-speed transmission.<sup>11</sup>

A 3.0L V6 turbo diesel engine<sup>11</sup> with 7-speed transmission is also available. If you don't want bad weather or road conditions to stop you from getting to work, go for the optional 4x4 drivetrain with on-demand 4-wheel drive.

*V6 turbo diesel...strong pulling* power, good fuel economy, and proven longevity."

- KELLEY BLUE BOOK'S KBB.COM†



Book's KBB.com. Kelley Blue Book is

#### THE EFFICIENCY OF DIESEL. THE CONVENIENCE OF GAS. IT'S YOUR CHOICE.



#### 3.0L 6-CYLINDER TURBO DIESEL (V6)11

**CONFIGURATION: DOHC** 

INDUCTION SYSTEM: Common-Rail-Direct-Injection (CDI)

BORE/STROKE: 83.0 mm/92.0 mm

HORSEPOWER @ RPM: 188 hp @ 3,800 rpm

TORQUE: Ib-ft @ RPM: 325 lb-ft @ 1,400-2,400 rpm

TRANSMISSION: Automatic Transmission, 7G-TRONIC Plus



#### 2.0L 4-CYLINDER DIESEL (I4)11

**CONFIGURATION: DOHC** 

INDUCTION SYSTEM: Common-Rail-Direct-Injection (CDI)

**BORE/STROKE:** 83.0 mm/99.0 mm

HORSEPOWER @ RPM: 161 hp @ 3,800 rpm

TORQUE: Ib-ft @ RPM: 266 lb-ft @ 1,400-2,400 rpm

TRANSMISSION: Automatic Transmission, 7G-TRONIC Plus



#### 2.0L 4-CYLINDER TURBO GASOLINE\*

**CONFIGURATION: DOHC** 


INDUCTION SYSTEM: Bosch injection (200 bar)

**BORE/STROKE:** 83.0 mm/92.0 mm

HORSEPOWER @ RPM: 188 hp @ 5,000 rpm

TORQUE: Ib-ft @ RPM: 258 lb-ft @ 2,500-3,500 rpm

TRANSMISSION: Automatic Transmission, 9G-TRONIC





#### TORQUE: IT'S WHAT'S INSIDE THAT COUNTS.

Horsepower numbers are fine, but torque is what your van needs to get up to speed. What's also important is the rpm at which the peak torque numbers come in. Notice how the Sprinter's peak torque comes in at 1,400 rpm-just above an idle. This means that you'll be at peak torque quickly—and moving from a standing stop efficiently.

# READ





#### **GASOLINE ENGINE**

The Sprinter offers a turbocharged 4-cylinder gasoline engine with Direct Injection and 258 lb-ft of torque as standard equipment\*

#### **EFFICIENT DIESEL ENGINES**



#### 6-CYLINDER DIESEL ENGINE (V6)11

With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, the Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



#### 4-CYLINDER DIESEL ENGINE (I4)11

One of the most popular engine models in Sprinter history, the 4-cylinder diesel balances low fuel consumption, low emissions, and low noise and vibration levels with high torque and high elasticity at low speeds.



#### **7G-TRONIC PLUS 7-SPEED AUTOMATIC TRANSMISSION**

The low first gear and overdrive high gear in the Sprinter's 7-speed automatic transmission help you accelerate from a stop and conserve fuel on the highway.



#### **9G-TRONIC 9-SPEED AUTOMATIC TRANSMISSION**

This transmission is a first for the segment and features rapid response, a smooth transition between gears, and efficient highway driving.



## **UP TO A 20,000-MILE SERVICE**

The Sprinter's Best-in-Class service intervals of up to 20,000 miles<sup>12</sup> for diesel and up to 15,000 miles<sup>12</sup> for gas keep you on the road, raising productivity and lowering the total




The Sprinter won the 2019 ALG Residual Value Award.13

## INTERVAL<sup>12</sup>

cost of ownership.

# READY



Our connectivity solutions<sup>14</sup> are standard on every eligible Sprinter.

**CONNECTIVITY SOLUTIONS** FOR YOUR VEHICLE<sup>14</sup>



**COMMUNICATION MODULE<sup>23</sup>** 

—standard in every Sprinter.

This is the central point of contact that ensures the broadest range of connectivity, quickly transmitting data with the permanently installed



**INTERFACES TO MANAGE YOUR VEHICLES REMOTELY** 

overview of your vehicle — by simplifying logistics



**MERCEDES ME CONNECT APP<sup>22</sup>** -the direct line to the driver.

related informatio

#### **BENEFITS AT A GLANCE**

#### **FOR THE BUSINESS OWNER**

- Increase overall business efficiency
- · Pinpoint the location of your vehicle
- Integrate your vehicle data into fleet management systems
- Monitor your vehicle data effectively<sup>18</sup>

#### **FOR THE DRIVER**

- Effective assistance15 in case of an emergency
- . More efficient working procedures with remote access to upcoming maintenance information on the vehicle<sup>18</sup>



## Mercedes me connect

Mercedes me connect<sup>20</sup> is the digital extension of your van. Whether you're getting customer support or simply checking your fuel, Mercedes me connect<sup>20</sup> is here to make life easier.


#### **BENEFITS AT A GLANCE:**

- Mercedes me connect<sup>20</sup> provides a quick snapshot of your mileage, fuel level, tire pressure, fluids, and more. Plus you can see your vehicle's location, and lock or unlock the doors at the touch of a button.
- Enjoy maintenance and support with a personal touch. From maintaining your vehicle to receiving help in the event of an accident, *Mercedes me connect*<sup>20</sup> provides an additional layer of comfort and safety.
- The Mercedes me connect App<sup>22</sup> provides an overview of your vehicle by housing your remote access services.<sup>19</sup> Download the app today, and take full advantage of your Mercedes me connect<sup>20</sup> services. Available on Android, iOS, and Apple Watch.

For more information, visit our website at https://www.mbusa.com/en/mercedes-me-connect

17

# READY



## THE SPRINTER INFOTAINMENT SYSTEM FEATURES:



**CHARGING OPTIONS** are strategically located on the dashboard and include USB-C ports, wireless, and 12V chargers.



LIVE TRAFFIC INFORMATION<sup>16</sup> provides traffic data in real time for more efficient traveling to and from work.



SMARTPHONE INTEGRATION FOR APPLE CARPLAY® AND ANDROID™ AUTO<sup>24</sup> as well as Bluetooth® capability are available in the Sprinter.



WIRELESS INTERNET ACCESS<sup>21</sup> provides a highly stable connection that allows for the use of mobile devices in the vehicle.



MERCEDES-BENZ EMERGENCY CALL SYSTEM<sup>15</sup> sends out an automatic emergency call for faster arrival of rescue services.



**7" AND 10.25" TOUCHSCREENS**Display screens that are activated via touch, voice control, or touch buttons on the steering wheel are available on the Sprinter.



THE INNOVATIVE MBUX (MERCEDES-BENZ USER EXPERIENCE) delivers content from navigation to entertainment, and includes optional LINGUATRONIC "Hey Mercedes" voice control and what3words, our geocoded map system.





# Thousands of configurations. Unlimited potential.

When we say the Sprinter is ready for anything, we mean that literally.

Choose from thousands of features, configurations, and upfit solutions that give you the ability to build a van that's ready to work for you now, and prepared to carry your business into the future. It's the difference between a van that you merely drive and a van that is driven to help you succeed.

Sprinter Cargo Vans are available in 1500, 2500, 3500, 3500XD, and 4500 series.

#### **SPECIFICATIONS**



Available on the Single tire models, this wheel arch covering's square shape and flat top provide extra storage opportunities, as well as protection for the wheel arch.



The rear doors feature hinges with self-locking mechanisms.



LED strip lighting improves cargoloading vision.



Pallet bracing and tie-downs help when hauling cargo with unusual sizes and shapes<sup>25</sup>



The Sprinter 4500 model sets the benchmark for payload capacity of up to 6,823 lbs.

#### **TWO ROOF HEIGHTS**

STANDARD ROOF

Max: 95.5"

**HIGH ROOF** Max: 95.5"

Max: 97.9'



Max: 109.1"



#### **THREE LENGTHS**



233.5" (144" WB) 274.3" (1**70**" WB) 290" (170" EXT. WB)

#### **SPRINTER CARGO QUICK FACTS**

**MAXIMUM PAYLOAD:** 6,823 lbs.



**MAXIMUM CARGO VOLUME:** 532.6 cu. ft.



MAXIMUM TOWING CAPACITY:26 7,500 lbs.



**MAXIMUM CARGO FLOOR LENGTH:** 189.4"

MAXIMUM CARGO FLOOR WIDTH:



79.1"

2.0L 4-cylinder turbo gasoline,\*

TRANSMISSIONS:

**MAXIMUM INTERIOR** 

STANDING HEIGHT:

3.0L 6-cylinder turbo diesel (V6),11 2.0L 4-cylinder diesel (I4)11

9G-TRONIC 9-speed Automatic

7-speed Automatic Transmission

Transmission, 7G-TRONIC Plus

70.4"

\*Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 40 for a complete listing of models and specifications.



Sprinter Crew Vans are available in 2500, 3500, 3500XD, and 4500 series.

Carrying you forward.

Once again, we've created a van to fulfill a specific need. The Sprinter Crew Van seats

up to five, and still has room for material or cargo. To fulfill the need for power and desire for

the convenience of gasoline, a 4-cylinder turbocharged gasoline engine with a Best-in-Class


9G-TRONIC 9-speed transmission is standard equipment.\* A V6 turbo diesel engine<sup>11</sup> with a

7-speed transmission is also available.

#### **SPECIFICATIONS**



The removable 3-seat bench is covered in durable upholstery and gives your crew a roomy, safe, and comfortable ride.



In addition to seating for up to five people, the Sprinter Crew Van features ample cargo space.

#### **TWO ROOF HEIGHTS**

STANDARD ROOF

Max: 95.5"

Max: 95.5"

**HIGH ROOF** 



#### **TWO LENGTHS**



233.5" (144" WB)

274.3" (170" WB)

#### **SPRINTER CREW QUICK FACTS**



MAXIMUM PAYLOAD:

6,437 lbs.



MAXIMUM CARGO VOLUME:

370.8 cu. ft.



MAXIMUM TOWING CAPACITY:26



MAXIMUM CARGO FLOOR LENGTH:

\*Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 42 for a complete listing of models and specifications.



2.0L 4-cylinder turbo gasoline,\*

3.0L 6-cylinder turbo diesel (V6),11


2.0L 4-cylinder diesel (I4)11





TRANSMISSIONS:

9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



**SEATING CAPACITY:** 

Sprinter Passenger Vans are available in 1500 & 2500 series.

#### **SPECIFICATIONS**

# Seats 15. Stands alone. Looking to carry more passengers? The Sprinter accomplishes that in a big way with seating for up to 15 people.\* USB-C ports can keep them connected, and the spacious rear storage area provides ample room for luggage. All the while, you'll know that they're protected by a level of safety only Mercedes-Benz can deliver. 26



The Sprinter Passenger Van offers seating for up to 15 adults.\*



An impressive interior standing height of up to 6'3" provides greater passenger comfort with plenty of room to move



Roof air conditioning comes in two output levels, including a high-performance air conditioner.



The ergonomic rear seats have individual headrests and an available reclining option.



The maximum 69.8" floor width and generous legroom mean there's plenty of room to sit and stretch out.

#### **TWO ROOF HEIGHTS**

STANDARD ROOF

Max: 92.3"

Max: 102.8"

Max: 114.2"



**HIGH ROOF** 

Max: 92.3"

#### **TWO LENGTHS**



233.5" (144" WB)

274.3" (170" WB)

#### TWO INTERIOR CONFIGURATIONS

12-PASSENGER (144" WB)

15-PASSENGER (170" WB)\*

#### **SPRINTER PASSENGER QUICK FACTS**

MAXIMUM PAYLOAD: 3,494 lbs.



MAXIMUM CARGO VOLUME: 111.2 cu. ft.



MAXIMUM TOWING CAPACITY:<sup>26</sup> 5,000 lbs.



TRANSMISSIONS:
9G-TRONIC 9-speed Automatic
Transmission, 7G-TRONIC Plus
7-speed Automatic Transmission



**ENGINES:** 

2.0L 4-cylinder turbo gasoline;
3.0L 6-cylinder turbo diesel (V6),<sup>11</sup>
2.0L 4-cylinder diesel (I4)<sup>11</sup>



MAXIMUM INTERIOR STANDING HEIGHT: 75.5"



STANDARD FRONT + REAR A/C



**SEATING CAPACITY:** Up to 15\*

<sup>\*</sup>Seating for 15 only available on diesel model.

†Gasoline engine not available on all models.

**Sprinter Cab Chassis/Cutaway Vans** are available in 3500XD & 4500 series.

Ready for your future.

A successful future starts with a strong foundation. That's exactly what the Sprinter Cab Chassis/Cutaway gives you. From a box truck to a technologically

28

advanced RV, its flat, unobstructed frame rails let you design virtually anything you'd like. Motivation for your plans comes from the powerful and efficient V6 turbo diesel engine<sup>11</sup> with a 7G-TRONIC Plus 7-speed automatic transmission.

#### **SPECIFICATIONS**



Choose between the standard 3500XD model (GVWR of 11,030 lbs.) or the optional 4500 model (GVWR of 12,125 lbs.) and build the Sprinter Cab Chassis/ Cutaway that works best for you.



The Sprinter's flat, unobstructed frame rails are the perfect place to bring your vision of the ideal business

## **ONE ROOF HEIGHT**



#### **TWO LENGTHS**



#### **SPRINTER CAB CHASSIS/CUTAWAY QUICK FACTS**



MAXIMUM PAYLOAD:

7,484 lbs.



3.0L 6-cylinder turbo diesel (V6),11 2.0L 4-cylinder diesel (I4)11



7G-TRONIC Plus 7-speed Automatic



MAXIMUM TOWING CAPACITY:26 7,500 lbs.



**SEATING CAPACITY:** Up to three



Transmission

Sprinter 4x4 Vans are available in 2500 & 3500XD series.



#### **PASSENGER**

#### **TWO ROOF HEIGHTS**

STANDARD ROOF

Max: 92.3"

**HIGH ROOF** 

Max: 92.3"

#### **ONE LENGTH**



233.5" (144" WB)

#### **CREW**

#### **TWO ROOF HEIGHTS**

Max: 111.3"

STANDARD ROOF

Max: 95.5"

**HIGH ROOF** 

Max: 95.5"



#### **TWO LENGTHS**



233.5" (144" WB)

274.3" (170" WB)

#### **CARGO**

#### **TWO ROOF HEIGHTS**

STANDARD ROOF

Max: 95.5"

**HIGH ROOF** 

Max: 95.5"



### **THREE LENGTHS**



233.5" (144" WB)

274.3" (1**70**" WB)

290" (170" EXT. WB)

All measurements in inches. All width measurements include mirrors. A complete listing of models and specifications begins on page 40.

# MASTER UPFITTER





# Your one stop for productivity.

You're the expert in your trade, and your van is the tool with which to get the job done. MasterSolutions<sup>TM 27</sup> allows you to quickly configure your van and order directly via your Mercedes-Benz Vans dealer to get you exactly the van you want right when you need it, so you can concentrate on finishing the job.

Build your van now or get inspired by visiting the MasterSolutions<sup>TM 27</sup> Configurator.

MasterSolutions<sup>TM27</sup> providers Auto Truck, Knapheide, and Driverge bring you a portfolio of turnkey solutions for your specific line of business—HVAC, Plumbing, Electrical, Telecommunication, Contracting, Delivery, Refrigeration, Food Services, and People Moving—all at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Mercedes-Benz Van. The ordering process is streamlined, and installation is simple: all MasterSolutions<sup>TM27</sup> can be fitted directly as Ship-Thru, right next to our factory in South Carolina, which saves you time and ensures seamless integration, quick delivery, and consistent quality.















These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.

A closed-end lease agreement is also known as a "walkaway lease," since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

A Terminal Rental Adjustment Clause (TRAC) lease<sup>29</sup> doesn't require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.

# We have your back.

VanCARE is a promise to our customers to deliver genuine parts, superior service, and unparalleled commitment to getting you back on the road as quickly as possible. We know that for you, it isn't a van it's a tool you need to make a living.

For more information, visit www.mbvans.com/sprinter/mercedes-van-parts-and-services


#### **ROADSIDE ASSISTANCE<sup>30</sup>**

Federal Emissions Warranty Diesel

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program<sup>30</sup> and expert advice 24/7 through the Mercedes-Benz Customer Assistance Center, providing you with peace of mind and help when you need it most.

#### ServiceCARE - Service solutions built for you

Whether it's a maintenance service, unexpected warranty work, or now a wear and tear repair, our ServiceCARE products are customized solutions for you. You can now focus on your business with your vehicles always in top shape, minimizing your downtime and maximizing your financial cost control.



The Extended Limited Warranty product offers you greater coverage for mechanical, electrical, and electronic components. It protects you against unforeseen repair costs, and without any deductibles, you get the benefit of predictable and attractive conditions.

Maintenance (PPM) Service Repair Wear & Tear Keeping your van in top shape

Regular and accurate checking of the most important vehicle parts and functions ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair costs and keeps downtime minimal.

+ years / OOK / + 3cr vices	+ years / ook / 5 services
5 years / 100k / 5 services	5 years / 100k / 6 services
Те	rm
5 years / 10	00,000 miles
6 years / 12	20,000 miles
7 years / 14	10,000 miles
Те	rm

2 services / 3 years

4 services / 5 years

/ . . . . · . . . / **7** . . .

Gas Sprinter Term

		6 services / / years
Manufacturer Warranty Overview	3 year / 36k	5 year / 100k
New Vehicle Warranty	•	
Powertrain Warranty		•
Diesel Engine Limited Warranty		•

## SPRINTER **OVERVIEW**

# Applies to all Sprinter models

POWERTRAINS	ENGINE											
	2.0L 4-Cylinder Turbo Gasoline*	3.0L V6 Turbo Diesel <sup>11</sup>	2.0L I4 Diesel <sup>11</sup>									
Configuration	DOHC	DOHC	DOHC									
Fuel injection	Direct	Direct	Direct									
Induction system	Bosch Injection	Common-Rail-Direct-Injection	Common-Rail-Direct-Injection									
Cylinders	4	6	4									
Cylinder heads	Aluminum	Aluminum	Aluminum									
Block material	Aluminum	Aluminum	Aluminum									
Bore/stroke	83.0mm/92.0mm	83.0mm/92.0mm	83.0mm/99.0mm									
Compression ratio	9.8:1	18.0:1	16.2:1									
Transmission	9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission									
Horsepower @ rpm	188 hp @ 5,000 rpm	188 hp @ 3,800 rpm	161 hp @ 3,800 rpm									
Torque lb-ft @ rpm	258 lb-ft @ 2,500-3,500 rpm	325 lb-ft @ 1,400-2,400 rpm	266 lb-ft @ 1,400-2,400 rpm									
Recommended fuel	Regular 87 Octane	B5 Diesel	B5 Diesel									
Fuel tank capacity	22 gal	24.5 gal	24.5 gal									

## STANDARD FEATURES

	MECH/	ANICAL				
Gasoline engine only	Diesel engine only	Gasoline and Diesel engines				
Engine: 2.0L 4-Cylinder Turbo Gasoline	• Engines: 3.0L V6 Turbo Diesel, 2.0L I4 Diesel	AGM Battery 12V AH 850A	Pre-installation for Switch Panel (not available on 4x4)			
9G-TRONIC 9-Speed Automatic Transmission	• 7G-TRONIC Plus 7-Speed Automatic Transmission	Body Builder Connector	Pre-installation PSM			
• Generator 14V/250A	Alternator 14V/220A	Cruise Control	Pre-wiring for Trailer Hitch			
SULEV Emissions	3rd Generation SCR Emission Control System	Exhaust Straight to Rear	Remote Key (315mhz) with Central Locking			
• Service Interval: Up to 15,000 miles <sup>12</sup>	• ULEV/SULEV Emissions <sup>†</sup>	Jump-Start Terminal	Starter Battery Disconnect			
	• Service Interval: Up to 20,000 miles 12					
	Fuel Filter with Water Separator					
SEATING	EXTERIOR	INTE	RIOR			
Adjustable Driver Seat	Dual-Circuit 4-Wheel Disc Brakes	Adjustable Steering Wheel (Angle)	Multifunction Steering Wheel			
Adjustable Front Passenger Seat	• Front and Rear Mudflaps	Air Conditioning, Front	Outside Temperature Gauge			
Armrest for Driver Seat	Heated and Electrically Adjustable Exterior Mirrors	Communication Module (LTE) for Digital Services	Shelf Above Windshield			
Armrest for Front Passenger Seat	<ul> <li>Rear Doors Opening to Side-Wall (optional on 144" &amp; 170" models)</li> </ul>	Cupholder, Front	Speedometer, mph			
Fabric, Maturin Black	Red Diesel Filler Cap (Diesel only)	Heater, Auxiliary Electric Hot Air	Standard Radio			
	Windshield with Filter Band	Jack, Hydraulic	Storage Compartment Underneath Cockpit			
		KEYLESS-START	• USB-C Socket, 5V			
TIRES & WHEELS		SAFETY & SECURITY				
All-Season Tires	• 4-Wheel Anti-Lock Braking System (ABS)	• Emergency Call System <sup>17</sup>	<ul> <li>Seat Belt Reminder, Driver/ Passenger</li> </ul>			
Unspecified Tire Brand	Active Brake Assist	Headlight Assistant	• Thorax-Pelvis Side Airbags, Driver/ Passenger			
	Airbag, Driver/Passenger Front	Hill Start Assist	<ul> <li>Window Side Airbags, Driver/ Passenger</li> </ul>			
	Breakdown Management	HOLD Function				
* Gasoline engine not available on all models.  † ULEV Emissions below 10,000 lbs.  SULEV Emissions above 10,000 lbs.	• Crosswind Assist <sup>7</sup>	<ul> <li>Load-Adaptive Electronic Stability Program (ESP®)<sup>8</sup></li> </ul>				

			SPRINTER MOI	DEL OVERVIEW			
Body L	ength.	Roof Heights	1500 Model	2500 Model	3500 Model	3500XD Model	4500 Model
	STANDARD	STANDARD ROOF	6	G D 4×4	0	0 4×4	0
	(144")	HIGH ROOF	0	6 D 4×4	0	0 4×4	0
CARGO VAN	LONG (170")	HIGH ROOF		6 D 4×4	0	0 4×4	0
	EXTRA LONG (170" EXT)	HIGH ROOF		0 4×4	0	0 4×4	0
	STANDARD	STANDARD ROOF		6 D 4×4	0	0 4×4	D
CREW VAN	(144")	HIGH ROOF		6 D 4×4	0	0 4=4	0
	LONG (170")	HIGH ROOF		6 D 4×4	0	0 4×4	0
	STANDARD (144")	STANDARD ROOF	6	6 D 4×4			
PASSENGER VAN	12-PÀSSEŃGER	HIGH ROOF	0	6 0 4×4			
	LONG (170") 15-PASSENGER	HIGH ROOF		0			
CAB CHASSIS/	STANDARD (144")	STANDARD ROOF				0	0
CUTAWAY	LONG (170")	STANDARD ROOF				0	0

SPRINTER CARGO														0			100		
	Π	Ī	T	Ī	١						I	I	I						•
ADDITIONAL STANDARD				L	ا ۵						۵								
FEATURES (CARGO)	。	9	واو	.	۲ ا	0		。	0	0	۱ŏ	0			0	0	0	٥I	0
MECHANICAL	1500	2500	3500		3500XD	4500		1500	2500	3500	3500XD	4500			1500	2500	3500	3500XD	4500
Aux. fuel sending unit with fuel tap**	X	)			X	X	Cable duct - side-wall	X	X	X			Stabilization Level II		F	-		X	X
Axle ratio 3.923**	+^	1	_	+	쉬	^	Front axle reinforced	├^	├^	┢	┼^	$+^{^{^{\prime}}}_{X}$	Tire pressure monitoring lan	nn	Х	Χ		^	^
	+	_	_	+	$\forall$			\ \	-	-	╁		The pressure monitoring ian	ıρ			ш		_
Axle ratio 4.182 (standard on 2500 gas models only)	X				X	X	Omission bulkhead	X	X	X	X	X							
Cable duct - rear portal	X	)	(   X		X	Χ	Stabilization Level I	X	X	L	_		J						
INTERIOR																			
Interior lights, cargo compartment	Īχ	Тх	$\langle T \rangle$		хΙ	Х	Wood floor deletion	Ιχ	Ιχ	Ιχ	Τx	X	]						
		-			,						1		,						
EXTERIOR							TIRES & WHEELS						TIRES & WHEELS (CONT	INUED)					
3rd brake light	Τx	Тх	$\langle T x \rangle$	Т	хΙ	Χ	5.5 J x 16 steel wheels			Ιx	Tχ	Τx	Tires LT 215/85 R16				X	ХΙ	X
High roof		Т	Тх	T			6.5 J x 16 steel wheels	X	X		П	Т	Tires LT 245/75 R16		X	Χ	$\Box$		
Rear doors, 180° opening	X	T	( x		ΧÌ	Χ	Dual rear wheel tires			X	X	X	SAFETY & SECURITY						
Rear mudflaps	X					Χ	Spare wheel	X	X		X		Longitudinal member reinfo	orcement	X	χ	χΙ	χΙ	X
Sliding door, passenger side	İχ					Χ	Spare wheel bracket below frame	ĺχ	İχ	X			360° camera³ (rearview mi		X	X	X	X	X
OPTIONAL FEATURES (CARGO)  MECHANICAL  • 12V power outlet, rear compartment	1500	2500			X 3500XD	X 4500	AGM battery 12V 95Ah 850A	X 1500	X 2500	3500			Fuel gauge, optimized for au	v fuel ten**	1500	× 2500	X 3500	X 3500XD	X 4500
115V socket	1		$\langle      \rangle$	+	렀	Ŷ	Asim battery 12V 95AH 850A     Axle ratio 3.923**	├^	├^	<del>^</del>			Misfueling prevention for die		Х	X		<u>X</u>	X
Additional bar for driveshaft	Т	т		т			Axie ratio 3.923     Axie ratio 4.182 (optional on 2500 diesel models only)	Н	X	├^	┼^	+^	Omission of D-Rings	sei	X	X		Ŷ	X
& exhaust extension	X	$ \rangle$	(   )		х	Χ	Backup alarm	X	Ιâ	X	ĺχ	X	Parametric Special Module (	PSM)	X	X			X
Additional battery for retrofit consumers,	1,	Ι.	Τ,	.†		.,	Cutoff relay for additional battery	Ιχ	ΙX	X			Speed limitation, 65 mph (standard)		X	X	X	X	^
driver seat base	X	$ \rangle$	(   X	1	х	Χ	Deactivation lamp monitoring failure	X	X			X	Stabilization Level II	,	X	Χ		Ĥ	
Additional battery for retrofit consumers,	1,	1.	٦,	,†	V		Electric parking brake	X	X	1		T	. Suspension for comfort and	load protection	Х	Χ			
engine compartment	X	>	$\langle   \rangle$	1	х	Χ	Engine oil level display at cold start**	П	X	X	X	X	Top speed limitation, 75 mp	h			Х	Χ	
Additional DIN-slots	X		$\langle   \rangle$	$\Box$	ХΙ	Χ	Front axle reinforced (standard on 4500 model)	X	X	X									
SEATING	Lv		, I s	, T			C	Lv	Lv	Lv	Lv	Lv	I		L 1/				
Artico Man-made Leather Black	ΤX	1	( ) ( )	1	Ϋ́Ι	X	Heated driver seat	Į X	ΙX	X	ΙX	X	Heated front passenger sear	<u>:</u>	X	_X_	Х	X	<u>X</u>
Fabric, Caluma Black	ΙX	/	(   )		ΧI	Χ_													
INTERIOR	_	_		_					_		_				_				
2nd row, fixed window, driver side	X					Χ	Electrically heated windshield	X	X	X	X		Rear cabin heater & vents		Х	Χ	Х	Х	X
2nd row, fixed window, passenger side	X					X	Fixed sunroof (rear roof section)	X	X	X	X		<ul> <li>Rear doors, opening to side-</li> </ul>	wall	X	Χ	X	X	X
Acoustic Package	X	)				X	Floor covering, plastic	X	X	X	X		Rear heater prep		X	Χ		X	X
Assist handle, B-pillar	X					X	Fuel-fired heater/booster (17,000 BTU)**		X	X	X		Rear window defroster		Х	Χ			X
Assist handle, left rear door	X					X	Fuel-fired pre-heater/booster (17,000 BTU)**		X	X	X		Roof fan, electric		X	Χ	X	X	X
Assist handle, right rear door	X					Χ	Half height load compartment trim	X	X	X	X		Satellite radio		Χ	Χ	Х	Х	Χ
Cab rear wall liner	X	)				X	Heat insulation, front compartment	X	X	X	X		Shelving prep		X	Χ			X
Cargo lashing rails, head height	X					X	Heat insulation, rear compartment	X	X	X	X		Side-wall paneling full hardb		X	Χ			X
Cargo partition	X					X	Hinged lid for storage compartment	X	X	X	X		Side-wall paneling waist height		Х	Χ	Х		X
Cargo partition with one window	X					X	Illuminated front exits	X	X				Storage compartment above						Х
Cargo straps, D-rings <sup>25</sup>	X					Χ	Instrument cluster with color display	X	X	X	X	X	THERMOTRONIC automatic		Х	Χ	X	X	Χ
Cargo etrane Jaching raile <sup>25</sup>	Ιv	1 🔻	/ I v		vΙ	Υ	Kave two additional mactare	Ιv	Ιv	lγ	Ιv	Ιv	Tray for emartahones incl. w.	irologe charging	V	Y	$\nabla$	νI	V

	, ·		/ \	<b>,</b> , \	_ / \		٠.			_ ^ \		
2nd row, fixed window, passenger side	Χ	Χ	Х	X	X	Fixed sunroof (rear roof section)	Χ	Χ	Х	Χ	Χ	Rear doors, opening to side-wall
Acoustic Package	Χ	Х	X	X	X	Floor covering, plastic	Χ	Χ	X	Χ	Χ	Rear heater prep
Assist handle, B-pillar	Χ	X	X	X	X	Fuel-fired heater/booster (17,000 BTU)**		Х	X	X	Х	Rear window defroster
Assist handle, left rear door	Χ	Х	X	X	X	Fuel-fired pre-heater/booster (17,000 BTU)**		Х	X	Х	Χ	Roof fan, electric
Assist handle, right rear door	Χ	Χ	Х	X	X	Half height load compartment trim	Χ	Χ	Х	Χ	Χ	Satellite radio
Cab rear wall liner	Χ	Χ	Х	X	X	Heat insulation, front compartment	Χ	Χ	Х	Χ	Χ	Shelving prep
Cargo lashing rails, head height	Χ	Х	Х	X	X	Heat insulation, rear compartment	Χ	Χ	Х	Χ	Χ	Side-wall paneling full hardboard
Cargo partition	X	X	Х	X	X	Hinged lid for storage compartment	Χ	X	X	Х	Х	Side-wall paneling waist height PVC
Cargo partition with one window	Χ	Х	Х	X	X	Illuminated front exits	Χ	Х	X	Х	Χ	Storage compartment above cabin
Cargo straps, D-rings <sup>25</sup>	Χ	Χ	Х	X	X	Instrument cluster with color display	Χ	Χ	Χ	Χ	Χ	THERMOTRONIC automatic climate control
Cargo straps, lashing rails <sup>25</sup>	Χ	Χ	Х	X	X	Keys, two additional masters	Χ	Χ	Х	Χ	Χ	Tray for smartphones incl. wireless charging
Charging Package, dashboard	Χ	Χ	Х	X	X	Lashing rails, floor-level (plus four anchors)	Χ	Χ	Х	Χ	Χ	Wood floor with six D-rings <sup>25</sup>
Cigarette lighter & ash cup, front	Χ	Х	Х	X	X	Lashing rails, waist-level	Χ	Χ	Х	Χ	Χ	
Coat hooks in driver cabin	Χ	Χ	Х	X	X	Light/motion sensor in rear compartment	Χ	Χ	Х	Χ	Χ	
DEF fluid filler cap – lockable	Χ	Х	X	X	X	Optional 3-button keys	Χ	Χ	X	Χ	Χ	
Door-mounted assist handle, driver & passenger	Х	Х	Х	Х	X	Overhead storage slot, front center	Χ	Х	Х	Х	Х	
Door sill – protective edge	Χ	Х	X	X	X	Pallet support in sliding door step	Χ	X	X	Х	Х	
EXTERIOR												TIRES & WHEELS

EXTERIOR												TIRES & WHEELS					
Black tinting (90%) for rear windows	Х	X	X	X	X	Heated rear window(s) with washers/wipers	Х	Х	Х	Х	Х	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)			Х	X	
Bumpers front/rear primed	Х	X	X	X	X	High roof (standard on 3500)	Χ	X		X	X	Light-alloy wheels 6.5 J x 16	X	Χ			
Bumper step, rear, Grey	X	X	X	X	X	Mounting rails for roof rack	Χ	X	X	X	X	Loadable wheel arch	X	Χ			Г
Bumper step, rear, spring-loaded**†	X	X	ΙX			Opening limiter, electrically operated sliding door	X	ΙX	ΙX	ΙX	ΙX	M+S winter tires	ΙX	X	X	X	X
<ul> <li>Deletion of "model" badge, right rear door</li> </ul>	X	X	X	l X	X	Painted metallic front & rear bumper	X	ΙX	X	X	l X	Rims painted Arctic White	X	X	X	X	X
Deletion of Sprinter badge, left rear door	X	X	X	X	X	Primed side moldings	X	X	X	X	X	Rims painted Jet Black	X	X	X	X	X
Elec. closing assist left sliding door (soft close)	X	X	ΙX	ΙX	X	Sliding door, driver side	X	X	X	X	X	Spare tire carrier deletion	X	X	X	X	X
Elec. closing assist right sliding door (soft close)	X	X	ΙX	X	X	Sliding door, right-side deletion	X	X	X	X	X	Spare wheel deletion	X	X	X	X	X
Electric sliding door right	X	X	ΙX	ΙX	X	Sliding door, two-stage opening	Х	X	X	X	X	Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)	П		X	X	П
Electric sliding step	X	X	ΙX	ΙX	X	Step, wide, at rear end	X	X	X	X	X	Tire Brand Continental	X	X	X	X	X
Electrically folding exterior mirrors	X	X	ΙX			Trailer crossmember 7,500-lb. capacity			X	X	X	Tire Brand Kumho	X	X	X	X	X
Fixed window center left	X	X	ΙX	ΙX	ΙX	Trailer hitch, 5,000 lbs. (available only for 170"	Х	<sub>V</sub>	lχ	۱ <sub>٧</sub>	۱,	Tire Brand Michelin*	ΙX	X	X	X	X
Fixed window center right	X	X	X	X	X	EXT on 3500, 3500XD & 4500 models)	١^	^	^	^	١^	Wheel chocks	X	X	X	X	X
Half-sided step rear (for trailer hitch)	X	X	ΙX	ΙX	X	Windows in rear doors	X	X	X	X	X	Wheelhouse covering	X	X	X	X	X

SAFETY & SECURITY	OPTIONAL PACKAGES OPTIONAL PACKAGES (CONTINUED)	
Active Distance Assist DISTRONIC®5	X X X X X X • Bench Seat Package X X X X X • Driver Convenience Package	XXXXX
Blind Spot Assist <sup>3</sup>	X X X X X X • Cargo Convenience Package X X X X X • Exterior Lighting Package	X X X X X
Emergency flashlight	X X X X X X • Cargo Protection Package X X X X X • Heavy-Duty-Cargo Protection Package	X X X X X
First-aid kit	X X X X X X • Chrome Grille Package X X X X X • Premium Package	XXXXXX
Fog lamp with cornering light function	X X X X X X • Comfort Package X X X X X • Premium Plus Package	X X X X X
Parking Package	X X X X X X • Comfort Package (seat addition) X X X X X • Swivel Seat Package	X X X X X
<ul> <li>Parking Package with 360° camera</li> </ul>	X X X	
Security alarm with interior motion sensor	X X X X X X • DISTRONIC® Addition Premium Package X X X X X X	

#### \* Delayed availability on 3500, 3500XD, and 4500 models. \*\* Not available with gasoline engine. † Not available with 4x4. For a complete listing of features included in each package, build your van at MBVans.com

### **SPRINTER CREW**



ADDITIONAL STANDARD FEATURES			_					و ا			ا و ا
(CREW)	2500	3500	3500XD	4500		2500	3500	3500XD	4500		3500XD
MECHANICAL						25	35	35			35 35
Aux. fuel sending unit with fuel tap     Ayla ratio 2 022**	X	X	X	X	Front axle reinforced     Omission bulkhead	-	V	V	X	Stabilization Level II     Tire pressure monitoring lamp	XXXX
<ul> <li>Axle ratio 3.923**</li> <li>Axle ratio 4.182 (standard on 2500 gas models only)</li> </ul>	$+^{\circ}_{X}$	Ιx	Ιx	łχ	Stabilization Level I	X	X	X	^	Tire pressure monitoring lamp	
· · · · · · · · · · · · · · · · · · ·		1.^	1.^	17	Stabilization Edver i		_	_	_	J	
SEATING	Lv	Lv	Lv	Lv			_	_	_	T	
Aisle-side armrest	X	<u>  X</u>	] X	X	<ul> <li>Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX</li> </ul>	X	X	Х	X	Wall-side armrest	X   X   X   X
NTERIOR					mst row (narrow), morades root ix			_	_	J	
Assist handle, B-pillar	X	Тх	Τx	Τx	Interior lights, cargo compartment	Ιx	Х	Х	X	Wheelhouse covering	XXXXX
Black tinting (90%) for rear windows	X	X			Rear window defroster	X	Х	Х	Х	Windows in rear doors	XXXX
Cupholders, front	X				Roof trim		X	X	X		
Floor covering, plastic	X				Storage compartment with net in rear doors	X	X		X		
Half height load compartment trim	X	X	X	X	Warm/cool air duct to rear compartment	X	X	X	l X	J	
EXTERIOR					TIRES & WHEELS						
2nd row, fixed window, driver side	X	X	X	X	5.5 J x 16 steel wheels		Х	Χ	X	]	
2nd row, fixed window, passenger side	Х	X	X		6.5 J x 16 steel wheels	X					
3rd brake light	X				Dual rear wheel tires		X	Х			
High roof	X	X			Spare wheel	X	X	X	X		
Laminated glass rear     Rear doors, 180° opening	X	X	-		Spare wheel bracket below frame     Tires LT 215/85 R16	_ X	X	X	X		
Rear mudflaps	⊢ <u>î</u>	∤ <sub>X</sub>			• Tires LT 245/75 R16	+	^	^	^		
Sliding door, passenger side	X	X		X		,,,	_	_	_		
SAFETY & SECURITY	Lv	W	LV	I v	2409 000003/50000000	I V	V	V	V	1	
Longitudinal member reinforcement	_   X	ΙX	ΙX	ΙX	360° camera³ (rearview mirror display)	X	LΧ	LX	LΧ		
				1						ı	
OPTIONAL FEATURES (CREW)			۵					۵			
OFFICIAL FEATURES (CREW)	_  ഉ	۱s	3500XD	le		l e	l۶	3500XD	၂ ဗ		2500 3500 3500XD
MECHANICAL	2500	3500	35(	4500		2500	3500	35(	4500		3500 3500 3500x
Additional bar for driveshaft & exhaust extension	X	İχ			Axle ratio 4.182 (standard on 2500 gas models)	X				Speed limitation, 65 mph (standard on 4500 mode	
Additional battery for retrofit consumers,	X	X	ĺχ	X	Cutoff relay for additional battery	Х	Х		Х	Stabilization Level II	X
co-driver seat base	^_	^	^	\^	Deactivation lamp monitoring failure	X	X	X	X	Suspension for comfort & load protection	X
Additional battery for retrofit consumers,	X	X	X	x	Electric parking brake	X	ļ.,		ļ.,	Top speed limitation, 75 mph	X   X   X
engine compartment	X	_	_	╄	Engine oil level display at cold start**  - Engine oil level display at cold start**  - Engine oil level display at cold start**	X	ΙX	X	X		
Additional DIN-slots     AGM battery 12V 95Ah 850A	⊢î	X			Front axle reinforced (standard on 4500 model)**     Parametric Special Module (PSM)	X	X	X	X	-	
Axle ratio 3.923**	1^	Τâ		Τâ	Rear spring vibration absorbers	Τ̈́X	^	<del> </del> ^	<del> </del> ^		
		•		_				_	_		
SEATING	Lv	Lv	Lv	Lv	C	Lv		L 1/	Lv	1	
Artico Man-made Leather Black     Fabric, Caluma Black	$-\mid X \mid$	X   X	Ϋ́	X   X	Heated driver seat     Heated front passenger seat	$-\frac{1}{x}$	X	X	ΙX		
Tabric, Caluma Black		1^	1^	1^	Theaten from passenger seat	^			1^	J	
NTERIOR											
12V power outlet, rear compartment	ΙV	X			Heat insulation, rear compartment	X	Х	X	X	Roof fan, electric	X   X   X   X
	_   X		1 v	X	Hinged lid for storage compartment	X	Х	Χ	X	Satellite radio	XXXX
115V socket	X				Illuminated front exits	1 V	Х	Χ		Side-wall paneling waist height PVC	
Acoustic Package	X	X	X	X		X				THERMOTRONIC automatic climate control	
Acoustic Package     Assist handle, left rear door	X X X	X	X	X	Instrument cluster with color display	X	X				XXXX
Acoustic Package     Assist handle, left rear door     Assist handle, right rear door	X X X X	X X	X X	X X X	Instrument cluster with color display     Keys, two additional masters	X	Х	Х	X	Tray for smartphones incl. wireless charging	X X X X X
Acoustic Package     Assist handle, left rear door     Assist handle, right rear door     Cargo straps, D-rings <sup>25</sup>	X X X X	X X X	X X X	X X X	Instrument cluster with color display     Keys, two additional masters     Leather steering wheel	X X X	Х	Х	X		X X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard	X X X X X	X X X X	X X X X	X X X X X	Instrument cluster with color display     Keys, two additional masters     Leather steering wheel     Loadable wheel arch	X X X X	X	X	X	Tray for smartphones incl. wireless charging	XXXXX
Acoustic Package  Assist handle, left rear door  Assist handle, right rear door  Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard  Cigarette lighter & ash cup, front	X X X X X X	X X X X X	X X X X X	X X X X X	Instrument cluster with color display     Keys, two additional masters     Leather steering wheel     Loadable wheel arch     Navigation	X X X X	X X	X X	X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup>	XXXXX
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger	X X X X X X X	X X X X X X	X X X X X X	X X X X X X	Instrument cluster with color display     Keys, two additional masters     Leather steering wheel     Loadable wheel arch     Navigation     Optional 3-button keys	X X X X X	X X X X	X X X X	X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup>	X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)**	X X X X X X X X X	X X X X X X X	X X X X X X X	X X X X X X X	Instrument cluster with color display     Keys, two additional masters     Leather steering wheel     Loadable wheel arch     Navigation	X X X X X X	X X X X X	X X X X	X X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup>	X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger	X X X X X X X X X	X X X X X X X X	X X X X X X X X	X X X X X X X X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center	X X X X X X X	X X X X X X	X X X X X	X X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup>	X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)**	X X X X X X X X X	X X X X X X X X X	X X X X X X X X X	X X X X X X X X X	Instrument cluster with color display     Keys, two additional masters     Leather steering wheel     Loadable wheel arch     Navigation     Optional 3-button keys     Overhead storage slot, front center     Painted metallic front & rear bumper	X X X X X X X X	X X X X X X	X X X X X X	X X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup>	X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment	X X X X X X X X X X	X X X X X X X X X	X X X X X X X X X	X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents	X X X X X X X X	X X X X X X	X X X X X X	X X X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup>	X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Gigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment	X X X X X X X X X X X X	X X X X X X X X X X X X	X X X X X X X X X X X X	X X X X X X X X X X X X X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep	X X X X X X X X X	X X X X X X	X X X X X X	X X X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup> TIRES & WHEELS	X   X   X   X   X   X   X   X   X   X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey	X	X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers	X X X X X X X X X	X X X X X X X	X X X X X X	X X X X X X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup> TIRES & WHEELS 285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	X   X   X   X   X   X   X   X   X   X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings* Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded*** Bumper step, rear, spring-loaded***	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack	X	X X X X X X X	X X X X X X X	X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16	X   X   X   X   X   X   X   X   X   X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers	X	X	X X X X X X X X	X	Tray for smartphones incl. wireless charging Wood floor with six D-rings <sup>25</sup> TIRES & WHEELS 285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	e) X X X X X X X X X X X X X X X X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** Bumpers front/rear primed	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door	X	X	X	X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single Light-alloy wheels 6.5 J x 16  Mrs. winter tires  Rims painted Arctic White  Rims painted Jet Black	e) X X X X X X X X X X X X X X X X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** <sup>1</sup> Bumpers front/rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall	X	X	X	X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single Light-alloy wheels 6.5 J x 16  Mrs. winter tires  Rims painted Arctic White  Rims painted Jet Black	e) X X X X X X X X X X X X X X X X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>75</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** Bumpers front/rear primed DEF fluid filler cap – lockable Deletion of "model" badge, left rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening	X	X	X	X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion	e) X X X X X X X X X X X X X X X X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings** Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** Bumpers front/rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Elec. closing assist right sliding door (soft close) Electric sliding door right	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep  Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Rear doors, opening to side-wall Sliding door two-stage opening Step, wide, at rear end	X	X	X	X	TIRES & WHEELS  BY 10 SUPER-SINGLE-TIRES (Super Single)  Light-alloy wheels 6.5 J x 16  M-S winter tires  Rims painted Arctic White  Rims painted Jet Black  Spare tire carrier deletion  Spare wheel deletion  Steel wheels: 8.5 J x 16 Fr (Super Single)	e) X X X X X X X X X X X X X X X X X X X
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** <sup>†</sup> Bumpers front/rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electric sliding door right Electric sliding step	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening  Step, wide, at rear end  Trailer crossmember 7,500-lb. capacity	X	X	X	X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)  Light-alloy wheels 6.5 J x 16  M+S winter tires  Rims painted Arctic White  Rims painted Jet Black  Spare tire carrier deletion  Steel wheels: 8.5 J x 16 Fr (Super Single)  Tire Brand Continental	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** Bumpers front/rear primed DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electric sliding step Electric sliding step Electric sliding step Electrically folding exterior mirrors	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep  Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Rear doors, opening to side-wall Sliding door two-stage opening Step, wide, at rear end	X	X	X	X	TIRES & WHEELS  BY 10 SUPER-SINGLE-TIRES (Super Single)  Light-alloy wheels 6.5 J x 16  M-S winter tires  Rims painted Arctic White  Rims painted Jet Black  Spare tire carrier deletion  Spare wheel deletion  Steel wheels: 8.5 J x 16 Fr (Super Single)	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings*3 Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** Bumper step, rear, spring-loaded** Bumper front/rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electric sliding door right Electric sliding step Electrically folding exterior mirrors Electrically heated windshield	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep  Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Rear doors, opening to side-wall Sliding door two-stage opening Step, wide, at rear end Trailer crossmember 7,500-lb. capacity Trailer hitch, 5,000 lbs.	X	X	X	X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M-S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 Fr (Super Single) Tire Brand Continental Tire Brand Michelin*	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, Grey Bumper step, rear, spring-loaded** <sup>1</sup> Bumper step, rear, spring-loaded oor Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electric sliding step Electric sliding step Electrically folding exterior mirrors Electrically heated windshield  SAFETY & SECURITY	X	X	X	X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep  Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Rear doors, opening to side-wall Sliding door two-stage opening Step, wide, at rear end Trailer crossmember 7,500-lb. capacity Trailer hitch, 5,000 lbs.	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 Fr (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Michelin* Tire Brand Kumho Wheel chocks	e) X X X X X X X X X X X X X X X X X X X
<ul> <li>Acoustic Package</li> <li>Assist handle, left rear door</li> <li>Assist handle, right rear door</li> <li>Cargo straps, D-rings<sup>25</sup></li> <li>Charging Package, dashboard</li> <li>Cigarette lighter &amp; ash cup, front</li> <li>Door-mounted assist handle, driver &amp; passenger</li> <li>Fuel-fired heater booster (17,000 BTU)**</li> <li>Fuel-fired pre-heater/booster (17,000 BTU)**</li> <li>Half-sided step, rear (for trailer hitch)</li> <li>Heat insulation, front compartment</li> </ul> EXTERIOR <ul> <li>Bumper step, rear, Grey</li> <li>Bumper step, rear, grey</li> <li>Bumpers front/rear primed</li> <li>DEF fluid filler cap - lockable</li> <li>Deletion of "model" badge, right rear door</li> <li>Deletion of Sprinter badge, left rear door</li> <li>Elec. closing assist right sliding door (soft close)</li> <li>Electric sliding step</li> <li>Electric sliding step</li> <li>Electrically folding exterior mirrors</li> <li>Electrically heated windshield</li> </ul> SAFETY & SECURITY <ul> <li>Active Distance Assist DISTRONIC**</li> </ul>	X	X	X	X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening  Step, wide, at rear end  Trailer crossmember 7,500-lb. capacity  Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES  Chrome Grille Package	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 Fr (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings <sup>25</sup> Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, spring-loaded** Bumpers front/rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Electric sliding door right Electric sliding step Electrically folding exterior mirrors Electrically folding exterior mirrors Electrically folding exterior mirrors Electrically folding exterior mirrors Electrically folding exterior mirrors Electrically folding exterior mirrors Electrically folding exterior mirrors Electrically folding sterior mirrors	X	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening  Step, wide, at rear end  Trailer crossmember 7,500-lb. capacity  Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES  Chrome Grille Package  Comfort Package	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M-S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 F (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package Premium Plus Package	e)
* Acoustic Package  Assist handle, left rear door  Assist handle, right rear door  Cargo straps, D-rings <sup>75</sup> Charging Package, dashboard  Cigarette lighter & ash cup, front  Door-mounted assist handle, driver & passenger  Fuel-fired heater booster (17,000 BTU)**  Fuel-fired pre-heater/booster (17,000 BTU)**  Half-sided step, rear (for trailer hitch)  Heat insulation, front compartment  EXTERIOR  Bumper step, rear, Grey  Bumper step, rear, spring-loaded** <sup>1</sup> Bumpers front/rear primed  DEF fluid filler cap – lockable  Deletion of "model" badge, right rear door  Elec. closing assist right sliding door (soft close)  Electric sliding door right  Electric sliding step  Electrically folding exterior mirrors  Electrically heated windshield  SAFETY & SECURITY  Active Distance Assist DISTRONIC**  Backup alarm  Blind Spot Assist <sup>3</sup>	X	X	X	X X X X X X X X X X X X X X X X X X X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep  Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Rear doors, opening to side-wall Sliding door two-stage opening Step, wide, at rear end Trailer crossmember 7,500-lb. capacity Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES Comfort Package Comfort Package Comfort Package Comfort Package Comfort Package (seat addition)	X	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 Fr (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings** Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, Spring-loaded** Bumper step, rear, spring-loaded** Bumper step, rear, grey Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electric sliding door right Electric sliding step Electrically heated windshield  SAFETY & SECURITY Active Distance Assist DISTRONIC*5 Backup alarm Blind Spot Assist³ Emergency flashlight	X	X	X X X X X X X X X X X X X X X X X X X	X	Instrument cluster with color display Keys, two additional masters Leather steering wheel Loadable wheel arch Navigation Optional 3-button keys Overhead storage slot, front center Painted metallic front & rear bumper Rear cabin heater & vents Rear heater prep  Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Rear doors, opening to side-wall Sliding door two-stage opening Step, wide, at rear end Trailer crossmember 7,500-lb. capacity Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES Comfort Package Comfort Package Comfort Package Comfort Plus Package Comfort Plus Package	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M-S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 F (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package Premium Plus Package	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings*5 Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, Grey Bumper step, rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electrically folding exterior mirrors Electrically heated windshield  SAFETY & SECURITY Active Distance Assist DISTRONIC*5 Backup alarm Blind Spot Assist³ Emergency flashlight First-aid kit	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening  Step, wide, at rear end  Trailer crossmember 7,500-lb. capacity  Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES  Chrome Grille Package  Comfort Package  Comfort Package  Comfort Package  Comfort Plus Package  Crew Van Comfort Package	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M-S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 F (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package Premium Plus Package	e)
* Acoustic Package  * Assist handle, left rear door  * Assist handle, right rear door  * Cargo straps, D-rings**  * Charging Package, dashboard  * Cigarette lighter & ash cup, front  * Door-mounted assist handle, driver & passenger  * Fuel-fired heater booster (17,000 BTU)**  * Fuel-fired pre-heater/booster (17,000 BTU)**  * Half-sided step, rear (for trailer hitch)  * Half-sided step, rear (for trailer hitch)  * Heat insulation, front compartment  **EXTERIOR*  * Bumper step, rear, Grey  * Bumper step, rear, gring-loaded***  * Bumper step, rear primed  * DEF fluid filler cap - lockable  * Deletion of "model" badge, right rear door  * Deletion of Sprinter badge, left rear door  * Deletion of Sprinter badge, left rear door  * Deletion sliding door right  * Electric sliding door right  * Electric sliding step  * Electric sliding step  * Electrically folding exterior mirrors  * Electrically heated windshield  * SAFETY & SECURITY  * Active Distance Assist DISTRONIC**  * Backup alarm  * Blind Spot Assist3*  * Emergency flashlight  * First-aid kit  * Fog lamp with cornering light function	X	X	X	X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening  Step, wide, at rear end  Trailer crossmember 7,500-lb. capacity  Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES  Chrome Grille Package  Comfort Package  Comfort Package  Comfort Package  Comfort Package  Comfort Package  Comfort Package  Corew Van Comfort Package  DISTRONIC® Addition Premium Package	X	X X X X X X X X X X X X X X X X X X X	X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16 M-S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Steel wheels: 8.5 J x 16 F (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package Premium Plus Package	e)
Acoustic Package Assist handle, left rear door Assist handle, right rear door Cargo straps, D-rings*5 Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger Fuel-fired heater booster (17,000 BTU)** Fuel-fired pre-heater/booster (17,000 BTU)** Half-sided step, rear (for trailer hitch) Heat insulation, front compartment  EXTERIOR Bumper step, rear, Grey Bumper step, rear, Grey Bumper step, rear primed DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Electrically folding exterior mirrors Electrically heated windshield  SAFETY & SECURITY Active Distance Assist DISTRONIC*5 Backup alarm Blind Spot Assist³ Emergency flashlight First-aid kit	X	X	X	X	Instrument cluster with color display  Keys, two additional masters  Leather steering wheel  Loadable wheel arch  Navigation  Optional 3-button keys  Overhead storage slot, front center  Painted metallic front & rear bumper  Rear cabin heater & vents  Rear heater prep  Heated rear window(s) with washers/wipers  Mounting rails for roof rack  Opening limiter, electrically operated sliding door  Painted metallic front & rear bumper  Primed side moldings  Rear doors, opening to side-wall  Sliding door two-stage opening  Step, wide, at rear end  Trailer crossmember 7,500-lb. capacity  Trailer hitch, 5,000 lbs.  OPTIONAL PACKAGES  Chrome Grille Package  Comfort Package  Comfort Package  Comfort Package  Comfort Plus Package  Crew Van Comfort Package	X	X X X X X X X X X X X X X X X X X X X	X	X X X X X X X X X X X X X X X X X X X	TIRES & WHEELS  285/65 R 16 C SUPER-SINGLE-TIRES (Super Single) Light-alloy wheels 6.5 J x 16  M-S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Steel wheels: 8.5 J x 16 F (Super Single) Tire Brand Continental Tire Brand Michelin* Tire Brand Kumho Wheel chocks  Premium Package Premium Plus Package Swivel Seat Package	e)

### **SPRINTER CARGO**



TECHNICAL SPECIFICATIONS: 1500 CARGO, 2500, & 3500

Tires		00				2500 Single			3500  Dual Rear Wheel Super Single									
Wheelbase		igle 4"		14	4"	Single	170	п	170	" EXT	14	4"	170"	170" EXT	144"	170"	e 170" EXT	
Engine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2 Standard	4x2	4x2 Standard	4x4 Standard	4x2	4x4	4x2	4x4	4x2	4x4	4x2 Standard	4x2	4x2	4x2	4x2	4x2	4x2	
Roof height	Roof	High Roof	Roof	Roof	High Roof	High Roof	High Roof	High Roof	High Roof		Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roo	
Passenger capacity Rows of seats	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	
EXTERIOR																		
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	233.5"	274.3"	290.0"	233.5"	274.3"	290.0"	
Height	96.3"	107.5"	96.3"	100.1"	107.5"	111.3"	107.3"	110.9"	107.0"	110.5"	96.4"	109.1"	108.7"	108.4"	109.4"	109.1"	108.7"	
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	
Width – including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	95.5"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	66.5"	67.2"	67.2"	67.2"	
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	65.2"	
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	49.1"	63.8"	79.6"	49.1"	63.8"	79.6"	
Load height, unloaded (ground to cargo floor)	27.5"	27.4"	27.7"	31.5"	27.6"	31.4"	27.5" <b>G</b> 27.4" <b>D</b>	31.1"	27.2"	30.6"	TBD	28.5"	28.1"	27.7"	29.5"	29.2"	28.9"	
Load height, loaded (ground to cargo floor)	23.3"	23.3"	23.4" <b>G</b> 23.3" <b>D</b>	26.8"	23.4" <b>G</b> 23.3" <b>D</b>	26.8"	23.4"	26.8"	23.5"	26.8"	TBD	23.2"	23.2"	23.3"	25.1"	25.2"	25.4"	
Side-door opening height	59.8"	71.6"	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	
Side-door opening width - sliding	51.0"	49.6"	51.0"	51.0"	49.6"	49.6"	51.0"	51.0"	51.1"	51.0"	49.3"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	
Rear cargo door opening height	61.0"	72.7"	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	47.2'	50.2'	45.3'	45.3'	52.5'	52.5'	45.3'	52.5'	52.5'	
Ground to first step-side	20.9"	20.8"	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	20.4"	24.1"	21.6"	21.6"	20.9"	20.8"	21.4"	20.7"	20.6"	
INTERIOR																		
Headroom (1st row)	47.3"	56.4"	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	
Cargo length, front (at floor)	132.9"	132.9"	132.9"	132.9"	132.9"	132.9"	173.6"	173.6"	189.4"	189.4"	103.5"	132.9"	173.6"	189.4"	132.9"	173.6"	189.4"	
Cargo length,	100.01	100.01	100.01	100.01	100.01	100.01	1/0 /	1/0 /	105.01	105.01	02.11	100.01	1/0 / !!	105.01	100.01	1/0/1	105.01	
front (at belt)	128.8"	128.8"	128.8"	128.8"	128.8"	128.8"	169.6"	169.6"	185.3"	185.3"	93.1"	128.8"	169.6"	185.3"	128.8"	169.6"	185.3"	
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	48.4"	
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	
Cargo height, maximum (without trim)	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	64.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	73.9"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	
Interior standing height	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	65.3"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	
CARGO CAPACITY						1	1	1	1			1	1	ı	1	ı		
Cargo volume (behind last row of seats)	319.0 cu. ft.	374.3 cu. ft.	319.0 cu. ft.	319.0 cu. ft.	374.3 cu. ft.	374.3 cu. ft.	488.1 cu. ft.	488.1 cu. ft.	532.6 cu. ft.	532.6 cu. ft.	222.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	358.4 cu. ft.	469.2 cu. ft.	512.1 cu. ff	
Maximum roof load	660 lbs.	330 lbs.	660 lbs.	660 lbs.	330 lbs.	330 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	660 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs	
Maximum available GCWR	13,550 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	15,250 lbs.	15,250 lbs						
MAXIMUM CAPABILITIES																		
			4,442 lbs. G		4,365 lbs. G		4,034 lbs. G		3,726 lbs.		4,620 lbs.	4,543 lbs.	4,190 lbs.	4,113 lbs.	4,554 lbs.	4,201 lbs.	4,124 lbs.	
Maximum payload	3,942 lbs.	3,865 lbs.	4,244 lbs. (4-cyl) 4,189 lbs. (6-cyl)	3,825 lbs.	4,167 lbs. (4-cyl) 4,112 lbs. (6-cyl)	3,748 lbs.	3,863 lbs. (4-cyl) 3,781 lbs. (6-cyl)	3,417 lbs.	(4-cyl) 3,671 lbs. (6-cyl)	3,318 lbs.	(4-cyl) 4,565 lbs. (6-cyl)	(4-cyl) 4,488 lbs. (6-cyl)	(4-cyl) 4,135 lbs. (6-cyl)	(4-cyl) 4,058 lbs. (6-cyl)	(4-cyl) 4,488 lbs. (6-cyl)	(4-cyl) 4,135 lbs. (6-cyl)	(4-cyl) 4,069 lbs (6-cyl)	
Maximum towing <sup>26</sup>	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs	
GVWR	8,550 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs	9,050 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs	
TWP (maximum loaded																		

500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 500 lbs. 750 lbs. 750 lbs. 750 lbs. 750 lbs. 750 lbs. 750 lbs. 750 lbs.

### **SPRINTER CARGO**



#### ECHNICAL SPECIFICATIONS: 3500XD CARGO & 4500

TECHNICAL SPECIFIC	ATIONS: 35	OOXD CARG	O & 4500													
Tires				3500XD  Dual Rear Wheel										ar Wheel		
Wheelbase	Disease	Diesel	44" Diesel	Diesel	17	'0" Diesel	170 Diesel	" EXT	144" Diesel	Super Single 170" Diesel	170" EXT Diesel	14 Diesel	14" Diesel	170"	170" EXT	
Engine Drivetrain	Diesel 4x2	4x4	4x2	4x4	Diesel 4x2	4x4	4x2	Diesel 4x4	4x2	4x2	4x2	4x2	4x2	Diesel 4x2	Diesel 4x2	
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof	
Passenger capacity Rows of seats	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	
EXTERIOR	1								1							l
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	274.3"	290.0"	233.5"	233.5"	274.3"	290.0"	
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	108.4"	110.6"	109.1"	109.1"	108.7"	97.8"	108.9"	108.5"	108.2"	
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	
Tire track front	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	67.2"	67.2"	66.0"	66.0"	66.0"	66.0"	
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"	60.7"	
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	63.8"	79.6"	49.1"	49.1"	63.8"	79.6"	
Load height, unloaded	29.3"	30.7"	29.2"	TBD	28.9"	30.3"	28.5"	29.8"	TBD	29.2"	28.9"	29.1"	TBD	28.7"	28.3"	
(ground to cargo floor)  Load height, loaded	24.5"	24.9"	24.5"	TBD	24.6"	24.8"	24.7"	24.7"	TBD	24.6"	24.8"	24.5"	TBD	24.6"	24.7"	
(ground to cargo floor)  Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	TBD	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	
Side-door opening	51.0"	51.0"	49.6"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	
width - sliding  Rear cargo door	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	
opening height  Rear cargo door																
opening width  Turning radius	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	
(curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	52.5'	50.2'	45.3'	52.5'	52.5'	45.3'	45.3'	52.5'	52.5'	
Ground to first step-side	21.7"	24.8"	21.6"	TBD	20.9"	24.3"	20.8"	24.3"	TBD	20.8"	20.7"	21.8"	TBD	21.2"	21.1"	
INTERIOR	l															l
Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	
Cargo length, front (at floor)	132.9"	132.9"	132.9"	132.9"	173.6"	173.6"	189.4"	189.4"	132.9"	173.6"	189.4"	132.9"	132.9"	173.6"	189.4"	
Cargo length, front (at belt)	128.8"	128.8"	128.8"	128.8"	169.6"	169.6"	185.3"	185.3"	128.8"	169.6"	185.3"	128.8"	129.3"	169.6"	185.3"	
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	38.5"	38.5"	38.5"	38.5"	
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	
Cargo height, maximum (without trim)	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	67.7"	67.7"	79.1"	79.1"	
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	
Interior standing height	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	67.7"	79.1"	79.1"	79.1"	
CARGO CAPACITY																1
Cargo volume (behind last row of seats)	281.1 cu. ft.	281.1 cu. ft.	328.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	469.4 cu. ft.	328.5 cu. ft.	469.2 cu. ft.	512.1 cu. ft.	281.1 cu. ft.	281.1 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	
Maximum roof load	660 lbs.	660 lbs.	300 lbs. (4-cyl) 330 lbs. (6-cyl)	330 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	330 lbs.	300 lbs.	300 lbs.	660 lbs.	300 lbs.	300 lbs.	300 lbs.	
Maximum available GCWR	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	
MAXIMUM CAPABILITIES																
Maximum payload	5,761 lbs. (4-cyl) 5,706 lbs. (6-cyl)	5,419 lbs.	5,706 lbs.	5,320 lbs.	5,331 lbs. (4-cyl) 5,276 lbs. (6-cyl)	4,978 lbs.	5,243 lbs. (4-cyl) 5,188 lbs. (6-cyl)	4,901 lbs.	5,695 lbs. (4-cyl) 5,640 lbs. (6-cyl)	5,342 lbs. (4-cyl) 5,276 lbs. (6-cyl)	5,254 lbs. (4-cyl) 5,188 lbs. (6-cyl)	6,823 lbs. (4-cyl) 6,768 lbs. (6-cyl)	6,823 lbs. (4-cyl) 6,647 lbs. (6-cyl)	6,823 lbs. (4-cyl) 6,338 lbs. (6-cyl)	6,823 lbs. (4-cyl) 6,261 lbs. (6-cyl)	
Maximum towing <sup>26</sup>	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.	
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	4

#### **SPRINTER CREW**



#### TECHNICAL SPECIFICATIONS: 2500 & 3500

			250	00					3500		
Tires			Sing	gle				Dual Rear Wheel		Super	Single
Wheelbase		14	4"		170	)"	14	4"	170"	144"	170"
Engine	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two

233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	233.5"	233.5"	274.3"	233.5"	274.3"
96.3"	100.1"	107.5"	111.3"	107.3"	111.3"	96.4"	109.1"	108.7"	109.4"	109.1"
79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	95.5"	92.3"	92.3"	92.3"	92.3"
67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	67.2"	67.2"
68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	65.2"	65.2"
40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	49.1"	49.1"	63.8"	49.1"	63.8"
27.5" <b>G</b>	21.51	27.4" G	21.41	27.3" G	21.11	TDD	20.51	20.11	20.51	28.1"
27.7" D	31.5"	27.6" D	31.4"	27.4"D	31.1"	IBD	28.5"	28.1"	28.5"	28.1"
23.3"	26.8"	23.3"	26.8"	23.4"	26.8"	TBD	23.2"	23.2"	23.2"	23.2"
59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	71.6"
49.3"	49.3"	51.0"	51.0"	51.0"	51.0"	49.3"	51.0"	51.0"	51.0"	51.0"
61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	72.7"
60.7"	60.7"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"	61.2"	61.2"
40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	45.3'	45.3'	52.5'	45.3'	52.5'
20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	21.6"	21.6"	20.9"	21.6"	20.9"
	96.3" 79.5" 92.3" 67.2" 68.2" 40.2" 49.1" 27.5" © 23.3" 59.8" 49.3" 61.0" 60.7" 40.7'	96.3" 100.1"  79.5" 79.5"  92.3" 92.3"  67.2" 67.8"  68.2" 40.2"  49.1" 49.1"  27.5" ©  23.3" 26.8"  59.8" 59.8"  49.3" 49.3"  61.0" 60.7"  40.7' 43.3'	96.3" 100.1" 107.5"  79.5" 79.5" 79.5"  92.3" 92.3" 92.3"  67.2" 67.8" 67.2"  68.2" 68.2" 40.2" 40.2"  49.1" 49.1" 49.1"  27.5" 3  31.5" 27.4" 6  27.7" 10  23.3" 26.8" 23.3"  59.8" 59.8" 71.6"  49.3" 49.3" 51.0"  61.0" 61.0" 72.7"  60.7" 60.7" 61.2"  40.7' 43.3' 40.7'	96.3" 100.1" 107.5" 111.3"  79.5" 79.5" 79.5" 79.5" 79.5"  92.3" 92.3" 92.3" 92.3"  67.2" 67.8" 67.2" 68.2"  40.2" 40.2" 40.2" 40.2"  49.1" 49.1" 49.1" 49.1" 49.1"  27.5" © 31.5" 27.4" © 31.4"  27.8" 59.8" 71.6" 71.6" 71.6"  49.3" 49.3" 51.0" 51.0" 61.0" 72.7" 72.7"  60.7" 60.7" 61.2" 61.2" 61.2"	96.3" 100.1" 107.5" 111.3" 107.3"  79.5" 79.5" 79.5" 79.5" 79.5" 79.5"  92.3" 92.3" 92.3" 92.3" 92.3"  67.2" 67.8" 67.2" 67.8" 67.2"  68.2" 68.2" 68.2" 68.2" 68.2" 40.2" 40.2"  49.1" 49.1" 49.1" 49.1" 49.1" 63.8"  27.5" 3  31.5" 27.4" 3  27.4" 5  27.4" 5  27.4" 5  27.4" 6  49.3" 49.3" 51.0" 51.0" 51.0"  61.0" 61.0" 72.7" 72.7" 72.7"  60.7" 60.7" 61.2" 61.2" 61.2" 61.2"  49.5" 79.5" 79.5" 79.5" 79.5"  79.5" 79.5" 79.5" 79.5" 79.5"  79.5" 79.5" 79.5" 72.7"  70.5" 72.7" 72.7"  60.7" 60.7" 61.2" 61.2" 61.2" 61.2"	96.3" 100.1" 107.5" 111.3" 107.3" 111.3"  79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5"  92.3" 92.3" 92.3" 92.3" 92.3" 92.3" 92.3"  67.2" 67.8" 67.2" 67.8" 67.2" 68.2" 68.2" 68.2"  40.2" 40.	96.3" 100.1" 107.5" 111.3" 107.3" 111.3" 96.4"  79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5"  92.3" 92.3" 92.3" 92.3" 92.3" 92.3" 92.3" 95.5"  67.2" 67.8" 67.2" 67.8" 67.2" 67.8" 66.5"  68.2" 68.2" 68.2" 68.2" 68.2" 68.2" 60.7"  40.2" 40.2" 40.2" 40.2" 40.2" 40.2" 40.2" 40.2"  49.1" 49.1" 49.1" 49.1" 63.8" 63.8" 49.1"  27.5" 3  27.4" 5  27.4" 6  27.4" 6  27.4" 6  27.4" 6  49.3" 71.6" 71.6" 71.6" 71.6" 71.6" 59.8"  49.3" 49.3" 51.0" 51.0" 51.0" 51.0" 51.0" 49.3"  61.0" 61.0" 72.7" 72.7" 72.7" 72.7" 61.0"  60.7" 60.7" 61.2" 61.2" 61.2" 61.2" 61.2" 60.7"	96.3" 100.1" 107.5" 111.3" 107.3" 111.3" 96.4" 109.1"  79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5"  92.3" 92.3	96.3" 100.1" 107.5" 111.3" 107.3" 111.3" 96.4" 109.1" 108.7"  79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 79.5" 92.3	96.3" 100.1" 107.5" 111.3" 107.3" 111.3" 96.4" 109.1" 108.7" 109.4"  79.5" 79.

#### INTERIOR

Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	103.5"	103.5"	103.5"	103.5"	144.3"	144.3"	103.5"	103.5"	144.3"	103.5"	144.3"
Cargo length, front (at belt)	93.1"	93.1"	93.1"	93.1"	133.9"	133.9"	93.1"	93.1"	133.9"	93.1"	133.9"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	38.5"	48.4"	48.4"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	75.5"	64.1"	75.5"	75.5"	75.5"	75.5"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	65.3"	65.3"	76.7"	76.7"	76.7"	76.7"	65.3"	76.7"	76.7"	76.7"	76.7"

#### CARGO CAPACITY

Cargo volume (behind last row of seats)	222.5 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	13,930 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.					

#### MAXIMUM CAPABILITIES

	4,045 lbs. G		3,946 lbs. <b>G</b>		3,594 lbs. <b>G</b>		4,233 lbs. (4-cyl)	4.15 ( lbo (4 out)	3,770 lbs. (4-cyl)	4.147 lbo (4.oul)	3,781 lbs. (4-cyl)
Maximum payload	3,847 lbs. (4-cyl) 3,770 lbs. (6-cyl)	3,428 lbs.	3,770 lbs. (4-cyl) 3,693 lbs. (6-cyl)	3,351 lbs.	3,406 lbs. (4-cyl) 3,329 lbs. (6-cyl)	2,998 lbs.	4,179 lbs. (6-cyl)	, , , , , ,	3,716 lbs. (4-cyl)	, , , , , ,	, , , , ,
Maximum towing <sup>26</sup>	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

#### **SPRINTER CREW**



#### TECHNICAL SPECIFICATIONS: 3500XD & 4500

		3500XD								4500			
Tires			Dual Rea	ar Wheel			Super	Single		Dual Rear Wheel			
Wheelbase		14	4"		170	)"	144"	170"	14	4"	170"		
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel		
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2		
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof		
Passenger capacity	5	5	5	5	5	5	5	5	5	5	5		
Rows of seats	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two		

-AT-MICK											
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	233.5"	274.3"	233.5"	233.5"	274.3"
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	109.4"	109.1"	97.8"	108.9"	108.5"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.5"	66.5"	66.8"	66.5"	66.8"	67.2"	67.2"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	49.1"	63.8"	49.1"	49.1"	63.8"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	30.6"	28.9"	30.3"	29.2"	28.9"	29.1"	29.0"	28.7"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	24.9"	24.6"	24.8"	24.5"	24.6"	24.5"	24.5"	24.6"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"
Side-door opening width – sliding	49.3"	49.3"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	49.3"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"
Rear cargo door opening width	60.7"	60.7"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	45.3'	52.5'	45.3'	45.3'	52.5'
Ground to first step-side	21.7"	24.8"	21.6"	20.9"	21.6"	20.8"	20.8"	20.8"	21.8"	20.8"	20.8"

INTERIOR											
Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	103.5"	103.5"	103.5"	103.5"	144.3"	144.3"	103.5"	144.3"	103.5"	103.5"	144.3"
Cargo length, front (at belt)	93.1"	93.1"	93.1"	93.1"	133.9"	133.9"	93.1"	133.9"	93.1"	93.1"	133.9"
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	38.5"	38.5"	38.5"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	75.5"	75.5"	75.5"	64.1"	75.5"	75.5"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	65.3"	65.3"	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"	65.3"	76.7"	76.7"

#### CARGO CAPACITY

Cargo volume (behind last row of seats)	222.5 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	15,250 lbs.										

#### MAXIMUM CAPABILITIES

Maximum payload	5,375 lbs. (4-cyl) 5,320 lbs. (6-cyl)	5,022 lbs.	5,298 lbs. (4-cyl) 5,243 lbs. (6-cyl)	4,945 lbs.	4,912 lbs. (4-cyl) 4,857 lbs. (6-cyl)	4,559 lbs.	5,309 lbs. (4-cyl) 5,254 lbs. (6-cyl)	4,923 lbs. (4-cyl) 4,868 lbs. (6-cyl)	6,437 lbs. (4-cyl) 6,382 lbs. (6-cyl)	6,360 lbs. (4-cyl) 6,305 lbs. (6-cyl)	5,975 lbs. (4-cyl) 5,919 lbs. (6-cyl)
Maximum towing <sup>26</sup>	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

#### **SPRINTER PASSENGER**



ADDITIONAL STANDARD FEATURES (PASSENGER)	_	_			_				_
MEGUANICAL	1500	2500		1500	2500			X 1500	2500
MECHANICAL     Additional bar for driveshaft & exhaust extension	X	X	Front axle reinforced (standard on 2500 170" WB models only)	+-	X		Suspension for comfort & load protection	X	X
Axle ratio 3.923*	†^	X	Rear spring vibration absorbers	X			Tire pressure monitoring lamp	X	Ιχ
Axle ratio 4.182 (standard on 2500 gas models only)	X	X	Stabilization Level I		X		<u> </u>		
SEATING									
Aisle-side armrest	X	X	Storage net, driver seat backrest	X	X	Т	Three-seater bench in passenger compartment,		Γ,
Four-seater bench in passenger compartment, third row**	Х	Х	Storage net, passenger seat backrest	Х			second row (narrow)		X
Four-seater bench in passenger compartment, fourth row***		X	Three-seater bench in passenger compartment,		,		<ul> <li>Three-seater bench in passenger compartment, third row (narrow)***</li> </ul>	X	X
Luxury interior trim with USB-sockets	lχ	_	first row (narrow); includes ISOFIX		X	+	Wall-side armrest		_
Editory interior time with GOD Sockets	17	1.				†	Window pillar trim	T X	Ιχ
INTERIOR									
12V power outlet, rear compartment	X	Ιx	Front-to-rear outlet in instrument panel	Тх	ΙX	Τ	Rear window defroster	X	X
Air conditioning rear, roof-mounted	Х	Х	Fuel-fired heater booster (17,000 BTU)*		X		Sliding door, passenger side	l x l	lχ
Assist handle, B-pillar	X	X	Heat insulation, front compartment	X			Storage compartment with net in rear doors	X	X
Audio systems speakers, 5 front, 8 rear	X	X	Heat insulation, rear compartment	X	X		Warm/cool air duct to rear compartment	X	X
Coat hooks in passenger compartment	X	X	Hinged lid for storage compartment	X	ΙX		Weight-optimized plastic floor	X	X
Cupholders, Front     FMVSS 217 emergency exit	X	X	Illuminated front exits     Rear cabin heater & vents	X	X		Window pillar trim	X	I X
- TWV00 217 emergency exit	1 ^	1 ^	- Real Cabili Heater & Vents	1^	1^				
EXTERIOR	1	1.0			1.0	_	TIRES & WHEELS	1	1
2nd row, fixed window, passenger side	ΙX	X	• High roof	X		-	6.5 J x 16 steel wheels	X	X X X
3rd brake light     Black tinting (90%) for rear windows	X	X	Laminated glass rear     Rear doors 180° opening	X			Spare wheel     Spare wheel bracket below frame	X	X
Fixed window, center left***	+^	^	Rear mudflaps	$\frac{1}{x}$			Tires LT 245/75 R16	X	H^
Fixed window, center right***	t	Ιχ	Roof trim	\^			Wheelhouse covering	X	X
Fixed window, rear left	X	X	Tow hook rear	X			<u> </u>	, ,	
Fixed window, rear right	X	X	Windows in rear doors	X					
SAFETY & SECURITY									
Longitudinal member reinforcement	ΙX	ΙX	360° camera³ (rearview mirror display)	X	ΤX				
	1					7			
						ı			
OPTIONAL FEATURES (PASSENGER)	1500	2500		1500	2500			1500	2500
MECHANICAL	15	25		15	25	1		2	52
Additional battery for retrofit consumers, co-driver seat base**	X	Х	Deactivation lamp monitoring failure	X	X		Speed limitation, 65 mph	X	Х
Additional battery for retrofit consumers,	X	X	Electric parking brake	X	X		Top speed limitation, 75 mph	X ]	X
engine compartment**	_		Engine oil level display at cold start*	+	X				
Additional DIN-slots     Add artist A 100 (attended as 1500 % 2500 are stadely)	X	X	Fuel gauge, optimized for aux. fuel tap*     Misfueling prevention for diesel	+	X				
Axle ratio 4.182 (standard on 1500 & 2500 gas models)     Cutoff relay for additional battery	lχ	X	Parametric Special Module (PSM)	+					
	17		r dramourie oposiar module (r om)	17	17	_			
SEATING	Lv	Lv		Lv	Lv	-			
Artico Man-made Leather Black     Fabric, Caluma Black	X X		Heated driver seat     Heated front passenger seat	⊢X V	X	+			
	1 ^	1 ^	· Heated Hofft passeriger seat		1^				
INTERIOR	Τv	Lv	EL CLE LA CARLO	Lv	Lv	_	0 1 1 1 1 1 1 1 1 1	I v I	Lv
115V socket     Assuratio Poskers	X	X	Electrically folding exterior mirrors     Electrically boated windshield	⊢X X			Overhead storage slot, front center     Rear doors, opening to side-wall	X	X
Acoustic Package     Assist handle, left rear door	†â	X	Electrically heated windshield     Fuel-fired pre-heater/booster (17,000 BTU)*	+^	^		Rear doors, opening to side-wall     Rear heater prep	X	X
Assist handle, right rear door	Ϊ́х	X	Instrument cluster with color display	T <sub>X</sub>			Satellite radio	$\frac{\lambda}{X}$	X
Charging Package, dashboard	ΙX	ΙX	Keys, two additional masters	Тх	Tχ		THERMOTRONIC automatic climate control	X	ΙX
Cigarette lighter & ash cup, front	X	X	Leather steering wheel		X		Tray for smartphones incl. wireless charging	X	X
Door-mounted assist handle, driver & passenger (standard	$ _{X}$	X	Navigation	X	X				
on 4x4)	<u></u>	L^	Optional 3-button keys	X	X				
				Lv	Lv	_	TIRES & WHEELS	LVI	Lv
EXTERIOR	1		Heated rear window(s) with washers/wipers	X			Light-alloy wheels 6.5 J x 16     M.S. winter times	- X	X
Bumpers front/rear primed	X			T v			M+S winter tires     Rims painted Arctic White	-   4	\\\\\
Bumpers front/rear primed     Bumper step, rear, Grey	Х	X	Mounting rails for roof rack     Opening limiter, electrically operated sliding door.	X					10
Bumpers front/rear primed     Bumper step, rear, Grey     DEF fluid filler cap - lockable	X	X	Opening limiter, electrically operated sliding door	X	X	1	<u> </u>	X	I X
Bumpers front/rear primed     Bumper step, rear, Grey     DEF fluid filler cap - lockable     Deletion of "model" badge, right rear door	X X X	X X X		X	X		Rims painted Arctic white     Rims painted Jet Black     Spare tire carrier deletion	X	X
Bumpers front/rear primed     Bumper step, rear, Grey     DEF fluid filler cap - lockable	X	X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper	X	X X X		Rims painted Jet Black	X	X X X
Bumpers front/rear primed     Bumper step, rear, Grey     DEF fluid filler cap - lockable     Deletion of "model" badge, right rear door     Deletion of Sprinter badge, left rear door	X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings	X X X X	X X X		Rims painted Jet Black     Spare tire carrier deletion	X X X	X X X X
Bumpers front/rear primed     Bumper step, rear, Grey     DEF fluid filler cap - lockable     Deletion of "model" badge, right rear door     Deletion of Sprinter badge, left rear door     Elec. closing assist right sliding door (soft close)	X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening	X X X X	X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho	X X X X X X X	X X X X
Bumpers front/rear primed     Bumper step, rear, Grey     DEF fluid filler cap - lockable     Deletion of "model" badge, right rear door     Deletion of Sprinter badge, left rear door     Elec. closing assist right sliding door (soft close)	X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening	X X X X	X X X		Rims painted Jet Black     Spare tire carrier deletion     Spare wheel deletion     Tire Brand Continental	X X X X X X	X X X X X
Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY	X X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.	X X X X	X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin	X	X
Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5	X X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.      Emergency flashlight	X X X X	X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package	X	X
Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm	X X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.      Emergency flashlight     First-aid kit	X X X X	X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Michelin  Parking Package Parking Package with 360° camera	X X X	X X X
Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5	X X X X X	X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.      Emergency flashlight	X X X X	X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package	X X X	X
Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist  OPTIONAL PACKAGES	X X X X X X	X X X X X	Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.  Emergency flashlight First-aid kit Fog lamp with cornering light function	X X X X X	X X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	X X X X	X X X
Bumpers front/rear primed Bumper step, rear, Grey  DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist  OPTIONAL PACKAGES Chrome Grille Package	X X X X X X	X X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.       Emergency flashlight     First-aid kit     Fog lamp with cornering light function	X X X X X	X X X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Michelin Parking Package Parking Package with 360° camera Security alarm with interior motion sensor  Premium Plus Package	X X X X	X X X
Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist  OPTIONAL PACKAGES Chrome Grille Package Comfort Package	X X X X X X	X X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.       Emergency flashlight     First-aid kit     Fog lamp with cornering light function      Driver Convenience Package     Exterior Lighting Package	X X X X X	X X X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	X X X X	X X X
Bumpers front/rear primed Bumper step, rear, Grey  DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)  SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist  OPTIONAL PACKAGES Chrome Grille Package	X X X X X X	X X X X X X	Opening limiter, electrically operated sliding door     Painted metallic front & rear bumper     Primed side moldings     Sliding door two-stage opening     Trailer hitch, 5,000 lbs.       Emergency flashlight     First-aid kit     Fog lamp with cornering light function	X X X X X	X X X X X X		Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Michelin Parking Package Parking Package with 360° camera Security alarm with interior motion sensor  Premium Plus Package	X X X X	X X X

#### SPRINTER PASSENGER



	15	500			2500		
Tires	Sir	ngle			Single		
Vheelbase	14	14"			144"		170"
ingine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel
Privetrain	4x2	4x2	4x2	4x4	4x2	4x4	4x2
toof height	Standard Roof	High Roof	Standard Roof	Standard Roof	High Roof	High Roof	High Roof
Passenger capacity	12	12	12	12	12	12	15
tows of seats	Four	Four	Four	Four	Four	Four	Five
EXTERIOR							
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"
Height	TBD	114.2"	TBD	TBD	114.2"	117.6"	113.5"
Nidth – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"
Load height, unloaded	TOO	07.5"	T00	T00	27.2" <b>G</b>	00 ==	2/2
(ground to cargo floor)	TBD	27.2"	TBD	TBD	27.4" 📵	30.7"	26.3"
Load height, loaded (ground to cargo floor)	TBD	23.8"	TBD	TBD	23.8"	27.2"	23.9"
Side-door opening height	TBD	71.6"	TBD	TBD	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.1"	51.0"	51.1"	51.0"	51.1"	51.0"	51.0"
Rear cargo door opening height	TBD	72.7"	TBD	TBD	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'
Ground to first step-side	20.5"	20.5"	20.5"	24.2"	20.5"	24.2"	20.0"
INTERIOR							
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	35.9"	35.9"	35.9"	35.9"	35.9"	35.9"	48.4"
Cargo length, front (at belt)	25.6"	25.6"	25.6"	25.6"	25.6"	25.6"	37.9"
Cargo width between wheelhouses	53.0"	53.0"	53.0"	53.0"	53.0"	53.0"	53.0"
Cargo height, maximum	TBD	TBD	TBD	TBD	TBD	TBD	TBD
(with trim)  Maximum floor width	69.8"	69.8"	69.8"	69.8"	69.8"	69.8"	69.8"
Interior standing height	TBD	75.5"	TBD	TBD	75.5"	75.5"	75.5"
		75.5			75.5	7 0.0	7 3.0
CARGO CAPACITY Cargo volume	70 / 5	70.6	70 ( 5	70 / 5	70 ( 5:	70.6	44.5
(behind last row of seats)	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	111.2 cu. ft.
Maximum roof load	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.
Maximum available GCWR	13,930 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	9,480 lbs.
MAXIMUM CAPABILITIES							
Maximum payload	3,494 lbs.	2,917 lbs.	3,494 lbs. <b>G</b> 3,274 lbs. (4-cyl) <b>D</b>	2,954 lbs.	3,417 lbs. <b>G</b> 3,197 lbs. (4-cyl) <b>D</b>	2,877 lbs.	3,087 lbs. (4-cyl 3,031 lbs. (6-cyl

			3,494 lbs. <b>G</b>		3,417 lbs. <b>G</b>		3,087 lbs. (4-cyl)	
Maximum payload	3,494 lbs.	2,917 lbs.	3,274 lbs. (4-cyl) D 3,219 lbs. (6-cyl) D		3,197 lbs. (4-cyl) D 3,142 lbs. (6-cyl) D	2,877 lbs.	3,031 lbs. (6-cyl)	
Maximum towing <sup>26</sup>	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	0 lbs.	
GVWR	9,050 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,480 lbs.	
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	

#### **SPRINTER CAB CHASSIS/CUTAWAY**



ADDITIONAL STANDARD FEATURES (CAB CHASSIS/CUTAWAY)	500XD	000		0X00		000		500XD	500
MECHANICAL	1 50	45		35	1	45		8	4
Aux. fuel sending unit with fuel tap	X	X	Deactivation lamp monitoring failure	X		X	Front axle reinforced	Ī	X
Axle ratio 4.182	X	X	Deletion of end crossmember	X	$\mathbf{D}$	X	Stabilization Level II	ΧI	X
EXTERIOR			TIRES & WHEELS				SAFETY & SECURITY		
Clearance lights pre-wiring	X	X	TIRES & WHEELS  ( • 5.5 J x 16 steel wheels	X	$\Box$	x	• Longitudinal member reinforcement	χ	Х
-	X	X		X	_	X X		X I	Х
Clearance lights pre-wiring	X X X	X	• 5.5 J x 16 steel wheels	X X X		_		X	Χ
Clearance lights pre-wiring     Exterior mirror extended (96")	X X X	X X	• 5.5 J x 16 steel wheels     • Dual rear wheel tires	V		X		X I	X

#### OPTIONAL FEATURES (CAB CHASSIS/CUTAWAY)

MECHANICAL								
Additional battery for retrofit consumers, co-driver seat base	X	X	Cutoff relay for additional battery	X	X	Speed limitation, 65 mph (standard on 4500 model)	X	Γ
Additional battery for retrofit consumers,	X	Х	End crossmember bolted	X	X	Top speed limitation, 75 mph	X	Г
engine compartment	^		Engine oil level display at cold start	X	X	Trailer crossmember 7,500 lbs. capacity	X	
Additional DIN-slots	X	Χ	Front axle reinforced (standard on 4500 model)	X				
AGM battery 12V 95Ah 850A	X	Χ	Fuel gauge, optimized for aux. fuel tap	X	X			
Axle ratio 3.923	X	Χ	Parametric Special Module (PSM)	X	X			
SEATING						_		
Artico Man-made Leather Black	X	Χ	Heated driver seat	X	X			
Fabric, Caluma Black	X	Х	Heated front passenger seat	X	X			

INTERIOR								
115V socket	X	X	Fuel-fired pre-heater/booster (17,000 BTU)	X	X	Rear heater prep	X	X
Acoustic Package	X	X	Heat insulation, front compartment	X	X	Rear wall deletion - Cab Chassis	X	X
Cab rear wall liner	X	X	Hinged lid for storage compartment	X	X	Satellite radio	X	X
Charging Package, dashboard	X	X	Illuminated front exits	X	X	THERMOTRONIC automatic climate control	X	X
Cigarette lighter & ash cup, front	X	X	Instrument cluster with color display	X	X	Tray for smartphones incl. wireless charging	X	X
Door-mounted assist handle, driver & passenger	X	X	Keys, two additional masters	X	X	Window in cab rear wall	X	X
<ul> <li>Electrical pre-installation for load compartment lighting</li> </ul>	X	X	Leather steering wheel	X	X			
Electrically heated windshield*	X	X	Navigation	X	X			
Fuel-fired heater booster (17,000 BTU)	X	X	Overhead storage slot, front center	X	X			

			,			-			
EXTERIOR						1	TIRES & WHEELS (CONTINUED)		
Bumpers/detachable body parts painted body color	X	X	Wire harness tail lamp with extended wiring	ΤX	$\top$	$\langle  $	Spare tire carrier deletion	X	X
Bumpers front/rear primed	X	X	Wiring for additional turn signals	X	>		Spare wheel deletion	X	X
DEF fluid filler cap – lockable	X	X	TIRES & WHEELS				Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)	X	
Deletion of "model" badge, right rear door	X	X	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	X			Tire Brand Continental	X	X
Primed side moldings	X	X	M+S winter tires	X	X		Tire Brand Michelin*	X	X
Tail lamp deletion	X	X	Rims painted Arctic White	X	>		Wheel chocks	X	X
Third brake light pre-wiring	Тх	Tχ	Rims painted Jet Black	Tχ	T	Т			

SAFETY & SECURITY						_		
<ul> <li>Active Distance Assist DISTRONIC<sup>®5</sup></li> </ul>	XX	त	First-aid kit	X	X	Pre-wiring rearview camera (head unit display)	Х	X
Backup alarm	XX	त	Fog lamp with cornering light function	X	X	Pre-wiring rearview camera (rearview mirror display)	X	Ιv
Emergency flashlight	X   X	त	Misfueling prevention for diesel	X	X	Security alarm with interior motion sensor	X	X

OPTIONAL PACKAGES							
Bench Seat Package	X	ΙX	Comfort Plus Package	Х	X	Premium Package	XX
Chrome Grille Package	X	X	DISTRONIC® Addition Premium Package	Χ	X	Premium Plus Package	XX
Comfort Package	X	X	Driver Convenience Package	X	X	Swivel Seat Package	XX
Comfort Package (seat addition)	X	X	Exterior Lighting Package	Х	X		

#### TECHNICAL SPECIFICATIONS: 3500XD & 4500

		350	45	00			
Tires	Dual Rea	ar Wheel	Super	Single	Dual Rear Wheel		
Wheelbase	144"	170"	144"	170"	144"	170"	
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2	
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3	
Rows of seats	One	One	One	One	One	One	

EXTERIOR						
Length	245.9"	273.5"	245.9"	273.5"	245.9"	273.5"
Height	94.1"	93.7"	93.9"	93.5"	94.4"	94.0"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	66.3"	66.3"	67.2"	67.2"	66.3"	66.3"
Rear track	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"
Front overhang	15.8"	15.8"	15.8"	15.8"	15.8"	15.8"
Rear overhang (rear axle to end of frame)	61.4"	63.0"	61.4"	63.0"	61.4"	63.0"
Turning diameter (curb-to-curb)	45.3'	52.5'	45.3'	52.5'	45.3'	52.5'
Cab length	99.4"	99.4"	99.4"	99.4"	99.4"	99.4"
Top of frame to top of cab	64.4"	64.4"	64.4"	64.4"	64.4"	64.4"
Frame height, loaded	27.0"	27.0"	26.9"	26.9"	26.9"	26.9"

TECHNICAL SPECIF	ICATIONS: 35	00XD & 450	0				
		350	4500				
Tires	Dual Re	Dual Rear Wheel Super Single			Single Dual Rear Wh		
Wheelbase	144"	170"	144"	170"	144"	170"	
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2	
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3	
Rows of seats	One	One	One	One	One	One	

For a complete listing of features included in each package, build your van at MBVans.com


INTERIOR						
Headroom	47.3"	47.3"	47.3"	47.3"	47.3"	47.3"
Shoulder room	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"

CARGO CAPACITY						
Max. available GCWR	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.

	, , , , , , , , , , , , , , , , , , ,			, , , , , , , , , , , , , , , , , , ,		
MAXIMUM CAPABILITIES						
Maximum payload	6,411 lbs. (4-cyl)	6,323 lbs. (4-cyl)	6,422 lbs. (4-cyl)	6,334 lbs. (4-cyl)	7,484 lbs. (4-cyl)	7,396 lb (4-cyl)
	6,356 lbs. (6-cyl)	6,268 lbs. (6-cyl)	6,367 lbs. (6-cyl)	6,279 lbs. (6-cyl)	7,429 lbs. (6-cyl)	7,341 lb (6-cyl)
Maximum towing <sup>26</sup>	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lb
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lk
TWR (maximum loaded trailer weight ratings	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs

#### **EXTERIOR & INTERIOR**

#### **EXTERIOR: NON-METALLIC**




#### **EXTERIOR: METALLIC**

5362 - Brilliant Blue





5389 - Steel Blue



5957 - Vanda Blue



Blue Metallic

5524 - Black Blue



**NON-METALLIC** 

**PREMIUM** 

9040 - Jet Black

**INTERIOR** 





VF6 - Black Leatherette



VF7 - Maturin Black Upholstery

**ACCESSORIES HIGHLIGHTS** 

- All-season floor mats
- Loading roller (for basic carrier bars)
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set
- Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.

For paint availability, please contact your dealer.

#### **ENDNOTES**

TBD values to be updated at a later date

- 1. Active Brake Assist may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature, and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. See Operator's Manual for system's operating speeds, and additional information and warnings.
- Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver, and cannot be relied on to avoid an accident or serious injury.
- 3. Blind Spot Assist is a warning system only, and may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a substitute for driver awareness and checking of surrounding traffic conditions. See Operator's Manual for system's operating speeds, and additional information and warnings.
- 4. Rear Cross-Traffic Alert is not a substitute for actively checking around the vehicle for any obstacles or people. It may not detect certain objects based on their size, path, proximity, or speed and angle of approach, or due to sensor obstruction, and does not control steering angle. See Operator's Manual for additional information, tips, and warnings.
- 5. Active Distance Assist DISTRONIC® is no substitute for active driving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead, or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance, and tire and road conditions. See Operator's Manual for system's operating speeds, and additional information and warnings.
- 6. 360° camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.
- 7. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Mayes drive carefully, consistent with conditions.
- No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.
- 9. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
- Active Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift, and cannot be relied
  on to avoid an accident or serious injury.
- 11. Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content). The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit-/corrosion-related damages to the system (min, 6h, proven by EN14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.
- 12. Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet
- 13. MY19 Sprinter won the 2019 ALG Residual Value Award in the Fullsize Commercial Van segment. ALG is the industry henchmark for residual values and depreciation data, www.alg.com.
- 14. B2B connectivity is available for the Contiguous US, Hawaii, and Alaska with the MY21 Sprinter. Contact an authorized Mercedes-Benz Vans dealership for more information.
- 15. When the Emergency Call System is triggered, the following data are automatically transmitted: vehicle identification number, GPS position, direction of travel, time of the emergency call, language setting, and number of occupants in the cab. The Emergency Call System is activated from the moment the vehicle is delivered to the customer following a sale. No separate terms of use have to be accepted. The Communication Module for Digital Services and the emergency call button are necessary for use of the Emergency Call System service. The availability of the service in addition to the integrated Communication Module for Digital Services (LTE) depends on the network coverage of the mobile network provider. The Communication Module for Digital Services (LTE) is not available in the US Virgin Islands or Puerto Rico.
- 16. The information from this service is shown on the touchscreen of the multimedia system. Live Traffic Information can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. While the navigation system provides directional assistance, the driver must remain focused on safe driving behavior, including paying attention to traffic and street signs. The driver should utilize the system's audio cues while driving and should only consult the map or visual displays once the vehicle has been stopped in a safe place. Maps do not cover all areas or all routes within an area. Please follow all applicable federal, state, and local laws and restrictions.
- 17. A valid subscription to Live Traffic Information is necessary to use Car-to-X Communication. Car-to-X Communication can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation, or the MBUX multimedia system with 10.25-inch touchscreen. Only the data of vehicles directly affected by the event and equipped with Car-to-X Communication are processed, therefore you may not always receive a timely warning of hazards through this system.

- 18. The available data can vary according to the vehicle model. The tire pressure can only be shown on certain model configurations. Display of the AdBlue<sup>®</sup> level is only available in conjunction with the optional SCR Generation 3 emissions control and only available with diesel models.
- 19. The Remote Control function via the Mercedes me connect App makes it possible for you to view the status of the doors and windows. The driver is also able to unlock the vehicle using a code via the Mercedes me connect App, and also check the status of and operate the auxiliary heater. This function is only available in conjunction with an optional auxiliary heater (hot-water heater).
- 20. MBUSA reserves the right to change or discontinue B2B connectivity services and Mercedes me connect services at any time without prior notification or incurring any future obligation. See the terms of the B2B connectivity and Mercedes me connect Overview of Services.
- 21. The wireless Internet in the Car is provided by AT&T and created via an integrated SIM card. A contract must be made with AT&T in order to access data services, and this contract can be made with the help of the MBUX multimedia system. A mobile device is required to complete enrollment. Mobile device will need to be connected to the WiFI Hotspot of the MBUX multimedia system by selection and PIN submission displayed in the MBUX multimedia system. Devices sold separately. Activation and deactivation of Internet in the Car is only possible via data contract with AT&T, additional costs may apply depending on the amount of data used. In addition to a data contract with AT&T, either an MBUX multimedia system with 17.8 cm (7-inch) touchscreen and navigation, or satellite radio or the MBUX multimedia system with 12-6 cm (10.25-inch) touchscreen is required.
- 22. In order to prevent distracted driving, the use of the Mercedes me connect App is not permitted while operating a motor vehicle. If used while operating a motor vehicle, there is an increased risk of endangering oneself and others. Please follow your local laws and restrictions.
- 23. The availability of services in addition to the integrated Communication Module depends on the network coverage of the mobile network provider. The Communication Module (LTE) is not available in the US Virgin Islands or Puerto Rico. The Communication Module for Digital Services (LTE) is standardly equipped in the MY21 Sprinter.
- 24. Apple CarPlay® is a product of Apple Inc. Android™ Auto is a product of Google Inc. Device and app providers' terms and privacy statements apply. Requires connected compatible device and data plan. Apps, content, and features are selected solely by their providers. Connection to apps and streaming services may be limited by the device's network connection. Data usage is routed through device and subject to fees, charges, and restrictions in user's wireless plan. Vehicle's factory audio/information interface, including COMAND® navigation, may not be used simultaneously with Apple CarPlay® or Android™ Auto. When Apple CarPlay® or Android™ auto is in use, the steering-wheel voice control button accesses Siri® or Google voice recognition software for voice commands.
- 25. Unsecured cargo can become hazardous in a collision. Always secure cargo.
- 26. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
- 27. MasterSolutions™ program vehicles are custom, special-order-only vehicles modified by the MasterSolutions™ provider of your choice. Although the MBUSA warranty does not apply to the modifications, separate warranties offered by the MasterSolutions™ provider may apply. Details are available from your local dealer.
- 28. Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon creditworthiness of customer.
- 29. TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.
- 30. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.
- 31. Traffic Sign Assist is not a substitute for driver awareness to posted speed limits and other conditions. Driver is responsible for safely operating vehicle in accordance with local traffic laws and driving conditions.

©2021 Mercedes-Benz USA, LLC, One Mercedes-Benz Drive, Sandy Springs, GA 30328 1-877-762-8267

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. All measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. Bluetooth<sup>®</sup> is a registered trademark of Bluetooth SiG, Inc.

www.MBVans.com

