# THE LOTUS **ELISE RANGE**





"Simplify, then add lightness"





# THE LOTUS ELISE CONTENTS

A UNIQUE PLACE IN <b>HISTORY</b>	2
PERFORMANCE THROUGH <b>LIGHT WEIGHT</b>	4
BUILT-IN PERFORMANCE	6
THE LOTUS ELISE <b>INTRODUCTION</b>	11
THE LOTUS <b>ELISE SPORT 220</b>	12
THE LOTUS <b>ELISE CUP 250</b>	14
PAINT OPTIONS	16
FURTHER INFORMATION	18

# HE LOTUS ELISE A UNIQUE PLACE IN HISTORY


# A UNIQUE PLACE IN **HISTORY**

From the original Elite to the latest Evora, Lotus has remained true to its founding principles. Lightweight construction, efficient use of the minimum number of parts, a perfectly balanced chassis and tactile, communicative steering are evident in every driving icon to proudly carry the Lotus badge.

Since the day Colin Chapman established Lotus in 1952, the company has never ceased to innovate. This has earned Lotus a distinguished place in motorsport history. In Formula 1 alone, Lotus has achieved 81 victories, 102 pole positions and 13 World Championships from over 500 Grand Prix starts. Lotus designs have also beaten the best in World Rally, Le Mans, Indy Car, Touring Car and numerous Sports Car and GT classes around the world.

Colin Chapman applied pioneering, lightweight engineering to every one of his race and road cars. He is widely regarded as one of the most influential automotive engineers of all time. From the introduction of the monocoque chassis, to aerofoil wings, 'ground effect' and active suspension, Chapman's innovations changed racing car design forever.

Lotus continues to push the boundaries of automotive design and engineering today with expertise in lightweight construction, performance electronics, the bonded aluminium chassis, the world's only mid-engined 2+2 sports car and industry benchmark steering, ride and handling. A deeply ingrained passion for innovation remains at the heart of everything Lotus does today.



Above: Founder Colin Chapman.
Right: 1972, Fittipaldi in the iconic black
and gold livery debriefs Chapman.



# "If you're not winning, you're not trying."







FIA Formula 1 Constructors' World Championships



FIA Formula 1 Drivers' World Championships



FIA Formula 1 Grand Prix Wins



Le Mans Wins (in Class)



Indianapolis 500



FIA World Rally Championship

# PERFORMANCE THROUGH

# **LIGHT WEIGHT**

Throughout the 1950's, Lotus constructed a series of aerodynamically advanced, lightweight Sportsracers. Typified by the revered Lotus Eleven that won its class at Le Mans in 1957, all were spectacular examples of Colin Chapman's ethos. His passion for innovative, lightweight engineering was best encapsulated by his famous quote from the launch of the Lotus Seven in 1957: "to increase performance, add lightness".

Chapman's engineering ideals, proven time and time again in the toughest of environments, are more relevant today than ever. They live-on in the celebrated Lotus Elise. Launched to great acclaim in 1996, this mid-engined, rear-wheel drive, ultra-light thoroughbred redefined the sports car once again. Its revolutionary, bonded aluminium chassis delivers the ultimate driving sensation, providing

exceptional feedback with thrilling acceleration and extremely low running costs for the performance on offer. Over two decades later, it remains unmatched for precision, agility and pure driving engagement.

Today, the Lotus Lightweight
Laboratory maintains Colin
Chapman's legacy and ensures that
his ethos is applied to every new
model. After a complete strip down,
every component is assessed and
optimized through redesign, change
of material, change of supplier or
integration. If one part can be made to
do the job of several, this is where it
happens. Improvement is continuous.
The quest to add lightness never
ends. The result is the fastest, most
exciting, most capable range of
road cars Lotus has ever built.













The name Lotus is synonymous across the world with sublime handling and exceptional vehicle dynamics. The key to it all is that every Lotus is designed and engineered from scratch with a singular focus. Every Lotus is purposebuilt to be a pure sports car.

Any mass-produced saloon or hatchback can be made to go faster but it's never the optimal starting point for a performance car. For that, you need an exceptionally light, rigid chassis designed by a company with seven decades of elite-level motorsport experience. Every Lotus, from the Elise Sport 220 to the Evora GT410

Sport, benefits from a bespoke, motorsport tested, bonded aluminium chassis. The pioneering process of bonding aluminium extrusions remains state-of-the-art today and provides the ideal platform for some of the highest quality suspension components to be found on any road car.

Each and every Lotus car features the optimal, cost-no-object design of unequal length double wishbones for superior kinematics, absolute precision, intuitive response and maximum tyre grip. With all four contact patches optimally controlled, the Elise can generate astonishing cornering forces from modest tyres.

Very few car companies today offer such high quality suspension across the range. Then again, very few car companies focus exclusively on purpose-built sports cars.

The other secret to world-renowned ride and handling expertise, is the on-site test track at Hethel. A luxury enjoyed by few other car makers, it allows Lotus to develop cars faster and more intensively. Every Lotus is painstakingly honed to extract every last drop of dynamic performance from each component – remaining true to Colin Chapman's principle of performance through light weight.



THE LOTUS **ELISE** 



# THE LOTUS ELISE INTRODUCTION

The Lotus Elise continues to be hailed as one of the finest driver's cars available at any price. The torchbearer for Colin Chapman's ethos of performance through light weight, it remains the purest useable sports car in production today. The latest generation to carry the evocative name retains the supple road holding, fluid dynamics and tactile feedback of the original and combines this with stunning performance, low CO2 emissions and remarkable efficiency.

As you'd expect from a thoroughbred, mid-engined sports car, its compelling agility is built-in to every component. The lightweight, rigid, bespoke chassis supports optimal, finely tuned, double wishbone suspension for absolute handling precision. No other sports car tackles the open road with the verve of an

Elise, where every driver input has such a clear and immediate effect on the car's behaviour. Even more remarkable than the intuitive, instant response is the communication coming back to the driver. The unassisted steering remains an industry benchmark and dynamic delight, full of richly detailed feedback, keeping the driver informed and connected with the car, the tyres and the road. It is this unrivalled intimacy between man, machine and road surface that makes the Elise so endlessly rewarding to drive at all speeds.

The Elise range now starts with the potent supercharged, chargecooled Elise Sport 220. Above that, the performance gets even more serious and track focused with the deeply capable, downforce generating, Elise Cup 250.

As athletic as the name suggests, the

driver involvement at all road speeds.



# **TECHNICAL SPECIFICATION**







PERFORMANCE	ELISE SPORT 220	
Max power	217 hp at 6800 rpm (220 PS) (162 kW)	
Max torque	184 lb ft at 4600 rpm (250 Nm)	
0-60 mph	4.2 seconds	
0-100 km/h	4.6 seconds	
Max speed	145 mph (234 km/h)	
Fuel consumption (WLTP) mpg (l/100 km) Low Medium High Extra high Combined	24.6 (11.5) 38.7 (7.3) 42.2 (6.7) 38.2 (7.4) 36.7 (7.7)	
Combined CO <sub>2</sub> emissions	174 g/km	
Unladen weight	924 kg	

ENGINE	AND TR	ANSMISSION
--------	--------	------------

SPORT 220: All alloy, 1.8 litre DOHC 4 cylinder, dual VVT-i, 16-valve with chargecooled supercharger

Mid-mounted, transverse, rear wheel drive

6 speed manual gearbox with sports ratios

## **CHASSIS AND BODY**

Lightweight, extruded aluminium bonded chassis structure

wishbone sports suspension with anti-roll bar

AP Racing twin-piston front calipers and single-piston rear calipers

Tyre pressure monitoring system (TPMS)

# **EXTERIOR SPECIFICATION**

Lightweight silver or black cast alloy wheels (16" front and 17" rear)

V105 tyres 225/45 R17

Servo assisted, cross drilled & ventilated brake discs, 288 mm diameter, front & rear

Aerodynamically optimised black rear diffuser

Black soft-top

protection film

steering wheel

Clear sill stone chip

INTERIOR SPECIFICATION

Polished aluminum gear knob

and leather handbrake sleeve

Technical fabric sports seats

Black leather trimmed

Exposed aluminium

gearshift mechanism

and part leather interior

Black leather trimmed

Tyre puncture repair kit

Alcantara® trim pack

Leather trim pack

Tartan trim pack

steering wheel

**OPTIONS: INTERIOR AND TRIM** 

sill covers

Fully independent double

Bilstein high-performance dampers, front and rear

Eibach springs, front and rear

ABS system

Driver selectable ESP modes

Engine start push button Driver and passenger airbags

Front Yokohama Advan Neova V105 tyres 195/50 R16

Rear Yokohama Advan Neova

Alcantara® trimmed vent surrounds Alcantara® trimmed sill covers

Alcantara® trimmed

wheels (16" front & 17" rear)

Interior colour pack (red. Two-piece high-performance yellow, silver, orange or black) brake discs

Sport dampers

Carbon fibre hardtop

# **OPTIONS: EXTERIOR AND BODY**

Hardtop

Full carpet

Floor mats

Black pack (matt black rear transom, roll hoop cover. mirror plinths/pods & front access panel)

Red painted brake calipers

# **OPTIONS: COMFORT** AND COMMUNICATION

Air conditioning

Bluetooth enabled stereo plus two front-mounted speakers

Sound insulation

# Cruise control **OPTIONS: LIGHTWEIGHT**

# AND PERFORMANCE Silver or black 10-spoke forged

Lightweight lithium-ion battery

Polycarbonate backlight glass

Titanium exhaust

Carbon fibre front access panel

Carbon fibre tailgate Carbon fibre roll hoop cover

Carbon fibre sports seats

Carbon fibre sill covers

# **PAINT OPTIONS**

Signature paint

Metallic paint

# **LOTUS EXCLUSIVE OPTIONS**

Exclusive paint: alternative metallic colours

Exclusive paint: alternative pearlescent colours

Exclusive paint: custom colour choice

Bespoke double colour stitching (any colour)

Exclusive leather: alternative colour

Specified forged wheel in alternative finish

<sup>\*</sup>Model shown features cost option black pack

The Cup 250 combines the celebrated virtues of the iconic Elise with highly advanced aerodynamics, generating 131kg of downforce at 140mph. The result is uncanny highspeed stability, sharper turn-in, increased grip and supreme composure. However, this thoroughbred track car did not forget its road manners. One of the many benefits an unladen weight of just 931kg is the opportunity to achieve exceptional body control with compliant suspension. Back down at road speeds, you'll have time to notice the meticulously balanced control weights. The



exposed aluminium gear linkage saves weight, adds precision and mechanical tactility. The renowned unassisted steering communicates with rich detail and vivid clarity for unrivalled driver involvement. However, to fully appreciate the monumental grip generated by the Yokohama Advan A052 tyres, you will need to visit a race circuit. The Cup badge is not for show. It's the mark of a car that was built to lap hard all day without complaint and could be raced competitively by adding no more than a roll cage. Bred for the track, brilliant on the road, the Cup 250 is a sports car icon at the very top of its game.



# **TECHNICAL SPECIFICATION**







	er
Max torq	ue
0-60 mpl	1
0-100 km	ı/h
Max spee	ed
Fuel con mpg (l/1 Low Medium High Extra hi Combin	gh

mpg (l/100 km)	
Low	24.1 (11.7)
Medium	37.7 (7.5)
High	40.9 (6.9)
Extra high	37.7 (7.5)
Combined	36.2 (7.8)
Combined CO <sub>2</sub> emissions	177 g/km
Unladen weight	931 kg
Aerodynamic downforce at maximum speed	148 kg
ENGINE AND TRANSMISSION	
All alloy, 1.8 litre DOHC 4 cylinder, 16-valve with chargecooled superc	

# 150 mph (248 km/h)

ELISE CUP 250

(250 Nm)

3.9 seconds

4.3 seconds

245 hp at 7200 rpm

[248 PS] [182.7 kW]

184 lb ft at 3.000 to 7.000 rpm

All alloy, 1.8 litre DOHC 4 cylinder, dual VVT-i, 16-valve with chargecooled supercharger	
Mid-mounted, transverse, rear wheel drive	
6 speed manual gearbox with sports ratios	

BOSCH Electronic Differential Lock (EDL)

CHASSIS AND BODY

Lightweight, extruded aluminium bonded chassis structure

Fully independent double wishbone sports suspension with adjustable front anti-roll bar

Bilstein high-performance

AP Racing twin-piston front calipers and single-piston rear calipers

Driver selectable ESP modes

transom panel

Rear Yokohama Advan A052 tyres 225/45 R17

Servo assisted, cross drilled and ventilated brake discs, 288 mm x

dampers, front and rear

Eibach springs, front and rear

Lightweight lithium-ion battery

Matt black painted front access panel, mirror plinths, mirror caps, roll-hoop cover and

Ultra-lightweight black forged alloy wheels (16" front and 17" rear)

Front Yokohama Advan A052 tyres 195/50 R16

26 mm, front and rear

Polycarbonate backlight glass

Black soft-top

INTERIOR SPECIFICATION

contrast red or vellow stitch including seats, door panels and face-level vents

Carbon fibre sports seats Black leather trimmed steering wheel

ABS system

Tyre puncture repair kit OPTIONS: INTERIOR AND TRIM

Clear sill stone chip protection film

Black leather trimmed sill covers

Polished aluminum gear knob and

Exposed gearshift design

leather handbrake sleeve

Engine start push button

Driver and passenger airbags

Black Alcantara® trim, with

EXTERIOR SPECIFICATION

Aerodynamically optimised rear wing, front splitter, rear diffuser

and side floor-extensions

Leather trim pack - black leather, with contrast red or yellow stitch (including seats, door panels and face-level vents)

Tartan trim pack – yellow or red tartan inserts, with contrast red or yellow stitch (including seats and door panels)

> Black Alcantara® trimmed sill covers

Black Alcantara® trimmed steering wheel Interior colour pack - seat eyelets, centre console surround, HVAC

> surround and window lift switch bezel painted in red, yellow, silver, orange, black or white

Full carpet

Floor mats

OPTIONS: EXTERIOR AND BODY

Matt black painted hard-top Red painted brake calipers

OPTIONS: COMFORT AND COMMUNICATION

Air conditioning

Bluetooth enabled stereo plus two front-mounted speakers

Sound insulation

Cruise control

Standard battery (no cost option)

**OPTIONS: LIGHTWEIGHT** AND PERFORMANCE

Carbon Aero Pack – front splitter. rear wing and side boards

in carbon fibre Carbon fibre hardtop

Carbon fibre access panel

Carbon fibre engine cover

Carbon fibre sill covers

Carbon fibre face-level vents

Carbon fibre HVAC surround Titanium exhaust

Ultra-lightweight silver forged alloy wheels (16" front and 17" rear)

Two-piece high-performance brake discs

Fire extinguisher and battery isolator

Front and rear towing eyes\*

PAINT OPTIONS

Signature paint

Metallic paint

**LOTUS EXCLUSIVE OPTIONS** 

Exclusive paint

alternative metallic colours

Exclusive paint: alternative pearlescent colours

Exclusive paint: custom colour choice

Bespoke double colour stitching (any colour)

Carbon fibre roll-hoop cover

Exclusive leather: alternative colour

Specified forged wheel in alternative finish

\*Supplied via Lotus Aftersales for dealer fitment









METALLIC GREY C185



METALLIC BLACK C186



**SOLID RED** C183



METALLIC SILVER C190



**METALLIC WHITE** C201



**METALLIC BLUE** C202



**RACING GREEN** C203



**METALLIC ORANGE** C205



METALLIC LIGHT BLUE C208



**METALLIC DARK GREY** C213



**ELISE BLUE** C214

Images are for comparison use only, please speak to your local dealer for physical print samples.

# FURTHER INFORMATION

The information and images in this brochure are based on the current technical data when going to print. As part of a policy of continuous specification improvements, Lotus reserves the right to modify specifications, technical equipment, options and colours at any time. For the latest details please contact your authorised Lotus dealership or visit lotuscars.com. Throughout this brochure, wherever a feature is described as an option it should be assumed that it will be at extra cost to the base vehicle unless specifically stated to the contrary. All model and colour combinations are subject to availability.

Certain options or combinations of options may be unavailable in certain markets. Performance results may vary depending upon the specification of the particular vehicle, environmental conditions, driving style and other factors. Published figures should be used for comparison purposes only and verification should not be attempted on public roads. Lotus

recommends that all local speed and safety laws must be obeyed and safety belts worn at all times. The track driving and stunt images contained in this brochure were taken on a closed circuit using professional drivers. Do not attempt to recreate this style of driving. Use of the vehicle on track or in a competitive manner is not endorsed by Lotus. Participation in use off-road, including on closed circuit tracks or for use in a competitive manner, including timed laps or runs will invalidate the manufacturer's warranty and the vehicle will require appropriate levels of expert vehicle preparation and servicing. Customers are responsible for ensuring that their cars comply with all relevant road, track and or race regulations at all times. CARS INTENDED FOR TRACK USE ONLY CARRY NO MANUFACTURER'S WARRANTY OTHER THAN THAT REQUIRED BY LAW.

Distributors and dealerships are not agents of Lotus and have absolutely

no authority to bind Lotus by any express or implied undertaking or representation. All vehicles should be purchased through an authorised Lotus dealership, please see the dealer locator at lotuscars.com. Purchaser's statutory rights are not affected.

Note that current print and photographic techniques do not allow us to faithfully reproduce the full depth and tone of the colours in this brochure. This brochure is designed to provide general product information and is not a contractual document or offer of sale. For current information please contact your authorised Lotus dealership. The details in this brochure cannot be reproduced without the express authorisation of Lotus. © Group Lotus Ltd 2019. Information relating to the designs and patents that are held by Group Lotus Ltd are available by visiting www.lotuscars.com/legaldesigns-and-patents or by writing to Group Lotus Ltd, Potash Lane.



# LOTUS CAR PRAHA

Bystrá 2847/14,193 00, Praha 9 | Tel: 602 227644 Email: jiri.pich@lotuscarpraha.cz | **lotuscarpraha.cz** 

- **f** @LotusCarPraha
- © @lotuscarpraha
- **Olotuscarpraha**
- in LotusCarPraha
- LotusCarPraha