

Jimmy

 **SUZUKI**
Way of Life!








Jimny











VVT

JIMNY SPECIFICATIONS JIMNY HARD TOP			
		1.3L JLX	
		5MT	4AT
DIMENSIONS			
Overall length	mm	3,645	
Overall width	mm	1,600	
Overall height	mm	1,705	
Wheelbase	mm	2,250	
Track	front mm	1,355	
	rear mm	1,365	
Ground clearance	mm	190	
Minimum turning radius	m	4.9	
WEIGHT			
Kerb weight	kg	1,060	1,075
Minimum turning radius	kg	1,420	
ENGINE			
Type		M13A with VVT	
Cylinders		4	
Number of valves		16	
Piston displacement	cc	1,328	
Bore x stroke	mm	78.0 x 69.5	
Compression ratio		9.5:1	
Maximum output	kW/rpm	62.5/6,000	
Maximum torque	Nm/rpm	110/4,100	
Fuel distribution		MPI	
Fuel consumption			
CO2 emissions g/km		174	184
Urban Litres/100km		9.3	9.9
Extra-Urban Litres/100km		6.2	6.6
Combined Litres		7.3	7.8
TRANSMISSION			
Gear ratio	1st	4.425	2.875
	2nd	2.304	1.568
	3rd	1.674	1.000
	4th	1.190	0.696
	5th	1.000	-
	Reverse	5.151	2.300
Final gear ratio		4.300	4.090
Transfer gear ratio	high	1.000	1.320
	low	2.002	2.643
CHASSIS			
Steering		Ball & nut	
Brakes	Front	Disc	
	Rear	Drums	
Suspension	Front/Rear	3-link rigid with coil spring	
Tyres		205/70 R15	
CHASSIS			
Seating		4	
Fuel tank	Litres	40	

*Figures according to ADR81/01. Specifications may vary for individual markets.



EQUIPMENT	JIMNY HARD TOP
COMFORT	
Air conditioning	•
AM/FM Stereo/CD 2DIN	•
Power steering	•
Electric windows (front)	•
Remote keyless entry	•
Electrically adjustable outside mirrors	•
Push button 4x4 selection	•
INSTRUMENT PANEL	
Tachometer	•
Tripmeter	•
Digital clock	•
12 volt accessory socket	•
Steering wheel 3-spoke	•
Instrument panel lighting (red)	•
INTERIOR	
Cabin light	•
Sun visors	•
Vanity mirror (driver's side & passenger side)	•
Day/night rearview mirror	•
Reclining and sliding front seats	•
Detachable front/rear seat head restraints	•
Walk-in system (passenger side)	•
Separate folding rear seats	•
Seat material	Fabric
Reclining rear seats	•
Floor carpet	•
Door trim	Moulded, cloth accented
Moulded rear quarter trim with pocket/cup holder	•
Door pockets	•
Door armrests	•
Centre console with cup holders	•
Fuel lid opener	•
EXTERIOR	
Halogen headlights	•
Front wipers (2 speed & intermittent) & washer	•
Rear window wiper (1 speed & intermittent) & washer	•
Rear window demister	•
Green tinted glass window	•
Coloured bumpers/body side moulding	•
Body Coloured outside mirrors	•
Metallic Paint	Opt
Aluminium wheels	Opt
Wheel centre caps	•
Roof rails	•
Free wheel hubs (vacuum hubs)	•

EQUIPMENT	JIMNY HARD TOP
SAFETY & SECURITY	
Dual SRS airbags	•
ELR seatbelts (3 point)	•
Height adjustable seatbelt anchorage (front)	•
Side impact beams	•
Engine immobiliser standard	•
COLOUR RANGE	
	CODE
Superior white	26U
Bright Red 2	Z9T
Silky silver metallic	Z2S
Kashmir blue pearl metallic	ZCW
Bluish black pearl 3	ZJ3
Azure grey pearl metallic	ZY4
Clear beige metallic	ZDK
•: Standard equipment Opt: Optional	

All photos appearing in this brochure were shot on roads designed for vehicle use and with the specific permission of the relevant authorities. Standard and optional equipment availability may vary for individual markets. Please enquire at your dealer, as specifications and illustrations may refer to models not available in your region. SUZUKI MOTOR CORPORATION and SUZUKI AUSTRALIA reserve the right to change, without notice; prices, colours, materials, equipment, specifications and models, and also to discontinue models. Part no: 99999 - JIMNY-008 www.suzuki.com.au

