

# LANCE



# LANCE





## QUALITY TAKES TIME

The word *quality* is thrown around a lot these days. We know because we have been in business since 1965. Many things have changed over the years and while we certainly have evolved, we have always focused on maintaining our values.

The culmination of our journey is reflected in our current ultra-light Travel Trailer line featuring our computer designed and cut automated manufacturing process with composite construction materials and an emphasis on green manufacturing.

*We've put in the time... so you can spend quality time.*





## QUALITY TAKES TIME

The word *quality* is thrown around a lot these days. We know because we have been in business since 1965. Many things have changed over the years and while we certainly have evolved, we have always focused on maintaining our values.

The culmination of our journey is reflected in our current ultra-light Travel Trailer line featuring our computer designed and cut automated manufacturing process with composite construction materials and an emphasis on green manufacturing.

*We've put in the time... so you can spend quality time.*





**2465** shown in *Mystic Shores*

*Not actual photo. Visit our website for most accurate product information and imagery.*



**2465** shown in *Mystic Shores*

*Not actual photo. Visit our website for most accurate product information and imagery.*



**2075** shown in Royal

*Not actual photo. Visit our website for most accurate product information and imagery.*



**2075** shown in Royal

*Not actual photo. Visit our website for most accurate product information and imagery.*





**2075** with optional exterior rear kitchen and mountain scene graphics.



**2075** with optional exterior rear kitchen and mountain scene graphics.



**2445** Flush mounted speaker and reading light



**2445**



**2445**



**2445** Flush mounted speaker and reading light



**2445**



**2445**



2445 shown in Java



2445



2445 shown in Java



2445



**1985** shown in *ROADSTER*



**1685** shown in *PASSAGE*

# MAPLE

1685 | 1985 | 1995 | 2185  
2285 | 2295 | 2375 | 2465



**2375** shown in *MYSTIC SHORES*



**1985** shown in ROADSTER



**1685** shown in PASSAGE

# MAPLE

1685 | 1985 | 1995 | 2185  
2285 | 2295 | 2375 | 2465



**2375** shown in MYSTIC SHORES



# DRIFTWOOD

1475 | 1575 | 2075 | 2445



**1575** shown in ROYAL



**1475** shown in PLATINUM, Shown with optional sofa.



**2445** shown in JAVA

# DRIFTWOOD

1475 | 1575 | 2075 | 2445



**1575** shown in ROYAL



**1475** shown in PLATINUM, Shown with optional sofa.



**2445** shown in JAVA

## AVAILABLE AMENITIES



60" X 80" Residential Queen Beds



Exterior Kitchens Std. 2295. Opt. 2075, 2445



Comfortable Chairs *Shown in Passage*  
Std. 1475, 2375. Opt. 2285



Bunk Beds *Shown in Java*

## SPECIFICATIONS, STANDARDS & OPTIONS

	1475	1575	1685	1985	1995	2075	2185	2285	2295	2375	2445	2465
Floor Length	14' 10"	15' 9"	16' 6"	18' 9"	19' 2"	20' 3"	21' 2"	22' 6"	22' 6"	23' 6"	24' 11"	24' 11"
Overall Length	19' 8"	20' 5"	21' 0"	23' 3"	23' 8"	24' 9"	25' 8"	27' 0"	27' 0"	28' 0"	29' 5"	29' 5"
Overall Length w/Optional Ladder	N/A	N/A	21' 5"	23' 8"	24' 1"	N/A	26' 1"	27' 5"	27' 5"	28' 5"	29' 10"	29' 10"
Width (Exterior)	84 3/8"	84 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"
Height (Exterior) w/Optional A/C	9' 10"	9' 10"	10' 1"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 4"	10' 4"
Height (Interior)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Dry Weight* – Overall Weight	2600	2775	3980	4245	4265	4450	4565	4930	4840	5030	5525	5875
Axle Weight* – Towed Weight	2350	2530	3555	3695	3875	4010	3810	4295	4160	4430	4970	5210
Hitch Weight* – Hauled Weight	250	245	425	550	390	440	755	635	680	600	555	665
Cargo Capacity* – Gear	1100	925	1520	1955	1925	1750	2435	2070	2160	2370	2075	1925
Available Axle Capacity**	1150	970	2245	2105	1925	1790	2390	1905	2040	3370	2830	2590
GAWR (Per Axle)	3500	3500	2900	3100	3100	3100	3500	3500	3500	3900	4000	3900
GVWR	3700	3700	5500	6200	6200	6200	7000	7000	7000	7400	7600	7800
Fresh Tank (Gal)	26	26	45	45	45	45	45	45	45	45	45	45
Gray Tank (Gal)	26	26	45	45	45	45	45	2/45	45	45	2/45	45
Black Tank (Gal)	26	26	45	45	45	45	45	45	45	45	45	45
Propane Tank (#/Gal)	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5
Sleeping Capacity (Min./Opt. Max.)	2/3	4	5	4	4	4	7	4/6	4	4/5	8	5
Convertible Dinette Bed	Opt. 36" x 59"	46" x 78"	54" x 78"	54" x 78"	54" x 78"	40" x 80"	54" x 78"	54" x 78"	54" x 78"	42" x 78"	42" x 78"	42" x 70"

\* Estimates

\*\* When looking at cargo capacity you must consider the hitch weight of the trailer and axle capacity. Hitch weight is actually being hauled while the remaining Trailer weight on the axle(s) is being towed. Example if a trailer has a total weight of 4000 pounds with a 400 pound hitch weight that would mean 3600 pounds is on the axle(s). If the axle weight rating is 5200 for this unit you will have 1600 of axle capacity for cargo



Optional Sofa Bed

## AVAILABLE AMENITIES



60" X 80" Residential Queen Beds



Exterior Kitchens Std. 2295. Opt. 2075, 2445



Comfortable Chairs *Shown in Passage*  
Std. 1475, 2375. Opt. 2285



Bunk Beds *Shown in Java*

## SPECIFICATIONS, STANDARDS & OPTIONS

	1475	1575	1685	1985	1995	2075	2185	2285	2295	2375	2445	2465
Floor Length	14' 10"	15' 9"	16' 6"	18' 9"	19' 2"	20' 3"	21' 2"	22' 6"	22' 6"	23' 6"	24' 11"	24' 11"
Overall Length	19' 8"	20' 5"	21' 0"	23' 3"	23' 8"	24' 9"	25' 8"	27' 0"	27' 0"	28' 0"	29' 5"	29' 5"
Overall Length w/Optional Ladder	N/A	N/A	21' 5"	23' 8"	24' 1"	N/A	26' 1"	27' 5"	27' 5"	28' 5"	29' 10"	29' 10"
Width (Exterior)	84 3/8"	84 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"
Height (Exterior) w/Optional A/C	9' 10"	9' 10"	10' 1"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 4"	10' 4"
Height (Interior)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Dry Weight* – Overall Weight	2600	2775	3980	4245	4265	4450	4565	4930	4840	5030	5525	5875
Axle Weight* – Towed Weight	2350	2530	3555	3695	3875	4010	3810	4295	4160	4430	4970	5210
Hitch Weight* – Hauled Weight	250	245	425	550	390	440	755	635	680	600	555	665
Cargo Capacity* – Gear	1100	925	1520	1955	1925	1750	2435	2070	2160	2370	2075	1925
Available Axle Capacity**	1150	970	2245	2105	1925	1790	2390	1905	2040	3370	2830	2590
GAWR (Per Axle)	3500	3500	2900	3100	3100	3100	3500	3500	3500	3900	4000	3900
GVWR	3700	3700	5500	6200	6200	6200	7000	7000	7000	7400	7600	7800
Fresh Tank (Gal)	26	26	45	45	45	45	45	45	45	45	45	45
Gray Tank (Gal)	26	26	45	45	45	45	45	2/45	45	45	2/45	45
Black Tank (Gal)	26	26	45	45	45	45	45	45	45	45	45	45
Propane Tank (#/Gal)	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5
Sleeping Capacity (Min./Opt. Max.)	2/3	4	5	4	4	4	7	4/6	4	4/5	8	5
Convertible Dinette Bed	Opt. 36" x 59"	46" x 78"	54" x 78"	54" x 78"	54" x 78"	40" x 80"	54" x 78"	54" x 78"	54" x 78"	42" x 78"	42" x 78"	42" x 70"

\* Estimates

\*\* When looking at cargo capacity you must consider the hitch weight of the trailer and axle capacity. Hitch weight is actually being hauled while the remaining Trailer weight on the axle(s) is being towed. Example if a trailer has a total weight of 4000 pounds with a 400 pound hitch weight that would mean 3600 pounds is on the axle(s). If the axle weight rating is 5200 for this unit you will have 1600 of axle capacity for cargo



Optional Sofa Bed



1995



2075  
Optional Exterior Kitchen

Optional Sofa Bed



2185  
Bunk Sizes  
29" x 75"



2285

Sofa Bed Size  
36" x 63"



2295



2375  
Optional Sofa Bed  
Size 49" x 68"



2445  
Bunk Sizes  
Upper 50" x 70"  
Lower 50" x 66"



Sofa Bed Size 42" x 72"

2465

Optional Sofa Bed



1995



2075 Optional Exterior Kitchen

Optional Sofa Bed



2185

Bunk Sizes 29" x 75"



2285

Sofa Bed Size 36" x 63"



2295



2375

Optional Sofa Bed Size 49" x 68"



2445

Bunk Sizes Upper 50" x 70" Lower 50" x 66"



2465

Sofa Bed Size 42" x 72"











# STANDARD FEATURES



Rear bumper storage compartment provides space for your sewer hose or camp chairs. 2075



Dual pane windows offer great insulation properties.



Portable Bluetooth speaker keeps the tunes rolling in or out of the trailer. (1475, 1575, 2075, 2445)



IN-Command brings smart home technology to your RV by connecting you with many of the systems through an app. (2075, 2445)



Dual Tread Entry Step. Provides easy entrance and exit.



Lance Life 4' exterior table. We all need one & this one doesn't waste space. N/A 1475, 1575, 2465



Walk on roof allows for worry free maintenance. N/A 1475 & 1575



100% LED lighting brightens your trailer and is easy on your power supply.



Electric cord and chain caddy. Keep these items off the ground.



Large lockable dinette storage drawers utilize residential dovetail construction for strength. - N/A 1475, 1575, 2075



Magnetic exterior latches stay in place for hands free access.



Aluminum wheels & nitrogen filled USA manufactured Goodyear radial tires keep the good times rolling.



Exclusive Lance Load roof rack system safely stores your canoe, kayak, paddle boards...etc. - N/A 1475 & 1575 (Weight Limit 500lbs. Distributed)



Dometic Penguin II 10K low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Electric fireplace provides ambiance & radiant heat. - 2295, 2445, 2465



Upgraded battery monitor displays battery statistics like amp-hours consumed, state of charge, and voltage.



Shown in Roadster décor

Convertible sofa bed turns your 60"x80" queen size bed into a comfortable couch. - Available 1985, 1995, 2185

# STANDARD FEATURES



Rear bumper storage compartment provides space for your sewer hose or camp chairs. 2075



Dual pane windows offer great insulation properties.



Portable Bluetooth speaker keeps the tunes rolling in or out of the trailer. (1475, 1575, 2075, 2445)



Exclusive Lance Load roof rack system safely stores your canoe, kayak, paddle boards...etc. - N/A 1475 & 1575 (Weight Limit 500lbs. Distributed)



iN-Command brings smart home technology to your RV by connecting you with many of the systems through an app. (2075, 2445)



Dual Tread Entry Step. Provides easy entrance and exit.



Lance Life 4' exterior table. We all need one & this one doesn't waste space. N/A 1475, 1575, 2465



Dometic Penguin II 10K low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Walk on roof allows for worry free maintenance. N/A 1475 & 1575



100% LED lighting brightens your trailer and is easy on your power supply.



Electric cord and chain caddy. Keep these items off the ground.



Electric fireplace provides ambiance & radiant heat. - 2295, 2445, 2465



Upgraded battery monitor displays battery statistics like amp-hours consumed, state of charge, and voltage.



Large lockable dinette storage drawers utilize residential dovetail construction for strength. - N/A 1475, 1575, 2075



Magnetic exterior latches stay in place for hands free access.



Aluminum wheels & nitrogen filled USA manufactured Goodyear radial tires keep the good times rolling.



Shown in Roadster décor

Convertible sofa bed turns your 60"x80" queen size bed into a comfortable couch. - Available 1985, 1995, 2185

# OPTIONAL FEATURES



Latitude power awning provides unobstructed shade with direct response wind sensor & LED light bar.




Pull out front storage tray organizes & provides easy access to your gear. - N/A 2465



Mountain Scene graphics give you a fresh look inspired by adventure.



Backup camera w/color display and sound makes backing up a safer, one-person job.



ultraSTEPglow provides sturdy, adjustable, glow-in-the-dark steps for safe and secure entrance and exit - N/A 1475 & 1575



1 1/4" receiver gives you another area to haul your gear including bikes, skis, snowboards, etc. - Limit 130 lbs. - N/A 1475 & 1575



Keyless entry lets you adventure out without having to worry about your keys when you enter your trailer using a personalized code.



Exterior kitchen w/dual burners & sink take cooking duties outside. - 2075, 2445 (Std. 2295)



Optional Tri-Five Propane Tanks allow for extended stays while standard aerodynamic cover looks stylish and keeps tanks protected and out of site. - N/A 1475 & 1575

Electric stabilizer jacks with foot pads make set up & teardown sweat free, keeping your trailer stabilized while parked. - N/A 1475 & 1575

# OPTIONAL FEATURES



Latitude power awning provides unobstructed shade with direct response wind sensor & LED light bar.




Pull out front storage tray organizes & provides easy access to your gear. - N/A 2465



Mountain Scene graphics give you a fresh look inspired by adventure.



Backup camera w/color display and sound makes backing up a safer, one-person job.



ultraSTEPglow provides sturdy, adjustable, glow-in-the-dark steps for safe and secure entrance and exit - N/A 1475 & 1575



1 1/4" receiver gives you another area to haul your gear including bikes, skis, snowboards, etc. - Limit 130 lbs. - N/A 1475 & 1575

Electric stabilizer jacks with foot pads make set up & teardown sweat free, keeping your trailer stabilized while parked. - N/A 1475 & 1575



Keyless entry lets you adventure out without having to worry about your keys when you enter your trailer using a personalized code.



Exterior kitchen w/dual burners & sink take cooking duties outside. - 2075, 2445 (Std. 2295)



Optional Tri-Five Propane Tanks allow for extended stays while standard aerodynamic cover looks stylish and keeps tanks protected and out of site. - N/A 1475 & 1575

# DESIGN & CONSTRUCTION

- A.** The roof is covered in energy-star rated Polyvinyl Chloride (PVC) material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- B.** Rigid block foam insulation yields maximum "R" value and promotes structural strength.
- C.** Interior walls and cabinetry are constructed of Euro-Ply. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E.** High gloss TPO lower front gravel guard with jewel LED lighting is both beautiful and resilient to the abuses of the road while protecting this section of the chassis.
- F.** All seals use an anti-wicking material to prevent moisture from transferring to the laminate walls.
- G.** Lance uses more expensive Azdel™ in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better "R" value for superior insulation.
- H.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- I.** Heavy duty rubber torsion-bar suspension axles allow for independent articulation, providing a better towing experience off-road in addition to featuring EX-lube bearing and self-adjusting brakes for easy maintenance.
- J.** Engineered super lightweight, powder coated, tempered steel custom chassis Huck bolt construction eliminates weak and rust-prone welds.
- K.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- L.** The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.



# AWARDS



Superior Quality



Top Floor Plan



Industry Leading Innovation



# ECO-SMART RV CONSTRUCTION

Lance RVs are certified green at the highest "Emerald Level" based on an evaluation of our RV manufacturing facility, procedures and practices. Measured against criteria based on national consensus standards including resource efficiency, energy efficiency, water efficiency & indoor air quality.

[CERTIFIEDGREENRVS.COM](http://CERTIFIEDGREENRVS.COM)



Cutting Edge Design



Reader's Favorite

# DESIGN & CONSTRUCTION

- A.** The roof is covered in energy-star rated Polyvinyl Chloride (PVC) material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- B.** Rigid block foam insulation yields maximum "R" value and promotes structural strength.
- C.** Interior walls and cabinetry are constructed of Euro-Ply. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E.** High gloss TPO lower front gravel guard with jewel LED lighting is both beautiful and resilient to the abuses of the road while protecting this section of the chassis.
- F.** All seals use an anti-wicking material to prevent moisture from transferring to the laminate walls.
- G.** Lance uses more expensive Azdel™ in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better "R" value for superior insulation.
- H.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- I.** Heavy duty rubber torsion-bar suspension axles allow for independent articulation, providing a better towing experience off-road in addition to featuring EX-lube bearing and self-adjusting brakes for easy maintenance.
- J.** Engineered super lightweight, powder coated, tempered steel custom chassis Huck bolt construction eliminates weak and rust-prone welds.
- K.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- L.** The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.



## AWARDS



Superior Quality



Top Floor Plan



Industry Leading Innovation



## ECO-SMART RV CONSTRUCTION

Lance RVs are certified green at the highest "Emerald Level" based on an evaluation of our RV manufacturing facility, procedures and practices. Measured against criteria based on national consensus standards including resource efficiency, energy efficiency, water efficiency & indoor air quality.

[CERTIFIEDGREENRVS.COM](http://CERTIFIEDGREENRVS.COM)



Cutting Edge Design



Reader's Favorite



# BOONDOCKING & OFF GRID CAMPING



Optional 2 5/8" lift kit offers additional ground clearance for your off the pavement adventures.



Optional 190w roof mounted solar panel (up to 2) keeps you and your accessories charged.



Standard torsion axle provides independent articulation of each tire allowing for a smoother ride.



Standard Solar on the Side SAE port accepts external aftermarket solar panels to keep your 12v system charged.



Optional lithium battery (up to 2) brings cutting edge battery technology to your RV.



Optional 1500w inverter allows your battery-based system to run conventional appliances by inverting 12V DC to create 120V AC output. - N/A 2465



Standard HSLA e-coated frame protected against the mud, dirt and elements.



Optional solar panel charge monitor and automatic controller keep you informed. -Included with panel(s).



Portable generator storage compartment with tie down straps, accommodates Honda 2100 and similar sized portable generators. - N/A 1475, 1575 & 2465.



# BOONDOCKING & OFF GRID CAMPING



Optional 2 5/8" lift kit offers additional ground clearance for your off the pavement adventures.



Optional 190w roof mounted solar panel (up to 2) keeps you and your accessories charged.



Standard torsion axle provides independent articulation of each tire allowing for a smoother ride.



Standard Solar on the Side SAE port accepts external aftermarket solar panels to keep your 12v system charged.



Optional lithium battery (up to 2) brings cutting edge battery technology to your RV.



Optional 1500w inverter allows your battery-based system to run conventional appliances by inverting 12V DC to create 120V AC output. - N/A 2465



Standard HSLA e-coated frame protected against the mud, dirt and elements.



Optional solar panel charge monitor and automatic controller keep you informed. -Included with panel(s).



Portable generator storage compartment with tie down straps, accommodates Honda 2100 and similar sized portable generators. - N/A 1475, 1575 & 2465.



# 4 SEASONS COMFORT TECHNOLOGY

(OPTIONAL)



## KEY FEATURES



**Ducted heat** is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



**Water heater bypass & winterizing valves** make draining the system for winter storage a breeze.



**Insulated hatch covers** add an additional layer of insulation to vents and sky lights.

# 4 SEASONS COMFORT TECHNOLOGY (OPTIONAL)



## KEY FEATURES



**Ducted heat** is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



**Water heater bypass & winterizing valves** make draining the system for winter storage a breeze.



**Insulated hatch covers** add an additional layer of insulation to vents and sky lights.

# CALCULATING TOWED WEIGHT AND CARRYING CAPACITY

These are general guidelines to use when matching a trailer to your tow vehicle, assuming standard equipment on your trailer. Whether any travel trailer can be used with your vehicle and its capacities for carrying and/or towing is affected by how much optional equipment is added to the trailer, and the weight of passengers and all other items you carry in your tow vehicle and trailer.

To get an approximate weight of the model of your choice equipped with the optional features you are considering, the "Build Yours" feature at [lancecamper.com](http://lancecamper.com) is a great resource. Because we're unfamiliar with your tow vehicle, Lance makes no warranties or representation - expressed or implied - as to performance or reliability of your tow vehicle with a Lance trailer. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in calculating proper matches between tow vehicles and trailers.

## 3,500 POUND TOW RATING



Models: 1475, 1575

## 6,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1985, 1995, 2075, 2185, 2285, 2295

## 5,000 POUND TOW RATING




Models: 1475, 1575, 1685

## 7,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1985, 1995, 2075, 2185, 2285, 2295, 2375, 2445, 2465



Hitch weight is actually being **hauling** while the remaining trailer weight is being **towed**.

Cargo capacity must also consider hitch weight as well as axle weight rating.

**A - B = D**

**Ex:** If a trailer has an overall weight of 4k lbs. with 400 lbs. of hitch weight that would mean 3600 lbs. is on the axles and being towed. (4,000 - 400 = 3,600 or **D. Towed Weight**)

**C - D = Cargo Capacity**

**Ex.** If the axle weight rating is 5200 (2600 each x 2) for this unit you will have 1600 lbs. of axle capacity for cargo. (5,200 - 3,600 = 1,600 or **Cargo Capacity**)

# CALCULATING TOWED WEIGHT AND CARRYING CAPACITY

These are general guidelines to use when matching a trailer to your tow vehicle, assuming standard equipment on your trailer. Whether any travel trailer can be used with your vehicle and its capacities for carrying and/or towing is affected by how much optional equipment is added to the trailer, and the weight of passengers and all other items you carry in your tow vehicle and trailer.

To get an approximate weight of the model of your choice equipped with the optional features you are considering, the “Build Yours” feature at [lancecamper.com](http://lancecamper.com) is a great resource. Because we’re unfamiliar with your tow vehicle, Lance makes no warranties or representation – expressed or implied – as to performance or reliability of your tow vehicle with a Lance trailer. For professional guidance, always consult with your Factory Authorized Lance Dealer. They’re trained in calculating proper matches between tow vehicles and trailers.

## 3,500 POUND TOW RATING



Models: 1475, 1575

## 6,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1985, 1995, 2075, 2185, 2285, 2295

## 5,000 POUND TOW RATING




Models: 1475, 1575, 1685

## 7,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1985, 1995, 2075, 2185, 2285, 2295, 2375, 2445, 2465



*Hitch weight is actually being **hauling** while the remaining trailer weight is being **towed**.*

*Cargo capacity must also consider hitch weight as well as axle weight rating.*

**A - B = D**

**Ex:** If a trailer has an overall weight of 4k lbs. with 400 lbs. of hitch weight that would mean 3600 lbs. is on the axles and being towed. (4,000 – 400 = 3,600 or **D. Towed Weight**)

**C - D = Cargo Capacity**

**Ex.** If the axle weight rating is 5200 (2600 each x 2) for this unit you will have 1600 lbs. of axle capacity for cargo. (5,200 – 3,600 = 1,600 or *Cargo Capacity*)

# LIVE. LANCE. LIFE.



2021 LANCE TRAVEL TRAILER BROCHURE ©2021 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPglow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. **All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice — as well as to add, modify or discontinue models shown in promotion materials and/or on its websites.** All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance model, tow vehicle and tow equipment for safe operation. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded RV. Axle Rating is the maximum permissible loaded weight a specific axle is designed to carry. Overall length is measured from tip of the hitch to rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 20k, 02/21 Rev 1.5

**2**YEAR  
STRUCTURAL LIMITED  
WARRANTY

**12**YEAR  
ROOF LIMITED  
WARRANTY

Please see [lancecamper.com/](http://lancecamper.com/)  
warranty for details.

**The information provided in this brochure applies to all product manufactured after February 2021.**

# LIVE. LANCE. LIFE.



**2** YEAR  
STRUCTURAL LIMITED  
WARRANTY

**12** YEAR  
ROOF LIMITED  
WARRANTY

Please see [lancecamper.com/warranty](http://lancecamper.com/warranty) for details.

2021 LANCE TRAVEL TRAILER BROCHURE ©2021 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPglow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. **All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice — as well as to add, modify or discontinue models shown in promotion materials and/or on its websites.** All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance model, tow vehicle and tow equipment for safe operation. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded RV. Axle Rating is the maximum permissible loaded weight a specific axle is designed to carry. Overall length is measured from tip of the hitch to rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 20k, 02/21 Rev 1.5

**The information provided in this brochure applies to all product manufactured after February 2021.**