Victory Abstract Abstract Wood Stone



Victory Abstract Abstract Wood Stone






































INTRODUCTION


Welcome to the world of Tandus Centiva design. What constitutes the work presented in this product guide is an extraordinary collaboration and consensus of ideas, methods and materials.

Holistically interconnected, the products within speak to the commitment and purpose to innovate and manufacture floorcoverings that immediately communicate better, simpler, clearer form and function.

From the technical expertise, strength and recycled/recyclable core of our backing systems to the beautifully engineered construction of our face fibers and design layers, all of our product platforms—Powerbond, Modular, Broadloom, Woven and LVT—are developed to align toward today's 21st century market segments. In this new era, products need to work with one another aesthetically, and in terms of intent, and how they must function in work, education, social and healing environments.

This is what drives us. Our extremely dedicated staff of designers, engineers, research technicians, manufacturers and world-renowned textile consultants succeed when customers desire our floorcoverings, as much for their beauty as for their ability to add meaning and longevity to the interior spaces they so skillfully design.

With pride and gratitude.



TERRY MOWERS

Vice President Design North America Commercial Products Tarkett

CONTENTS

022 GLOBAL

- 024 THE ULTIMATE FLOORING EXPERIENCE
- 026 PLATFORMS
- 032 DESIGN COLLABORATION
- 039 HERITAGE OF INNOVATION
- 040 DESIGN INNOVATION
- 046 SOLUTIONS AT WORK
- 048 IMAGINATIONS™ CUSTOM FLOOR DESIGN
- 054 BORDERS/MEDALLIONS
- 056 FLOOR PATTERNS/DESIGN ACCENTS
- 059 VICTORY® STYLES
- 067 ABSTRACT STYLES
- 083 WOOD STYLES
- 143 STONE STYLES
- 167 DIGITAL PRINT
- 198 TANDUS-CENTIVA.COM
- 210 PRODUCT COORDINATES
- 214 ENVIRONMENTAL STORY
- 216 RESTART®
- 218 PACKAGING/SIZE AVAILABILITY
- 221 SUNDRIES/ACCESSORIES
- 223 SPECIFICATIONS
- 230 INDEX

The Tandus Centiva Product Guide is our annual showcase piece for as many products as possible at the time of print.

We are constantly updating our styles throughout the year, so please make sure you log onto tandus-centiva.com for the most up-to-date products.

Photos may not accurately depict color. Please order samples for exact product color.

GLOBAL


With net sales of 2.7 billion euros in 2015, Tarkett is a global leader in innovative and sustainable solutions for flooring and sports surfaces. Offering a wide range of products including vinyl, linoleum, carpet, rubber, wood & laminate, synthetic turf and athletic tracks, the Group serves customers in more than 100 countries worldwide. With 12,000 employees and 34 industrial sites, Tarkett sells 1.3 million square meters

of flooring every day, for hospitals, schools, housing, hotels, offices, stores and sports fields. Committed to sustainable development, the Group has implemented an eco-innovation strategy and promotes circular economy. Tarkett is listed on Euronext Paris (compartment A, ticker TKTT, ISIN: FR0004188670). HYPERLINK "http://www.tarkett.com" www.tarkett.com.






Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond® Modular, Broadloom, Woven, LVT and MetalEdge™ transition products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with a range of Johnsonite wall base and finishing accessories, providing the ultimate flooring experience across the Tarkett family of brands.









BROADLOOM



WOVEN



The Ultimate Flooring Experience

Look for the platform icons throughout this product guide and on product portfolios.



Suzanne Tick Design™

DESIGN COLLABORATION

MARFA.DESTINATION MARFA, TEXAS

The unique backdrop of Marfa, Texas serves as one of the most unconventional sites for a design conference. Long known as the base of renowned sculptor Donald Judd and the home of many of his permanent installations, Marfa has become a sought-after destination for artists and designers from around the world that are interested in the intersection of art and architecture.

This annual gathering, hosted by Tandus Centiva, shares the unique qualities of Far West Texas... the amazing topography... the delicious culturally infused food... and of course behind-the-scenes tours of the Chinati Foundation and brilliant Marfa-based artists' studios to provoke insightful discussions and inspire talented designers from all over North America.













INSPIRATIONS AWARDS PARTNERSHIP

Sponsored by Tandus Centiva, the Inspirations Awards celebrate leadership in socially responsible design among commercial interior designers and architects. The 2016 award ceremony took place at NeoCon honoring top grant winner Staplehouse Restaurant in Atlanta designed by Square Foot

Studio. Also honored were Teach for America located in New York, designed by HOK, as well as Healthcare for the Homeless located in Houston, designed by Page.

BUILT PROJECT CATEGORY WINNER Staplehouse Restaurant_Square Foot Studio, Atlanta, Georgia



PRACTICE-BASED CATEGORY
Healthcare for the Homeless_Page, Houston, Texas





PRACTICE-BASED CATEGORY
Teach for America_HOK, New York, New York





DESIGN COLLABORATION

PUBLICOLOR

Publicolor is a youth development not-for-profit that has a multi-day, multi-year program continuum, which uniquely engages disaffected students in their education. Their gateway program empowers students through commercial painting and an applied learning model to transform their institutional looking schools into warm, welcoming student-centric environments. Other programs involve students in planning and preparing for college and career, while teaching strong and transferable work habits. The Summer Design Studio teaches at-risk teens literacy and math through product design. S.A.T. preparation and design classes are held on Pratt Institute's Brooklyn campus so students can experience the reality of college, while their afternoons are spent painting underresourced but vital neighborhood facilities.

When you specify and purchase a Suzanne Tick product for a project in education, you are helping contribute to Publicolor's Summer Design Studio. Suzanne Tick Inc. and Tandus Centiva have each committed to donate \$0.10/sq. yd. from these sales, totaling a \$0.20/sq. yd. donation. Antron® Carpet Fiber has also committed to donate an additional \$0.10/sq. yd. when the Suzanne Tick Inc. design is made using Antron. With over 40 STI designs to choose from, your K-12 and higher education specifications and purchases will positively impact the lives of Publicolor students.

For more information on other ways you can get involved and support Publicolor, visit their website at publicolor.org/joinus.



VISIT TANDUS-CENTIVA.COM UNDER TC MEDIA, WHAT'S NEW TO SEE PUBLICOLOR'S STORY **Publicolor**

























HERITAGE OF INNOVATION

Tandus acquired by Tarkett

Our heritage of innovation compels us to challenge conventional pursuits by fostering invention. But only when inventions become effective solutions accepted by markets, businesses and society are they truly innovative.

1967	Introduced Powerbond®— the industry's first hybrid resilient sheet floorcovering	2013	Tandus and Centiva merged to provide value-added, coordinated solutions for the contract interiors market
1969	Introduced modular carpet to North America	2014	Celebrated 20 years of recycling
1994	Launched the first ever full-scale flooring recycling program		Best of NeoCon winner for Substrate — Gold in Hard Surface
1996	First modular products designed for random installation with fashion designer Jhane Barnes — "Mosaics in Tile" collection		First American carpet manufacturer to achieve Cradle to Cradle Certified™ Silver v3.0 for ethos® Modular tile
2004	Launched ethos,® the first high performance carpet backing made from recycled PVB, the film polymer found in windshields	2015	Best of NeoCon winner for Indent— Gold in Broadloom
2007	First carpet company to partner with Cargill® to use a bio-based polyol cushion backing, ErgoStep®,		Best of NeoCon winner for Avant— Silver in Modular
	for broadloom carpet		Surpassed 284 million pounds of flooring and waste that was recycled into new floorcoverings
2008	Closed the loop on production water at our Florence, AL plant		Achieved highest moisture allowance in the industry with TarkettTAPE™ and ethos® Modular
	Achieved ISO 14001 at US carpet facilities		
2009	Developed first sheath core bio-based fiber (Genesis)	2016	Tarkett launches the first luxury vinyl tile (LVT) collection to use state-of-the-art digital printing technology with Collection Infinies™ and Tandus Centiva's Indigenous
2010	Produced product portfolios that are 100% reusable and recyclable		Earth Collection
	Centiva acquired by Tarkett		Another industry first, ethos® Modular with Omnicoat Technology™ launched, when used with TarkettTAPE™ allows for immediate installation over adverse flooring
2011	Introduced Sero,® a design technology that emphasizes the design of the floor plane rather than the floorcovering		Best of NeoCon, Gold Award, Collection Infinies™
2012	Antron® MATCH™ Marketing Innovation Award — Grand Prize for Sustainable Portfolio System		Best of NeoCon, winner for Open Archive OverStitch Gold in Broadloom
	The Antron® Carpet Fiber Sustainable Flooring Performance Award — Grand Prize for the sixth consecutive year		Best of NeoCon, Open Archive Cache Tweed and GeoKnit: Innovation Award
		2017	Powerbond celebrates 50th Anniversary with current

installations lasting over 50 years.

DESIGN INNOVATION

COLLECTION INFINIES™

This is Collections Infinies™: the ultimate disruptive design experience. It's a unique breakthrough in LVT that uses the power of Co-Creation to breathe life into the design process. Here, you'll experience the inspiration of some of the most influential design minds of our time and meld it with your own creative process. Featuring state-of-the-art digital print technology, the possibilities for customization are as expansive as your imagination. And the results are nothing short of breathtaking.


Key Benefits

Digital Printing allows the ability to be agile and switch between designs and color variations very quickly, opening up a new world of flexibility including the ability to co-create with our customers like never before... Longer Pattern Repeats – Digital Printing pattern repeats are only limited by the digital design itself and not simply the circumference of traditional cylinder printing.





VISIT COLLECTIONSINFINIES.TARKETTNA.COM TO TO SEE THE ENDLESS OPTIONS OF CO-CREATION. http://collectionsinfinies.tarkettna.com/











COLLECTION INFINIES™

DESIGNER COLLABORATION

Collections Infinies doesn't just give you options. It opens the door of Co-Creation and allows you to elevate your designs with our renowned designers. Experience collaboration with some of the most amazing talents in the design world while simultaneously feeling the exhilaration of creating something unique to your vision. Explore. Discover. And cocreate with all that is... Collections Infinies.

Suzanne Tick

Principal, Suzanne Tick Inc.

A well-known trailblazer, noted for her passionate approach to design within evolving markets.

Georgie Stout

Founding Partner, 2X4

A brand strategist for cultural and commercial clients who value the power of design.

D.B. Kim

Designer

A conceptual and constructive practitioner, a commentator on creativity, a sophisticated traveler and citizen of the world.

Stefan Sagmeister

Designer, Sagmeister & Walsh

A celebrated graphic designer with a vision for how subjects of daily life can be transformed through design to more accurately describe our existence.

Krista Ninivaggi

Founder, K&Co

A cutting-edge designer, she's translated her love for NYC's vibrant nightlife into her calling, hospitality design.



Suzanne Tick, Principal, Suzanne Tick Inc.



Stefan Sagmeister, Designer, Sagmeister & Walsh



Krista Ninivaggi, Founder, K&Co



D.B. Kim, Designer



Georgie Stout, Founding Partner, 2X4


DESIGN INNOVATION

COLLECTION INFINIES™

WHERE CO-CREATION IS REALIZED.

Co-create alongside our five designers. Our visualizer tool allows you to immerse yourself in the rich world of Tarkett's Collections Infinies. Experience the vision and inspiration of our designers firsthand and begin to see all of the Co-Creation possibilities brought to you through the remarkable nature of this exclusive collection. With our online visualizer tool, you are able to co-create with a designer.

VISUALIZER TOOL



Explore the possibilities using our visualizer tool. Co-create alongside our five designers.

SOLUTIONS AT WORK

At Tandus Centiva, we solve problems with our fit-for-purpose floorcovering portfolio, creating floorcovering solutions that enhance spaces for learning, working, healing, and living.





SENIOR LIVING



K-12 EDUCATION WORKPLACE





HIGHER EDUCATION



HOSPITALITY





ACUTE CARE_Children's Hospital



RETAIL



 ${\bf GOVERNMENT}_{\bf Airport}$

ACUTE CARE

IMAGINATIONS™ CUSTOM FLOOR DESIGN

TECHNOLOGY

Tandus Centiva's focus on design sets us apart. You can choose from our vast array of standard patterns or work with our in-house cutting department to create custom designed flooring solutions. Tandus Centiva's unique ultrasonic cutting system — currently the most advanced in the world — is paired with state-of-the-art CAD technology which assures clean, precise cuts for even the most intricate designs with no entry or end points.



PROCESS

Our knowledgeable staff will guide you from the early stages of the project through completion.

- Start with a standard design or send us your concept in a digital format.
 Tandus Centiva's design team will help determine appropriate sizes, colors, textures and edge treatments for your project.
- After the quote and layout are approved, the order can be placed
- Are the ducte and ayout are approved, the order can be placed for final design, costing and production.
 The design is cut using an ultrasonic cutting system paired with CAD technology.
 Each design is shipped in sections to allow for trouble free installation.










IMAGINATIONS™ CUSTOM FLOOR DESIGN

The Imaginations Custom Floor Design program translates your vision onto the floor using Powerbond® or LVT. Whether it's an abstract design, wayfinding, branding, school spirit or mascot design, our products fulfill your needs. Tandus Centiva offers design capabilities that are unmatched by any other in the industry. Tandus Centiva's Powerbond and LVT are precision cut with an ultrasonic knife ensuring the most intricate designs

with no entry or end points. Powerbond seams are permanently welded together, and the textile wear layer eliminates seaming compounds for a crisp clean design. Inlay designs are created by the architect, designer or owner as part of the floor plan and cut by our in-house Imaginations team using CAD technology. The custom design is installed on site by the flooring contractor for both Powerbond and LVT.














IMAGINATIONS™ CUSTOM FLOOR DESIGN

Want something more? If you can imagine it then we can translate it onto the floor. Tandus Centiva's Imaginations Custom Floor Design program is used for more intricate and detailed designs such as logos, mascots, unique images or repeated designs (animals, stars, flowers). Fabricated at our manu-

facturing facilities, shipped to the job site and inset by the flooring contractor. The Tandus Centiva Imaginations Custom Floor Design program is a first in the flooring industry, and we are the only company to offer this unique service. Contact your Tandus Centiva account executive to get started.















BORDERS


Accent a space using one of our standard borders. These designs are available in 4" and 6" widths. Any of our Victory," Contour® or Event® Series products can be used in these standard border designs, making exciting floors easy.



MEDALLIONS


Our medallions add emphasis to any entrance, hallway or highlighted area. These standard designs are easily customized to your specifications, allowing you to create floors as unique as the environments surrounding them.

The standard size for circular medallions is 48" in diameter. Square modules are available in 18" and 36" sizes. Any of our Victory, Contour or Event Series products can be used in these standard designs.



FLOOR PATTERNS

Great flooring takes on added dimension and special interest when used in patterns. Make an artistic statement, enhance a space or build on other decor selections. Using floor patterns can be simple and the design payoff is substantial. Choose from a number of ideas presented here or design your own.



DESIGN ACCENTS

Create a noteworthy floor by incorporating one or more design accents. Any of our Victory, Contour or Event Series products can be supplied as feature strips, offering a unique grout appearance.


FEATURE STRIPS

Any Victory, Contour or Event Series product can be supplied as feature strips. Feature strips are available in 1/8", 1/4", 1/2", 3/4", 1" and 2" in 36" lengths.

Feature strip options are illustrated below. An interesting grout appearance may be achieved by combining a feature strip of a lesser thickness and a beveled tile edge.

.120" for Square Edge Product

.100" for Slight Beveled Product





Keystones can be cut from any Victory, Contour or Event Series product.





VICTORY®

01

BRITES

Material: Homogeneous vinyl tile
Wear layer thickness: N/A, Solid vinyl tile
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"

Fine hors: Slatz (SC) Emboss: Slate (SS)



TILE+PLANK







SHOCK ME PINK

CITREUSE



VBR 3003 PLUMTASTIC

VBR 3005 FANTANGO

ENVY

VBR 3001



DAZZLBERRY




Tandus Centiva

VICTORY® SERIES

CHROMA

Material: Homogeneous vinyl tile
Wear layer thickness: N/A, Solid vinyl tile
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"
Emboss: Slate (SS)







TILE+PLANK





VICTORY® SERIES

CORAL REEF

Material: Homogeneous vinyl tile
Wear layer thickness: N/A, Solid vinyl tile
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"
Emboss: Slate (SS)







TILE+PLANK

				1		
	\leftarrow	\uparrow	1	7		
	\leftarrow	\rightarrow	\uparrow			
	\uparrow	\downarrow	+			
RANDOM						











































AQUARIUS

MAGICS

Material: Homogeneous vinyl tile Wear layer thickness: N/A, Solid vinyl tile

Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 18"x 36", 36"x 36"

Emboss: Slate (SS)



TILE+PLANK

_	_	$\overline{}$				
←	个	1				
4	\rightarrow	\uparrow				
个	\downarrow	+				









METALLIC BLUE



























VMG 8042

JASPER

















SUNSTONE



MINERAL CHIP


Material: Homogeneous vinyl tile
Wear layer thickness: N/A, Solid vinyl tile
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 18"x 18", 6"x 36"

Emboss: Granite (JS)



TILE+PLANK

_			_	٦		
+		\uparrow	1	1		
\downarrow	-	\rightarrow	\uparrow			
\uparrow	1	\downarrow	+			





EMPIRE








BRONZITE





DEMURE





Tandus Centiva

SIZE AVAILABILITY

• Preferred

mm inches	305 x 305 12"x 12"	305 x 457 12"x 18"	457 × 457 18"× 18"	152 x 915 6"x 36"	228 × 915 9"x 36"	305 x 915 12"x 36"	457 × 915 18"x 36"	915 x 915 36"x 36"
Victory® Series								
Brites	•	•	•	•	•	•	•	•
Chroma	•	•	•	•	•	•	•	•
Coral Reef	•	•	•	•	•	•	•	•
Magics	•	•	•	•	•	•	•	•
Mineral Chip	•	•	•	•				

The sizes above have been chosen to best complement the design of the product. For additional size options, please contact your Tandus Centiva representative.

EMBOSS AVAILABILITY

Victory	SS	JS	
	Slate	Granite	
Brites	•		
Chroma	•		
Coral Reef	•		
Magics	•		
Mineral Chip		•	

ABSTRACT

02

CONTOUR® SERIES

ASPHALT

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 18"x 18" Emboss: Pathway (PH) (Shown), Quarry (QU), Fresco (FC)



TILE+PLANK







C-STAMPED

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Vear warranty: 20 year Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 6"x 36", 9"x 36", 12"x 36", 6"x 48", 7.2"x 48", custom sizes shown Emboss: Passage (PS) (Shown), Quarry (QU)




TILE+PLANK



















GALAXY





ODYSSEY



CONTOUR® SERIES

CROSSWEAVE

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 12"x 12", 18"x 18", 36"x 36" Emboss: Quarry (QU)



TILE+PLANK

\uparrow	\rightarrow	\uparrow
\rightarrow	\uparrow	\rightarrow
\uparrow	\rightarrow	\uparrow

QUARTER TURN







MONTAGE

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 12" x 12", 18" x 18", 36" x 36" Emboss: Quarry (QU) (Shown), Pathway (PH)



TILE+PLANK

\uparrow	\rightarrow	\uparrow
\rightarrow	\uparrow	\rightarrow
\uparrow	\rightarrow	\uparrow

QUARTER TURN











PANCHO

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36" Emboss: Quarry (QU)



TILE+PLANK









CPO 1023 MERINO





INKY

PORCELAIN

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 6"x 36" Emboss: Quarry (QU)



TILE+PLANK















UMBRIA





CONTOUR® SERIES

RAYS

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year







TILE+PLANK






















PLATINUM



CONTOUR® SERIES

SIGMA

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Figure 1. Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18",

4"x 36", 6"x 36", 9"x 36", 12"x 36", 6"x 48", 7.2"x 48"

Emboss: Frost (FR) (Shown), Tick (TK), Quarry (QU), Straight Grain (ST)

























SUBSTRATE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"
Emboss: Quarry (QU)























ARCACIA



CSU 0952

MINK



HARLEQUIN



FEDORA



VESTIGE

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year











LVT

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 6"x 36", 9"x 36", 12"x 36"

Emboss: Quarry (QU)













мотн





VENUE ABSTRACT—CONCRETE

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 18"x 18", 6"x 36" Emboss: Quarry (QU)













UVA 5132 PUMICE







Tandus Centiva

VENUE ABSTRACT—CRISS CROSS

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE)

Sizes: 18"x 18" Emboss: Quarry (QU)



	\uparrow	\rightarrow	\uparrow				
	\rightarrow	\uparrow	\rightarrow				
	\uparrow	\rightarrow	\uparrow				
QUARTER TURN							





DOVER





WISP



VENUE ABSTRACT—FINE LINES

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE)

Sizes: 18"x 18", 6"x 36" Emboss: Linear Wood (LW)



TILE+PLANK



























VENUE ABSTRACT—TREAD

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 18"x 18", 6"x 36" Emboss: Linear Wood (LW)



TILE+PLANK

























SIZE AVAILABILITY

• Preferred

mm inches	305 × 305 12"x 12"		305 x 610 12"x 24"			152 x 915 6"x 36"	228 x 915 9"x 36"	305 x 915 12"x 36"		152 x 1219 6"x 48"	183 x 1219 7.2"x 48"
Contour® Series											
Asphalt*				•							
C-Stamped	•	•	•	•		•	•	•		•	•
Crossweave	•			•					•		
Fusion	•	•	•	•	•	•	•	•		•	•
Montage	•			•					•		
Pancho	•	•	•	•			•	•			
Porcelain	•	•	•	•		•					
Rays	•	•	•	•	•	•	•	•		•	•
Sigma	•	•	•	•	•	•	•	•		•	•
Substrate	•	•	•	•			•	•			
Vestige	•	•	•	•		•	•	•			
Venue® Series											
Venue Abstract											
— Concrete				•		•					
— Criss Cross				•							
— Fine Lines				•		•					

The sizes above have been chosen to best complement the design of the product. For additional size options, please contact your Tandus Centiva representative.

— Tread

EMBOSS AVAILABILITY

Contour Ser	ries	FC		PH	PS	QU	ST	TK
			Frost	Pathway	Passage	Quarry	Straight Grain	Tick
Aphalt	0721	•		•		•		
C-Stamped	0920, 0921, 0922, 0923, 0924, 0925				•	•		
Crossweave	7530, 7531					•		
Montage	7422, 7424, 7425, 7426			•		•		
Pancho	1020, 1021, 1023, 1025, 1029					•		
Porcelain	0932, 0933, 0934, 0935					•		
Rays	0791, 0792, 0793, 0794, 0795, 0796, 0797		•			•	•	•
Sigma	0745, 0747, 0749		•			•	•	•
Substrate	0950, 0951, 0952, 0953, 0954, 0955, 0956, 0957, 0958	3, 0959				•		
Vestige	1012, 1014, 1016, 1018, 1019					•		
Venue Serie	s					QU	LW	
						Quarry	Linear Wood	
Concrete	5131, 5132, 5133, 5135, 5136					•		
Criss Cross	5120, 5123, 5124, 5127, 5128					•		
Fine Lines	5101, 5102, 5103, 5106, 5108, 5110						•	
Tread	5140, 5142, 5144, 5146, 5148						•	

Multiple Emboss options are available for many of the products in the Contour Series.

Appropriate surface texture, pattern, and color play a significant role in LVT performance, wear and maintenance requirements. Please consult your account executive to determine appropriate surface texture that will best fit the design and performance goals for your project.



03

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Sawn (SW) (Shown), Tick (TK), Rough (RG), Natural Grain (NG)















VINTAGE CABIN



VINTAGE CHALET



VINTAGE TOWER



VINTAGE INN



Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Natural Grain (NG), Sawn (SW), Tick (TK), Rough (RG)











Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 3" x 36", 4" x 36", 6" x 36", 6" x 48", 7.2" x 48"
Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG), Sawn (SW)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 3" x 36", 4" x 36", 6" x 36", 6" x 48", 7.2" x 48"
Emboss: Sawn (SW), Tick (TK), Rough (RG), Natural Grain (NG)
Driftwood/Rustic Cedar Shown in NG

Others Shown in RG













CAN 0359

RUSTIC CEDAR



PACIFIC SHOREHOUSE





METALLIC BLACK



TIMBER



Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Natural Grain (NG) (Shown), Sawn (SW), Tick (TK), Rough (RG)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48", custom size shown

Emboss: Sawn (SW) (Shown), Tick (TK), Rough (RG), Natural Grain (NG)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Rough (RG) (Shown), Sawn (SW), Tick (TK), Natural Grain (NG)

















Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Natural Grain (NG), Sawn (SW), Tick (TK), Rough (RG)













Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Natural Grain (NG), Sawn (SW), Tick (TK), Rough (RG)















CAMPHOR WOOD



Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Straight Grain (ST) (Shown), Tick (TK), Rough (RG), Natural Grain (NG)











CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)


Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG), Sawn (SW)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG), Sawn (SW)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48", custom size shown

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG), Sawn (SW)















WASHED TEAK



Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)


Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"
Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG)















PALE STRATA



Tandus Centiva

For samples, visit tandus-centiva.com or call 800.248.2878

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG)

















CONTOUR® SERIES

EXOTIC WOOD

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48" Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Straight Grain (ST) (Shown), Tick (TK), Rough (RG), Natural Grain (NG)

















BARREL

CARBON





FUSION

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18",
3"x 36", 4"x 36", 6"x 36", 9"x 36", 12"x 36", 6"x 48", 7.2"x 48"

Emboss: Quarry (QU) (Shown), Rough (RG), Natural Grain (NG)









LVT











QUILL



Tandus Centiva

GRAND ASH

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Emboss: Rough (RG) (Shown), Natural Grain (NG), Tick (TK)















PALLADIAN



BRISTOL



SAFFRON



SEDONA



CONTOUR® SERIES

MODERN WOOD

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"
Emboss: Natural Grain (NG) (Shown), Sawn (SW), Rough (RG)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Straight Grain (ST) (Shown), Sawn (SW), Tick (TK), Rough (RG), Natural Grain (NG)













Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Fige treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48", custom size shown

Emboss: Natural Grain (NG) (Shown), Tick (TK), Rough (RG)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Fige treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG), Sawn (SW)



TILE+PLANK





















Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)


Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"

Emboss: Tick (TK) (Shown), Rough (RG), Natural Grain (NG)











CONTOUR® SERIES

NUGRAIN

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 3"x 36", 4"x 36", 6"x 36", 6"x 48", 7.2"x 48"
Emboss: Tick(TK) (Shown), Rough (RG), Quarry (QU)

Disclaimer: The Tick (TK) emboss was chosen as it complements the design of this product. Due to the subtle variation and overall solid appearance, it is recommended to use the Rough (RG) emboss to enhance the performance of product.

















VERMILIAN

















DROID


Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) , optional Slight Bevel (SB) Sizes: 4" x 36", 6" x 36" Emboss: Natural Grain (NG)



TILE+PLANK
































































































NUTMEG OLIVET













Tandus Centiva

For samples, visit tandus-centiva.com or call 800.248.2878

















HONEY OAK




























































Tandus Centiva



























Tandus Centiva













NATURAL WALNUT

















Tandus Centiva





































ABBEY PINE


























































GOLDEN CHERRY



VENUE WOOD

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 4"x 36", 6"x 36", 6"x 48" Emboss: Linear Wood (LW)











VENUE WOOD

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 4"x 36", 6"x 36", 6"x 48" Emboss: Weathered Grain (WG)











SIZE AVAILABILITY

• Preferred

mm inches	305 x 305 12"x 12"	305 x 457 12"x 18"	305 x 610 12"x 24"	457 x 457 18"x 18"	77 x 915 3"x 36"	102 x 915 4"x 36"	152 x 915 6"x 36"	228 x 915 9"x 36"	305 x 915 12"x 36"	152 x 1219 6"x 48"	183 x 1219 7.2"x 48"
Contour® Series											
Antique Wood					•	•	•			•	•
Exotic Wood					•	•	•			•	•
Fusion	•	•	•	•	•	•	•	•	•	•	•
Grand Ash					•	•	•			•	•
Modern Wood					•	•	•			•	•
NuGrain					•	•	•			•	•
Event® Series											
Classic Plank						•	•				
Heritage Plank						•	•				
Venue® Series											
Venue Wood						•	•			•	

The sizes above have been chosen to best complement the design of the product. For additional size options, please contact your Tandus Centiva representative.

EMBOSS AVAILABILITY

Contour Series	Natural Grain NG	Quarry QU	Rough RG	Sawn SW	Straight Grain ST	Tick TK
Antique Wood (CAN)	•		•	•	-	•
0301, 0302, 0303, 0305, 0306						
0321, 0333, 0351, 0353, 0357, 0359, 0383						
3512, 3720, 3730, 3801, 3803, 3807						
Exotic Wood (CEX)						
3205, 3207, 3210, 3213, 3214	•		•	•		•
3302, 3310, 3311, 3312, 3314, 3316, 3322, 3324	•		•	•		•
0301, 0302, 0303, 0305, 0306	•		•	•		•
3301, 7310, 7312, 7314, 7316	•		•		•	•
3313, 3623, 3625, 3901	•		•			•
Fusion (CFN)						
3722, 3724, 3726, 3728	•	•	•			
Grand Ash (CGA)						
3632, 3633, 3634, 3635, 3636	•		•			•
Modern Wood (CMD)						
3602, 3604, 3606, 3608, 3610	•		•	•		•
0361	•		•	•		
3104, 3105	•		•	•	•	•
3306, 3732	•		•			•
NuGrain (CNU) 3710, 3712, 3713, 3714, 3715, 3716, 3717, 3718		•	•			•
Event Series	Frost FR	Natural Grain NG	Rustic RU	Third TG	Weathered Grain WE	
Classic Plank (ECK)						
3241, 3305, 3307, 3308, 3309, 3319		•				
3321, OLO3, OL05, OL07			•••••	•		
BB32	•		•••••			
Heritage Plank (EHP)						
3208, 3209					•	
3350, 3352, 3354			•			
GW29				•		
GW38		•				
Venue Series (UVP)	Cross Grain CG		Linear Wood LW		Weathered Grain WG	
Venue Wood						
3308, 3305, 3307, 3341, 3342, 3345, 3346, 3401, 3402,					•	
3405, 3408, 3409, 3522, 3524, 3520, 3521, 3530, 3603					•	
3605, 3606, 3338, 3348, 3523			•			

 $\label{eq:multiple} \mbox{Multiple Emboss options are available for many of the products in the Contour Series.}$

Appropriate surface texture, pattern, and color play a significant role in LVT performance, wear and maintenance requirements. Please consult your account executive to determine appropriate surface texture that will best fit the design and performance goals for your project.

STONE

04

CATALONA STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"
Emboss: Quarry (QU)

















Tandus Centiva

CONCRETE

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Fige treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36", 36"x 36"

Emboss: Quarry (QU) (Shown), Pathway (PH)



















CCN 0716 CHINO





CONCRETE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36", 36"x 36"
Emboss: Pathway (PH) (Shown), Quarry (QU)















ATLANTIS GRAY



Tandus Centiva

FOSSIL STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"
Emboss: Quarry (QU) (Shown), Pathway (PH)




















FOSSIL STONE

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"
Emboss: Quarry (QU) (Shown), Pathway (PH)











Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36" Emboss: Frost (FR) (Shown), Quarry (QU), Pathway (PH)













Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"

Emboss: Quarry (QU) (Shown), Pathway (PH), Frost (FR)



TILE+PLANK













ARCADIAN COLUMN

ARCADIAN ARCH



Tandus Centiva

For samples, visit tandus-centiva.com or call 800.248.2878

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"

Emboss: Quarry (QU) (Shown), Pathway (PH), Frost (FR)

















SANTORINI TANDEM

SANTORINI ARGOS



Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"
Emboss: Quarry (QU) (Shown), Pathway (PH), Frost (FR)











MODERN STONE

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Sizes: 12"x 12", 12"x 18", 12"x 24", 18"x 18", 9"x 36", 12"x 36"

Emboss: Quarry (QU) (Shown), Pathway (PH), Fresco (FC)



TILE+PLANK









LAGOS

PORTO



CMS 0606



CAMINO



мосна

CALYPSO



COSTA

VALLETA



VOLGA





CAPRI



PORTLAND





Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Frost (FR)

















Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Quarry (QU)















SEA GRASS LIMESTONE ASH LIMESTONE

Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Frost (FR)











Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Frost (FR)















OKARA TAN

Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Quarry (QU)













QUARTZITE

Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Quarry (QU)



TILE+PLANK

















MOROCCAN QUARTZITE



ROSA QUARTZITE



SLATE

Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18" Emboss: Rock (RK)











CORTEZ GOLD



SACRED ROCK



TUCSON GRAY



CANYON GRAY



PUEBLO



Tandus Centiva

TRAVERTINE

Material: Heterogeneous vinyl tile Wear layer thickness: 30 mil Wear warranty: 20 year Edge treatment: Square Edge (SE), optional Slight Bevel (SB) Sizes: 12"x 18", 18"x 18"

Emboss: Quarry (QU)



TILE+PLANK

















ROMAN TRAVERTINE NAVONA TRAVERTINE



SILVER TRAVERTINE

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 12"x 24", 18"x 18" Emboss: Quarry (QU)



TILE+PLANK















Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 12"x 24", 18"x 18" Emboss: Quarry (QU)













Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 12"x 24", 18"x 18" Emboss: Slate (SL)



TILE+PLANK











ETRUSCAN





SHALE



BELUGA



Tandus Centiva

Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 12"x 24", 18"x 18" Emboss: Quarry (QU)











Material: Heterogeneous vinyl tile Wear layer thickness: 20 mil Wear warranty: 10 year Edge treatment: Square Edge (SE) Sizes: 12"x 24", 18"x 18" Emboss: Quarry (QU)



TILE+PLANK















Tandus Centiva

SIZE AVAILABILITY

• Preferred

mm inches	305 x 305 12"x 12"	305 x 457 12"x 18"	305 x 610 12"x 24"	457 × 457 18"x 18"	152 x 915 6"x 36"	228 x 915 9"x 36"	305 x 915 12"x 36"	915 x 915 36"x 36"
Contour® Series								
Catalona Stone	•	•	•	•		•	•	
Concrete	•	•	•	•		•	•	•
Fossil Stone	•	•	•	•		•	•	
Legacy Stone	•	•	•	•		•	•	
Modern Stone	•	•	•	•		•	•	
Vestige	•	•	•	•	•	•	•	
Event® Series Classic Stone		•		•				
Quartzite		•		•				
Slate		•		•				
Slate Travertine		•		•				
• • • • • • • • • • • • • • • • • • • •		•		•				

The sizes above have been chosen to best complement the design of the product. For additional size options, please contact your Tandus Centiva representative.

EMBOSS AVAILABILITY

Contour Series		FC	FR	QU	PH
		Fresco	Frost	Quarry	Pathway
Catalona Stone	0821, 0823, 0825			•	
Concrete	0710, 0712, 0714, 0716, 0718, 7241, 7243			•	•
	0830, 0832, 0834, 0836			•	•
	0511, 0541, 0542, 0554, 0551, 0553, 0557, 0562		•	•	•
Modern Stone	0602, 0604, 0606, 0610, 0612, 0614, 0616, 0618, 0620, 0622, 0624	•		•	•
Event Series			FR	QU	RK
			Frost	Quarry	Rock
Classic Stone (EC	L)				
7101, 7102, 71	12, 7126, 7127		•		
7106, 7107, 713	33			•	
Quartzite (EQZ)	7230, 7231, 7232, 7233			•	
	RR61, RR64, RR65, RR72, RR74				•
Travertine (ETR)	7210, 7211, 7212, 7213			•	
Venue Series (U'	VS)			QU	SL
				Quarry	Slate
7214, 7216, 723	35, 7237, 7240, 7242, 7244			•	
SL61, SL64, SL	65, SL72, SL78				•

Multiple Emboss options are available for many of the products in the Contour Series.

Appropriate surface texture, pattern, and color play a significant role in LVT performance, wear and maintenance requirements. Please consult your account executive to determine appropriate surface texture that will best fit the design and performance goals for your project.

DIGITAL PRINT

GEOGRID

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 6"x 36", 12"x 36", 18"x 36", 18"x 18", 36"x 36" Emboss: Pathway (PH)









TAWNY





CEMENT



SILVERMIST



ALUMINUM



CAMO



IRIDIUM



CIRRUS



RUST RINGS

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 6"x 36", 12"x 36", 18"x 36", 18"x 18", 36"x 36" Emboss: Pathway (PH)
















CRR 4325 CHROMIUM



AXIS



BRIMSTONE



DAYBREAK



SEDIMENT



LANDSLIDE



OXIDIZED



INDIGENOUS EARTH COLLECTION

SOLSTICE

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB) Sizes: 6"x 36", 12"x 36", 18"x 36", 18"x 18", 36"x 36" Emboss: Pathway (PH)






























COMET



ARIES



TROPIC



Tandus Centiva

WILDWOOD

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year

Edge treatment: Square Edge (SE) or Slight Bevel (SB)
Sizes: 6" x 36", 7.2" x 48", 12" x 36"

Emboss: Rough Grain (RG)



TILE+PLANK











CEDAR





SHIPWRECK



CYPRESS



EARTHEN





RAINWASHED





BARREN




COLLECTIONS INFINIES


ALPHABET by STEFAN SAGMEISTER

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square (SE) or Slight Bevel (SB)

Sizes: 18"x 18" Emboss: Pathway (PH)







Running Line // Create Real Beauty // Color: Alpha ALP 600A // Size: 18x18

CRYSTAL by D.B. KIM

Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square (SE) or Slight Bevel (SB) Sizes: 6"x 36", 18"x 36" Emboss: Pathway (PH)











Running Line // Crystal // Color: Clear-Basalt ICA 310C // Size: 6x36

GLOW by K&CO


Material: Heterogeneous vinyl tile Wear layer thickness: 32 mil Wear warranty: 20 year Edge treatment: Square (SE) or Slight Bevel (SB)


Sizes: 6" x 36" Emboss: Rough (RG)












Running Line // Glow // Color: Pewter Portrait - White Ice IGL 259G // Size: 6x36



Running Line // Glow // Color: Ballet - Lightest Warm Grey IGL 203G // Size: 6x36

RIOT by 2x4

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE) or Slight Bevel (SB)
Sizes: Solids: 18"x 18", 18"x 36", 36"x 36" - Transitions: 18"x 18", 18"x 36"
Emboss: Quarry (QU)










LVT







Running Line // Riot Collection // Riot Flora // Color: Multi IRF 100F // Size: 18x18




Running Line // Riot Collection // Riot Transition // Color: Red IRT 101T // Size: 18x18



Running Line // Riot Collection // Riot Static // Color: Red IRS 1115 // Size: 18x18



Running Line // Riot Collection // Riot Static // Color: Blue IRS 112S // Size: 18x18



Running Line // Riot Collection // Riot Static-Static // Color: Red-Blue IRC 116C // Size: 18x18

TRANS-MATERIA by SUZANNE TICK

Material: Heterogeneous vinyl tile
Wear layer thickness: 32 mil
Wear warranty: 20 year
Edge treatment: Square (SE) or Slight Bevel (SB)
Sizes: Solids: 6"x 36", 18"x 18", 18"x 36" - Transitions: 18"x 18", 18"x 36"
Emboss: Quarry (QU)











LVT








Running Line // Trans-Materia Collection // Felt // Color: Light IFE 431FE // Size: 18x18




Running Line // Trans-Materia Collection // Felt-Foil // Color: Light-Light IFFO 503FF// Size: 18x18




Running Line // Trans-Materia Collection // Foil // Color: Light IFO 421FO // Size: 18x18



Running Line // Trans-Materia Collection // Marble // Color: Light IMA 400MA// Size: 18x18



Running Line // Trans-Materia Collection // Ribweave // Color: Light IRI 434RI // Size: 18x18



Running Line // Trans-Materia Collection // Wire // Color: Light IWI 411WI // Size: 18x18

CO-CREATE

Co-Create with our renowned artists to design your personalized flooring.

See how it works.

THIS IS A NEW WORLD OF CO-CREATION.


Once you have selected a design, mix and match the colors with different layers to create unique color ways. This process empowers you to choose the specific colors for your space and embodies the flexibility and adaptability of Collections Infinies.

See page 204 to see how you can explore the full possibilities of Collections Infinies using our visualizer tool.

STEFAN SAGMEISTER

COLOR OPTIONS







GAMMA

Stefan's design include the following quotes.

Each quote is available in the color options shown above.

QUOTE OPTIONS
CREATE REAL BEAUTY
FEEL OTHERS FEEL
IT IS BETTER NOW

MAKE THE FIRST STEP
SEEK DISCOMFORT
WE LOVE YOU TOO

MASH UP: ALPHA-CREATE REAL BEAUTY













D.B. KIM

COLOR LAYER A









COLOR LAYER B





















MASH UP: ABALONE-AQUAMARINE



COLOR LAYER A



NEUTRAL LAYER A*



TENTER FORMAL

COLOR LAYER B



NEUTRAL LAYER B*




MASH UP: LIGHT SKY-FLAMINGO



2x4

COLOR LAYER A















COLOR LAYER B













MASH UP: RIOT FLORA-STATIC GREEN



SUZANNE TICK

COLOR LAYER A



COLOR LAYER B



MASH UP: LIGHT FELT-LIGHT FOIL



SIZE AVAILABILITY

• Preferred

inches	457 x 457	152 x 915	305 x 915 12"x 36"	457 x 915	915 x 915	183 x 1220
	18"x 18"	6"x 36"	12"x 36"	18"x 36"	36"x 36"	7.2"x 48"
ndigenous Earth						
GeoGrid	•	•	•	•	•	
Rust Rings	•	•	•	•	•	
Solstice	•	•	•	•	•	
Wildwood		•	•			•
Collections Infinies™						
Collections Infinies™ Alphabet	•					
	•	•		•		
Alphabet	•	•		•		
Alphabet Crystal	•	•		•	•	

^{*} Riot is available in the following sizes per style: Flora / Static 18x18, 18x36 and 36x36. Riot Transition / Static-Static 18x18 and 18x36

The sizes above have been chosen to best complement the design of the product. For additional size options, please contact your Tandus Centiva representative.

EMBOSS AVAILABILITY

Indigenous Earth	RG	PH
	Rough	Pathway
GeoGrid		•
Rust Rings		•
Solstice		•
Wildwood	•	

Collections Infinies™	QU	RG	PH
	Quarry	Rough	Pathway
Alphabet			•
Crystal			•
Glow		•	
Riot	•		
Trans-Materia	•		

Additional Emboss textures on these designs are not available.

The texture shown works best with the aesthetic and performance of the design.


^{**} Trans-Materia is available in the following sizes per style: Solids 6x36, 18x18 and 18x36. Transitions 18x18 and 18x36

RESOURCES

RESOURCES


06


Tandus Centiva's integrated multi-platform website features an emphasis on design, user engagement and disseminating information easier and faster. The design boasts high-quality product photography throughout highlighting our five product platforms - Powerbond® Modular, Broadloom, Woven and LVT. Taking the experience a step further, our Virtual View visualizer allows users to recolor, configure and explore the unique possibilities of our soft surface and transition products, with a few simple clicks.




PRODUCT CATALOG

The Product Catalog and Virtual View tools are easily accessible from the homepage of tandus-centiva.com. The user can browse by using the dropdown menus to search by style name, collection name, coordinate group, product platform, pattern style and color.






Select a style to see the installation image and color line.




Select a color to see a close-up view of the pattern.




Select 'Virtual View' to see styles installed in room scenes where you have the ability to select room scene, color and installation method.


VIRTUAL VIEW

With virtual view on Tandus-Centiva.com you can view your chosen LVT style in an array of layouts and room scenes. This tool allows you to make the product your own. The floor is your playground.






Select a room scene.



Choose among different installation methods for your room scene.



Download/Order a print of your designed space. Account setup is a click away.

WHERE CO-CREATION IS REALIZED.

Our visualizer tool allows you to immerse yourself in the rich world of Tarkett's

Collections Infinies. Experience the vision and inspiration of our designers

firsthand and begin to see all of the Co-Creation possibilities brought to you

through the remarkable nature of this exclusive collection. With our online

visualizer tool, you are able to Co-Create with a designer.

Options include:

TRANS-MATERIA from SuzanneTick of Suzanne Tick Inc.

RIOT from Georgie Stout of 2x4


GLOW from Krista Ninivaggi of K&Co

CRYSTAL from D.B. Kim

ALPHABET from Stefan Sagmeister of Sagmeister & Walsh

COLLECTIONS INFINIES™ VISUALIZER

Explore the full possibilities of Collections Infinies using our visualizer tool. Co-Create alongside our five designers.



Meet the renowned designers behind the new category of LVT.



SUZANNE TICK

approach to drogn within evolving markets.

Statudesigning with Suppress Total



A brand strobgget for culture! and commercial cherry who salue the power of design.

Transdesigning with 266



D.B. KIM

A conceptual and constructive on creativity, a cophocostee. traveler and ottom of the

Start designing with D.B. Kim



STEFAN SAGMEISTER K&CO

A verebrated graphic designer of casty trie can be transfermed through electory to more accurately describe: sur evenence

Statisficial principal to Stefan Segmester




A cutting adge designer, she's translated her lave for NYC's vibrairo negratata inte ner calling, hospitality design.

Stack designing with NACO




COLLECTIONS INFINIES™ LUXURY VINYL TILE


repeats, creating a portfolio of high designs with expansive, randomized flooring motifs and enhanced realism.




Select your favorite designer to start Co-Creating.




Explore the nearly infinite installation methods available.



Color the tile to your liking by choosing the color layers - Layer ${\sf A}.$




Color options for Layer B.




Visualize your Co-Created style in any room.



View in multiple room scene options.



Add styles to your shopping cart for easy sample ordering.



Sign in and complete your order.

PRODUCT COORDINATES

METALEDGE™ COLLECTION

MetalEdge provides a transition solution and finish detail for any commercial space. It is offered in three aesthetically pleasing and tastefully refined systems, each engineered and colored to work with a vast array of Tandus Centiva soft and hard surface product platforms. Please contact your Tandus Centiva account executive for details.




METALEDGE™ TRIM

Introducing a protective edging solution for modular carpets, MetalEdge™ Trim. Designed to use when installing modular carpet tiles over existing concrete or wood floors, MetalEdge Trim provides a way for designers and architects to specify modular carpet without having to install it wall-to-wall

* These MetalEdge™ Transition and Trim colors are metallic and may not be accurately represented. Please contact your Tandus Centiva account executive for details or to order samples, 800.248.2878.





STEEL 00179*




BLACK PEARL 00082*



IRONSTONE 00178*

PRODUCT COORDINATES

The coordination of soft and hard surface products, MetalEdge $^{\rm TM}$ transition, wall base and accessories from Johnsonite, a Tarkett company, allows for design flexibility and a range of offerings that enables our customers to choose exactly the product they need — moving beyond a product choice to a design solution.



PRODUCT COORDINATES - JOHNSONITE

The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva collections. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.

* These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.




ENVIRONMENTAL STORY

Sustainability is an integral part of Tarkett's vision. We are committed to developing innovative flooring that enhances well-being and respects the environment. Our position as a global leader in the flooring industry gives us the unique opportunity to produce products that contribute to producing a better quality of life.



WE USE GOOD **MATERIALS** THAT CAN BE **PERPETUALLY RECYCLED**





PRODUCTION WASTE WHILE MANUFACTURING OUR FLOORING

100% OF OUR LVT, ADHESIVES AND RECOMMENDED MAINTENANCE PRODUCTS ARE THIRD PARTY CERTIFIED MEETING INDOOR AIR QUALITY REQUIREMENTS

LOW VOC

No. CREATED INDUSTRY'S FIRST CLOSED-LOOP RECYCLING PROGRAM









20 YRS RECYCLING



RESTART®

Tandus Centiva's ReStart® Program works to recover samples and product portfolios from the marketplace after they have served their purpose. We accept competitive vinyl sample materials in addition to our own. By reusing or closed-loop recycling the sample materials, we're able to extend the life of the materials and keep them out of landfills and incinerators.

The recovery process is easy. Just contact Tandus Centiva and leave the rest to us.

HERE IS HOW IT WORKS:

Physical Samples

- Save the packaging from the physical samples
- Use the included prepaid label to return your samples
- Contact customer service at 800.248.2878 if you need a new label
- Call your carrier for pick up

Product Portfolios

- Call customer service at 800.248.2878
- We will send you a prepaid label or packaging
- Pack materials with prepaid label
- Call your carrier for pick up
- Portfolios will be returned to the closest Tandus Centiva regional office for reuse

It's that easy!

Together we can make a significant environmental impact by keeping these materials out of the waste stream.

Thank you in advance for your assistance.



277,869

PRODUCT PORTFOLIOS RETRIEVED




4,152 WERE COMPETITORS'

197,197 WERE RECYCLED

76,520 WERE REUSED







803,381

SAMPLES RETRIEVED

18,961 WERE COMPETITORS'

288,700 WERE RECYCLED

495,720 WERE REUSED

PACKAGING

VICTORY®*

Sizes: Quantity: Weight:	12"x 12" 45 tiles per ctn 45 sq. ft. per ctn 45 lbs. per ctn	12"x 18" 30 tiles per ctn 45 sq. ft. per ctn 45 lbs. per ctn	18"x 18" 20 tiles per ctn 45 sq. ft. per ctn 45 lbs. per ctn		
Sizes: Quantity: Weight:	6"x 36" 24 planks per ctn 36 sq. ft. per ctn 36 lbs. per ctn	9"x 36" 20 tiles per ctn 45 sq. ft. per ctn 45 lbs. per ctn	12"x 36" 15 tiles per ctn 45 sq. ft. per ctn 45 lbs. per ctn	18"x 36" 10 tiles per ctn 45 sq. ft. per ctn 45 sq. ft. per ctn	36"x 36" 10 tiles per ctn 90 sq. ft. per ctn 90 sq. ft. per ctn

ABSTRACT

Contour® Series*							
Sizes: Quantity:	12"x 12" 45 tiles per ctn 45 sq. ft. per ctn	12"x 18" 30 tiles per ctn 45 sq. ft. per ctn	12"x 24" 18 tiles per ctn 36 sq. ft. per ctn	12"x 36" 15 tiles per ctn 45 sq. ft. per ctn	18"x 18" 20 tiles per ctn 45 sq. ft. per ctn		
Weight:	45 lbs. per ctn	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn		
Sizes: Quantity:	4"x 36" 45 planks per ctn 45 sq. ft. per ctn	6"x 36" 24 planks per ctn 36 sq. ft. per ctn	9"x 36" 20 tiles per ctn 45 sq. ft. per ctn	36"x 36" 10 tiles per ctn 90 sq. ft. per ctn	6"x 48" 18 planks per ctn 36 sq. ft. per ctn	7.2"x 48" 15 planks per ctn 36 sq. ft. per ctn	
Weight:	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	90 lbs. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn	

Venue® Series*

•••••		
Sizes:	18"x 18"	6"x 36"
Quantity:	20 tiles per ctn	24 planks per ctn
	45 sq. ft. per ctn	36 sq. ft. per ctn
Weight:	45 lbs. per ctn	36 lbs. per ctn

^{*} Sizes are style specific. Refer to individual style pages for specific size availability. For additional size options, contact your Tandus Centiva account executive.

WOOD

Contour® Series*						
Sizes:	3"x36"	4"×36"	6" x 36"	9"x36"	6"×48"	7.2"×48"
Quantity:	48 planks per ctn	45 planks per ctn	24 planks per ctn	20 planks per ctn	18 planks per ctn	15 planks per ctn
	45 sq. ft. per ctn	45 sq. ft. per ctn	36 sq. ft. per ctn	45 sq. ft. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn
Weight:	45 lbs. per ctn	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	36 lbs. per ctn	36 lbs. per ctn
Event® Seri	es			Venue® Series		
Sizes:	4"×36"	6" x 36"		4"×36"	6"x36"	6"x48"
Quantity:	45 planks per ctn	24 planks per ctn		45 planks per ctn	24 planks per ctn	18 planks per ctn
	45 sq. ft. per ctn	36 sq. ft. per ctn		45 sq. ft. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn
	45 lbs. per ctn	36 lbs. per ctn		45 lbs. per ctn	36 lbs. per ctn	36 lbs. per ctn

STONE

Weight:

Contour® Series*						
Sizes:	12"x12"	12"×18"	12"×24"	12"×36"	18"x18"	
Quantity:	45 tiles per ctn	30 tiles per ctn	18 tiles per ctn	15 tiles per ctn	20 tiles per ctn	
	45 sq. ft. per ctn	45 sq. ft. per ctn	36 sq. ft. per ctn	45 sq. ft. per ctn	45 sq. ft. per ctn	
Weight:	45 lbs. per ctn	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	
Sizes:	6"×36"	9"x36"	36"×36"			
Quantity:	24 planks per ctn	20 tiles per ctn	10 tiles per ctn			
	36 sq. ft. per ctn	45 sq. ft. per ctn	90 sq. ft. per ctn			
Weight:	36 lbs. per ctn	45 lbs. per ctn	90 lbs. per ctn			
Event® Series			Venue [®] Series			
Sizes:	12"x18"	18"x18"		12"×24"	18"x18"	
Quantity:	30 tiles per ctn	20 tiles per ctn		18 tiles per ctn	20 tiles per ctn	

36 sq. ft. per ctn

36 lbs. per ctn

45 sq. ft. per ctn

45 lbs. per ctn

 $45 \, \mathrm{sq.} \, \mathrm{ft.} \, \mathrm{per} \, \mathrm{ctn}$ $45 \, \mathrm{sq.} \, \mathrm{ft.} \, \mathrm{per} \, \mathrm{ctn}$

45 lbs. per ctn

45 lbs. per ctn

^{*} Sizes are style specific. Refer to individual style pages for specific size availability. For additional size options, contact your Tandus Centiva account executive.

DIGITAL PRINT*

Sizes:	18"x 18"	6"x 36"	12"x 36"	18"x 36"	36"x 36"	7.2"x 48"
Quantity:	20 tiles per ctn	24 tiles per ctn	15 tiles per ctn	10 tiles per ctn	10 tiles per ctn	15 tiles per ct
	45 sq. ft. per ctn	36 sq. ft. per ctn	45 sq. ft. per ctn	45 sq. ft. per ctn	90 sq. ft. per ctn	36 sq. ft. per ctn
Weight:	45 lbs. per ctn	36 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	90 lbs. per ctn	36 lbs. per ctn

 $[\]star$ Sizes are style specific. Refer to individual style pages for specific size availability. For additional size options, contact your Tandus Centiva account executive.

SUNDRIES/ACCESSORIES

Cleaners MetalEdge™ Adhesives

PRODUCT DESCRIPTION	UNIT
MAINTENANCE CENTI Clean Neutral cleaner. Daily cleaning without build-up. Coverage of 32,000 sq. ft.	32 oz.
CENTI Clean Neutral cleaner. Daily cleaning without build-up. Coverage of 128,000 sq. ft.	1 Gallon
CENTI Clean Neutral cleaner. Daily cleaning without build-up. Coverage of 640,000 sq. ft.	5 Gallon
CENTI Maintain Daily cleaner/maintainer repairs surface scuffing and scratching while leaving a micro layer that dries to gloss appearance. Coverage of 32,000 sq. ft.	32 oz.
CENTI Maintain Daily cleaner/maintainer repairs surface scuffing and scratching while leaving a micro layer that dries to gloss appearance. Coverage of 128,000 sq. ft.	1 Gallon
CENTI Finish Environmentally preferred, high gloss floor finish. Coverage of 3,000 sq. ft.	1 Gallon
CENTI Finish Environmentally preferred, high gloss floor finish. Coverage of 15,000 sq. ft.	5 Gallon
CENTI Strip - 1 Gal. Deep cleaning finish remover. Low odor, no rinse. Coverage of 11,520 sq. ft.	1 Gallon
CENTI Strip - 5 Gal. Deep cleaning finish remover. Low odor, no rinse. Coverage of 57,600 sq. ft.	5 Gallon

PRODUCT DESCRIPTION	SKU#	UNIT
ACCESSORIES MetalEdge™ (Transition Strips) 4 colors – Steel, Ironstone, Black Pearl, Brass MetalEdge Un 12' Strip MetalEdge Deux 12' Strip MetalEdge Trois 12' Strip MetalEdge Quatre 4' Strip – (Leveler only. Use with ME003)	ME001 ME002 ME003 ME004	12' 12' 12' 4'
ADHESIVES CENTI 2001 Wet Adhesive Resilient floor tile and plank adhesive. 125 sq. ft./gallon coverage will vary depending on floor type.		1 Gallon 4 Gallon
CENTI 6000 SP Special Purpose Adhesive Resilient floor tile and plank adhesive. 120-130 sq. ft./gallon coverage will vary depending on floor type.		1 Gallon 4 Gallon
CENTI 2000 EP Epoxy Adhesive Parts A & B Resilient floor tile and plank adhesive. 130-150 sq. ft./gallon coverage will vary depending on floor type.		1 Gallon 4 Gallon



TILE + PLANK VICTORY® SERIES

SPECIFICATIONS

Classification: ASTM F1700 Class I Type B

Total Thickness: 0.120" (3.0 mm)

Wear Layer Thickness: Homogeneous Solid Vinyl Tile
Edge Treatment: Square (SE), optional Slight Bevel (SB)

Emboss: Standard

Granite (JS) Slate (SS)

Warranty: 20-Year Limited Commercial Wear Warranty

Colors: 84

TESTING

Flexibility:ASTM F137PassesDimensional Stability:ASTM F2199PassesStatic Load:ASTM F970PassesResidual Indentation:ASTM F1914Excellent

Flammability: ASTM E648 CRF≥0.45 watts/cm² NFPA Class 1 **Slip Resistance:** ASTM D2047 Passes >0.5 ADA Compliant

Smoke Density:ASTM E662Passes <450 DMC</th>Resistance to Light:ASTM F1515ExcellentChemical Resistance:ASTM F925ExcellentResistance to Heat:ASTM F1514Excellent

ENVIRONMENTAL DATA

Third-party Certification:

Materials: No Heavy Metals; Phthalate-free

Indoor Air Quality: Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

NSF/ANSI-332 Gold

LEED Scoreboard: LEED 2009

MRc2 Construction Waste Management

MRc5 Regional Materials
IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

LEED v4

MRc2 Building Product Disclosure and Optimization-

Environmental Product Declarations

MRc3 Building Product Disclosure and Optimization-

Sourcing of Raw Materials

MRc5 Construction and Demolition Waste Management

IEQc2 Low-Emitting Materials

Manufacturing: Made in the USA

ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and

Safety Management System

Packaged In: Recycled, corrugated cardboard

For samples, warranties and more information, visit tandus-centiva.com or call 800.248.2878.









TILE + PLANK CONTOUR® SERIES

SPECIFICATIONS

Classification: ASTM F1700 Class III Type B

Total Thickness: 0.120" (3.0 mm) **Wear Layer Thickness:** 32 mil (0.8 mm)

Edge Treatment: Square (SE), optional Slight Bevel (SB)

Emboss:* Optional

Fresco (FC) Passage (PS) Rough (RG) Straight Grain (ST)

Frost (FR) Pathway (PH) Sawn (SW) Tick (TK)

Natural Grain (NG) Quarry (QU)

Warranty: 20-Year Limited Commercial Wear Warranty

Colors: 181

TESTING

Flexibility:ASTM F137PassesDimensional Stability:ASTM F2199PassesStatic Load:ASTM F970PassesResidual Indentation:ASTM F1914Excellent

 Flammability:
 ASTM E648
 CRF≥0.45 watts/cm² NFPA Class 1

 Slip Resistance:
 ASTM D2047
 Passes >0.5 ADA Compliant

 Smoke Density:
 ASTM E662
 Passes < 450 DMC</th>

 Resistance to Light:
 ASTM F1515
 Excellent

 Chemical Resistance:
 ASTM F925
 Excellent

 Resistance to Heat:
 ASTM F1514
 Excellent

ENVIRONMENTAL DATA

Recycled Content: 13.8%-27.5% Preconsumer

Materials: No Heavy Metals; Non-Toulene Ink System Indoor Air Quality: Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

LEED Scoreboard: LEED 2009

LEED 2009 LEED v4

MRc2 Construction Waste Management MRc2 Building Product Disclosure and Optimization—

MRc4 Recycled Content Environmental Product Declarations

MRc5 Regional Materials

MRc5 Regional Materials

MRc6 Building Product Disclosure and Optimization—

IEQ 4.1 Low-Emitting Adhesives Sourcing of Raw Materials

IEQ 4.3 Low-Emitting Materials Flooring MRc5 Construction and Demolition Waste Management

IEQc2 Low-Emitting Materials

Third-party Certification: NSF/ANSI-332 Gold

Manufacturing: Made in the USA

ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and

Safety Management System

Packaged In: Recycled, corrugated cardboard

For samples, warranties and more information, visit tandus-centiva.com or call 800.248.2878.

Multiple Emboss options are available for many of the products in the Contour Series.

Appropriate surface texture, pattern, and color play a significant role in LVT performance, wear and maintenance requirements. Please consult your account executive to determine appropriate surface texture that will best fit the design and performance goals for your project.







PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL INSF 332



TILE + PLANK EVENT® SERIES

SPECIFICATIONS

Classification: ASTM F1700 Class III Type B

Total Thickness: 0.120" (3.0 mm)
Wear Layer Thickness: 30 mil (0.76 mm)

Edge Treatment: Square (SE), optional Slight Bevel (SB)

Emboss: Standard

Frost (FR) Rustic (RU)
Natural Grain (NG) Third Grain (TG)
Quarry (QU) Weathered Grain (WE)

Rock (RK))

Warranty: 20-Year Limited Commercial Wear Warranty

Colors: 39

TESTING

Flexibility:ASTM F137PassesDimensional Stability:ASTM F2199PassesStatic Load:ASTM F970PassesResidual Indentation:ASTM F1914Excellent

Flammability: ASTM E648 CRF≥0.45 watts/cm² NFPA Class 1
Slip Resistance: ASTM D2047 Passes >0.5 ADA Compliant

Smoke Density:ASTM E662Passes <450 DMC</th>Resistance to Light:ASTM F1515ExcellentChemical Resistance:ASTM F925ExcellentResistance to Heat:ASTM F1514Excellent

ENVIRONMENTAL DATA

Recycled Content: 7.25% Preconsumer

Materials: No Heavy Metals; Non-Toulene Ink System Indoor Air Quality: Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

LEED Scoreboard: LEED 2009

LEED 2009 LEED v4

MRc2 Construction Waste Management MRc2 Building Product Disclosure and Optimization—

MRc4 Recycled Content

MRc5 Regional Materials

IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

Manufacturing: ISO 9001 Quality Management System

ISO 14001 Environmental Management System OHSAS 18001 Occupational Health and

Safety Management System

Packaged In: Recycled, corrugated cardboard

For samples, warranties and more information, visit tandus-centiva.com or call 800.248.2878.

Environmental Product Declarations

Sourcing of Raw Materials

IEQc2 Low-Emitting Materials

MRc3 Building Product Disclosure and Optimization-

MRc5 Construction and Demolition Waste Management







TILE + PLANK INDIGENOUS EARTH COLLECTION

SPECIFICATIONS

Classification: ASTM F1700 Class III Type B

Total Thickness: 0.120" (A3.0 mm)
Wear Layer Thickness: 32 mil (0.8 mm)

Edge Treatment: Square (SE) or Slight Bevel (SB)

Emboss: Pathway (PH) – Geogrid, Rust Rings, Solstice

Rough Grain (RG) - Wildwood only

Warranty: 20-Year Limited Commercial Wear Warranty

Colors: 32

TESTING

Flexibility:ASTM F137PassesDimensional Stability:ASTM F2199PassesStatic Load:ASTM F970PassesResidual Indentation:ASTM F1914Excellent

Flammability: ASTM E648 CRF≥0.45 watts/cm² NFPA Class 1 **Slip Resistance:** ASTM D2047 Passes >0.5 ADA Compliant

Smoke Density:ASTM E662Passes <450 DMC</th>Resistance to Light:ASTM F1515ExcellentChemical Resistance:ASTM F925ExcellentResistance to Heat:ASTM F1514Excellent

ENVIRONMENTAL DATA

Recycled Content: 13.8%-27.5% Preconsumer

Materials:No Heavy Metals; Non-Toulene Ink SystemIndoor Air Quality:Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

LEED Scoreboard: LEED 2009

LEED 2009 LEED v4

MRc2 Construction Waste Management MRc2 Building Product Disclosure and Optimization—

MRc2 Construction Waste Management

MRc4 Recycled Content

MRc5 Regional Materials IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

Third-party Certification: Materials Flooring NSF/ANSI-332 Gold

Manufacturing: Made in the USA

ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and

Safety Management System

Packaged In: Recycled, corrugated cardboard For samples, warranties and more information,

visit tandus-centiva.com or call 800.248.2878.

Environmental Product Declarations

Sourcing of Raw Materials

IEQc2 Low-Emitting Materials

MRc3 Building Product Disclosure and Optimization-

MRc5 Construction and Demolition Waste Management







TILE + PLANK COLLECTION INFINIESTM

SPECIFICATIONS

Classification: ASTM F1700 Class III Type B

Total Thickness: 0.120" (3.0 mm) **Wear Layer Thickness:** 32 mil (0.8 mm)

Edge Treatment: Square (SE) or Slight Bevel (SB) **Emboss:** Pathway (PH) – Alphabet, Crystal

Rough Grain (RG) – Glow Quarry (QU) – Riot, Trans-Materia

Warranty: 20-Year Limited Commercial Wear Warranty

TESTING

Flexibility:ASTM F137PassesDimensional Stability:ASTM F2199PassesStatic Load:ASTM F970PassesResidual Indentation:ASTM F1914Excellent

Flammability: ASTM E648 CRF≥0.45 watts/cm² NFPA Class 1 **Slip Resistance:** ASTM D2047 Passes >0.5 ADA Compliant

Smoke Density:ASTM E662Passes <450 DMC</th>Resistance to Light:ASTM F1515ExcellentChemical Resistance:ASTM F925ExcellentResistance to Heat:ASTM F1514Excellent

ENVIRONMENTAL DATA

Recycled Content: 13.8%-27.5% Preconsumer

Materials:No Heavy Metals; Non-Toulene Ink SystemIndoor Air Quality:Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

LEED Scoreboard: LEED 2009

LEED 2009 LEED v4

MRc2 Construction Waste Management MRc2 Building Product Disclosure and Optimization—

MRc2 Construction Waste Management MRc4 Recycled Content

MRc5 Regional Materials IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

Manufacturing: Made in the USA

ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and

Safety Management System

 Packaged In:
 Recycled, corrugated cardboard
 For samples, warranties and more information,

visit tandus-centiva.com or call 800.248.2878.

Environmental Product Declarations

Sourcing of Raw Materials

IEQc2 Low-Emitting Materials

MRc3 Building Product Disclosure and Optimization-

MRc5 Construction and Demolition Waste Management







TILE + PLANK VENUE® SERIES

SPECIFICATIONS

Classification: ASTM F1700 Class III Type B

Total Thickness: 0.120" (3.0 mm)
Wear Layer Thickness: 20 mil (0.5 mm)

Finish: Polyurethane reinforced

Edge Treatment: Square (SE) **Emboss:** Standard

Warranty: 10-Year Limited Commercial Wear Warranty

Colors: 58

TESTING

Flexibility:ASTM F137PassesDimensional Stability:ASTM F2199PassesStatic Load:ASTM F970PassesResidual Indentation:ASTM F1914Excellent

Flammability: ASTM E648 CRF≥0.45 watts/cm² NFPA Class 1 **Slip Resistance:** ASTM D2047 Passes >0.5 ADA Compliant

Smoke Density:ASTM E662Passes <450 DMC</th>Resistance to Light:ASTM F1515ExcellentChemical Resistance:ASTM F925ExcellentResistance to Heat:ASTM F1514Excellent

ENVIRONMENTAL DATA

Recycled Content: 30% Preconsumer

Materials: Phthalate free except post-consumer recycled content

No Heavy Metals; Non-Toulene Ink System

Indoor Air Quality: Meets CDPH Standard Method v1.1-2010;

FloorScore® Certification

Recyclability: 100% Recyclable through our ReStart® Program

Recyclability: 100% Recyclable infough our Restart* Fro

LEED Scoreboard: LEED 2009

MRc2 Construction Waste Management

MRc4 Recycled Content

MRc5 Regional Materials

IEQ 4.1 Low-Emitting Adhesives

IEQ 4.3 Low-Emitting Materials Flooring

Manufacturing: Made in the USA

ISO 9001 Quality Management System
ISO 14001 Environmental Management System
OHSAS 18001 Occupational Health and

Safety Management System

Packaged In: Recycled, corrugated cardboard

For samples, warranties and more information, visit tandus-centiva.com or call 800.248.2878.

MRc2 Building Product Disclosure and Optimization-

MRc3 Building Product Disclosure and Optimization-

MRc5 Construction and Demolition Waste Management

Environmental Product Declarations

Sourcing of Raw Materials

IEQc2 Low-Emitting Materials

LEED v4








PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL

INDEX

Visit tandus-centiva.com to view all Tandus Centiva products.



Wildwood: pg 170



INDIGENOUS EARTH_Geogrid-Alloy CGE 4103, Rust Rings-Trace CRR 4321, Solstice-Comet CSO 4426, Wildwood-Shipwreck CWD 4204 6" x 36"_Page 167

Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond® Modular, Broadloom, Woven and LVT products. With industry-leading product design, unrivaled service and a commitment to environmental and social stewardship, Tandus Centiva provides the ultimate flooring experience.



Tandus Centiva

TANDUS-CENTIVA.COM 800.248.2878 Powerbond® Modular Broadloom Woven LVT

08340

