

2018

# EXPRESS VAN CARGO





### **About This Publication**

This catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. General Motors reserves the right to make changes at any time without notice. For further details, consult your local dealer.

Care must be taken during customer installation of equipment and wiring to ensure that all holes drilled in the body are corrosion protected, properly sealed and that vehicle wiring harnesses, piping or other components have not been displaced or damaged. Aftermarket equipment installers must be mindful of applicable Federal Motor Vehicle Safety Standards. This information can be obtained directly from the National Highway Traffic Safety Administration.

Adding non-dealer accessories or making modifications to the vehicle can affect vehicle performance, aerodynamics, and overall top speed.

These vehicles are equipped with an air bag system. The air bag system in your police vehicle includes frontal driver and passenger air bags, front seat back side impact air bags, front knee air bags or knee bolsters and side curtain air bags. Customer installed equipment such as security barriers behind the front seats should not be mounted so that the barrier ends are within the side air bag deployment zones. The sensors and other components for the air bag system must not be relocated to accommodate the installation of customer furnished equipment; please refer to the service manual for sensor and other component locations. For information concerning instrument panel top pad mounted equipment and air bag system deployment zones, see the air bag information section in this catalog and the vehicle owners manual.

A note about vehicle alterations by independent suppliers: This catalog shows pictures of vehicles that have been altered or upfitted with equipment or components supplied to Chevrolet or its dealers by independent suppliers. Chevrolet is not responsible for the safety or quality of design features, materials or workmanship of any alterations by a supplier.

# **INDEX**

- UPDATES FOR 2018 EXPRESS CARGO VAN
- STANDARD 1WT FEATURES
- COLORS & INTERIOR TRIM
- OPTIONAL EQUIPMENT
- POWERTRAIN / TRANSMISSION RATINGS / GCWR RATINGS / EMISSIONS
- SPECIFICATIONS
- ONSTAR®, 4G LTE Wi-Fi AND SATELLITE RADIO SERVICE PLANS
- AIRBAG DIMENSIONS
- AIRBAGS FAQ
- STABILITRAK
- WARRANTY







Shown with aftermarket equipment, always use safety belts when seated

# **UPDATES FOR 2018**

### **NEW FEATURES**

- (LV1) 4.3L V6 SIDI engine
- (LC8) 6.0L V8 SFI gaseous engine
- (GD1) Kinetic Blue Metallic
- (G9K) Satin Steel Metallic (No longer available to order as of 11-20-17)
- (UFT) Side Blind Zone Alert
- (A8X) Cargo Package
- (WPD) Safety Package
- (ZL3) Enhanced Convenience Package
- (WP9) Communications Package
- (UEO) ONSTAR® Delete
- (M5U) 8-speed automatic transmission is now standard
- · Hill Start Assist is now standard
- (UVC) Rear vision camera is now standard
- (86U) Wheatland Yellow changes SEO (9W3)
- (UE1) ONSTAR® is standard
- (VV4) ONSTAR® 4G LTE is standard
- ONSTAR® Basic Plan is standard
- (ZQ2) Convenience Package, changed name to Power Convenience Package
- (ZQ3) Convenience Package, changed name to Driver Convenience Package
- · Dual composite headlights are now standard

### DISCONTINUED

- (L20) Vortec 4.8L V8 SFI engine
- (GWX) Brownstone Metallic
- (GBV) Cyber Gray Metallic
- (D31) Mirror, inside rearview manual day/night
- SEO (MTM) Windshield, mirror mounting bracket
- SEO (5P9) Panel Trim, side and rear cargo doors

NOTE: This vehicle is not designed nor intended for use in high speed emergency vehicle operations. Model G2500 Regular Wheelbase RWD (CG23405), Model G2500 Extended Wheelbase RWD (CG23705) Model G3500 Regular Wheelbase RWD (CG33405), Model G3500 Extended Wheelbase RWD (CG33705)

	STANDARD INTERIOR FEATURES ON EXPRESS PRISONER VAN-1WT
AIR CONDITIONING	Single-zone, manual
ASSIST HANDLE	Driver and front passenger
AUDIO SYSTEM	AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (U2K) SiriusXM Satellite Radio, (5BV) Upfitter electrical provisions or (WP9) Communications Package.
CARGO TIE DOWNS	Includes 6 D-ring attachments on cargo area floor. Not available with (5BV) Upfitter electrical provisions or (ZP6) 5-passenger Express Crew Van
CONSOLE	Engine cover with open storage bin
CONVENIENCE PACKAGE	Includes (A31) power windows and (AU3) power door locks.
CUP HOLDERS	Three on engine console cover
DEFOGGER	Side windows
DRIVE INFO. CENTER	Includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
FLOOR COVERING	Full-length Black rubberized-vinyl. Not available with (RFM) rear floor covering delete or (5BV) Upfitter electrical provisions.
HEADLINER	Cloth over driver and passenger
LIGHTING	Interior with 4 dome lights, 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches.
MIRROR	Inside rearview, includes Rear Vision Camera display
ONSTAR®	ONSTAR® Basic Plan <sup>3</sup> , ONSTAR® Guidance <sup>4</sup> and ONSTAR® 4G LTE with Wi-Fi See ONSTAR® section for Availability and Available Plans
POWER OUTLETS	Two auxiliary on engine console with cover 12-volt and 120-volt power outlet
RESTRAINT SYSTEM <sup>1</sup>	Airbags, frontal, driver and right front passenger, side curtain, seat-mounted thorax and knee bolsters, driver and right front passenger. Includes passenger-side airbag deactivation switch. Not available with (ZX1) driver only high-back bucket seat.
SEATS, FRONT	Front bucket with vinyl trim and outboard head restraints, includes inboard armrests. Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.
SPEEDOMETER/CLUSTER	Analog with speedometer, odometer, trip odometer, fuel level, volt meter, engine temperature and oil pressure
THEFT DETERRENT	PASS-Key III with steering wheel steel sleeve column with theft-deterrent locking feature
TRIM PANELS	Hinged rear side doors and hinged rear doors. Not available with (5BV) Upfitter electrical provisions.
VISORS	Driver and front passenger, Cloth, Padded
WARNING TONES	Headlamp on and key-in-ignition


Always use safety belts and the correct child restraint for your child's age and size, even in vehicles equipped with airbags. Even in vehicles
equipped with Passenger Sensing System, children are safer when properly secured in a rear seat in an appropriate infant, child or booster seat.
Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner Manual
and child safety seat instructions for more information.

<sup>3.</sup> Does not include emergency or security services. Visit ONSTAR®.com for coverage map, details and system limitations

<sup>4.</sup> Visit ONSTAR®.com for coverage map, details and system limitations

General Motors is not responsible for the effects of any modifications.  MIRRORS Outside, rearview, manual, Black Display integrated into rearview mirror.  TIRES LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle).  Does not apply to spare tire MINDOWS WINDOWS Power WINDSHIELD WIPRS Intermittent wet-arm with pulse washers Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR 105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE 3.42 Axle ratio BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4-wheel antilock, 4-wheel disc LXIA US with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque LXIA US With Direct In		STANDARD EXTERIOR FEATURES ON EXPRESS PRISONER VAN-1WT
DEFOGGER  Swing-out passenger-side, 60-40 split  DOOR LOCKS Power  GLASS Solar-Ray light-tinted, all windows. GRILLE Black composite with single rectangular halogen headlamps Dual halogen composite. Includes Day time running lamps. Altering headlamp assembly is not recommended General Motors is not responsible for the effects of any modifications.  Outside, rearview, manual, Black REAR VISION CAMERA Display integrated into rearview mirror. TIRES LT245/TSRIGE all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle).  TIREP PRESSURE MONITOR Does not apply to spare tire TIRIM PANELS Hinged rear side doors and hinged rear doors WINDOWS WINDSHIELD WIPERS Intermittent wet-arm with pulse washers WHELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR ALTERNATOR ASIA SALE ratio BATTERY GOO cold-cranking amps, maintenance-free with rundown protection and retained accessory power. BRAKES 4-wheel antilock, 4-wheel disc BOO cold-cranking amps, maintenance-free with rundown protection and retained accessory power. BRAKES ALS VE with Direct injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 ib-ft of torque EXHAUST HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo-Diesel engine is ordered TRANS. OIL COOLER STABILITRAK STEERING STABILITRAK STEERING POWER  SUSPENSION, REAR Hypoid drive axie with multi-leaf springs TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking, Requires (LVI) 4.3L V6 SIDI en	BUMPER, FRONT	Painted black (V37 Front and Rear Chrome Bumpers are Optional).
DOOR LOCKS POWE GLASS Solar-Ray light-tinted, all windows. GRILLE Black composite with single rectangular halogen headlamps Dual halogen composite. Includes Day time running lamps. Altering headlamp assembly is not recommended General Motors is not responsible for the effects of any modifications.  MIRRORS Outside, rearview, manual, Black REAR VISION CAMERA Display integrated into rearview mirror.  TIRES	BUMPER, REAR	Painted black with step pad (V37 Front and Rear Chrome Bumpers are Optional).
GLASS Solar-Ray light-tinted, all windows.  GRILE Black composite with single rectangular halogen headlamps Dual halogen composite. Includes Day time running lamps. Altering headlamp assembly is not recommended General Motors is not responsible for the effects of any modifications.  Outside, rearview, manual, Black REAR VISION CAMERA Display integrated into rearview mirror. TIRES TIRE PRESSURE MONITOR TIRES TIRE PRESSURE MONITOR TIRIN PANELS Hinged rear side doors and hinged rear doors WINDOWS WINDOWS WINDOWS WINDOWS WINDOWS WINDOWS TO SEELE TO THE WORLD THE W	DEFOGGER	Side windows
GILLS GRILLE Black composite with single rectangular halogen headlamps Dual halogen composite, includes Day time running lamps. Altering headlamp assembly is not recommended General Motors is not responsible for the effects of any modifications.  MIRRORS Outside, rearview, manual, Black BEAR VISION CAMERA Display integrated into recarview mirror.  LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle).  TIRE PRESSURE MONITOR Does not apply to spare tire Hinged rear side doors and hinged rear doors WINDOWS WINDSHIELD WIPERS Intermittent wet-arm with pulse washers Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR 105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc ENGINE EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  STABILITRAK STERRING SUSPENSION, FRONT UNDHAUL MODE TOWNHAUL MODE TO	DOOR	Swing-out passenger-side, 60-40 split
HEADLANPS Dua halogen composite with single rectangular halogen headlamps Dua halogen composite. Includes Day time running lamps. Altering headlamp assembly is not recommended General Motors is not responsible for the effects of any modifications.  MIRRORS REAR VISION CAMERA Display integrated into rearview mirror.  ITRES LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle).  TIRE PRESSURE MONITOR Does not apply to spare tire ITRIM PANELS WINDOWS WINDOWS WINDOWS WINDSHIELD WIPRS WHEELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR AXLE BATTERY BRAKES BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4-wheel antilock, 4-wheel disc EMGINE EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY HILL START ASSIST MONITOR BRAKES TRANSMISSION ROBINITOR STABILITRAK Treature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off Braking and Powertrain Grade Braking. Requires (LVT) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  SUSPENSION, FRONT TRANS. OIL COOLER STABILITRAK Traction assistance and vehicle stability enhancement system  SUSPENSION, FRONT TWO HAUL MODE TOWNHAUL M	DOOR LOCKS	Power
MIRRORS Outside, rearview, manual, Black REAR VISION CAMERA Display integrated into rearview mirror. TIRES LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle). TIRE PRESSURE MONITOR TIRES LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle). TRIM PANELS WINDOWS WINDSHIELD WIPERS WHELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR ALTERNATOR ALTERNATOR BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BATKES 4-wheel antilock, 4-wheel disc ENGINE EXHAUST Aluminized stainless-steel muffler and tailpipe  EXHAUST HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR OI life TRANSMISSION STABILITRAK Traction assistance and vehicle stability enhancement system  Power  Independent with Cull Dy Variance and Scholer Spring in Schored  STABILITRAK Traction assistance and vehicle stability enhancement system  Power  SUSPENSION, FRONT SUSPENSION S	GLASS	Solar-Ray light-tinted, all windows.
General Motors is not responsible for the effects of any modifications.  Outside, rearview, manual, Black  REAR VISION CAMERA Display integrated into rearview mirror.  TIRES TIRES TIRES TIRES TIRE PRESSURE MONITOR Does not apply to spare tire Hinged rear side doors and hinged rear doors WINDOWS WINDSHIELD WIPERS WHELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR 105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE BATTERY GOO cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4.3 42 Axle ratio BATTERY GOO cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4.4 wheel antilock, 4-wheel disc HILL START ASSIST HILL START ASSIST HILL START ASSIST MONITOR TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking, Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  EXTERNAL CAPACITY SUSPENSION, REANT TRANS. OIL COOLER STABILITRAK Traction assistance and vehicle stabilitye phancement system FOW/HAUL MODE TOW/HAUL MODE TOW/HAUL MODE TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking, Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  SUSPENSION, REANT TOW/HAUL MODE TOW/HAU	GRILLE	Black composite with single rectangular halogen headlamps
TIRES TIRE PRESSURE MONITOR Does not apply to spare tire Hinged rear side doors and hinged rear doors WINDOWS WINDSHIELD WIPERS WHEELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR AXLE AXLE AXLE BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4-wheel antilock, 4-wheel disc ENGINE EXHAUST HILL START ASSIST MONITOR TRANSMISSION TRANSMISSION TRANSMISSION TRANS. OIL COOLER STABILITRAK STEERING SUSPENSION, REAR TOW/HAUL MODE TRANSMISSION, REAR TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking and Powertrain Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine. B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  TRANSMISSION, REAR TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking and Stabilizer bar Hypoid drive axide with multi-leaf springs TOW/HAUL MODE TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  Suspension, REAR TOW/HAUL MODE TOW/HAUL	HEADLAMPS	Dual halogen composite. Includes Day time running lamps. Altering headlamp assembly is not recommended, General Motors is not responsible for the effects of any modifications.
TIRES TIRE PRESSURE MONITOR Does not apply to spare tire Hinged rear side doors and hinged rear doors WINDOWS WINDSHIELD WIPERS WHEELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR AXLE BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4-wheel antilock, 4-wheel disc ENGINE EXHAUST HILL START ASSIST MONITOR TRANSMISSION TRANSMISSION TRANS. OIL COOLER STARILITRAK STEERING SUSPENSION, REAR TOW/HAUL MODE TRANSMISSION, REAR TOW/HAUL MODE TRANSMISSION B-speed automatic, electron includes draining and Powertrain Grade Braking and Powertrain Grade Braking, Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine. B-speed automatic, electron monitored and pression and pression of the word of the promote of the p	MIRRORS	Outside, rearview, manual, Black
TIRE PRESSURE MONITOR TRIM PANELS Hinged rear side doors and hinged rear doors Power WINDSHIELD WIPERS Intermittent wet-arm with pulse washers Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT  ALTERNATOR 105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. 4-wheel antilock, 4-wheel disc ENGINE ENGINE 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR Oil life  TRANSMISSION TRANSMISSION TRANS. OIL COOLER EXTERNIA TO THE CONTROL TO TH	REAR VISION CAMERA	Display integrated into rearview mirror.
TRIM PANELS WINDOWS Power WINDSHIELD WIPERS Intermittent wet-arm with pulse washers Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR ALTERNATOR ALLE 3.42 Axle ratio  BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc ENGINE ALL V with Direct injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST Aluminized stainless-steel muffler and tailpipe 31 gallon (117.3 liters) HILL STATA ASSIS This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  TRANS. OIL COOLER External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo-Diesel engine is ordered  STABILITRAK STEERING POWER TRANSHISSION, REAR Traction assistance and vehicle stability enhancement system  SUSPENSION, REAR TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  STABILITRAK STEERING POWER  SUSPENSION, REAR Traction assistance and vehicle stability enhancement system  SUSPENSION, REAR Tow/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	TIRES	LT245/75R16E all-seasonal, blackwall, with full size spare tire (Spare tire located at rear underbody of vehicle).
WINDSHIELD WIPERS WHEELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-IWT  ALTERNATOR AXLE 3.42 Axle ratio BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc 4.3.40 We with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  STABILITRAK STEERING POWER  TRANSMISSION, FRONT SUSPENSION, FRONT SUSPENSION, FRONT SUSPENSION, FRONT TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo-Diesel engine is ordered  Traction assistance and vehicle stability enhancement system  TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  TRANSMISSION, REAR TOW/HAUL MODE TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	TIRE PRESSURE MONITOR	Does not apply to spare tire
WINDSHIELD WIPERS WHEELS Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT  ALTERNATOR 105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc ENGINE 4-XL V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR TRANSMISSION TRANSMISSION TRANSMISSION TRANS. OIL COOLER EXTERNAL, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo-Diesel engine is ordered  TRANS. OIL COOLER STABILITRAK Traction assistance and vehicle stability enhancement system  SUSPENSION, REAR Traction assistance and vehicle stability enhancement system  SUSPENSION, REAR TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  TOW/HAUL MODE TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	TRIM PANELS	Hinged rear side doors and hinged rear doors
Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare  STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT  ALTERNATOR  105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE  3.42 Axle ratio  600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  4-wheel antilock, 4-wheel disc  ENGINE  4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST  Aluminized stainless-steel muffler and tailpipe  TULL TANK CAPACITY  HILL START ASSIST  This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR  Oil life  TRANSMISSION  TRANSMISSION  TRANS. OIL COOLER  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo-Diesel engine is ordered  STABILITRAK  Traction assistance and vehicle stability enhancement system  SUSPENSION, READ  TOW/HAUL MODE  TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking and stabilizer bar  TOW/HAUL MODE  TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	WINDOWS	Power
STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT  105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.  AXLE 3.42 Axle ratio 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY HILL START ASSIST MONITOR TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  TRANS. OIL COOLER STABILITRAK Traction assistance and vehicle stability enhancement system Power  SUSPENSION, FROAT Independent with coil spring and stabilizer bar Hypoid drive axle with multi-leaf springs TOW/HAUL MODE T	WINDSHIELD WIPERS	Intermittent wet-arm with pulse washers
ALTERNATOR AXLE AXLE 3.42 Axle ratio  BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR  TRANSMISSION B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  TRANS. OIL COOLER External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  STABILITRAK Traction assistance and vehicle stability enhancement system  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  SUSPENSION, REAR Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE TOW/	WHEELS	Steel, 16 inch x 6.5 inch, includes Gray center caps and steel spare
AXLE 3.42 Axle ratio  BATTERY 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.  BRAKES 4-wheel antilock, 4-wheel disc  ENGINE 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY 31 gallon (117.3 liters)  This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR  TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  Traction assistance and vehicle stability enhancement system  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE Tow/haul mode selector mounted on instrument panel  TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.		STANDARD CHASSIS FEATURES ON EXPRESS PRISONER VAN-1WT
BATTERY BRAKES BRAKES BRAKES BRAKES BRAKES BRAKES BRAKES BRAKES BRAKES  BRAKES	ALTERNATOR	105 amps. 150 amp is standard when (C69) rear air conditioning is ordered.
### BRAKES ### A-wheel antilock, 4-wheel disc #### ENGINE ### A:3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  #### EXHAUST ### A:3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  #### Aluminized stainless-steel muffler and tailpipe  #### ### A:3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  #### A:3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  #### A:3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  #### A:3L V6 with Direct Injection and Valiable of With Overdrive and tow/haul mode. Includes Cruise Grade  #### B-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 slDl engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine.  ##### BRAKES  ###################################	AXLE	3.42 Axle ratio
ENGINE  4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp with 295 lb-ft of torque  EXHAUST  Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY  31 gallon (117.3 liters)  This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR  Oil life  TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  STABILITRAK  Traction assistance and vehicle stability enhancement system  STEERING  Power  SUSPENSION, FRONT  Independent with coil spring and stabilizer bar  Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE  Tow/haul mode selector mounted on instrument panel  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	BATTERY	600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power.
EXHAUST Aluminized stainless-steel muffler and tailpipe  FUEL TANK CAPACITY 31 gallon (117.3 liters)  HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR Oil life  TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  STABILITRAK Traction assistance and vehicle stability enhancement system  STEERING Power  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE Tow/haul mode selector mounted on instrument panel  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	BRAKES	4-wheel antilock, 4-wheel disc
HILL START ASSIST MONITOR Oil life S-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.  TRANS. OIL COOLER STABILITRAK Traction assistance and vehicle stability enhancement system  STEERING SUSPENSION, FRONT Independent with coil spring and stabilizer bar SUSPENSION, REAR Hypoid drive axle with multi-leaf springs TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Some or (L96) Vortec 6.0L V8 SFI FlexFuel engine is ordered  Traction assistance and vehicle stability enhancement system  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	ENGINE	
HILL START ASSIST This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off MONITOR Oil life  TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo- Diesel engine.  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  Traction assistance and vehicle stability enhancement system  STEERING Power  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE TOW/haul mode selector mounted on instrument panel 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	EXHAUST	Aluminized stainless-steel muffler and tailpipe
TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo- Diesel engine.  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  Traction assistance and vehicle stability enhancement system  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  SUSPENSION, REAR Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	FUEL TANK CAPACITY	31 gallon (117.3 liters)
TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo- Diesel engine.  TRANS. OIL COOLER  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  Traction assistance and vehicle stability enhancement system  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  SUSPENSION, REAR Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	HILL START ASSIST	This feature is designed to prevent the vehicle from rolling, either forward or rearward, during vehicle drive off.
Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo- Diesel engine.  TRANS. OIL COOLER  External, included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  Traction assistance and vehicle stability enhancement system  Power  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  SUSPENSION, REAR TOW/HAUL MODE TOW/haul mode selector mounted on instrument panel  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	MONITOR	Oil life
engine. Deleted when (LWN) 2.8L Duramax Turbo Diesel engine is ordered  STABILITRAK Traction assistance and vehicle stability enhancement system  Power  SUSPENSION, FRONT Independent with coil spring and stabilizer bar  SUSPENSION, REAR Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	TRANSMISSION	Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-
STEERING SUSPENSION, FRONT Independent with coil spring and stabilizer bar SUSPENSION, REAR Hypoid drive axle with multi-leaf springs TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LVI) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	TRANS. OIL COOLER	
SUSPENSION, FRONT SUSPENSION, REAR Hypoid drive axle with multi-leaf springs TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	STABILITRAK	Traction assistance and vehicle stability enhancement system
SUSPENSION, REAR Hypoid drive axle with multi-leaf springs  TOW/HAUL MODE TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	STEERING	Power
TOW/HAUL MODE TRANSMISSION TRANSMISSION 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	SUSPENSION, FRONT	Independent with coil spring and stabilizer bar
TRANSMISSION  8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	SUSPENSION, REAR	Hypoid drive axle with multi-leaf springs
and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.	TOW/HAUL MODE	Tow/haul mode selector mounted on instrument panel
WARRANTY See warranty and maintenance section for information	TRANSMISSION	8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. Requires (LV1) 4.3L V6 SIDI engine or (LWN) 2.8L Duramax Turbo-Diesel engine.
	WARRANTY	See warranty and maintenance section for information

### AVAILABLE EXTERIOR COLORS Actual colors may vary



### SEO PAINT AVAILABLE Actual colors may vary

COLOR DESCRIPTION	SEO COD	E WA#
Yellow	_	215D
Yellow	-	259L
Blue	-	451N
Yellow	-	478G
Dark Blue Metallic	-	722J
Yellow	-	5456
Green	-	7927
Silver Metallic	_	8867
Woodland Green	9V5	9015
Doeskin Tan	9V9	9403
Yellow	_	9414
Tangier Orange	9W4	9417
Inca Gold	-	7952
Dark Toreador Red	_	257C
Silver Birch Metallic	_	926L
Petro Blue	-	527Y
Wheatland Yellow	9W3	253A
Victory Red	-	9260
Blue	_	5665

### **Actual Color May Vary**

- NOTE: SEO paint orders that contain less than five vehicles will be delayed until five unit minimum is received for batch production
  - Exterior SEO solid paints are not available with (B46) Trim, rear body-colored halo.
  - All extraneous body components formerly color-keyed to body color, will be flat Black.

### **SEATS**

	FRONT SEAT TYPE	SEAT CODE	SEAT TRIM	COLOR	COLOR CODE
Standard	Front bucket with vinyl trim and outboard	AR7	Vinyl	Medium Pewter	93W
	head restraints, includes inboard armrests.			Neutral	52W

NOTE: For optional front seat and rear seat availability see Interior optional equipment pages.

#### **OPTIONAL EQUIPMENT & FEATURES**

#### INTERIOR

- AJ3 AIRBAG frontal, driver-side only (deletes passenger-side). Included and only available with (ZX1) driver-only high-back bucket seat. Not available with (ZX2) driver and front passenger high-back bucket seats.
  - NOTE: Passenger seat is removed when ordered. See the Owner's Manual for more information.
- AIR CONDITIONING, REAR Model CG23405 Requires (TR9) auxiliary lighting. Required with (5BV) Upfitter electrical provisions. Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Model CG23705 Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Required with (5BV) Upfitter electrical provisions. Included with (ZP6) Express Crew Van Package. Model CG33405 Requires (TR9) auxiliary lighting. Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Model CG33705 Includes (C36) rear heater, (KG4) 150 amp alternator and (U80) digital compass. (KG4) 150 amp alternator can be upgraded to (KW5) 220 amp alternator. Included with (ZP6) Express Crew Van Package.
- AIR CONDITIONING DELETE Not available with (LWN) 2.8L Duramax Turbo-Diesel engine, (C49) rear-window defogger, (DE5) outside heated, power-adjustable Black mirrors, (DEB) outside heated, power-adjustable Black mirrors with single pane glass.
- AUDIO SYSTEM Chevrolet MyLink radio with Navigation, 6.5" diagonal color touch-screen display, AM/FM stereo with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone. Model CG23405 and CG23707 Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (WIY) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package. Model CG33405 and CG33705 Requires (ZQ3) Driver Convenience Package, (NP5) leather-wrapped steering wheel and (WIY) steering wheel controls. Includes (UBS) NavTraffic, (USR) USB port and (UPF) Bluetooth for phone. Not available with (U2K) SiriusXM Satellite Radio. Includes UBS NavTraffic. Avoid congestion before you reach it by enhancing your vehicle's navigation or entertainment system with NavTraffic. With detailed information on traffic speed, accidents, construction, road closures and more, you will get to your destinationfaster and more easily than ever before. Included and only available with (UI8) Chevrolet MyLink radio with navigation. SiriusXM Satellite Radio and NavTraffic subscriptions are sold separately or as a package after trial period. If you decide to continue service after your trial, the subscription planyou choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. NavTraffic available only in select markets. For more information, see www.siriusxm.com/navtraffic
- AUDIO SYSTEM AM/FM stereo with CD/MP3 player, USB port, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), TheftLock, random select, auxiliary jack and 2 front door speakers. Included with (WP9) Communications Package. Required with (U2K) SiriusXM Satellite Radio. Not available with (R8J) Power Window delete.
- **AUDIO SYSTEM** AM/FM stereo with MP3 player and USB port, includes seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers. Not available with (U2K) SiriusXM Satellite Radio or (WP9) Communications Package.
- AUDIO SYSTEM Radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers.

  Requires a Fleet or Government order type and (UEO) ONSTAR® Delete. Not available with (U2K) XM Satellite Radio or (Y3H) Paratransit Package.
- BLUETOOTH® FOR PHONE<sup>1</sup> Personal cell phone connectivity to vehicle audio system. Included with (WP9) Communications Package. Requires (NP5) leather-wrapped steering wheel, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Included with (UI8) Chevrolet MyLink radio with Navigation. NOTE: With (UOF) AM/FM stereo with MP3 player, (UOH) AM/FM stereo with MP3 player and USB port or (US8) AM/FM stereo with MP3 compatible CD player requires (UE1) ONSTAR® hardware (subscription to ONSTAR® services not required for operation). NOTE: With (UI8) Chevrolet MyLink radio with Navigation (UE1) ONSTAR® hardware is not required.
- BRAKE WARNING INDICATOR Monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit. Not available with (5BV) Upfitter electrical provisions
- **BULKHEAD DIVIDER WITH DOOR** Not available with (ZP6) 5-passenger Express Crew Van Package, (VLP) Bulkhead divider, LPO or (R7T) commercial customer bin GM Business Choice Upfit.
- **BULKHEAD DIVIDER** DIVIDER Not available with (ZP6) 5-passenger Express Crew Van Package, (VLW) Bulkhead divider with door, LPO or (R7T) commercial customer bin GM Business Choice Upfit..
- **CGN CARGO LINER** Spray-in
- A8X CARGO PACKAGE Includes (L96) Vortec 6.0L V8 SFI engine, (CGN) Spray-in cargo liner and (POG) 12 months of GM Commercial Link, Not available with (WP9) Communications Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package or (UEO) OnStar delete. Not available on CG33405 and CG33705 Models
- COMMUNICATIONS PACKAGE Includes (L96) Vortec 6.0L V8 SFI engine, (NP5) leather-wrapped steering wheel, (POG) 12 months of GM Commercial Link, (U2K) SiriusXM Satellite Radio, (UPF) Bluetooth for phone, (US8) AM/FM stereo with MP3 compatible CD player, (W1Y) steering wheel controls and (ZQ3) Driver Convenience Package. Not available with (A8X) Cargo Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package or (UEO) OnStar delete. Not available on CG33405 and CG33705 Models
- USO COMPASS 8-point digital located in the Driver Information Center, included and only available with (TR9) Auxiliary Lighting.
- EA3 CONSOLE Deluxe with swing-out storage bin. Included with (AS5) front bucket seats with custom cloth.

<sup>1.</sup> Requires a compatible mobile device, active ONSTAR® service and data plan. 4G LTE service available in select markets. Visit ONSTAR®.com for coverage map, details and system limitations.

2. E85 is 85% ethanol and 15% gasoline.

- ZQ3 **DRIVER CONVENIENCE PACKAGE** - Tilt-Wheel and (K34) cruise control. Required with (5BV) Upfitter electrical provisions. Included with (WP9) Communications Package, (WPD) Safety Package, (ZL3) Enhanced Convenience Package K34 CRUISE CONTROL - Requires (UF3) high idle switch or (ZQ3) Convenience Package. Included with (ZQ3) Convenience Package. ENHANCED CONVENIENCE PACKAGE - Includes (ATG) Remote Keyless Entry, (BTV) Remote vehicle starter system, (DE5) outside heated ZL3 power-adjustable, Black, manual-folding mirrors, (L96) Vortec 6.0L V8 SFI engine, (POG) 12 months of GM Commercial Link, (Z82) heavyduty trailering equipment and (ZQ3) Driver Convenience Package. Not available with packages (A8X) Cargo Package, (WP9) Safety Package, (WPD) Communications Package or (UEO) OnStar delete. Not available on CG33405 and CG33705 Models FLOOR COVERING - Black rubberized-vinyl, front only (deletes rear covering behind front seat) Required with (5BV) Upfitter electrical provisions. Included with (RFM) Rear floor covering delete FLOOR COVERING DELETE - Rear Floor covering. **RFM** C36 **HEATER, REAR AUXILIARY** - Included with (C69) rear air conditioning. HVAC PROVISIONS - Rear A/C Control Head Kit with rear air conditioning control head, retainer and bezel. Designed for installation after 5A1 upfit is completed. Shipped loose. Requires RPO (C69) rear air conditioning and RPO (C36) rear auxiliary heater. Not Available with RPO (PCH) Hotel Shuttle Package, (5BV) upfitter electrical provisions. LIGHTING - Auxiliary lighting with reading and underhood lights. Model CG23405: Required with (5BV) Upfitter electrical. Includes (U80) TR9 8-point digital compass. Model CG23705: Required with (5BV) Upfitter electrical. Includes (U80) 8-point digital compass. Included with (ZP6) 5-passenger Express Crew Van Package. Model CG33405: Includes (U80) 8-point digital compass. Model CG33705: Includes (U80) 8-point digital compass. Included with (ZP6) Express Crew Van Package. ONSTAR DELETE - Standard Bluetooth functionality remains. Required with (UXZ) radio provisions. Requires a Fleet or Government Order UEO Type or (UI8) Chevrolet MyLink radio with navigation on all order types. UFA **OUTSIDE TEMPERATURE DISPLAY** - DISPLAY Located in the Driver Information Center. Requires (V22) Grille and (V37) Chrome bumpers or (5BV) upfitter electrical provisions. REMOTE KEYLESS ENTRY - 2 transmitters and remote panic button. Models CG23405 and CG23705: Included with (ZL3) Enhanced **ATG** Convenience Package. Required with (BTV) remote vehicle starter system. Models CG33405 and CG33705: Required with (BTV) remote vehicle starter system. RG1 **ROUTING GROMMET** - Front of instrument panel. Provides an area for putting wires thru the front of dash. Not available with RPO (9L7) 2-30 amp wire leads. SAFETY BELTS - Orange belts, Orange, Provides high visibility front Orange safety belts in lieu of Dark Pewter. Requires (93G) Medium **8N2** Pewter Custom Cloth or (93W) Custom Vinyl. Not available with SEO (5B2) Red safety belts. 5B2 SAFETY BELTS - Red belts, Provides high visibility front Red seat belts in lieu of Dark Pewter. Requires Medium Pewter RPO (93G) Custom Cloth or (93W) Custom Vinyl trim code. Not available with SEO (8N2) Orange safety belts. WPD SAFETY PACKAGE - Includes (L96) Vortec 6.0L V8 SFI engine, (DE5) outside heated power-adjustable, Black, manual-folding mirrors, (POG) 12 months of GM Commercial Link, (UD7) Rear Park Assist, (UFT) Side Blind Zone Alert and (ZQ3) Driver Convenience Package, Not available with (A8X) Cargo Package, (WP9) Communications Package, (ZL3) Enhanced Convenience Package or (UEO) OnStar delete. Not available on CG33405 and CG33705 Models **SEAT ADJUSTER** - Driver 6-way power. Requires (AS5) front bucket with Custom Cloth trim. SEAT ADJUSTER - Front passenger 6-way power. Requires (AS5) front bucket seats with Custom Cloth trim and (AG1) 6-way power driver AG2 seat adjuster SEATS - Front bucket with Custom Cloth trim, head restraints and inboard armrests. Model CG23405 and CG23705: Requires (\*\*G) interior AS5 trim. Required with (5BV) Upfitter electrical provisions. Includes (BA3) console with swing-out storage bin. Model CG33405 and CG33705: Requires (\*\*G) interior trim. Includes (BA3) console with swing-out storage bin SEATING ARRANGEMENT - 5-passenger, Express Crew Van Package. Model CG23405 and CG33405: Includes (ASF) airbags, (PNC) Door ZP6 Trim Panel Package, (B38) full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass and (93W/93G) Medium Pewter interior. Not available with (RFM) rear floor covering delete, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs. Model CG23705 and CG33705: Includes (ASF) airbags, (PNC) Door Trim Panel Package, (B38) full-length Black rubberized-vinyl floor covering, (ZW6) fixed full-body window package glass, (C69) rear air conditioning, (TR9) auxiliary lighting and (93W/93G) Medium Pewter interior. Not available with (RFM) rear floor covering delete, (VLP) Bulkhead divider, LPO, (VLW) Bulkhead divider with door, LPO or (5C6) cargo tie-downs. SEATING ARRANGEMENT - Driver-only high-back bucket, adjustable, includes head restraint and vinyl or cloth trim. Includes (AJ3) driverside only frontal air bag. Deletes passenger-side air bags, seat and safety belt. Components cannot be added back later.

**SMOKER'S PACKAGE** - Includes ash tray and lighter

windows swing-out glass

adjustable mirrors.

**VLU** 

UFT

DT4

SECURITY SCREEN PACKAGE - Without rear window pop-out. Requires a (ZW\*) fixed glass. Not available with (A18) rear cargo door

SIDE BLIND ZONE ALERT - Included with (WPD) Safety Packager. Requires (UD7) Rear Park Assist and (DE5) outside heated power

- **STEERING COLUMN** Tilt Steering column without cruise control. Not available with RPO (ZQ3) Convenience Package, RPO (K34) cruse control, RPO (UF3) high idle switch.
- STEERING WHEEL Leather-wrapped. Model CG23405 and CG23705: Included with (WP9) Communications Package. Requires (ZQ3)

  Driver Convenience Package and (UOF) AM/FM stereo with MP3 player, (UOH) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation. Model CG33405 and CG33705 Requires (ZQ3) Driver Convenience Package and (UOF) AM/FM stereo with MP3 player, (UOH) AM/FM stereo with MP3 player and USB port, (US8) AM/FM stereo with CD/MP3 player or (UI8) Chevrolet MyLink radio with Navigation
- **TRIM PANEL** Sides, side and rear cargo door. Base level passenger van interior panels and trim on the sides, side cargo doors and rear doors of a cargo van. Does not include rear headliner. Required and only available with (Y3H) Paratransit Package. Not available with (ASF) head curtain side impact air bags and (PPC) Trim panels, hinged rear side doors and hinged rear doors.
- **TRIM PANEL DOOR PACKAGE** Included with (ZP6) Express Crew Van 5-passenger seating arrangement. Requires (A19) swing-out rear side door window glass. Not available with (52G) or (52W) Neutral interior, (PPC) door trim panel package.
- R6S TRIM PANEL (PPC) DELETE rear side and rear doors
- VISORS Driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side. Required with (5BV) Upfitter electrical provisions
- VISORS Driver and front passenger, vinyl in lieu of standard cloth. Model CG23405, CG23705 and CG33405: Included with (AR7) front bucket seats with vinyl trim and (Y3H) Paratransit Package. Model CG33705: Included with (AR7) front bucket seats with vinyl trim
- **R8J WINDOWS POWER** Delete
- WINDOW SECURITY BAR DELETE Rear side door glass Model CG23405, CG23705 and CG33405 Included and only available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Included and only available with (ZP6) 5-passenger Express Crew Van Package

#### **EXTERIOR**

- ANTENNA EQUIPMENT Includes additional antenna, cable and ground plate. Provides additional ability to relocate standard ONSTAR® antenna, cable length 25 ft. Ships loose. Requires (UE1) ONSTAR®.
- VXW ASSIST STEPS Molded
- **BACKUP ALARM 97 DECIBELS -** Rear frame mounted back-up alarm. Not available with (LWN) 2.8L Duramax Turbo-Diesel engine, RPO (ZR7) Chrome Appearance Package, RPO (UJ1) brake warning indicator or SEO (5BV) upfitter
- **BUMPERS** Front and rear chrome with step pad (included with ZR7 Chrome Appearance Package)..
- **CHROME APPEARANCE PACKAGE** Includes (V37) front and rear chrome bumpers with step-pad and (V22) chrome grille with dual composite halogen headlamps
- **DEFOGGER** Rrear-window electric. Requires (A12) fixed rear doors window glass without (AJ1) Solar-Ray deep-tinted glass or (A18) rear cargo door windows swing-out glass with (AJ1) Solar-Ray deep-tinted glass. Not available with (R6G) air conditioning delete.
- YA2 DOOR Sliding passenger, side. Includes trim panel standard on sliding door only. Requires (AJI) Solar-Ray deep tinted glass when ordered with (A19) Swing-out rear side door and rear door window.
- **GLASS, SWING-OUT REAR CARGO DOOR WINDOW** Requires (ZW2) rear door glass. Requires (A19) swing-out rear side door window glass when ordered with (ZW3) rear doors and side cargo doors glass, (ZW4) rear doors, side cargo door and rear passenger side quarter fixed glass or (ZW6) full body window package glass.
- GLASS, FIXED FULL-BODY WINDOW PACKAGE Model CG23405 and CG23705 Included with (ZP6) 5-passenger Express Crew Van Package. (ZP6) includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door windows glass and (A19) swing-out rear side door windows glass and only available with (A18) swing-out rear cargo door windows glass. Not available with (5BV) Upfitter electrical provisions. Model CG33405 Included with (ZP6) 5-passenger Express Crew Van Package. (ZP6) includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass and only available with (A18) swing-out rear cargo door windows glass. Model CG33705 Included with (ZP6) 5-passenger Express Crew Van Package. (ZP6) includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass.
- GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS Model CG23405 and CG23705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Included with (PCH) Hotel Shuttle Package. Required with (5BV) Upfitter electrical provisions. Not available with (ZP6) 5-passenger Express Crew Van Package. Model CG33405 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass and (A19) swing-out rear side door window glass. Included. Not available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package.

- GLASS, FIXED REAR DOORS, SIDE CARGO DOOR AND REAR PASSENGER-SIDE QUARTER Model CG23405 and CG23705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package, (5BV) Upfitter electrical provisions. Model CG 33405 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass and (A19) swing-out r
- GLASS, FIXED REAR DOORS CG237051 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package, age, (5BV) Upfitter electrical provisions. Model CG33405 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package, Model CG33705 Includes (A12) fixed rear doors window glass and (A13) fixed rear side door window glass. Upgradeable to (A12) fixed rear doors window glass and (A19) swing-out rear side door window glass or (A18) swing-out rear cargo door windows glass and (A19) swing-out rear side door window glass. Not available with (ZP6) 5-passenger Express Crew Van Package.
- AJ1 GLASS, SOLAR-RAY DEEP-TINTED Deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- A12 GLASS, FIXED REAR DOORS WINDOWS Included and only available when (ZW\*) is ordered. Not available with (ZW1) fixed right side cargo door glass
- GLASS, FIXED REAR DOORS WINDOWS Included and only available when (ZW\*) is ordered. Not available with (ZW2) rear door glass.
- A18 GLASS, SWING-OUT REAR CARGO DOOR WINDOWS Requires (ZW2) rear doors fixed glass. Requires (A19) swing-out rear side door window glass when ordered with (ZW3) rear doors and side cargo doors fixed glass, (ZW4) rear doors, side cargo door and rear passenger side quarter fixed glass or (ZW6) full body window package fixed glass.
- A19 GLASS, SWING-OUT REAR SIDE DOOR AND REAR WINDOW Requires (AJI) Solar-Ray deep-tinted glass when ordered with (YA2) sliding passenger-side door. Not available with (ZW2) Seating, Driver and Passenger, High-Back Bucket. If ordered with (A12) fixed rear doors window glass, (C49) window defogger is required.
- UO5 HORN Dual-note high and low
- 525 HUBCAP DELETE Deletes gray center caps from standard wheels Not available with RPO (PO3) wheel trim chrome center cap.
- **KEY** Unique side cargo and rear door Unique key for side and rear cargo doors, separate from driver ignition and door key. 1 Not available with RPO (5HI) key equipment.
- **KEY EQUIPMENT** Two additional keys for single key system. Provides two additional spare keys for a total of (4). (Keys will be cut but not programmed).
  - NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense. Not available with SEO (5X8) side cargo and rear door key.
- **EXIL LABEL** Fasten safety belts "Fasten Safety Belts" reminder label on front driver and passenger door window glass
- VK3 LICENSE PLATE KIT Front (will be shipped to orders with ship-to states that require front license plate)
- MIRRORS Outside heated power-adjustable, Black, manual-folding with single pane glass. Not available with (R8J) power window delete.
- MIRRORS Outside heated power-adjustable, Black, manual-folding. Included with (WPD) Safety Package, (ZL3) Enhanced Convenience Package. Required with (UFT) Side Blind Zone Alert. Not available with (R8J) power window delete.
- VXW MOLDED ASSIST STEPS Dealer Installed
- **ORNAMENTATION** Exterior Delete Deletes all exterior ornamentation on rear doors
- **UFA OUTSIDE TEMPERATURE DISPLAY** Located in the Driver Information Center. Requires (ZR7) Chrome Appearance Package. Code Description.
- PAINT, SPECIAL Solid, one color All normally body colored non-sheet metal parts will be flat Black. Required with any SEO paint selection. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
- PAINT, SOLID, DOESKIN TAN All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Not available to order until January 2018. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
- PAINT SOLID, WHEATLAND YELLOW All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
- PAINT, SOLID, TANGIER ORANGE All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint. Not available to order until January 2018. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.

- PAINT, SOLID, WOODLAND GREEN All extraneous body components formerly color-keyed to body color, will be flat Black with SEO paint Not available to order until January 2018. Requires SEO (TGK) solid special paint. Not available with RPO (B46) rear body-colored halo trim. May require extra lead time and GM will require 5 orders before sending to the plant.
- **REAR BACKUP ALARM** Rear frame mounted, 97 decibels. Not available with RPO (ZR7) Chrome Appearance Package, RPO (UJI) brake warning indicator or SEO (5BV) upfitter electrical provisions.
- REAR PARK ASSIST Model CG23405 and CG23705 Included with (WPD) Safety Package. Required with (UFT) Side Blind Zone Alert. Not available with (UXZ) radio provisions only. Model CG33405 and CG33705 Required with (UFT) Side Blind Zone Alert. Not available with (UXZ) radio provisions only.
- VLL REMOVABLE ROOF RACK Not available with (VLV) Swing out ladder rack LPO.
- VLV REMOVABLE SWING OUT LADDER RACK Not available with (VLL) Removable roof rack LPO.
- **REMOVTE VEHICLE STARTER SYSTEM** Model CG23405 and CG23705 Included with (ZL3) Enhanced Convenience Package. Requires (ATG) remote keyless entry. Model CG33405 and CG33705 Requires (ATG) remote keyless entry
- **SAFETY REFLECTOR TRIANGLE KIT** Provides a break-down warning kit consisting of 3 reflective triangles, Item shipped loose for later placement and securing in after-market installation
- **SECURITY SCREEN PACKAGE, WITHOUT REAR WINDOW POP-OUT** Requires a (ZW\*) fixed glass. Not available with (A18) rear cargo door windows swing-out glass
- **ZX9** TIRE, SPARE DELETE Jack is not included.
- Q8C TIRE VALVE STEM CAPS Air thru Air through valve caps on the tire air valves
- **TRIM** Rear body-colored halo (replaces standard Black panel located above rear cargo doors). Not available with (GBA) Black or (G7C) Red Hot, (GPA) Graphite Metallic, (86U) Wheatland Yellow or (TGK) SEO solid paint. These colors will receive a Black halo.
- WHEEL FINISH, PAINTED WHITE White-painted wheels in lieu of standard Gray-painted wheels (includes spare wheel) Not available with option 5GO
- WHEEL FINISH, PAINTED BLACK Wheels painted Black in lieu of standard Gray painted wheels Includes painting of spare wheel. Not available with RPO (PO3) wheel trim chrome center cap
- PO3 WHEEL TRIM Chrome center cap
- **ASB** WINDOW SECURITY BAR Rear side door glass. Included and only available with Glass window package (ZW3) rear doors and side cargo door glass, (ZW4) rear doors, side cargo door and rear passenger-side quarter fixed glass or SEO (ZW1) side cargo door glass.
- WINDOW SECURITY BAR DELETE Rear side door glass Model CG23405, CG23705 and CG33405 Included and only available with (ZP6) 5-passenger Express Crew Van Package. Model CG33705 Included and only available with (ZP6) 5-passenger Express Crew Van Package

#### **ELECTRICAL**

- UPFITTER ELECTRICAL PROVISIONS 30 amp circuit at C-pillar. Requires, RPO (L96) Vortec 6.0L V8 SFI FlexFuel<sup>1</sup> engine or RPO (LC8) 6.0L V8 SFI gaseous engine, RPO (AS5) seat front bucket deluxe, RPO (B31) floor covering, RPO (C69) air conditioning rear, RPO (DH6) visor LH/RH pass illumination sunshade, RPO (KG4) alternator 150 amp or (KW5) alternator 220 amp, RPO (TR9) auxiliary lighting, RPO (U80) compass, RPO (ZX2) Seating, Driver and Passenger, High-Back Bucket, RPO (ZQ3) Driver Convenience Package, RPO (V22) chrome grille, RPO (V37) front and rear chrome bumpers with step-pad, RPO (ZW3) rear doors and side cargo door glass, (A18) swing-out rear cargo door windows glass, (A19) swing out rear side door window glass, (AJ1) Solar-Ray deep-tinted glass and (8E1) Fuel, additional 3-gallons. Not available with (YA2) Door passenger side sliding, (U0F) am/fm radio stereo w/mp3 player, SEO (5L3) side and rear cargo door panel trim, SEO (9J6) tilt-steering column, SEO (9D7) 75MPH road speed governor or SEO (8S3) back up alarm.
- **WIRING JUNCTION BLOCK**, Equipment accessory, includes 2-30 amp circuits. Requires (KG4) alternator 150 amp or (KW5) alternator 220 amp and (TP2) dual 600 and 770 isolated batteries. (Not available with (RGI) front instrument panel routing grommet)

### **CHASSIS**

- KG4 ALTERNATOR 150-amps Requires C69 rear air conditioning.
- KW5 ALTERNATOR 220 amps
- AUXILIARY HEAT GENERATOR Fuel-operated. Supplemental heat source to cooling system to improve heat output for HVAC and (C36) rear auxiliary heater when selected. Included with (V10) Cold Climate Package. Requires (LWN) 2.8L Duramax Turbo Diesel engine.
- BATTERY Heavy-duty 770 cold-cranking amps, maintenance-free with rundown protection and retained accessory power. Not available (TP2) 600 cold-cranking amps primary battery
- **BATTERY** 600 cold-cranking amps primary, isolated 2nd heavy-duty 770-cold-cranking maps, allows 2nd battery to be used when the vehicle is not running without affecting ability to start the vehicle. (Not available with (LWN) 2.8L Duramax Turbo Diesel engine)
- BRAKE WANING INDICATOR Monitors brake system pressure, with loss of pressure an audible alarm (chime) and cluster telltale is lit.
- V10 COLD CLIMATE PACKAGE Includes (K05) engine block heater. Includes (K08) auxiliary heat generator when ordered with (LWN) 2.8L Duramax Turbo Diesel engine.
- G80 DIFFERENTIAL Heavy-duty locking rear

ENGINE - Vortec 6.0L V8 SFI FlexFuel<sup>1</sup>, 342 hp @ 5400 rpm, 373 lb-ft of torque @ 4400 rpm, Includes external engine oil cooler. ENGINE - Duramax 2.8L Turbo Diesel, Direct Injection, 181hp @ 3400rpm and 369lb-ft of torque @ 2000rpm. Includes exhaust brake that LWN activates tow-haul mode. . E85 is 85% ethanol and 15% gasoline. LC8 ENGINE - 6.0L V8 SFI Gaseous CNG/LPG capable with hardened valves and valve seats. Capable of operating on both gasoline and CNG/ LPG. E85 compatible prior to gaseous fuel conversion. Running on gasoline (341 hp [255 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm). Equipped with standard factory gasoline fuel system. Does not include gaseous fuel tank(s), lines, regulators, etc. Gaseous fuel system can be installed in by aftermarket upfitter. GM recommends use of our approved alternative fuel upfitter, PSI (Power Solutions International). Ship thru codes are available for the PSI CNG and LPG fuel systems. Emissions certified for gasoline usage only. Emissions certification (exhaust and evaporative), as well as safety and labeling standards for the CNG/LPG system is the responsibility of the gaseous fuel system manufacturer. Requires (MYD) 6-speed heavy-duty automatic transmission. KO5 ENGINE BLOCK HEATER - Included with (V10) Cold Climate Package or requires (LWN) 2.8L Duramax Turbo Diesel engine. 5H5 FIRE EXTINGUISHER - 2.5 lb. Dry chemical BC rated. Item shipped loose for later placement and securing in after-market installation R9Y FLEET FREE MAINTENANCE CREDIT - This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available with FDR order types 8E1 FUEL, ADDITIONAL 3-GALLONS - 3 gallons of fuel in addition to normal assembly plant fill FUEL FITTING, For fuel line take-off. A fuel tank with a fuel take-off fitting that a body builder may utilize to attach an auxiliary engine fueling 7T6 device. Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine. 9C2 GOVERNOR - Electronic speed sensor set to 65 MPH Electronic software to facilitate 65-MPH maximum road speed with gasoline engine Requires a Fleet order. Not available with (K34) cruise control. GOVERNOR, Electronic speed sensor set to 70 MPH. Provides electronic software to limit maximum road speed to 70-MPH. Cruise control 9B9 limited to 65 MPH. Requires a Fleet order type. GOVERNOR, Electronic speed sensor set to 75 MPH. Provides electronic software to limit maximum road speed to 75-MPH. Cruise control 9D7 limited to 70 MPH. Requires a Fleet order type. Not available with SEO (5BV) upfitter electrical provisions. GM BUSINESS CHOICE UPFIT - Commercial customer bin. Requires (TBM) Ship-thru. Options will have an invoice note "Adrian Steel Upfit". RT7 Not available with (PRP) Express Access, Bid Assistance or Competitive Assistance Programs. UF3 HIGH IDLE SWITCH - Requires (K34) cruise control. Not available with (LV1) 4.3L V6 SIDI engine. PSR POWER STEERING RESERVOIR With glass sight, for checking fluid level. RADIATOR GRILLE COVER - Requires (LWN) 2.8L Duramax Turbo Diesel engine. Ships loose in cab. Required on orders with "Ship To" E48 locations within the following states: Alaska, Colorado, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, South Dakota, Vermont, Wisconsin and Wyoming. SPRINGS, FRONT - High Rate Upgrade, Upfitter option. Provides computer selected high rate front springs based on the front weight of the 5C4 vehicle. Intended for a upfit that requires higher center of gravity loads that are located at or near the front axle. Provides increased front spring capacity but will not change the front GVWR rating. (Replaces standard computer selected suspension). Requires models \*G33405 or

TRAILERING EQUIPMENT - Heavy-duty, 4-pin/7-pin sealed connector. Includes (UY7) trailering provisions, trailering wire harness only.

TRAILERING WIRING PROVISIONS - Trailering wire harness only. Included with (Z82) heavy-duty trailering equipment.

\*G33705 and a shipment to an upfitter or body builder.

Z82

UY7







### ONSTAR®, 4G LTE WITH Wi-Fi and SIRIUS XM RADIO AVAILABILITY

	Impala 1FL	Tahe 9C1	Tahoe SSV	Suburban 1FL	Suburban 3500HD	Silverado SSV	Cargo Van	Passenger Van
		0	NSTAR® S	ERVICE PLA	NS			
Basic Plan	S	S	S	S	S	O*	S	S
UE1	S	S	S	S	S	0	S	S
VV4	S	S	S	S	S	0	S	S
PQF	0	0	0	0	0	0	0	0
PQG	0	0	0	0	0	0	0	0
PQH	0	0	0	0	0	0	0	0
PQI	0	0	0	0	0	0	0	0
PQL	0	0	0	0	0	0	0	0
PQM	0	0	0	0	0	0	0	0
PQP	0	0	0	0	0	0	0	0
PQQ	0	0	0	0	0	0	0	0
PQT	0	0	0	0	0	0	0	0
PRD	0	0	0	0	0	0	0	0
PRE	0	0	0	0	0	0	0	0
PRF	0	0	0	0	0	0	0	0
UEO - ONSTAR® Delete	N/A	0	0	0	N/A	N/A	0	0

<sup>\*</sup> Included when UE1 is ordered

	OI	NSTAR® 4	G LTE WIT	H Wi-Fi SEF	RVICE PLAN	s			
ROV	0	0	0	0	0	0	0	0	
ROW	0	0	0	0	0	0	0	0	

		SIR	IUS XM SA	TELLITE RA	DIO				
U2K	S	N/A	N/A	N/A	S	S	0	0	
PR6	0	N/A	N/A	N/A	0	0	0	0	
PR7	0	N/A	N/A	N/A	0	0	0	0	
PR8	0	N/A	N/A	N/A	0	0	0	0	

		(	gм соммі	ERCIAL LIN	K				
POG POH	0	0	0	0	0	0	0	0	
POH	0	0	0	0	0	0	0	0	
POI	0	0	0	0	0	0	0	0	

S = Standard

O = Optional

N/A = Not Available



### **ONSTAR® SERVICE PLANS**

### **ONSTAR® BASIC PLAN FOR 5 YEARS**

Includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification. Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.

#### **UE1 - ONSTAR® GUIDANCE PLAN FOR 6 MONTHS**

Includes Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling minutes). Visit www.ONSTAR®.com for coverage map, details and system limitations. Services vary by model. ONSTAR® acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.

#### VV4 - ONSTAR® 4G LTE

Available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 3 months or 3GB (whichever comes first). Requires (UE1) ONSTAR® Guidance plan. Available Wi-Fi requires compatible mobile device, active ONSTAR® service and data plan. Data plans provided by AT&T. Visit ONSTAR®.com for details and system limitations.

### **PQF - ONSTAR® 6 MONTHS OF ONSTAR® PROTECTION SERVICE**

Provides 6 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQG, PQH or PRD.

### **PQG - ONSTAR® 18 MONTHS OF ONSTAR® PROTECTION SERVICE**

Provides 18 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQH or PRD.

### **PQH - ONSTAR® 30 MONTHS OF ONSTAR® PROTECTION SERVICE**

Provides 30 months of Protection service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PRD.

### **PQI - ONSTAR® 6 MONTHS OF ONSTAR® SECURITY SERVICE**

Provides 6 months of Security service in addition to the 6 months of standard Guidance Plan trial. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 12 months. PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQL, PQM or PRE.

### **PQL - ONSTAR® 18 MONTHS OF ONSTAR® SECURITY SERVICE**

Provides 18 months of Security service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQM or PRE.

### **PQM - ONSTAR® 30 MONTHS OF ONSTAR® SECURITY SERVICE**

Provides 30 months of Security service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PRE.

### PQP - ONSTAR® ADDITIONAL 6 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 6 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 12 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQQ, PQT or PRF.

### PQQ - ONSTAR® ADDITIONAL 18 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 18 months of Fleet Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 24 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQT or PRF.

### PQT - ONSTAR® ADDITIONAL 30 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 30 months of Guidance service in addition to the 6 months of standard Guidance Plan trial service that is included in the price of the vehicle (plan excludes Hands-Free Calling minutes). Total service duration is 36 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PRF.



### **ONSTAR® SERVICE PLANS (CONTINUED)**

### PRD - ONSTAR® 42 MONTHS OF ONSTAR® PROTECTION SERVICE

Provides 42 months of Protection service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQI, PQL, PQM, PQP, PQQ, PQT, PRE and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQF, PQG or PQH.

### PRE - ONSTAR® 42 MONTHS OF ONSTAR® SECURITY SERVICE

Provides 42 months of Security service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UE1 ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQP, PQQ, PQT, PRD and PRF. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQI, PQL or PQM.

#### PRF - ONSTAR® ADDITIONAL 42 MONTHS OF ONSTAR® FLEET GUIDANCE SERVICE

Provides 42 months of Guidance service in addition to the 6 months of standard Guidance plan trial service that is included in the price of the vehicle (trial and plan excludes Hands-Free Calling minutes). Total service duration is 48 months. Requires UEI ONSTAR®. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with PQF, PQG, PQH, PQI, PQL, PQM, PRD and PRE. Not available with a ship-to of Puerto Rico or the Virgin Islands. Available to order in addition to PQP, PQQ or PQT.

**UEO - ONSTAR®, DELETE** 

### Wi-Fi SERVICE PLANS

### **ROV - ONSTAR® WITH 4G LTE FOR FLEET (20GB/12 MONTHS)**

Provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 12GB data plan good for 12months. 1 - Requires (UE1) ONSTAR® and (VV4) ONSTAR® with 4G LTE and one of the following order types FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROW. Visit www.ONSTAR®.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.

### **ROW - ONSTAR® WITH 4G LTE FOR FLEET (36GB/24 MONTHS)**

Provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes AT&T 24GB data plan good for 24 months. Requires (UE1) ONSTAR® and (VV4) ONSTAR® with 4G LTE and one of the following order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with ROV. Visit www.ONSTAR®.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.

### SIRIUS XM SATELLITE RADIO

### **U2K SIRIUSXM® SATELLITE RADIO IS STANDARD ON NEARLY ALL 2017 GM MODELS**

Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM® has to offer, anywhere life takes you. Welcome to the world of SiriusXM.

IMPORTANT: The SiriusXM® Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.

PR6 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 9 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 9 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR7 or PR8. Not available in AK, HI, PR and VI.

PR7 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 21 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 21 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR8. Not available in AK, HI, PR and VI.

PR8 - SIRIUSXM® SATELLITE RADIO ADDITIONAL 33 MONTHS OF THE SIRIUSXM® ALL ACCESS PACKAGE Includes 150 channels of commercial-free music plus every major sport and the biggest names in entertainment, news and comedy in vehicle plus 33 months of listening on the SiriusXM® app or online in addition to the 3 months of All Access trial service that is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires (U2K) SiriusXM® Satellite Radio and a Fleet or Government order type. Not available with FDR order types, PR6 or PR7. Not available in AK, HI, PR and VI.

### **GM COMMERCIAL LINK**

**POG GM COMMERCIAL LINK 1 YEAR OF SERVICE -** Includes 12 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 12 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POH) GM Commercial Link - 2 years of Service or (POI) GM Commercial Link - 3 years of Service.

**POH GM COMMERCIAL LINK 2 YEARS OF SERVICE -** Includes 24 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 24 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link - 1 year of Service or (POI) GM Commercial Link - 3 years of Service.

**POI GM COMMERCIAL LINK 3 YEARS OF SERVICE -** Includes 36 months of GM Commercial Link service. Provides access and reporting for key vehicle information such as speed, location and maintenance through website and mobile application. Eligible customers must sign up for an account at www.gmcommerciallink.com in order take advantage of this 36 month offer. The Commercial Link service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. Requires UE1 OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with (POG) GM Commercial Link – 1 year of Service or (POH) GM Commercial Link – 2 years of Service.

### **POWERTRAIN**

		ENGINE	1	TRANSMI	SSION	AXLE		
MODEL	CODE	TYPE	DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	STANDARD	TYPE	OPTION CODE	RATIO
1LS/1LT Standard	LV1	V6	4.3/262	DI	Automatic MXO/MYD	Automatic 8-speed	GU6	3.42
1LS/1LT Optional	L96 Vortec	V8	6.0/366	SFI FlexFuel <sup>1</sup>	Automatic MXO/MYD	Automatic HD 6-speed	GU6	3.42
1LS/1LT Optional	LWN Duramax	14	2.8/170	DI	Automatic M5U	Automatic 8-speed	GU6	3.42

<sup>1.</sup> E85 is 85% ethanol and 15% gasoline.

### **AUTOMATIC TRANSMISSION RATINGS**

	(L20)	Vortec 4.8L V8 SFI	(L96) Vortec 6.0L V8 FlexFuel		(LC8) 6.0L V8 SFI Gaseous		(LWN) 2.8L Duramax Turbo-Diesel	
MODEL	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)	AXLE RATIO	Maximum Trailer Towing lbs. (kg)
CG23405	3.42	7200 (3266)	3.42	10000 (4536)	3.42	10000 (4536)	3.42	6800 (3084)
CG23705	3.42	6900 (3130)	3.42	9800 (4445)	3.42	9800 (4445)	3.42	6500 (2948)
CG33405	3.42	7200 (3266)	3.42	10000 (4536)	3.42	10000 (4536)	3.42	6800 (3084)
CG33705	3.42	7000 (3175)	3.42	9900 (4491)	3.42	9800 (4445)	3.42	6500 (2948)

The wiring system is designed to operate with maximum performance and reliability. Adding electrical accessories to the vehicle for which it was not designed, would case abnormalities in the electrical system.

The electrical system was designed to handle one additional stop/turn light bulb per tail light circuit (one added stop/turn light bulb to the right and left side). It is not recommended to add more than one bulb per circuit as it will result in damage to the electrical system (without optional trailer Towing Wiring). It is highly recommended to order the van with the optional (UY7) trailering wire harness only, trailering provisions for towing.

### GCWR For Engine/Rear Axle Ratio Combination


(GCWR) GRO	SS COMBINATIO	N WEIGHT RATINGS LBS. (KG)	
13000 (5897)		16000 (7258)	
(LV1) 4.3L V6 SIDI	3.42	(LC8) 6.0L V8 SFI Gaseous	3.42
(LWN) Duramax 2.8L I4 Turbo-Diesel	3.42	(L96) Vortec 6.0L V8 FlexFuel	3.42

### EMISSIONS - MUST BE SPECIFIED

FE9	<b>FEDERAL EMISSIONS,</b> Use for ordering vehicles that will be registered in all states except California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State.
YF5	CALIFORNIA EMISSIONS, Use for ordering vehicles that will be registered in California.
NE1	<b>EMISSIONS,</b> Use for ordering vehicles that will be registered in Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington State.
NB8	EMISSIONS, Required when option code FE9 "FEDERAL EMISSIONS" is ordered for delivery to a dealer located in California, Connecticut, Delaware, Massachusetts, Maryland, New Jersey, New York, Oregon, Pennsylvania, Rhode Island and Washington State for a purchaser who will be registering the vehicle outside California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State. Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington State.
NC7	EMISSIONS, Required when option code YF5 "CALIFORNIA EMISSIONS" or option code NE1 "CT/DE/ME/MD/MA/NJ/NY/OR/PA/RI/VT/WA EMISSIONS" is ordered for delivery to a dealer located in any state except California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State for a purchaser who will be registering the vehicle in one of these states or sold as permitted below under "EPA Policy on the Sale of California Emission Vehicles".
NB9	<b>EMISSIONS,</b> Required when option code YF5 is ordered for delivery to a dealer located in Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington State. Required when option code NE1 is ordered for delivery to a dealer located in California.

NOTE: For more 2018 Emissions requirements contact your local dealer (reference 2018 Model Year GM Vehicles Emission Requirements Bulletin number GM 17-17 issued August 22, 2017)

### **DIMENSIONS**



### **SPECIFICATIONS - GAS ENGINE**

GENERAL			-	
Model G2500 Regular Wheelbase R	WD (CG23405)			
Model G2500 Extended Wheelbase	<u> </u>			
Model G3500 Regular Wheelbase R	· · · · · · · · · · · · · · · · · · ·			
Model G3500 Extended Wheelbase				
	<u>'</u>			
Projected top speed on all Express ( NOTE: Adding non dealer accessories of		high can affect vehicle newform	ance acredimanies and ever	all ton speed
NOTE: Adding non dealer accessories	CG23405	CG23705	CG33405	CG33705
	G2500 Regular	G2500 Extended	G3500 Regular	G3500 Extended
	Wheelbase RWD	Wheelbase RWD	Wheelbase RWD	Wheelbase RWD
ENGINE	1WT	1WT	1WT	1WT
Type	V6 (LV1)	V6 (LV1)	V6 (LV1)	V6 (LV1)
Fuel	GAS	GAS	GAS	GAS
Displacement: liters/cu. in.	4.3/262	4.3/262	4.3/262	4.3/262
Horsepower/rpm	276@5200	276@5200	276@5200	276@5200
Torque lbft./rpm	298@3900	298@3900	298@3900	298@3900
Fuel system	DI	DI	DI	DI
Exhaust	Single	Single	Single	Single
Minimum recommended fue		87	87	87
Fuel tank capacity (gallons/		31/117.3	31/117.3	31/117.3
. doi tarik capacity (gailotts/		51/117.5	31/117.3	31/117.3
TRANSMISSION				
Automatic heavy-duty	8-speed	8-speed	8-speed	8-speed
Automatic neavy-duty	o-speed	o-speed	o-speed	o-speed
AXLE				
Ratio	3.42	3.42	3.42	3.42
Ratio	3.42	3.42	5.42	5.42
CHACCIC				
CHASSIS	F. III la ia aith	Full languille	Full lavaette	Cull lavasith
Frame	Full length	Full length	Full length	Full length
	boxed frame	boxed frame	boxed frame	boxed frame
Front suspension	Independent with	Independent with	Independent with	Independent with
	coil spring	coil spring	coil spring	coil spring
	and stabilizer bar	and stabilizer bar	and stabilizer bar	and stabilizer bar
Rear suspension	Hypoid driver axle	Hypoid driver axle	Hypoid driver axle	Hypoid driver axle
	w/multi-leaf springs	w/multi-leaf springs	w/multi-leaf springs	w/multi-leaf springs
Steering type	Speed sensitive,	Speed sensitive,	Speed sensitive,	Speed sensitive,
	variable ratio,	variable ratio,	variable ratio,	variable ratio,
	integral power	integral power	integral power	integral power
Steering ratio (center/stop)	17.2:1	17.2:1	17.2:1	17.2:1
3 111 (11 11 11 11 11 11 11 11 11 11 11 1				
BRAKES				
ABS hydra-boost	Disc/Disc	Disc/Disc	Disc/Disc	Disc/Disc
Front size	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50
Rear size	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14
TOM SIZE	13.0 \ 1.14	15.0 X 1.14	15.0 \ 1.14	15.0 X 1.14
TIRES				
Type	All-season	All-season	All-season	All-season
Size	LT245/75R16	LT245/75R16	LT245/75R16	LT245/75R16
JILE	L124J//JK10	L1243/13R10	L1243//3R10	L1243//3R10
WHEELS				
	Steel	Steel	Steel	Steel
Type Size	16" x 6.5"	16" x 6.5"	16" x 6.5"	16" x 6.5"
SIZE	C.O X OI	10 X 0.5"	10 X 0.5"	IO X 0.5
BATTERY				
Type	Maintenance free	Maintenance free	Maintenance free	Maintenance free
BCI group size	78	78	78	78
Volts	12	12	12	12
Amp hour rating	69	69	69	69
Cold cranking-amps @ 0°F		600	600	600
Reserve capacity @ 80°F (2	7°C) minutes 115	115	115	115
ALTERNATOR				
ALTERNATOR	105	105	100	105
Amps	105	105	105	105

### **SPECIFICATIONS - GAS ENGINE**

	CG23405 G2500 Regular Wheelbase RWD	CG23705 G2500 Extended Wheelbase RWD	CG33405 G3500 Regular Wheelbase RWD	CG33705 G3500 Extended Wheelbase RWD
EXTERIOR (in./mm)	175 00 /7 400	155.00/7077	175 00 /7 400	155.00/7077
Wheelbase	135.00/3429	155.00/3937	135.00/3429	155.00/3937
Overall length	224.10/5692	244.10/6200	224.10/5692	244.10/6200
Body width (without mirrors)	79.20/2012	79.20/2012	79.20/2012	79.20/2012
Overall height, at roof*	84.60/2149	84.30/2141	84.50/2146	84.10/2136
Front bumper to axle	39.70/1008	39.70/1008	39.70/1008	39.70/1008
Opening height, side door*	47.90/1217	47.90/1217	47.90/1217	47.90/1217
Opening height, rear door*	49.40/1255	49.40/1255	49.40/1255	49.40/1255
Opening width, sliding side door	44.10/1120	44.10/1120	44.10/1120	44.10/1120
Opening width, rear door, at beltline	57.00/1448	57.00/1448	57.00/1448	57.00/1448
Step up height, front door*	20.30/516	20.30/516	20.30/516	20.30/516
Step up height, side door*	20.80/528	20.80/528	20.80/528	20.80/528
Ground to top of rear load floor*	27.80/706	27.80/706	27.80/706	27.80/706
Ground clearance, front*	11.00/279	11.00/279	8.80/224	8.80/224
Ground clearance, rear*	7.10/180	7.10/180	7.70/196	7.70/196
Sign panel area, side panel width	116.50/2959	136.50/3467	116.50/2959	136.50/3467
Sign panel area, side panel height	56.70/1440	56.70/1440	56.70/1440	56.70/1440
Front stabilizer bar diameter, in./mm	1.38/35	1.38/35	1.38/35	1.38/35
Overhang, front	39.70/1008	39.70/1008	39.70/1008	39.70/1008
Turning circle/curb to curb	49.2/15	54.5/16.6	49.2/15	54.5/16.6
Sign panel area, side panel width Sign panel area, side panel height Front stabilizer bar diameter, in./mm Overhang, front	116.50/2959 56.70/1440 1.38/35 39.70/1008 49.2/15	136.50/3467 56.70/1440 1.38/35 39.70/1008	116.50/2959 56.70/1440 1.38/35 39.70/1008	136.50/3 56.70/ 1.3 39.70/

<sup>\*</sup>Published dimensions indicated are at Base Curb Weight.

### INTERIOR (in./mm)

Head room, front	39.80/1011	39.80/1011	39.80/1011	39.80/1011
Shoulder room, front	68.80/1748	68.80/1748	68.80/1748	68.80/1748
Hip room, front	65.50/1664	65.50/1664	65.50/1664	65.50/1664
Leg room, front	41.30/1049	41.30/1049	41.30/1049	41.30/1049
Load floor length, to front seat, at floor	124.60/3165	146.20/3713	124.60/3165	146.20/3713
Load floor length, to engine cover, at floor	153.60/3901	173.60/4409	153.60/3901	173.60/4409
Inside width, between wheelhousing	52.70/1339	52.70/1339	52.70/1339	52.70/1339
Cargo area height	52.90/1344	53.40/1356	52.90/1344	53.40/1356

### **CAPACITY**

Seating capacity (front)	2	2	2	2
Optional seating capacity (front/rear)	2/3	2/3	2/3	2/3
Base curb weight <sup>4</sup> , lbs. (kg)	5225 (2370)	5556 (2520)	5266 (2389)	5482 (2487)
Payload <sup>5</sup> , lbs./kg	3353 (1521)	3022 (1371)	4311 (1955)	4096 (1858)
Cargo vol., reg,1	239.7/6788.3	284.4/8054.2	239.7/6788.3	284.4/8054.2
w/seats, cu. ft./liters				
Cargo vol., reg,1	270.4/7657.7	313.9/8889.6	270.4/7657.7	313.9/8889.6
w/seats removed, cu. ft./liters				
GVWR <sup>3</sup> lbs./kg	8600/3901	8600/3901	9600/4355	9600/4355
Gross Vehicle Weight Rating/				
Fuel capacity, approximate, U.S., gallon/	iters 31/117	31/117	31/117	31/117

<sup>1.</sup> Cargo and load capacity limited by weight and distribution.

<sup>1.</sup> Cargo and load capacity infinited by weight and distribution.

3. Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.

4. Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content)

5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

### **SPECIFICATIONS - DIESEL ENGINE**

	SPECIFICATION	DNS - DIESEL EN	NGINE	
GENERAL				
Model G2500 Regular Wheelbase RV	VD (CG23405)			
Model G2500 Extended Wheelbase F				
Model G3500 Regular Wheelbase RV	<u>'</u>			
Model G3500 Extended Wheelbase F				
Projected top speed on all Express Ca	, ,			
NOTE: Adding non dealer accessories		hicle can affect vehicle perform	ance aerodynamics and overa	II ton speed
110 121 Adding non-dealer decessories	_			
	CG23405	CG23705	CG33405	CG33705
	G2500 Regular	G2500 Extended	G3500 Regular	G3500 Extended
	Wheelbase RWD	Wheelbase RWD	Wheelbase RWD	Wheelbase RWD
ENGINE	1WT	1WT	1WT	1WT
Type	Duramax (LWN)	Duramax (LWN)	Duramax (LWN)	Duramax (LWN)
	Turbo I-4	Turbo I-4	Turbo I-4	Turbo I-4
Fuel	Diesel	Diesel	Diesel	Diesel
Displacement: liters/cu. in.	2.8/170	2.8/170	2.8/170	2.8/170
Horsepower/rpm	181@3400	181@3400	181@3400	181@3400
Torque lbft./rpm	369@2000	369@2000	369@2000	369@2000
Fuel system	Turbo Diesel	Turbo Diesel	Turbo Diesel	Turbo Diesel
Exhaust	Single	Single	Single	Single
Fuel tank capacity (gallons/lit		31/117.3	31/117.3	31/117.3
· del callit capacity (gallerie, in	2,	G.yG	0,0	0,1110
TRANSMISSION				
Automatic heavy-duty	8-speed	8-speed	8-speed	8-speed
AXLE				
Ratio	3.42	3.42	3.42	3.42
			****	
CHASSIS			_	
Frame	Full length	Full length	Full length	Full length
	boxed frame	boxed frame	boxed frame	boxed frame
Front suspension	Independent with	Independent with	Independent with	Independent with
	coil spring	coil spring	coil spring	coil spring
	and stabilizer bar	and stabilizer bar	and stabilizer bar	and stabilizer bar
Rear suspension	Hypoid driver axle	Hypoid driver axle	Hypoid driver axle	Hypoid driver axle
	w/multi-leaf springs	w/multi-leaf springs	w/multi-leaf springs	w/multi-leaf springs
Steering type	Speed sensitive,	Speed sensitive,	Speed sensitive,	Speed sensitive,
	variable ratio,	variable ratio,	variable ratio,	variable ratio,
	integral power	integral power	integral power	integral power
Steering ratio (center/stop)	17.2:1	17.2:1	17.2:1	17.2:1
BRAKES				
ABS hydra-boost	Disc/Disc	Disc/Disc	Disc/Disc	Disc/Disc
Front size	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50	12.8 x 1.50
Rear size	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14	13.0 x 1.14
TIDES				
TIRES		A II	• !!	A.II.
Туре	All-season	All-season	All-season	All-season
Size	LT245/75R16	LT245/75R16	LT245/75R16	LT245/75R16
WHEELS				
Type	Steel	Steel	Steel	Steel
Size	16" x 6.5"	16" x 6.5"	16" x 6.5"	16" x 6.5"
	10 \ 0.3	10 X 0.5	10 7 0.5	10 7 0.0
BATTERY	Maintarrant	Mainterare	Majakasasas fo	Majohanasaa
Type	Maintenance free	Maintenance free	Maintenance free	Maintenance free
BCI group size	78	78	78	78
Volts	12	12	12	12
Amp hour rating	63	63	63	63
Cold cranking-amps @ 0°F (-		Dual 770	Dual 770	Dual 770
Reserve capacity @ 80°F (27	°C) minutes 110	110	110	110

150

150

150

150

**ALTERNATOR** 

Amps

### **SPECIFICATIONS - DIESEL ENGINE**

EXTERIOR (in./mm)	CG23405 G2500 Regular Wheelbase RWD	CG23705 G2500 Extended Wheelbase RWD	CG33405 G3500 Regular Wheelbase RWD	CG33705 G3500 Extended Wheelbase RWD
Wheelbase	135.00/3429	155.00/3937	135.00/3429	155.00/3937
Overall length	224.10 /5692	244.10 /6200	224.10 /5692	244.10 /6200
Body width (without mirrors)	79.20 /2012	79.20 /2012	79.20 /2012	79.20 /2012
Overall height, at roof*	84.60 /2149	84.30 /2141	84.50 /2146	84.10 /2136
Front bumper to axle	39.70 /1008	39.70 /1008	39.70 /1008	39.70 /1008
Opening height, side door*	47.90 /1217	47.90 /1217	47.90 /1217	47.90 /1217
Opening height, rear door*	49.40 /1255	49.40 /1255	49.40 /1255	49.40 /1255
Opening width, sliding side door	44.10 /1120	44.10 /1120	44.10 /1120	44.10 /1120
Opening width, rear door, at beltlir	ne 57.00/1448	57.00 /1448	57.00 /1448	57.00 /1448
Step up height, front door*	20.30 /516	20.30 /516	20.30 /516	20.30 /516
Step up height, side door*	20.80 /528	20.80 /528	20.80 /528	20.80 /528
Ground to top of rear load floor*	27.80 /706	27.80 /706	27.80 /706	27.80 /706
Ground clearance, front*	11.00 /279	11.00 /279	8.80 /224	8.80 /224
Ground clearance, rear*	7.10 /180	7.10 /180	7.70 /196	7.70 /196
Sign panel area, side panel width	116.50 /2959	136.50 /3467	116.50 /2959	136.50 /3467
Sign panel area, side panel height	56.70 /1440	56.70 /1440	56.70 /1440	56.70 /1440
Front stabilizer bar diameter, in./m	nm 1.38 /35	1.38 /35	1.38 /35	1.38 /35
Overhang, front	39.70 /1008	39.70 /1008	39.70 /1008	39.70 /1008
Turning circle/curb to curb	49.2/15	54.5/16.6	49.2/15	54.5/16.6

<sup>\*</sup>Published dimensions indicated are at Base Curb Weight.

### **INTERIOR (in./mm)**

Head room, front	39.80 /1011	39.80 /1011	39.80 /1011	39.80 /1011
Shoulder room, front	68.80 /1748	68.80 /1748	68.80 /1748	68.80 /1748
Hip room, front	65.50 /1664	65.50 /1664	65.50 /1664	65.50 /1664
Leg room, front	41.30 /1049	41.30 /1049	41.30 /1049	41.30 /1049
Load floor length,	124.60 /3165	146.20 /3713	124.60 /3165	146.20 /3713
to front seat, at floor				
Load floor length,	153.60 /3901	173.60 /4409	153.60 /3901	173.60 /4409
to engine cover, at floor				
Inside width, between wheelhousing	52.70 /1339	52.70 /1339	52.70 /1339	52.70 /1339
Cargo area height	52.90 /1344	53.40 /1356	52.90 /1344	53.40 /1356

### **CAPACITY**


Seating capacity/front	2	2	2	2
Optional seating capacity/front/rear	2/5	2/5	2/5	2/5
Base curb weight <sup>4</sup> , lbs. (kg)	5678 (2576)	5911 (2681)	5767 (2616)	5992 (2718)
Cargo vol., reg¹, cu. ft. (liters)	239.7/6788.3	284.4/8054.2	239.7/6788.3	284.4/8054.2
w/seats				
Cargo vol., reg¹, cu. ft. (liters)	270.4/7657.7	313.9/8889.6	270.4/7657.7	313.9/8889.6
w/seats removed				
Payload <sup>5</sup> , lbs. (kg)	2900 (1315)	2667 (1210)	3811 (1729)	3886 (1763)
GVWR <sup>3</sup> , lbs. (kg)	8600 (3901)	8600 (3901)	9600 (4355)	9900 (4491)
Gross Vehicle Weight Rating				
Fuel capacity, approximate,	31/117	31/ 117	31/ 117	31/ 117
U.S., gallon (liters)				
Conventional Trailer Rating, lbs. (kg)	7100/3220	6100/2767	6200/2812	6000/2722

Cargo and load capacity limited by weight and distribution.
 Gross Vehicle Weight Rating (GVWR). When properly equipped, includes vehicle, passengers, cargo and equipment.


<sup>4.</sup> Base curb weight in operational status with 100% fuel, fluids and standard base equipment (excludes optional content) 5. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.

## **AIRBAGS**


### TOP VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE



### REAR VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




### RIGHT SIDE VIEW OF INSTRUMENT PANEL AND APPROXIMATE DEPLOYMENT AREA OF THE AIRBAG ZONE




## **AIRBAGS**

ROOF-RAIL SIDE IMPACT AIRBAG DEPLOYMENT ZONES - PASSENGER SIDE SHOWN, DRIVER SIDE SIMILAR



### ROOF-RAIL SIDE IMPACT AIRBAG DRIVER AND PASSENGER DEPLOYMENT ZONES - VIEW FROM REAR CARGO AREA



- 1. Roof-rail Airbag Deployment Zone
- 2, Underside of Headliner
- 3. Edge of Headliner
- 4. Inner Pillar Trim
- 5. Inner Front Door Trim

- 6. Front Seatback Side Deployment ZoneH: 520 mm Above Seat CushionW: 180 mm From Door Trim
- 7. Front Seat Back
- 8. Seat Centerline
- 9. Top of Seat Cushion

The driver and passenger seat-mounted side impact airbag deployment zones move up, down, fore, aft, as the seat is adjusted by the occupant. The deployment zones also move as the seatback is reclined and raised.

### **AIRBAGS FAQ**

# Can specialty vehicle equipment (e.g. radar devices, video cameras, computers, meters, radio trees, shotguns, etc.) still be mounted in cars with passenger side airbags?

Yes, but care must be taken to mount the equipment outside of the deployment zone. Airbags inflate with great force and will interact with any object in the deployment zone. Therefore, to reduce the risk of injury to vehicle occupants, GM recommends that the air deployment zone be kept free of any equipment. If a piece of equipment were to become dislodged it could strike an occupant in the vehicle and result in injury. The likelihood of an object becoming dislodged is influenced by many factors, including the proximity of the object to the inflatable restraint, the size and shape of the object and the means by which the object is secured to the vehicle. In addition to these factors, the trajectory and velocity of the dislodged object can be influenced by the type and severity of vehicle crash.

Objects that are in the deployment zone, but do not become dislodged by an inflating airbag can still affect the performance of the airbag. For example, such objects could tear the fabric or affect the shape of the airbag, thus reducing the ability of the bag to provide restraint.

# Is it possible to shield equipment that is installed in the passenger side frontal airbag deployment zone in a manner that will allow full and safe airbag deployment?

Due to the complexity of the influencing variables, GM is unable to evaluate the potential for shielding expected equipment configurations in all accident scenarios in order to assure that the airbag performance would be unaffected. While shielding may protect certain equipment from being damaged or dislodged, it may also negatively affect the inflation characteristics of the airbag. The airbag's shape, inflation angle, fold pattern, and inflation rate and pressure are developed to maximize the protection capability of the inflatable restraint system. Therefore, GM cannot recommend the placement of any equipment in the deployment zone, even if it is shielded to protect it from damage.

### Front airbag systems and instrument panel mounted equipment.

Passenger airbags in GM vehicles deploy in different ways depending upon the type of vehicle and the particular instrument panel design.

In some vehicles, the passenger airbag deploys through a discrete door located on the top surface of the instrument panel (top-mount airbag systems). In other vehicles, the passenger airbag deploys through a discrete door mounted on the vertical rearward surface of the instrument panel, above the glove box door (mid-mount airbag system). With these types of top mount and mid-mount passenger airbag systems, the top pad of the instrument panel remains in place during deployment.

Some GM passenger airbag systems deploy from beneath the instrument panel top pad. These are considered 3/4-mount airbag systems with a "deployable top pad." The entire instrument panel top pad is the "deployment door" from under which the inflation airbag emerges. When an airbag deployment is commanded, the forces from the inflating passenger airbag push up on the instrument panel top pad, releasing special fasteners across the rearward edge of the top pad. This allows the top pad to rotate upward so that the passenger airbag may emerge. The top pad rotates upward to open widest at the right hand side, and is usually forced upward into contact with the windshield on the right hand

side of the vehicle during a deployment.

Instrument panel top mounted special equipment, such as a radar antenna and control unit or video camera must be positioned to the left of the vehicle center line. This equipment must be mounted as low as possible and securely fastened to the top pad to avoid being dislodged in the event of a crash and possible airbag deployment. In the process of securely fastening special equipment to the top, DO NOT fasten down the top pad itself to any other vehicle component such as the cluster trim plate. As described above, the top pad rotates upward during a deployment. In order to enable the proper deployment of the passenger airbag, specialty equipment installation MUST NOT PREVENT the top pad from rotating upward during deployment. Location and attachment of special equipment should minimize added resistance or interference to upward rotation of the top pad during deployment.

On the right half of the top pad closest to the passenger airbag module, GM recommends that no equipment be mounted. When mounting equipment not he driver side of the top pad, GM recommends that the toal mass of the top pad mounted special equipment not exceed 8 pounds (3.6 Kilograms), since some top pads tend to rotate about the left end.

Fasteners used to secure special equipment to the instrument panel top pad, the windshield glass, or to the windshield upper frame (header), should be selected to ensure that these devices will remain attached during a vehicle crash and possible airbag deployment.

#### Side-Impact Airbags for crashes to the vehicle sides.

The airbag system in your police vehicle includes roof rail mounted Head Curtain side airbags. The vehicle is also equipped with seat back mounted upper body airbags located on the outboard side of the driver and front passenger seat backs. Together the Head Curtain and seat-mounted side airbags are intended to protect the head and upper body in the event of a side crash. The Head Curtain and seat-mounted side airbags also may be commanded to deploy in the event that the vehicle sensing system detects an impending or underway rollover of the vehicle. Some vehicles may also be equipped with an optional airbag, mounted on the inboard side of the driver seat back.

### Can Specialty Vehicle Security Barriers be mounted within the side airbag deployment zones?

No. The Side airbags inflate extremely fast because of the nature of side crashes to the vehicle. Mounting a security barrier behind the front seats with the ends placed within the side airbag deployment zones will result in unintended interaction between the barrier and the inflated side airbags. To reduce the risk of injury to the vehicle occupants, GM recommends that the side airbag zones be kept free of any customer installed equipment.

### Customer furnished equipment installed to the vehicle roof.

The roof system may also include side airbag head curtain components.

Inflation devices and cushion components may be mounted not he vehicle roof side from the base of the windshield along the roof rail above the door openings to the base of the rear window pillar. Care must be taken to avoid damage to these components or interference with their operation when installing roof mounted equipment such as emergency lamps and communication antennas.

Always use safety belts and the correct restraint for your child's age and size, even with air bags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and the child safety seat instructions for more safety information.

## AIRBAGS FAQ

### Can the installation of push bumpers on the front end of the vehicle affect the deployment of the airbag?

General Motors is not aware of adverse effects during crash events from the many push bumpers that have been installed on GM police vehicles. Because there are many styles of push bumpers available with varying crash characteristics, installation of push bumpers may or may not effect deployment timing of the airbags. Push bumpers should be mounted to avoid modifying the vehicle structure and interfering with the front airbag sensors mounted on the upper radiator support cross member.

Two front impact sensors are installed in General Motors vehicles. Do not relocate or disconnect the front sensors. The location and orientation of the front sensors are critical for correct operation of the airbag system. Avoid mounting components on or near the sensors. Push bumper styles with vertical pushing members that are in foreaft alignment with the front airbag sensors are not recommended.

### When should an airbag inflate?

The driver's and right-front passenger's frontal airbags are designed to inflate in moderate to severe frontal or near-frontal crashes. But they are designed to inflate only if the impact speed is above the system's designed "threshold level."

In addition, your vehicle has "dual stage" frontal airbags which tailor the amount of restraint according to crash severity. For moderate frontal impacts, the airbags inflate at a level less than full deployment. For more severe frontal impacts, "dual stage" frontal airbags deploy at full levels.

If the front of your vehicle goes straight into a wall that doesn't move or deform, the threshold level of the reduced deployment is about 12 to 16mph (19 to 15 km/h), and the threshold level for a full deployment is about 18 to 24 mph (29 to 28.5 km/h). The threshold level can vary, however, with specific vehicle design, so that it can be somewhat above or below this range.

If your vehicle strikes something that will move or deform such as a parked car, the threshold level will be higher. The driver's and right-front passenger's frontal airbags are not designed to inflate in rollover, side impacts, or rear impacts, because inflation would not help the occupant.

Seat mounted side impact airbags are designed to inflate in moderate to severe side crashes. The side impact airbags will inflate if the crash severity is above the designed "threshold level." The threshold level can vary with specific vehicles design. The side impact airbags are not designed to inflate on frontal or near frontal impacts or rear impacts, because inflation would not help the occupant.

Roof rail mounted head-curtain airbags are designed to inflate in moderate to severe side crashes. In addition, certain vehicles have head-curtain airbags which are also designed to inflate in situations where an impending rollover condition is identified by the vehicle's rollover sensing system and/or frontal or near-frontal impacts if the crash severity is above the designed "threshold level." Safety belt pretensioners at the driver and front passenger seat positions are designed to deploy in frontal, near-frontal, side, and rear crashes that exceed the "threshold level" of crash severity to help reduce slack in the safety belt. Safety belt pretensioners will also deploy in impending rollover situations.

#### How long will the airbag remain inflated?

It takes approximately 1/20th of a second to fully inate the frontal airbags. This is faster than the blink of an eye. The airbags begin to deate immediately, helping to stop the occupants more gradually. Unlike frontal airbags, head curtain side airbags can remain inflated for more than 5 seconds before they start to deate.

### I've heard that a deployed airbag produces what appears to be smoke, is the airbag hot?

After the bag has deployed in a crash, the airbag itself will not be hot to touch. Some components within the airbag module will be hot for a short time. A small amount of smoke coming from a deployed airbag module is normal and should not be cause for concern. Also, when the nitrogen gas is vented out of the airbag, small particles from inside the bag are also vented into passenger compartment. These airborne particles look like smoke and some particles are deposited as residue on and around the airbag.

I've heard that the dusts that are released into the passenger compartment from the airbag are harmful, is this true?

For most people, the only effect the dusts will produce is some irritation of the throat and eyes, and that is only if the occupant remains in the vehicle for many minutes after the airbag deployment with no ventilation and windows closed. However, some people with asthma may develop an asthmatic attack from inhaling the dusts. If this happens, they should first treat themselves the same way their doctor has advised them to treat any other asthma attack, and then immediately seek medical treatment.

### Can the airbag system be re-used?

No. The airbags are designed to inflate only once. After inflation, some new parts will be required. These will include the airbag module and possibly other parts. (A competent service technician with access to the vehicle's service manual and the required tools should replace the required components after a deployment crash.)

### If my vehicle has airbags, why should I have to wear my safety belt?

Yes, safety belts are the primary safety restraint in the vehicle. Airbags are in many vehicles today and will be in most of them in the future. But they are supplemental systems only; so they work with safety belts, not instead of them. Every airbag system ever offered for sale has required the use of safety belts. Even if you're in a vehicle that has airbags, you still have to buckle up to get the most protection. That's true not only in frontal collisions but especially in side and other collisions.

Always use safety belts and the correct restraint for your child's age and size, even with air bags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and the child safety seat instructions for more safety information.

# ELECTRONIC STABILITY CONTROL SYSTEMS (STABILITRAK)

StabiliTrak systems help drivers maintain control of their vehicles, especially during emergency lane changes or avoidance maneuvers. StabiliTrak uses various sensors, such as steering wheel angle, wheel speed, yaw velocity, etc., to detect any difference between the path requested by the steering wheel position and vehicle's actual path. When appropriate, the system selectively controls brakes, engine power, and even suspension settings to enhance control of the vehicle's direction and help keep it on course.

Independent studies conducted by the National Highway Traffic Safety Administration, the Insurance Institute for Highway Safety, and others have found StabiliTrak to be highly reactive in reducing vehicle crashes. General Motors offers StabiliTrak systems on many of its passenger car and light truck models.

See your owner's manual for additional information about the operation of StabiliTrak.

### Q. How do I use StabiliTrak?

### A. StabiliTrak operates independently of the driver.

You should continue to drive your StabiliTrak equipped vehicle with caution and care. GM's StabiliTrak system, StabiliTrak is designed to be as seamless as possible in operation, and part of the overall vehicle response to make a good vehicle better

### Q. How does StabiliTrak work?

A. StabiliTrak has the ability to apply control forces to the vehicle independent of the driver. StabiliTrak uses sensors to continuously compare the path indicated by the steering wheel position to the vehicle's actual path. If a discrepancy is detected, StabiliTrak selectively controls vehicle brakes and engine torque to create a yaw moment that helps restore the vehicle's actual path to the path indicated by the steering wheel position. StabiliTrak has the ability to help correct both understeer (where the vehicle is not turning as much as the steering wheel position indicates) and oversteer (where the vehicle is turning more than the steering wheel position indicates).

### Q. Will a tire change aect StabiliTrak?

A. Use of tires other than original equipment may aect StabiliTrak performance. StabiliTrak is designed to make the best use of available traction. The performance characteristics of the original equipment tires are part of the overall system effectiveness. When you replace tires check the recommendations in your owner's manual. On GM vehicles, the original equipment tires have a "TPC" (Tire Performance Criteria) code on the sidewall. Replacing the tires with the same "TPC" code will help assure proper StabiliTrak performance.

# DRIVER OPERATED TRACTION CONTROL BUTTON

### An advanced computer controlled stability

enhancement system assists the driver with directional control of the vehicle in dicult driving conditions. Each time the vehicle is started, the StabiliTrak system is fully on. Stabilitrak can be controlled by a Traction Control Button. The condition system is displayed by a StabiliTrak indicator light and Driver Information

Center (DIC) Message. Push once to disable Traction Control. Push and hold to disable both Traction Control and StabiliTrak. In this condition, StabiliTrak will automatically turn ON when the vehicle speed exceeds 35 mph (56km/hr) while the Traction Control remains OFF. Push again to enable Traction Control and StabiliTrak.

### **MAINTENANCE**

Two maintenance visits within 2 years/24,000 miles (whichever comes first) includes:

- ACDelco dexos1®Oil and ACDelco Oil Filter Change (excludes Bolt EV)
- 4-wheel Tire Rotation
- 27-Point Vehicle Inspection (MPVI)

Maintenance visits must occur within two years or 24,000 miles of vehicle delivery, whichever comes first. All 2017 Corvette models are eligible for three service visits under the Chevrolet Complete Care program. Does not include air filters. See participating dealer for other restrictions and complete details.

All vehicles require periodic maintenance. Maintenance services, such as those detailed in the Owner's Manual are the owner's expense. Vehicle lubrication, cleaning, or polishing are not covered. Failure of or damage to components requiring replacement or repair due to vehicle use, wear, exposure, or lack or maintenance is not covered.

Items such as audio system cleaning, brake pads/linings, clutch linings, coolants and fluids, filters, keyless entry (or other remote transmitter/receiver batteries),† limited slip rear axle service, tire rotation, wheel alignment/balance,† wiper inserts are covered up to the first maintenance inspection period outlined in the Owner's Manual. Any replacement at the time of, or beyond the maintenance inspection period is considered maintenance, and is not covered as part of the New Vehicle Limited Warranty. The New Vehicle Limited Warranty only covered components when replacement or repair of these components is the result of a defect in material or workmanship.

### **BUMPER TO BUMPER WARRANTY** (including tires)

Coverage is for the first 3 years or 36,000 miles, whichever comes first.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state. GM does not authorize any person to create for it any other obligation or liability in connection with these vehicles. Any implied warranty of merchantability or fitness for a particular purpose applicable to this vehicle is limited in duration to the duration of this written warranty. Performance of repairs and needed adjustments is the exclusive remedy under this written warranty or any implied warranty. GM shall not be liable for incidental or consequential damages, such as, but not limited to, lost wages or vehicle rental expenses, resulting from breach of this written warranty or any implied warranty.

### **ENGINE**

Coverage includes all internally lubricated parts, engine oil cooling hoses, and lines. Also included are all actuators and electrical components internal to the engine (e.g., Active Fuel Management valve, lifter and oil manifold) cylinder head, block, timing gears, timing chain, timing cover, oil pump/oil pump housing, OHC carriers, valve covers, oil pan, seals, gaskets, manifolds, flywheel, water pump, harmonic balancer, engine mount, turbocharger, and supercharger. Timing belts are covered until the first scheduled maintenance interval. Exclusions: Excluded from the powertrain coverage are sensors, wiring, connectors, engine radiator, coolant hoses, coolant, and heater core. Coverage on the engine cooling system begins at the inlet to the water pump and ends with the thermostat housing and/or outlet that attaches to the return hose. Also excluded is the starter motor, entire pressurized fuel system (in-tank fuel pump, pressure lines, fuel rail(s), regulator, injectors, and return line), as well as the Engine/ Powertrain Control Module and/or module programming.

#### **DIESEL ENGINE COMPONENTS**

Cylinder block and heads and all internal parts, intake and exhaust manifolds, timing gears, timing gear chain or belt and cover, flywheel, harmonic balancer, valve covers, oil pan, oil pump, water pump, fuel pump, engine mounts, seals, and gaskets. Parts of the Emissions Reduction System such as the emissions reduction fluid tank, injectors, sensors including NOx and exhaust, and the Exhaust Particulate Filter. Glow Plug Control System: Control/glow plug assembly, glow plugs, cold advance relay, and engine control module. The fuel injection control module, integral oil cooler, transmission adapter plate, common fuel rails, fuel filter assembly, fuel temperature sensor, and function block.

### **POWERTRAIN LIMITED WARRANTY**

Coverage is for the first 5 years or 60,000 miles, whichever comes first.

Certain commercial fleet and/or government fleet vehicles purchased under a qualifying fleet account number are covered for 5 years or 100,000 miles, whichever comes first. A Qualified Fleet User is defined as a company that has purchased and registered or leased five (5) or more new cars/or trucks solely for use in its operation during the current or preceding calendar year, model year, preceding twelve (12) month period, or that owns or leases fifteen (15) or more cars and trucks. Excludes rental customers. See dealer for details.

Diesel Engine/Components: Cylinder block and heads and all internal parts, intake and exhaust manifolds, timing gears, timing gear chain or belt and cover, flywheel, harmonic balancer, valve covers, oil pan, oil pump, water pump, fuel pump, engine mounts, seals, and gaskets. Parts of the Emissions Reduction System such as the emissions reduction fluid tank, injectors, sensors including NOx and exhaust, and the Exhaust Particulate Filter. Glow Plug Control System: Control/glow plug assembly, glow plugs, cold advance relay, and engine control module. The fuel injection control module, integral oil cooler, transmission adapter plate, common fuel rails, fuel filter assembly, fuel temperature sensor, and function block.

Refer to the Limited Warranty and Owner Assistance Information or a Chevrolet dealership for additional details.

#### TRANSMISSION AND TRANSAXLE

Coverage includes all internally lubricated parts, case, torque converter, mounts, seals and gaskets, as well as any electrical components internal to the transmission/transaxle. Also covered are any actuators directly connected to the transmission (slave cylinder, etc.). Exclusions: Exclusions from the powertrain coverage include cooling lines, hoses, radiator, sensors, wiring, and electrical connectors. Also excluded are the clutch and pressure plate, as well as any Transmission Control Module and/or module programming.

### TRANSFR CASE

Coverage includes all internally lubricated parts, case, mounts, seals and gaskets, as well as any electrical components internal to the transfer case. Also covered are any actuators directly connected to the transfer case, as well as the encoder motor. Exclusions: Excluded from the powertrain coverage are transfer case cooling lines, hoses, radiator, sensors, wiring, and electrical connectors, as well as the transfer case control module and/or module programming.

### **DRIVE SYSTEMS**

Coverage includes all internally lubricated parts, final drive housings, axle shafts and bearings, constant velocity joints, propeller shafts and universal joints. All mounts, supports, seals, and gaskets, as well as any electrical components internal to the drive axle. Also covered are any actuators directly connected to the drive axle (e.g., front differential actuator). Exclusions: Excluded from the powertrain coverage are all wheel bearings, drive wheel front and rear hub bearings, locking hubs, drive system cooling, lines, hoses, radiator, sensors, wiring, and electrical connectors related to drive systems, as well as any drive system control module and/or module programming.

### SHEET METAL

All body and sheet metal components are warranted against corrosion for 3 years or 36,000 miles, whichever comes first. Plus you're protected even further from rust-through corrosion for a minimum of 6years/100,000 miles (whichever comes first). Application of additional rust-inhibiting materials is not required under the corrosion coverage and none is recommended. See your GM dealer for terms of this limited warranty.

#### **EMISSION CONTROL SYSTEM**

For light duty trucks, see "How to Determine the Applicable Emissions Control Systems Warranty" under Emission Control System Warranty on pg. 21 for more information. Defects and performance for car and light-duty truck emission control systems are covered for the first 2 years or 24,000 miles, whichever comes first. From the first 2 years or 24,000 miles to 3 years or 36,000 miles defects in material or workmanship continue to be covered under the New Vehicle Limited Bumper-to-Bumper Warranty coverage. Specified major components are covered for the first 8 years or 80,000 miles, whichever comes first. Defects and performance for heavy duty truck emission control systems including those found in 6.6L Duramax® Diesel Engines are covered for the first 5 years or 50,000 miles, whichever comes first.

California: Defects and performance for cars and trucks with light duty or medium duty emission control systems are covered for the first 3 years or 50,000 miles, whichever comes first. Specified components for cars or light duty trucks equipped with light duty or medium duty truck emission control systems are covered for the first 7 years or 70,000 miles, whichever comes first. See "California Emission Control System Warranty" on pg. 21 of your Chevrolet Limited Warranty and Owner Assistance Information booklet.

### **TIRES**

The tires supplied with your vehicle are covered by General Motors against defects in material or workmanship under the Bumper-to-Bumper Limited Warranty coverage. Wear-out is not considered a defect, and it may occur before the vehicle warranty expires. In this case, the owner is responsible for purchasing replacement tires, or seeking coverage solely from the tire manufacturer. For vehicles within the Bumper-to-Bumper Limited Warranty coverage, defective tires will be replaced on a prorated adjustment basis according to the mileage-based schedule in your Warranty and Owner Assistance Information booklet. After your New-Vehicle Limited Warranty expires, you may still have prorated warranty coverage on your original equipment tires by the tire manufacturer.

#### **ACCESSORY COVERAGE**

Most GM parts and accessories sold and permanently installed on a GM vehicle by a GM Dealer or GM approved Accessory Distributor/Installer (ADI) prior to delivery will be covered under the applicable portion (Bumper-to-Bumper, Powertrain, etc.) of the New Vehicle Limited Warranty. In the event GM accessories are installed after vehicle delivery, or are replaced under the New Vehicle Limited Warranty, they will be covered, parts and labor, for the balance of the applicable portion of the New Vehicle Limited Warranty, but in no event less than 12 months/unlimited miles. GM Accessories sold over the counter, or those not requiring installation, will continue to receive the standard GM Dealer Parts Warranty of 12 months from the date of purchase, parts only. GM Licensed and Integrated Business Partner (IBP) Accessories are covered under the accessory-specific manufacturer's warranty and are not warranted by GM or its dealers.

### **TOWING**

Towing is covered to the nearest Chevrolet dealer if your vehicle cannot be driven because of a warranted defect.

### **COURTESY TRANSPORTATION PROGRAM**

Offers response, security and convenience of the 24-Hour Roadside Assistance Program. Roadside Assistance is provided with all purchased or leased GM vehicles that are within the Powertrain Limited Warranty.

- Emergency Towing (from a public road or highway to nearest Chevrolet dealer)
- Lockout Service (keys locked inside vehicle)
- Flat Tire Changes (service to change a flat tire with the spare tire (if equipped)
- Fuel Delivery (enough fuel for vehicle to get to the nearest service station)
- Jump-Starts (service to jumpstart a dead battery) During the 8 year or 100,000 miles
- Electric Propulsion warranty period, towing is covered to the nearest Chevrolet servicing dealer if your vehicle cannot be driven because of a warranted Electric Propulsion specific defect. Refer to your Owner's Manual for details, including reservation of rights, or consult your dealer/retailer. --For specific terms and conditions, please contact your Chevrolet Roadside Assistance Program advisor at 1-800-243-8872.

#### WHAT IS NOT COVERED

Tire and Wheel Damage or Wear Normal tire wear and tear or wear-out is not covered. Tire wear is influenced by many variables such as road conditions, driving styles, vehicle weight, and tire construction. Uniform tire wear is a normal condition, and it not considered a defect. Road hazard damage such as punctures, cuts, snags, and breaks resulting from pothole impact, curb impact, or from other objects is not covered. Tire wear due to misalignment beyond the warranty period is not covered. Also, damage from improper mounting or dismounting, misuse, negligence, alteration, improper repair, accident, collision, fire, vandalism, or misapplication is not covered. Damage to sidewalls caused by automatic car washes or cleaning agents is not covered.

Damage Due to Bedliners Owners of trucks with a bedliner, whether after-market or factory installed, should expect that with normal operation the bedliner will move. This movement may cause finish damage. Therefore, any damage caused by the bedliner is not covered under the terms of the New Vehicle Limited Warranty. The factory spray in bedliner (RPO CGN) is not covered for a loss of shine and luster or fading. Refer to the Owner's Manual for more information on spray in bedliner maintenance.

Damage Due to Accident, Misuse, or Alteration. The New Vehicle Limited Warranty does not cover damage caused as a result of the following: Collision, fire, theft, freezing, vandalism, riot, explosion, or objects striking the vehicle.

Misuse of the vehicle such as driving over curbs, overloading, racing, or other competition. Proper Vehicle use is discussed in the Owner's Manual. Alteration, modification, or tampering to the vehicle, including, but not limited to the body, chassis, powertrain, driveline, software, or other components after final assembly by GM. Coverages do not apply if the odometer has been disconnected, its reading has been altered, or mileage cannot be determined. Installation of non-GM (General Motors) parts. Water or fluid contamination.

Damage resulting from hail, floods, windstorms, lightning, and other environmental conditions. Alteration of glass parts by application of tinting films.

Damage caused by failure to follow the recommended maintenance schedule intervals and/or failure to use or maintain proper fluids, or maintain fluids between recommended maintenance intervals, fuel, lubricants, or refrigerants recommended in the Owner's Manual is not covered.

Damage Due to Impact, Use, or the Environment Windshield or glass cracks, chips, or scratches due to impact are not covered, Windshield cracks will be covered for the first 12 months, regardless or mileage if caused by defects in material or workmanship. Lights, lenses, mirrors, paint, grille, moldings, and trim are not covered for cracks, chips, scratches, dents, dings, and punctures or tears as a result of impact with others objects or road hazards. In addition, cracks, chips, scratches, or other damage to the face of a radio or instrument cluster from impact or foreign objects are not covered.

### Damage Due to Contaminated, Improper, or Poor Quality Fuel

Poor fuel quality or incorrect fuel may cause drivability problems, such as hesitation, lack of power, stalling, or failure to start. They may also degrade functionality of critical exhaust emissions components such as spark plugs, oxygen sensors, and the catalytic converter. Damage from poor fuel quality, water contamination, or if the vehicle requires premium fuel, operating the vehicle on gasoline with a Pump Octane less than 91 (R+M)/2, may not be covered. Prohibited fuels are: Gasolines containing any methanol, MMT, an organometallic octane enhancing additive, and/or fuels containing more than 15% ethanol in non-Flex Fuel Vehicles (FFV). Please refer to your Owner's Manual under "Fuel," for additional recommendations, including the use of TOP TIER Detergent Gasoline. Additional information can also be found at http://www.toptiergas.com

### Third Party Externally Connected Electrical Products

This warranty does not apply to hardware or software of a third party device that is connected to the vehicle or its components, even if integrated or delivered with the vehicle. GM is not responsible for the quality or accuracy of any information, or service accessed through or from any third party device or platform. Software distributed by GM inside or outside the vehicle (including, but not limited to system software or applications) is not covered by this Warranty. GM does not warrant that connections to, from or through the vehicle will be uninterrupted or error-free. Also, the user should back-up their data and user information frequently. GM is not responsible for any loss or damage to data or information made available in connection with the use of the vehicle.

In addition, this Warranty does not apply to:

- consumable parts that are designed to diminish over time, unless failure has occurred due to a defect in materials or workmanship;
- damage caused by a third party device or service (including upgrades and expansions), or (d) to obsolescence or lack
  of utility with future versions of external hardware or software, including, but not limited to mobile devices.

**ALTERATIONS AND WARRANTIES**: The Chevrolet New Vehicle Limited Warranty does not cover any damage or failure resulting from modifications, installations, or alterations to the original equipment as manufactured or assembled by General Motors. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effect of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such suppliers.

**IMPORTANT**: This warranty is void on vehicles currently or previously titled as salvage scrapped, junked, or otherwise considered a total loss. Damage or Corrosion Due to Environment, Chemical Treatments, or Aftermarket Products

Damage Caused by airborne fallout, rail dust, salt from sea air, salt or other materials used to control road conditions, chemicals, tree sap, stones, hail, earthquake, water or flood, windstorm, lightning, the application of chemicals or sealants subsequent to manufacture, etc., is not covered. See "Chemical Paint Spotting" under Things to Know About the New Vehicle Limited Warranty on pg. 16. Damage Due to Insufficient or Improper Maintenance.





GM reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models, and availability. Specifications, dimensions, measurements, ratings, and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your GM dealer for complete details. Some of the equipment shown or described throughout this publication may be available at extra cost, and/or is supplied by an independent supplier.

Copyright 2018 General Motors. All rights reserved. All text, images, graphics, and other materials in this publication are subject to the copyright and other intellectual property rights of General Motors. These materials may not be reproduced, distributed, or modified without the express written permission of General Motors. The marks appearing in this publication including, but not limited to: GM and the GM logo; Chevrolet and their respective logos, emblems, slogans, and vehicle model names and body designs; and other marks such as GM Fleet and Commercial are trademarks and/or service marks of General Motors, its subsidiaries, affiliates, or licensors.

For more detailed information, contact your District Sales Manager or see the online order guide at gmfleet.com.



### For more information, visit gmfleet.com/police

