

SPRINTER

**READY FOR
ANYTHING**



2021 Mercedes-Benz Sprinter

Mercedes-Benz



SPRINTER

**READY FOR
ANYTHING**



TABLE OF CONTENTS

4	Mercedes-Benz Vans History	18	Infotainment	32	MasterUpfitter
6	Introduction	20	Sprinter Overview	33	MasterSolutions™
8	Our Factory	22	Sprinter Cargo	34	Finance Solutions
10	Safety	24	Sprinter Crew	35	Service & Maintenance
12	Performance	26	Sprinter Passenger	36	Sprinter Specifications
14	Cost Efficiency	28	Sprinter Cab Chassis/Cutaway		
16	Connectivity	30	Sprinter 4x4		

Ready for anything.

READY

TO LEAD

Groundbreaking. Game-changing.

Over 120 years of leadership brought us to this. The Sprinter is an innovative van with a unique inspiration. It's not about us – it's about you. It's the van you would build. Modular. Customizable. Scalable. With hundreds of variations and solutions so you can create a vehicle that's ready to meet your needs today and tomorrow. It has the brawn to get the job done and the brains to help keep you safe, connected, and cost-efficient along the way. The Sprinter is ready for anything.



OVER 120 YEARS OF VAN INNOVATION

1896

Benz company invents the motorized van, dubbed a "combination delivery vehicle."



1929

Introduction of the Mercedes-Benz L 1000 Express van.



1956

Mercedes-Benz introduces the L 319 and reinvents the light truck segment.



1967

Mercedes-Benz introduces a new large-capacity van, the L 406 D.



1977

Mercedes-Benz launches a new light van lineup, internally called the TN or T 1.



1986

Mercedes-Benz presents a new van range, internally called the T 2.



1995

The first-generation Sprinter Van launches in Europe and wins "International Van of the Year."



2006

The second-generation Sprinter enters the European market.



MERCEDES-BENZ VANS COME TO THE US

2010

The Mercedes-Benz Sprinter enters the US market.



2015

The mid-size Mercedes-Benz Metris enters the US market.



2018

The Sprinter brings an entirely new concept to the large van segment.



READY

FOR YOU

This is your van.

The Sprinter is the next chapter in your success story. We took the leader in safety to the next level with active and passive technology like Active Brake Assist¹, and options such as Traffic Sign Assist,³¹ ATTENTION ASSIST,² and the segment-exclusive Blind Spot Assist³ with Rear Cross-Traffic Alert.⁴ We refined the Sprinter's operating efficiency even more to help keep your total cost of ownership low, and gave you more flexibility by adding a turbocharged gasoline engine with a Best-in-Class 9G-TRONIC 9-speed transmission as standard equipment.*

The Sprinter's design evolution features a reshaped grille, fenders, lights, and rear window. The cabin area redefines comfort with ergonomic seats and a redesigned instrument cluster. The Sprinter takes connectivity into the future with an optional MBUX (Mercedes-Benz User Experience) Multimedia System¹⁶ and advancements that include optional wireless internet access,²¹ Live Traffic Information,¹⁷ and the standard Mercedes-Benz Emergency Call System.¹⁵ To monitor your operation, the B2B connectivity services ecosystem can help keep you in touch with your business like never before. The Sprinter is where innovative mobility solutions meet classic Sprinter advantages – for your benefit.

ADVANCED CONNECTIVITY



INNOVATIVE CONCEPT



BOLD DESIGN



READY

WITH PURPOSE

From South Carolina – The Sprinter

From performance and durability to capacity and cargo space, there are so many reasons why the Sprinter is a smart investment. But here's one more: our state-of-the-art, \$500 million facility in North Charleston, SC, is now home to up to 1,300 skilled workers committed to helping assemble one of the most advanced vehicles on the road today.



READY

WITH SAFETY

With safety,
we're ahead from
every angle.

When we built the Sprinter, we didn't just aim to set a new benchmark for vans — we set out to make one of the safest vans on the road, period. To accomplish this lofty goal, we brought all of our legendary knowledge, research, and development to the task. **Because in the end, when it comes to protecting you and your passengers from danger, no standard is too high.**

SAFETY FEATURES




ACTIVE BRAKE ASSIST¹ This advanced system senses the likelihood of a collision with a vehicle ahead and sends both a visual and audible warning followed by initiating autonomous braking.



ACTIVE DISTANCE ASSIST DISTRONIC⁵ This intelligent cruise control system senses traffic conditions and actively controls your speed to keep you at a safe distance.




360° CAMERA⁶ When the Reverse gear is selected, this visual parking aid uses four digital cameras to generate various views of the vehicle's surroundings and show them in real time on the multimedia display.



ATTENTION ASSIST² helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



BLIND SPOT ASSIST³ has Rear Cross-Traffic Alert (RCTA)³ which employs automatic braking to avoid a collision with traffic crossing the vehicle's path (e.g., vehicles or pedestrians) when reversing.



CROSSWIND ASSIST⁷ helps stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps ensure that your vehicle remains in its lane at highway speeds.



HILL START ASSIST briefly stops the vehicle from rolling backward or forward, giving you an extra level of safety and confidence when making a hill start. Hill Start Assist maintains brake pressure for approximately two seconds, so you can remove your foot from the brake pedal without rolling.



ACTIVE LANE KEEPING ASSIST¹⁰ can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.




With **RESCUE ASSISTSM** first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.



DRIVER AND PASSENGER AIRBAGS⁹ The driver and passenger front, thorax, and window airbags⁹ help protect you and your passengers in the event of a collision. Sprinter airbags shown are from Model Year 2014.



TRAFFIC SIGN ASSIST³¹ uses a camera to give drivers additional help with identifying speed restriction signs, No Passing zones, and No Entry signs.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP)⁸ This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels, and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



HIGHBEAM ASSISTSM adjusts the high- and low-beam headlamps automatically, allowing for continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.

READY

FOR PERFORMANCE



Ready to power your business.

Performance is about having the horsepower, torque, and hauling capabilities to handle whatever you have to do. The Sprinter gives you that confidence, and the flexibility to choose between two drivetrains. You can have turbocharged muscle and the convenience of gasoline in one package with a 4-cylinder turbocharged gasoline engine mated to an industry-leading 9G-TRONIC 9-speed transmission as standard equipment.* And for diesel fans, there's 4-cylinder diesel and 6-cylinder diesel engines with a 7G-TRONIC 7-speed transmission.¹¹

A 3.0L V6 turbo diesel engine¹¹ with 7-speed transmission is also available. If you don't want bad weather or road conditions to stop you from getting to work, go for the optional 4x4 drivetrain with on-demand 4-wheel drive.

"...the tried-and-true 3.0-liter V6 turbo diesel...strong pulling power, good fuel economy, and proven longevity."

— KELLEY BLUE BOOK'S KBB.COM¹



¹ From 2014 Mercedes-Benz Sprinter 3500 Cargo Review on Kelley Blue Book's KBB.com. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc.

THE EFFICIENCY OF DIESEL. THE CONVENIENCE OF GAS. IT'S YOUR CHOICE.



3.0L 6-CYLINDER TURBO DIESEL (V6)¹¹

CONFIGURATION: DOHC
INDUCTION SYSTEM: Common-Rail-Direct-Injection (CDI)
BORE/STROKE: 83.0 mm/92.0 mm
HORSEPOWER @ RPM: 188 hp @ 3,800 rpm
TORQUE: lb-ft @ RPM: 325 lb-ft @ 1,400-2,400 rpm
TRANSMISSION: Automatic Transmission, 7G-TRONIC Plus



2.0L 4-CYLINDER DIESEL (I4)¹¹


CONFIGURATION: DOHC
INDUCTION SYSTEM: Common-Rail-Direct-Injection (CDI)
BORE/STROKE: 83.0 mm/99.0 mm
HORSEPOWER @ RPM: 161 hp @ 3,800 rpm
TORQUE: lb-ft @ RPM: 266 lb-ft @ 1,400-2,400 rpm
TRANSMISSION: Automatic Transmission, 7G-TRONIC Plus



2.0L 4-CYLINDER TURBO GASOLINE*¹¹

CONFIGURATION: DOHC
INDUCTION SYSTEM: Bosch injection (200 bar)
BORE/STROKE: 83.0 mm/92.0 mm
HORSEPOWER @ RPM: 188 hp @ 5,000 rpm
TORQUE: lb-ft @ RPM: 258 lb-ft @ 2,500-3,500 rpm
TRANSMISSION: Automatic Transmission, 9G-TRONIC

Torque curve:



TORQUE: IT'S WHAT'S INSIDE THAT COUNTS.

Horsepower numbers are fine, but torque is what your van needs to get up to speed. What's also important is the rpm at which the peak torque numbers come in. Notice how the Sprinter's peak torque comes in at 1,400 rpm—just above an idle. This means that you'll be at peak torque quickly—and moving from a standing stop efficiently.

READY

WITH EFFICIENCY



Higher satisfaction. Lower cost of ownership.

When you're looking at a commercial van, there are two cost factors to consider: the cost to buy it and the cost to own it. The Sprinter is designed to deliver cost effectiveness that lasts for years. Combine this with the van's legendary durability, and the Sprinter will keep your day-to-day costs down and your productivity up – ultimately helping your whole company run more smoothly.

In addition to lowering your total cost of ownership, the Sprinter helps keep drivers efficient and productive with amenities such as:

- Ergonomic seats with lowered sides and lumbar supports
- Comfortable pedal position
- Elimination of display reflections in windscreen
- Optimized noise reduction
- Increased steering wheel adjustability
- Multiple rear-step variations



GASOLINE ENGINE

The Sprinter offers a turbocharged 4-cylinder gasoline engine with Direct Injection and 258 lb-ft of torque as standard equipment.*

EFFICIENT DIESEL ENGINES




6-CYLINDER DIESEL ENGINE (V6)¹¹

With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, the Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



4-CYLINDER DIESEL ENGINE (I4)¹¹

One of the most popular engine models in Sprinter history, the 4-cylinder diesel balances low fuel consumption, low emissions, and low noise and vibration levels with high torque and high elasticity at low speeds.



7G-TRONIC PLUS 7-SPEED AUTOMATIC TRANSMISSION

The low first gear and overdrive high gear in the Sprinter's 7-speed automatic transmission help you accelerate from a stop and conserve fuel on the highway.



9G-TRONIC 9-SPEED AUTOMATIC TRANSMISSION

This transmission is a first for the segment and features rapid response, a smooth transition between gears, and efficient highway driving.



UP TO A 20,000-MILE SERVICE INTERVAL¹²

The Sprinter's Best-in-Class service intervals of up to 20,000 miles¹² for diesel and up to 15,000 miles¹² for gas keep you on the road, raising productivity and lowering the total cost of ownership.

*Gasoline engine not available on all models.



The Sprinter won the 2019 ALG Residual Value Award.¹³

READY

WITH CONNECTIVITY

Making your job easier.

Our **B2B connectivity solutions**¹⁴ work harder to make your job easier—intelligently connecting drivers and vehicles to increase the efficiency of your business in the long run.

Our **connectivity solutions**¹⁴ are standard on every eligible Sprinter.

CONNECTIVITY SOLUTIONS FOR YOUR VEHICLE¹⁴




COMMUNICATION MODULE²³—standard in every Sprinter.

This is the central point of contact that ensures the broadest range of connectivity, quickly transmitting data with the permanently installed 4G LTE SIM card.



INTERFACES TO MANAGE YOUR VEHICLES REMOTELY

B2B connectivity¹⁴ provides a comprehensive overview of your vehicle — by simplifying logistics and increasing productivity.



MERCEDES ME CONNECT APP²²—the direct line to the driver.

The driver can easily access valuable vehicle-related information.

BENEFITS AT A GLANCE

FOR THE BUSINESS OWNER

- Increase overall business efficiency
- Pinpoint the location of your vehicle
- Integrate your vehicle data into fleet management systems
- Monitor your vehicle data effectively¹⁸

FOR THE DRIVER

- Effective assistance¹⁵ in case of an emergency
- More efficient working procedures with remote access to upcoming maintenance information on the vehicle¹⁸



Mercedes me connect

BENEFITS AT A GLANCE:

- **Mercedes me connect**²⁰ provides a quick snapshot of your mileage, fuel level, tire pressure, fluids, and more. Plus you can see your vehicle's location, and lock or unlock the doors at the touch of a button.
- **Enjoy maintenance and support with a personal touch.** From maintaining your vehicle to receiving help in the event of an accident, *Mercedes me connect*²⁰ provides an additional layer of comfort and safety.
- **The Mercedes me connect App**²² provides an overview of your vehicle by housing your remote access services.¹⁹ Download the app today, and take full advantage of your *Mercedes me connect*²⁰ services. Available on Android, iOS, and Apple Watch.

For more information, visit our website at <https://www.mbusa.com/en/mercedes-me-connect>

READY

WITH INFOTAINMENT

More than a van —
a mobile workspace.

Spend just a moment with its state-of-the-art infotainment system, and you'll know that the Sprinter was built for you. All the options and controls are placed in "functional islands" and logically incorporated into the overall design of the Sprinter's cabin, making every action smooth, intuitive, and economical. The results are fewer driver distractions, and increased efficiency and productivity.


**THE SPRINTER
INFOTAINMENT SYSTEM FEATURES:**



CHARGING OPTIONS are strategically located on the dashboard and include USB-C ports, wireless, and 12V chargers.



LIVE TRAFFIC INFORMATION¹⁶ provides traffic data in real time for more efficient traveling to and from work.



SMARTPHONE INTEGRATION FOR APPLE CARPLAY[®] AND ANDROID[™] AUTO²⁴ as well as Bluetooth[®] capability are available in the Sprinter.



WIRELESS INTERNET ACCESS²¹ provides a highly stable connection that allows for the use of mobile devices in the vehicle.



MERCEDES-BENZ EMERGENCY CALL SYSTEM¹⁵ sends out an automatic emergency call for faster arrival of rescue services.



7" AND 10.25" TOUCHSCREENS Display screens that are activated via touch, voice control, or touch buttons on the steering wheel are available on the Sprinter.



THE INNOVATIVE MBUX (MERCEDES-BENZ USER EXPERIENCE) delivers content from navigation to entertainment, and includes optional LINGUATRONIC "Hey Mercedes" voice control and what3words, our geocoded map system.

READY

FOR SUCCESS



Thousands of configurations. Unlimited potential.

When we say the Sprinter is ready for anything, we mean that literally.

Choose from thousands of features, configurations, and upfit solutions that give you the ability to build a van that's ready to work for you now, and prepared to carry your business into the future. It's the difference between a van that you merely drive and a van that is driven to help you succeed.

SPRINTER CARGO

Sprinter Cargo Vans are available in 1500, 2500, 3500, 3500XD, and 4500 series.

SPECIFICATIONS



Maximum effort.

Whatever your work demands are, the Sprinter Cargo Van gives you the flexibility to create a configuration to meet your exact needs. The 1500 is a lighter-duty model that delivers big-time productivity. For serious hauling capability, the 4500 model will handle your heaviest jobs. There's also a 2500, a 3500, and a 3500XD model. Whichever you choose, the service intervals of up to 20,000 miles¹² for diesel and up to 15,000 miles¹² for gasoline will keep your productivity high and your cost of ownership low.



Available on the Single tire models, this wheel arch covering's square shape and flat top provide extra storage opportunities, as well as protection for the wheel arch.



The rear doors feature hinges with self-locking mechanisms.



LED strip lighting improves cargo-loading vision.



Pallet bracing and tie-downs help when hauling cargo with unusual sizes and shapes.²⁵



The Sprinter 4500 model sets the benchmark for payload capacity of up to 6,823 lbs.

TWO ROOF HEIGHTS




THREE LENGTHS



233.5" (144" WB)
274.3" (170" WB)
290" (170" EXT. WB)

SPRINTER CARGO QUICK FACTS

-  **MAXIMUM PAYLOAD:** 6,823 lbs.
-  **MAXIMUM CARGO VOLUME:** 532.6 cu. ft.
-  **MAXIMUM TOWING CAPACITY:²⁶** 7,500 lbs.
-  **MAXIMUM CARGO FLOOR LENGTH:** 189.4"
-  **MAXIMUM CARGO FLOOR WIDTH:** 70.4"
-  **ENGINES:** 2.0L 4-cylinder turbo gasoline,* 3.0L 6-cylinder turbo diesel (V6);¹¹ 2.0L 4-cylinder diesel (I4)¹¹
-  **TRANSMISSIONS:** 9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission
-  **MAXIMUM INTERIOR STANDING HEIGHT:** 79.1"

*Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 40 for a complete listing of models and specifications.

SPRINTER CREW

Sprinter Crew Vans are available in 2500, 3500, 3500XD, and 4500 series.

SPECIFICATIONS



Carrying you forward.

Once again, we've created a van to fulfill a specific need. The Sprinter Crew Van seats up to five, and still has room for material or cargo. To fulfill the need for power and desire for the convenience of gasoline, a 4-cylinder turbocharged gasoline engine with a Best-in-Class 9G-TRONIC 9-speed transmission is standard equipment.* A V6 turbo diesel engine¹¹ with a 7-speed transmission is also available.



The removable 3-seat bench is covered in durable upholstery and gives your crew a roomy, safe, and comfortable ride.



In addition to seating for up to five people, the Sprinter Crew Van features ample cargo space.

TWO ROOF HEIGHTS





TWO LENGTHS




SPRINTER CREW QUICK FACTS

 **MAXIMUM PAYLOAD:**
6,437 lbs.


 **MAXIMUM CARGO VOLUME:**
370.8 cu. ft.


 **MAXIMUM TOWING CAPACITY:²⁶**
7,500 lbs.

 **MAXIMUM CARGO FLOOR LENGTH:**
144.3"

 **ENGINES:**
2.0L 4-cylinder turbo gasoline,*
3.0L 6-cylinder turbo diesel (V6),¹¹
2.0L 4-cylinder diesel (I4)¹¹

 **MAXIMUM INTERIOR STANDING HEIGHT:**
75.5"

 **TRANSMISSIONS:**
9G-TRONIC 9-speed Automatic Transmission,
7G-TRONIC Plus 7-speed Automatic Transmission

 **SEATING CAPACITY:**
Up to five

*Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 42 for a complete listing of models and specifications.

SPRINTER PASSENGER

Sprinter Passenger Vans are available in 1500 & 2500 series.

SPECIFICATIONS



Seats 15. Stands alone.

Looking to carry more passengers? The Sprinter accomplishes that in a big way with seating for up to 15 people.* USB-C ports can keep them connected, and the spacious rear storage area provides ample room for luggage. All the while, you'll know that they're protected by a level of safety only Mercedes-Benz can deliver.



The Sprinter Passenger Van offers seating for up to 15 adults.*



An impressive interior standing height of up to 6'3" provides greater passenger comfort with plenty of room to move.



Roof air conditioning comes in two output levels, including a high-performance air conditioner.



The ergonomic rear seats have individual headrests and an available reclining option.



The maximum 69.8" floor width and generous legroom mean there's plenty of room to sit and stretch out.


TWO ROOF HEIGHTS




TWO LENGTHS



TWO INTERIOR CONFIGURATIONS



SPRINTER PASSENGER QUICK FACTS

 MAXIMUM PAYLOAD: 3,494 lbs.	 ENGINES: 2.0L 4-cylinder turbo gasoline; 3.0L 6-cylinder turbo diesel (V6), ¹¹ 2.0L 4-cylinder diesel (I4) ¹¹
 MAXIMUM CARGO VOLUME: 111.2 cu. ft.	 MAXIMUM INTERIOR STANDING HEIGHT: 75.5"
 MAXIMUM TOWING CAPACITY:²⁶ 5,000 lbs.	 STANDARD FRONT + REAR A/C
 TRANSMISSIONS: 9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission	 SEATING CAPACITY: Up to 15*

*Seating for 15 only available on diesel model.
¹¹Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors. See page 45 for a complete listing of models and specifications.

SPRINTER CAB CHASSIS/CUTAWAY

Sprinter Cab Chassis/Cutaway Vans are available in 3500XD & 4500 series.



Ready for your future.

A successful future starts with a strong foundation. That's exactly what the Sprinter Cab Chassis/Cutaway gives you. From a box truck to a technologically advanced RV, its flat, unobstructed frame rails let you design virtually anything you'd like. Motivation for your plans comes from the powerful and efficient V6 turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission.

SPECIFICATIONS



Choose between the standard 3500XD model (GVWR of 11,030 lbs.) or the optional 4500 model (GVWR of 12,125 lbs.) and build the Sprinter Cab Chassis/Cutaway that works best for you.



The Sprinter's flat, unobstructed frame rails are the perfect place to bring your vision of the ideal business vehicle to life.

ONE ROOF HEIGHT





TWO LENGTHS





SPRINTER CAB CHASSIS/CUTAWAY QUICK FACTS

 **MAXIMUM PAYLOAD:**
7,484 lbs.

 **MAXIMUM TOWING CAPACITY:²⁶**
7,500 lbs.

 **ENGINE:**
3.0L 6-cylinder turbo diesel (V6),¹¹
2.0L 4-cylinder diesel (I4)¹¹

 **SEATING CAPACITY:**
Up to three

 **TRANSMISSION:**
7G-TRONIC Plus 7-speed Automatic
Transmission

All measurements in inches. All width measurements include mirrors. See page 46 for a complete listing of models and specifications.

SPRINTER 4x4

Sprinter 4x4 Vans are available in 2500 & 3500XD series.



Make your own roads.

Whether you're on the job or off the main road, you can run up against situations you can't control, like bad weather or rough terrain. You can try and avoid them, or meet them head-on with the on-demand 4-wheel drive option. The Sprinter 4x4 features a higher wading depth, a low-range gear, and a standard V6 turbo diesel engine¹¹ that can power you through even the toughest conditions.

4x4

The Sprinter 4x4 option is available in select Cargo, Crew, or Passenger Van configurations.

PASSENGER

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 92.3"



Max: 106.9"

HIGH ROOF

Max: 92.3"



Max: 117.6"

ONE LENGTH



233.5" (144" WB)

CREW

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 95.5"



Max: 107.3"

HIGH ROOF

Max: 95.5"



Max: 111.3"

TWO LENGTHS



233.5" (144" WB)

274.3" (170" WB)

CARGO

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 95.5"



Max: 100.1"

HIGH ROOF

Max: 95.5"



Max: 111.3"

THREE LENGTHS



233.5" (144" WB)

274.3" (170" WB)

290" (170" EXT. WB)

All measurements in inches. All width measurements include mirrors. A complete listing of models and specifications begins on page 40.



Get your concept up and running.

You have a concept in mind — let a Mercedes-Benz Vans ExpertUpfitter build it for you. Our job is to help you find a van that is ready to fit your ultimate conversion needs. With the Best-in-Class cargo volume of the Sprinter, and the impressive 7,484 lbs. of payload of the Sprinter 4500 Cab Chassis/Cutaway, each Mercedes-Benz Van is a blank canvas on which you can create a design to meet your specific needs. Whether you are in need of a simple work van interior, a mobile veterinarian clinic, or the ultimate RV, Mercedes-Benz Vans is making you mobile and taking your business to new places.

Qualified Upfitters adhere to the Upfitting Guidelines to become part of the Mercedes-Benz Vans ExpertUpfitter network. These Upfitters are committed to the highest engineering standards and levels of customer satisfaction. Working with an ExpertUpfitter gives you the flexibility to be creative and the assurance that Mercedes-Benz Vans is here to support your needs.

Find your ExpertUpfitter today at www.upfitterportal.com/en-us/upfitters/locator

Your one stop for productivity.

You're the expert in your trade, and your van is the tool with which to get the job done. ExpertSOLUTIONS²⁷ allows you to quickly configure your van and order directly via your Mercedes-Benz Vans dealer to get you exactly the van you want right when you need it, so you can concentrate on finishing the job.

Build your van now or get inspired by visiting www.mbvans.com/en/upfitting

ExpertSOLUTIONS²⁷ providers Auto Truck, Knapheide, and Driverge bring you a portfolio of turnkey solutions for your specific line of business—HVAC, Plumbing, Electrical, Telecommunication, Contracting, Delivery, Refrigeration, Food Services, and People Moving—all at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Mercedes-Benz Van. The ordering process is streamlined, and installation is simple: all ExpertSOLUTIONS²⁷ can be fitted directly as Ship-Thru, right next to our factory in South Carolina, which saves you time and ensures seamless integration, quick delivery, and consistent quality.





Finance solutions.

Through Mercedes-Benz Financial Services, we offer a variety of financing products and solutions with flexible benefits tailored specifically to meet the needs of your business.²⁸

For more information, visit www.mbvans.com/sprinter/shopping-tools/finance-solutions

RETAIL LOAN

These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.

FMV LEASE

A closed-end lease agreement is also known as a “walkaway lease,” since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

TRAC LEASE²⁹

A Terminal Rental Adjustment Clause (TRAC) lease²⁹ doesn’t require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.

We have your back.

VanCARE is a promise to our customers to deliver genuine parts, superior service, and unparalleled commitment to getting you back on the road as quickly as possible. We know that for you, it isn’t a van – it’s a tool you need to make a living.

For more information, visit www.mbvans.com/sprinter/mercedes-van-parts-and-services

ROADSIDE ASSISTANCE³⁰

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program³⁰ and expert advice 24/7 through the Mercedes-Benz Customer Assistance Center, providing you with peace of mind and help when you need it most.

ServiceCARE – Service solutions built for you

Whether it’s a maintenance service, unexpected warranty work, or now a wear and tear repair, our ServiceCARE products are customized solutions for you. You can now focus on your business with your vehicles always in top shape, minimizing your downtime and maximizing your financial cost control.



Complete The all-inclusive service package

Service Repair Wear & Tear

If you require comprehensive additional protection for your van, look no further than our Complete product. This package covers all workshop work, including wear and tear repairs. The vehicle is ready for action when you need it, and you keep costs safely under control.



Extended Limited Warranty (ELW) More warranty. More certainty.

Service Repair Wear & Tear

The Extended Limited Warranty product offers you greater coverage for mechanical, electrical, and electronic components. It protects you against unforeseen repair costs, and without any deductibles, you get the benefit of predictable and attractive conditions.



Maintenance (PPM) Keeping your van in top shape

Service Repair Wear & Tear

Regular and accurate checking of the most important vehicle parts and functions ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair costs and keeps downtime minimal.

Term	Gas Sprinter Term
3 years / 60k / 3 services	3 years / 60k / 4 services
4 years / 80k / 4 services	4 years / 80k / 5 services
5 years / 100k / 5 services	5 years / 100k / 6 services

Term
5 years / 100,000 miles
6 years / 120,000 miles
7 years / 140,000 miles

Term
2 services / 3 years
4 services / 5 years
6 services / 7 years

Manufacturer Warranty Overview

	3 year / 36k	5 year / 100k
New Vehicle Warranty	•	
Powertrain Warranty		•
Diesel Engine Limited Warranty		•
Federal Emissions Warranty Diesel		•

SPRINTER OVERVIEW

Applies to all Sprinter models

POWERTRAINS

	ENGINE		
	2.0L 4-Cylinder Turbo Gasoline*	3.0L V6 Turbo Diesel ¹¹	2.0L I4 Diesel ¹¹
Configuration	DOHC	DOHC	DOHC
Fuel injection	Direct	Direct	Direct
Induction system	Bosch Injection	Common-Rail-Direct-Injection	Common-Rail-Direct-Injection
Cylinders	4	6	4
Cylinder heads	Aluminum	Aluminum	Aluminum
Block material	Aluminum	Aluminum	Aluminum
Bore/stroke	83.0mm/92.0mm	83.0mm/92.0mm	83.0mm/99.0mm
Compression ratio	9.8:1	18.0:1	16.2:1
Transmission	9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission
Horsepower @ rpm	188 hp @ 5,000 rpm	188 hp @ 3,800 rpm	161 hp @ 3,800 rpm
Torque lb-ft @ rpm	258 lb-ft @ 2,500-3,500 rpm	325 lb-ft @ 1,400-2,400 rpm	266 lb-ft @ 1,400-2,400 rpm
Recommended fuel	Regular 87 Octane	B5 Diesel	B5 Diesel
Fuel tank capacity	22 gal	24.5 gal	24.5 gal

STANDARD FEATURES

MECHANICAL			
Gasoline engine only	Diesel engine only	Gasoline and Diesel engines	
<ul style="list-style-type: none"> Engine: 2.0L 4-Cylinder Turbo Gasoline 	<ul style="list-style-type: none"> Engines: 3.0L V6 Turbo Diesel, 2.0L I4 Diesel 	<ul style="list-style-type: none"> AGM Battery 12V AH 850A 	<ul style="list-style-type: none"> Pre-installation for Switch Panel (not available on 4x4)
<ul style="list-style-type: none"> 9G-TRONIC 9-Speed Automatic Transmission 	<ul style="list-style-type: none"> 7G-TRONIC Plus 7-Speed Automatic Transmission 	<ul style="list-style-type: none"> Body Builder Connector 	<ul style="list-style-type: none"> Pre-installation PSM
<ul style="list-style-type: none"> Generator 14V/250A 	<ul style="list-style-type: none"> Alternator 14V/220A 	<ul style="list-style-type: none"> Cruise Control 	<ul style="list-style-type: none"> Pre-wiring for Trailer Hitch
<ul style="list-style-type: none"> SULEV Emissions 	<ul style="list-style-type: none"> 3rd Generation SCR Emission Control System 	<ul style="list-style-type: none"> Exhaust Straight to Rear 	<ul style="list-style-type: none"> Remote Key (315mhz) with Central Locking
<ul style="list-style-type: none"> Service Interval: Up to 15,000 miles¹² 	<ul style="list-style-type: none"> ULEV/SULEV Emissions¹ Service Interval: Up to 20,000 miles¹² Fuel Filter with Water Separator 	<ul style="list-style-type: none"> Jump-Start Terminal 	<ul style="list-style-type: none"> Starter Battery Disconnect

SEATING	EXTERIOR	INTERIOR	
<ul style="list-style-type: none"> Adjustable Driver Seat Adjustable Front Passenger Seat Armrest for Driver Seat Armrest for Front Passenger Seat Fabric, Maturin Black 	<ul style="list-style-type: none"> Dual-Circuit 4-Wheel Disc Brakes Front and Rear Mudflaps Heated and Electrically Adjustable Exterior Mirrors Rear Doors Opening to Side-Wall (optional on 144" & 170" models) Red Diesel Filler Cap (Diesel only) Windshield with Filter Band 	<ul style="list-style-type: none"> Adjustable Steering Wheel (Angle) Air Conditioning, Front Communication Module (LTE) for Digital Services Cupholder, Front Heater, Auxiliary Electric Hot Air Jack, Hydraulic KEYLESS-START 	<ul style="list-style-type: none"> Multifunction Steering Wheel Outside Temperature Gauge Shelf Above Windshield Speedometer, mph Standard Radio Storage Compartment Underneath Cockpit USB-C Socket, 5V

TIRES & WHEELS	SAFETY & SECURITY		
<ul style="list-style-type: none"> All-Season Tires Unspecified Tire Brand 	<ul style="list-style-type: none"> 4-Wheel Anti-Lock Braking System (ABS) Active Brake Assist Airbag, Driver/Passenger Front Breakdown Management Crosswind Assist⁷ 	<ul style="list-style-type: none"> Emergency Call System¹⁷ Headlight Assistant Hill Start Assist HOLD Function Load-Adaptive Electronic Stability Program (ESP)⁸ 	<ul style="list-style-type: none"> Seat Belt Reminder, Driver/Passenger Thorax-Pelvis Side Airbags, Driver/Passenger Window Side Airbags, Driver/Passenger

*Gasoline engine not available on all models.
¹ULEV Emissions below 10,000 lbs.
¹²SULEV Emissions above 10,000 lbs.

SPRINTER MODEL OVERVIEW

Body Length	Roof Heights	1500 Model	2500 Model	3500 Model	3500XD Model	4500 Model	
CARGO VAN	STANDARD (144")	STANDARD ROOF					
		HIGH ROOF					
	LONG (170")	HIGH ROOF					
		HIGH ROOF					
CREW VAN	STANDARD (144")	STANDARD ROOF					
		HIGH ROOF					
	LONG (170")	HIGH ROOF					
PASSENGER VAN	STANDARD (144")	STANDARD ROOF					
		HIGH ROOF					
	LONG (170")	HIGH ROOF					
CAB CHASSIS/CUTAWAY	STANDARD (144")	STANDARD ROOF					
	LONG (170")	STANDARD ROOF					

Gas engine available Diesel engine available 4x4 available only with diesel engine.

SPRINTER CARGO



ADDITIONAL STANDARD FEATURES (CARGO)	1500	2500	3500	3500XD	4500	1500	2500	3500	3500XD	4500	
MECHANICAL											
• Aux. fuel sending unit with fuel tap**	X	X	X	X	X	• Cable duct – side-wall	X	X	X	X	
• Axle ratio 3.923**	X	X	X	X	X	• Front axle reinforced	X	X	X	X	
• Axle ratio 4.182 (standard on 2500 gas models only)	X	X	X	X	X	• Omission bulkhead	X	X	X	X	
• Cable duct – rear portal	X	X	X	X	X	• Stabilization Level I	X	X	X	X	
INTERIOR											
• Interior lights, cargo compartment	X	X	X	X	X	• Wood floor deletion	X	X	X	X	
EXTERIOR						TIRES & WHEELS					
• 3rd brake light	X	X	X	X	X	• 5.5 J x 16 steel wheels			X	X	X
• High roof			X			• 6.5 J x 16 steel wheels	X	X			
• Rear doors, 180° opening	X	X	X	X	X	• Dual rear wheel tires			X	X	X
• Rear mudflaps	X	X	X	X	X	• Spare wheel	X	X	X	X	X
• Sliding door, passenger side	X	X	X	X	X	• Spare wheel bracket below frame	X	X	X	X	X

OPTIONAL FEATURES (CARGO)	1500	2500	3500	3500XD	4500	1500	2500	3500	3500XD	4500	
MECHANICAL											
• 12V power outlet, rear compartment	X	X	X	X	X	• AGM battery 12V 95Ah 850A	X	X	X	X	
• 115V socket	X	X	X	X	X	• Axle ratio 3.923**			X	X	X
• Additional bar for driveshaft & exhaust extension	X	X	X	X	X	• Axle ratio 4.182 (optional on 2500 diesel models only)			X		
• Additional battery for retrofit consumers, driver seat base	X	X	X	X	X	• Backup alarm	X	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	X	• Cutoff relay for additional battery	X	X	X	X	X
• Additional DIN-slots	X	X	X	X	X	• Deactivation lamp monitoring failure	X	X	X	X	X
						• Electric parking brake	X	X			
						• Engine oil level display at cold start**			X	X	X
						• Front axle reinforced (standard on 4500 model)	X	X	X	X	X

SEATING	1500	2500	3500	3500XD	4500	1500	2500	3500	3500XD	4500	
• Artico Man-made Leather Black	X	X	X	X	X	• Heated driver seat	X	X	X	X	X
• Fabric, Caluma Black	X	X	X	X	X	• Heated front passenger seat	X	X	X	X	X

INTERIOR	1500	2500	3500	3500XD	4500	1500	2500	3500	3500XD	4500	
• 2nd row, fixed window, driver side	X	X	X	X	X	• Electrically heated windshield	X	X	X	X	X
• 2nd row, fixed window, passenger side	X	X	X	X	X	• Fixed sunroof (rear roof section)	X	X	X	X	X
• Acoustic Package	X	X	X	X	X	• Floor covering, plastic	X	X	X	X	X
• Assist handle, B-pillar	X	X	X	X	X	• Fuel-fired heater/booster (17,000 BTU)**	X	X	X	X	X
• Assist handle, left rear door	X	X	X	X	X	• Fuel-fired pre-heater/booster (17,000 BTU)**	X	X	X	X	X
• Assist handle, right rear door	X	X	X	X	X	• Half height load compartment trim	X	X	X	X	X
• Cab rear wall liner	X	X	X	X	X	• Heat insulation, front compartment	X	X	X	X	X
• Cargo lashing rails, head height	X	X	X	X	X	• Heat insulation, rear compartment	X	X	X	X	X
• Cargo partition	X	X	X	X	X	• Hinged lid for storage compartment	X	X	X	X	X
• Cargo partition with one window	X	X	X	X	X	• Illuminated front exits	X	X	X	X	X
• Cargo straps, D-rings ²⁵	X	X	X	X	X	• Instrument cluster with color display	X	X	X	X	X
• Cargo straps, lashing rails ²⁵	X	X	X	X	X	• Keys, two additional masters	X	X	X	X	X
• Charging Package, dashboard	X	X	X	X	X	• Lashing rails, floor-level (plus four anchors)	X	X	X	X	X
• Cigarette lighter & ash cup, front	X	X	X	X	X	• Lashing rails, waist-level	X	X	X	X	X
• Coat hooks in driver cabin	X	X	X	X	X	• Light/motion sensor in rear compartment	X	X	X	X	X
• DEF fluid filler cap – lockable	X	X	X	X	X	• Optional 3-button keys	X	X	X	X	X
• Door-mounted assist handle, driver & passenger	X	X	X	X	X	• Overhead storage slot, front center	X	X	X	X	X
• Door sill – protective edge	X	X	X	X	X	• Pallet support in sliding door step	X	X	X	X	X

EXTERIOR	1500	2500	3500	3500XD	4500	1500	2500	3500	3500XD	4500	
• Black tinting (90%) for rear windows	X	X	X	X	X	• Heated rear window(s) with washers/wipers	X	X	X	X	X
• Bumpers front/rear primed	X	X	X	X	X	• High roof (standard on 3500)	X	X	X	X	X
• Bumper step, rear, Grey	X	X	X	X	X	• Mounting rails for roof rack	X	X	X	X	X
• Bumper step, rear, spring-loaded**	X	X	X	X	X	• Opening limiter, electrically operated sliding door	X	X	X	X	X
• Deletion of "model" badge, right rear door	X	X	X	X	X	• Painted metallic front & rear bumper	X	X	X	X	X
• Deletion of Sprinter badge, left rear door	X	X	X	X	X	• Primed side moldings	X	X	X	X	X
• Elec. closing assist left sliding door (soft close)	X	X	X	X	X	• Sliding door, driver side	X	X	X	X	X
• Elec. closing assist right sliding door (soft close)	X	X	X	X	X	• Sliding door, right-side deletion	X	X	X	X	X
• Electric sliding door right	X	X	X	X	X	• Sliding door, two-stage opening	X	X	X	X	X
• Electric sliding step	X	X	X	X	X	• Step, wide, at rear end	X	X	X	X	X
• Electrically folding exterior mirrors	X	X	X	X	X	• Trailer crossmember 7,500-lb. capacity	X	X	X	X	X
• Fixed window center left	X	X	X	X	X	• Tire Brand Kumho	X	X	X	X	X
• Fixed window center right	X	X	X	X	X	• Tire Brand Michelin*	X	X	X	X	X
• Half-sided step rear (for trailer hitch)	X	X	X	X	X	• Wheel chocks	X	X	X	X	X
						• Wheelhouse covering	X	X	X	X	X

SAFETY & SECURITY	1500	2500	3500	3500XD	4500	1500	2500	3500	3500XD	4500	
• Active Distance Assist DISTRONIC ^{®5}	X	X	X	X	X	• Bench Seat Package	X	X	X	X	X
• Blind Spot Assist ²	X	X	X	X	X	• Cargo Convenience Package	X	X	X	X	X
• Emergency flashlight	X	X	X	X	X	• Cargo Protection Package	X	X	X	X	X
• First-aid kit	X	X	X	X	X	• Chrome Grille Package	X	X	X	X	X
• Fog lamp with cornering light function	X	X	X	X	X	• Comfort Package	X	X	X	X	X
• Parking Package	X	X	X	X	X	• Comfort Package (seat addition)	X	X	X	X	X
• Parking Package with 360° camera	X	X	X	X	X	• Comfort Plus Package	X	X	X	X	X
• Security alarm with interior motion sensor	X	X	X	X	X	• DISTRONIC [®] Addition Premium Package	X	X	X	X	X

OPTIONAL PACKAGES (CONTINUED)	1500	2500	3500	3500XD	4500
• Driver Convenience Package	X	X	X	X	X
• Exterior Lighting Package	X	X	X	X	X
• Heavy-Duty-Cargo Protection Package	X	X	X	X	X
• Premium Package	X	X	X	X	X
• Premium Plus Package	X	X	X	X	X
• Swivel Seat Package	X	X	X	X	X

SPRINTER CREW



ADDITIONAL STANDARD FEATURES (CREW)	2500	3500	3500XD	4500	2500	3500	3500XD	4500	
MECHANICAL									
• Aux. fuel sending unit with fuel tap	X	X	X	X	• Front axle reinforced	X	X	X	X
• Axle ratio 3.923**	X	X	X	X	• Omission bulkhead	X	X	X	X
• Axle ratio 4.182 (standard on 2500 gas models only)	X	X	X	X	• Stabilization Level I	X	X	X	X
SEATING									
• Aisle-side armrest	X	X	X	X	• Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX	X	X	X	X
INTERIOR									
• Assist handle, B-pillar	X	X	X	X	• Interior lights, cargo compartment	X	X	X	X
• Black tinting (90%) for rear windows	X	X	X	X	• Rear window defroster	X	X	X	X
• Cupholders, front	X	X	X	X	• Roof trim	X	X	X	X
• Floor covering, plastic	X	X	X	X	• Storage compartment with net in rear doors	X	X	X	X
• Half height load compartment trim	X	X	X	X	• Warm/cool air duct to rear compartment	X	X	X	X

EXTERIOR	2500	3500	3500XD	4500	2500	3500	3500XD	4500		
• 2nd row, fixed window, driver side	X	X	X	X	• 5.5 J x 16 steel wheels			X	X	X
• 2nd row, fixed window, passenger side	X	X	X	X	• 6.5 J x 16 steel wheels			X		
• 3rd brake light	X	X	X	X	• Dual rear wheel tires			X	X	X
• High roof	X	X	X	X	• Spare wheel			X	X	X
• Laminated glass rear	X	X	X	X	• Spare wheel bracket below frame			X	X	X
• Rear doors, 180° opening	X	X	X	X	• Tires LT 215/85 R16			X	X	X
• Rear mudflaps	X	X	X	X	• Tires LT 245/75 R16			X		
• Sliding door, passenger side	X	X	X	X						

SAFETY & SECURITY	2500	3500	3500XD	4500	2500	3500	3500XD	4500	
• Longitudinal member reinforcement	X	X	X	X	• 360° camera ² (rearview mirror display)	X	X	X	X

OPTIONAL FEATURES (CREW)	2500	3500	3500XD	4500	2500	3500	3500XD	4500	
MECHANICAL									
• Additional bar for driveshaft & exhaust extension	X	X	X	X	• Axle ratio 4.182 (standard on 2500 gas models)	X			
• Additional battery for retrofit consumers, co-driver seat base	X	X	X	X	• Cutoff relay for additional battery	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Deactivation lamp monitoring failure	X	X	X	X
• Additional DIN-slots	X	X	X	X	• Electric parking brake	X			
• AGM battery 12V 95Ah 850A	X	X	X	X	• Engine oil level display at cold start**	X	X	X	X
• Axle ratio 3.923**	X	X	X	X	• Front axle reinforced (standard on 4500 model)**	X	X	X	X
					• Parametric Special Module (PSM)	X	X	X	X
					• Rear spring vibration absorbers	X			

SEATING	2500	3500	3500XD	4500	2500	3500	3500XD	4500	
• Artico Man-made Leather Black	X	X	X	X	• Heated driver seat	X	X	X	X
• Fabric, Caluma Black	X	X	X	X	• Heated front passenger seat	X	X	X	X

INTERIOR	2500	3500	3500XD	4500	2500	3500	3500XD	4500	
• 12V power outlet, rear compartment	X	X	X	X	• Heat insulation, rear compartment	X	X	X	X
• 115V socket	X	X	X	X	• Hinged lid for storage compartment	X	X	X	X
• Acoustic Package	X	X	X	X	• Illuminated front exits	X	X	X	X
• Assist handle, left rear door	X	X	X	X	• Instrument cluster with color display	X	X	X	X
• Assist handle, right rear door	X	X	X	X	• Keys, two additional masters	X	X	X	X
• Cargo straps, D-rings ²⁵	X	X	X	X	• Leather steering wheel	X	X	X	X
• Charging Package, dashboard	X	X	X	X	• Loadable wheel arch	X			
• Cigarette lighter & ash cup, front	X	X	X	X	• Navigation	X	X	X	X
• Door-mounted assist handle, driver & passenger	X	X	X	X	• Optional 3-button keys	X	X	X	X
• Fuel-fired heater booster (17,000 BTU)**	X	X	X	X	• Overhead storage slot, front center	X	X	X	X
• Fuel-fired pre-heater/booster (17,000 BTU)**	X	X	X	X	• Painted metallic front & rear bumper	X	X	X	X
• Half-sided step, rear (for trailer hitch)	X	X	X	X	• Rear cabin heater & vents	X	X	X	X
• Heat insulation, front compartment	X	X	X	X	• Rear heater prep	X	X	X	X

EXTERIOR	2500	3500	3500XD	4500	2500	3500	3500XD	4500	
• Bumper step, rear, Grey	X	X	X	X	• Heated rear window(s) with washers/wipers	X	X	X	X
• Bumper step, rear, spring-loaded**	X	X	X	X	• Mounting rails for roof rack	X	X	X	X
• Bumpers front/rear primed	X	X	X	X	• Opening limiter, electrically operated sliding door	X	X	X	X
• DEF fluid filler cap – lockable	X	X	X	X	• Painted metallic front & rear bumper	X	X	X	X
• Deletion of "model" badge, right rear door	X	X	X	X	• Primed side moldings	X	X	X	X
• Deletion of Sprinter badge, left rear door	X	X	X	X	• Rear doors, opening to side-wall	X	X	X	X
• Elec. closing assist right sliding door (soft close)	X	X	X	X	• Sliding door two-stage opening	X	X	X	X
• Electric sliding door right	X	X	X	X	• Step, wide, at rear end	X	X	X	X
• Electric sliding step	X	X	X	X	• Trailer crossmember 7,500-lb. capacity	X	X	X	X
• Electrically folding exterior mirrors	X	X	X	X	• Trailer hitch, 5,000 lbs.	X			
• Fixed window center left	X	X	X						

SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 1500 CARGO, 2500, & 3500

Tires	1500				2500						3500					
	Single		Single		Single		Single		Single		Dual Rear Wheel		Dual Rear Wheel		Super Single	
Wheelbase	144"		144"				170"		170" EXT		144"		170"		170" EXT	
Engine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	High Roof	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One

EXTERIOR	1500		2500				3500				3500				4500			
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	233.5"	274.3"	290.0"	233.5"	274.3"	290.0"	
Height	96.3"	107.5"	96.3"	100.1"	107.5"	111.3"	107.3"	110.9"	107.0"	110.5"	96.4"	109.1"	108.7"	108.4"	109.4"	109.1"	108.7"	
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	95.5"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	66.5"	67.2"	67.2"	67.2"	
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	65.2"	
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	49.1"	63.8"	79.6"	49.1"	63.8"	79.6"	
Load height, unloaded (ground to cargo floor)	27.5"	27.4"	27.7"	31.5"	27.6"	31.4"	27.5" ^G	31.1" ^D	27.2"	30.6"	TBD	28.5"	28.1"	27.7"	29.5"	29.2"	28.9"	
Load height, loaded (ground to cargo floor)	23.3"	23.3"	23.4" ^G	26.8"	23.4" ^G	26.8"	23.4"	26.8"	23.5"	26.8"	TBD	23.2"	23.2"	23.3"	25.1"	25.2"	25.4"	
Side-door opening height	59.8"	71.6"	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	
Side-door opening width - sliding	51.0"	49.6"	51.0"	51.0"	49.6"	49.6"	51.0"	51.0"	51.1"	51.0"	49.3"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	
Rear cargo door opening height	61.0"	72.7"	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	47.2'	50.2'	45.3'	45.3'	52.5'	52.5'	45.3'	52.5'	52.5'	
Ground to first step-side	20.9"	20.8"	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	20.4"	24.1"	21.6"	21.6"	20.9"	20.8"	21.4"	20.7"	20.6"	

INTERIOR	1500		2500				3500				3500				4500			
Headroom (1st row)	47.3"	56.4"	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	
Cargo length, front (at floor)	132.9"	132.9"	132.9"	132.9"	132.9"	132.9"	173.6"	173.6"	189.4"	189.4"	103.5"	132.9"	173.6"	189.4"	132.9"	173.6"	189.4"	
Cargo length, front (at belt)	128.8"	128.8"	128.8"	128.8"	128.8"	128.8"	169.6"	169.6"	185.3"	185.3"	93.1"	128.8"	169.6"	185.3"	128.8"	169.6"	185.3"	
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	48.4"	
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	
Cargo height, maximum (without trim)	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	64.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	73.9"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	
Interior standing height	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	65.3"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	

CARGO CAPACITY	1500		2500				3500				3500				4500			
Cargo volume (behind last row of seats)	319.0 cu. ft.	374.3 cu. ft.	319.0 cu. ft.	319.0 cu. ft.	374.3 cu. ft.	374.3 cu. ft.	488.1 cu. ft.	488.1 cu. ft.	532.6 cu. ft.	532.6 cu. ft.	222.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	358.4 cu. ft.	469.2 cu. ft.	512.1 cu. ft.	
Maximum roof load	660 lbs.	330 lbs.	660 lbs.	660 lbs.	330 lbs.	330 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	660 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	
Maximum available GCWR	13,550 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	

MAXIMUM CAPABILITIES	1500		2500				3500				3500				4500			
Maximum payload	3,942 lbs.	3,865 lbs.	4,442 lbs. ^G	3,825 lbs. ^D	4,365 lbs. ^G	3,748 lbs. ^D	4,034 lbs. ^G	3,417 lbs.	3,726 lbs. (4-cyl)	3,318 lbs.	4,620 lbs. (4-cyl)	4,543 lbs. (4-cyl)	4,190 lbs. (4-cyl)	4,113 lbs. (4-cyl)	4,554 lbs. (4-cyl)	4,201 lbs. (4-cyl)	4,124 lbs. (4-cyl)	
Maximum towing ²¹	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	
GVWR	8,550 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	749.6 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	

SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 3500XD CARGO & 4500

Tires	3500XD										4500					
	Dual Rear Wheel					Super Single					Dual Rear Wheel					
Wheelbase	144"					170"					170" EXT					
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One

EXTERIOR	3500XD		4500				4500				4500				
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	274.3"	290.0"	233.5"	233.5"	274.3"	290.0"
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	108.4"	110.6"	109.1"	109.1"	108.7"	97.8"	108.9"	108.5"	108.2"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	67.2"	67.2"	66.0"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	63.8"	79.6"	49.1"	49.1"	63.8"	79.6"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	TBD	28.9"	30.3"	28.5"	29.8"	TBD	29.2"	28.9"	29.1"	TBD	28.7"	28.3"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	TBD	24.6"	24.8"	24.7"	24.7"	TBD	24.6"	24.8"	24.5"	TBD	24.6"	24.7"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	TBD	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"
Side-door opening width - sliding	51.0"	51.0"	49.6"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	52.5'	50.2'	45.3'	52.5'	52.5'	45.3'	45.3'	52.5'	52.5'
Ground to first step-side	21.7"	24.8"	21.6"	TBD	20.9"	24.3"	20.8"	24.3"	TBD	20.8"	20.7"	21.8"	TBD	21.2"	21.1"

INTERIOR

SPRINTER CREW



TECHNICAL SPECIFICATIONS: 2500 & 3500

Tires	2500						3500				
	Single						Dual Rear Wheel		Super Single		
Wheelbase	144"			170"			144"		170"		
Engine	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two

EXTERIOR

Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	233.5"	233.5"	274.3"	233.5"	274.3"
Height	96.3"	100.1"	107.5"	111.3"	107.3"	111.3"	96.4"	109.1"	108.7"	109.4"	109.1"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	95.5"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	67.2"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	65.2"	65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	49.1"	49.1"	63.8"	49.1"	63.8"
Load height, unloaded (ground to cargo floor)	27.5" G	31.5"	27.4" G	31.4"	27.3" G	31.1"	TBD	28.5"	28.1"	28.5"	28.1"
	27.7" D		27.6" D		27.4" D						
Load height, loaded (ground to cargo floor)	23.3"	26.8"	23.3"	26.8"	23.4"	26.8"	TBD	23.2"	23.2"	23.2"	23.2"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"	71.6"
Side-door opening width - sliding	49.3"	49.3"	51.0"	51.0"	51.0"	51.0"	49.3"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	60.7"	60.7"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	45.3'	45.3'	52.5'	45.3'	52.5'
Ground to first step-side	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	21.6"	21.6"	20.9"	21.6"	20.9"

INTERIOR

Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	103.5"	103.5"	103.5"	103.5"	144.3"	144.3"	103.5"	103.5"	144.3"	103.5"	144.3"
Cargo length, front (at belt)	93.1"	93.1"	93.1"	93.1"	133.9"	133.9"	93.1"	93.1"	133.9"	93.1"	133.9"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	38.5"	48.4"	48.4"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	75.5"	64.1"	75.5"	75.5"	75.5"	75.5"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	65.3"	65.3"	76.7"	76.7"	76.7"	76.7"	65.3"	76.7"	76.7"	76.7"	76.7"

CARGO CAPACITY

Cargo volume (behind last row of seats)	222.5 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.

MAXIMUM CAPABILITIES

Maximum payload	4,045 lbs. G	3,428 lbs.	3,946 lbs. G	3,351 lbs.	3,594 lbs. G	2,998 lbs.	4,233 lbs. (4-cyl)	4,156 lbs. (4-cyl)	3,770 lbs. (4-cyl)	4,167 lbs. (4-cyl)	3,781 lbs. (4-cyl)
	3,847 lbs. (4-cyl) 3,770 lbs. (6-cyl)		3,770 lbs. (4-cyl) 3,693 lbs. (6-cyl)		3,406 lbs. (4-cyl) 3,329 lbs. (6-cyl)		4,179 lbs. (6-cyl)	4,102 lbs. (6-cyl)	3,716 lbs. (6-cyl)	4,112 lbs. (6-cyl)	3,726 lbs. (6-cyl)
Maximum towing ²⁴	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.	9,900 lbs.
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

SPRINTER CREW



TECHNICAL SPECIFICATIONS: 3500XD & 4500

Tires	3500XD						4500				
	Dual Rear Wheel			Super Single			Dual Rear Wheel				
Wheelbase	144"			170"			144"		170"		
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5	5	5	5	
Rows of seats	Two	Two	Two	Two	Two	Two	Two	Two	Two	Two	

EXTERIOR

Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	233.5"	274.3"	233.5"	233.5"	274.3"
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	109.4"	109.1"	97.8"	108.9"	108.5"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.5"	66.5"	66.8"	66.5"	66.8"	67.2"	67.2"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	49.1"	63.8"	49.1"	49.1"	63.8"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	30.6"	28.9"	30.3"	29.2"	28.9"	29.1"	29.0"	28.7"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	24.9"	24.6"	24.8"	24.5"	24.6"	24.5"	24.5"	24.6"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	59.8"	71.6"	71.6"
Side-door opening width - sliding	49.3"	49.3"	51.0"	51.0"	51.0"	51.0"	49.3"	51.0"	49.3"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	61.0"	72.7"	72.7"
Rear cargo door opening width	60.7"	60.7"	61.2"	61.2"	61.2"	61.2"	60.7"	61.2"	60.7"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	45.3'	52.5'	45.3'	45.3'	52.5'
Ground to first step-side	21.7"	24.8"	21.6"	20.9"	21.6"	20.8"	21.8"	20.8"	21.8"	20.8"	20.8"

INTERIOR

Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	103.5"	103.5"	103.5"	103.5"	144.3"	144.3"	103.5"	144.3"	103.5"	144.3"
Cargo length, front (at belt)	93.1"	93.1"	93.1"	93.1"	133.9"	133.9"	93.1"	133.9"	93.1"	133.9"
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	38.5"	38.5"
Cargo height, maximum (with trim)	64.1"	64.1"	75.5"	75.5"	75.5"	75.5"	64.1"	75.5"	75.5"	75.5"
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	65.3"	65.3"	76.7"	76.7"	76.7"	76.7"	65.3"	76.7"	76.7"	76.7"

CARGO CAPACITY

Cargo volume (behind last row of seats)	222.5 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	222.5 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.

MAXIMUM CAPABILITIES

Maximum payload	5,375 lbs. (4-cyl)	5,022 lbs.	5,298 lbs. (4-cyl)	4,945 lbs.	4,912 lbs. (4-cyl)	4,559 lbs.	5,309 lbs. (4-cyl)	4,923 lbs. (4-cyl)	6,437 lbs. (4-cyl)	6,360 lbs. (4-cyl)	5,975 lbs. (4-cyl)
	5,320 lbs. (6-cyl)		5,243 lbs. (6-cyl)		4,857 lbs. (6-cyl)		5,254 lbs. (6-cyl)	4,868 lbs. (6-cyl)	6,382 lbs. (6-cyl)	6,305 lbs. (6-cyl)	5,919 lbs. (6-cyl)
Maximum towing ²⁴	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

SPRINTER PASSENGER



ADDITIONAL STANDARD FEATURES (PASSENGER)	1500		2500		1500	2500
	1500	2500	1500	2500		
MECHANICAL						
• Additional bar for driveshaft & exhaust extension	X	X			X	X
• Axle ratio 3.923*		X			X	X
• Axle ratio 4.182 (standard on 2500 gas models only)	X	X			X	X
			• Front axle reinforced (standard on 2500 170" WB models only)		X	
			• Rear spring vibration absorbers		X	X
			• Stabilization Level I		X	X

SEATING						
• Aisle-side armrest	X	X				
• Four-seater bench in passenger compartment, third row**	X	X				X
			• Storage net, driver seat backrest		X	X
			• Storage net, passenger seat backrest		X	X
• Four-seater bench in passenger compartment, fourth row***		X				X
			• Three-seater bench in passenger compartment, third row (narrow)***			X
• Luxury interior trim with USB-sockets	X	X				X
			• Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX			X
			• Wall-side armrest		X	X
			• Window pillar trim		X	X

INTERIOR						
• 12V power outlet, rear compartment	X	X			X	X
• Air conditioning rear, roof-mounted	X	X			X	X
• Assist handle, B-pillar	X	X			X	X
• Audio systems speakers, 5 front, 8 rear	X	X			X	X
• Coat hooks in passenger compartment	X	X			X	X
• Cupholders, Front	X	X			X	X
• FMVSS 217 emergency exit	X	X			X	X
			• Front-to-rear outlet in instrument panel		X	X
			• Fuel-fired heater booster (17,000 BTU)*		X	X
			• Heat insulation, front compartment		X	X
			• Heat insulation, rear compartment		X	X
			• Hinged lid for storage compartment		X	X
			• Illuminated front exits		X	X
			• Rear cabin heater & vents		X	X
			• Rear window defroster		X	X
			• Sliding door, passenger side		X	X
			• Storage compartment with net in rear doors		X	X
			• Warm/cool air duct to rear compartment		X	X
			• Weight-optimized plastic floor		X	X
			• Window pillar trim		X	X

EXTERIOR						
• 2nd row, fixed window, passenger side	X	X			X	X
• 3rd brake light	X	X			X	X
• Black tinting (90%) for rear windows	X	X			X	X
• Fixed window, center left***		X			X	X
• Fixed window, center right***		X			X	X
• Fixed window, rear left	X	X			X	X
• Fixed window, rear right	X	X			X	X
			• High roof		X	X
			• Laminated glass rear		X	X
			• Rear doors 180° opening		X	X
			• Rear mudflaps		X	X
			• Roof trim		X	X
			• Tow hook rear		X	X
			• Windows in rear doors		X	X

SAFETY & SECURITY						
• Longitudinal member reinforcement	X	X			X	X
			• 360° camera³ (rearview mirror display)		X	X

OPTIONAL FEATURES (PASSENGER)	1500		2500		1500	2500
	1500	2500	1500	2500		
MECHANICAL						
• Additional battery for retrofit consumers, co-driver seat base**	X	X			X	X
• Additional battery for retrofit consumers, engine compartment**	X	X			X	X
• Additional DIN-slots	X	X			X	X
• Axle ratio 4.182 (standard on 1500 & 2500 gas models)		X			X	X
• Cutoff relay for additional battery	X	X			X	X
			• Deactivation lamp monitoring failure		X	X
			• Electric parking brake		X	X
			• Engine oil level display at cold start*		X	X
			• Fuel gauge, optimized for aux. fuel tap*		X	X
			• Misfueling prevention for diesel		X	X
			• Parametric Special Module (PSM)		X	X

SEATING						
• Artico Man-made Leather Black	X	X			X	X
• Fabric, Caluma Black	X	X			X	X
			• Heated driver seat		X	X
			• Heated front passenger seat		X	X

INTERIOR						
• 115V socket	X	X			X	X
• Acoustic Package	X	X			X	X
• Assist handle, left rear door	X	X			X	X
• Assist handle, right rear door	X	X			X	X
• Charging Package, dashboard	X	X			X	X
• Cigarette lighter & ash cup, front	X	X			X	X
• Door-mounted assist handle, driver & passenger (standard on 4x4)	X	X			X	X
			• Electrically folding exterior mirrors		X	X
			• Electrically heated windshield		X	X
			• Fuel-fired pre-heater/booster (17,000 BTU)*		X	X
			• Instrument cluster with color display		X	X
			• Keys, two additional masters		X	X
			• Leather steering wheel		X	X
			• Navigation		X	X
			• Optional 3-button keys		X	X
			• Overhead storage slot, front center		X	X
			• Rear doors, opening to side-wall		X	X
			• Rear heater prep		X	X
			• Satellite radio		X	X
			• THERMOTRONIC automatic climate control		X	X
			• Tray for smartphones incl. wireless charging		X	X

EXTERIOR						
• Bumpers front/rear primed	X	X			X	X
• Bumper step, rear, Grey	X	X			X	X
• DEF fluid filler cap - lockable	X	X			X	X
• Deletion of "model" badge, right rear door	X	X			X	X
• Deletion of Sprinter badge, left rear door	X	X			X	X
• Elec. closing assist right sliding door (soft close)	X	X			X	X
• Half-sided step rear (for trailer hitch)	X	X			X	X
			• Heated rear window(s) with washers/wipers		X	X
			• Mounting rails for roof rack		X	X
			• Opening limiter, electrically operated sliding door		X	X
			• Painted metallic front & rear bumper		X	X
			• Primed side moldings		X	X
			• Sliding door two-stage opening		X	X
			• Trailer hitch, 5,000 lbs.		X	X

SAFETY & SECURITY						
• Active Distance Assist DISTRONIC®5	X	X			X	X
• Backup alarm	X	X			X	X
• Blind Spot Assist	X	X			X	X
			• Emergency flashlight		X	X
			• First-aid kit		X	X
			• Fog lamp with cornering light function		X	X
			• Parking Package		X	X
			• Parking Package with 360° camera		X	X
			• Security alarm with interior motion sensor		X	X

OPTIONAL PACKAGES						
• Chrome Grille Package	X	X			X	X
• Comfort Package	X	X			X	X
• Comfort Package (seat addition)	X	X			X	X
• Comfort Plus Package	X	X			X	X
• DISTRONIC® Addition Premium Package	X	X			X	X
			• Driver Convenience Package		X	X
			• Exterior Lighting Package		X	X
			• High-Performance Rear Air Conditioning Package		X	X
			• Passenger Accessibility Package		X	X
			• Premium Package		X	X
			• Premium Plus Package		X	X
			• Rear Comfort Package		X	X

SPRINTER PASSENGER



TECHNICAL SPECIFICATIONS: 1500 & 2500

	1500		2500			
	Single		Single			
Tires	144"		144"			
Wheelbase	144"		170"			
Engine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x4	4x2	4x4
Roof height	Standard Roof	High Roof	Standard Roof	Standard Roof	High Roof	High Roof
Passenger capacity	12	12	12	12	12	15
Rows of seats	Four	Four	Four	Four	Four	Five

EXTERIOR							
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"
Height	TBD	114.2"	TBD	TBD	114.2"	117.6"	113.5"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"
Load height, unloaded (ground to cargo floor)	TBD	27.2"	TBD	TBD	27.2" ^G	30.7"	26.3"
					27.4" ^D		
Load height, loaded (ground to cargo floor)	TBD	23.8"	TBD	TBD	23.8"	27.2"	23.9"
Side-door opening height	TBD	71.6"	TBD	TBD	71.6"	71.6"	71.6"
Side-door opening width - sliding	51.1"	51.0"	51.1"	51.0"	51.1"	51.0"	51.0"
Rear cargo door opening height	TBD	72.7"	TBD	TBD	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'
Ground to first step-side	20.5"	20.5"	20.5"	24.2"	20.5"	24.2"	20.0"

INTERIOR							
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	35.9"	35.9"	35.9"	35.9"	35.9"	35.9"	48.4"
Cargo length, front (at belt)	25.6"	25.6"	25.6"	25.6"	25.6"	25.6"	37.9"
Cargo width between wheelhouses	53.0"	53.0"	53.0"	53.0"	53.0"	53.0"	53.0"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	69.8"	69.8"	69.8"	69.8"	69.8"	69.8"	69.8"
Interior standing height	TBD	75.5"	TBD	TBD	75.5"	75.5"	75.5"

CARGO CAPACITY							
Cargo volume (behind last row of seats)	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	111.2 cu. ft.
Maximum roof load	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.	243 lbs.
Maximum available GCWR	13,930 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	9,480 lbs.

MAXIMUM CAPABILITIES							
Maximum payload	3,494 lbs.	2,917 lbs.	3,494 lbs. ^G	2,954 lbs.	3,417 lbs. ^G	2,877 lbs.	3,087 lbs. (4-cyl)
			3,274 lbs. (4-cyl) ^D		3,197 lbs. (4-cyl) ^D		3,031 lbs. (6-cyl)
			3,219 lbs. (6-cyl) ^D		3,142 lbs. (6-cyl) ^D		
Maximum towing ^{2a}	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	0 lbs.
GVWR	9,050 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,480 lbs.
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.

* Not available with gasoline engine.
 ** 12-seater model only.
 *** 15-seater model only.

For a complete listing of features included in each package, build your van at MBVans.com

SPRINTER CAB CHASSIS/CUTAWAY



ADDITIONAL STANDARD FEATURES (CAB CHASSIS/CUTAWAY)	3500XD		4500		3500XD		4500	
MECHANICAL								
• Aux. fuel sending unit with fuel tap	X	X			X	X		X
• Axle ratio 4.182	X	X			X	X		X
EXTERIOR								
• Clearance lights pre-wiring	X	X			X	X		X
• Exterior mirror extended (96")	X	X			X	X		X
• Identification lamps	X	X			X	X		X
TIRES & WHEELS								
• 5.5 J x 16 steel wheels	X	X			X	X		X
• Dual rear wheel tires	X	X			X	X		X
• Provisional spare wheel bracket frame mounted	X	X			X	X		X
• Spare wheel	X	X			X	X		X
• Tires LT 215/85 R16	X	X			X	X		X
SAFETY & SECURITY								
• Front axle reinforced					X	X		X
• Stabilization Level II					X	X		X
SAFETY & SECURITY (CONTINUED)								
• Longitudinal member reinforcement	X	X			X	X		X

OPTIONAL FEATURES (CAB CHASSIS/CUTAWAY)

MECHANICAL	3500XD		4500		3500XD		4500	
• Additional battery for retrofit consumers, co-driver seat base	X	X			X	X		X
• Additional battery for retrofit consumers, engine compartment	X	X			X	X		X
• Additional DIN-slots	X	X			X	X		X
• AGM battery 12V 95Ah 850A	X	X			X	X		X
• Axle ratio 3.923	X	X			X	X		X
SEATING								
• Artico Man-made Leather Black	X	X			X	X		X
• Fabric, Caluma Black	X	X			X	X		X
SEATING (CONTINUED)								
• Heated driver seat	X	X			X	X		X
• Heated front passenger seat	X	X			X	X		X

INTERIOR	3500XD		4500		3500XD		4500	
• 115V socket	X	X			X	X		X
• Acoustic Package	X	X			X	X		X
• Cab rear wall liner	X	X			X	X		X
• Charging Package, dashboard	X	X			X	X		X
• Cigarette lighter & ash cup, front	X	X			X	X		X
• Door-mounted assist handle, driver & passenger	X	X			X	X		X
• Electrical pre-installation for load compartment lighting	X	X			X	X		X
• Electrically heated windshield*	X	X			X	X		X
• Fuel-fired heater booster (17,000 BTU)	X	X			X	X		X
INTERIOR (CONTINUED)								
• Fuel-fired pre-heater/booster (17,000 BTU)	X	X			X	X		X
• Heat insulation, front compartment	X	X			X	X		X
• Hinged lid for storage compartment	X	X			X	X		X
• Illuminated front exits	X	X			X	X		X
• Instrument cluster with color display	X	X			X	X		X
• Keys, two additional masters	X	X			X	X		X
• Leather steering wheel	X	X			X	X		X
• Navigation	X	X			X	X		X
• Overhead storage slot, front center	X	X			X	X		X
INTERIOR (CONTINUED)								
• Rear heater prep	X	X			X	X		X
• Rear wall deletion - Cab Chassis	X	X			X	X		X
• Satellite radio	X	X			X	X		X
• THERMOTRONIC automatic climate control	X	X			X	X		X
• Tray for smartphones incl. wireless charging	X	X			X	X		X
• Window in cab rear wall	X	X			X	X		X

EXTERIOR	3500XD		4500		3500XD		4500	
• Bumpers/detachable body parts painted body color	X	X			X	X		X
• Bumpers front/rear primed	X	X			X	X		X
• DEF fluid filler cap - lockable	X	X			X	X		X
EXTERIOR (CONTINUED)								
• Deletion of "model" badge, right rear door	X	X			X	X		X
• Primed side moldings	X	X			X	X		X
• Tail lamp deletion	X	X			X	X		X
• Third brake light pre-wiring	X	X			X	X		X
EXTERIOR (CONTINUED)								
• Wire harness tail lamp with extended wiring	X	X			X	X		X
• Wiring for additional turn signals	X	X			X	X		X
TIRES & WHEELS								
• 285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	X	X			X	X		X
• M+S winter tires	X	X			X	X		X
• Rims painted Arctic White	X	X			X	X		X
• Rims painted Jet Black	X	X			X	X		X
TIRES & WHEELS (CONTINUED)								
• Spare tire carrier deletion	X	X			X	X		X
• Spare wheel deletion	X	X			X	X		X
• Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)	X	X			X	X		X
• Tire Brand Continental	X	X			X	X		X
• Tire Brand Michelin*	X	X			X	X		X
• Wheel chocks	X	X			X	X		X

SAFETY & SECURITY	3500XD		4500		3500XD		4500	
• Active Distance Assist DISTRONIC®5	X	X			X	X		X
• Backup alarm	X	X			X	X		X
• Emergency flashlight	X	X			X	X		X
SAFETY & SECURITY (CONTINUED)								
• First-aid kit	X	X			X	X		X
• Fog lamp with cornering light function	X	X			X	X		X
• Misfueling prevention for diesel	X	X			X	X		X
SAFETY & SECURITY (CONTINUED)								
• Pre-wiring rearview camera (head unit display)	X	X			X	X		X
• Pre-wiring rearview camera (rearview mirror display)	X	X			X	X		X
• Security alarm with interior motion sensor	X	X			X	X		X

OPTIONAL PACKAGES	3500XD		4500		3500XD		4500	
• Bench Seat Package	X	X			X	X		X
• Chrome Grille Package	X	X			X	X		X
• Comfort Package	X	X			X	X		X
• Comfort Package (seat addition)	X	X			X	X		X
OPTIONAL PACKAGES (CONTINUED)								
• Comfort Plus Package	X	X			X	X		X
• DISTRONIC® Addition Premium Package	X	X			X	X		X
• Driver Convenience Package	X	X			X	X		X
• Exterior Lighting Package	X	X			X	X		X
• Premium Package	X	X			X	X		X
• Premium Plus Package	X	X			X	X		X
• Swivel Seat Package	X	X			X	X		X

For a complete listing of features included in each package, build your van at MBVans.com

TECHNICAL SPECIFICATIONS: 3500XD & 4500

	3500XD				4500	
	Dual Rear Wheel	Super Single	Dual Rear Wheel	Dual Rear Wheel	Dual Rear Wheel	Dual Rear Wheel
Tires	144"	170"	144"	170"	144"	170"
Wheelbase	144"	170"	144"	170"	144"	170"
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One

EXTERIOR						
Length	245.9"	273.5"	245.9"	273.5"	245.9"	273.5"
Height	94.1"	93.7"	93.9"	93.5"	94.4"	94.0"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	66.3"	66.3"	67.2"	67.2"	66.3"	66.3"
Rear track	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"
Front overhang	15.8"	15.8"	15.8"	15.8"	15.8"	15.8"
Rear overhang (rear axle to end of frame)	61.4"	63.0"	61.4"	63.0"	61.4"	63.0"
Turning diameter (curb-to-curb)	45.3'	52.5'	45.3'	52.5'	45.3'	52.5'
Cab length	99.4"	99.4"	99.4"	99.4"	99.4"	99.4"
Top of frame to top of cab	64.4"	64.4"	64.4"	64.4"	64.4"	64.4"
Frame height, loaded	27.0"	27.0"	26.9"	26.9"	26.9"	26.9"

*Delayed availability.

TECHNICAL SPECIFICATIONS: 3500XD & 4500

	3500XD				4500	
	Dual Rear Wheel	Super Single	Dual Rear Wheel	Dual Rear Wheel	Dual Rear Wheel	Dual Rear Wheel
Tires	144"	170"	144"	170"	144"	170"
Wheelbase	144"	170"	144"	170"	144"	170"
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2	4x2
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One


INTERIOR						
Headroom	47.3"	47.3"	47.3"	47.3"	47.3"	47.3"
Shoulder room	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"

CARGO CAPACITY						
Max. available GCWR	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.	15,249 lbs.


MAXIMUM CAPABILITIES						
Maximum payload	6,411 lbs. (4-cyl)	6,323 lbs. (4-cyl)	6,422 lbs. (4-cyl)	6,334 lbs. (4-cyl)	7,484 lbs. (4-cyl)	7,396 lbs. (4-cyl)
	6,356 lbs. (6-cyl)	6,268 lbs. (6-cyl)	6,367 lbs. (6-cyl)	6,279 lbs. (6-cyl)	7,429 lbs. (6-cyl)	7,341 lbs. (6-cyl)
Maximum towing**	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.

EXTERIOR & INTERIOR


EXTERIOR: NON-METALLIC



9147 - Arctic White



9136 - Grey White



7701 - Pebble Grey

ENDNOTES

TBD values to be updated at a later date.

- Active Brake Assist may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature, and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. See Operator's Manual for system's operating speeds, and additional information and warnings.
- Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST[®] may be insufficient to alert a fatigued or distracted driver, and cannot be relied on to avoid an accident or serious injury.
- Blind Spot Assist is a warning system only, and may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a substitute for driver awareness and checking of surrounding traffic conditions. See Operator's Manual for system's operating speeds, and additional information and warnings.
- Rear Cross-Traffic Alert is not a substitute for actively checking around the vehicle for any obstacles or people. It may not detect certain objects based on their size, path, proximity, or speed and angle of approach, or due to sensor obstruction, and does not control steering angle. See Operator's Manual for additional information, tips, and warnings.
- Active Distance Assist DISTRONIC[®] is no substitute for active driving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead, or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance, and tire and road conditions. See Operator's Manual for system's operating speeds, and additional information and warnings.
- 360° camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.
- Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions.
- No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.
- Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
- Active Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift, and cannot be relied on to avoid an accident or serious injury.
- Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content). The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit- /corrosion-related damages to the system (min. 6h, proven by EN 14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.
- Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.
- MY19 Sprinter won the 2019 ALG Residual Value Award in the Fullsize Commercial Van segment. ALG is the industry benchmark for residual values and depreciation data, www.alg.com.
- B2B connectivity is available for the Contiguous US, Hawaii, and Alaska with the MY21 Sprinter. Contact an authorized Mercedes-Benz Vans dealership for more information.
- When the Emergency Call System is triggered, the following data are automatically transmitted: vehicle identification number, GPS position, direction of travel, time of the emergency call, language setting, and number of occupants in the cab. The Emergency Call System is activated from the moment the vehicle is delivered to the customer following a sale. No separate terms of use have to be accepted. The Communication Module for Digital Services and the emergency call button are necessary for use of the Emergency Call System service. The availability of the service in addition to the integrated Communication Module for Digital Services (LTE) depends on the network coverage of the mobile network provider. The Communication Module for Digital Services (LTE) is not available in the US Virgin Islands or Puerto Rico.
- The information from this service is shown on the touchscreen of the multimedia system. Live Traffic Information can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. While the navigation system provides directional assistance, the driver must remain focused on safe driving behavior, including paying attention to traffic and street signs. The driver should utilize the system's audio cues while driving and should only consult the map or visual displays once the vehicle has been stopped in a safe place. Maps do not cover all areas or all routes within an area. Please follow all applicable federal, state, and local laws and restrictions.
- A valid subscription to Live Traffic Information is necessary to use Car-to-X Communication. Car-to-X Communication can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation, or the MBUX multimedia system with 10.25-inch touchscreen. Only the data of vehicles directly affected by the event and equipped with Car-to-X Communication are processed, therefore you may not always receive a timely warning of hazards through this system.
- The available data can vary according to the vehicle model. The tire pressure can only be shown on certain model configurations. Display of the AdBlue[®] level is only available in conjunction with the optional SCR Generation 3 emissions control and only available with diesel models.
- The Remote Control function via the Mercedes me connect App makes it possible for you to view the status of the doors and windows. The driver is also able to unlock the vehicle using a code via the Mercedes me connect App, and also check the status of and operate the auxiliary heater. This function is only available in conjunction with an optional auxiliary heater (hot-water heater).
- MBUSA reserves the right to change or discontinue B2B connectivity services and Mercedes me connect services at any time without prior notification or incurring any future obligation. See the terms of the B2B connectivity and Mercedes me connect Overview of Services.
- The wireless Internet in the Car is provided by AT&T and created via an integrated SIM card. A contract must be made with AT&T in order to access data services, and this contract can be made with the help of the MBUX multimedia system. A mobile device is required to complete enrollment. Mobile device will need to be connected to the WiFi Hotspot of the MBUX multimedia system by selection and PIN submission displayed in the MBUX multimedia system. Devices sold separately. Activation and deactivation of Internet in the Car is only possible via data contract with AT&T. Additional costs may apply depending on the amount of data used. In addition to a data contract with AT&T, either an MBUX multimedia system with 17.8 cm (7-inch) touchscreen and navigation, or satellite radio or the MBUX multimedia system with 26 cm (10.25-inch) touchscreen is required.
- In order to prevent distracted driving, the use of the Mercedes me connect App is not permitted while operating a motor vehicle. If used while operating a motor vehicle, there is an increased risk of endangering oneself and others. Please follow your local laws and restrictions.
- The availability of services in addition to the integrated Communication Module depends on the network coverage of the mobile network provider. The Communication Module (LTE) is not available in the US Virgin Islands or Puerto Rico. The Communication Module for Digital Services (LTE) is standardly equipped in the MY21 Sprinter.
- Apple CarPlay[®] is a product of Apple Inc. Android[™] Auto is a product of Google Inc. Device and app providers' terms and privacy statements apply. Requires connected compatible device and data plan. Apps, content, and features are selected solely by their providers. Connection to apps and streaming services may be limited by the device's network connection. Data usage is routed through device and subject to fees, charges, and restrictions in user's wireless plan. Vehicle's factory audio/information interface, including COMAND[®] navigation, may not be used simultaneously with Apple CarPlay[®] or Android[™] Auto. When Apple CarPlay[®] or Android[™] Auto is in use, the steering-wheel voice control button accesses Siri[®] or Google voice recognition software for voice commands.
- Unsecured cargo can become hazardous in a collision. Always secure cargo.
- Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
- ExpertSOLUTIONS program vehicles are custom, special-order-only vehicles modified by the ExpertSOLUTIONS provider of your choice. Although the MBUSA warranty does not apply to the modifications, separate warranties offered by the ExpertSOLUTIONS provider may apply. Details are available from your local dealer.
- Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon creditworthiness of customer.
- TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.
- The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.
- Traffic Sign Assist is not a substitute for driver awareness to posted speed limits and other conditions. Driver is responsible for safely operating vehicle in accordance with local traffic laws and driving conditions.

©2021 Mercedes-Benz USA, LLC, One Mercedes-Benz Drive, Sandy Springs, GA 30328 1-877-762-8267

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. All measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. Bluetooth[®] is a registered trademark of Bluetooth SIG, Inc.

www.MBVans.com

