'66 Plymouth Belvedere



Satellite

Plymouth Satellite-the top of the Belvedere line-and the newest, sleekest Plymouth for '66. Satellite is a big, bold approach to everyday driving that comes jauntily packaged on a 116-inch wheelbase. From the deep-skirted front bumpers to the stylishly ribboned tail-lights-Satellite is all-new beauty. Performance? Your first turn behind the wheel will tell the story. Performance is as performance does. And Satellite, with the 273-cu.-in. V-8 engine and 3-speed manual transmission, does it all. Satellite, in hardtop or convertible, is the striking new leader of the '66 Belvedere line that includes wagons, convertibles, sedans and hardtops. 18 brand-new Belvedere models. 17 solid colors along with 18 color combinations . . . in glowing acrylic enamel that's so hard, you can buff off scratches. Plus a raft of popular options. Belvedere engines range from the economical 225-cu.-in."6" to the optional Commando 383-cu.-in, V-8, '66 Belvedere . . . new style and performance in a large economy size. Check the following pages and see why it's a great year to . . . Let yourself go . . . Plymouth.





Satellite's interior is highlighted by new shell-type bucket seats, a new center console, and safety-designed inside door handles. The color-keyed carpeting, in vivid shades, and the all-vinyl trim, in five lush colors, give Satellite interiors a new touch of refinement . . . and fresh brilliance.

Satellite Standard Equipment/273-cu.-in.V-8 engine/3-speed manual transmission/Front bucket seats/Compartment console/Knock-off hub wheel covers/Fender-mounted turn signal indicators/Variable-speed electric windshield wipers/Padded instrument panel/Windshield washer / Front and rear seat belts / Left outside rear-view mirror/Back-up lights/Console lights/Glove box light/Deep-pile formed carpeting / Self-adjusting brakes / Torsion-bar suspension / Heater-defroster / Front and rear armrests / Chrysler Corporation alternator.

Popular Options and Accessories / 3 optional Commando V-8 engines available / 3-speed TorqueFlite automatic transmission / "4-on-the-Floor" transmission/Deluxe steering wheel/Power steering/Power brakes / AM radio / Vinyl roof / Electric clock / Air conditioning / Sure-Grip differential / Bumper guards / Tinted glass / Whitewall tires/Power windows/Retractors and boots for seat belts/Parking-brake light / Tachometer / Trailer-towing package / Emergency flasher. (See pages 12 and 13 for additional options and accessories.)





Belvedere II



The '66 Plymouth Belvedere II is completely new. New styling. New performance. New features. 10 distinctive models to choose from. 5 big engines. Ranging from the economical 225-cu.-in. standard "6" to the optional Commando 383-cu.-in. V-8 with a 4-barrel carburetor. New and functional. With large, round Park/Turn signals that are mounted on the broad Belvedere grille. A recessed spare tire that allows for more usable trunk space. And a gas filler cap that is designed as an integral part of the side molding. New and beautiful. With increased glass area and curved side glass. Buffable acrylic enamel. And richly appointed vinyl-and-fabric interiors. New safety-type features. Front and rear seat belts. A padded instrument panel. Parallel windshield wipers. And a bright, appointed, safety-type inside door handle. Add to this a bevy of "blue ribbon" options and accessories for your Belvedere II wagon, convertible, hardtop, or sedan and you have a host of excellent reasons to . . . Let yourself go . . . Plymouth.



Belvedere I







Belvedere I 4-door Sedan/Light Blue Metallic


The Belvedere I wagon-like the entire Belvedere I line-is a study in roominess, convenience and economy. Improved second-seat folding, increased carrying capacity, a hidden storage area, low-effort tailgate mechanism and all-new styling tell the story. Belvedere I and Belvedere II wagons are bigger in '66 with a 117-inch wheelbase.

Belvedere I Standard Equipment / 225-cu.-in. 6-cyl. engine / 273-cu.-in. V-8 engine / 3-speed manual transmission/Padded instrument panel/Front and rear seat belts / Left outside rear-view mirror /

Windshield washer / Variable-speed electric windshield wipers / Back-up lights / Heater-defroster / Chrysler Corporation alternator / Torsion-bar suspension / Self-adjusting brakes.

Popular Options and Accessories / 3 optional Commando V-8 engines available / 3-speed automatic transmission / "4-on-the-Floor" transmission / Deluxe steering wheel / Power steering / Power brakes/AM radio/Air conditioning/Sure-Grip differential. (See pages 12 and 13 for additional options and accessories.)

*Price of standard vehicle will vary, dependent on choice of engine. The "Standard 8", naturally, is priced somewhat higher than the "Standard 6".




10 11













7	10		
E			7
	V	MO	

	225 Standard "6"	273 Standard V-8	318 Optional V-8	361 Optional Commando V-8	383 Optional Commando V-8
Horsepower	145 hp at	180 hp at	230 hp at	265 hp at 4400 rpm	325 hp at
Torque, lbsft	4000 rpm 215 at 2400 rpm	4200 rpm 260 at 1600 rpm	4400 rpm 340 at 2400 rpm	380 at 2400 rpm	4800 rpm 425 at 2800 rpm
Compression ratio	The state of the state of	8.8 to 1	9.0 to 1	9.0 to 1	10.0 to 1
Bore, inches		3.63	3.91	4.12	4.25
Stroke, inches		3.31	3.31	3.38	3.38
Displacement, cu. in		273	318	361	383
Carburetor type		2-bbl.	2-bbl.	2-bbl.	4-bbl.
Air cleaner type		Silenced	Silenced	Silenced	2-Snorkel
Exhaust		Single	Single	Single	Dual
Camshaft		Standard	Standard	Standard	Standard
Fuel	Regular	Regular	Regular	Regular	Premium

Options, Accessories and Engines

1—Air Conditioning. Gives you "controlled weather" inside, no matter what's going on outside. Features Chrysler Corporation's own reheat principle. Responds quickly to change in control settings.

2—Deluxe Wheel Covers. Sleek, sporty design blends harmoniously with the all-new Belvedere styling. Wheel cover shown is standard on Satellite—optional on Belvedere I & II (less spinner).

3—Power Steering & 3-Spoke Steering Wheel. Easy does it on expressway or driveway with optional power steering. The 3-spoke steering wheel—with the look of fine wood—has a track record for good looks and "racing car" feel.

4—Power Brakes. A new power brake booster affords the driver a more realistic "feel" for the exact amount of pedal effort required to produce the desired braking action.

5—"4-on-the-Floor" Transmission. If you like to wheel along on the "sporty side" of the street, this fully synchronized option is a must. Chrysler's new linkage makes for rapid, easy shifting into all forward speeds.

6—AM Radio. This powerful "Transaudio" push-button radio is fully transistorized. Rich, clear reception and easy tuning.

7—Commando 383-cu.-in. V-8 Engine. A performance-plus engine that has a four-barrel carburetor. Develops 325 hp at 4800 rpm.

8—Belvedere Engine Availabilities Chart. Three rugged optional V-8 performers. Plus the Standard "6" and Standard V-8.

ADDITIONAL OPTIONS AND ACCESSORIES

Vinyl Roof Coverings. Rich, pebbled black or white vinyl covering is available for hardtops only. Weather-resistant.

Seat Belt Retractors and Boot—Front. Belts slip neatly and conveniently into boots when not in use. Boots for retractors available for front seat belts only; seat belt retractors—front and rear.

TorqueFlite Transmission. Smooth-shifting, quality-engineered automatic transmission. Three-speed.

Sure-Grip Differential. This option is designed to give positive power to both rear wheels for improved traction. Especially effective on gravel or other loose surfaces, or on ice or snow.

Tinted Window Glass. Performs the dual function of reducing glare, and helping to keep the car interior cool.

Bumper Guards. Give grille area a "custom-chrome" look. Molded rubber inserts protect against scratching. Front and rear.

Light Packages. The convenience of a parking brake light, glove box light or a trunk compartment light can be yours at a surprisingly low cost.


Station Wagon Luggage Rack. This rugged extruded aluminum convenience option is adjustable.

Trailer-Towing Packages. Plymouth has specially designed, factoryinstalled trailer-towing equipment available for most models. For detailed information ask your Plymouth Dealer for the highly informative booklet on this subject. Let yourself go ... Plymouth.

Ask your Plymouth Dealer for other available options and accessories.

13

Colors and Specifications



Exterior Colors-17 bold, beautiful solid colors are available in the '66 Belvedere line. In tough, chipresistant, buffable acrylic enamel. Three solid colors available (but not shown in color illustrations at left) are: Soft Yellow, White, and Black.

2-Tone Color Combinations-18 optional 2-tone (body color/top color) color combinations are available for most models in the '66 Belvedere line.

Interior Colors and Fabrics-The '66 Belvedere interiors are color-coordinated to complement the exterior colors. You can choose from a spirited array of trim materials, fabrics and colors. Satellite interiors are covered with a supple, all-vinyl trim. Satellite interior is shown on page 5. In 5 colors: Blue, Tan, Red Metallic, Citron, and Black, Belvedere 11 has one basic trim style for both the all-vinyl and the combination vinyl-and-cloth trim, 6 vinyl colors and 5 vinyl-and-cloth colors to choose from. Belvedere II interior is shown on page 7. Belvedere 1 has a combination vinyl-and-cloth trim for the sedans and an all-vinyl trim for wagons. Available in 3 vinyl colors and 3 vinyl-and-cloth colors. Belvedere I interior is shown on page 11.

NOTE: Not all body colors, color combinations and interior colors & fabries are available for all cars in the Belvedere line. Ask your Plymouth

Silver Metallic optional at extra cost,

Track, rear 58.5 in. 58.5 in. Length, overall (2-seat) . . 207.1 in. (B) 200.5 in. (3-seat) . . 208.1 in. Height, overall* (2-seat) . . 55.0 in. (C) 54.0 in. (3-seat) . . 55.2 in. (h'top & conv.) 53.2 in.

+Basic measurements for V-8 sedans, unless otherwise noted. *Height dimensions are based on a newly established full rated AMA standard of measurements.

Interior Dimensions

Exterior Dimensions

	Wagons	Others
Headroom, front	39.4 in	(D) 38.8 ir
		erdtops) 37.8 in
	(conve	rtibles) 38.7 in
Headroom, rear	39.3 in	
		rdtops) 37.1 in
T CONTRACTOR SOCIAL I MARINI PERM	\(conve	rtibles) 37.2 in
Legroom, front		
•	(Sa	itellite) 41.6 in
Legroom, rear		
		atellite) 34.3 in
Chaulden was a form	(nardtop x	conv.) 34.2 in
Shoulder-room, front	58.0 in	58.0 in
Shoulder-room, rear .	58.0 in	58.0 in
Seat height, front	/handran	8.0 m
Seat height rear	(naratop a	& conv.) 9.9 in
Seat height, rear Rear-seat kneeroom	4.4 in	44 in
†Basic measurements for	r V-8 sedans, unless o	therwise noted.

Brakes*

Others† Hydraulic 10-inch diameter, 2.5-in-wide, servo-contact, wagons. Brake shoes are internal-expanding type. A new self-adjusting feature (activated during reverse stops) is incorporated in the design. Separate, foot-operated parking brake, cable connected, acts on each rear wheel.

*Standard on V-8s and 6 & V-8 wagons.

Heavy-duty, 12-volt, 54-plate, 48-ampere-hour battery. Chrysler Corporation alternator with high charging rate at low engine speeds.

Rear-Axle Ratios

st Type: Hotchkiss drive, hypoid rear axle, Ratios: 225-cu. in, "6" and 273-cu.-in. V-8 with 3-speed manual transmission-3.23 to 1, 318-cu.-in. V-8 with 3-speed manual transmission-2.94 to 1, 361-, and 383-cu.-in. V-8 with 4-speed manual transmission-3.23 to 1.

Tires and Wheels*	Wheels	Tires
6-cylinder sedans and hardtops, 8-cylinder sedans, hardtops, con-	14 x 5.0 K	6.95 x 14
vertibles & 6-cyl. convertibles	14 x 5.0 K	7.35×14
2-seat station wagons	14 x 5.5 K	7.75×14
3-seat station wagons (Optional) sedans, hardtops and	14 x 5.5 K	8.25 x 14
convertibles	14 x 5.5 K	7.75×14
(Optional) 2-seat wagons	14 x 5.5 K	8.25×14
*Safety-Rim wheels, with low-pressure	tubeless tire	s, standard

Front...... Torsion bars and ball joints Rear..., 2.5-in.-wide asymmetrical leaf springs (4.5 leaves) Shock absorbers Oriflow type

Capacities


Fuel tank
Fuel tank, station wagons 19 gallons
Cooling system, 6-cylinder engines with heater, 13 quarts
Cooling system, 8-cylinder engines with heater, 21 quarts
Cooling system, Commando engines with heater, 17 quarts
Lubricating oil 4 quarts
Transmissions
Manual 3-speed (6s) 6.5 pints
(8s) 6.0 pints
Manual 4-speed (8s) 8.5 pints
Automatic 3-speed (6s & Std. V-8) 16.0 pints
(8s-optional) 18.5 pints

Roomy Dimensions of Belvedere Station

Wagon Cargo Compartments Floor length, tailgate open,


2nd and 3rd seats folded (A)		,121.4 in
Floor length, tailgate closed,		
2nd and 3rd seats folded (B)		. 92.2 in
Floor length, tailgate open,		
2nd seat up, 3rd seat folded	(C)	, 88.1 in
Floor length, tailgate closed.		
2nd seat up, 3rd seat folded	(D)	. 57.4 in
Width between the rear wheel h		
Height of rear opening (E)	*****	. 30.4 in
Width of rear opening at the flo	oor (F)	. 51.5 in


The policy of Chrysler Corporation is one of continual improvement in design and manufacture wherever possible to assure a still finer car. Hence, specifications, equipment, and prices are subject to change without notice. Product information published herein, while correct at time of publication, is subject to change. Automobiles pictured, in some cases, show extra-cost optional equip-



Height dimensions are based on a newly established full rated

AMA standard of measurements.





Customer Care and the Chrysler Corporation's 5-Year/50,000-Mile Engine and Drive Train Warranty*... a couple more good reasons for letting yourself go Plymouth '66.

*Here's how Plymouth's 5-year/50,000-mile engine and drive train warranty protects you: Chrysler Corporation confidently warrants all of the following vital parts of its 1966 cars for 5 years or 50,000 miles, whichever comes first, during which time any such parts that prove defective in material and workmanship will be replaced or repaired at a Chrysler Motors Corporation Authorized Dealer's place of business without charge for such parts

or labor; engine block, head and internal parts, intake manifold, water pump, transmission case and internal parts (excepting manual clutch), torque converter, drive shaft, universal joints, rear axle and differential and rear wheel bearings. Required maintenance: The following maintenance services are required under the warranty - change engine oil every 3 months or 4,000 miles, whichever comes first; replace oil filter every

second oil change; clean carburetor air filter every 6 months and replace it every 2 years; and every 6 months furnish evidence of this required service to a Chrysler Motors Corporation Authorized Dealer and request him to certify receipt of such evidence and your car's mileage. Simple enough for such important protection.



Let yourself go... Plymouth



