



SELECT FEATURES

6.4L HEMI® V8 Engine/8-speed Automatic Transmission (3500)/6-speed Automatic Transmission (4500/5500)

Air Conditioning

Alternator – 220-amp

Auxiliary Input Jack for Mobile Devices

Auxiliary Power Outlets - 12-volt

Auxiliary Switches - Five

Battery – 730-amp (one per vehicle with gas engine; two per vehicle with diesel engine)

Engine Cooling - Heavy-duty

Headlamps – Automatic

Lamps - Cab-clearance

Rear – Antispin differential

Shock Absorbers – Heavy-duty

Speed Control

Stabilizer Bar – Front

Steering – Power, recirculation ball

USB Port – Media port with Type-A/-C USB pairs and auxiliary input port

Windshield Wipers – Variable/intermittent

SAFETY & SECURITY

Air Bags⁽²¹⁾ – Multistage front

Brakes - Power-assisted four-wheel antilock disc

Electronic Stability Control (ESC)(6) System

ParkView® Rear Back-Up Camera(1) (Available)

Sentry Key® Theft Deterrent System – Engine immobilizer

AVAILABLE FLEET FEATURES

Emergency/Fire/Rescue Special Emissions Package Two Additional Key Fobs

Low-Volume Paint Options

ENGINES	HORSEPOWER ⁽²²⁾	TORQUE ⁽²²⁾
6.4L HEMI V8	410 hp* @ 5,600 rpm	429 lb-ft @ 4,000 rpm (3500 SRW)
6.4L HEMI VO	370 hp [†] @ 5,600 rpm	429 lb-ft @ 4,000 rpm (3500/4500/5500)
6.7L Cummins® Turbo Diesel	360 hp @ 2,800 rpm	800 lb-ft @ 1,800 rpm

*With 3500 SRW 10K GVWR.

†With 3500 over 10K GVWR (4500/5500).

Powertrain		Regular Cab 60" CA (4x2/4x4) SRW	Regular Cab 60" CA (4x2/4x4) DRW	Regular Cab 84" CA (4x2/4x4) DRW	Crew Cab 60" CA (4x2/4x4) SRW	Crew Cab 60" CA (4x2/4x4) DRW
	MAX GVWR	10,700/11,000	13,500	13,500	10,700/11,000	13,500
6.4L HEMI® V8	MAX PAYLOAD	4,940/5,000	7,390/7,160	7,310/7,030	4,500/4,480	6,920/6,640
with 8HP75	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
8-speed Automatic	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
Transmission	MAX TOWING	16,090/15,840	15,740/15,500	15,660/15,370	15,650/15,330	15,260/14,990
	MAX GCWR	22,000	22,000	22,000	22,000	22,000
	MAX GVWR	10,700/11,000	14,000	14,000	10,700/11,000	14,000
6.4L HEMI V8 with AISIN®	MAX PAYLOAD	4,810 / 4,870	7,760/7,530	7,680/7,400	4,370/4,350	7,290/7,010
Heavy-Duty	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
6-speed Automatic	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
Transmission AS66RC	MAX TOWING	18,960/18,710	18,600/18,370	18,530/18,240	18,520/18,200	18,130/17,860
	MAX GCWR	25,000	25,000	25,000	25,000	25,000
	MAX GVWR	11,600/12,000	14,000	14,000	11,600/12,000	14,000
6.7L Cummins®	MAX PAYLOAD	4,990/5,140	7,040/6,800	6,950/6,670	4,550/4,660	6,560/6,280
Turbo Diesel with AISIN Heavy-Duty 6-speed Automatic	MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
Transmission AS69RC	MAX TOWING	20,730/20,490	25,890/25,640	25,800/25,520	20,290/20,000	25,410/25,120
	MAX GCWR	27,500	33,000	33,000	27,500	33,000

Powertrain	in Regular Cab 60" CA (4x2/4x4) SRW		Crew Cab 60" CA (4x2/4x4) SRW
	MAX GVWR	10,000	10,000
6.4L HEMI V8	MAX PAYLOAD	4,180/3,940	3,740/3,420
with 8HP75	MAX GAWR FRONT	5,500	5,500
8-speed Automatic	MAX GAWR REAR	6,800	6,800
Transmission	MAX TOWING	18,180/17,940	17,740/17,420
	MAX GCWR	24,000	24,000

^{*}Payload and Max Trailer Weights are ESTIMATED values. All values are shown in Ib unless otherwise stated. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. Payload = GVWR - Base Weight. GAWRs, GVWRs and GCWRs should never be exceeded. Recommended tongue weight determined by class of hitch receiver and hardware limits of upfit. Upfit or aftermarket equipment weight not included in Base Weight. Frontal Area: maximum allowable Frontal Area, in ft-squared, that the vehicle can project. For details on calculations, please refer to Ram Body Builders Guide. If VECI Label and Max Upfit Weight not available: vehicle is not restricted to MCVW, Frontal Area or Maximum Upfit Weight limits; however, GVWR/GAWR/GCWR cannot be exceeded.

EXTERIOR PAINT COLORS

Diamond Black Crystal Pearl	Granite Crystal Metallic
Billet Silver Metallic	Patriot Blue Pearl
Delmonico Red Pearl	Flame Red
Pearl White	Bright White

SELECT TO VIEW SPECIAL EXTERIOR PAINT COLORS

INTERIOR DIMENSIONS†		
All Ram Chassis Cab Interiors	Regular Cab	Crew Cab
Head Room (front/rear)	39.8	40.9/39.8
Hip Room (front/rear)	62.9	62.9 / 62.7
Shoulder Room (front/rear)	65.9	65.9/65.6
Leg Room (front/rear)	40.9	40.9/40.2
Seating Capacity (max occupants)	3	6

 $^{\dagger}\textsc{Based}$ on 2022MY vehicle information. All dimensions are in inches unless otherwise noted.

RAM 4500 CHASS	IS CAB MAX JOB RA	TING INFORMATION*					
Powertrain		Regular Cab 60" CA (4x2/4x4)	Regular Cab 84" CA (4x2/4x4)	Regular Cab 108" CA (4x2/4x4)	Regular Cab 120" CA (4x2/4x4)	Crew Cab 60" CA (4x2/4x4)	Crew Cab 84" CA (4x2/4x4)
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.4L HEMI® V8 with AISIN®	MAX PAYLOAD	9,700/9,310	9,540/9,160	9,550/9,040	9,520/8,980	9,120/8,770	8,980/8,680
Heavy-Duty	MAX GAWR FRONT	6,000	6,000	6,500	6,500	6,000	6,000
6-speed Automatic	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
Transmission AS66RC	MAX TOWING	21,550/21,160	21,380 / 21,010	21,400/20,890	21,370 / 20,830	20,970/20,620	20,830/20,530
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L Cummins® Turbo Diesel with	MAX PAYLOAD	8,950/8,560	8,790/8,410	8,800/8,290	8,770/8,230	8,370/8,020	8,230/7,940
AISIN Heavy-Duty	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
Transmission AS69RC	MAX TOWING	29,800/29,410	29,630/29,260	29,650/29,140	29,620/29,080	29,220/28,870	29,080/28,790
	MAX GCWR	37,500	37,500	37,500	37,500	37,500	37,500

RAM 5500 CHASS	IS CAB MAX JOB RA	TING INFORMATION*					
Powertrain		Regular Cab 60" CA (4x2/4x4)	Regular Cab 84" CA (4x2/4x4)	Regular Cab 108" CA (4x2/4x4)	Regular Cab 120" CA (4x2/4x4)	Crew Cab 60" CA (4x2/4x4)	Crew Cab 84" CA (4x2/4x4)
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.4L HEMI V8 with AISIN	MAX PAYLOAD	12,020/11,670	12,520/12,170	12,550/12,030	12,520/11,950	11,450/11,120	11,950 / 11,620
Heavy-Duty	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-speed Automatic	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
Transmission AS66RC	MAX TOWING	21,500/21,150	21,370 / 21,020	21,400/20,880	21,370/20,800	20,990/20,640	20,800/20,470
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
	MAX GVWR	19,500	19,500	19,500	19,500	19,500	19,500
6.7L Cummins Turbo Diesel with	MAX PAYLOAD	11,790 / 11,420	11,790 / 11,420	11,800 / 11,280	11,770 / 11,200	11,200/10,870	11,200/10,870
AISIN Heavy-Duty	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
Transmission AS69RC	MAX TOWING	35,130/34,770	35,130/34,770	35,150/34,620	35,120/34,550	34,540/34,210	34,540/34,210
	MAX GCWR	43,000	43,000	43,000	43,000	43,000	43,000

^{*}Payload and Max Trailer Weights are ESTIMATED values. All values are shown in Ib unless otherwise stated. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. Payload = GVWR - Base Weight. GAWRs, GVWRs and GCWRs should never be exceeded. Upfit or aftermarket equipment weight not included in Base Weight. Recommended tongue weight determined by class of hitch receiver and hardware limits of upfit. Frontal Area: maximum allowable Frontal Area, in ft-squared, that the vehicle can project. For details on calculations, please refer to Ram Body Builders Guide. If VECI Label and Max Upfit Weight not available: vehicle is not restricted to MCVW, Frontal Area or Maximum Upfit Weight limits; however, GVWR/GAWR/GCWR cannot be exceeded.

SPECIAL EXTERIOR PAINT COLORS





COLOR AVAILABILITY LEGEND

- 1 Ram 1500 Classic
- 2 Ram Heavy Duty and Chassis Cab
- Ram ProMaster®

Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
2TA	2TG	2TH	2TM
_			
-			
0	0	0	0
•	•	•	•
0	0	0	0
0	0		
0	0		
0	0		
0	0		
0	0	0	0
0	0	0	0
•	•	•	•
0	0	0	0
•	•	•	•
0/•	0/•	0/•	0/•
0	0	0	0
			•
			0
		0/P	O/P
•	•	•	•
•	•	•	•
0	0	0	0
•	•	•	•
•	•	•	•
•/0	•/0	•/0	•/0
	Reg/Crew 2TA	Reg/Crew Reg/Crew 2TA 2TG 0 0	Reg/Crew Reg/Crew Crew 2TA 2TG 2TH 0 0 0 0 0

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
MECHANICAL FEATURES (CONTINUED)				
Axles: 3500 (continued) – Rear, 11.5-inch (Dual Rear Wheel (DRW) axle; standard on 3L64 and 8L64; packaged with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DRX)	•/0	•/0	•/0	•/0
– Rear, 12-inch (DRW axle; included with Max Tow Package on 3500) (DRC)	Р	Р	Р	Р
Axle Ratios: 3500 – 3.73 (included with diesel models only) (DME)	Р	Р	Р	Р
– 4.10 (standard with 6.4L HEMI® V8) (DMF)	•	•	•	•
– Add 4.10 axle (included with Max Tow Package; optional with 6.7L Cummins®) (DM8)	O/P	O/P	O/P	O/P
– Front-axle disconnect, electronic disconnect (4x4 only)	•	•	•	•
– Rear, antispin differential (DSA)	•	•	•	•
Axles: 4500/5500 - DRW (WLA)	•	•	•	•
– Front, 10.5-inch (DJK)	•	•	•	•
- Front, 10.5-inch, 7,250-lb GAWR (includes taller springs) (AZB)	0	0	0	0
– Front-axle disconnect, electronic disconnect (4x4 only)	•	•	•	•
– Rear, antispin differential (DSA)	•	•	•	•
Axle Ratios: 4500 – Rear, 4.10 (included with 6.7L Cummins) (DMF)	Р	Р	Р	Р
- 4.44 (DMK)	•	•	•	•
- Add 4.44 axle (included with Max Tow Package) (D44)	Р	Р	Р	Р
– 4.89 (optional with 6.4L HEMI V8) (DPL)	0	0	0	0
– Rear, by American Axle (12,000-lb GAWR) (DR8)	•	•	•	•
Axle Ratios: 5500 – 4.44 (DMK)	•	•	•	•
– 4.89 (included with Max Tow Package and Payload Upgrade Package) (DPL)	Р	Р	Р	Р
– Rear, by American Axle (13,500-lb GAWR) (DR8)	•	•	•	•
Battery – 730-amp maintenance-free (6.4L HEMI V8) (BCN)	•	•	•	•
– Dual 730-amp maintenance-free (6.7L Cummins) (BCC)	•	•	•	•
Engine Block Heater – Available with 6.4L HEMI V8 (included with Cold Weather Group with 6.7L Cummins) (NHK)	O/P	O/P	O/P	O/P
Diesel Engine – Diesel Exhaust Brake (included with 6.7L Cummins) (NEN)	Р	Р	Р	Р
- Manual DPF regeneration (optional with 6.7L Cummins; included with Emergency/Fire/Rescue Special Emissions Package (AH6)) (XNR)	O/P	O/P	O/P	O/P
- B20 BioDiesel compatibility (included with 6.7L Cummins; includes 12,000-mile oil change interval) (XXJ)	Р	Р	Р	Р
– Clean idle emission label (4500/5500 only) (XKH)	Р	Р	Р	Р
– Selective catalytic reduction (Urea) (XAL)	Р	Р	Р	Р
– Winter front grille cover (included with Cold Weather Group) (XD6)	Р	Р	Р	Р
Dash Pass-Through Wire Circuits (BC3)	•	•	•	•

 $[\]bullet$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
MECHANICAL FEATURES (CONTINUED)				
Emissions – 50-state-compliant (NAS)	•	•	•	•
Engine Cooling – Heavy-duty (NMC)	•	•	•	•
Vehicle Speed (max speed options) – 65-mph (JJ4)	0	0	0	0
- 70-mph (JJ5)	0	0	0	0
- 77-mph (JJ9)	0	0	0	0
Fuel Tank – 52-gallon, rear (NFH)	•	•	•	•
- 74-gallon dual - 52- and 22-gallon tanks (not available with 6.4L HEMI® V8 on 63/93 models) (NLL)	0	0	0	0
- 22-gallon mid-ship fuel tank (optional on 3500 DD and 4500/5500 Chassis Cab models; standard on 3500 DF) (NFA)	0/•	0/•	0/•	0/•
Power Take-Off – Right-side with AISIN® 6-speed (LBN)	0	0	0	0
- Left-side with AISIN 6-speed (not available with LBN) (LBV)	0	0	0	0
– Split-shaft (included with Power Take-Off if 6.7L Cummins®) (LBX)	Р	Р	Р	Р
- Hardwired Remote Start ⁽¹²⁾ /Stop (included with Power Take-Off) (XBV)	Р	Р	Р	Р
Shock Absorbers – Front, heavy-duty (SFB)	•	•	•	•
- Rear, heavy-duty (SGB)	•	•	•	•
Skid Plate – Transfer case (included with Heavy-Duty Snowplow Prep Group (4x4 only)) (XEF)	O/P	O/P	O/P	O/P
Steering – Power, recirculating ball (SBE)	•	•	•	•
Suspension – Stabilizer Bar - Front (SHA)	•	•	•	•
- Heavy-duty front suspension (a stand-alone option for 4500/5500 only; includes taller front springs and increases max front GAWR to 7,000 (with the 6.4L HEMI V8) and max front GAWR to 7,250 (with 6.7L Cummins); included with Heavy-Duty Snowplow Prep Group (AHD) on 4500/5500) (AZB)	O/P	O/P	O/P	O/P
Tow Hooks – Black (XEA)	•	•	•	
- Chrome (XHQ)			0	•
Trailer Tow – Seven wires (seven blunt-cut wires, shrink-wrapped and labeled) (XFK)	•	•	•	•
Trailer Brake Controller – Stand-alone option for 3500 (included with Electrical Accessory Group and Safety Group) (XHC)	O/P	O/P	•	•
Transfer Case – Manual shift, part-time (4x4 only) (DK1)	•	•		
– Electric shift, part-time (4x4 only) (DK3)	0	0	•	•
Transmission – Electronic range select (DH4)	•	•	•	•
Voltage Monitoring – Auto idle-up (included with Electrical Accessory Group, Rollback Carrier Group and Ambulance Prep Group) (XF6)	0/P	O/P	0/P	O/P
EXTERIOR FEATURES				
Antenna – Shark fin (AM/FM; passenger-side roof) (RD3)	•	•	•	•
- Puck (satellite radio; driver's-side roof) (RD3)	Р	•	•	•
+ - Standard 0 - Ontingal D - Available with Parkage noted F - Fleet only				

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
EXTERIOR FEATURES (CONTINUED)				
Bumpers – Front, Black (MB1)	•			
– Front, Chrome (included with Chrome Appearance Group) (MCT)	Р	•	0	0
– Front, painted (MBA)			•	•
Cab Steps - Tubular side steps (Chrome; Regular Cab and Crew Cab) (MRT)	0	0		
- Tubular side steps (Black; Regular Cab and Crew Cab) (MRU)	0	0		
Door Handles – Black (included with low-volume paints) (MNA)	•	•		
– Body-color (MNK)			•	•
Engine Shut-Off Timer – 6.4L HEMI® V8 and 6.7L Cummins® (5 minutes; dealer-programmable from 1 to 60 minutes) (XCL)	0	0	0	0
Fog Lamps – Incandescent (LNJ)	0	0		
– LED (included with Premium Lighting Group) (LNV)		Р	Р	•
Grille – Upper header/lower appliqué – Matte Black-painted (MM5)	•			
– Upper header/lower appliqué - Chrome (included with Chrome Appearance Group) (MNQ)	Р	•	•	•
- Tradesman grille - Matte Black-painted nostrils (MFF)	•			
- Tradesman grille - Chrome nostrils (included with Chrome Appearance Group) (MAF)	Р			
– SLT grille - Chrome nostrils/Gloss Black inserts (included with Towing Technology Group) (MHJ)	Р	•		
– Laramie grille – Chrome nostrils/Chrome billets (MF1)			•	
– Limited grille (MFJ)				•
- Active grille shutters (MDX)	•	•	•	•
- Grille module (X79)	•	•	•	•
Headlamps – Auto-on (LMG)	•	•	•	•
- Headlamp-off - Time delay (LHD)	•	•	•	•
– Halogen, quad (LME)	•	•	•	
– LED-reflector (included with Premium Lighting Group and P1 Equipment Group) (LPX)		Р	Р	
- Hi-level signature LED-projector (LM6)				•
- Chrome headlamp bezels (included with Chrome Appearance Group) (MFP)	Р	•	•	•
- Daytime running lamps (DRLs) (customer on/off programmability availability in radios) (LM1)	•	•	•	•
Lighting, Exterior Cab – Roof-mounted LED clearance lamps (LNC)	•	•	•	•
- Center High-Mounted Stop Lamp (CHMSL) Delete, CHMSL/cargo lamp plate (DD/DP only) (LP8)	•	•	•	•
- CHMSL (incandescent) and cargo lamps (standard on 3500 DF; not available with 3500 DD or 4500/5500 with CHMSL camera or Surround-View Camera System ⁽¹⁾) (LPE)	0/•	0/•	0/•	0/•

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
EXTERIOR FEATURES (CONTINUED)				
Mirrors, Exterior - Black, manual-folding, manual-adjust, manual-telescoping (GT1)	•			
- Black, heated, manual-folding, manual-telescoping, power-adjust; includes courtesy lamps, supplemental turn signal and running lights (included with L1 Equipment Group) (GT2)	P/•	•		
 Heated, power-adjust, power-folding, power-telescoping; includes courtesy lamps, supplemental turn signal, running lights, and forward and reverse utility lights; Black cap for 2TA and 2TG and Chrome cap for 2TH (included with Towing Technology Group; requires H1 Equipment Group) (GT3) 	O/P	O/P	•	
 Chrome, heated, power-adjust, power-folding, power-telescoping, auto-dimming, auto-adjust-in-Reverse; includes courtesy lamps, supplemental turn signal, running lights, and forward and reverse utility lights (included with H1 Equipment Group and Towing Technology Group) (GT4) 			Р	•
Moldings – Limited Chrome bodyside (MHE)				•
- Chrome belt (MME)				•
Start Engine Features – Tip start (XBN)	•	•	•	•
Remote Start ⁽¹²⁾ System (XBM)		0	•	•
Tires, 3500 - LT275/70R18E BSW All-Season (A/S) (standard with Single Rear Wheels (SRW)) (TCM)	•	•	•	•
- LT235/80R17E BSW A/S (standard on 3L64 and 8L64; optional on 3L63, 8L63, 3L93 and 8L93) (TV2)	•	•	•	•
- LT235/80R17E OWL On-/Off-Road (optional 8L63, 8L64 and 8L93 with Dual Rear Wheels (DRW)) (TV3)	0	0	0	0
- LT235/80R17E Off-Road (TSG)	0	0	0	0
Tires, 4500/5500 – 225/70R19.5G BSW All-Purpose (A/P) (4x2 models only) (TAE)	•	•	•	•
– 225/70R19.5G BSW A/P front, rear traction (standard on 4x4; optional for 4x2 models) (TAJ)	•/0	•/0	•/0	•/0
– 225/70R19.5G BSW All-Terrain (A/T) (4x4 models only) (TY5)	0	0	0	0
- LT225/70R19.5 Michelin® XDS Off-Road (TSJ)	0	0	0	0
Taillamps – LED (not available with 3500 SRW) (LAY)	0	0	0	0
Wheel Flares – Black (4500/5500 only) (MMZ)	•	•		
- Body-color (3500: optional on Tradesman and SLT; 4500/5500: optional on SLT) (MML)	0	0	•	•
Windshield Wipers – Variable/intermittent (JHA)	•	•	•	•
Wheel Well Liners – Front (MHR)	•	•	•	•
– Splash guards/mud flaps, front (4500/5500 only) (MKM)	0	0	0	0
Wheels, 3500 SRW – 18x8-inch Argent-painted styled steel (WBN)	•			
– 18x8-inch Chrome-clad steel (included with Chrome Appearance Group) (WBH)	Р	•		
- 18x8-inch polished aluminum (WBL)	0	0	•	•
Wheels, 3500 DRW – 17x6-inch Argent-painted steel (WFU)	•			
– 17x6-inch Black-painted steel (WFG)	0			
– 17x6-inch Chrome-clad (included with Chrome Appearance Group) (WD4)	Р	•		
– 17x6-inch aluminum (WF7)		0	•	•
• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.				

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
EXTERIOR FEATURES (CONTINUED)				
Wheels, 4500/5500 Dual Rear Wheels (DRW) – 19.5x6-inch steel (WP3)	•	•		
– 19.5x6-inch Black-painted steel (WPJ)	0			
- 19.5x6-inch polished aluminum (set of four) (WP4)	0	0	•	•
- 19.5x6-inch aluminum (set of six) (WP2)	0	0	0	0
INTERIOR FEATURES				
Air Conditioning – Single-Zone manual temperature control (HAA)	•	•		
- Dual-Zone automatic temperature control (included with Convenience Group and 8.4- and 12-inch radios) (HAF)	Р	Р	•	•
Auxiliary Switches – Six push-button switches (the sixth switch becomes a Power Take-Off on/off switch when Power Take-Off is ordered) (LHL)	•	•	•	•
Consoles – Floor				
- Storage tray (included with *TX, *V9, *M9 and *VL bench seats with the following conditions: with manual T-case; with Crew Cab and carpet) (CUY)	Р	Р	Р	
- Full-length upgraded floor console (included with *MJ and *GJ bucket seats) (CUP)		Р	Р	
– Full-length - Premium console (CVT)				•
Console, Overhead – Incandescent lighting (included with L1 Equipment Group; standard on Crew Cab Tradesman) (CUN)	P/•	•		
– Premium; includes LED overhead lamps (CUS)			•	•
Door Locks – Manual (Regular Cab only) (JE8)	•			
- Speed-sensitive (included with L1 Equipment Group; standard on Crew Cab Tradesman) (JPH)	P/•	•	•	
– Remote keyless entry (included with L1 Equipment Group) (GXM)	Р	•	•	•
– Remote proximity, passive keyless entry (GXD)			•	•
Floor Covering – Heavy-duty vinyl (CKJ)	•			
– Heavy-duty vinyl option (CKW)		0	0	0
- Carpet (CKE)	0	•	•	•
Floor Mats – Front, carpeted (Regular Cab; included with carpet) (CLA)	Р	•		
- Front and rear, carpeted (Crew Cab; included with carpet) (CLE)	Р	•	•	
– Front and rear, carpeted with Limited badging (CLL)				•
- Front, rubber (Regular Cab; optional with carpet and vinyl) (CLY)	0	0		
– Front and rear, rubber (Crew Cab; optional with carpet and vinyl) (CLF)	0	0	0	0
Heat (supplemental) – Rapid cabin supplemental heater (included with 6.7L Cummins®) (HDB)	Р	Р	Р	Р
Instrument Cluster Displays – Cluster 3.5-inch color Driver Information Display (JAK)	•	•		
- Cluster 7-inch Thin Film Transistor color display (included with Safety Group and H1 Equipment Group) (JAL)	Р	Р		
- Cluster premium digital 12-inch Driver Information Display (JAN)			•	•

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
INTERIOR FEATURES (CONTINUED)				
Key – Extra base metal key option (Regular Cab only; adds two keys for a total of four; each key includes a fob; not available with L1 Equipment Group, GXM or JPH) (GXJ)	0			
– Sentry Key® Theft Deterrent System (GXX)	•	•	•	•
Memory – Driver's seat only, exterior mirrors, power-adjust pedals and radio presets (included with P1 Equipment Group) (LEV)			Р	•
Mirrors (inside; DD and DP only) – Day/night, manual (GNA)	•	•		
– Auto-dimming (included with Convenience Group, Safety Group, and 8.4-inch and 12-inch radios) (GNK)	Р	Р	•	•
- Digital rearview mirror (included with M1 Equipment Group and Tow-Mode Digital Rearview Mirror Package) (GRG)	O/P	O/P	Р	Р
Pedals – Non-adjustable (3500/4500/5500) (XA8)	•	•	•	
– Power-adjust with memory (3500/4500/5500; included with P1 Equipment Group on Laramie) (XAM)			Р	•
Seats – Heavy-duty vinyl front with manual adjust (Tradesman only) (*TX)	•			
- Heavy-duty vinyl 40/20/40 split-bench front with manual adjust, rear full-length fold-up bench (Crew Cab only) (*TX)	0	0		
– Cloth front with manual adjust (Tradesman only) (*V9)	0			
– Cloth 40/20/40 split-bench front with manual adjust, rear full-length fold-up bench (Crew Cab only) (*V9)	0	•		
- Premium cloth 40/20/40 split-bench front with power adjust for driver, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (Crew Cab only) (*M9)		0		
- Premium cloth bucket with power adjust for driver and full-length center console, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (Crew Cab only) (*MJ)		0		
– Leather-trimmed, heated 40/20/40 split-bench with power adjust for driver and passenger (Regular Cab only) (*AP)		0		
- Leather-trimmed, heated 40/20/40 split-bench front with power adjust for driver and passenger, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (*VL)			•	
- Leather-trimmed, heated front bucket with full-length center console, power adjust for driver and passenger, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (*GJ)			0	
- Premium leather, heated and ventilated front bucket with full-length premium center console, power adjust for driver and passenger, rear 60/40 split-folding heated bench with center fold-down armrest and fold-flat load floor (*UL)				•
- Power two-way lumbar-adjust for driver's (optional with cloth seats; included with premium cloth seats) (JPE)	0	O/P	•	•
Seat Delete Options – Front Center Seat Delete (available with *TX, *V9 and *M9 seats) (CJT)	•	0		
– Rear Seat Delete (Crew Cab; available with *TX, *V9, *M9 and *MJ seats) (CF8)	•	0		
Seat Belts – Front, shoulder, height-adjustable (CGD)	•	•	•	•
- Red (CGQ)	0	0	0	
Steering – Cruise control (NHM)	•	•	•	•
– Tilt column (SUA)	•	•	•	•
– Four-spoke, urethane (SCF)	•	•		
- Leather-wrapped with remote audio control buttons (included with Safety Group, H1 Equipment Group, Heated Seats and Wheel Group, and *AP seats) (SCV)	Р	Р	•	
- Leather-wrapped steering wheel with real wood, audio controls and heat (SCW)				•

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
INTERIOR FEATURES (CONTINUED)				
Steering (continued) – Audio controls (included with leather-wrapped steering wheels) (RDZ)	Р	Р	Р	Р
- Heated steering wheel (included with Heated Seats and Wheel Group and leather seating) (NHS)		Р	•	•
Storage – Front, behind-seat (Regular Cab only) (CU3)	•	•		
– Front, center-seat cushion (included with *VL, *M9 and *AP seats) (CVH)	Р	Р	Р	
– Rear, underseat (standard with Crew Cab only) (CUE)	•	•	•	٠
- Fold-flat load floor (included with *M9 and *MJ seats with Crew Cab) (CVN)		Р	•	•
Turn Signals – One-touch three-blink lane-change feature	•	•	•	•
Upfitter Interface – Vehicle System Interface Module (VSIM) (XXS)	•	•	•	•
Universal Garage Door Opener (XGD)			•	•
Visors – Passenger-side vinyl with mirror (GNM)	•			
– Passenger-side cloth with lighted mirror (GN6)		•		
– Passenger/driver's cloth incandescent illuminated mirrors, Universal Garage Door Opener (GNC)			•	•
Windows - Manual (Regular Cab only) (JF8)	•			
- Power, front with driver's one-touch down (Regular Cab only; included with L1 Equipment Group) (JPY)	Р	•		
– Power, front and rear with driver's one-touch up-and-down (Crew Cab models only) (JP3)	•	•	•	•
– Rear backlight, fixed (GJD)	•	•		
– Rear backlight, sliding (requires L1 Equipment Group for Tradesman) (GFD)	0	0		
- Rear backlight, power-sliding (Crew Cab models only; included with H1, P1 and P2 Equipment Groups) (GFE)	0	Р	Р	•
– Rear defroster (not available with manual-sliding window (GFD)) (GFA)	0	0	٠	•
UCONNECT® MULTIMEDIA				
Uconnect Voice Command (XRB)	•	•	•	•
Compass – Compass display in the radio (JFJ)	•	•	•	•
GPS Antenna Input on Radio (included with 5-inch, 8.4-inch and 12-inch radios) (JLP)	Р	Р	Р	Р
Connectivity – Front: Media Hub – Includes two fully functional Type-A/-C USB port pairs and one auxiliary jack (four USB connection points) (RSF)	•	•	•	•
- Middle: 2.5-amp charge-only single USB port (located in center console or armrest) (RS3)	•	•	•	•
- Rear: Dual remote USB port, two Type-A/-C pairs; charge-only (included with H1 Equipment Group) (RS2)		Р	•	•
– Auxiliary headphone jack for mobile devices (RSU)	•	•	•	•
- Wireless charging pad (included with P2 Equipment Group) (RFX)			Р	•
Power – Accessory delay (JKY)	•	•	•	•
– Auxiliary outlets (one battery and one ignition-fed) (JJJ)	•	•	•	•
= Standard. 0 = Optional. P = Available with Package noted. F = Fleet only.				

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

TANDARD FEATURES AND OPTIONS POS	Tradesman® Reg/Crew 2TA	SLT Reg/Crew 2TG	Laramie® Crew 2TH	Limited Crew 2TM
Power (continued) – 115-volt auxiliary power outlet, instrument-panel-mounted (requires L1 Equipment Group; included with H1 Equipment				
Group) (JKV)	Ο	Р	•	•
- 115-volt auxiliary power outlet, rear-facing (located on rear center-seat cushion; Crew Cab only; included with H1 Equipment Group) (JJN)		Р	•	•
- 400-watt inverter (included with JKV and JJN) (XHR)	Р	Р	Р	Р
Radios – Uconnect 3 with 5-inch touchscreen display, available SiriusXM® Radio(13) and available SiriusXM Guardian (UAA)	•	•		
– Uconnect 5 with 8.4-inch touchscreen display and available SiriusXM Radio ⁽¹³⁾ (UBD)	0	0		
- Uconnect 5 NAV with 8.4-inch touchscreen display, navigation, available SiriusXM Radio(13) and HD radio (UBL)		0	•	•
- Uconnect 5 NAV with 12-inch touchscreen display, navigation available SiriusXM Radio ⁽¹³⁾ and HD radio (requires L1 and H1 Equipment Groups; included with P1 and M1 Equipment Groups) (UBQ)	0	0	Р	Р
- Radio controls - Steering wheel-mounted audio controls (included with leather-wrapped steering wheel) (RDZ)	Р	Р	•	•
SiriusXM Radio ⁽¹³⁾ – Available (RSD)	0	•	•	•
TomTom® Connected Travel and Traffic Services (included with NAV radios) (RTV)	Р	Р	Р	•
SiriusXM Guardian ⁽¹⁴⁾ (included with UAA radio) – Available (RT1)	•	•		
SiriusXM with 360L ⁽¹³⁾ (included with NAV radios) – Available (RTU)	Р	Р	Р	Р
Speakers – Four standard (Regular Cab only) (RCD)	•			
– Six (standard on Crew Cab Tradesman) (RCG)	•	•		
– Premium: seven speakers and amplifier (Regular Cab only) (RCK)		0		
- Nine Alpine® with subwoofer (Crew Cab only) (RC3)		0	•	•
- Ultra premium: 17 amplified (Surround Sound; included with P2 and M1 Equipment Groups) (RCA)			Р	Р
SAFETY & SECURITY				
Air Bags ⁽²⁾ – Multistage front (3500/4500/5500) (CG3)	•	•	•	•
- Driver's-side only (deletes passenger-side) (CGT)	0	0		
Belt Alert - Driver's	•	•	•	•
Rear-Seat Reminder Alert (JFB)	•	•	•	•
Brakes – Power-assisted four-wheel antilock disc (BRT)	•	•	•	•
Electronic Stability Control (ESC) ⁽⁶⁾ System — Four-channel Antilock Brake System, Electronic Brake-Force Distribution, Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Damping, ⁽⁶⁾ Electronic Roll Mitigation and Hill Start Assist (BNB)	•	•	•	•
Cameras – ParkView® Rear Back-Up Camera ⁽¹⁾ (XAC)	O (• DF)	0 (• DF)	0	•
- Cargo camera (requires 8.4-inch or 12-inch radio; includes LED Center High-Mounted Stop Lamp (CHMSL) and cargo lamps; included with XAK) (LPD)	Р	0	0	0
- Auxiliary wired camera (not available with LPD; requires 8.4-inch or 12-inch radio) (XPN)	0	0	0	0
- Auxiliary wired camera (not available with LPD; requires 8.4-inch or 12-inch radio) (XPN) - Standard. 0 = Optional. P = Available with Package noted. F = Fleet only.	0	0	0	

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
CPOS	2TA	2TG	2TH	2TM
CAFETY C SECURITY (CONTINUED)				
SAFETY & SECURITY (CONTINUED) Company (continued) - Applicant Company Dran (included with VDN) includes valide trailer wiring company LIMI in radio and 12 pin connector.				
Cameras (continued) – Auxiliary Camera Prep (included with XPN; includes vehicle trailer wiring, camera HMI in radio and 12-pin connector at rear frame rail) (XFQ)	Р	Р	Р	Р
– Surround-View Camera System ⁽¹⁾ (five digital cameras; includes ParkSense [®] Front and Rear Park Assist ⁽¹¹⁾ and Center High-Mounted Stop Lamp (CHMSL) camera; included with Towing Technology Group and M1 Equipment Group) (XAK)	0	O/P	O/P	O/P
– Trailer Surround-View Camera System ⁽¹¹⁾ (requires Towing Technology Group or M1 Equipment Group) (XN1)	0	0	0	0
ParkSense Rear Park Assist ⁽ⁱⁱ⁾ (XAA)	0	0	0	
ParkSense Front and Rear Park Assist ⁽¹⁾ (requires fog lamps for Tradesman and SLT) (XAG)	0	0	0	•
SAFETY FEATURES				
Security Alarm ⁽²⁴⁾ (LSA)		0	•	•
Back-Up Alarm (audible alarm when vehicle is in Reverse) (XAW)	0	0	0	0
Adaptive Cruise Control (ACC) with Stop ⁽²⁾ (included with Safety Group and M1 Equipment Group) (NH3)	Р	Р	Р	Р
Lane Keep Assist ⁽¹⁰⁾ (included with Safety Group and M1 Equipment Group) (LAS)	Р	Р	Р	Р
Ready Alert Braking (BHD)	•	•	•	•
Full-Speed Forward Collision Warning Plus with Auto Emergency Braking ⁽⁸⁾ (included with Safety Group and M1 Equipment Group) (LSU)	Р	Р	Р	Р
Trailer Tire Pressure Monitoring System (requires L1 Equipment Group on Tradesman) (XG9)	0	0	0	0
Trailer Reverse Guidance ⁽¹⁾ (included with Towing Technology Group and M1 Equipment Group) (XPU)	Р	Р	Р	Р
DOT-Certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses) (ACL)	0	0	0	0
Auto High-Beam Headlamp Control (included with Safety Group) (LMS)	Р	Р	Р	•
Rain-Sensitive Windshield Wipers (included with Safety Group and P1 and P2 Equipment Groups) (JHC)	Р	Р	Р	•
Auxiliary Reverse Lamps (requires L1 Equipment Group on Tradesman; included with Towing Technology Group) (LPF)	0	O/P	٠	•
PACKAGES/EQUIPMENT GROUPS				
Electrical Accessory Group – Includes 220-amp alternator, Voltage Monitoring Auto Idle-Up System and trailer brake controller (ADH)	0	0	0	0
Emergency/Fire/Rescue Special Emissions Package – Includes dual alternators rated at 440 amps, manual DPF regeneration, Voltage Monitoring Auto Idle-Up System and Rear Air Conditioning/Heater Prep Group (requires valid Fleet Account Number) (AH6)	F	F	F	F
Ambulance Prep Group - Includes 220-amp alternator, Voltage Monitoring Auto Idle-Up System, remote rear heat/air conditioning (provides ability to run auxiliary-mounted heater and air conditioning independently of instrument-panel controls), and air conditioning line tap and engine coolant access for upfitter (AH2)	0	0	0	0
Chrome Appearance Group - Includes Chrome front bumper, Chrome grille and Chrome-clad steel wheels on 3500 models (AMP)	0			
Cold Weather Group - Includes engine block heater cord and winter front grille cover (diesel models only) (ADE)	0	0	0	0
Convenience Group – Includes auto-dimming rearview mirror, tinted acoustic windshield glass, Dual-Zone automatic temperature control and 3.5-inch Driver Information Display cluster with color display (requires L1 Equipment Group) (ADC)	0			
and 3.5-inch Driver Information Display cluster with color display (requires L1 Equipment Group) (ADC)				

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew	Limited Crew
os estados esta	2TA	2TG	2TH	2TM
PACKAGES / EQUIPMENT GROUPS (CONTINUED)				
Heated Seats and Wheel Group (Comfort Group) – Includes heated cloth front seats and heated leather-wrapped steering wheel with audio controls (optional with *M9 and *MJ seats) (AGF)		0		
Tradesman Level 1 Equipment Group (L1) – Includes overhead console, power windows (Regular Cab), power door locks (Regular Cab), GT2 exterior mirrors, upgraded door trim panels and remote keyless entry (A61)	0			
SLT Level 1 Equipment Group (H1) — Includes power-sliding rear window on Crew Cab models, front and rear 115-volt auxiliary power outlets dual glove boxes, driver's-door foam bottle insert, 7-inch Driver Information Display cluster, rear dome lamp and leather-wrapped steering wheel (A62)	, ,	0		
Laramie Level 1 Equipment Group (P1) - Includes Auto High-Beam Headlamp Control; rain-sensitive windshield wipers; driver's-door foam bottle insert; ventilated driver's/front-passenger seats; power-adjust pedals; and memory for radio, driver's seat, mirror and pedals (A66)			0	
Laramie Level 2 Equipment Group (P2) – Includes P1 Equipment Group, premium 17-speaker system, wireless charging pad (requires bucke seats) and rear-seat heat (A67)	t		0	
Limited Level 1 Equipment Group (M1) – Includes digital rearview mirror, premium 17-speaker system, Lane Keep Assist, ⁽¹⁰⁾ Full-Speed Forward Collision Warning Plus with Auto Emergency Braking, ⁽⁸⁾ Adaptive Cruise Control (ACC) with Stop ⁽²⁾ and Surround-View Camera System ⁽¹⁾ (A69))			0
Premium Lighting Group - Includes LED headlamps, LED fog lamps and 3.5-inch Driver Information Display cluster with color display (AD6))	0		
Safety Group – Includes rearview auto-dimming mirror on Tradesman and SLT, digital rearview mirror on Laramie and Limited, Auto High-Beam Headlamp Control, Lane Keep Assist; [10] Full-Speed Forward Collision Warning Plus with Auto Emergency Braking; (8) ACC with Stop; rain-sensitive windshield wipers, leather-wrapped steering wheel, trailer brake controller, and 7-inch Driver Information Display cluster for Tradesman and SLT (requires L1 Equipment Group) (AAU)		0	0	0
Towing Technology Group — Includes Surround-View Camera System, ⁽¹⁾ Trailer Reverse Guidance, ⁽¹⁾ auxiliary reverse lamps, GT3 exterior mirrors for 2TA and 2TB, and GT4 exterior mirrors for 2TH (requires L1 Equipment Group and Chrome Appearance Group for Tradesmar and UBD or UBQ radio) (AAN)	n O	0	0	0
Tow-Mode Digital Rearview Mirror Package – Includes digital rearview mirror and tow-mode/upfit wired camera (requires L1 Equipment Group) (AVF)	0	0	0	0
Heavy-Duty Snowplow Prep Group — Includes 220-amp alternator, transfer case skid plate and Heavy-Duty Front Suspension Group (optional on 3500 4x4 and 4500/5500 4x2 and 4x4 models) (AHD)	0	0	0	0
Max Tow Package – Includes 12-inch rear axle with 4.10 axle ratio (3500) and 4.44 axle ratio (4500) or 4.89 axle ratio (5500; requires 6.7L Cummins® with heavy-duty AISIN® 6-speed Automatic transmission and trailer brake controller) (AHQ)	0	0	0	0
Max Payload Package – Includes 19,000-lb GVWR on 63 and 93 models; 19,500-lb GVWR on 64, 65, 66 and 94 models; and 4.89 axle ratio (5500 gas models only) (AH5)	0	0	0	0
Rollback Carrier Group – Includes Voltage Monitoring Auto Idle-Up System, rollback carrier adaptation brackets, 220-amp alternator, (requires left- or right-side Power Take-Off and 22-gallon mid-ship gas tank; 5500 only) (AH1)	0	0		
Rear Interior Trim Delete Group - Includes Delete Front Center Seat, Delete Rear Floor Storage Tray and Delete Cab Back Trim Panel (Regular Cab only) (AS8)	0	0		
15,000 GVWR Package – Includes 15,000-lb Gross Vehicle Weight Rating (4500) 4x2 (Z4B), 4x4 (Z9B) (Z4B/Z9B)	0	0	0	0
16,000 GVWR Package – Includes 16,000-lb Gross Vehicle Weight Rating (4500) 4x2 (Z4C), 4x4 (Z9C) (Z4C/Z9C)	0	0	0	0

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.





FLEET & BUSINESS SOLUTIONS

(1) Always check entire surroundings visually before backing up. (2) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (3) To use Android Auto on your phone screen, you'll need an Android phone running 6 or higher and the Android Auto App. Android and Android Auto are trademarks of Google LLC. (4) Requires compatible iPhone. See dealer for phone compatibility. Data plan rates apply. Vehicle user interface is a product of Apple. Apple CarPlay is a trademark of Apple Inc., iPhone is a trademark of Apple Inc., registered in the US and other countries. Apple terms of use and privacy statements apply. (5) Always check entire surroundings visually before proceeding. (6) Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. (7) This system is solely an alert system for the front of the vehicle that does not take any actions to change vehicle dynamics to avoid a collision, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (8) This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (9) HAS requires the driver to keep his or her hands on the steering wheel at all times. This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (10) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (11) Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your trial subscription unless you decide to continue service. If you do not wish to enjoy your trial subscription, you can cancel it by calling the number below. If you decide to continue service after your trial subscription, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. Please see our Customer Agreement at www.siriusxm.com for complete terms and how to cancel, which includes calling us at 1-866-635-2349. All fees, content and features are subject to change. (14) All SiriusXM Guardian equipped vehicles come with a 12-month trial effective on the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive service. Upon expiration of the trial period, purchase of a subscription is required to continue SiriusXM Guardian. SiriusXM Guardian is available only on equipped vehicles purchased within the United States and Puerto Rico. Services can only be used where cellular coverage is available. See Uconnect and SiriusXM Guardian Terms of Service for complete service limitations. (15) Traffic Sign Recognition is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Always check traffic signs visually while driving. (16) The Uconnect Phone requires a mobile phone equipped with the Bluetooth Hands-Free Profile. To check phone compatibility, please visit www.UconnectPhone.com. (17) Vehicle must be in an active and usable cellular range and properly equipped with a Uconnect 5 NAV system and Rear-Seat Entertainment Package. Requires a Wi-Fi data plan and linked Amazon account to run Amazon Fire TV in the vehicle. Streaming service subscriptions are not included. (18) Based on manufacturer's estimates – actual mileage may vary. (19) When properly equipped. See dealer for details. (20) Only available in Texas. (21) Always sit properly in designated seating positions with seat belts fastened at all times. (22) Based on 2022 model-year specifications. (23) Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit www.UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Check www.UconnectPhone.com for device compatibility. (24) Vehicle must be locked and system activated for alarm to sound. (25) Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. (26) Based on EPA-estimated 82 MPGe and 30 MPG combined. Actual mileage may vary. (27) Always be aware of your surroundings, and drive carefully, consistent with conditions. (28) Do not attempt water fording unless depth is known and consistent with the vehicle's water fording rating in the Owner's Manual. Traversing water can cause damage that may not be covered by the new vehicle warranty. Always off-road responsibly in approved areas. (29) Available on properly equipped vehicles with a Uconnect 5C/5C NAV system. Requires a Wi-Fi Hotspot plan and linked Amazon account to run Alexa in the vehicle. (30) Based on EPA-estimated all-electric 0 - 32-mile rating with fully charged battery. Actual mileage may vary. (31) Based on EPA-estimated 520-mile total range estimate. Actual mileage may vary.

©2022 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Wagoneer, HEMI, Mopar, SRT, the Chrysler wing badge, the Jeep grille, the Ram's Head logo, AllSecure, Big Horn, Challenger, Charger Pursuit, Citadel, Command-Trac, CommandView, Compass, Durango, Grand Cherokee, Grand Cherokee, Summit, LaneSense, Laramie, Laredo, Latitude, Limited Longhorn, Mega Cab, Mojave, Overland, Pacifica, ParkSense, ParkView, Pentastar, Power Wagon, Quadra-Drive, Quadra-Drive, Quadra-Trac II, R/T, $Ram 1500 \ Express, Ram 1500 \ Classic \ Warlock, Ram \ Articulink, Ram \ ProMaster, Ram ProMa$ Tradesman, Trail Rated, Trailhawk, Tru-Lok, Uconnect, Voyager, Warlock, Willys and Wrangler are registered trademarks and Active-Level, Gladiator, Keyless Enter 'n Go, Limited Longhorn, Pinnacle, Ram Telematics, SafetyTec and Trail Rail are trademarks of FCA US LLC. FIAT is a registered trademark of FCA Group Marketing S.p.A., used under license by FCA US LLC. All product specifications are based on authorized information as of 4/29/2022. Photographs within this piece are for representation purposes only. Vehicle features listed are not all standard.

AISIN is a registered trademark of Aisin Seiki Co., Ltd. Alpine and the Alpine logo are registered trademarks of Alpine Electronics, Inc. All rights reserved. Amazon Fire TV is a registered trademark of Amazon.com Inc. Android, Android Auto, Google Play, Google+, YouTube, and other related marks and logos are trademarks of Google LLC. Apple, iPhone and Siri are registered trademarks and Apple CarPlay is a trademark of Apple Inc., used under license by FCA US LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Bluetooth is a registered trademark owned by Bluetooth SIG, Inc. Blu-ray Disc is a registered trademark owned by Blu-ray Disc Association. Brembo is a registered trademark of Brembo SpA. Bridgestone and any Bridgestone products or service names are trademarks or registered trademarks of Bridgestone Corporation. Case is a registered trademark of CNH Industrial America LLC. Cummins is a registered trademark of Cummins, Inc. Dana is a registered trademark of Dana Corporation. Dr. Dre, Beats and the b logo are trademarks of Beats Electronics, LLC. Facebook and logo are registered trademark of Meta Platforms, Inc. Falken is a registered trademark of Sumitomo Rubber Industries, Ltd. Firestone is a registered trademark of Bridgestone Americas Tire Operations, LLC. FOX is a registered trademark of Fox Factory, Inc. Garmin is a registered trademark of Garmin Ltd. or its subsidiaries, registered in the U.S.A. and other countries. Goodyear and DuraTrac are registered trademarks of The Goodyear Tire & Rubber Company. Gorilla Glass is a registered trademark of Corning Incorporated. Harman Kardon is a registered trademark of Harman International Industries, Inc. Instagram is a registered trademark of Instagram, Inc. Katzkin and the Katzkin logo are registered trademarks of Katzkin Leather Interiors, Inc. KONI is a registered trademark of KONI North America. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. MAGNETI MARELLI is a trademark of Magneti Marelli S.p.A. McIntosh is a registered trademark of McIntosh Laboratory, Inc. SiriusXM Connected Vehicles Services Inc., SiriusXM, SiriusXM, SiriusXM, Guardian, and all related marks and logos are trademarks of SiriusXM Radio Inc. Sunrider is a registered trademark of Bestop, Inc. "TomTom" is a registered trademark of TomTom International BV. All our trademarks, service marks, trade names and trade dress are valuable assets owned by TomTom and are essential to protecting our brand identity. Torx is a registered trademark of the Camcar Corporation, division of Textron Industries. The Twitter name, logo, Twitter T, Tweet and Twitter bird are service marks of Twitter, Inc. in the United States and other countries. WARN is a registered trademark of Warn Industries, Inc.











