



LIGHTING CATALOG

LIGHT FIXTURES, CEILING FANS & ACCESSORIES



WESTINGHOUSE LIGHTING



Evolving Brightly

1946 - 2021

CONTENTS

INTRODUCTION	2-3	CEILING FAN ACCESSORIES	91-95
Celebrating 75 Years.....	2-3		
LIGHT FIXTURES	4-65	CEILING FAN & LIGHT FIXTURE ACCESSORIES	96-98
Indoor Hanging	4-19		
Indoor Ceiling.....	20-28		
Indoor Wall	29-38		
Designer You®.....	39-43	REPLACEMENT GLASSWARE & ASSORTED SHADES	99-101
Outdoor.....	44-61		
Picture Lights.....	62-63		
Commercial Service	64-65		
CEILING FANS	66-90	LIGHTING HARDWARE	102-109
52" and Above.....	66-75		
42" to 48"	76-80		
24" to 36"	81-83	INDEX	110-116
Outdoor.....	84-85		
Ceiling Fan Specifications.....	86-90		



All light fixtures, ceiling fans and accessories in this catalog are Underwriter Laboratories, ETL Listed or RU Certified for safety.

Lamps are not included with product unless otherwise noted. We recommend using Westinghouse lamps in all of our ceiling fans and light fixtures. Westinghouse Lighting reserves the right to make changes and/or improvements (both visually and technically) to the products in this catalog without notice. As a result, some products and/or product information may change.

Visit our website for the latest specifications.



EVOLVING BRIGHTLY 1946-2021



WESTINGHOUSE LIGHTING
12401 McNULTY ROAD
PHILADELPHIA, PA 19154-1029

T 215-671-2000

WESTINGHOUSELIGHTING.COM
WESTINGHOUSE.COM

Dear Customer,

It all started in 1946 with two brothers and a small corner store in South Philadelphia. America was rebuilding after World War II, creating a spirit of optimism across the country. Seizing the opportunity to have their own storefront, Romolo and Stanley Angelo opened Angelo Brothers Paint & Lamp Store. Angelo Brothers quickly pivoted to a mail order catalog business, supplying lighting showrooms and lamp repair shops. With this, Angelo Brothers Company was born.

Over the past 75 years, our customers have always been our top priority. While our company has grown in size and scope, we have remained committed to our core values of customer service, quality products, and sustainability.

Consistent with our customer-first approach, we expanded our product line from lamp parts to include glassware, lamps (light bulbs), lighting fixtures, and ceiling fans. In 2003, the company rebranded as Westinghouse Lighting and began marketing our product line globally.

On behalf of the entire Westinghouse Lighting team, we look forward to serving our customers for many more years. It is particularly exciting as we have the third generation of family leadership working in the business. We will approach the next 75 years the same as we have the first 75 – by continuing to meet the ever-evolving needs of our customers and staying true to the core values instilled by our founders.

Ray Angelo


Ray Angelo
President & CEO



A Licensee of Westinghouse Electric Corporation



FROM HUMBLE BEGINNINGS TO A GLOBAL PRESENCE



ENJOY A TRIP DOWN MEMORY LANE... SOME CATALOG COVERS THROUGH THE YEARS!



INDOOR HANGING LIGHT FIXTURES

The perfect lighting fixture adds warm ambience and endless style to your home. From elegant chandeliers to sophisticated pendants, Westinghouse offers a variety of hanging fixtures that blend seamlessly with any home décor.



65761 Camryn
16 Light Chandelier
Brushed Brass Finish
Height: 9.75" Diameter: 26.00"
Use (16) Candelabra (E12) Base Lamps, 40 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



65760 Spencer
6 Light Chandelier
Matte Black Finish
with Antique Brass Accents
Height: 16.25" Diameter: 23.50"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods




FIXTURE
FAMILY
COORDINATING
ITEMS AVAILABLE

65758 Sirino
6 Light Chandelier
Matte Black Finish
with Metallic Bronze Accents
Height: 12.25" Diameter: 23.25"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



65762 Reeves
6 Light Chandelier
Matte Black Finish
Smoke Grey Glass
Height: 15.75" Width: 39.25" Depth: 9.75"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (4) 9.5" and (4) 4.75" long rods



65774 Warhol
5 Light Chandelier
Nickel Luster Finish
Height: 11.75" Width: 34.75" Depth: 14.00"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (4) 9.5" and (4) 4.75" long rods



65756 Porter
6 Light Chandelier
Matte Black Finish
Height: 13.50" Width: 38.25" Depth: 24.50"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE
FAMILY
COORDINATING
ITEMS AVAILABLE

65772 Finn
4 Light Chandelier
Oil Rubbed Bronze Finish
Clear Ribbed Glass
Height: 6.75" Width: 32.75" Depth: 14.00"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (4) 9.5" and (4) 4.75" long rods



FIXTURE
FAMILY
COORDINATING
ITEMS AVAILABLE

65773 Finn
4 Light Chandelier
Brushed Nickel Finish
Clear Waffle Glass
Height: 6.75" Width: 32.75" Depth: 14.00"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (4) 9.5" and (4) 4.75" long rods




65765 Kayla
4 Light Chandelier
Brushed Nickel Finish
Clear Crackle Glass
Height: 32.00" Square: 23.50" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



65766 Felix
6 Light LED Chandelier
Distressed Aluminum Finish
with Brushed Nickel Accents
Height: 4.25" Diameter: 26.00" Cord: 76"
Includes (6) Candelabra (E12) Base Lamps,
4.5 Watt T6 LEDs (WL Lamp #51680)



63672 Zoa
5 Light LED Chandelier
Matte Brushed Gun Metal Finish
Crystal Glass
Height: 11.50" Width: 30.00" Depth: 6.25"
Includes (5) G9 Lamps, 5 Watt LED (WL Lamp #51640)
Includes (2) 9.5" and (2) 4.75" long rods



63687 Zaro
4 Light Chandelier
Dark Pewter Finish
Height: 4.25" Square: 22.50"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



63690 Exton
3 Light Chandelier
Distressed Aluminum Finish
Gun Metal Shades
Height: 22.00" Diameter: 22.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



63689 Ariana
3 Light Chandelier
Matte Black Finish
Copper Shades
Height: 30.00" Width: 36.00" Depth: 12.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



63688 Zaro
6 Light Chandelier
Iron Finish
Height: 4.25" Width: 39.25" Depth: 22.50"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



65757 Olympus
5 Light Chandelier
Matte Black Finish
with Textured Gold Accents
Height: 13.50" Width: 34.00" Depth: 6.25" Cord: 50"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



65771 Avery
6 Light Chandelier
Brushed Nickel Finish
Height: 15.50" Diameter: 20.00"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



63677 Coltin
6 Light Chandelier
Matte Black Finish
Dark Pewter Accents
Height: 27.50" Diameter: 15.75" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
65766 [†]	6	4.5	40	2700 (Warm White)	450	80	15000	13.6	\$0.54
63672 [†]	5	5	40	3000 (Warm White)	480	80	25000	22.8	\$0.60

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



63686 Salma
4 Light Chandelier
Matte Black Finish
Height: 28.00" Diameter: 15.50" Chain: 36" Cord: 60"
Use (4) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63679 Sierra
4 Light Chandelier
Matte Black Finish
Height: 27.75" Diameter: 20.00" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63678 Sierra
4 Light Chandelier
White Finish
Height: 27.75" Diameter: 20.00" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63719 Cava
5 Light LED Chandelier
Brushed Nickel Finish
Bubble Glass
Height: 24.50" Width: 24.00" Depth: 6.00"
Includes 5 x 6.8 Watt Integrated LEDs
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63514 Elway
7 Light Chandelier
Barnwood Finish
with Washed Copper Accents
Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"
Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63515 Elway
7 Light Chandelier
Barnwood Finish
with Galvanized Steel Accents
Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"
Use (7) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65755 Lucy
LED Chandelier
Brushed Nickel Finish
Frosted Acrylic Shade
Height: 2.75" Diameter: 15.75" Cord: 60"
Includes 25 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65751 Adler
LED Chandelier
Matte White Finish
White Acrylic Disc
Height: 0.75" Diameter: 17.75" Cord: 72"
Includes 24 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65750 Adler
LED Chandelier
Matte Black Finish
White Acrylic Disc
Height: 0.75" Diameter: 23.50" Cord: 72"
Includes 32 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
63719	*	34	150	3000 (Warm White)	2800	80	40000	36.5	\$4.10
65755	*	25	100	3000 (Warm White)	1800	80	40000	36.5	\$3.01
65751	*	24	150	4000 (Cool White)	2800	80	50000	45.6	\$2.89
65750	*	32	200	4000 (Cool White)	3500	80	50000	45.6	\$3.85

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

†Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



63685 Sahara
4 Light Chandelier
Brushed Nickel Finish
Height: 30.00" Diameter: 18.00" Chain: 36" Cord: 60"
Use (4) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63694 Enzo James
6 Light Chandelier
Brushed Nickel Finish
Frosted Glass
Height: 10.00" Diameter: 25.25"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63682 Branston
4 Light Chandelier
Brushed Nickel Finish
Clear Water Glass
Height: 12.50" Diameter: 21.25"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63522 Burnell
6 Light Chandelier
Oil Rubbed Bronze Finish
Clear Seeded Glass
Height: 29.00" Diameter: 26.00" Chain: 36" Cord: 60"
Use (6) Medium (E26) Base Lamps, 60 Watt Maximum



63684 Belle View
4 Light Chandelier
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass
Height: 27.50" Diameter: 20.00"
Use (4) Candelabra (E12) Base Lamps, 40 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

+ 63420 Scholar
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
White Opal Glass
Height: 20.00" Diameter: 23.75" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE
LED



63722 Andro
LED Chandelier
Brushed Nickel Finish
Frosted Lens
Height: 6.00" Diameter: 22.00"
Includes 45 Watt Integrated LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63516 Oak Lane
5 Light Chandelier
Barnwood Finish
with Washed Copper Accents
Height: 20.25" Width: 31.50" Depth: 17.50"
Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63517 Oak Lane
5 Light Chandelier
Barnwood Finish
with Galvanized Steel Accents
Height: 20.25" Width: 31.50" Depth: 17.50"
Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63722	*	45	250	3000 (Warm White)	4000	80	40000	36.5	\$5.42

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61104 Stella Mira
3 Light Chandelier
Antique Ash Finish
with Matte Black Accents
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61105 Stella Mira
3 Light Chandelier
Barnwood Finish
with Oil Rubbed Bronze Accents
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63418 Stella Mira
3 Light Chandelier
Oil Rubbed Bronze Finish
with Highlights
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63419 Stella Mira
3 Light Chandelier
Brushed Nickel Finish
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63536 Stella Mira
3 Light Chandelier
Barnwood Finish
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63282 Stella Mira
6 Light Chandelier
Oil Rubbed Bronze Finish
with Highlights
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63283 Stella Mira
6 Light Chandelier
Brushed Nickel Finish
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63336 Stella Mira
6 Light Chandelier
Barnwood and Oil Rubbed Bronze Finish
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63037 Isadora
3 Light Chandelier
Oil Rubbed Bronze Finish
with Highlights
Height: 18.75" Diameter: 12.75" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

+ **63670 Nolan**
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights
Cage Shades
Height: 21.75" Diameter: 22.50" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

+ **63671 Nolan**
4 Light Chandelier/Semi-Flush
Brushed Nickel Finish
Cage Shades
Height: 21.75" Diameter: 22.50" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63038 Isadora
3 Light Chandelier
Brushed Nickel Finish
Height: 18.75" Diameter: 12.75" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62275 Sylvestre

3 Light Chandelier
Brushed Nickel Finish
Frosted Seeded Glass

Height: 17.50" Diameter: 18.25" Chain: 36" Cord: 120"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62274 Sylvestre

5 Light Chandelier
Brushed Nickel Finish
Frosted Seeded Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 120"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63538 Sylvestre

5 Light Chandelier
Oil Rubbed Bronze Finish
Frosted Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63318 Barnwell

3 Light Chandelier
Textured Iron and Barnwood Finish
Clear Hammered Glass

Height: 18.50" Diameter: 19.00" Chain: 36" Cord: 60"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63319 Barnwell

5 Light Chandelier
Textured Iron and Barnwood Finish
Clear Hammered Glass

Height: 23.25" Diameter: 23.50" Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65769 Barnwell

5 Light Chandelier
Antique Ash and Brushed Nickel Finish
Clear Seeded Glass

Height: 23.25" Diameter: 23.50" Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63060 Dunmore

Pendant
Oil Rubbed Bronze Finish
Frosted Glass

Height: 13.50" Diameter: 15.25" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63059 Dunmore

2 Light Island Pendant
Oil Rubbed Bronze Finish
Frosted Glass

Height: 18.50" Width: 37.00" Depth: 12.25"
Chain: 36" Cord: 60"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65739 Dunmore

2 Light Island Pendant
Brushed Nickel Finish
Frosted Glass

Height: 18.50" Width: 37.00" Depth: 12.25"
Chain: 36" Cord: 60"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

+ 63433 Iron Hill

4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

+ 63450 Iron Hill

4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

+ 63545 Iron Hill

4 Light Chandelier/Semi-Flush
Brushed Nickel Finish

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61114 Clover
Pendant
Dark Pewter Finish

Height: 12.50" Diameter: 11.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61113 Clover
Pendant
Dark Pewter Finish

Height: 8.50" Diameter: 7.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



61110 Ciara
Pendant
Industrial Steel Finish

Height: 20.50" Diameter: 16.00" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61116 Derose
Pendant
Brushed Nickel Finish

Height: 11.25" Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61115 Derose
Pendant
Brushed Brass Finish

Height: 8.00" Diameter: 11.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

63729

Pendant
Matte Brushed Gun Metal Finish

Height: 11.75" Diameter: 22.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

64010 Academy
LED Pendant
Black Finish
Chrome Cage

Height: 9.00" Diameter: 12.25" Adjustable Cord: 50"
Includes 13 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61049 Academy
LED Pendant
Black Finish
Chrome Cage

Height: 12.00" Diameter: 16.00" Adjustable Cord: 50"
Includes 18 Watt Integrated LED

63716

Pendant
Iron Finish

Height: 21.25" Diameter: 23.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64010	*	13	75	3000 (Warm White)	1250	80	30000	27.3	\$1.57
61049	*	18	100	3000 (Warm White)	2000	80	30000	27.3	\$2.17

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63301 Morton
Pendant
Antique Steel Finish
Height: 10.25" Diameter: 11.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63096 Malte
Pendant
Hammered Brushed Nickel Finish
Height: 6.50" Diameter: 10.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63692 Charlize
Mini Pendant
Barnwood Finish
Height: 9.50" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63717 Morton
Pendant
Textured Iron Finish
Height: 14.75" Diameter: 18.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63099 Malte
Pendant
Hammered Oil Rubbed Bronze Finish
Height: 6.50" Diameter: 10.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63693 Charlize
Mini Pendant
Oil Rubbed Bronze Finish
Clear Glass
Height: 8.50" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



65749 Kristie
3 Light Pendant
Brushed Nickel Finish
Frosted Glass
Height: 7.50" Diameter: 16.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61107 Stella Mira
Mini Pendant
Antique Ash Finish
Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61106 Stella Mira
Mini Pendant
Barnwood Finish
Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63621 Stella Mira
Mini Pendant
Washed Copper Finish
Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63619 Stella Mira
Mini Pendant
Oil Rubbed Bronze Finish
with Highlights
Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63620 Stella Mira
Mini Pendant
Brushed Nickel Finish
Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63712 Emmett
3 Light Pendant
Galvanized Steel Finish
Height: 18.25" Diameter: 16.50" Chain: 36" Cord: 60"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63622 Isadora
Mini Pendant
Oil Rubbed Bronze Finish with Highlights
Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63623 Isadora
Mini Pendant
Brushed Nickel Finish
Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63698 Holly
Pendant
Brushed Nickel Finish
Height: 15.50" Diameter: 15.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63697 Holly
Pendant
Champagne Brass Finish
Height: 15.50" Diameter: 15.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63512 Holly
Pendant
Champagne Brass Finish
Height: 17.50" Width: 18.25" Depth: 13.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63728 Farah
Pendant
Brushed Nickel Finish
Height: 16.00" Diameter: 10.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63727 Farah
Pendant
Barnwood Finish
Height: 13.00" Diameter: 15.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



61006
Mini Pendant
Oil Rubbed Bronze Finish
Cage Shade
Height: 9.75" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63372 Nathaniel
Mini Pendant
Brushed Nickel Finish
Cage Shade
Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61053 Nathaniel
Mini Pendant
Matte Black Finish
Cage Shade
Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63236 Nolan
Mini Pendant with Turn Knob
Oil Rubbed Bronze Finish
Cage Shade
Height: 10.25" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63084A Boswell
LED Mini Pendant
Washed Copper Finish
Frosted Prismatic Lens
Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods

63082A Boswell
LED Mini Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens
Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods

63346 Boswell
LED Mini Pendant
Brushed Nickel Finish
Frosted Prismatic Lens
Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods



63084B Boswell
LED Mini Pendant
Washed Copper Finish
Frosted Prismatic Lens
Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
11 Watt Omni A19 LED (WL Lamp #50811)
Includes (3) 9.5" long rods

63082B Boswell
LED Mini Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens
Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
11 Watt Omni A19 LED (WL Lamp #50811)
Includes (3) 9.5" long rods

63083A Boswell
LED Mini Pendant
Chrome Finish
Frosted Prismatic Lens
Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods



63087A Boswell
LED Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens
Height: 11.75" Diameter: 10.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods

63087B Boswell
LED Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens
Height: 11.75" Diameter: 10.75"
Includes (1) Medium (E26) Base Lamp,
11 Watt Omni A19 LED (WL Lamp #50811)
Includes (3) 9.5" long rods

63085A Boswell
LED Pendant
Chrome Finish
Frosted Prismatic Lens
Height: 11.75" Diameter: 10.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ***
63084A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63082A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63346 [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63084B [†]	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63082B [†]	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63083A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63087A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63087B [†]	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63085A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



63553 Cava
LED Mini Pendant
Champagne Brass Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED



63554 Cava
LED Mini Pendant
Gun Metal Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED



63723 Cava
LED Mini Pendant
Matte Black Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED



63676 Zoa
LED Pendant
Brushed Nickel Finish
Crystal Glass

Height: 12.25" Width: 9.00" Depth: 4.25"
Adjustable Cord: 50"
Includes (1) G9 Lamp, 5 Watt LED (WL Lamp #51640)



63674 Zoa
LED Pendant
Matte Brushed Gun Metal Finish
Crystal Glass

Height: 12.25" Width: 9.00" Depth: 4.25"
Adjustable Cord: 50"
Includes (1) G9 Lamp, 5 Watt LED (WL Lamp #51640)



63627 Waltz
Mini Pendant
Matte Black Finish
Crystals

Height: 12.25" Diameter: 7.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61013 Percy
Mini Pendant
Brushed Nickel Finish
Perforated Metal Shade

Height: 12.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61009 Percy
Mini Pendant
Black Finish
Black Glass

Height: 11.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61054
Mini Pendant
Hammered Copper Finish

Height: 10.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
63553	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
63554	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
63723	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63676 [†]	1	5	40	3000 (Warm White)	480	80	25000	22.8	\$0.60
63674 [†]	1	5	40	3000 (Warm White)	480	80	25000	22.8	\$0.60

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



63079 Cava
LED Mini Pendant
Chrome Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

New!

INTEGRATED DIMMABLE LED



61112 Carney
LED Mini Pendant
Brushed Nickel Finish

Height: 13.00" Diameter: 5.00" Adjustable Cord: 50"
Includes 7.5 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED



61111 Rayman
LED Mini Pendant
Brushed Brass Finish

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Includes 7.5 Watt Integrated LED



63567 Phelps
Mini Pendant
Matte White Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61012 Phelps
Mini Pendant
Brushed Nickel Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63566 Phelps
Mini Pendant
Matte Black Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63455 Madras
Mini Pendant
Hammered Brushed Nickel Finish

Height: 10.00" Diameter: 7.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63456 Madras
Mini Pendant
Hammered Oil Rubbed Bronze Finish
with Highlights

Height: 10.00" Diameter: 7.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63268 Killian
Pendant
Matte Brushed Gun Metal Finish

Height: 10.00" Diameter: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63079	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
61112	*	7.5	40	3000 (Warm White)	560	80	40000	36.5	\$0.90
61111	*	7.5	40	3000 (Warm White)	560	80	40000	36.5	\$0.90

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61101 Iron Hill
Pendant
Barnwood Finish
Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63705 Iron Hill
Pendant
Washed Copper Finish
Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61102 Iron Hill
Pendant
Emerald Finish
Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63447 Iron Hill
Pendant
Oil Rubbed Bronze Finish with Highlights
Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



◆ **63632 Iron Hill**
Pulley Pendant
Oil Rubbed Bronze Finish with Highlights
Minimum Height: 25.50" Maximum Height: 49.25"
Diameter: 12.00" Adjustable Cord: 57"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



◆ **63325 Iron Hill**
3 Light Island Pulley Pendant
Oil Rubbed Bronze Finish with Highlights
Minimum Height: 32.00" Maximum Height: 59.00"
Width: 40.00" Depth: 12.00" Adjustable Cord: 30"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63546 Iron Hill
Pendant
Galvanized Steel Finish
Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63542 Iron Hill
Pendant
Brushed Nickel Finish
Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



◆ **63699 Iron Hill**
3 Light Island Pulley Pendant
Brushed Nickel Finish
Minimum Height: 32.00" Maximum Height: 59.00"
Width: 40.00" Depth: 12.00" Adjustable Cord: 30"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63090 Ida
Mini Pendant
Matte Black and Washed Copper Finish
Height: 5.75" Diameter: 10.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63384 Sophie
Mini Pendant
Oil Rubbed Bronze Finish
Crystal Prism Glass
Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

63389 Sophie
Mini Pendant
Brushed Nickel Finish
Crystal Prism Glass
Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61037 Kelcie

Mini Pendant
Brushed Nickel Finish
Crystal Jewel Shade

Height: 10.00" Diameter: 7.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63617 Canyon

Mini Pendant
Oil Rubbed Bronze Finish
with Barnwood Accents
Clear Seeded Glass

Height: 10.75" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63563 Cindy

Mini Pendant
Oil Rubbed Bronze Finish
with Barnwood Accents
Clear Seeded Glass

Height: 11.00" Diameter: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63668 Soren

Mini Pendant
Oil Rubbed Bronze Finish
Amber Glass

Height: 8.00" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63664 Soren

Mini Pendant
Matte Black Finish
Ash Glass

Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63663 Soren

Mini Pendant
Brushed Nickel Finish
Turquoise Glass

Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63667 Soren

Mini Pendant
Matte Black Finish
Ash Glass

Height: 11.25" Diameter: 8.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63666 Soren

Mini Pendant
Matte Black Finish
Sapphire Glass

Height: 11.25" Diameter: 8.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63665 Soren

Pendant
Matte Black Finish
Sapphire Glass

Height: 7.00" Diameter: 11.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63669

Pendant
Brushed Nickel Finish
Amber and Clear Glass

Height: 10.75" Diameter: 9.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63465 Wanda

Mini Pendant with Turn Knob
Oil Rubbed Bronze Finish
Frosted White Opal Glass

Height: 8.25" Diameter: 8.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



69231 Winchester

Mini Pendant
Brushed Nickel Finish
Frosted White Alabaster Glass

Height: 6.50" Diameter: 9.50"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum
Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63713 Carmen**
Mini Pendant
Barnwood Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63714 Carmen**
Mini Pendant
Antique Brass Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63715 Carmen**
Mini Pendant
Washed Copper Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63289 Carmen**
Mini Pendant
Oil Rubbed Bronze Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63290 Carmen**
Mini Pendant
Brushed Nickel Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61065 Ramsey**
Mini Pendant
Brushed Nickel Finish
Clear Glass
Height: 11.50" Diameter: 8.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61008 Fiona**
Mini Pendant
Oil Rubbed Bronze Finish
Clear Seeded Glass
Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61007 Fiona**
Mini Pendant
Brushed Nickel Finish
Clear Seeded Glass
Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61026 Wes**
Mini Pendant
Oil Rubbed Bronze Finish
Clear Glass
Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63565 Fiona**
Mini Pendant
Antique Brass Finish
Clear Seeded Glass
Height: 8.75" Diameter: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63564 Fiona**
Mini Pendant
Washed Copper Finish
Clear Seeded Glass
Height: 8.75" Diameter: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61064 Wes**
Mini Pendant
Brushed Nickel Finish
Clear Glass
Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63288 Basset**

Mini Pendant
Brushed Nickel Finish
Clear Hammered Glass

Height: 8.25" Diameter: 6.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63092

Mini Pendant
Brushed Nickel Finish
Clear Crackle Glass

Height: 8.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61057**

Mini Pendant
Brushed Nickel Finish
Clear Crackle Glass

Height: 11.00" Diameter: 6.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63661**

Mini Pendant
Brushed Nickel Finish
Clear Indented Glass

Height: 9.00" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR CEILING LIGHT FIXTURES

Our diverse assortment of ceiling fixture designs ensures the perfect combination of styles and finishes to complement any décor.



• **65732 Scholar**
 9 in. 1 Light Semi-Flush
 Brushed Nickel Finish
 Clear Glass
 Height: 10.50" Diameter: 9.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63701 Iron Hill
 9 in. 1 Light Semi-Flush
 Oil Rubbed Bronze Finish
 with Highlights
 Height: 5.25" Diameter: 8.75"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63700 Iron Hill
 9 in. 1 Light Semi-Flush
 Brushed Nickel Finish
 Height: 5.25" Diameter: 8.75"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **65733 Scholar**
 11 in. 1 Light Semi-Flush
 Brushed Nickel Finish
 Clear Glass
 Height: 11.75" Diameter: 11.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63703 Iron Hill
 12 in. 1 Light Semi-Flush
 Oil Rubbed Bronze Finish
 with Highlights
 Height: 5.75" Diameter: 12.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63702 Iron Hill
 12 in. 1 Light Semi-Flush
 Brushed Nickel Finish
 Height: 5.75" Diameter: 12.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63422 Scholar**
 7 in. 1 Light Semi-Flush
 Oil Rubbed Bronze Finish
 White Opal Glass
 Height: 9.00" Diameter: 7.25"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63360 Louis
 9 in. 1 Light Semi-Flush
 Oil Rubbed Bronze Finish
 Height: 7.00" Diameter: 9.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63711 Morrison
 13 in. 2 Light Flush
 Oil Rubbed Bronze Finish
 Mesh Shade and Frosted Glass
 Height: 7.50" Diameter: 13.00"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65752 Remi
6 in. 12W LED Flush
Brushed Nickel Finish
Frosted Acrylic Ring
Height: 2.50" Diameter: 5.50"
Includes 12 Watt Integrated LED

New!
INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61123 Lauderdale
11 in. 19W LED Flush
Brushed Nickel Finish
White Frosted Shade
Height: 3.50" Diameter: 11.00"
Includes 19 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



64012 Lauderdale
16 in. 23W LED Flush
Brushed Nickel Finish
White Acrylic Shade
Height: 3.50" Diameter: 15.75"
Includes 23 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65753 Remi
8 in. 15W LED Flush
Brushed Nickel Finish
Frosted Acrylic Ring
Height: 2.50" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



64009 Lauderdale
12 in. 15W LED Semi-Flush
Brushed Nickel Finish
White Acrylic Shade
Height: 9.50" Diameter: 12.00"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63078 Lauderdale
33 in. 35W LED Flush
Brushed Nickel Finish
White Acrylic Lens
Height: 4.75" Width: 32.50"
Includes 35 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65754 Lucy
16 in. 25W LED Semi-Flush
Brushed Nickel Finish
Frosted Acrylic Shade
Height: 10.00" Diameter: 15.75"
Includes 25 Watt Integrated LED



66223 Wensley
10 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish
White Alabaster Glass
Height: 7.25" Diameter: 10.25"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



† 63403 Pacific Falls
2 Light Pendant/Semi-Flush
Amber Bronze Finish
with Highlights
White Alabaster Glass
Height: 13.75" Diameter: 14.00" Chain: 36" Cord: 60"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65752	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61123	*	19	100	3000 (Warm White)	1900	80	50000	45.6	\$2.29
64012	*	23	100	3000 (Warm White)	1900	80	50000	45.6	\$2.77
65753	*	15	75	3000 (Warm White)	1400	80	50000	45.6	\$1.81
64009	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63078	*	35	200	3000 (Warm White)	3500	80	50000	45.6	\$4.22
65754	*	25	100	3000 (Warm White)	1800	80	40000	36.5	\$3.01

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
*Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63706 Meadowbrook
13 in. 2 Light Flush
Oil Rubbed Bronze Finish with Highlights
Frosted Glass
Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE
LED



63089
11 in. 15W LED Flush
Oil Rubbed Bronze Finish
White Alabaster Glass
Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63065 Dunmore
14 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish
Frosted Glass
Height: 12.25" Diameter: 14.50"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63707 Meadowbrook
13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Glass
Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE
LED



63088
11 in. 15W LED Flush
Brushed Nickel Finish
White Alabaster Glass
Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65738 Dunmore
15 in. 2 Light Semi-Flush
Brushed Nickel Finish
Frosted Glass
Height: 12.25" Diameter: 14.50"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63241 Meadowbrook
13 in. 2 Light Flush
Matte Black Finish
Frosted Glass
Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE
LED



61066
11 in. 15W LED Flush
White Finish
White Alabaster Glass
Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE
LED

INDOOR OUTDOOR
WET RATED



63219
6 in. 12W LED Surface Mount
Brushed Nickel Finish
Frosted Lens, 3000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63089	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63088	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
61066	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63219	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New!



61117
6 in. 7W LED Flush with Motion Sensor
White Finish
White Frosted Acrylic, 3000K
Height: 1.00" Diameter: 5.75"
Includes 7 Watt Integrated LED

New!



61119
5 in. 11W LED Flush
White Finish
White Frosted Shade
Height: 0.50" Diameter: 5.00"
Includes 11 Watt Integrated LED



63220
6 in. 12W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 3000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

New!



61118
6 in. 7W LED Flush with Motion Sensor
White Finish
White Frosted Acrylic, 4000K
Height: 1.00" Diameter: 5.75"
Includes 7 Watt Integrated LED

New!



61120
7 in. 17W LED Flush
White Finish
White Frosted Shade
Height: 0.50" Diameter: 7.00"
Includes 17 Watt Integrated LED



63224
6 in. 12W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 4000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED



63221
6 in. 12W LED Surface Mount
White Finish
Frosted Lens, 3000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED



63225
6 in. 12W LED Surface Mount
White Finish
Frosted Lens, 4000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED



63644
6 in. 12W LED Surface Mount
White Finish
Frosted Lens, 5000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61117	*	7	40	3000 (Warm White)	650	80	50000	45.6	\$0.84
61119	*	11	40	2700, 3000, 35000, 4000, 5000 (Multi 5)	770	90	50000	45.6	\$1.32
63220	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
61118	*	7	40	4000 (Cool White)	650	80	50000	45.6	\$0.84
61120	*	17	75	2700, 3000, 35000, 4000, 5000 (Multi 5)	1250	90	50000	45.6	\$2.05
63224	*	12	60	4000 (Cool White)	840	80	50000	45.6	\$1.45
63221	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63225	*	12	60	4000 (Cool White)	840	80	50000	45.6	\$1.45
63644	*	12	60	5000 (Daylight)	840	80	50000	45.6	\$1.45

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63226
7 in. 15W LED Surface Mount
Chrome Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63227
7 in. 15W LED Surface Mount
Brushed Nickel Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63228
7 in. 15W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63230
7 in. 15W LED Surface Mount
Chrome Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63231
7 in. 15W LED Surface Mount
Brushed Nickel Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63232
7 in. 15W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63229
7 in. 15W LED Surface Mount
White Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63233
7 in. 15W LED Surface Mount
White Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR WET RATED



63645
7 in. 15W LED Surface Mount
White Finish
Frosted Lens, 5000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63226	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63227	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63228	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63230	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63231	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63232	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63229	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63233	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63645	*	15	75	5000 (Daylight)	1050	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



61073

11 in. 20W LED Flush
Brushed Nickel Finish
Frosted Acrylic Shade

Height: 2.25" Diameter: 11.00"
Includes 20 Watt Integrated LED



61074

11 in. 20W LED Flush
White Finish
Frosted Acrylic Shade

Height: 2.25" Diameter: 11.00"
Includes 20 Watt Integrated LED



64011

11 in. 15W LED Flush
White Finish
White Acrylic Shade

Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED



64005

11 in. 15W LED Flush
Brushed Nickel Finish
White Alabaster Glass

Height: 4.75" Diameter: 11.00"
Includes 15 Watt Integrated LED



64006

11 in. 15W LED Flush
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 4.75" Diameter: 11.00"
Includes 15 Watt Integrated LED



63048 Harwell

13 in. 2 Light Flush
Amber Bronze Finish
with Highlights
Frosted Glass

Height: 6.25" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



63444

13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



63445

13 in. 2 Light Flush
Oil Rubbed Bronze Finish
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64300

13 in. 2 Light Flush
White Finish
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61073	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61074	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
64011	*	15	75	3000 (Warm White)	1500	80	50000	45.6	\$1.81
64005	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81
64006	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



64316
13 in. 2 Light Flush
Sienna Finish
Embossed Floral and Leaf Design Glass
Height: 7.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64302
13 in. 2 Light Flush
Polished Brass Finish
Frosted Swirl Glass
Height: 6.25" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64303
15 in. 3 Light Flush
Polished Brass Finish
Frosted Swirl Glass
Height: 6.50" Diameter: 15.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



64304
11 in. 1 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass
Height: 6.00" Diameter: 11.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



64305
13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass
Height: 6.25" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64306
15 in. 3 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass
Height: 6.50" Diameter: 15.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



61072
7 in. 10W LED Flush
Brushed Nickel Finish
Frosted Fluted Glass
Height: 4.00" Diameter: 7.00"
Includes 10 Watt Integrated LED



64291
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
Frosted White Alabaster Glass
Height: 6.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64292
15 in. 3 Light Flush
Oil Rubbed Bronze Finish
Frosted White Alabaster Glass
Height: 6.75" Diameter: 15.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61072	*	10	60	3000 (Warm White)	1000	80	25000	22.8	\$1.20

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66611
9 in. 2 Light Flush
White Finish
White Glass
Height: 5.00" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66699
7 in. 1 Light Flush
White Finish
White Glass
Height: 4.75" Diameter: 7.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61071
7 in. 10W LED Flush
White Finish
White Opal Glass
Height: 4.75" Diameter: 7.25"
Includes 10 Watt Integrated LED



67210
9 in. 2 Light Flush
Pull Chain
Brushed Nickel Finish
Frosted Fluted Glass
Height: 4.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



67202
9 in. 2 Light Flush
Pull Chain
Sienna Finish
Frosted Fluted Glass
Height: 4.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



61070
6 in. 8W LED Flush
White Finish
White Opal Glass Globe
Height: 7.25" Diameter: 6.00"
Includes 8 Watt Integrated LED



67208
6 in. 1 Light Flush
Pull Chain
Brushed Nickel Finish
White Glass Globe
Height: 7.25" Diameter: 6.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66680
6 in. 1 Light Flush
Pull Chain
White Finish
White Glass Globe
Height: 7.25" Diameter: 6.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66607
6 in. 1 Light Flush
White Finish
White Glass Globe
Height: 7.25" Diameter: 6.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61071	*	10	60	3000 (Warm White)	1000	80	25000	22.8	\$1.20
61070	*	8	60	3000 (Warm White)	800	80	50000	45.6	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66692
 6 in. 1 Light Flush
 Polished Brass Finish
 Crystal Ribbed Glass Globe
 Height: 7.25" Diameter: 6.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66610
 10 in. 2 Light Flush
 Antique Brass Finish
 Clear Faceted Glass
 Height: 5.50" Diameter: 9.50"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66686
 11 in. 3 Light Flush
 Antique Brass Finish
 Frosted Ruffled Edge Glass
 Height: 5.75" Width: 11.00"
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



67345
 9 in. 2 Light Flush
 Pull Chain
 White Finish
 White and Clear Glass
 Height: 5.25" Diameter: 8.75"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66241
 11 in. 2 Light Flush
 Chrome Finish
 White and Clear Glass
 Height: 5.25" Diameter: 10.75"
 Use (2) Medium (E26) Base Lamps, 75 Watt Maximum



66326
 10 in. 3 Light Multi-Directional Flush
 Off White Finish
 Height: 8.25" Width: 10.25" Extends: 18.25"
 Use (3) Medium (E26) Base Lamps, 65 Watt Maximum



66297
 12 in. 1 Light Semi-Flush
 White and Brushed Nickel Finish
 White Alabaster Glass
 Height: 4.25" Diameter: 12.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66242
 13 in. 2 Light Semi-Flush
 White Finish
 White Glass
 Height: 6.50" Diameter: 13.00"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66206
 13 in. 2 Light Semi-Flush
 White Finish
 White Scroll Design Glass
 Height: 6.25" Diameter: 13.00"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66201
 12 in. 2 Light Semi-Flush
 White Finish
 White Glass
 Height: 6.00" Square: 12.00"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INDOOR WALL LIGHT FIXTURES

Utilize the versatility of wall fixtures to enhance the beauty of a fireplace, accentuate nooks and quiet spaces, or add a decorative touch around a bathroom mirror. The possibilities are endless.

All wall fixtures in this section are damp location approved.

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

*** 61109 Burnell**
1 Light Wall Fixture
Barnwood Finish
Clear Seeded Glass

Height: 12.00" Width: 7.50" Extends: 5.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

*** 63523 Burnell**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 12.00" Width: 7.50" Extends: 5.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 65744 Ashton**
1 Light Wall Fixture
Antique Brass Finish
Clear Seeded Glass

Height: 12.00" Width: 4.75" Extends: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 63680 Colville**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 11.25" Width: 5.50" Extends: 6.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 65746 Ashton**
1 Light Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 12.00" Width: 4.75" Extends: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 65745 Ashton**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 12.00" Width: 4.75" Extends: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 63681 Colville**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 11.25" Width: 22.00" Extends: 6.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 65748 Ashton**
3 Light Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 12.00" Width: 24.00" Extends: 8.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

**** 65747 Ashton**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 12.00" Width: 24.00" Extends: 8.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65743 Meadowbrook
1 Light Wall Fixture
Antique Brass Finish
Height: 9.25" Width: 4.75" Extends: 6.00"
Use (1) Candelabra (E12) Base Lamp, 40 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63240 Meadowbrook
1 Light Wall Fixture
Matte Black Finish
Height: 9.25" Width: 4.75" Extends: 6.00"
Use (1) Candelabra (E12) Base Lamp, 40 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



****63683 Branston**
1 Light Wall Fixture
Brushed Nickel Finish
Clear Water Glass
Height: 10.50" Width: 5.00" Extends: 5.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE
LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



***63724 Cava**
8W 1 Light LED Wall Fixture
Matte Black Finish
Bubble Glass
Height: 7.75" Width: 5.00" Extends: 5.75"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE
LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



***63076 Cava**
8W 1 Light LED Wall Fixture
Chrome Finish
Bubble Glass
Height: 7.75" Width: 5.00" Extends: 5.75"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE
LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63720 Cava
9W 1 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 13.00" Width: 5.00" Extends: 5.50"
Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE
LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



***63725 Cava**
22W 3 Light LED Wall Fixture
Matte Black Finish
Bubble Glass
Height: 7.75" Width: 15.25" Extends: 5.75"
Includes (3) x 7.3 Watt Integrated LEDs

INTEGRATED DIMMABLE
LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



***63119 Cava**
22W 3 Light LED Wall Fixture
Chrome Finish
Bubble Glass
Height: 7.75" Width: 15.25" Extends: 5.75"
Includes (3) x 7.3 Watt Integrated LEDs

INTEGRATED DIMMABLE
LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63721 Cava
22W 3 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 13.00" Width: 21.75" Extends: 5.50"
Includes (3) x 7.3 Watt Integrated LEDs

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
63724	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63076	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63720	*	9	60	3000 (Warm White)	800	80	40000	36.5	\$1.08
63725	*	22	75	3000 (Warm White)	1340	80	25000	22.8	\$2.65
63119	*	22	75	3000 (Warm White)	1340	80	25000	22.8	\$2.65
63721	*	22	100	3000 (Warm White)	1800	80	40000	36.5	\$2.65

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
*Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



All wall fixtures in this section are damp location approved.



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

*** 63675 Zoa**
1 Light LED Wall Fixture
Brushed Nickel Finish
Crystal Glass
Height: 12.75" Width: 7.50" Extends: 6.00"
Includes (1) G9 Lamp, 5 Watt LED (WL Lamp #51640)



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

*** 63673 Zoa**
1 Light LED Wall Fixture
Matte Brushed Gun Metal Finish
Crystal Glass
Height: 12.75" Width: 7.50" Extends: 6.00"
Includes (1) G9 Lamp, 5 Watt LED (WL Lamp #51640)

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63691 Exton**
1 Light Wall Fixture
Distressed Aluminum Finish
Gun Metal Shade
Height: 7.75" Width: 8.00" Extends: 9.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum




FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65767 Cava II
20W 1 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 5.50" Width: 18.00" Extends: 2.75"
Includes 20 Watt Integrated LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65768 Cava II
25W 1 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 5.50" Width: 24.00" Extends: 2.75"
Includes 25 Watt Integrated LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

*** 63726 Cava II**
21W 3 Light LED Wall Fixture
Matte Black Finish
Bubble Glass
Height: 5.50" Width: 19.75" Extends: 3.00"
Includes (3) x 7 Watt Integrated LEDs



*** 63718 Aurelio**
22W 1 Light LED Wall Fixture
Brushed Nickel Finish
Frosted Glass
Height: 5.50" Width: 23.50" Extends: 5.00"
Includes 22 Watt Integrated LED

New!



*** 61121**
25W 1 Light LED Wall Fixture
Brushed Nickel Finish
White Frosted Shade
Height: 4.50" Width: 24.75" Extends: 4.75"
Includes 25 Watt Integrated LED

New!



*** 61122**
30W 1 Light LED Wall Fixture
Brushed Nickel Finish
White Frosted Shade
Height: 4.50" Width: 36.00" Extends: 4.75"
Includes 30 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{**†}
63675 [†]	1	5	40	3000 (Warm White)	480	80	25000	22.8	\$0.60
63673 [†]	1	5	40	3000 (Warm White)	480	80	25000	22.8	\$0.60
65767	*	20	100	3000 (Warm White)	1800	80	40000	36.5	\$2.41
65768	*	25	125	3000 (Warm White)	2250	80	40000	36.5	\$3.01
63726	*	21	100	3000 (Warm White)	1800	80	40000	36.5	\$2.53
63718	*	22	125	3000 (Warm White)	2200	80	40000	36.5	\$2.65
61121	*	25	125	2700, 3000, 35000, 4000, 5000 (Multi 5)	2375	80	50000	45.6	\$3.01
61122	*	30	175	2700, 3000, 35000, 4000, 5000 (Multi 5)	2850	80	50000	45.6	\$3.61

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63278 Morrison**
1 Light Wall Fixture
Brushed Nickel Finish
Mesh Shade

Height: 9.00" Width: 6.25" Extends: 8.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63276 Morrison**
3 Light Wall Fixture
Brushed Nickel Finish
Mesh Shades

Height: 8.00" Width: 22.75" Extends: 8.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65759 Sirino
1 Light Wall Fixture
Matte Black Finish
with Metallic Bronze Accents

Height: 13.50" Width: 5.25" Extends: 6.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63708 Morrison**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Mesh Shade

Height: 9.00" Width: 6.25" Extends: 8.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63709 Morrison**
2 Light Wall Fixture
Oil Rubbed Bronze Finish
Mesh Shades

Height: 8.00" Width: 16.75" Extends: 8.25"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63710 Morrison**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Mesh Shades

Height: 8.00" Width: 22.75" Extends: 8.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63039 Alexander**
2 Light Wall Fixture
Brushed Nickel Finish
Rippled White Glazed Glass

Height: 11.25" Width: 15.25" Extends: 6.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63040 Alexander**
3 Light Wall Fixture
Brushed Nickel Finish
Rippled White Glazed Glass

Height: 11.25" Width: 22.50" Extends: 6.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63041 Alexander**
4 Light Wall Fixture
Brushed Nickel Finish
Rippled White Glazed Glass

Height: 11.25" Width: 30.25" Extends: 6.00"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63438B Hansen**
3 Light Wall Fixture
Chrome Finish
White Linen Glass

Height: 7.75" Width: 19.75" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63438A Hansen**
3 Light Wall Fixture
Chrome Finish
White Linen Glass and Translucent Band

Height: 7.75" Width: 19.75" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63266 Basset**
1 Light Wall Fixture
Dark Pewter Finish
Smoke Grey Hammered Glass

Height: 10.25" Width: 5.00" Extends: 6.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



All wall fixtures in this section are damp location approved.

New!

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61100 Enzo James**
1 Light Wall Fixture
Brushed Nickel Finish
Clear Water Glass

Height: 10.75" Width: 6.25" Extends: 5.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63695 Enzo James**
1 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass

Height: 10.75" Width: 6.25" Extends: 5.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63696 Enzo James**
2 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass

Height: 11.00" Width: 13.50" Extends: 5.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65740 Eldon**
1 Light Wall Fixture
Brushed Aluminum Finish
Clear Glass

Height: 12.25" Width: 6.25" Extends: 8.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65741 Eldon**
2 Light Wall Fixture
Brushed Aluminum Finish
Clear Glass

Height: 12.25" Width: 16.00" Extends: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65742 Eldon**
3 Light Wall Fixture
Brushed Aluminum Finish
Clear Glass

Height: 12.25" Width: 24.00" Extends: 8.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63332 Eldon**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 12.25" Width: 6.25" Extends: 8.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63333 Eldon**
2 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 12.25" Width: 16.00" Extends: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

•• **63510 North Shore**
1 Light Wall Fixture
Weathered Steel Finish
Clear Seeded Glass

Height: 10.50" Width: 6.00" Extends: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•• **65770 Barnwell**
1 Light Wall Fixture
Antique Ash and Brushed Nickel Finish
Clear Seeded Glass

Height: 8.50" Width: 5.00" Extends: 6.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•• **63316 Barnwell**
1 Light Wall Fixture
Textured Iron and Barnwood Finish
Clear Hammered Glass

Height: 8.50" Width: 5.00" Extends: 6.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63530 Chaddsford**
1 Light Wall Fixture
Champagne Brass Finish
Frosted Glass

Height: 13.75" Width: 5.50" Extends: 6.00"
Use (1) Candelabra (E12) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63543 Iron Hill**
1 Light Wall Fixture
Brushed Nickel Finish
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61103 Iron Hill
2 Light Wall Fixture
Brushed Nickel Finish
Height: 7.75" Width: 19.75" Extends: 9.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63544 Iron Hill**
3 Light Wall Fixture
Brushed Nickel Finish
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63448 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63548 Iron Hill**
2 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Height: 7.75" Width: 19.75" Extends: 9.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63449 Iron Hill
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63435 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63547 Iron Hill**
3 Light Wall Fixture
Galvanized Steel Finish
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63434 Iron Hill
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63704 Iron Hill**
1 Light Wall Fixture
Washed Copper Finish
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63355 Louis**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Height: 8.50" Width: 9.00" Extends: 10.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

*** 63363 Maggie**
2 Light Wall Fixture
Brushed Nickel Finish
Height: 8.25" Width: 22.00" Extends: 10.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

• Hand Blown Glass
• Fixture can be installed up or down



All wall fixtures in this section are damp location approved.



*** 63380 Oliver**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Cage Shades
Height: 13.75" Width: 27.25" Extends: 8.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63379 Sophie**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Crystal Prism Glass
Height: 12.25" Width: 26.50" Extends: 8.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63421 Scholar**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
White Opal Glass
Height: 10.00" Width: 24.00" Extends: 8.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63073 Midori**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass
Height: 8.50" Width: 5.00" Extends: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63074 Midori**
2 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass
Height: 10.75" Width: 15.00" Extends: 7.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63075 Midori**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass
Height: 10.00" Width: 20.75" Extends: 7.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 65734 Midori**
1 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass
Height: 8.50" Width: 5.00" Extends: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 65735 Midori**
2 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass
Height: 10.75" Width: 15.00" Extends: 7.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 65736 Midori**
3 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass
Height: 10.00" Width: 20.75" Extends: 7.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 66522**
3 Light Wall Fixture
Chrome Finish
Frosted Pleated Glass
Height: 8.50" Width: 24.00" Extends: 7.25"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63015 Harwell**
3 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass
Height: 8.50" Width: 24.25" Extends: 7.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



**** 63019 Harwell**
4 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass
Height: 8.50" Width: 32.50" Extends: 7.75"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 62278 Sylvestre**
1 Light Wall Fixture
Brushed Nickel Finish
Frosted Seeded Glass

Height: 8.25" Width: 4.75" Extends: 6.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63540 Sylvestre**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 8.25" Width: 4.75" Extends: 6.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63034 Elvaston**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 8.75" Width: 23.00" Extends: 7.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 62279 Sylvestre**
3 Light Wall Fixture
Brushed Nickel Finish
Frosted Seeded Glass

Height: 8.25" Width: 15.75" Extends: 6.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63541 Sylvestre**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 8.25" Width: 15.75" Extends: 6.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63036 Elvaston**
5 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 9.25" Width: 39.00" Extends: 7.50"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63069 Dunmore**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 9.50" Width: 23.50" Extends: 7.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63070 Dunmore**
4 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 9.25" Width: 31.50" Extends: 7.50"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 65737 Dunmore**
4 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass

Height: 9.25" Width: 31.50" Extends: 7.50"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 66496 Trinity**
1 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 9.00" Width: 5.25" Extends: 8.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 64617 Trinity**
2 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50" Width: 13.50" Extends: 8.50"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 66497 Trinity**
3 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50" Width: 17.25" Extends: 8.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

* Hand Blown Glass
* Fixture can be installed up or down



All wall fixtures in this section are damp location approved.



63027 Lenola
2 Light Wall Fixture
Amber Bronze Finish
Beige Fabric Shades
Height: 13.50" Width: 16.50" Extends: 7.75"
Use (2) Candelabra (E12) Base Lamps, 40 Watt Maximum



*** 62238 Trinity II**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Aged Alabaster Glass
Height: 9.00" Width: 5.25" Extends: 8.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66402
1 Light Wall Fixture with Ground Convenience Outlet and Pull Chain
Chrome Finish
Base White and Crystal Glass
Height: 4.75" Width: 5.25" Extends: 7.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66601
1 Light Wall Fixture with On/Off Switch
Polished Brass Finish
Frosted Etched Grape Design Glass
Height: 7.75" Width: 4.50" Extends: 4.75"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66654
1 Light Wall Fixture with On/Off Switch
Brushed Nickel Finish
White Opal Glass
Height: 8.00" Width: 4.50" Extends: 5.00"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



*** 66401**
1 Light Wall Fixture
White Finish
Base White Ceramic Glass
Height: 7.50" Width: 4.50" Extends: 4.50"
Use (1) Medium (E26) Base Lamp, 75 Watt Maximum



66403
2 Light Wall Fixture with Ground Convenience Outlet
White Finish
Base White and Crystal Glass
Height: 4.50" Width: 14.00" Extends: 5.00"
Use (2) Medium (E26) Base Lamps, 75 Watt Maximum



66594

3 Light Bath Bar
White Finish

Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66406

3 Light Bath Bar
Chrome Finish

Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66449

4 Light Bath Bar
Beveled Mirror

Height: 4.25" Width: 24.00" Extends without Lamps: 3.25"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66595

4 Light Bath Bar
White Finish

Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66411

4 Light Wall Fixture
Chrome Finish

Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66450

6 Light Bath Bar
Beveled Mirror

Height: 4.25" Width: 36.00" Extends without Lamps: 3.25"
Use (6) Medium (E26) Base Lamps, 100 Watt Maximum

DesignerYou® YOUR LIGHT, YOUR CHOICE...

Customizable fixtures inspire creativity for quick and easy home upgrades. It's as easy as 1-2-3. Imagine the endless opportunities to design and combine lighting to match any style.



Enjoy new lighting designed by YOU!

CHOOSE YOUR FIXTURE AND FINISH



70285
Mini Pendant
Oil Rubbed Bronze Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70286
Mini Pendant
White Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70284
Mini Pendant
Brushed Nickel Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70287
Mini Pendant
Antique Brass Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



85718
Mini Pendant
Chrome Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum




61024
Mini Pendant
Oil Rubbed Bronze Finish
Height: 3.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61032

Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63013

3 Light Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.50" Width: 23.50" Depth: 4.50"
Adjustable Cord: 50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



63012

3 Light Mini Pendant
Brushed Nickel Finish

Height: 3.50" Width: 23.50" Depth: 4.50"
Adjustable Cord: 50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63002**

1 Light Wall Fixture
Brushed Nickel Finish

Height: 9.00" Width: 4.00" Extends: 6.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



*** 63003**

2 Light Wall Fixture
Oil Rubbed Bronze Finish

Height: 6.50" Width: 11.00" Extends: 5.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63005**

2 Light Wall Fixture
Brushed Nickel Finish

Height: 6.50" Width: 11.00" Extends: 5.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63006**

3 Light Wall Fixture
Oil Rubbed Bronze Finish

Height: 7.00" Width: 19.50" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63008**

3 Light Wall Fixture
Brushed Nickel Finish

Height: 7.00" Width: 19.50" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

Transform existing recessed lighting into a pendant or other light fixture!

Patent No. 9,496,699



01011

Recessed Light Converter

- Quick and easy home upgrade with no remodeling.
- Adjust to any recessed can size between 4" - 6" diameter.
- Works with existing recessed cans that use medium base lamps.
- 50 lb. maximum load rating.

CHOOSE YOUR GLASSWARE & ASSORTED SHADES

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



• **85730**
Fire Pit
Long Shade
Fitter: 2.25"
Height: 8.50"
Diameter: 4.50"



• **81015**
Amber Harvest
Cylinder Shade
Fitter: 2.25"
Height: 5.12"
Diameter: 3.94"



• **81016**
White Linen
Cylinder Shade
Fitter: 2.25"
Height: 5.12"
Diameter: 3.94"



• **85093**
Frosted
Cylinder Shade
Fitter: 2.25"
Height: 5.24"
Diameter: 3.94"



• **81014**
White Linen
Cylinder Shade
with Translucent Band
Fitter: 2.25"
Height: 5.12"
Diameter: 3.94"



• **85724**
Lunar Weave
Long Shade
Fitter: 2.25"
Height: 7.75"
Diameter: 4.75"



• **85005**
White Alabaster
Large Cylinder Shade
Fitter: 2.25"
Height: 7.88"
Diameter: 4.63"



• **85053**
White Opal
Cylinder Shade
Fitter: 2.25"
Height: 6.97"
Diameter: 3.94"



• **81003**
White Linen
Barrel Shade
Fitter: 2.25"
Height: 5.30"
Diameter: 4.93"



• **85080**
Clear Ribbed
Dome Shade
Fitter: 2.25"
Height: 5.90"
Diameter: 6.00"



• **85090**
Clear Seeded
Glass Shade
Fitter: 2.25"
Height: 4.73"
Diameter: 4.33"



• **85055**
Clear
Barrel Shade
Fitter: 2.25"
Height: 6.30"
Diameter: 5.91"



• **85057**
Clear Seeded
Barrel Shade
Fitter: 2.25"
Height: 7.13"
Diameter: 6.22"



• **81021**
Clear Glass Open
Teardrop Shade
Fitter: 2.25"
Height: 7.00"
Diameter: 7.50"



• **85088**
Clear Crackle
Shade
Fitter: 2.25"
Height: 8.86"
Diameter: 6.30"



• **85059**
Clear Seeded
Cone Shade
Fitter: 2.25"
Height: 5.74"
Diameter: 4.72"



• **85065**
Clear
Cylinder Shade
Fitter: 2.25"
Height: 5.00"
Diameter: 4.33"



• **85064**
Clear Hammered
Cylinder Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4.00"



• **85701**
Ice
Cylinder Shade
Fitter: 2.25"
Height: 6.50"
Diameter: 4.75"



• **81400**
Wildfire
Cylinder Shade
Fitter: 2.25"
Height: 6.50"
Diameter: 4.75"



• **81311**
Fire Pit
Shade
Fitter: 2.25"
Height: 5.38"
Diameter: 4.50"




• **81409**
Charcoal Swirl
Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4.85"



• **81405**
Van Gogh
Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.38"



• **81413**
Chili Pepper
Shade
Fitter: 2.25"
Height: 6.25"
Diameter: 4.38"



• **81410**
Chocolate Drizzle
Shade
Fitter: 2.25"
Height: 6.38"
Diameter: 4.38"



• **81427**
Spice Swirl
Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



• **81315**
Clear with Black Rope
Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



81265
Hand-Painted Leaf Design
Bell Shade
Fitter: 2.25"
Height: 4.75"
Diameter: 5.38"



81391
Antique Smolder
Bell Shade
Fitter: 2.25"
Height: 4.75"
Diameter: 5.25"




• **81227**
White Opal
Bell Shade
Fitter: 2.25"
Height: 5.00"
Diameter: 4.75"



• **81314**
Clear with White Rope
Shade
Fitter: 2.25"
Height: 5.75"
Diameter: 4.63"



81167
Brown Swirl
Bell Shade
Fitter: 2.25"
Height: 5.13"
Diameter: 5.88"



81119
Licorice Marbleized
Bell Shade
Fitter: 2.25"
Height: 4.50"
Diameter: 4.75"



81422
Brown Marbleized
Bell Shade
Fitter: 2.25"
Height: 4.65"
Diameter: 5.40"



• **81412**
Lunar Weave
Shade
Fitter: 2.25"
Height: 6.00"
Width: 5.38"



• **85722**
White Opal
Fluted Shade
Fitter: 2.25"
Height: 5.50"
Diameter: 4.75"



81277
Beveled Clear Glass
Bell Shade
Fitter: 2.25"
Height: 4.75"
Diameter: 4.88"



• **81095**
Clear Seeded
Bell Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 4.81"



81098
Milky Scavo
Bell Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 5.50"



81279
Milky Scavo
Bell Shade
Fitter: 2.25"
Height: 5.13"
Diameter: 5.13"



81272
Milky Scavo
Bell Shade
Fitter: 2.25"
Height: 4.75"
Diameter: 5.38"



81270
Frosted and Clear
Cross Shade
Fitter: 2.25"
Height: 5.25"
Diameter: 5.00"



81355
Clear
Prismatic Shade
Fitter: 2.25"
Height: 3.75"
Diameter: 6.50"



81333
Honey Swirl Scavo
Shade
Fitter: 2.25"
Height: 4.38"
Diameter: 6.88"



85069
Oil Rubbed Bronze
and Metallic Bronze Interior Shade

Fitter: 2.25"
Height: 2.56"
Diameter: 9.00"



85033
Oil Rubbed Bronze Finish
Cage Shade
with Closed Bottom

Fitter: 2.25"
Height: 8.00"
Diameter: 6.75"



85031
Brushed Nickel Finish
Cage Shade
with Closed Bottom

Fitter: 2.25"
Height: 8.00"
Diameter: 6.75"

SHELF DISPLAY

PATENT NO.
9,496,699



0101108

Recessed Light Converter Shelf Display
11.3" L x 9.1" W x 10.3" H

- Easily change ordinary recessed lights into beautiful, modern lighting.
- Display the Recessed Light Converter using our Shelf Merchandiser.
- The perfect way to display inventory and increase your sales.
- Each display comes with 6 pieces of the Recessed Light Converter.

OUTDOOR LIGHT FIXTURES

Make a welcoming statement to visitors with the timeless design and durable craftsmanship of our outdoor lighting fixtures.

New!

INTEGRATED LED

ADA COMPLIANT



65789 Cava II
LED Wall Fixture
Matte Black Finish
Bubble Glass

Height: 8.75" Width: 5.75" Extends: 2.50"
Height from Center of Outlet Box: 4.33"
Back Plate: H: 8.75" W: 5.75"

Includes 10.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



63741 Maddox
Dimmable LED Wall Fixture
Matte Black Finish
Clear Seeded Glass

Height: 12.25" Width: 10.00" Extends: 5.75"
Height from Center of Outlet Box: 6.00"
Back Plate: H: 12.25" W: 4.75"

Includes 15 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

New!

INTEGRATED DIMMABLE LED



65794 Carson
Dimmable LED Up and Down Light Wall Fixture
Matte Black Finish

Height: 14.00" Width: 5.00" Extends: 5.00"
Height from Center of Outlet Box: 7.00"
Back Plate: H: 5.11" W: 4.52"

Includes (2) x 9 Watt Integrated LEDs

INTEGRATED LED

ADA COMPLIANT



63490 Cava II
LED Wall Fixture
Brushed Nickel Finish
Bubble Glass

Height: 8.75" Width: 5.75" Extends: 2.50"
Height from Center of Outlet Box: 4.33"
Back Plate: H: 8.66" W: 5.71"

Includes 10.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



63740 Maddox
Dimmable LED Wall Fixture
Matte White Finish
Clear Seeded Glass

Height: 12.25" Width: 10.00" Extends: 5.75"
Height from Center of Outlet Box: 6.00"
Back Plate: H: 12.25" W: 4.75"

Includes 15 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

New!

INTEGRATED DIMMABLE LED

ADA COMPLIANT



65792 Matthew
Dimmable LED Wall Fixture
Nickel Luster Finish
Frosted Waffle Glass

Height: 11.00" Width: 6.00" Extends: 3.25"
Height from Center of Outlet Box: 5.50"
Back Plate: H: 10.24" W: 4.72"

Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65789	*	10.5	60	3000 (Warm White)	1000	80	25000	22.8	\$1.26
63741	*	15	75	3000 (Warm White)	1300	80	25000	22.8	\$1.81
65794	*	18	100	3000 (Warm White)	1750	80	25000	22.8	\$2.17
63490	*	10.5	60	3000 (Warm White)	1000	80	25000	22.8	\$1.26
63740	*	15	75	3000 (Warm White)	1300	80	25000	22.8	\$1.81
65792	*	15	75	2700 (Warm White)	1350	80	35000	31.9	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR WE RATED
All outdoor fixtures in this section are wet rated unless otherwise noted.

New!

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



65807 Mayslick
Dimmable LED Wall Fixture
Nickel Luster Finish
Frosted Glass

Height: 7.00" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 5.00" W: 5.00"

Includes 8.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



63156 Mayslick
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 7.00" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 3.54"
Back Plate: H: 5.00" W: 5.00"

Includes 8.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

DARK SKY FRIENDLY



67973
Wall Fixture
Polished Graphite Finish

Height: 7.00" Width: 4.50" Extends: 7.75"
Height from Center of Outlet Box: 2.76"
Back Plate: H: 5.00" W: 4.25"

Use (1) Medium (E26) Base Lamp, 75 Watt Maximum

New!

INTEGRATED DIMMABLE LED



65793 Mayslick
Dimmable LED Up and Down Light Wall Fixture
Nickel Luster Finish
Frosted Glass

Height: 12.25" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 6.00"
Back Plate: H: 5.00" W: 5.00"

Includes (2) x 8.5 Watt Integrated LEDs

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



63157 Mayslick
Dimmable LED Up and Down Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 12.25" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 6.10"
Back Plate: H: 5.00" W: 5.00"

Includes (2) x 8.5 Watt Integrated LEDs

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



67975
Up and Down Light Wall Fixture
Polished Graphite Finish

Height: 15.00" Width: 5.00" Extends: 8.25"
Height from Center of Outlet Box: 7.50"
Back Plate: H: 5.00" W: 4.25"

Use (2) Medium (E26) Base Lamps, 75 Watt Maximum

INTEGRATED DIMMABLE LED



63747 Zion
Dimmable LED Wall Fixture
Textured Iron Finish
Clear Water Glass

Height: 13.75" Width: 5.50" Extends: 6.25"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 5.00" W: 5.00"

Includes 12.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



63746 Zion
Dimmable LED Wall Fixture
Antique Brass Finish
Clear Seeded Glass

Height: 13.75" Width: 5.50" Extends: 6.25"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 5.00" W: 5.00"

Includes 12.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

New!



65803 Rosa
Wall Fixture
Textured Black Finish
Clear Ribbed Glass

Height: 14.00" Width: 6.75" Extends: 8.25"
Height from Center of Outlet Box: 7.25"
Back Plate: H: 13.39" W: 4.72"

Use (1) Medium (E26) Base Lamp, 60W Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65807	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
63156	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
65793	*	17	75	2700 (Warm White)	1280	80	20000	18.2	\$2.05
63157	*	17	75	2700 (Warm White)	1280	80	20000	18.2	\$2.05
63747	*	12.5	60	3000 (Warm White)	1050	80	25000	22.8	\$1.51
63746	*	12.5	60	3000 (Warm White)	1050	80	25000	22.8	\$1.51

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65796 Jamestown**
Wall Fixture
Textured Black Finish
Clear Seeded Glass
Height: 11.75" Width: 5.50" Extends: 7.75"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.72"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65795 Jamestown**
Wall Fixture
Textured Black and Oil Brushed Bronze Finish
Clear Seeded Glass
Height: 11.75" Width: 5.50" Extends: 7.75"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.72"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



• **61134 Courtland Grove**
Wall Fixture
Matte Black and Antique Pewter Finish
Clear Hammered Glass
Height: 13.75" Width: 6.50" Extends: 6.00"
Height from Center of Outlet Box: 2.50"
Back Plate: D: 4.92"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63739 Vicksburg**
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 13.00" Width: 5.75" Extends: 7.75"
Height from Center of Outlet Box: 5.60"
Back Plate: D: 5.43"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• **61145 Morrisette**
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 16.50" Width: 6.25" Extends: 6.00"
Height from Center of Outlet Box: 5.00"
Back Plate: D: 5.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• **61144 Galtero**
Wall Fixture
Matte Black and Distressed Aluminum Finish
White Frosted Glass
Height: 15.00" Width: 6.00" Extends: 6.00"
Height from Center of Outlet Box: 2.95"
Back Plate: H: 5.91" W: 4.72"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• **61146 Mosley**
Wall Fixture
Textured Black Finish
Clear Crackle Glass
Height: 11.75" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 9.25"
Back Plate: D: 5.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• **63734 Jackson**
Wall Fixture
Textured Black Finish
Clear Crackle Glass
Height: 12.50" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 3.54"
Back Plate: H: 7.09" W: 4.72"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• **65801 Wrightsville**
Wall Fixture
Oil Brushed Bronze Finish
Clear Raindrop Glass
Height: 11.00" Width: 6.00" Extends: 5.50"
Height from Center of Outlet Box: 5.50"
Back Plate: H: 11.00" W: 5.00"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



• **65804 Palm Beach**
Wall Fixture
Textured Black Finish
Clear Seeded Glass
Height: 14.00" Width: 11.75" Extends: 8.50"
Height from Center of Outlet Box: 2.50"
Back Plate: D: 5.12"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



• **65805 Fells Point**
Wall Fixture
Textured Black Finish
Clear Seeded Glass
Height: 18.00" Width: 10.25" Extends: 11.50"
Height from Center of Outlet Box: 6.75"
Back Plate: D: 6.38"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



• **65802 French Quarter**
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 10.75" Width: 10.00" Extends: 5.75"
Height from Center of Outlet Box: 5.50"
Back Plate: H: 8.66" W: 5.11"
Use (1) Medium (E26) Base Lamp, 60W Maximum



All outdoor fixtures in this section are wet rated unless otherwise noted.

New!



• 61135 Isabelle
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 16.75" Width: 7.50" Extends: 8.75"
Height from Center of Outlet Box: 5.50"
Back Plate: D: 6.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• 61141 Sargot
Wall Fixture
Textured Black Finish
Clear Seeded Glass
Height: 12.75" Width: 7.00" Extends: 9.50"
Height from Center of Outlet Box: 3.15"
Back Plate: H: 7.50" W: 4.88"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63124 Albright
Wall Fixture
Textured Black Finish
Amber Frosted and Clear Seeded Glass
Height: 14.00" Width: 7.00" Extends: 8.75"
Height from Center of Outlet Box: 4.25"
Back Plate: H: 8.46" W: 5.51"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63586 Armin
Wall Fixture
Weathered Steel Finish
Clear Water Glass
Height: 15.50" Width: 7.50" Extends: 9.00"
Height from Center of Outlet Box: 2.72"
Back Plate: D: 5.43"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63588 Armin
Wall Fixture
Textured Black Finish with Barnwood Accents
Clear Seeded Glass
Height: 15.50" Width: 7.50" Extends: 9.00"
Height from Center of Outlet Box: 2.72"
Back Plate: D: 5.43"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63589 Armin
Pendant
Textured Black Finish with Barnwood Accents
Clear Seeded Glass
Height: 14.00" Diameter: 7.50" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 61124 Canyon
Wall Fixture
Textured Black and Antique Ash Finish
Clear Seeded Glass
Height: 12.25" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.24"
Back Plate: H: 7.40" W: 4.56"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63351 Canyon
Wall Fixture
Textured Black and Barnwood Finish
Clear Glass
Height: 12.25" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.24"
Back Plate: H: 7.40" W: 4.56"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 65788 Canyon
Post Top Fixture
Textured Black and Barnwood Finish
Clear Glass
Height: 18.50" Diameter: 9.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63399 Brynn
Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 12.25" Diameter: 8.25" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63491 Brynn
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 14.50" Width: 8.25" Extends: 9.25"
Height from Center of Outlet Box: 5.43"
Back Plate: D: 5.62"
Use (1) Medium (E26) Base Lamp, 60W Maximum



• 63470 Brynn
Post Top Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 14.75" Diameter: 8.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65800 Ferry**
Wall Fixture
Matte Black Finish
Frosted Glass

Height: 17.00" Width: 8.25" Extends: 10.50"
Height from Center of Outlet Box: 9.75"
Back Plate: H: 9.44" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60W Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63479 Ferry**
Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 17.00" Width: 8.25" Extends: 10.50"
Height from Center of Outlet Box: 9.65"
Back Plate: H: 9.44" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60W Maximum

• **63352 Kellen**
Wall Fixture
Antique Brass Finish
Clear Seeded Glass

Height: 13.75" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 7.00"

Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61138 Rezner**
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63479 Barkley**
Dimmable LED Wall Fixture
Matte Black Finish
Frosted Glass

Height: 12.00" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 2.20"
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61125 Kellen**
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 13.75" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 7.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63577 Rezner**
Wall Fixture
Galvanized Steel Finish
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63478 Barkley**
LED Wall Fixture
Galvanized Steel Finish
Clear Seeded Glass

Height: 12.00" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 2.20"
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED

INTEGRATED DIMMABLE LED



• **63234 Skyview**
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Mesh and Clear Glass

Height: 13.25" Width: 7.00" Extends: 10.00"
Height from Center of Outlet Box: 5.00"
Back Plate: H: 10.04" W: 6.50"

Includes (1) Medium (E26) Base Lamp, 4.5 Watt T9 Filament LED (WL Lamp #35184)

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65791	*	13	60	2700 (Warm White)	1000	80	25000	22.8	\$1.57
63478	*	13	60	2700 (Warm White)	1000	80	25000	22.8	\$1.57
63234†	1	4.5	60	2700 (Warm White)	450	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.

* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

• Hand Blown Glass

www.westinghouselighting.com

INDOOR OUTDOOR WET RATED
All outdoor fixtures in this section are wet rated unless otherwise noted.



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63575 Aurelie

Wall Fixture
Nickel Luster Finish
Clear Waffle Glass

Height: 14.75" Width: 7.25" Extends: 8.25"
Height from Center of Outlet Box: 4.88"
Back Plate: D: 5.98"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61127 Aurelie

Wall Fixture
Textured Black Finish
Clear Waffle Glass

Height: 14.75" Width: 7.25" Extends: 8.25"
Height from Center of Outlet Box: 4.88"
Back Plate: D: 5.98"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61128 Aurelie

Pendant
Textured Black Finish
Clear Waffle Glass

Height: 13.75" Square: 7.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61130 Emma Jane

7 in. 1 Light Semi-Flush
Amber Bronze Finish
Clear Seeded Glass

Height: 9.25" Diameter: 6.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



61142 Ashdale

Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 15.00" Width: 8.00" Extends: 8.50"
Height from Center of Outlet Box: 2.80"
Back Plate: H: 5.59" W: 5.31"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

INDOOR OUTDOOR DAMP RATED



61143 Wyndham

12 in. 2 Light Flush
Textured Black Finish
Clear Seeded Glass

Height: 5.50" Square: 12.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63745 Emma Jane

Wall Fixture
Antique Brass Finish
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 5.50"
Back Plate: D: 6.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62040 Emma Jane

Wall Fixture
Amber Bronze Finish with Highlights
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 5.43"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63610 Emma Jane

Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 5.43"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63612 Delmont

Wall Fixture
Weathered Steel Finish
Clear Seeded Glass

Height: 14.25" Width: 10.00" Extends: 12.25"
Height from Center of Outlet Box: 5.83"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63135 Delmont

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 14.25" Width: 10.00" Extends: 12.25"
Height from Center of Outlet Box: 5.83"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63131 Delmont

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Water Glass

Height: 13.25" Width: 10.00" Extends: 12.25"
Height from Center of Outlet Box: 5.83"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63736 Corina**
Dimmable LED Wall Fixture
Matte Black Finish
Frosted Glass

Height: 13.75" Width: 8.25" Extends: 9.50"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 6.00"
Includes 12.5 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63735 Corina**
Dimmable LED Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 13.75" Width: 8.25" Extends: 9.50"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 6.00"
Includes 12.5 Watt Integrated LED

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63737 Corina**
Dimmable LED Pendant
Washed Copper Finish
Clear Seeded Glass

Height: 14.50" Diameter: 8.25" Chain: 36" Cord: 60"
Includes 12.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63738 Santa Fe**
Wall Fixture
Weathered Steel Finish
Clear Seeded Glass

Height: 11.25" Width: 7.75" Extends: 9.75"
Height from Center of Outlet Box: 4.72"
Back Plate: H: 6.00" W: 4.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62042 Santa Fe
Wall Fixture
Weathered Bronze Finish
Frosted Glass

Height: 11.25" Width: 7.75" Extends: 9.75"
Height from Center of Outlet Box: 4.72"
Back Plate: H: 5.98" W: 4.49"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63731 Santa Fe**
Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 13.75" Width: 9.25" Extends: 11.50"
Height from Center of Outlet Box: 5.75"
Back Plate: H: 6.75" W: 4.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63143 Eddystone
Wall Fixture
Textured Black Finish
White Opal Glass

Height: 8.25" Width: 6.00" Extends: 8.75"
Height from Center of Outlet Box: 4.65"
Back Plate: D: 5.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DUSK TO DAWN

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63137 Eddystone
Wall Fixture with Dusk to Dawn Sensor
Oil Rubbed Bronze Finish
Clear Diamond Cut Glass

Height: 9.50" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 4.65"
Back Plate: D: 5.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



67328 Burnham
Wall Fixture
Oil Rubbed Bronze Finish
Honey Art Glass

Height: 12.50" Width: 6.00" Extends: 9.00"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 5.00" W: 5.00"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
63736	*	12.5	75	2700 (Warm White)	1150	80	25000	22.8	\$1.51
63735	*	12.5	75	2700 (Warm White)	1150	80	25000	22.8	\$1.51
63737	*	12.5	75	2700 (Warm White)	1150	80	25000	22.8	\$1.51

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



All outdoor fixtures in this section are wet rated unless otherwise noted.

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65806 Crestview**
Wall Fixture
Washed Copper Finish
Clear Seeded Glass
Height: 12.25" Width: 5.50" Extends: 9.75"
Height from Center of Outlet Box: 6.50"
Back Plate: H: 9.06" W: 5.39"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61131 Crestview**
5 in. 1 Light Semi-Flush
Textured Black Finish
Clear Seeded Glass
Height: 12.25" Diameter: 5.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65783 Scholar**
9 in. 1 Light Semi-Flush
Textured Black Finish
White Opal Glass
Height: 10.50" Diameter: 9.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63347 Crestview**
Wall Fixture
Textured Black Finish
Clear Seeded Glass
Height: 12.25" Width: 5.50" Extends: 9.75"
Height from Center of Outlet Box: 6.54"
Back Plate: H: 9.06" W: 5.39"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

• **63348 Crestview**
Pendant
Textured Black Finish
Clear Seeded Glass
Height: 13.50" Diameter: 5.25" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60W Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65782 Meadowbrook**
13 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish with Highlights
Frosted Glass
Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **62301 Weatherby**
Wall Fixture
Weathered Bronze Finish
Clear Glass
Height: 12.75" Width: 6.00" Extends: 7.50"
Height from Center of Outlet Box: 7.25"
Back Plate: H: 7.88" W: 4.38"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61133 Weatherby**
Post-Top Fixture
Weathered Bronze Finish
Clear Glass
Height: 18.50" Diameter: 7.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65781 Meadowbrook**
13 in. 2 Light Flush
Matte Black Finish
Frosted Glass
Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61126 Weatherby**
14 in. 2 Light Flush
Barnwood Finish
Clear Glass
Height: 7.25" Diameter: 14.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63595 Weatherby**
14 in. 2 Light Flush
Weathered Bronze Finish
Clear Glass
Height: 7.25" Diameter: 14.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



• **62309 Naveen**
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
White Alabaster Glass
Height: 6.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63606 Stella Mira**
3 Light Chandelier
Oil Rubbed Bronze Finish with Highlights
Clear Glass Candle Covers
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63607 Stella Mira**
3 Light Chandelier
Matte Black Finish with Washed Copper Accents
Clear Glass Candle Covers
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63390 Stella Mira**
6 Light Chandelier
Oil Rubbed Bronze Finish with Highlights
Clear Glass Candle Covers
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65799 Grandview**
Wall Fixture
Matte Black Finish
Frosted Glass
Height: 17.00" Width: 7.25" Extends: 10.00"
Height from Center of Outlet Box: 7.91"
Back Plate: D: 6.50"
Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63393 Grandview**
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 17.00" Width: 7.25" Extends: 10.00"
Height from Center of Outlet Box: 7.91"
Back Plate: D: 6.49"
Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63592 Cardinal**
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 17.25" Width: 7.00" Extends: 7.75"
Height from Center of Outlet Box: 2.64"
Back Plate: H: 5.28" W: 5.28"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65785 Grandview**
Pendant
Matte Black Finish
Frosted Glass
Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63394 Grandview**
Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63593 Cardinal**
Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 17.25" Square: 7.00" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63742 Piazza**
Wall Fixture
Victorian Bronze Finish
Clear Seeded Glass
Height: 16.75" Width: 7.50" Extends: 9.25"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 9.00" W: 5.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR
OUTDOOR
DRY RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63743 Piazza**
Pendant
Victorian Bronze Finish
Clear Seeded Glass
Height: 17.00" Square: 7.50" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63391 Valley Forge**
3 Light Pendant
Matte Black Finish with Washed Copper Accents
Clear Seeded Glass
Height: 18.50" Square: 12.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40W Maximum



All outdoor fixtures in this section are wet rated unless otherwise noted.



62039 Clarissa
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 11.25" Width: 7.00" Extends: 8.75"
Height from Center of Outlet Box: 3.15"
Back Plate: H: 6.30" W: 4.57"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



62038 Clarissa
Wall Fixture
Textured Black Finish
Frosted Glass
Height: 11.25" Width: 7.00" Extends: 8.75"
Height from Center of Outlet Box: 3.15"
Back Plate: H: 6.30" W: 4.57"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED
DUSK TO DAWN



63611 Clarissa LED
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
Textured Black Finish
Frosted Glass
Height: 11.25" Width: 7.00" Extends: 8.75"
Height from Center of Outlet Box: 3.15"
Back Plate: H: 6.30" W: 4.57"
Includes 12.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63150 Glenwillow
Wall Fixture
Victorian Bronze Finish
Amber Frosted Glass
Height: 10.75" Width: 5.50" Extends: 7.00"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 6.97" W: 4.33"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



63120 Glenwillow
LED Wall Fixture
Victorian Bronze Finish
Clear Seeded Glass
Height: 10.75" Width: 5.50" Extends: 7.00"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 6.97" W: 4.33"
Includes 8.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



66898
Wall Fixture
Textured Black Finish
White Acrylic Lens
Height: 10.00" Width: 7.75" Extends: 4.25"
Height from Center of Outlet Box: 4.25"
Back Plate: H: 9.38" W: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED LED



64000
LED Wall Fixture
Weathered Patina Finish
Clear Seeded Glass
Height: 12.25" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"
Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED



64002
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 14.75" Width: 6.25" Extends: 8.75"
Height from Center of Outlet Box: 9.06"
Back Plate: H: 7.88" W: 4.50"
Includes 9 Watt Integrated LED

DUSK TO DAWN



62045 Caliste
Wall Fixture with Dusk to Dawn Sensor
Textured Black Finish
Clear Water Glass
Height: 10.00" Width: 6.00" Extends: 7.75"
Height from Center of Outlet Box: 4.00"
Back Plate: H: 8.00" W: 5.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63611	*	12.5	60	2700 (Warm White)	1050	80	20000	18.2	\$1.51
63120	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
64000	*	9	60	3000 (Warm White)	900	80	35000	31.9	\$1.08
64002	*	9	40	3000 (Warm White)	550	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New!

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65797 Watts Creek

Wall Fixture
Classic Red Finish

Height: 11.00" Width: 11.00" Extends: 12.50"
Height from Center of Outlet Box: 6.14"
Back Plate: D: 5.71"

Use (1) Medium (E26) Base Lamp, 60W Maximum

New!

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65798 Watts Creek

Wall Fixture
Emerald Finish

Height: 11.00" Width: 11.00" Extends: 12.50"
Height from Center of Outlet Box: 6.14"
Back Plate: D: 5.71"

Use (1) Medium (E26) Base Lamp, 60W Maximum

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63609 Watts Creek

Wall Fixture
Galvanized Steel Finish

Height: 11.00" Width: 11.00" Extends: 12.50"
Height from Center of Outlet Box: 6.14"
Back Plate: D: 5.71"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62044 Watts Creek

Wall Fixture
Textured Black Finish

Height: 11.00" Width: 11.00" Extends: 12.50"
Height from Center of Outlet Box: 6.14"
Back Plate: D: 5.71"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63608 Watts Creek

Wall Fixture
Textured Black Finish

Height: 14.75" Width: 15.00" Extends: 17.00"
Height from Center of Outlet Box: 8.27"
Back Plate: D: 6.69"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61129 Watts Creek

11 in. 1 Light Semi-Flush
Textured Black Finish

Height: 6.50" Diameter: 11.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED LED

DARK SKY FRIENDLY

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62047 Academy

LED Wall Fixture
Textured Black Finish
Removable Nickel Luster Cage

Height: 11.00" Width: 12.25" Extends: 15.25"
Height from Center of Outlet Box: 4.13"
Back Plate: D: 5.00"

Includes 13 Watt Integrated LED

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY

INDOOR OUTDOOR DAMP RATED

DUSK TO DAWN



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63596 Academy

Dimmable LED Wall Fixture with Dusk to Dawn Sensor
Textured Black Finish
Removable Nickel Luster Cage

Height: 11.00" Width: 12.25" Extends: 15.25"
Height from Center of Outlet Box: 4.32"
Back Plate: D: 5.00"

Includes 13 Watt Integrated LED

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63598 Academy

Dimmable LED Wall Fixture
Textured Black Finish
Removable Nickel Luster Cage

Height: 14.50" Width: 16.00" Extends: 19.25"
Height from Center of Outlet Box: 5.08"
Back Plate: D: 5.00"

Includes 20 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
62047	*	13	75	3000 (Warm White)	1100	80	50000	45.6	\$1.57
63596	*	13	75	3000 (Warm White)	1300	80	50000	45.6	\$1.57
63598	*	20	125	3000 (Warm White)	2200	80	25000	22.8	\$2.41

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR WEATHER
All outdoor fixtures in this section are wet rated unless otherwise noted.

New!

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65808 Orson
Dimmable LED Wall Fixture
Textured Black Finish
Frosted Prismatic Lens

Height: 9.50" Width: 8.75" Extends: 10.00"
Height from Center of Outlet Box: 4.25"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED
DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62034 Orson
LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 9.50" Width: 8.75" Extends: 10.00"
Height from Center of Outlet Box: 4.21"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED
DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62046 Orson
LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 11.50" Width: 10.75" Extends: 11.50"
Height from Center of Outlet Box: 5.08"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65787 Orson
Dimmable LED Pendant
Textured Black Finish
Frosted Prismatic Lens

Height: 14.25" Diameter: 12.00" Chain: 36" Cord: 60"
Includes 9 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65786 Orson
Dimmable LED Pendant
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 14.25" Diameter: 12.00" Chain: 36" Cord: 60"
Includes 9 Watt Integrated LED

New!

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61132 Orson
9 in. 1 Light Semi-Flush
Textured Black Finish
Frosted Prismatic Lens

Height: 7.75" Diameter: 8.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63732 Armstrong
Dimmable LED Wall Fixture
Matte Black Finish

Height: 12.75" Width: 12.25" Extends: 14.50"
Height from Center of Outlet Box: 10.25"
Back Plate: D: 5.00"

Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY

INDOOR OUTDOOR DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63733 Armstrong
Dimmable LED Pendant
Matte Black Finish

Height: 13.25" Diameter: 16.00" Cord: 50"
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED



64003
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Clear Crackle Glass

Height: 9.75" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65808	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
62034	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
62046	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
65787	*	9	60	2700 (Warm White)	900	80	35000	31.9	\$1.08
65786	*	9	60	2700 (Warm White)	900	80	35000	31.9	\$1.08
63732	*	15	75	3000 (Warm White)	1350	80	25000	22.8	\$1.81
63733	*	25	125	3000 (Warm White)	2250	80	25000	22.8	\$3.01
64003	*	9	60	3000 (Warm White)	800	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

DARK SKY FRIENDLY



62043 Roosevelt
Wall Fixture
Amber Bronze Finish with Highlights
Height: 9.50" Width: 7.50" Extends: 8.75"
Height from Center of Outlet Box: 3.11"
Back Plate: D: 4.88"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

DARK SKY FRIENDLY



63744 Roosevelt
Wall Fixture
Textured Iron Finish
Height: 9.50" Width: 7.50" Extends: 8.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 5.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



62041 Darcy
LED Wall Fixture
Victorian Bronze Finish
Amber Frosted Glass
Height: 12.00" Width: 7.00" Extends: 8.00"
Height from Center of Outlet Box: 2.36"
Back Plate: D: 4.53"
Includes 8.5 Watt Integrated LED



66741 Senecaville
Wall Fixture
Weathered Bronze Finish
White Alabaster Glass
Height: 13.25" Width: 6.50" Extends: 8.00"
Height from Center of Outlet Box: 5.25"
Back Plate: H: 6.13" W: 5.25"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INDOOR OUTDOOR DAMP RATED



66746 Senecaville
12 in. 2 Light Flush
Weathered Bronze Finish
White Alabaster Glass
Height: 6.00" Diameter: 12.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INDOOR OUTDOOR DAMP RATED



62303 Bonneville
13 in. 2 Light Flush
Weathered Bronze Finish
Frosted Glass
Height: 5.75" Diameter: 12.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

New!

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65784 Orwell
11 in. 2 Light Flush
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 4.50" Square: 11.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62048 Orwell
11 in. 2 Light Flush
Textured Black Finish
Frosted Seeded Glass
Height: 4.50" Square: 11.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63392 Orwell
13 in. 2 Light Flush
Textured Black Finish
Frosted Seeded Glass
Height: 6.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
62041	*	8.5	40	2700 (Warm White)	748	80	20000	18.2	\$1.02

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



All outdoor fixtures in this section are wet rated unless otherwise noted.



64001

LED Wall Fixture
Black Finish
Clear Seeded Glass

Height: 11.00" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED



67831

Wall Fixture
Textured Black Finish
Clear Beveled Glass Panels

Height: 12.00" Width: 6.50" Extends: 7.75"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.75" W: 4.38"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



62306 New Haven

Wall Fixture
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 13.75" Width: 6.50" Extends: 8.75"
Height from Center of Outlet Box: 4.88"
Back Plate: H: 6.88" W: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



62307 Parkville

Wall Fixture
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 11.00" Width: 6.25" Extends: 8.25"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.75"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



64688

Wall Fixture
Antique Silver Finish
Clear Curved Glass Panels

Height: 7.75" Width: 6.00" Extends: 6.50"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66961

Wall Fixture
Matte Black Finish
Clear Curved Glass Panels

Height: 7.75" Width: 6.00" Extends: 6.50"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



64684

Wall Fixture
Antique Silver Finish
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



• 61075

LED Wall Fixture
Textured Black Finish
Frosted Glass

Height: 8.50" Width: 4.50" Extends: 6.00"
Height from Center of Outlet Box: 2.63"
Back Plate: D: 4.53"

Includes 9 Watt Integrated LED



66972

Wall Fixture
Textured Black Finish
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64001	*	9	60	3000 (Warm White)	900	80	35000	31.9	\$1.08
61075	*	9	60	3000 (Warm White)	800	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66924
 Wall Fixture
 Polished Brass Finish
 Clear Curved Beveled Glass Panels
 Height: 18.50" Width: 5.75" Extends: 6.00"
 Height from Center of Outlet Box: 11.50"
 Back Plate: D: 4.50"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66964
 Wall Fixture
 Polished Brass Finish
 Clear Glass Panels
 Height: 13.50" Width: 4.75" Extends: 5.75"
 Height from Center of Outlet Box: 8.00"
 Back Plate: D: 4.50"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66983
 Wall Fixture
 Matte Black Finish
 Clear Glass Panels
 Height: 13.50" Width: 4.75" Extends: 5.75"
 Height from Center of Outlet Box: 8.00"
 Back Plate: D: 4.50"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66853
 Wall Fixture
 Polished Brass Finish
 Clear Beveled Glass Panels
 Height: 12.00" Width: 7.00" Extends: 7.00"
 Height from Center of Outlet Box: 2.75"
 Back Plate: H: 5.50" W: 4.75"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66971
 Wall Fixture
 White Finish
 Clear Glass Panels
 Height: 8.25" Width: 4.50" Extends: 5.75"
 Height from Center of Outlet Box: 3.00"
 Back Plate: D: 4.50"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



67834
 Wall Fixture
 Textured White Finish
 Clear Beveled Glass
 Height: 12.00" Width: 6.50" Extends: 7.75"
 Height from Center of Outlet Box: 2.83"
 Back Plate: H: 5.75" W: 4.38"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



61069
 LED Wall Fixture with Dusk to Dawn Sensor
 Oil Rubbed Bronze Finish
 Clear Ribbed Glass
 Height: 7.50" Width: 4.50" Extends: 6.50"
 Height from Center of Outlet Box: 2.36"
 Back Plate: D: 4.41"
 Includes 6 Watt Integrated LED



61068
 LED Wall Fixture with Dusk to Dawn Sensor
 White Finish
 Frosted Opal Glass
 Height: 6.75" Width: 5.00" Extends: 5.50"
 Height from Center of Outlet Box: 2.90"
 Back Plate: H: 5.08" W: 4.96"
 Includes 8 Watt Integrated LED



61067
 LED Wall Fixture with Dusk to Dawn Sensor
 Black Finish
 Frosted Opal Glass
 Height: 6.75" Width: 5.00" Extends: 5.50"
 Height from Center of Outlet Box: 2.90"
 Back Plate: H: 5.08" W: 4.96"
 Includes 8 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61069	*	6	40	3000 (Warm White)	600	80	25000	22.8	\$0.72
61068	*	8	40	3000 (Warm White)	620	80	35000	31.9	\$0.96
61067	*	8	40	3000 (Warm White)	620	80	35000	31.9	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
 * Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh


INDOOR OUTDOOR WET RATED
All outdoor fixtures in this section are wet rated unless otherwise noted.

New!

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY

ADA COMPLIANT



65790 Winslett
Dimmable LED Wall Fixture
Textured Black Finish
Frosted Glass

Height: 6.25" Width: 6.25" Extends: 3.50"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 6.25"

Includes 12 Watt Integrated LED

INTEGRATED LED

MOTION ACTIVATED

DUSK TO DAWN



63643
2 Light LED Security Light Wall Fixture with Motion Sensor
Bronze Finish
Acrylic Lens

Height: 8.75" Width: 9.75" Extends: 5.25"
Height from Center of Outlet Box: 6.30"
Back Plate: D: 5.16"

Includes (2) x 9 Watt Integrated LEDs

INTEGRATED LED

MOTION ACTIVATED

DUSK TO DAWN



63642
2 Light LED Security Light Wall Fixture with Motion Sensor
White Finish
Acrylic Lens

Height: 8.75" Width: 9.75" Extends: 5.25"
Height from Center of Outlet Box: 6.30"
Back Plate: D: 5.16"

Includes (2) x 9 Watt Integrated LEDs

New!

INTEGRATED DIMMABLE LED

ADA COMPLIANT



61140
Dimmable LED Wall Fixture
Textured Black Finish
White Glass

Diameter: 7.75" Extends: 4.00"
Back Plate: D: 7.75"

Includes 12 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED

ADA COMPLIANT



61139
Dimmable LED Wall Fixture
Textured White Finish
White Glass

Diameter: 7.75" Extends: 4.00"
Back Plate: D: 7.75"

Includes 12 Watt Integrated LED

ADA COMPLIANT



67836
Wall Fixture
White Finish
White Glass Lens

Diameter: 7.75" Extends: 4.00"
Back Plate: D: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

INTEGRATED DIMMABLE LED



61137
Dimmable LED Wall Fixture
Textured Black Finish
White Glass

Height: 5.00" Width: 8.25" Extends: 4.25"
Back Plate: H: 5.00" W: 8.25"

Includes 6 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED



61136
Dimmable LED Wall Fixture
Textured White Finish
White Glass

Height: 5.00" Width: 8.25" Extends: 4.25"
Back Plate: H: 5.00" W: 8.25"

Includes 6 Watt Integrated LED

67835
Wall Fixture
White Finish
White Glass Lens

Height: 5.00" Width: 8.25" Extends: 4.25"
Back Plate: H: 5.00" W: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
65790	*	12	40	3000 (Warm White)	700	80	25000	22.8	\$1.45
63643	*	18	100	4000 (Cool White)	1900	80	50000	45.6	\$2.17
63642	*	18	100	4000 (Cool White)	1900	80	50000	45.6	\$2.17
61140	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61139	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61137	*	6	40	3000 (Warm White)	680	80	50000	45.6	\$0.72
61136	*	6	40	3000 (Warm White)	680	80	50000	45.6	\$0.72

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

†Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66946
Hi-Impact Polycarbonate Wall Fixture with Removable Tail
White Finish
Clear Textured Acrylic

Height with Tail: 17.00" Height without Tail: 13.00"
Square: 8.00" Extends: 8.50"
Height from Center of Outlet Box: 10.75"
Back Plate: H: 4.63" W: 4.63"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66803
Hi-Impact Polycarbonate Wall Fixture
Black Finish
White Glass Globe

Height: 7.25" Diameter: 6.00" Extends: 7.00"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



67978
Wall Fixture
Brushed Aluminum Finish
White Threaded Glass Globe

Height: 7.00" Diameter: 5.75" Extends: 7.00"
Height from Center of Outlet Box: 3.25"
Back Plate: H: 5.88" W: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66878
Wall Fixture
White Finish
Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66949
Hi-Impact Polycarbonate Wall Fixture
with Dusk to Dawn Sensor
Black Finish
Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66800
Hi-Impact Polypropylene Wall Fixture
Black Finish
Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66885
Wall Fixture
Matte Black Finish
Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66882
Wall Fixture
Oil Rubbed Bronze Finish
Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66919
5 in. 1 Light Flush
Matte Black Finish
Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66818
5 in. 1 Light Flush
Antique Brass Finish
Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



All outdoor fixtures in this section are wet rated unless otherwise noted.



66822

8 in. 1 Light Hi-Impact Polypropylene Flush
Black Finish
Frosted Glass Panels

Height: 4.75" Square: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66975

8 in. 1 Light Hi-Impact Polypropylene Flush
White Finish
Frosted Glass Panels

Height: 4.75" Square: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66861

Polycarbonate Post Top Fixture
Black Finish
White Acrylic Globe

Height: 13.00" Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66823

10 in. 2 Light Hi-Impact Polypropylene Flush
Black Finish
Frosted Glass Panels

Height: 5.50" Square: 10.25"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66976

10 in. 2 Light Hi-Impact Polypropylene Flush
White Finish
Frosted Glass Panels

Height: 5.50" Square: 10.25"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum




66955

Fixture Post with Ground Convenience Outlet
Dusk to Dawn Sensor
Black Finish

Height: 84.00" Width: 3.00"

(Includes ladder rest)



67901

Pedestal Mount for Post Top Fixture
Textured Black Finish

Height: 3.00" Square: 5.75"

(Designed for use with post top lanterns that fit a 3" diameter post.
Not intended to be used with a lantern post.)



66991

Ladder Rest
Black Finish with Brass Accents

Height: 1.50" Width: 15.75"



66808

Fixture Post
Black Finish

Height: 84.00" Width: 3.00"

(Includes ladder rest)

PICTURE LIGHTS

Picture lights amplify the natural beauty of treasured artwork and photographs.

New!

INTEGRATED LED



+75007
7 in. 2W Adjustable LED Picture Light
Antique Brass Finish, 3000K
Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED

New!

INTEGRATED LED



+75008
7 in. 2W Adjustable LED Picture Light
Brushed Nickel Finish, 3000K
Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED

New!

INTEGRATED LED



+75009
7 in. 2W Adjustable LED Picture Light
Oil Rubbed Bronze Finish, 3000K
Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED

New!

INTEGRATED LED



+75010
14 in. 4W Adjustable LED Picture Light
Antique Brass Finish, 3000K
Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

New!

INTEGRATED LED



+75011
14 in. 4W Adjustable LED Picture Light
Brushed Nickel Finish, 3000K
Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED



75014
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light
Antique Brass Finish, 3000K
Height: 7.25" Width: 17.00"
Extends: 8.75"
Includes 15 Watt Integrated Dimmable LED

New!

INTEGRATED DIMMABLE LED



75015
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light
Brushed Nickel Finish, 3000K
Height: 7.25" Width: 17.00"
Extends: 8.75"
Includes 15 Watt Integrated Dimmable LED

New!

INTEGRATED DIMMABLE LED



75016
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light
Matte Black Finish, 3000K
Height: 7.25" Width: 17.00"
Extends: 8.75"
Includes 15 Watt Integrated Dimmable LED

New!

INTEGRATED LED



+75012
14 in. 4W Adjustable LED Picture Light
Oil Rubbed Bronze Finish, 3000K
Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

New!

INTEGRATED LED



+75013
14 in. 4W Adjustable LED Picture Light
with Decorative Hinge
Antique Brass Finish, 3000K
Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

- + Includes:
- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
75007	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75008	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75009	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75010	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75011	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75014	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75015	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75016	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75012	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75013	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



75002
7" LED Picture Light
Brushed Nickel Finish
Height: 3.25" Width: 7.25"
Extends: 6.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED



75001
7" LED Picture Light
Oil Rubbed Bronze Finish
Height: 3.25" Width: 7.25"
Extends: 6.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED



75005
7" LED Picture Light
Antique Brass Finish
Height: 3.25" Width: 7.25"
Extends: 6.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED



75052
7" Picture Light
Antique Brass Finish
Height: 4.00" Width: 7.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (1) T6, 15 Watt Frost Lamp
(WL Lamp #03723)



75050
7" Picture Light
Polished Brass Finish
Height: 4.00" Width: 7.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (1) T6, 15 Watt Frost Lamp
(WL Lamp #03723)



75004
14" LED Picture Light
Brushed Nickel Finish
Height: 3.25" Width: 14.75"
Extends: 6.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED




75003
14" LED Picture Light
Oil Rubbed Bronze Finish
Height: 3.25" Width: 14.75"
Extends: 6.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED



75006
14" LED Picture Light
Antique Brass Finish
Height: 3.25" Width: 14.75"
Extends: 6.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED



75053
14" Picture Light
Antique Brass Finish
Height: 4.00" Width: 14.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (2) T6, 15 Watt Frost Lamps
(WL Lamp #03723)



75051
14" Picture Light
Polished Brass Finish
Height: 4.00" Width: 14.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (2) T6, 15 Watt Frost Lamps
(WL Lamp #03723)

- All picture lights include:
- 8' Cord Set
 - Adjustable Neck and Shade
 - In-line On/Off Switch
 - Polarized Plug
 - Mounting Hardware

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
75002	*	2	15	3000 (Warm White)	100	90	35000	31.9	\$0.24
75001	*	2	15	3000 (Warm White)	100	90	35000	31.9	\$0.24
75005	*	2	15	3000 (Warm White)	100	90	35000	31.9	\$0.24
75004	*	4	30	3000 (Warm White)	206	90	35000	31.9	\$0.48
75003	*	4	30	3000 (Warm White)	206	90	35000	31.9	\$0.48
75006	*	4	40	3000 (Warm White)	430	90	35000	31.9	\$0.48

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDUSTRIAL & COMMERCIAL LIGHT FIXTURES & ACCESSORIES

Long-lasting, energy-efficient LED commercial and industrial light fixtures.

UFO HIGH BAY LIGHTING AND ACCESSORIES



65486 UFO High Bay
150W LED UFO-Style High Bay Fixture
Black Finish

Height: 6.00" Diameter: 10.75"
Includes 150 Watt Integrated LED



63485 UFO High Bay
200W LED UFO-Style High Bay Fixture
Black Finish

Height: 8.25" Diameter: 11.75"
Includes 200 Watt Integrated LED



634856911
70 Degree Prismatic Reflector
for LED UFO-Style High Bay Fixtures
Clear Acrylic
Height: 10.83" Diameter: 16.14"



634856912
National Pipe Thread
for 200W LED UFO-Style High Bay Fixture 63485
Black Finish
Height: 2.36" Diameter: 1.37"



634856913
Adjustable Bracket
for LED UFO-Style High Bay Fixture 63485
Black Finish
Height: 7.17" Width: 10.08"



634856914
Motion Sensor
for LED UFO-Style High Bay Fixture 63485
Black Finish
Height: 2.32" Diameter: 2.84"



***6548X6939**
Motion Sensor Remote Control
for LED UFO-Style High Bay Fixture 65486
White Finish
Height: 7.08" Diameter: 2.36"



***6548X6912**
National Pipe Thread
for 150W LED UFO-Style High Bay Fixture 65486
Black Finish
Height: 2.36" Diameter: 1.37"



***6548X6913**
Adjustable Bracket
for LED UFO-Style High Bay Fixture 65486
Black Finish
Height: 9.88" Width: 9.17"



***6548X6914**
Motion Sensor
for LED UFO-Style High Bay Fixture 65486
Black Finish
Height: 2.32" Diameter: 2.84"

***SPECIAL ORDER ITEM**
CALL YOUR WESTINGHOUSE LIGHTING REPRESENTATIVE FOR ADDITIONAL INFORMATION

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Volts	Energy Used (Watts)	Equiv. HID Wattage	Light Appearance (Kelvin)	Diffuser Type	Brightness (Lumens)	CRI	Average Rated Hours
65486	120-277	150	300	5000 (Daylight)	–	22500	80	50000
63485	120-277	200	400	5000 (Daylight)	–	26000	80	50000



65634 Linear High Bay
2 ft. 110 Watt LED Linear High Bay Fixture
White Finish
with Frosted Acrylic Diffuser
Height: 2.25" Width: 23.75" Depth: 12.50"
Includes 110 Watt Integrated LED




65635 Linear High Bay
2 ft. 160 Watt LED Linear High Bay Fixture
White Finish
with Frosted Acrylic Diffuser
Height: 2.25" Width: 23.75" Depth: 17.25"
Includes 160 Watt Integrated LED




65636 Linear High Bay
4 ft. 160 Watt LED Linear High Bay Fixture
White Finish
with Frosted Acrylic Diffuser
Height: 2.25" Width: 45.75" Depth: 12.50"
Includes 160 Watt Integrated LED




65637 Linear High Bay
4 ft. 225 Watt LED Linear High Bay Fixture
White Finish
with Frosted Acrylic Diffuser
Height: 2.25" Width: 45.75" Depth: 12.50"
Includes 225 Watt Integrated LED



***656346911**
2 ft. Wire Guard
for 110W High Bay Linear Fixture 65634
White Finish
Height: 0.71" Width: 23.82" Depth: 13.15"




***656356911**
2 ft. Wire Guard
for 160W High Bay Linear Fixture 65635
White Finish
Height: 0.71" Width: 23.82" Depth: 17.87"



***6563X6911**
4 ft. Wire Guard
for 160W and 225W High Bay Linear Fixtures 65636, 65637
White Finish
Height: 0.71" Width: 45.87" Depth: 13.15"



***6563X6914**
Motion Sensor
for High Bay Linear Fixtures 65634, 65635, 65636, 65637
Height: 4.13" Width: 3.93" Depth: 4.33"



***6563X6915**
Battery Backup
for High Bay Linear Fixtures 65634, 65635, 65636, 65637
Height: 2.19" Width: 10.08" Depth: 2.17"

***SPECIAL ORDER ITEM**
CALL YOUR WESTINGHOUSE LIGHTING REPRESENTATIVE FOR ADDITIONAL INFORMATION

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Volts	Energy Used (Watts)	Light Appearance (Kelvin)	Diffuser Type	Brightness (Lumens)	CRI	Average Rated Hours
65634	120-277	110	5000 (Daylight)	Frosted Acrylic	14300	80	50000
65635	120-277	160	5000 (Daylight)	Frosted Acrylic	20800	80	50000
65636	120-277	160	5000 (Daylight)	Frosted Acrylic	20800	80	50000
65637	120-277	225	5000 (Daylight)	Frosted Acrylic	29250	80	50000

52" AND ABOVE CEILING FANS

Incorporating modern-day enhancements in design and technology, this selection of ceiling fans, size 52" and above, ensures maximum performance, decorative appeal, and year-round comfort in larger rooms.

Fan Performance Specifications can be found on pages 86-89.

DC
MOTOR

INDOOR
OUTDOOR
DAMP RATED

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



* 72248 Widespan
100 in. Matte Black Finish
Black Blades
Remote Control Included

DC
MOTOR

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



* 72249 Widespan
100 in. Brushed Nickel Finish
Aluminum Blades
Remote Control Included

***CAUTION!** All Westinghouse 100 in. industrial ceiling fans must be installed with blades at least 10 feet from the floor.

New!

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



72379 Jax
56 in. White Finish
White Steel Blades
Remote Control Included

New!

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



72383 Jax
56 in. Brushed Nickel Finish
Black Steel Blades
Remote Control Included

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



78003 Jax
56 in. Brushed Nickel Finish
Black Steel Blades
Wall Control Included

New!

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



72381 Jax
56 in. Brushed Nickel Finish
Brushed Nickel Steel Blades
Remote Control Included

Fan Performance Specifications can be found on pages 86-89.



FAN FAMILY
COORDINATING ITEMS AVAILABLE

78614 Jax
56 in. Brushed Nickel Finish
Brushed Nickel Steel Blades
Wall Control Included



New! INTEGRATED DIMMABLE LED



72264 Madeline
56 in. White Finish
White Blades
Opal Frosted Glass
Includes 24 Watt Integrated LED
Remote Control Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

78127 Jax
56 in. White Finish
White Steel Blades
Wall Control Included



J-Hook Installation System

FAN FAMILY
COORDINATING ITEMS AVAILABLE

78409 Jax
56 in. White Finish
White Steel Blades
J Hook Installation System
Wall Control Included



INTEGRATED DIMMABLE LED DC MOTOR

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72039 Techno II
72 in. Titanium Finish
Titanium ABS Blades
Opal Frosted Glass
Includes 17.5 Watt Integrated LED
Remote Control Included



INTEGRATED DIMMABLE LED DC MOTOR

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72042 Techno II
72 in. Black Finish
Black ABS Blades
Opal Frosted Glass
Includes 17.5 Watt Integrated LED
Remote Control Included




LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
72264	*	24	100	3000 (Warm White)	1814	90	25000	22.8	\$2.89
72039	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11
72042	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day

DC MOTOR



72173 Damen
68 in. Nickel Luster Finish
Reversible Blades (Mahogany/Wengue)
Remote Control Included

INTEGRATED DIMMABLE LED



72250 Willa
60 in. Brushed Nickel Finish
Reversible Blades (Wengue/Beech)
Frosted Glass and Cage Shade
Includes 16 Watt Integrated LED
Remote Control Included

DIMMABLE LED

FAN FAMILY COORDINATING ITEMS AVAILABLE



72077 Cayuga
60 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)
Remote Control Included

DIMMABLE LED

FAN FAMILY COORDINATING ITEMS AVAILABLE



72078 Cayuga
60 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)
Remote Control Included

DIMMABLE LED



72046 Zephyr
56 in. Brushed Nickel Finish
Reversible Blades (Rich Walnut/Maple)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)
Remote Control Included

INTEGRATED DIMMABLE LED



72204 Chambers
60 in. Distressed Aluminum Finish
Reversible Blades (Autumn Walnut/Wengue)
Opal Frosted Glass and Removable Cage
Includes 24 Watt Integrated LED
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** ^{††}
72250	*	16	100	3000 (Warm White)	1680	80	25000	22.8	\$1.93
72077 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72078 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72046 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72204	*	24	100	3000 (Warm White)	1607	90	25000	22.8	\$2.89

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New! **INTEGRATED DIMMABLE LED**



72259 Morris
52 in. Iron Finish
Riverbed Blades
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included



72076 Thurlow
54 in. Weathered Bronze Finish
Reversible Blades (Driftwood/Reclaimed Hickory)
Pull Chains Included



DIMMABLE LED



72171 Stella Mira
52 in. Oil Rubbed Bronze Finish with Highlights
Reversible Blades (Applewood with Shaded Edge/Catalpa Wood)
Cage Shade
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

DIMMABLE LED



72235 Thurlow LED
54 in. Weathered Bronze Finish
Reversible Blades (Driftwood/Reclaimed Hickory)
Metal Shade and Removable Cage
Includes (2) Medium (E26) Base, 6.5 Watt ST20 LED Lamps (WL Lamp #35183)
Remote Control Included



INTEGRATED DIMMABLE LED



72202 Cliff
56 in. Industrial Steel Finish
Reversible Blades (Reclaimed Hickory/Pewter Ash)
Opal Frosted Glass
Includes 17.5 Watt Integrated LED
Remote Control Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ** [†]
72259	*	16	75	3000 (Warm White)	1400	90	25000	22.8	\$1.93
72171 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72235 [†]	2	6.5	60	2700 (Warm White)	800	80	15000	13.6	\$0.78
72202	♦	17.5	75	2700 (Warm White)	1350	80	25000	22.8	\$2.11

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{**}Based on 3hrs./day ^{**†}Based on operating 3hrs./day 11¢/kWh

New! INTEGRATED DIMMABLE LED



72270 Evan
 52 in. Matte Black Finish
 Walnut ABS Blades
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Remote Control Included



INTEGRATED DIMMABLE LED



72074 Desoto
 52 in. Oil Rubbed Bronze Finish
 Reversible Blades (Mahogany/Cherry)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
 Pull Chains Included



INTEGRATED DIMMABLE LED



72065 Bendan LED
 52 in. Brushed Nickel Finish with Hammered Accents
 Catalpa Wood Blades
 Opal Frosted Glass
 Includes 17.5 Watt Integrated LED
 Remote Control Included



INTEGRATED DIMMABLE LED



72238 Bendan
 52 in. Satin Chrome Finish
 Wengue Blades
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Remote Control Included



INTEGRATED DIMMABLE LED



72091 Castle LED
 52 in. Brushed Nickel Finish
 Reversible Blades (Weathered Maple/Beech)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
 Pull Chains Included



INTEGRATED DIMMABLE LED



72051 Alloy II
 52 in. Brushed Nickel Finish
 Reversible Blades (Rosewood/Light Maple)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
 Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{**†}
72270	*	16	75	3000 (Warm White)	1180	90	1180	22.8	\$1.93
72074 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72065	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11
72238	*	16	75	3000 (Warm White)	1173	80	25000	22.8	\$1.93
72091 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72051 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on pages 86-89.

New!



72255 Julien
54 in. Brushed Nickel Finish
Clear Acrylic Blades

Remote Control Included



INTEGRATED
DIMMABLE
LED



72207 Graham
52 in. White Finish
White Acrylic Blades
Cage Shade and Opal Frosted Glass

Includes 16.8 Watt Integrated LED
Remote Control Included



New!

INTEGRATED
DIMMABLE
LED



72257 Alta Vista
52 in. Brushed Nickel Finish
Reversible Blades (Graphite/Light Maple)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Remote Control Included

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



INTEGRATED
DIMMABLE
LED



72059 Alta Vista
52 in. Matte Black Finish
Reversible Blades (Black/Bleached Cherry)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Remote Control Included

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



New!

3W
DIMMABLE
LED



72262 Kelcie
52 in. White Finish
Reversible Blades (White/Silver)
Crystal Jewel Shade

Includes (2) Medium (E26) Base, 6.5 Watt Filament A19 LED Lamps
(WL Lamp #43165)
Remote Control Included

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



3W
DIMMABLE
LED



72206 Kelcie
52 in. Brushed Nickel Finish
Reversible Blades (Silver/Graphite)
Crystal Jewel Shade

Includes (2) Medium (E26) Base, 6.5 Watt Filament A19 LED Lamps
(WL Lamp #43165)
Remote Control Included

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{***†}
72207	*	16.8	75	3000 (Warm White)	1130	80	25000	22.8	\$2.02
72257	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
72059	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
72262 [†]	2	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78
72206 [†]	2	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72231 Xavier II
 52 in. Brushed Nickel Finish
 with Gun Metal Accents
 Reversible Blades (Graphite/Weathered Maple)
 Spot Lights
 Includes (3) GU10 Base, 6.5 Watt MR16 LED Lamps
 (WL Lamp #53032)
 Pull Chains Included



72253 Pierre
 52 in. White Finish
 White ABS Blades
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Remote Control Included



72090 Alloy LED
 52 in. Brushed Nickel Finish
 Reversible Blades (Beech/Wengue)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
 (WL Lamp #33199)
 Pull Chains Included



72203 Alloy LED
 52 in. Gun Metal Finish
 Reversible Blades (Black/Applewood)
 Opal Frosted Glass
 Includes 24 Watt Integrated LED
 Remote Control Included



72053 Alloy LED
 52 in. Gun Metal Finish
 Reversible Blades (Black/Applewood)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
 (WL Lamp #33199)
 Pull Chains Included



72336 Comet
 52 in. White Finish
 Reversible Blades (White/White Washed Pine)
 Frosted Glass
 Includes 16 Watt Integrated LED
 Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** ^{††}
72231 [†]	3	6.5	50	2700 (Warm White)	500	80	25000	22.8	\$0.78
72253	*	16	100	3000 (Warm White)	1680	80	25000	22.8	\$1.93
72090 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72203	*	24	100	3000 (Warm White)	1924	90	25000	22.8	\$2.89
72053 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72336	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72341 Comet
52 in. Brushed Pewter Finish
Reversible Blades (Light Maple/White)
Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



72242 Comet
52 in. Matte Black Finish
Reversible Blades (Black/Black Marble)
Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



72364 Vintage
52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Ribbed Glass
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72371 Vintage
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Ribbed Glass
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72338 Vintage
52 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Clear Ribbed Glass
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72359 Swirl
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Swirl Glass
Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72341	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72242	*	16	100	3000 (Warm White)	1685	80	25000	22.8	\$1.93
72364 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72371 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72338 [†]	3	4.5	60	3000 (Warm White)	500	80	15000	13.6	\$0.54
72359 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp. * Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72351 Fairview
52 in. Oil Rubbed Bronze Finish
Reversible Blades (Dark Cherry/Walnut)
Frosted Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps
Remote Control Included



72349 Vintage II
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
White Alabaster Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps
(WL Lamp #50581)
Pull Chains Included




72306 Sumter
52 in. Classic Bronze Finish
Reversible Blades (Applewood with Shaded Edge/Dark Cherry)
Amber Alabaster Bowl

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps
(WL Lamp #50581)
Pull Chains Included



72096 Carolina LED
52 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
Amber Alabaster Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #33199)
Pull Chains Included



FAN FAMILY
COORDINATING
ITEMS AVAILABLE

72322 Contempra IV
52 in. Antique Brass Finish
Reversible Blades (Oak/Walnut)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



FAN FAMILY
COORDINATING
ITEMS AVAILABLE

72321 Contempra IV
52 in. Oil Rubbed Bronze Finish
Reversible Blades (Dark Cherry/Walnut)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{**†}
72351 [†]	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72349 [†]	2	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72306 [†]	2	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72096 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72322 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72321 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72320 Contempra IV
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Bird's Eye Maple)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72324 Contempra IV
52 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Clear Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72323 Contempra IV
52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



78053 Casanova
52 in. White Finish
Reversible Blades (White/White Washed Pine)

Pull Chains Included



78024 Contractor's Choice
52 in. White Finish
White Blades

Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72320 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72324 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72323 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

42" TO 48" CEILING FANS

Capturing the essence of today's lifestyle trends, this collection of 42" to 48" ceiling fans offers distinctive styles to ensure a comfortable environment in medium-sized rooms.

INTEGRATED DIMMABLE LED



72211 Oscar
48 in. Brushed Nickel Finish
Reversible Blades (Wengue/Graphite)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

INTEGRATED DIMMABLE LED



72205 Barnett
48 in. Barnwood Finish
Reversible Blades (Reclaimed Hickory/Pewter Ash)
Cage Shade
Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)
Remote Control Included

New! INTEGRATED DIMMABLE LED DC MOTOR



72258 Josef
48 in. Brushed Nickel Finish
Clear Acrylic Blades
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

INTEGRATED DIMMABLE LED



72251 Carla
46 in. White Finish
White ABS Blades
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** ^{††}
72211	*	16	100	3000 (Warm White)	1685	80	25000	22.8	\$1.93
72205 [†]	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	\$0.54
72258	*	16	75	3000 (Warm White)	1160	90	25000	22.8	\$1.93
72251	*	16	100	3000 (Warm White)	1680	80	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72230 Solana
48 in. Brushed Nickel Finish
Wengue Blades
Opal Frosted Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps
(WL Lamp #50241)
Remote Control Included



72311 Harmony
48 in. Brushed Nickel Finish
Weathered Maple Blades
Opal Frosted Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72358 Vector Elite
42 in. Brushed Nickel Finish
with Graphite Accents
Reversible Blades (Graphite/Silver)
Brushed Nickel Spot Lights

Includes (3) GU10 Base, 6.5 Watt MR16 LED Lamps
(WL Lamp #53032)
Pull Chains Included




72179 Halley
44 in. Brushed Nickel Finish
Reversible Blades (Weathered Maple/Dark Cherry)
Frosted Opal Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps
Remote Control Included



72357 Elite
48 in. Brushed Nickel Finish
Beech Blades
Brushed Nickel Spot Lights

Includes (3) GU10 Base, 6.5 Watt MR16 LED Lamps
(WL Lamp #53032)
Pull Chains Included



72331 Xavier
44 in. Brushed Nickel Finish
with Copper Accents
Reversible Blades (Maple/Mahogany)
Spot Lights

Includes (3) GU10 Base, 6.5 Watt MR16 LED Lamps
(WL Lamp #53032)
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ***
72230 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72311 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72358 [†]	3	6.5	50	3000 (Warm White)	500	80	25000	22.8	\$0.78
72179 [†]	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72357 [†]	3	6.5	50	3000 (Warm White)	500	80	25000	22.8	\$0.78
72331 [†]	3	6.5	50	3000 (Warm White)	500	80	25000	22.8	\$0.78

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72375 Richboro SE
42 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps (WL Lamp #50242)
Pull Chains Included



72372 Arcadia
46 in. White Finish
Reversible Blades (Light Maple/White)
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included



72216 Alloy
42 in. Brushed Nickel Finish
Reversible Blades (Beech/Wengue)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



72244 Arcadia
46 in. Brushed Nickel Finish
Reversible Blades (Beech/Weathered Maple)
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included



72225 Alloy
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Walnut/Family Oak)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



72215 Alloy
42 in. Gun Metal Finish
Reversible Blades (Black/Graphite)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
72375 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72372 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72216 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72244 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72225 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72215 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72304 Hadley
42 in. Brushed Nickel Finish
Reversible Blades (Dark Cherry/Rosewood)
White Alabaster Bowl

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps (WL Lamp #50242)
Pull Chains Included



72305 Hadley
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
White Alabaster Bowl

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps (WL Lamp #50242)
Pull Chains Included



72309 Casanova Supreme
42 in. Antique Brass Finish
Reversible Blades (Oak/Walnut)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)
Pull Chains Included



72310 Casanova Supreme
42 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)
Pull Chains Included



72312 Casanova Supreme
42 in. White Finish
Reversible Blades (White/White Washed Pine)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)
Pull Chains Included



72354 Newtown
42 in. Brushed Nickel Finish
Reversible Blades (Light Maple/Bird's Eye Maple)
Water Glass Shades

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
72304 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72305 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72309 [†]	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72310 [†]	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72312 [†]	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72354 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72314 Contempra Trio
42 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72315 Contempra Trio
42 in. Satin Brass Finish
Reversible Blades (Walnut/Maple)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72319 Contempra Trio
42 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Bird's Eye Maple)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72313 Contempra Trio
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Dark Cherry/Walnut)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



Fan Performance Specifications can be found on pages 86-89.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{***†}
72314 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72315 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72319 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72313 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

24" TO 36" CEILING FANS

Featuring a wide range of décor-enhancing styles, this assortment of 24" to 36" down rod and hugger-mount ceiling fans offers decorative options to create complete comfort in smaller rooms.




72303 Cassidy
36 in. Brushed Nickel Finish
Reversible Blades (Wengue/Silver)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included





72347 Turbo Swirl
30 in. Antique Brass Finish
Walnut Blades
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp
(WL Lamp #50242)
Pull Chains Included





72240 Turbo Swirl
30 in. Brushed Aluminum Finish
Light Maple Blades
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp
(WL Lamp #50242)
Pull Chains Included





72344 Turbo Swirl
30 in. White Finish
White Blades
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp
(WL Lamp #50242)
Pull Chains Included

Fan Performance Specifications can be found on pages 86-89.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72303	*	16	75	3000 (Warm White)	1173	80	25000	22.8	\$1.93
72347 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72240 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72344 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72330 Wengue
30 in. Espresso Finish
Reversible Blades (Espresso/Dark Cherry)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



72333 Wengue
30 in. White Finish
Reversible Blades (White/Beech)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



72241 Wengue
30 in. Chrome Finish
Reversible Blades (Wengue/Beech)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



72308 Petite
30 in. White Finish
Reversible Blades (White/White Washed Pine)
Opal Mushroom Glass

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp
(WL Lamp #50581)
Pull Chains Included



72317 Petite
30 in. Antique Brass Finish
Reversible Blades (Walnut/Oak)
Opal Mushroom Glass

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp
(WL Lamp #50581)
Pull Chains Included



72307 Petite
30 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Opal Mushroom Glass

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp
(WL Lamp #50581)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{***}
72330	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72333	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72241	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72308 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72317 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72307 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72236 Roundabout
30 in. Brushed Nickel Finish
Reversible Blades (Multi-Color/White)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



72247 Quince
24 in. White Finish
Reversible Blades (White/Beech)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



72246 Quince
24 in. Gun Metal Finish
Reversible Blades (Black/Graphite)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



72366 Quince
24 in. Chrome Finish
Reversible Blades (Wengue/Beech)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



72369 Origami
24 in. Chrome Finish
Reversible Blades (Wengue/Beech)
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp (WL Lamp #50242)
Pull Chains Included



72328 Origami
24 in. Espresso Finish
Reversible Blades (Espresso/Applewood)
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp (WL Lamp #50242)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72236	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72247	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72246	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72366	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72369 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72328 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

INDOOR/OUTDOOR CEILING FANS

Westinghouse ceiling fans designed for patios, verandahs and gazebos create ambience and style in any outdoor living space. Our indoor/outdoor ceiling fans inspire creativity in indoor and outdoor spaces alike.



72267 Crescent Cove
52 in. Oil Rubbed Bronze Finish
Reversible ABS Blades (Pewter Ash/Walnut)
Clear Prismatic Glass
Includes 24 Watt Integrated LED
Remote Control Included



73030 Harrison
52 in. Oil Rubbed Bronze Finish
Dark Walnut ABS Blades
Frosted Amber Glass
Includes (1) Medium (E26) Base, 9 Watt Omni LED Lamp (WL Lamp #51331)
Remote Control Included



72334 Brentford
52 in. Aged Walnut Finish
Reversible ABS Blades (Dark Cherry with Shaded Edge/Walnut)
Clear Seeded Glass
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72362 Oasis
48 in. Oil Rubbed Bronze Finish
Mahogany ABS Blades
Yellow Alabaster Glass
Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{***†}
72267	*	24	100	3000 (Warm White)	1724	90	25000	22.8	\$2.89
73030 [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
72334 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72362 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on pages 86-89.



72301 Comet
52 in. Espresso Finish
Espresso ABS Blades
Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



72302 Comet
52 in. White Finish
White ABS Blades
Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



72178 Halley
44 in. Oil Rubbed Bronze Finish
Reversible ABS Blades (Dark Cherry/Mahogany)
Frosted Opal Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps
Remote Control Included



72168 Deacon
52 in. Oil Rubbed Bronze Finish
Dark Walnut ABS Blades

Pull Chains Included



72170 Contempra
48 in. Oil Rubbed Bronze Finish
Dark Walnut ABS Blades

Pull Chains Included



72172 Contempra
48 in. White Finish
White ABS Blades

Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
72301	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72302	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72178 [†]	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Family Name	Page#	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Alloy	76	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	78"	Dual	3	Adaptable	Yes
Alloy II	68	52"	6	Plywood	10°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alloy LED (72203)	70	52"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Alloy LED (72053)	70	52"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alloy LED (72090)	70	52"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alta Vista	69	52"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Arcadia	76	46"	3	Plywood	12°	Silicon Steel	153mm x 12mm	78"	Triple	3	Included	Yes
Barnett	74	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Bendan	68	52"	5	Plywood	12°	Silicon Steel	153mm x 17mm	78"	Dual	3	Included	Yes
Bendan LED	68	52"	5	Wood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Brentford	82	52"	5	ABS	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Carla	75	46"	3	ABS	24°	Silicon Steel	153mm x 15mm	12"	Single	4	Included	Yes
Carolina LED	72	52"	5	MDF	12°	Silicon Steel	153mm x 17mm	12"	Triple	3	Not Adaptable	Yes
Casanova	77	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Casanova Supreme	77	42"	4	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Cassidy	79	36"	5	MDF	12°	Silicon Steel	153mm x 12mm	24"	Triple	3	Adaptable	Yes
Castle LED	68	52"	5	Plywood	12°	Cold Rolled Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Cayuga	66	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Chambers	66	60"	5	Plywood	11.5°	Silicon Steel	188mm x 22mm	54"	Dual	4	Included	Yes
Cliff	67	56"	4	Plywood	12°	Silicon Steel	171mm x 20mm	54"	Dual	4	Included	Yes
Comet	70	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Comet (Outdoor)	83	52"	5	ABS	11°	Silicon Steel	153mm x 18mm	54"	Triple	3	Adaptable	Yes
Contempra	83	48"	5	ABS	12°	Silicon Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra IV	72-73	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra Trio	78	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Contractor Choice	73	52"	5	MDF	12°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Crescent Cove	82	52"	5	ABS	11°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Damen	66	68"	8	Plywood	12°	DC165M	DC 165M	54"	N/A	6	Included	Yes
Deacon	83	52"	5	ABS	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Desoto	68	52"	4	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Elite	75	48"	3	Plywood	12°	Cold Rolled Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Evan	68	52"	3	ABS	50°	Silicon Steel	172mm x 20mm	54"	Single	4	Included	Yes
Fairview	72	52"	5	MDF	11°	Cold Rolled Steel	153mm x 12mm	24"	Triple	3	Included	Yes
Graham	69	52"	3	Plywood	12°	Silicon Steel	153mm x 15mm	54"	Single	4	Included	Yes
Hadley	77	42"	4	MDF	12°	Silicon Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Halley (Outdoor)	82	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Halley	75	44"	3	Plywood	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Harmony	75	48"	2	Plywood	13°	Silicon Steel	153mm x 20mm	78"	Triple	4	Adaptable	Yes
Harrison	83	52"	4	ABS	12°	Silicon Steel	153mm x 15mm	54"	N/A	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.

*For sloped ceiling applications up to 45°, use item #70031 or #70032 (sold separately).


Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
13°	Down Rod Only	2176	51	42	\$12	-	-	-	-	214	0.44
14°	Down Rod Only	3321	87	38	\$11	-	-	-	-	163	0.50
N/A	Down Rod Only	2635	65	41	\$11	-	-	-	-	171	0.53
12°	Down Rod Only	2618	67	39	\$11	-	-	-	-	170	0.51
12°	Down Rod Only	2618	67	39	\$11	-	-	-	-	170	0.51
N/A	Down Rod Only	3334	84	40	\$11	-	-	-	-	175	0.52
N/A	Down Rod Only	2801	79	35	\$10	-	-	-	-	222	0.42
N/A	Down Rod Only	2947	75	39	\$11	-	-	-	-	180	0.53
N/A	Down Rod Only	3302	82	40	\$11	-	-	-	-	173	0.49
N/A	Down Rod Only	3173	74	43	\$12	-	-	-	-	178	0.53
16°	Down Rod Only	3321	92	36	\$10	-	-	-	-	151	0.47
N/A	Hugger	-	-	-	-	2352	63	37	\$10	167	0.49
N/A	Hugger	-	-	-	-	2480	73	34	\$9	157	0.44
N/A	Hugger	-	-	-	-	2920	76	38	\$11	162	0.50
N/A	Hugger	-	-	-	-	2165	70	31	\$9	217	0.40
18°	Combo	1901	62	31	\$9	1755	57	31	\$9	242	0.37
18°	Combo	3387	87	39	\$11	3211	82	39	\$11	163	0.51
N/A	Down Rod Only	4420	78	57	\$16	-	-	-	-	145	0.68
N/A	Down Rod Only	4466	81	55	\$15	-	-	-	-	156	0.67
N/A	Down Rod Only	4037	86	47	\$13	-	-	-	-	166	0.56
15°	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
15°	Down Rod Only	3372	91	37	\$10	-	-	-	-	156	0.49
N/A	Hugger	-	-	-	-	3075	85	36	\$10	204	0.46
N/A	Hugger	-	-	-	-	3225	82	39	\$11	166	0.51
N/A	Hugger	-	-	-	-	2232	72	31	\$9	207	0.40
11°	Combo	2981	77	39	\$11	2893	75	39	\$11	175	0.54
N/A	Down Rod Only	3567	94	38	\$11	-	-	-	-	178	0.50
10°	Down Rod Only	5213	257	20	\$6	-	-	-	-	115	0.44
16°	Down Rod Only	3689	107	35	\$10	-	-	-	-	215	0.46
18°	Down Rod Only	3560	93	38	\$11	-	-	-	-	189	0.50
14°	Down Rod Only	2997	78	39	\$11	-	-	-	-	219	0.51
N/A	Down Rod Only	3975	92	43	\$12	-	-	-	-	170	0.59
N/A	Combo	3180	78	41	\$11	2753	67	41	\$12	144	0.53
N/A	Down Rod Only	2855	72	39	\$11	-	-	-	-	182	0.50
N/A	Hugger	-	-	-	-	2035	51	40	\$11	250	0.42
N/A	Hugger	-	-	-	-	3158	90	35	\$10	260	0.43
N/A	Hugger	-	-	-	-	2820	79	36	\$10	203	0.43
16°	Down Rod Only	3315	95	35	\$10	-	-	-	-	190	0.46
24"	Combo	3445	93	37	\$10	2765	78	37	10	164	0.44

Family Name	Page #	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Jax (78003)	64	56"	3	Steel	8°	Cold Rolled Steel	171mm x 12mm	54"	Single	4	Wall Control	Yes
Jax (78409)	65	56"	3	Steel	8°	Cold Rolled Steel	172mm x 12mm	54"	Single	5	Wall Control	Yes
Jax (78127 & 78614)	65	56"	3	Steel	8°	Cold Rolled Steel	172mm x 12mm	54"	Single	5	Wall Control	Yes
Jax (72379)	64	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	N/A	4	Included	Yes
Jax (72381)	64	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	N/A	4	Included	Yes
Jax (72383)	64	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	N/A	4	Included	Yes
Josef	75	48"	3	Polycarbonate	51°	DC Motor	155mm x 16mm	54"	N/A	6	Included	Yes
Julien	69	54"	3	Polycarbonate	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Kelcie	69	52"	4	Plywood	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Madeline	65	56"	3	Polycarbonate	14°	Silicon Steel	172mm x 15mm	54"	Single	4	Included	Yes
Morris	67	52"	5	Plywood	12°	Silicon Steel	172mm x 15mm	54"	Single	4	Included	Yes
Newtown	76	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	78"	Dual	3	Adaptable	Yes
Oasis	82	48"	5	ABS	13°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Origami	81	24"	6	MDF	18°	Silicon Steel	153mm x 9mm	78"	Triple	3	Adaptable	Yes
Oscar	74	48"	4	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Petite	80	30"	6	MDF	18°	Cold Rolled Steel	153mm x 12mm	12"	Triple	3	Not Adaptable	Yes
Pierre	70	52"	3	ABS	16.6°	DC Motor	155mm x 16mm	54"	N/A	5	Included	Yes
Quince	81	24"	6	MDF	18°	Silicon Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Richboro SE	77	42"	5	MDF	12°	Silicon Steel	153mm x 10mm	78"	Dual	3	Adaptable	Yes
Roundabout	81	30"	5	MDF	18°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Solana	74	48"	2	Plywood	12°	Silicon Steel	153mm x 17mm	78"	Triple	3	Included	Yes
Stella Mira	67	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Sumter	72	52"	5	MDF	12°	Cold Rolled Steel	153mm x 18mm	12"	Triple	3	Not Adaptable	Yes
Swirl	71	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Techno II	65	72"	3	ABS	12°	DC165M	DC 165M	54"	N/A	6	Included	Yes
Thurlow	67	54"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Thurlow LED	67	54"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Turbo Swirl	79	30"	6	MDF	18°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vector Elite	75	42"	3	Plywood	16°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Vintage	71	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vintage II	72	52"	5	MDF	11°	Cold Rolled Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Wengue	80	30"	3	MDF	18°	Silicon Steel	153mm x 9mm	78"	Dual	3	Adaptable	Yes
Widespan (72248)	64	100"	6	Aluminum	17°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Widespan (72249)	64	100"	8	Aluminum	12°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Willa	66	60"	6	Plywood	12°	Silicon Steel	188mm x 20mm	54"	Single	4	Included	Yes
Xavier	75	44"	5	MDF	13°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Xavier II	70	52"	5	MDF	13°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Zephyr	66	56"	5	Plywood	12°	Silicon Steel	172mm x 20mm	54"	Dual	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.

*For sloped ceiling applications up to 45°, use item #70031 or #70032 (sold separately).

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
24°	Down Rod Only	3314	96	35	\$10	-	-	-	-	212	0.49
N/A	Down Rod Only	3438	84	41	\$11	-	-	-	-	196	0.50
24°	Down Rod Only	3438	84	41	\$11	-	-	-	-	196	0.50
N/A	Down Rod Only	3366	96	37	\$10	-	-	-	-	204	0.47
N/A	Down Rod Only	3366	96	37	\$10	-	-	-	-	204	0.47
N/A	Down Rod Only	3366	96	37	\$10	-	-	-	-	204	0.47
N/A	Down Rod Only	4485	211	24	\$7	-	-	-	-	226	0.43
N/A	Down Rod Only	3471	89	41	\$11	-	-	-	-	180	0.49
N/A	Down Rod Only	3186	80	40	\$11	-	-	-	-	194	0.53
N/A	Down Rod Only	3811	112	34	\$10	-	-	-	-	155	0.47
N/A	Down Rod Only	3316	88	38	\$11	-	-	-	-	192	0.53
18°	Combo	2421	74	7	\$2	2424	74	33	\$9	228	0.41
11°	Combo	3046	91	33	\$9	2962	89	33	\$9	146	0.42
15°	Down Rod Only	1055	50	21	\$6	-	-	-	-	326	0.26
N/A	Down Rod Only	2894	78	37	\$10	-	-	-	-	203	0.50
N/A	Hugger	-	-	-	-	1649	60	28	\$8	271	0.35
N/A	Down Rod Only	4239	244	17	\$5	-	-	-	-	180	0.38
18°	Down Rod Only	965	45	21	\$6	-	-	-	-	309	0.26
15°	Combo	2439	78	31	\$9	2284	73	31	\$9	225	0.38
18°	Down Rod Only	1609	62	26	\$7	-	-	-	-	262	0.34
N/A	Down Rod Only	3494	97	36	\$10	-	-	-	-	246	0.42
N/A	Down Rod Only	3521	88	40	\$11	-	-	-	-	168	0.51
N/A	Hugger	-	-	-	-	3251	80	41	\$11	171	0.54
18°	Combo	3267	83	39	\$11	2987	76	39	\$11	185	0.55
11°	Down Rod Only	4963	255	19	\$5	-	-	-	-	141	0.43
18°	Down Rod Only	3609	94	38	\$11	-	-	-	-	166	0.50
N/A	Down Rod Only	3393	81	42	\$12	-	-	-	-	175	0.54
18°	Down Rod Only	1690	57	30	\$8	-	-	-	-	227	0.38
16°	Down Rod Only	2282	71	32	\$9	-	-	-	-	208	0.44
16°	Combo	3256	87	38	\$11	2986	80	38	\$11	174	0.49
16°	Combo	3060	80	38	\$11	2655	70	38	\$11	157	0.49
11°	Down Rod Only	1347	50	27	\$8	-	-	-	-	246	0.30
N/A	Down Rod Only	-	254	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	-	275	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	3596	79	46	\$13	-	-	-	-	140	0.58
17°	Combo	3007	82	37	\$10	2918	79	37	\$10	213	0.46
17°	Combo	3111	81	38	\$11	3003	79	38	\$11	162	0.49
N/A	Down Rod Only	3935	84	47	\$13	-	-	-	-	159	0.58



- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Alloy	3/4" X 4"	6.38"	11.00"	2.50"	6.75"	5.13"	11.75"
Alloy II	3/4" X 4"	10.00"	11.42"	2.44"	7.09"	5.12"	13.90"
Alloy LED	3/4" X 4"	8.07"	11.42"	2.44"	7.05"	5.12"	13.19"
Alta Vista	3/4" X 4"	10.83"	8.39"	2.44"	7.87"	5.12"	13.70"
Arcadia	3/4" X 4"	9.38"	11.00"	2.00"	9.75"	5.88"	14.00"
Barnett	3/4" X 4"	11.81"	12.60"	2.20"	11.42"	5.98"	21.26"
Bendan	3/4" X 4"	11.42"	7.87"	2.44"	10.24"	5.12"	14.17"
Bendan LED	3/4" X 4"	11.42"	7.87"	2.44"	10.24"	5.12"	14.17"
Brentford	3/4" X 4"	9.96"	11.65"	2.06"	12.36"	5.83"	18.78"
Carla	N/A	9.75"	N/A	N/A	7.75"	N/A	11.00"
Carolina LED	N/A	6.88"	9.75"	N/A	11.10"	N/A	13.75"
Casanova	N/A	8.00"	8.50"	N/A	11.00"	N/A	N/A
Casanova Supreme	N/A	8.27"	9.05"	N/A	8.90"	N/A	15.35"
Cassidy	3/4" X 4"	11.22"	11.81"	2.09"	8.58"	5.12"	16.54"
Castle LED	3/4" X 6"	11.43"	12.63"	2.40"	10.49"	5.13"	15.98"
Cayuga	3/4" X 6"	13.78"	11.54"	2.56"	10.63"	5.12"	17.13"
Chambers	3/4" X 6"	12.20"	10.43"	2.52"	9.09"	5.12"	20.28"
Cliff	3/4" X 6"	15.35"	9.06"	2.52"	10.28"	5.12"	18.11"
Comet (Outdoor)	3/4" X 4"	11.00"	12.60"	2.40"	11.30"	5.10"	14.40"
Comet	3/4" X 4"	11.88"	14.25"	2.25"	11.50"	5.13"	14.25"
Contempra	N/A	7.48"	7.48"	N/A	10.24"	N/A	N/A
Contempra IV	N/A	7.13"	8.13"	N/A	11.50"	N/A	13.00"
Contempra Trio	N/A	9.45"	9.84"	N/A	10.24"	N/A	15.35"
Contractor Choice	3/4" X 4"	10.25"	11.25"	2.25"	9.00"	5.25"	N/A
Crescent Cove	3/4" X 9"	11.99"	10.63"	2.13"	10.43"	5.91"	17.43"
Damen	3/4" X 8"	12.40"	11.02"	2.06"	7.87"	5.86"	16.54"
Deacon	3/4" X 4"	11.81"	12.60"	2.44"	11.02"	5.12"	N/A
Desoto	3/4" X 6"	13.39"	13.78"	2.56"	8.27"	5.12"	15.75"
Elite	3/4" X 4"	9.63"	12.63"	2.13"	9.00"	5.25"	16.63"
Evan	3/4" X 6"	13.58"	13.94"	2.06"	7.72"	5.85"	15.96"
Fairview	3/4" X 4"	12.25"	13.00"	2.38"	11.00"	5.13"	18.88"
Graham	3/4" X 6"	12.99"	10.63"	2.24"	7.64"	5.12"	18.50"
Hadley	N/A	5.13"	6.75"	N/A	8.46"	N/A	10.75"
Halley	N/A	9.45"	2.95"	2.95"	9.45"	9.06"	13.78"
Harmony	3/4" X 6"	10.63"	12.75"	2.00"	7.50"	6.00"	17.13"
Harrison	3/4" X 4"	10.75"	12.76"	2.72"	7.87"	5.20"	20.08"
Jax (78003)	1/2" X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Jax (72379)	1/2" X 12"	17.32"	15.55"	2.44"	7.22"	5.13"	N/A
Jax (72381)	1/2" X 12"	17.32"	15.55"	2.44"	7.22"	5.13"	N/A
Jax (72383)	1/2" X 12"	17.32"	15.55"	2.44"	7.22"	5.13"	N/A
Jax (78409)	1/2" X 12"	18.50"	17.32"	4.02"	7.72"	5.71"	N/A
Jax (78127 & 78614)	1/2" X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Josef	3/4" X 6"	10.63"	N/A	2.24"	7.09"	5.12"	16.33"
Julien	3/4" X 6"	12.32"	7.59"	2.40"	7.87"	5.16"	16.45"
Kelcie	3/4" X 6"	12.60"	10.43"	2.09"	10.24"	5.12"	19.09"
Madeline	3/4" X 6"	9.81"	12.56"	2.06"	10.33"	5.85"	14.49"
Morris	3/4" X 6"	10.63"	13.27"	2.06"	6.86"	5.85"	15.20"
Newtown	3/4" X 4"	13.38"	12.63"	2.38"	10.00"	5.13"	17.75"
Oasis	3/4" X 4"	13.63"	13.38"	2.38"	9.00"	5.13"	18.75"
Origami	3/4" X 4"	7.88"	10.00"	2.50"	6.75"	5.13"	14.75"
Oscar	3/4" X 6"	14.50"	N/A	2.50"	9.00"	5.00"	19.25"
Petite	N/A	8.46"	9.45"	N/A	9.37"	N/A	14.84"
Pierre	3/4" X 6"	13.50"	N/A	2.25"	7.75"	5.00"	16.25"
Quince	3/4" X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Richboro SE	3/4" X 4"	12.25"	18.13"	2.25"	8.63"	5.13"	19.25"
Roundabout	3/4" X 4"	11.42"	13.75"	2.36"	7.68"	5.12"	15.92"
Solana	3/4" X 4"	10.75"	13.00"	2.00"	7.63"	6.25"	17.38"
Stella Mira	3/4" X 10"	16.22"	N/A	2.56"	8.27"	5.12"	27.36"
Sumter	N/A	6.00"	7.87"	N/A	11.42"	N/A	14.20"
Swirl	3/4" X 4"	13.50"	12.00"	2.25"	12.00"	5.25"	18.00"
Techno II	3/4" X 4"	11.02"	11.81"	2.06"	8.27"	5.86"	13.39"
Thurlow	3/4" X 6"	14.76"	16.93"	2.56"	8.66"	5.12"	13.27"
Thurlow LED	3/4" X 6"	14.25"	16.25"	2.50"	8.75"	5.00"	23.00"
Turbo Swirl	3/4" X 4"	10.00"	11.50"	2.25"	7.00"	5.00"	14.50"
Vector Elite	3/4" X 4"	7.00"	11.25"	2.13"	10.38"	5.13"	15.50"
Vintage	3/4" X 4"	10.87"	12.92"	2.41"	11.02"	5.12"	18.43"
Vintage II	3/4" X 4"	11.38"	13.25"	2.38"	11.13"	5.13"	19.25"
Wengue	3/4" X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Widespan	3/4" X 24"	33.00"	N/A	3.00"	11.75"	7.50"	N/A
Willa	3/4" X 6"	11.50"	N/A	2.25"	8.25"	5.00"	20.00"
Xavier	3/4" X 4"	16.00"	17.50"	2.00"	10.00"	5.00"	22.50"
Xavier II	3/4" X 4"	16.00"	17.50"	2.00"	10.00"	5.00"	22.50"
Zephyr	3/4" X 6"	13.18"	11.93"	2.56"	9.84"	5.12"	16.90"

If a Combo Style Fan with a 4" Down Rod is Installed without the Down Rod, Subtract 3" from the Dimensions Listed (A, B, F).
 If a Combo Style Fan with a 6" Down Rod is Installed without the Down Rod, Subtract 5" from the Dimensions Listed (A, B, F).

CEILING FAN ACCESSORIES

Complement your Westinghouse ceiling fans with decorative pull chains and energy-saving light kits, while enjoying the convenience of our fan remote controls.

CEILING FAN CONTROLS

All fan controls are single AC motor fan usage only and indoor use only.


77872

Single Slide 4 Speed Ceiling Fan Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Easy 2 wire installation in standard junction box
- Matching wall plate included

Max. Fan Amp 1.25


77873

Dual Slide 4 Speed Ceiling Fan and Light Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Full range sliding light dimmer
- Easy 3 wire installation in standard junction box
- Replaces toggle switch
- Matching wall plate included

Max. Fan Amp 1.25

Max. Light 300 Watt Incandescent


77875

3 Speed Ceiling Fan and Light Wall Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Wireless communication between transmitter and receiver
- Operates up to a distance of 40 feet
- Easy 2 wire installation in standard junction box
- Universal receiver fits most ceiling fans
- Matching wall plate included

Max. Fan Amp 1.25

Max. Light 300 Watt Incandescent


77874

Thermostat 3 Speed Ceiling Fan and Light Remote Control

- Automatic On/Off and Speed Control based on room temperature
- 1/2 - 24 hour programmable timers
- 3-Minute Auto Light Shut Off
- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- (4) AAA batteries included

Max. Fan Amp 1.00

Max. Light 190 Watt


77870

3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (1) 9 Volt battery included

Max. Fan Amp 1.00

Max. Light 190 Watt


77871

Dimmable Selector Switch 3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Full dimming capability with non dimming option when used with non dimmable lamps
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 0.8

Max. Light 300 Watt

CEILING FAN LIGHT KITS



77845
LED Cluster Ceiling Fan Light Kit
Polished Brass Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77849
LED Cluster Ceiling Fan Light Kit
Brushed Nickel Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77850
LED Cluster Ceiling Fan Light Kit
Oil Rubbed Bronze Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77848
LED Cluster Ceiling Fan Light Kit
Antique Brass Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77847
LED Cluster Ceiling Fan Light Kit
White Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77846
LED Schoolhouse Ceiling Fan Light Kit
Oil Rubbed Bronze Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9 Watt Omni A19 LED Lamp



77853
LED Schoolhouse Ceiling Fan Light Kit
White Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9 Watt Omni A19 LED Lamp



77851
LED Schoolhouse Ceiling Fan Light Kit
Antique Brass Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9 Watt Omni A19 LED Lamp



77844
LED Schoolhouse Ceiling Fan Light Kit
Polished Brass Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9 Watt Omni A19 LED Lamp



77852
3-in-1 LED Schoolhouse Ceiling Fan Light Kit
White Opal Glass
Includes Three Fitters:
• 1 White Finish Fitter
• 1 Oil Rubbed Bronze Finish Fitter
• 1 Brushed Nickel Finish Fitter
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9 Watt Omni A19 LED Lamp

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
77845 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$.60
77849 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$.60
77850 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$.60
77848 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$.60
77847 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$.60
77846	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$ 1.08
77853	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$ 1.08
77851	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$ 1.08
77844	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$ 1.08
77852	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$ 1.08

[†] Values are per lamp.

^{*} Based on 3hrs./day ^{**} Based on operating 3hrs./day 11¢/kWh


EXTENSION DOWN RODS



Antique Brass



Brushed Nickel



Oil Brushed Bronze



White

1/2 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77241	Antique Brass	12"
77491	Brushed Nickel	12"
77492	Brushed Nickel	24"
77240	White	12"
77243	White	24"
77246	White	36"

1/2 ID is the nominal dimension of these rods.

For optimum performance, ceiling fan blades should be at least 7' from the floor but no higher than 8-9' in order to best cool a room.

For ceilings 9' and higher, an extension down rod is recommended to bring the ceiling fan down to the proper height above the floor.

3/4 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77258	Oil Brushed Bronze	12"
77259	Oil Brushed Bronze	24"
77252	Antique Brass	24"
77526	Brushed Nickel	12"
77527	Brushed Nickel	24"
77528	Brushed Nickel	36"
77251	White	12"
77265	White	18"
77254	White	24"
77257	White	36"

3/4 ID is the nominal dimension of these rods.

PULL CHAINS



***10007**
Twist Cage
Finial/Pull Chain
Brush Nickel Finish
Tapped 1/4-27



77215
Trophy
Brushed Nickel Finish



77108
Trophy
Antique Brass Finish



77214
Trophy
Oil Rubbed Bronze Finish



77103
Pendant
Brushed Nickel Finish



77224
Fan Coin
Antique Brass Finish



77104
Beaded Ball
Brushed Nickel Finish



77096
Beaded Ball
Oil Rubbed Bronze Finish



77217
Ball
Brushed Nickel Finish



77004
Ball
Solid Brass



77220
Light Bulb Coin
Antique Brass Finish



77095
Ceramic White Accent
Polished Brass Finish



77005
Teardrop
Polished Brass Finish



77087
Natural Finish Wooden Handle
Polished Brass Finish



77019
Natural Finish Wooden Cone
Polished Brass Finish



77013
Walnut Wooden Knob
Polished Brass Finish



77014
White Wooden Knob
Polished Brass Finish



77072
White Wooden Ball
Polished Brass Finish



77292
White Wooden Cone
Chrome Finish



77009
White Wooden Cone
Polished Brass Finish



70661 36" Chain
Walnut Wooden Ball
Polished Brass Finish



77007
Sculptured Walnut Wooden Ball
Polished Brass Finish

All pull chains include a 12" beaded chain unless otherwise noted.
CARDED PRODUCT SOLD IN INNER PACK ONLY.
* Bulk Pack

PULL CHAINS



77084
Prismatic Acrylic Sphere
Polished Brass Finish



77093
Prismatic Acrylic Diamond
Polished Brass Finish



77289
Prismatic Acrylic Diamond
Chrome Finish



77006
Prismatic Acrylic Cylinder
Polished Brass Finish

CEILING FAN ACCESSORIES



70031
Cathedral Ceiling Fan Canopy Kit
Brushed Nickel Finish

Use With 1/2" or 3/4" I.D. Down Rods
Can be mounted onto a cathedral ceiling with up to a 45° angle with or without remote.
85 lb. Load Rating



70032
Cathedral Ceiling Fan Canopy Kit
Oil Rubbed Bronze Finish

Use With 1/2" or 3/4" I.D. Down Rods
Can be mounted onto a cathedral ceiling with up to a 45° angle with or without remote.
85 lb. Load Rating



77079
Canopy Kit
White Finish

3/4" I.D. Ball Included
Can be mounted onto a cathedral ceiling having up to a 25° angle
100 lb. Load Rating



77268
Canopy Kit
White Finish

1/2" I.D. Ball Included
Can be mounted onto a cathedral ceiling having up to a 25° angle
100 lb. Load Rating



77059
Canopy Bracket

Designed For Use With 1/2" or 3/4" I.D. Down Rods and Canopy Ball
Mounting Hardware Included
100 lb. Load Rating



77400
42" Polished Brass Finish
Replacement Fan Blade Arms



77401
42" White Finish
Replacement Fan Blade Arms



77402
42" Antique Brass Finish
Replacement Fan Blade Arms



77409
52" Brushed Nickel Finish
Replacement Fan Blade Arms



77417
52" Oil Rubbed Bronze Finish
Replacement Fan Blade Arms

77405
52" Polished Brass Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included
Fan Blade Hole Dimensions on Pg. 95

77406
52" White Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included
Fan Blade Hole Dimensions on Pg. 95

77407
52" Antique Brass Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included
Fan Blade Hole Dimensions on Pg. 95

5 Piece Set
Installation Hardware Included
Fan Blade Hole Dimensions on Pg. 95

5 Piece Set
Installation Hardware Included
Fan Blade Hole Dimensions on Pg. 95



77414
52" White Outdoor ABS Fan Blades
Length: 20.5" Width: 5.38"
5 Blade Set



77411
42" White/Bleached Oak
Reversible Fan Blades
Length: 16.5" Width: 5"



77410
42" Oak/Walnut
Reversible Fan Blades
Length: 16.5" Width: 5"



77015
Fan Blade Balancing Kit
Includes:
• 2-5 Gram Self-Adhering Weights
• 1 Balancing Clip



70662
3' White Braided Cord

77416
52" White/Bleached Oak
Reversible Fan Blades
Length: 20.5" Width: 5.38"
5 Blade Set

77415
52" Oak/Walnut
Reversible Fan Blades
Length: 20.5" Width: 5.38"
5 Blade Set

***16584**
3' White Braided Cord
Nickel Finish Connector
and End Bell Attached



77016
Twenty 1/2" Screws
For Fan Lights and Fan Blades
Includes:
• 5 - 8-32 Antique Brass
• 5 - 8-32 Polished Brass
• 5 - 10-24 Antique Brass
• 5 - 10-24 Polished Brass



77041
12 Fitter Screws
Antique Brass Finish
For Fan Lights



77047
10-Piece Motor Screw Kit
Polished Brass Finish
For Mounting Fan Blade Arm
to Motor Housing



77048
10-Piece Motor Screw Kit
Antique Brass Finish
For Mounting Fan Blade Arm
to Motor Housing

CEILING FAN ACCESSORIES



77064 3 Ft.
Beaded Chain with Connector
Antique Brass Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



70168 5 Ft.
Beaded Chain with Connector
Brass Finish
Diameter: 0.13"
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




77012 1 Ft.
Beaded Chain with Connector
Solid Brass
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77050 3 Ft.
Beaded Chain with Connector
Solid Brass
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77238 3 Ft.
Beaded Chain with Connector
Brushed Nickel Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




77049 3 Ft.
Beaded Chain with Connector
Stainless Steel
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77063 3 Ft.
Beaded Chain with Connector
Chrome Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77051 3 Ft.
Beaded Chain with Connector
White Finish Plastic
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77054 3 Ft.
Beaded Chain with Connector
Oil Rubbed Bronze Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77045
Six Beaded Chain Connectors
Chrome Finish
For use with .011 Gauge 1/8"
Diameter Ball Chain



77066
Six Beaded Chain Connectors
Antique Brass Finish
For use with .011 Gauge 1/8"
Diameter Ball Chain



77044
Six Beaded Chain Connectors
Solid Brass
For use with .011 Gauge 1/8"
Diameter Ball Chain



77077
Porcelain Fixture Socket
Height: 2.41"
10" Wire Leads
Medium Base, 1/8-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts




77022
Fan Light Switch
with Chrome Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC



77023
Fan Light Switch
with Polished Brass Finish Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC



77287
Fan Light Switch
with Antique Brass Finish Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC




77052
3-Way Fan Light Switch
with Polished Brass Finish Pull Chain
3 Wire, Single Pole Switch
2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77075
3-Speed Fan Switch
with Polished Brass Finish Pull Chain
Triple Capacitor 8-Wire Unit
2' Braided Cord
3A, 250 VAC
6A, 125 VAC




77021
3-Speed Fan Switch
with Polished Brass Finish Pull Chain
Single Capacitor 4-Wire Unit
2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77091
Fan Capacitor
3 MFD and 6.5 MFD
3-Wire 150V

FAN BLADE HOLE DIMENSIONS



Reference fan blade hole dimensions listed below when ordering replacement fan blade arms shown on page 94. (Item numbers - 77400, 77401, 77402, 77405, 77406, 77407, 77409 and 77417).

FAN BLADE HOLE DIMENSIONS		
Dimension	52" Parts	42" Parts
A	3 ¹⁵ / ₁₆ "	3 ¹ / ₂ "
B	2 ³ / ₄ "	2 ⁵ / ₈ "
C	2 ¹ / ₁₆ "	1 ¹ / ₂ "

CEILING FAN & LIGHT FIXTURE ACCESSORIES

From ornamental ceiling medallions to secure support braces and boxes, Westinghouse offers a full line of both decorative and functional accessories to enhance and complete any ceiling fan or light fixture installation.

POLYURETHANE MEDALLIONS

Mounting hardware included.



Simply apply adhesive and screw or nail into any surface.

Includes Mounting Hardware:

- 1 - 3" 1/8-IP nipple
- 2 - 2" 8-32 crossbar screws
- 3 - 1 1/2" drywall screws



If a different finish is desired, use latex or oil-based paint on any of our polyurethane or molded plastic medallions to create a look that matches your decor.



77752 Soleil
White Finish
Diameter: 20.00" Center Opening: 4.00"



77764 Round Parisian Scroll
Antique Bronze Finish
Diameter: 16.00" Center Opening: 4.00"

MOLDED PLASTIC MEDALLIONS

Adhesive or additional mounting hardware required.



77027 Victorian
White Finish
Diameter: 8.67" Center Opening: 4.00"



77037 Smooth
White Finish
Diameter: 9.75" Center Opening: 4.00"



77028 Victorian
White Finish
Diameter: 15.50" Center Opening: 4.00"



77035 Textured
White Finish
Diameter: 15.75" Center Opening: 4.00"




77733 Round Beaded
White Finish
Diameter: 15.75" Center Opening: 4.00"



77732 Smooth
White Finish
Diameter: 15.88" Center Opening: 4.00"

SAF-T-BRACE® AND SAF-T-BAR®

Fits 16" to 24" ceiling joists
Attic access is not required for any items unless otherwise noted.



Four teeth and single screw on each end for additional security

REMODEL USE



◆01010
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Extra Strong Grip

Mounting Hardware



Teeth twist and lock into joist for a secure connection

REMODEL USE



◆01100
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Strong Grip
Convenient magnet holds box to brace during installation

Mounting Hardware




Teeth twist and lock into joist

REMODEL USE




◆01400
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 2.13"
Heavy Duty, 21.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Strong Grip
Larger Box for Increased Wire Capacity
Convenient magnet holds box to brace during installation

Mounting Hardware



End bracket has 90° angled lip for easy placement

NEW CONSTRUCTION
ATTIC ACCESS REQUIRED



◆01525 (0152511 Bulk Packed)
Saf-T-Bar® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Can be used with Engineered Truss

Mounting Hardware



SAF-T-BOX®



NEW OR REMODEL CONSTRUCTION

▲01020 (0102011 Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Electrical Box
3 Knockouts for Conduit or Romex®



NEW OR REMODEL CONSTRUCTION

▲01050 (0105011 Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
1 Romex® Clamp



NEW OR REMODEL CONSTRUCTION

▲0105211 (Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
1 Romex® Connector



NEW OR REMODEL CONSTRUCTION

▲0104011 (Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 2.13"
Heavy Duty
21.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
1 Romex® Clamp
Larger Box for Increased Wire Capacity


◆ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 50 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.
♣ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 90 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.

▲ For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.

* Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).

All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.
All Items Meet or Exceed NEC Safety Codes.

SIDEMOUNT PLUS FAN BOX®



REMODEL
USE

- **01240 (0124011 Bulk Packed)**
Sidemount Plus Fan/Fixture Box®
Box Depth 2.13"
Heavy Duty, 21.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
Removable Sidemount Bracket
Larger Box for Increased Wire Capacity



REMODEL
USE

- **01250 (0125011 Bulk Packed)**
Sidemount Plus Fan/Fixture Box®
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
Removable Sidemount Bracket

SAF-T-PAN®



NEW OR REMODEL
CONSTRUCTION

- **01030 (0103011 Bulk Packed)**
Saf-T-Pan® Fan/Fixture Support Pan
Box Depth 0.63"
Heavy Duty, 8 Cubic Inch Dual Mount* Electrical Pan
2 Knockouts for Conduit or Romex®



NEW OR REMODEL
CONSTRUCTION

- **01036 (0103611 Bulk Packed)**
Saf-T-Pan® Fan/Fixture Support Pan
Box Depth 0.5"
Heavy Duty, 6 Cubic Inch Dual Mount* Electrical Pan
5 Knockouts for Conduit or Romex

FAN MASTER JR.® & FAN MASTER®



Clips inside box
hold screws during
installation

NEW
CONSTRUCTION

- **0252511 (Bulk Packed)**
Fan Master Jr.® Fan/Fixture Support
Height 4"
Box Depth 0.5"
13.4 Cubic Inch Wiring Capacity
2 Knockouts for Conduit or Romex®
2 Hour Fire Rating



Clips inside box
hold screws during
installation


NEW
CONSTRUCTION

- **0200011 (Bulk Packed)**
Fan Master® Fan/Fixture Support
Height 4-13/16"
Box Depth 0.63"
16.5 Cubic Inch Wiring Capacity
2 Knockouts for Conduit or Romex®
2 Hour Fire Rating



SAF-T-GRID®

All weight is carried by
building structure, not by gridwork



SUSPENDED CEILING
APPLICATIONS



Turnbuckle for easy
height adjustment

- * **01070**
Saf-T-Grid® Fan/Fixture Support Brace and Box for Suspended Ceilings
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Fits 2' x 2' and 2' x 4' ceiling tile gridwork

Mounting Hardware



- For fixture support of 70 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
- For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
- * For fixture support of 50 lbs. or less. / Acceptable for fan support of 50 lbs. or less.
- * Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).

REPLACEMENT GLASSWARE & ASSORTED SHADES

Refreshing a light fixture or ceiling fan with our unique selection of shades is an easy design upgrade. From classic glass diffusers to vibrant art glass shades, Westinghouse offers choices for all of your lighting needs.



81479
Crystal Clear Pleated Shade
Fitter: 2.25"
Height: 5.00"
Diameter: 4.25"



81094
Frosted Pleated Shade
Fitter: 2.25"
Height: 5.00"
Diameter: 4.25"



81258
Clear Ribbed Bell Shade
Fitter: 2.25"
Height: 4.50"
Diameter: 4.75"



• **81275**
Indigo Blue Angled Design Shade
Fitter: 2.25"
Height: 6.75"
Diameter: 3.75"



• **81208**
White Angled Design Shade
Fitter: 2.25"
Height: 6.75"
Diameter: 3.75"



81066
Frosted Ribbed Bell Shade
Fitter: 2.25"
Height: 4.73"
Diameter: 4.68"



81242
Satin Crimp Shade
Fitter: 2.25"
Height: 4.13"
Diameter: 5.00"



• **81282**
Frosted Etched Grape Design Crimp Shade
Fitter: 2.25"
Height: 4.81"
Diameter: 4.25"



• **81082**
Clear and Frosted with Gold Band Crimp Shade
Fitter: 2.25"
Height: 5.44"
Diameter: 5.82"



• **81100**
Frosted Etched Shade
Fitter: 1.63"
Height: 5.00"
Diameter: 4.25"

• **85100**
6-Pack of 81100

**6
PACK**



85602
Clear Design Shade, 6-Pack
Fitter: 3.25"
Height: 5.75"
Diameter: 5.50"
Sold as 6-Pack Only



81819
Clear Dot Pattern Diffuser
Height: 1.25"
Diameter: 13.00"



81805
Clear Dot Pattern Diffuser
Height: 1.50"
Diameter: 15.00"



81770
Clear Wheat Design on White Diffuser
Height: 2.13"
Diameter: 13.00"



81837
Frosted Diffuser
Height: 2.25"
Diameter: 12.75"



81720
White Diffuser
Height: 1.50"
Square: 12.00"



81800
Clear Wheat Design on White Ruffled Edge Diffuser
Height: 1.50"
Square: 12.00"



81807
Clear Floral Design on White Diffuser
Height: 1.50"
Square: 12.00"



81810
Clear Floral Design on White Diffuser
Height: 1.75"
Square: 14.00"



• 81578 Opal Schoolhouse Shade 6-Pack of 81578
Fitter: 4.00"
Height: 6.25"
Diameter: 7.25"



• 81528 Opal Schoolhouse Shade 6-Pack of 81528
Fitter: 4.00"
Height: 7.00"
Diameter: 8.50"



• 81592 White Schoolhouse Shade
Fitter: 3.25"
Height: 4.94"
Diameter: 5.75"



• 83757 White Mushroom Shade 6-Pack of 83757
Fitter: 8.00"
Height: 4.00"
Diameter: 9.50"



• 81613 White Mushroom Shade 6-Pack of 81613
Fitter: 6.00"
Height: 3.75"
Diameter: 7.50"



81918 Drum Lens White Acrylic Shade
Fitter: 9.88"
Height: 2.50"
Diameter: 11.00"



81919 Drum Lens White Acrylic Shade
Fitter: 12.63"
Height: 2.50"
Diameter: 13.75"



85606 White and Clear Drum Shade, 6-Pack
Fitter: 6.00"
Height: 3.38"
Diameter: 6.50"
Sold as 6-Pack Only



85608 White and Clear Drum Shade, 6-Pack
Fitter: 8.00"
Height: 4.00"
Diameter: 7.63"
Sold as 6-Pack Only



81609 White and Clear Drum Shade
Fitter: 10.00"
Height: 4.25"
Diameter: 11.00"



• 81501 Opal Globe
Fitter: 3.25"
Diameter: 6.00"



• 81571 Gloss White Globe 85571 6-Pack of 81571
Fitter: 4.00"
Diameter: 8.00"



• 81570 Gloss White Globe • 85570 6-Pack of 81570
Fitter: 3.25"
Diameter: 6.00"



81869 White Polycarbonate Globe
Fitter: 3.25"
Diameter: 6.00"



• 81560 Clear Seeded Globe
Fitter: 3.25"
Diameter: 6.00"



• 85707 Frosted Victorian Globe, 6-Pack • 81575 Frosted Victorian Globe
Fitter: 3.25"
Diameter: 6.00"
Fitter: 4.00"
Diameter: 7.50"
Sold as 6-Pack Only



81254 Clear Prismatic Globe 85254 6-Pack of 81254
Fitter: 3.25"
Diameter: 6.38"



• 85705 Smoke Lustre Globe, 6-Pack
Fitter: 3.25"
Diameter: 6.00"
Sold as 6-Pack Only



• 85712 Gloss Clear Lustre Globe, 4-Pack
Fitter: 3.25"
Diameter: 6.00"
Sold as 4-Pack Only



81450 White Glass Threaded Neck Globe 85450 6-Pack of 81450
Fitter: 3.25"
Diameter: 6.00"



81877 White Polycarbonate Threaded Neck Globe
Thread: 3.25"
Diameter: 6.00"



• 81549 Gloss Clear Threaded Neck Globe
Fitter: 4.00"
Diameter: 8.00"



81900 White Acrylic Globe 81901 White Acrylic Globe
Fitter: 4.00"
Diameter: 7.95"
Fitter: 4.00"
Diameter: 10.00"



81883 White Acrylic Globe 81884 White Acrylic Globe
Diameter: 12.00"
Opening: 5.25"
Diameter: 14.00"
Opening: 5.25"



• 81169
Clear Flare Shade
Fitter: 1.63"
Height: 6.75"
Diameter: 3.75"



• 81162
Clear Williamsburg Style Shade
Fitter: 1.63"
Height: 6.50"
Diameter: 3.75"



• 83062
Clear Glass Chimney
Fitter: 2.63"
Height: 7.50"
Top Opening: 1.63"
Bulge: 3.50"



• 83070
Clear Glass Chimney
Fitter: 2.63"
Height: 8.50"
Top Opening: 2.00"
Bulge: 3.63"



• 83090
Clear Glass Chimney
Fitter: 3.00"
Height: 8.50"
Top Opening: 2.00"
Bulge: 4.00"



• 81151
Satin White Shade
Fitter: 2.00"
Height: 5.00"
Diameter: 4.75"



• 83091
3/4 Frosted Glass Chimney
Fitter: 3.00"
Height: 8.50"
Top Opening: 2.00"
Bulge: 4.00"



• 83072
Clear Glass Chimney
Fitter: 2.63"
Height: 10.00"
Top Opening: 2.00"
Bulge: 3.63"



• 83100
Clear Glass Chimney
Fitter: 3.00"
Height: 10.00"
Top Opening: 2.00"
Bulge: 4.00"



• 83101
3/4 Frosted Glass Chimney
Fitter: 3.00"
Height: 10.00"
Top Opening: 2.00"
Bulge: 4.00"
Diameter: 4.00"



81459
White Tapered Polycarbonate Threaded Neck Shade
Thread: 3.25"
Height: 6.25"
Diameter: 4.00"



81457
White Tapered Polycarbonate Threaded Neck Shade
Thread: 3.25"
Height: 8.50"
Diameter: 4.00"



85617
Clear Glass Shade, 6-Pack
Fitter: 3.25"
Height: 4.75"
Diameter: 3.63"

Sold as 6-Pack Only



85604
White Grooves with Clear Bottom Shade, 6-Pack
Fitter: 3.25"
Height: 4.50"
Width: 5.75"

Sold as 6-Pack Only



81760
White Channel
Height: 3.75"
Width: 24.00"
Depth: 3.00"
Hole Size: .38"
2 Holes
6.5" from ends
11" between holes



81764
White Channel
Height: 3.75"
Width: 15.00"
Depth: 3.00"
Hole Size: .38"
Centered Hole



81759
White Channel
Height: 3.75"
Width: 12.00"
Depth: 3.00"
Hole Size: .38"
Centered Hole



81758
White Channel
Height: 3.75"
Width: 7.50"
Depth: 3.00"
Hole Size: .38"
Hole 1.75" from end



81499
Polypropylene Satin Tulip Clip-On Shade
Height: 4.75"
Diameter: 8.00"
Clips onto an A-Shape bulb.



81493
Acrylic Prismatic Dome Clip-On Shade
Height: 4.75"
Diameter: 8.00"
Clips onto an A-Shape bulb.



81494
Acrylic White Dome Clip-On Shade
Height: 4.75"
Diameter: 7.75"
Clips onto an A-Shape bulb.



81514
Acrylic White Dome Clip-On Shade with Pull-Chain Opening
Height: 4.75"
Diameter: 7.75"
Clips onto an A-Shape bulb.

LIGHTING HARDWARE

For every repair or replacement need, Westinghouse has you covered. From sockets to switches, canopies to crossbars, we have the hard-to-find parts required to make your fixtures perform like new. Available in bulk and packaged.



70234
Twin Cluster Ceiling Kit
Medium Base
Includes:
• 1 Canopy • 1 Wired Socket
• 1 Crossbar • 2 Mounting Screws
• 1 Lock-Up Cap • 2 Rubber Washers
Ideal for Glass Diffusers



***22259**
Twin Cluster Socket with Male Threads on Each End
Medium Base
6" Wire Leads, 18 Gauge
105° Leads
660 Watts Max., 250 Volts
½-IP Nipple
Height - 4¾"



70430
Turn-Knob Phenolic Socket
On/Off
Threaded ½-IP
Medium Base
660 Watts Max.
250 Volts



***22234**
High Heat Phenolic Socket
Medium Base
Keyless
½-IP Bushing with Set Screw
660 Watts Max.
250 Volts
Height - 2¾"



70145
Horizontal Phenolic Snap-In Socket
Fits into ¾" x ¼" Hole
Medium Base
660 Watts Max.
250 Volts



70407
Keyless Phenolic Socket
½-IP Hickey
Medium Base
660 Watts Max.
250 Volts



***22237**
Push-Through Phenolic Socket
Medium Base
½-IP Cap with Side Screw
Aluminum Screw Shell
660 Watts Max.
250 Volts
Height - 2¾"



70433
Pull Chain Phenolic Socket
On/Off
Tapped ½-IP
Medium Base
250 Watts Max.
250 Volts



***22504**
3-Way Turn-Knob Socket
Medium Base
250 Watts Max.
250 Volts
Height - 1⅞"



***22381-3 Light**
***22382-4 Light**
Black Harness Set
Candelabra Base
Fits ¾" Hole
Includes Lock Nuts
SPT-2, 18 Gauge, 105° Leads
75 Watts Max. Per Socket, 125 Volts
6¼" Between Sockets
12" on End
Height - 1¼"



***22380**
1 Light Black Harness Set
Candelabra Base
Fits ¾" Hole
Includes Lock Nut
12" Wire Leads
SPT-2, 18 Gauge
105° Leads
75 Watts Max., 125 Volts
Height - 1¼"



***22220**
Pigtail Socket
24" Wire Leads
Candelabra Base
18-2, SPT-1
105° Leads
75 Watts Max.
125 Volts
Height - 1⅞"



***22215**
1 ½" Socket
6" Wire Leads and Straight Bracket
Medium Base
18 Gauge, 105° Leads
Bracket Extends 1⅞"
Measured Center to Center
660 Watts Max., 250 Volts
Height - 1½"



***22213**
1 ½" Snap-in Socket
6" Wire Leads
Medium Base
Fits 1¼" Hole
18 Gauge
105° Leads
660 Watts Max., 250 Volts
Height - 1½"



***22217**
1 ½" Snap-in Socket
9" Wire Leads
Medium Base
Fits ¾" x ¼" Hole
18 Gauge
105° Leads
660 Watts Max., 250 Volts
Height - 1½"



70412 - 3-Way
70413 - On/Off
70421 - 2 Circuit
Turn-Knob Socket
Brass Finish
Medium Base
Tapped ½-IP
250 Watts Max., 250 Volts



70410
On/Off Push-Through Socket with Set Screw
Brass Finish
Medium Base
Tapped ½-IP
660 Watts Max., 250 Volts



70411 - On/Off
70431 - 3-Way
Pull Chain Socket
Brass Finish
Medium Base
Tapped ½-IP
250 Watts Max., 250 Volts



***22041**
3-Way Turn-Knob Socket
Polished Brass Finish
Medium Base
½-IP Bushing with Set Screw
Removable Knob
250 Watts Max., 250 Volts
Height - 2¼"



***22125**
1 1/2" Keyless Socket
Candelabra Base
1/8-IP Hickey
75 Watts Max., 125 Volts



***22126**
70403 (Carded 2-Pack)
Two 2" Keyless Sockets
Candelabra Base
Threaded 1/8-IP Hickey
75 Watts Max., 125 Volts

Two 2" Keyless Sockets



***22138**
Adjustable Keyless Socket
Medium Base
1/8-IP Hickey
660 Watts Max., 250 Volts
Height Adjustable from 4" - 5 5/8"



***22127**
70402 (Carded 2-Pack)
2 Adjustable Keyless Sockets
Candelabra Base
Threaded 1/8-IP Hickey
75 Watts Max., 125 Volts
Height Adjustable from 3 1/4" - 4 1/4"



70408
Porcelain Keyless Socket
Adapter Kit
Threaded 1/8-IP Cap
660 Watts Max., 250 Volts
Includes:
• 1 Medium Base Socket • 1 Locknut
• 1 Screw Collar Loop • 1/8-IP x 1" Nipple
• 1 Fiber Washer • 1/8-IP x 2" Nipple



70409
Porcelain Keyless Socket
Medium Base
Threaded 1/8-IP Cap
660 Watts Max.
250 Volts
Height - 2"



***22267**
Porcelain Keyless Socket
Medium Base
1/8-IP Hickey
660 Watts Max.
250 Volts
Height - 2"
1875 Pulse Rated



***22269**
Porcelain Keyless Socket
with Set Screw
Medium Base
1/8-IP Bushing
660 Watts Max.
250 Volts
Height - 2"



***22218**
Porcelain Keyless Socket
1 Screw Surface Mount
Medium Base
7" Wire Leads
660 Watts Max., 250 Volts
105° Leads, Leads Height - 1 5/8"



***22370**
70425
Porcelain Fixture Socket
Medium Base
10" Wire Leads, Height - 2.41"
1/8-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts



***22371**
70426
Porcelain Fixture Socket
Medium Base
Height - 2"
1/8-IP Hickey
660 Watts Max.
250 Volts



***22276**
Porcelain Snap-In Socket
Medium Base
660 Watts Max.
250 Volts
Height - 1 3/4"



***22212**
70424
Porcelain Snap-In Socket
Medium Base
6" Wire Leads
Fits 1 1/2" Hole
18 Gauge, 125° Leads
660 Watts Max., 250 Volts
Height - 1 3/4"



***22372**
Porcelain Snap-In Socket
Medium Base
9" Wire Leads
Fits 3/8" x 1/4" Hole
18 Gauge, 105° Leads
660 Watts Max., 250 Volts
Height - 2"



***22273**
Porcelain 1-Piece Receptacle
Medium Base
660 Watts Max., 600 Volts
Height - 1 1/2"
180° C Maximum Temp.



70010
Porcelain Threaded Socket
with Aluminum Shade Ring
Medium Base
Height - 1 5/8"
Ring Height - 1/2"
660 Watts Max.
250 Volts



***22272**
70429
Porcelain Threaded Socket
with Steel Shade Ring
Medium Base
1/8-IP Bushing with Set Screw
Height - 2 1/8", Ring Size - 2 1/4"
660 Watts Max., 250 Volts



***22282**
Porcelain Mogul Base Socket
1500 Watts Max., 600 Volts
Height - 2 5/8"
4 K.V. Pulse Rated



***11104**
Porcelain Halogen Socket
5" Wire Leads
SF-1 200° C 300V Leads
100 Watts Max., 250 Volts
Fits G4, GX5.3, GV5.3
and G6.35 Lamp Bases
Height - 3/8"



***22480**
High Pressure Sodium Lamp Socket
9" Wire Leads
Medium Base
SF-2/SEW-2 200° Leads
4 K.V. Pulse Rated
660 Watts Max., 600 Volts
1/2" Screw-Down
Height - 1 3/4"



***22471 - GX5.3 Base**
Mini BiPin Quartz MR16 Socket
12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 1"



***22470 - GY6.35 Base**
Mini BiPin Quartz MR16 Socket
12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 3/8"



***22472 - GX5.3 Base**
Mini BiPin Quartz MR16 Socket
12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 3/8"



*** 22451**
Slimline Slide-On Lamp Holder
Plunger Pedestal-Type
Shallow End
For T8 Lamps
660 Watts Max., 1000 Volts



*** 22452**
Slimline Slide-On Lamp Holder
Fixed Pedestal-Type
Shallow End
For T8 Lamps
660 Watts Max., 1000 Volts



*** 22457**
Medium BiPin Lamp Holder Floating
Action for U-Shape Lamps
Low Profile Size
20 Gauge
660 Watts Max., 600 Volts
Non Shunted



*** 22490**
Stationary End Lamp Holder
For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts
Non Shunted



*** 22491**
Plunger End Lamp Holder
For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts
Non Shunted




*** 22453**
Medium BiPin Lamp Holder
Low Profile Size
660 Watts Max., 600 Volts
T8/T12 Non Shunted




*** 22456**
Medium BiPin Turn Type
Lamp Holder
Standard Size
No. 18/20 Gauge
Panel Mount
660 Watts Max., 600 Volts
Non Shunted



*** 22454**
Medium BiPin Turn Type Lamp
Holder
Low Profile Size
No. 18/20 Gauge
Panel Mount, Captive
Mount and Screw
660 Watts Max., 600 Volts
Non Shunted




*** 22150**
70364
Porcelain Socket Extender
Medium Base
660 Watts Max., 250 Volts
Extension - 1/4"
Overall Length - 2 1/4"



*** 22411**
70361
Socket Adapter Enlarger
Enlarges Candelabra Base to
Medium Base
75 Watts Max., 125 Volts



*** 22402**
Socket Adapter Reducer
Reduces German or Italian Base
to Candelabra Size
With Rubber Ring
75 Watts Max., 120 Volts



*** 22403**
Socket Adapter Reducer
Reduces Intermediate Base to
Candelabra Base
With Rubber Ring
75 Watts Max., 120 Volts



*** 22406**
Socket Adapter Reducer
Reduces Mogul Base
to Medium Base
660 Watts Max., 250 Volts




*** 22560 - FS-2**
Fluorescent Lamp Starter
FS-2 RoHS Compliant
14, 15 and 20 Watt Lamps



*** 22562 - FS-5**
Fluorescent Lamp Starter
FS-5 RoHS Compliant
4, 6 and 8 Watt Lamps

*** 22561 - FS-4**
Fluorescent Lamp Starter
FS-4RoHS Compliant
30 and 40 Watt Lamps



70160
2 Socket Keys
Brass Finish
With 1/2" Extensions
Tapped 5/16"-F x 5/16"-M



70161
2 Replacement Knobs
Black Finish
With 1/2" Extensions
Tapped 5/16"-F x 5/16"-M



70435
Phenolic Shade Ring
for Medium Base Sockets
Outside Diameter - 2 3/8"
Inside Diameter - 1 5/8"
For use with phenolic sockets only.



70428
Steel Shade Ring
for Medium Base Sockets
Ring Size - 2 3/8"
Outside Diameter - 2 1/4"
Inside Diameter - 1 1/2"



70001
2 Aluminum Shade Rings
for Medium Base Sockets
Outside Diameter - 2"
Inside Diameter - 1 1/2"
For use with porcelain
threaded sockets.



70290
Replacement Canopy Light Switch
with Brass Finish Pull Chain
3' Braided Cord
6" Wire Leads
Height - 1 1/4"
Fits 3/8" Hole



*** 22321 - Brass Finish, 4' Cord**
Pull Chain Canopy Switch
with 4' White Braided Cord
Brass Finish
6" Wire Leads
18 Gauge, 105° Leads
Fits 3/8" Hole
3A, 250 VAC, 6A, 125 VAC
6A, 125 VL
Height - 1 1/4"



*** 22306**
Push Canopy Switch
4 3/4" Wire Leads
18 Gauge, 105° Leads
Fits 3/8" Hole
3A, 250 VAC
6A, 125 VL
6A, 125 VAC
Height - 1 1/4"



*** 22303 - Brass Knob**
Single Pole Rotary Switch
with Removable Brass Knob
6" Wire Leads
18 Gauge, 105° Leads
7/16" Nipple, Fits 3/8" Hole
3A, 250 VAC
6A, 125 VL, 6A, 125 VAC
Height - 1 1/4"



70111
Adjustable All-Purpose Crossbar
Slips 3/8"-IP
Holes Tapped 8-32
Adjusts from 3 1/8" to 5" for
Slot Mounting on 3", 3 1/4" or 4" Box
Two 1/2" Head Screws Included
Two 1/4" Head Screws Included
35 lb. Load Rating




***21038**
Circular Crossbar
4 Tapped 8-32 Holes
2 3/4" Center to Center
3 1/2" Center to Center
45 lb. Load Rating



70112
4" Offset Crossbar
Two 1/2" Mounting Screws
and 2 Tapped 8-32 Holes
Spaced 2 3/4" Apart
Slips 1/8"-IP



***21003**
70113
Crossbar 4" Long
Tapped 1/8"-IP
45 lb. Load Rating



70110
4" Crossbar Kit
Tapped 1/8"-IP
35 lb. Load Rating
Includes:
• 1 Crossbar 4" Long
• 1 3/8"-IP x 1/4"-IP Reducing Hickey
• 1 1/4"-IP x 1/8"-IP Reducing Bushing
• 2 8-32 x 1/2" Mounting Screws



70350 - Brass Finish
70352 - Antique Brass Finish
Screw Collar Loop Kit
Fits Canopies with a 1 1/8" Center Hole
Tapped 1/4"-IP, 35 lb. Load Rating
Includes:
• 1 Crossbar 4" Long
• 1 Screw Collar Loop • 2 Locknuts
• 1 Lock Washer • 1/4"-IP x 1 1/2" Nipple
• 1 3/8"-IP x 1/4"-IP Reducing Hickey
• 2 8-32 x 1/2" Mounting Screws



***21008**
Crossbar 3 3/8" Long
Ground Screw Inserted
Tapped 1/4"-IP
45 lb. Load Rating



***21004**
Crossbar 4" Long
Tapped 1/8"-IP
Green Ground Screw
45 lb. Load Rating



***21005**
Crossbar 4" Long
Tapped 1/4"-IP
45 lb. Load Rating



***21006**
70114
Offset Crossbar 4" Long
Tapped 8-32 Holes
Green Ground Screw
35 lb. Load Rating



70151
6 Assorted Nipples
Zinc-Plated
Includes:
• 2 1/4"-IP x 3/4"
• 2 1/4"-IP x 1 1/2"
• 2 1/4"-IP x 2"



***13206** - 3/4" Long
70176 - 1" Long
(Carded 4-Pack)
***13212** - 1 1/2" Long
70601 - 1 1/2" Long
(Carded 4-Pack)
Steel Nipple
Zinc-Plated, Threaded 1/8"-IP



70602 - 2" Long
(Carded 2-Pack)
70603 - 3" Long
(Carded 2-Pack)
Steel Nipple
Zinc-Plated, Threaded 1/8"-IP



70604 - 4" Long
(Carded 2-Pack)
***13248** - 6" Long
70606 - 6" Long
(Carded 2-Pack)
Steel Nipples
Zinc-Plated, Threaded 1/8"-IP



70613 - 6" Long
(Carded 2-Pack)
2 Steel Nipples
Zinc-Plated
Threaded 1/8"-IP



70150
8 Assorted Nipples
Zinc-Plated
Includes:
• 2 1/8"-IP x 1/2"
• 2 1/8"-IP x 1"
• 2 1/8"-IP x 1 1/2"
• 2 1/8"-IP x 2"



***13650**
70270
30" Steel Brass-Plated
All-Thread Pipe
Threaded 1/8"-IP



70272
12" All-Thread Lamp Pipe Kit
Zinc-Plated Steel
Includes:
• 2 1/8"-IP x 12" Threaded Pipe
• 2 1/8"-IP Couplings
• 2 1/8"-IP Locknuts
• 2 1/8"-IP Knurled Locknuts, 2 Washers




***12060**
Hexagon
Steel
Diameter - 1 1/8"
Tapped 1/4"-IP




70162 - (Carded 2-Pack)
2 Couplings Polished Brass Finish
Tapped 1/8"-IP



70620
4 Knurled Locknuts Solid Brass
Tapped 1/8"-IP




70621 - Solid Brass
70622 - Steel
6 Hex Nuts
Tapped 1/8"-IP




70172
12 Hex Nuts Solid Brass
Tapped 1/8"-IP



70155
12 Assorted Washers
Brass-Plated Steel
For 1/8"-IP Nipples
Includes:
• 4 Lock Washers
• 4 Flat Washers
• 4 Rubber Washers



70628
6 Assorted Nuts and Washers
Brass-Plated Steel
For 1/8"-IP Nipples
Includes:
• 2 Lock Washers
• 2 Flat Washers
• 2 Hex Nuts



70152
16 Assorted Hex Nuts
Steel
Includes:
• 4 8-32 Hex Nuts
• 2 1/4"-27 Hex Nuts
• 6 1/8"-IP Hex Nuts
• 2 1/4"-IP Hex Nuts
• 2 1/8"-IP Hex Nuts



70153
12 Assorted Locknuts

Solid Brass
Includes:
• 2 8-32 Battery Nuts
• 2 Threaded ¼-27 Knurled Locknuts
• 2 ½-IP Knurled Locknuts
• 4 ½-IP Hex Nuts
• 2 ¼-IP Knurled Locknuts



70638 - Brass Finish
70639 - Nickel Finish
Lock-Up Kit
For Ceiling Glass
Tapped ½-IP



70660
4 Cap Nuts
Solid Brass
Diameter - ¾"
Tapped 8-32



70156
13 Assorted Screws
Includes:
• 3 - 8-32 x ½" Brass-Plated
• 3 - 8-32 x ½" Nickel-Plated
• 3 - 8-32 x ¾" Brass-Plated
• 2 - 8-32 x 1" Brass-Plated
• 2 - 8-32 x 2" Brass-Plated



70635
14 Piece Lighting Fixture
Repair Kit
Includes:
• 2 - 8-32 x ¾" Philips Head Screws
• 2 - 8-32 x ½" Knurled Head Screws
• 2 - 8-32 x ¾" Philips Head Screws
• 2 - 8-32 x ¾" Knurled Head Screws
• 2 - 8-32 x 1" Cross Bar Screws
• 4 - 8-32 Knurled Knobs



70632 - Brass-Plated
½" Long
70633 - Nickel-Plated
½" Long
70634 - Brass-Plated
¾" Long
3 Knurled Head Steel Screws
Threaded 8-32



70254
1 3/8" Diameter Female Loop
Antique Brass Finish
Tapped ½-IP
40 lb. Load Rating



70258
Two 1" Diameter Female Loops
Brushed Nickel Finish
Tapped ½-IP
45 lb. Load Rating



70256
Two 1" Diameter Female Loops
Antique Brass Finish
Tapped ½-IP
45 lb. Load Rating



70250
Two 1" Diameter Female
and Male Loops
Brass Finish
Threaded ½-IP
45 lb. Load Rating



70169 - Brass Finish
70640 - Nickel Finish
2 Lock-Up Caps
Diameter - ¾"
Tapped ½-IP



70158
2 Lock-Up Caps
White Finish
Diameter - 1½"
Tapped ½-IP



***18134**
Canopy Extension Collar
White Finish
Depth - 1½"
Diameter - 5¼"
Gives Canopy 1½" Additional Depth



70037
Modern Canopy Kit with Center Hole
White Finish
Depth - 1½"
Diameter - 5¼"
Gives Canopy 1½" Additional Depth



70033
Modern Canopy Kit with Center Hole
Brushed Nickel Finish
5" Diameter, 7/16" Center Hole
40 lb. Load Rating
Includes: 1 Canopy • 1 Screw Collar
Loop • 2 Mounting Screws
• 1 Lock Washer • 1 Locknut



70036
Modern Canopy Kit with Center Hole
Black Finish
5" Diameter, 7/16" Center Hole
40 lb. Load Rating
Includes: 1 Canopy • 1 Screw Collar
Loop • 2 Mounting Screws
• 1 Lock Washer • 1 Locknut



70038
Modern Canopy Kit with Center Hole
Oil Rubbed Bronze Finish
5" Diameter, 7/16" Center Hole
40 lb. Load Rating
Includes: 1 Canopy • 1 Screw Collar
Loop • 2 Mounting Screws
• 1 Lock Washer • 1 Locknut



70053
Traditional Canopy Kit
with Center Hole
Antique Brass Finish
5½" Diameter, 7/16" Center Hole
50 lb. Load Rating
Includes: 1 Canopy • 1 Crossbar
• 4 Mounting Screws • 1 Lock Washer
• 1 Locknut, 1 Screw Collar Loop
• 2 Cap Nuts



70050
Traditional Canopy Kit
with Center Hole
Oil Rubbed Bronze Finish
5½" Diameter, 7/16" Center Hole
50 lb. Load Rating
Includes: 1 Canopy • 1 Crossbar
• 4 Mounting Screws • 1 Lock Washer
• 1 Locknut • 1 Screw Collar Loop
• 2 Cap Nuts



70052
Traditional Canopy Kit
with Center Hole
Brass Finish
5½" Diameter, 7/16" Center Hole
50 lb. Load Rating
Includes: 1 Canopy • 1 Crossbar
• 4 Mounting Screws • 1 Lock Washer
• 1 Locknut • 1 Screw Collar Loop
• 2 Cap Nuts



70055
Traditional Canopy Kit
with Center Hole
Black Finish
5½" Diameter, 7/16" Center Hole
50 lb. Load Rating
Includes: 1 Canopy • 1 Crossbar
• 4 Mounting Screws • 1 Lock
Washer • 1 Locknut • 1 Screw Collar
Loop • 2 Cap Nuts



***29453**
70064
White Outlet Concealer
Holes Spaced 2 ¾" Apart
Diameter - 4¾"
Mounts on 3" or 4" Outlet Box
Includes:
• 2 8-32 x ¾" White Head Screws
*Polybagged Bulk Items



***29452**
70065
White Outlet Concealer Holes
Spaced 3 ½" Apart
Diameter - 4¾"
Holes Spaced 3 ½" Apart
Mounts on 4" Outlet Box
Includes:
• 2 8-32 x ¾" White Head Screws
*Polybagged Bulk Items



70045
Ceiling Blank-Up Kit
White Finish
Diameter - 5.13", 7/16" Center Hole
Includes:
• 1 Canopy
• 1 ½-IP x 2 ½" Nipple
• 1 ½-IP x ½-IP Reducing Bushing
• 1 Cap Nut



70058
Blank-Up Kit
White Finish
Diameter - 5"
Holes Spaced, 2¾" Apart
Includes:
• 1 Canopy, 1 Crossbar
• 2 Mounting Screws
• 2 Cap Nuts



70446
Large 2 1/2" Swag Hook Kit
Brushed Pewter Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70440
Large 2 1/2" Swag Hook Kit
Polished Brass Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70441
Large 2 1/2" Swag Hook Kit
Antique Brass Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70442
Large 2 1/2" Swag Hook Kit
Black Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70443
Large 2 1/2" Swag Hook Kit
White Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70770
1 1/2" Swag Hook Kit
White Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70444
1 1/2" Swag Hook Kit
Brushed Pewter Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70450
1 1/2" Swag Hook Kit
Polished Brass Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70451
1 1/2" Swag Hook Kit
Antique Brass Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70452
1 1/2" Swag Hook Kit
Black Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70454
1 1/2" Swag Hook Kit
Oil Rubbed Bronze Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70070
3' 11 Gauge Fixture Chain
Polished Brass Finish
35 lb. Load Rating



70071
3' 11 Gauge Fixture Chain
Antique Brass Finish
35 lb. Load Rating



70072
3' 11 Gauge Fixture Chain
Flat Black Finish
35 lb. Load Rating



70074
3' 11 Gauge Fixture Chain
Oil Rubbed Bronze Finish
35 lb. Load Rating



70075
3' 11 Gauge Fixture Chain
Brushed Nickel Finish
35 lb. Load Rating



70079
3' 11 Gauge Fixture Chain
Rust Finish
35 lb. Load Rating



70670
3' 11 Gauge Fixture Chain
White Finish
35 lb. Load Rating



***21457**
8 Gauge Fixture Chain
Flat Black Finish
50 lb. Load Rating
Sold by the Yard



70480
12' Swag Kit
Polished Brass Finish
12 Ft. Chain, 15 Ft. Cord
Gold Cord with White Switch
Includes:
• 11 Gauge Chain • SPT-1 Cord Set
• Cord Switch • 2 Swag Hooks
• Mounting Hardware
• 35 lb. Load Rating



70471
15' Swag Kit
Antique Brass Finish
15 Ft. Chain, 20 Ft. Cord
Opaque Gold Cord with Brown Switch
Includes:
• 11 Gauge Chain • SPT-1 Cord Set
• Cord Switch • 2 Swag Hooks
• Mounting Hardware
• 35 lb. Load Rating



70481
12' Swag Kit
Antique Brass Finish
12 Ft. Chain, 15 Ft. Cord
Opaque Gold Cord with Brown Switch
Includes:
• 11 Gauge Chain • SPT-1 Cord Set
• Cord Switch • 2 Swag Hooks
• Mounting Hardware
• 35 lb. Load Rating



70530
15' Swag Kit
White Finish
15 Ft. Chain, 20 Ft. Cord
White Cord with White Switch
Includes:
• 11 Gauge Chain • SPT-1 Cord Set
• Cord Switch • 2 Swag Hooks
• Mounting Hardware
• 35 lb. Load Rating



70531
12' Swag Kit
White Finish
12 Ft. Chain, 15 Ft. Cord
White Cord with White Switch
Includes:
• 11 Gauge Chain • SPT-1 Cord Set
• Cord Switch • 2 Swag Hooks
• Mounting Hardware
• 35 lb. Load Rating



77003
18' Swag Kit
White Finish
18 Ft. Chain, 20 Ft. Cord
Silver Cord with White Switch
Includes:
• 11 Gauge Chain • SPT-2 Cord Set
• Cord Switch • 2 Swag Hooks
• Mounting Hardware
• 35 lb. Load Rating



***69559**
70099
 Fixture Chain Pliers
 7" Long
 Works with up to 3 Gauge Chain
 Used for Easy Opening
 and Closing of Chain Links



70025
 Electrified Candlestick
 and Bottle Adapter
 Includes:
 • 8' 18 Gauge Cord Set
 • Push-Through
 Medium Base Socket
 • 150 Watts Max. Rating
 • 3 Rubber Bottle Adapters
 • Hardware



70268
 Make-A-Lamp 3-Way Socket Kit
 Polished Brass Finish
 Includes:
 • 10" Detachable Harp
 • 8' 18 Gauge Cord Set
 • 3-Way Medium Base Socket
 • 150 Watts Max. Rating
 • Finial • Hardware



70269
 Make-A-Lamp Push-Through
 Socket Kit
 Polished Brass Finish
 Includes:
 • 10" Detachable Harp
 • 8' 18 Gauge Cord Set
 • Push-Through Medium Base Socket
 • 150 Watts Max. Rating
 • Finial • Hardware



70219
 Clip-On Lamp Adapter
 Brass Finish
 Threaded 1/4-27
 Height - 3 1/8", Width - 2 1/8"
 Depth - 1/2"
 Overall Height - 4"
 Clips Onto Medium Base
 A Shape Lamps



70218 - 6 1/2"
70220 - 8"
70221 - 9"
70222 - 10"
70224 - 12"
 2-Piece Detachable Harp
 Polished Brass Finish



70689 - 8"
70690 - 10"
 2-Piece Detachable Harp
 Rustic Bronze Finish



70226 - 8"
70227 - 10"
 2-Piece Detachable Harp
 Brushed Pewter Finish



70133
 Acorn Knob Lamp Finial
 Brass Finish
 Height - 1 1/2"
 Tapped 1/4-27
 Finial Thread Reducer
 Tapped 1/8-M to 1/4-27- F



70321
 Victorian Lamp Finial
 Tiffany Antique Brass Finish
 Height - 1 1/4"
 Tapped 1/4-27



70005
 Classic Ball Lamp Finial
 Oil Rubbed Bronze Finish
 Height - 1 1/2"
 Tapped 1/4-27



70006
 Classic Ball Lamp Finial
 Brushed Nickel Finish
 Height - 1 1/2"
 Tapped 1/4-27



70144 (Carded 2-Pack)
 2 Lamp Finials
 Nickel Finish
70136 (Carded 2-Pack)
 2 Lamp Finials
 Brass Finish
 Height - 1"
 Tapped 1/4-27



70138 (Carded 2-Pack)
 2 Lamp Finials
 Nickel Finish
 Height - 1 1/4"
 Tapped 1/4-27



70131 (Carded 2-Pack)
 2 Lamp Finials
 Brass Finish
 Height - 1 1/4"
 Tapped 1/4-27
 Box Depth: 0.88"



70135
 Lamp Finial
 Solid Brass
 Height - 2"
 Tapped 1/4-27



70130 (Carded 2-Pack)
 2 Lamp Finials
 Solid Brass
 Height - 2"
 Tapped 1/4-27



70374 - 4" Long Ivory (Carded 2-Pack)
 2 Plastic Candle Socket Covers
 Medium Base
 I.D. - 1 1/32", O.D. - 1 1/4"



***24109 - 4" Long White**
70370 - 4" Long White (Carded 2-Pack)
24115 - 6" Long
 Plastic Candle Socket Cover
 Candelabra Base
 I.D. - 1 1/32" O.D. - 1 1/8"



***24140 - 4" Long White**
70371 - 4" Long White (Carded 2-Pack)
 Plastic Candle Socket Cover
 Medium Base
 I.D. - 1 1/32", O.D. - 1 1/4"



74998 - Single Gang
74999 - Double Gang
 Plastic Wall Shield



74321
 8 Clear Safety Caps
 Covers Outlets



70900
 40" Wire Cover White Finish
 Height - 3/8"
 Width - 1/2"
 Can be painted or stained
 Use latex stain only



***22532**
 Snap-in Outlet with Ground Wire
 Black
 6" Wire Leads
 14 Gauge
 15A, 125 Volts
 Fits 1" Square Opening
 with Green Ground Wire
 Height - 3/8"



***22631 - Brown**
***22632 - White**
 Polarized Automatic Plug White
 SPT-1 Wire, Top Entry



***22633**
 Heavy Duty Outdoor 3-Prong Plug
 Plastic Cord Clamp
 7/16" Hole
 15A, 125 Volts
 Cord Grip Range 245-700"
 12 thm, 18 AWG



***21494**
 Bare Copper Ground Wire with Lug
 18 Gauge
 Slips 8/32 Thread
 9" Lead



70641
 10' Copper Ground Wire
 18 Gauge



70506 - Brown Finish
70500 - White Finish
 Feed-Through On/Off Switch
 For Use with No. 18,
 SPT-1 Wire Only
 3A



***23031 - 8' - Brown**
 Cord Set
***23032 - 8' - Black**
 Cord Set
 18/2 SPT-1, 105" Wire



70098
 8' Cord Set
 Silver
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70100
 8' Cord Set
 White
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70101
 8' Cord Set
 Brown
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70105
 8' Cord Set
 Gold
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70103
 15' Cord Set
 Gold
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



***23305 - White**
70108 - White
 6' Cord Set with Snap-In Pigtail
 Candelabra Base Socket
 and Cord Switch
 No. 18-2, SPT-1, 105" Wire
 75 Watts, 125 Volts
 Snap-In Spring Fits 1" Hole
 Switch is 12" from Socket



***23306 - Brown**
70003 - Brown
 6' Cord Set with Snap-In Pigtail
 Candelabra Base Socket
 and Cord Switch
 No. 18-2, SPT-1, 105" Wire
 75 Watts, 125 Volts
 Snap-In Spring Fits 1" Hole
 Switch is 12" from Socket



***23311 - White**
 6' Cord Set with Snap-In Pigtail
 Candelabra Base Socket
 No. 18-2, SPT-1, 105" Wire
 75 Watts
 125 Volts
 Snap-In Spring Fits 1" Hole



70801
 Halogen Dimmer
 for Torchiere Lamps
 Includes Knob
 500 Watt Maximum,
 120 VAC

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
01010	97	22126	103	22491	104	61074	25
01011	40	22127	103	22504	102	61075	57
0101108	43	22138	103	22532	108	61100	33
01020	97	22150	104	22560	104	61101	16
0102011	97	22212	103	22561	104	61102	16
01030	98	22213	102	22562	104	61103	34
0103011	98	22215	102	22631	108	61104	8
01036	98	22217	102	22632	108	61105	8
0103611	98	22218	103	22633	109	61106	11
0104011	97	22220	102	23031	109	61107	11
01050	97	22234	102	23032	109	61109	29
0105011	97	22237	102	23305	109	61110	10
0105211	97	22259	102	23306	109	61111	15
01070	98	22267	103	23311	109	61112	15
01100	97	22269	103	24109	108	61113	10
01240	98	22272	103	24115	108	61114	10
0124011	98	22273	103	24140	108	61115	10
01250	98	22276	103	29452	106	61116	10
0125011	98	22282	103	29453	106	61117	23
01400	97	22303	104	61006	12	61118	23
01525	97	22306	104	61007	18	61119	23
0152511	97	22321	104	61008	18	61120	23
0200011	98	22370	103	61009	14	61121	31
0252511	98	22371	103	61012	15	61122	31
10007	93	22372	103	61013	14	61123	21
11104	103	22380	102	61024	39	61124	47
12060	105	22381	102	61026	18	61125	48
13206	105	22382	102	61032	40	61126	51
13212	105	22402	104	61037	17	61127	49
13248	105	22403	104	61049	10	61128	49
13650	105	22406	104	61053	12	61129	54
16584	94	22411	104	61054	14	61130	49
18134	106	22451	104	61057	19	61131	51
21003	105	22452	104	61064	18	61132	55
21004	105	22453	104	61065	18	61133	51
21005	105	22454	104	61066	22	61134	46
21006	105	22456	104	61067	58	61135	47
21008	105	22457	104	61068	58	61136	59
21038	105	22470	103	61069	58	61137	59
21457	107	22471	103	61070	27	61138	48
21494	109	22472	103	61071	27	61139	59
22041	102	22480	103	61072	26	61140	59
22125	103	22490	104	61073	25	61141	47

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
61142	49	63041	32	63227	24	63392	56
61143	49	63048	25	63228	24	63393	52
61144	46	63059	9	63229	24	63394	52
61145	46	63060	9	63230	24	63399	47
61146	46	63065	22	63231	24	63403	21
62034	55	63069	36	63232	24	63418	8
62038	53	63070	36	63233	24	63419	8
62039	53	63073	35	63234	48	63420	7
62040	49	63074	35	63236	12	63421	35
62041	56	63075	35	63240	30	63422	20
62042	50	63076	30	63241	22	63433	9
62043	56	63078	21	63266	32	63434	34
62044	54	63079	15	63268	15	63435	34
62045	53	63082A	13	63276	32	63438A	32
62046	55	63082B	13	63278	32	63438B	32
62047	54	63083A	13	63282	8	63444	25
62048	56	63084A	13	63283	8	63445	25
62238	37	63084B	13	63288	19	63447	16
62274	9	63085A	13	63289	18	63448	34
62275	9	63087A	13	63290	18	63449	34
62278	36	63087B	13	63301	11	63450	9
62279	36	63088	22	63316	33	63455	15
62301	51	63089	22	63318	9	63456	15
62303	56	63090	16	63319	9	63465	17
62306	57	63092	19	63325	16	63470	47
62307	57	63096	11	63332	33	63478	48
62309	51	63099	11	63333	33	63479	48
63002	40	63119	30	63336	8	63485	64
63003	40	63120	53	63346	13	634856911	64
63005	40	63124	47	63347	51	634856912	64
63006	40	63131	49	63348	51	634856913	64
63008	40	63135	49	63351	47	634856914	64
63012	40	63137	50	63352	48	63490	44
63013	40	63143	50	63355	34	63491	47
63015	35	63150	53	63360	20	63510	33
63019	35	63156	45	63363	34	63512	12
63027	37	63157	45	63372	12	63514	6
63034	36	63219	22	63379	35	63515	6
63036	36	63220	23	63380	35	63516	7
63037	8	63221	23	63384	16	63517	7
63038	8	63224	23	63389	16	63522	7
63039	32	63225	23	63390	52	63523	29
63040	32	63226	24	63391	52	63530	33

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
63536	8	63642	59	63701	20	63745	49
63538	9	63643	59	63702	20	63746	45
63540	36	63644	23	63703	20	63747	45
63541	36	63645	24	63704	34	64000	53
63542	16	63661	19	63705	16	64001	57
63543	34	63663	17	63706	22	64002	53
63544	34	63664	17	63707	22	64003	55
63545	9	63665	17	63708	32	64005	25
63546	16	63666	17	63709	32	64006	25
63547	34	63667	17	63710	32	64009	21
63548	34	63668	17	63711	20	64010	10
63553	14	63669	17	63712	12	64011	25
63554	14	63670	8	63713	18	64012	21
63563	17	63671	8	63714	18	64291	26
63564	18	63672	5	63715	18	64292	26
63565	18	63673	31	63716	10	64300	25
63566	15	63674	14	63717	11	64302	26
63567	15	63675	31	63718	31	64303	26
63575	49	63676	14	63719	6	64304	26
63577	48	63677	5	63720	30	64305	26
63586	47	63678	6	63721	30	64306	26
63588	47	63679	6	63722	7	64316	26
63589	47	63680	29	63723	14	64617	36
63592	52	63681	29	63724	30	64684	57
63593	52	63682	7	63725	30	64688	57
63595	51	63683	30	63726	31	65486	64
63596	54	63684	7	63727	12	6548X6912	64
63598	54	63685	7	63728	12	6548X6913	64
63606	52	63686	6	63729	10	6548X6914	64
63607	52	63687	5	63731	50	6548X6939	64
63608	54	63688	5	63732	55	65634	65
63609	54	63689	5	63733	55	656346911	65
63610	49	63690	5	63734	46	65635	65
63611	53	63691	31	63735	50	656356911	65
63612	49	63692	11	63736	50	65636	65
63617	17	63693	11	63737	50	6563X6911	65
63619	11	63694	7	63738	50	6563X6914	65
63620	11	63695	33	63739	46	6563X6915	65
63621	11	63696	33	63740	44	65637	65
63622	12	63697	12	63741	44	65732	20
63623	12	63698	12	63742	52	65733	20
63627	14	63699	16	63743	52	65734	35
63632	16	63700	20	63744	56	65735	35

Item#	Page#
65736	35
65737	36
65738	22
65739	9
65740	33
65741	33
65742	33
65743	30
65744	29
65745	29
65746	29
65747	29
65748	29
65749	11
65750	6
65751	6
65752	21
65753	21
65754	21
65755	6
65756	4
65757	5
65758	4
65759	32
65760	4
65761	4
65762	4
65765	4
65766	5
65767	31
65768	31
65769	9
65770	33
65771	5
65772	4
65773	4
65774	4
65781	51
65782	51
65783	51
65784	56
65785	52
65786	55

Item#	Page#
65787	55
65788	47
65789	44
65790	59
65791	48
65792	44
65793	45
65794	44
65795	46
65796	46
65797	54
65798	54
65799	52
65800	48
65801	46
65802	46
65803	45
65804	46
65805	46
65806	51
65807	45
65808	55
66201	28
66206	28
66223	21
66241	28
66242	28
66297	28
66326	28
66401	37
66402	37
66403	37
66406	38
66411	38
66449	38
66450	38
66496	36
66497	36
66522	35
66594	38
66595	38
66601	37
66607	27

Item#	Page#
66610	28
66611	27
66654	37
66680	27
66686	28
66692	28
66699	27
66741	56
66746	56
66800	60
66803	60
66808	61
66818	60
66822	61
66823	61
66853	58
66861	61
66878	60
66882	60
66885	60
66898	53
66919	60
66924	58
66946	60
66949	60
66955	61
66961	57
66964	58
66971	58
66972	57
66975	61
66976	61
66983	58
66991	61
67202	27
67208	27
67210	27
67328	50
67345	28
67831	57
67834	58
67835	59
67836	59

Item#	Page#
67901	61
67973	45
67975	45
67978	60
69231	17
69559	108
70001	104
70003	109
70005	108
70006	108
70010	103
70025	108
70031	94
70032	94
70033	106
70036	106
70037	106
70038	106
70045	106
70050	106
70052	106
70053	106
70055	106
70058	106
70064	106
70065	106
70070	107
70071	107
70072	107
70074	107
70075	107
70079	107
70098	109
70099	108
70100	109
70101	109
70103	109
70105	109
70108	109
70110	105
70111	104
70112	105
70113	105

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
70114	105	70287	39	70506	109	72096	74
70130	108	70290	104	70530	107	72168	85
70131	108	70321	108	70531	107	72170	85
70133	108	70350	105	70601	105	72171	69
70135	108	70352	105	70602	105	72172	85
70136	108	70361	104	70603	105	72173	68
70138	108	70364	104	70604	105	72178	85
70144	108	70370	108	70606	105	72179	77
70145	102	70371	108	70613	105	72202	69
70150	105	70374	108	70620	105	72203	72
70151	105	70402	103	70621	105	72204	68
70152	105	70403	103	70622	105	72205	76
70153	106	70407	102	70628	105	72206	71
70155	105	70408	103	70632	106	72207	71
70156	106	70409	103	70633	106	72211	76
70158	106	70410	102	70634	106	72215	78
70160	104	70411	102	70635	106	72216	78
70161	104	70412	102	70638	106	72225	78
70162	105	70413	102	70639	106	72230	77
70168	95	70421	102	70640	106	72231	72
70169	106	70424	103	70641	109	72235	69
70172	105	70425	103	70660	106	72236	83
70176	105	70426	103	70661	93	72238	70
70218	108	70428	104	70662	94	72240	81
70219	108	70429	103	70670	107	72241	82
70220	108	70430	102	70689	108	72242	73
70221	108	70431	102	70690	108	72244	78
70222	108	70433	102	70770	107	72246	83
70224	108	70435	104	70801	109	72247	83
70226	108	70440	107	70900	108	72248	66
70227	108	70441	107	72039	67	72249	66
70234	102	70442	107	72042	67	72250	68
70250	106	70443	107	72046	68	72251	76
70254	106	70444	107	72051	70	72253	72
70256	106	70446	107	72053	72	72255	71
70258	106	70450	107	72059	71	72257	71
70268	108	70451	107	72065	70	72258	76
70269	108	70452	107	72074	70	72259	69
70270	105	70454	107	72076	69	72262	71
70272	105	70471	107	72077	68	72264	67
70284	39	70480	107	72078	68	72267	84
70285	39	70481	107	72090	72	72270	70
70286	39	70500	109	72091	70	72301	85

Item#	Page#
72302	85
72303	81
72304	79
72305	79
72306	74
72307	82
72308	82
72309	79
72310	79
72311	77
72312	79
72313	80
72314	80
72315	80
72317	82
72319	80
72320	75
72321	74
72322	74
72323	75
72324	75
72328	83
72330	82
72331	77
72333	82
72334	84
72336	72
72338	73
72341	73
72344	81
72347	81
72349	74
72351	74
72354	79
72357	77
72358	77
72359	73
72362	84
72364	73
72366	83
72369	83
72371	73
72372	78

Item#	Page#
72375	78
72379	66
72381	66
72383	66
73030	84
74321	108
74998	108
74999	108
75001	63
75002	63
75003	63
75004	63
75005	63
75006	63
75007	62
75008	62
75009	62
75010	62
75011	62
75012	62
75013	62
75014	62
75015	62
75016	62
75050	63
75051	63
75052	63
75053	63
77003	107
77004	93
77005	93
77006	94
77007	93
77009	93
77012	95
77013	93
77014	93
77015	94
77016	94
77019	93
77021	95
77022	95
77023	95

Item#	Page#
77027	96
77028	96
77035	96
77037	96
77041	94
77044	95
77045	95
77047	94
77048	94
77049	95
77050	95
77051	95
77052	95
77054	95
77059	94
77063	95
77064	95
77066	95
77072	93
77075	95
77077	95
77079	94
77084	94
77087	93
77091	95
77093	94
77095	93
77096	93
77103	93
77104	93
77108	93
77214	93
77215	93
77217	93
77220	93
77224	93
77238	95
77240	92
77241	92
77243	92
77246	92
77251	92
77252	92

Item#	Page#
77254	92
77257	92
77258	92
77259	92
77265	92
77268	94
77287	95
77289	94
77292	93
77400	94
77401	94
77402	94
77405	94
77406	94
77407	94
77409	94
77410	94
77411	94
77414	94
77415	94
77416	94
77417	94
77491	92
77492	92
77526	92
77527	92
77528	92
77732	96
77733	96
77752	96
77764	96
77844	92
77845	92
77846	92
77847	92
77848	92
77849	92
77850	92
77851	92
77852	92
77853	92
77870	91
77871	91

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
77872	91	81391	42	81884	100	85712	100
77873	91	81400	41	81900	100	85718	39
77874	91	81405	42	81901	100	85722	42
77875	91	81409	42	81918	100	85724	41
78003	66	81410	42	81919	100	85730	41
78024	75	81412	42	83062	101	85757	100
78053	75	81413	42	83070	101		
78127	67	81422	42	83072	101		
78409	67	81427	42	83090	101		
78614	67	81450	100	83091	101		
81003	41	81457	101	83100	101		
81014	41	81459	101	83101	101		
81015	41	81479	99	83757	100		
81016	41	81493	101	85005	41		
81021	41	81494	101	85031	43		
81066	99	81499	101	85033	43		
81082	99	81501	100	85053	41		
81094	99	81514	101	85055	41		
81095	42	81528	100	85057	41		
81098	42	81549	100	85059	41		
81100	99	81560	100	85064	41		
81119	42	81570	100	85065	41		
81151	101	81571	100	85069	43		
81162	101	81575	100	85080	41		
81167	42	81578	100	85088	41		
81169	101	81592	100	85090	41		
81208	99	81609	100	85093	41		
81227	42	81613	100	85100	99		
81242	99	81720	99	85254	100		
81254	100	81758	101	85450	100		
81258	99	81759	101	85528	100		
81265	42	81760	101	85570	100		
81270	42	81764	101	85571	100		
81272	42	81770	99	85578	100		
81275	99	81800	99	85602	99		
81277	42	81805	99	85604	101		
81279	42	81807	99	85606	100		
81282	99	81810	99	85608	100		
81311	42	81819	99	85613	100		
81314	42	81837	99	85617	101		
81315	42	81869	100	85701	41		
81333	42	81877	100	85705	100		
81355	42	81883	100	85707	100		

