



# LIGHTING CATALOG

LIGHT FIXTURES, CEILING FANS & ACCESSORIES



WESTINGHOUSE LIGHTING

# CONTENTS

INTRODUCTION	2-3	CEILING FAN ACCESSORIES	82-86
Our Story.....	2-3		
LIGHT FIXTURES	4-55	CEILING FAN & LIGHT FIXTURE ACCESSORIES	87-89
Indoor Hanging .....	4-15		
Indoor Ceiling.....	16-24		
Indoor Wall .....	25-33		
Designer You®.....	34-37	REPLACEMENT GLASSWARE & ASSORTED SHADES	90-91
Outdoor.....	38-53		
Picture Lights.....	54-55		
CEILING FANS	56-81	LIGHTING HARDWARE	92-97
52" and Above.....	56-66		
42" to 48".....	67-71		
24" to 36".....	72-74	INDEX	98-104
Outdoor.....	75-76		
Ceiling Fan Specifications.....	77-81		



All light fixtures, ceiling fans and accessories in this catalog are Underwriter Laboratories, ETL Listed or RU Certified for safety.

Lamps are not included with product unless otherwise noted. We recommend using Westinghouse lamps in all of our ceiling fans and light fixtures. Westinghouse Lighting reserves the right to make changes and/or improvements (both visually and technically) to the products in this catalog without notice. As a result, some products and/or product information may change.

Visit our website for the latest specifications.



# A LEADER IN LIGHTING SINCE 1946

It all started in 1946 with two brothers and a small corner store in South Philadelphia. From this humble beginning, Angelo Brothers evolved into Westinghouse Lighting and the industry leader that we are today.

For over 75 years, our customers have always been our top priority. While our company has grown in both size and scope, we have remained committed to our core values of customer service, quality products, and sustainability.




Our Founders: Romolo & Stanley Angelo

We are proud to be one of the few privately held, multi-generational family businesses in the lighting manufacturing industry. Our team combines generations of experience with exceptional industry knowledge. As the only global lighting company to carry a complete line of lighting fixtures, ceiling fans, lamps, and lighting accessories, we are well-positioned to suit the ever-evolving needs of our residential and commercial customers alike.



Angelo Brothers rebrands as Westinghouse Lighting and begins marketing lighting fixtures, ceiling fans, lamps (light bulbs), and lighting accessories globally.



# WHAT SETS US APART

## DEDICATION TO CUSTOMER SERVICE

Our team strives to deliver the best customer experience every time. Our ability to consistently provide quality products, timely shipments, and friendly service has earned us a reputation of trust with new and long-standing customers alike.



## QUALITY PRODUCTS & COMPETITIVE PRICING

We believe well-made products should also be accessible. Our strong supplier relationships allow us to provide our customers with competitive pricing on our vast assortment of high-quality lighting solutions. We offer a wide selection of indoor & outdoor lighting fixtures, ceiling fans, lamps, and lighting accessories at various price points, to ensure we have the perfect product for any need.



## OUR TEAM

Our knowledgeable, experienced, and tight-knit team has been the cornerstone in our continued success and growth throughout the years. Our team is always available to offer support and guidance for all your lighting needs.

## INDUSTRY KNOWLEDGE

Our dedicated team is passionate about lighting and keeping up with the latest trends, styles, and products for both residential and commercial markets.



# INDOOR HANGING LIGHT FIXTURES

The perfect lighting fixture adds warm ambience and endless style to your home. From elegant chandeliers to sophisticated pendants, Westinghouse offers a variety of hanging fixtures that blend seamlessly with any home décor.

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61164 Elway**  
7 Light Chandelier  
Antique Ash Finish  
with Matte Brushed Gun Metal Accents

Height: 29.25" Width: 36.00" Depth: 6.75"  
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63514 Elway**  
7 Light Chandelier  
Barnwood Finish  
with Washed Copper Accents

Height: 29.25" Width: 36.00" Depth: 6.75"  
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63515 Elway**  
7 Light Chandelier  
Barnwood Finish  
with Galvanized Steel Accents

Height: 29.25" Width: 36.00" Depth: 6.75"  
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



**63684 Belle View**  
4 Light Chandelier  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 27.50" Diameter: 20.00"

Use (4) Candelabra (E12) Base Lamps, 40 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63516 Oak Lane**  
5 Light Chandelier  
Barnwood Finish  
with Washed Copper Accents

Height: 20.25" Width: 31.50" Depth: 17.50"  
Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63517 Oak Lane**  
5 Light Chandelier  
Barnwood Finish  
with Galvanized Steel Accents

Height: 20.25" Width: 31.50" Depth: 17.50"  
Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

† **63420 Scholar**  
4 Light Chandelier/Semi-Flush  
Oil Rubbed Bronze Finish  
White Opal Glass

Height: 20.00" Diameter: 23.75" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

† **63433 Iron Hill**  
4 Light Chandelier/Semi-Flush  
Oil Rubbed Bronze Finish  
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

† **63450 Iron Hill**  
4 Light Chandelier/Semi-Flush  
Oil Rubbed Bronze Finish  
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61160 Stella Mira**  
3 Light Chandelier  
Walnut Finish with Brushed Nickel Accents  
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"  
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63536 Stella Mira**  
3 Light Chandelier  
Barnwood Finish  
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"  
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63419 Stella Mira**  
3 Light Chandelier  
Brushed Nickel Finish  
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"  
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63418 Stella Mira**  
3 Light Chandelier  
Oil Rubbed Bronze Finish with Highlights  
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"  
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63283 Stella Mira**  
6 Light Chandelier  
Brushed Nickel Finish  
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"  
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61104 Stella Mira**  
3 Light Chandelier  
Antique Ash Finish with Matte Black Accents  
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"  
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63282 Stella Mira**  
6 Light Chandelier  
Oil Rubbed Bronze Finish with Highlights  
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"  
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63336 Stella Mira**  
6 Light Chandelier  
Barnwood and Oil Rubbed Bronze Finish  
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"  
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63038 Isadora**  
3 Light Chandelier  
Brushed Nickel Finish  
Height: 18.75" Diameter: 12.75" Chain: 36" Cord: 60"  
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63318 Barnwell**  
3 Light Chandelier  
Textured Iron and Barnwood Finish  
Clear Hammered Glass  
Height: 18.50" Diameter: 19.00" Chain: 36" Cord: 60"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63319 Barnwell**  
5 Light Chandelier  
Textured Iron and Barnwood Finish  
Clear Hammered Glass  
Height: 23.25" Diameter: 23.50" Chain: 36" Cord: 60"  
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61154 Sylvestre**  
3 Light Chandelier  
Matte Black Finish  
Clear Glass

Height: 17.50" Diameter: 18.25" Chain: 36" Cord: 60"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61153 Sylvestre**  
5 Light Chandelier  
Matte Black Finish  
Clear Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 60"  
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63627 Waltz**  
Mini Pendant  
Matte Black Finish  
Crystals

Height: 12.25" Diameter: 7.75" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**62275 Sylvestre**  
3 Light Chandelier  
Brushed Nickel Finish  
Frosted Seeded Glass

Height: 17.50" Diameter: 18.25" Chain: 36" Cord: 120"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**62274 Sylvestre**  
5 Light Chandelier  
Brushed Nickel Finish  
Frosted Seeded Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 120"  
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61037 Kelcie**  
Mini Pendant  
Brushed Nickel Finish  
Crystal Jewel Shade

Height: 10.00" Diameter: 7.25" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61115 Derose**  
Pendant  
Brushed Brass Finish

Height: 8.00" Diameter: 11.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods

**63301 Morton**  
Pendant  
Antique Steel Finish

Height: 10.25" Diameter: 11.75" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61110 Ciara**  
Pendant  
Industrial Steel Finish

Height: 20.50" Diameter: 16.00" Chain: 36" Cord: 60"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61116 Derose**  
Pendant  
Brushed Nickel Finish

Height: 11.25" Diameter: 12.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods

**61114 Clover**  
Pendant  
Dark Pewter Finish

Height: 12.50" Diameter: 11.75" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

DIMMABLE  
LED



**61184 Marlowe**

2 Light LED Pendant  
Matte Black Finish  
Clear Ribbed Glass

Height: 5.50" Width: 31.25" Depth: 5.50"

Includes (2) Medium (E26) Base Lamps, 6.5 Watt T9 LEDs (WL Lamp #35188)

Includes (2) 9.5" and (2) 4.75" long rods

New!



**61163 Bartley**

Pendant  
Matte Black Finish with Dark Pewter Accents  
Cage Shade

Height: 20.75" Diameter: 16.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



**61194 Danzig**

Pendant  
Brushed Nickel Finish  
with Clear Prismatic Lens

Height: 14.00" Diameter: 13.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63099 Malte**

Pendant  
Hammered Oil Rubbed Bronze Finish

Height: 6.50" Diameter: 10.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63096 Malte**

Pendant  
Hammered Brushed Nickel Finish

Height: 6.50" Diameter: 10.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63456 Madras**

Mini Pendant  
Hammered Oil Rubbed Bronze Finish  
with Highlights

Height: 10.00" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63455 Madras**

Mini Pendant  
Hammered Brushed Nickel Finish

Height: 10.00" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
61184 <sup>†</sup>	2	6.5	75	2700 (Warm White)	800	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp.

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh





FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61012 Phelps**  
Mini Pendant  
Brushed Nickel Finish  
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63566 Phelps**  
Mini Pendant  
Matte Black Finish  
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63567 Phelps**  
Mini Pendant  
Matte White Finish  
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**61054**  
Mini Pendant  
Hammered Copper Finish

Height: 10.50" Diameter: 6.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63268 Kilian**  
Pendant  
Matte Brushed Gun Metal Finish

Height: 10.00" Diameter: 9.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (3) 9.5" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63060 Dunmore**  
Pendant  
Oil Rubbed Bronze Finish  
Frosted Glass

Height: 13.50" Diameter: 15.25" Chain: 36" Cord: 60"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63620 Stella Mira**  
Mini Pendant  
Brushed Nickel Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63619 Stella Mira**  
Mini Pendant  
Oil Rubbed Bronze Finish  
with Highlights

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63621 Stella Mira**  
Mini Pendant  
Washed Copper Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61107 Stella Mira**  
Mini Pendant  
Antique Ash Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61106 Stella Mira**  
Mini Pendant  
Barnwood Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61179 Langston**  
Pendant  
Matte Black Finish with Barnwood Accents  
Cage Shade

Height: 9.75" Diameter: 8.25"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61180 Langston**  
Pendant  
Oil Rubbed Bronze Finish with Vintage Pine Accents  
Cage Shade

Height: 9.75" Diameter: 8.25"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



**61006**  
Mini Pendant  
Oil Rubbed Bronze Finish  
Cage Shade  
Height: 9.75" Diameter: 6.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61053 Nathaniel**  
Mini Pendant  
Matte Black Finish  
Cage Shade  
Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63372 Nathaniel**  
Mini Pendant  
Brushed Nickel Finish  
Cage Shade  
Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63698 Holly**  
Pendant  
Brushed Nickel Finish  
Height: 15.50" Diameter: 15.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63236 Nolan**  
Mini Pendant with Turn Knob  
Oil Rubbed Bronze Finish  
Cage Shade  
Height: 10.25" Diameter: 6.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63623 Isadora**  
Mini Pendant  
Brushed Nickel Finish  
Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63697 Holly**  
Pendant  
Champagne Brass Finish  
Height: 15.50" Diameter: 15.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63622 Isadora**  
Mini Pendant  
Oil Rubbed Bronze Finish with Highlights  
Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63512 Holly**  
Pendant  
Champagne Brass Finish  
Height: 17.50" Width: 18.25" Depth: 13.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



**63082A Boswell**  
LED Mini Pendant  
Oil Rubbed Bronze Finish with Highlights  
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"  
Includes (1) Medium (E26) Base Lamp,  
9 Watt Omni A19 LED (WL Lamp #51331)  
Includes (3) 9.5" long rods



**63346 Boswell**  
LED Mini Pendant  
Brushed Nickel Finish  
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"  
Includes (1) Medium (E26) Base Lamp,  
9 Watt Omni A19 LED (WL Lamp #51331)  
Includes (3) 9.5" long rods



**63084A Boswell**  
LED Mini Pendant  
Washed Copper Finish  
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"  
Includes (1) Medium (E26) Base Lamp,  
9 Watt Omni A19 LED (WL Lamp #51331)  
Includes (3) 9.5" long rods



**63082B Boswell**  
LED Mini Pendant  
Oil Rubbed Bronze Finish with Highlights  
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"  
Includes (1) Medium (E26) Base Lamp,  
11 Watt Omni A19 LED (WL Lamp #50811)  
Includes (3) 9.5" long rods



**63085A Boswell**  
LED Pendant  
Chrome Finish  
Frosted Prismatic Lens

Height: 11.75" Diameter: 10.75"  
Includes (1) Medium (E26) Base Lamp,  
9 Watt Omni A19 LED (WL Lamp #51331)  
Includes (3) 9.5" long rods



**63084B Boswell**  
LED Mini Pendant  
Washed Copper Finish  
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"  
Includes (1) Medium (E26) Base Lamp,  
11 Watt Omni A19 LED (WL Lamp #50811)  
Includes (3) 9.5" long rods



**63087A Boswell**  
LED Pendant  
Oil Rubbed Bronze Finish with Highlights  
Frosted Prismatic Lens

Height: 11.75" Diameter: 10.75"  
Includes (1) Medium (E26) Base Lamp,  
9 Watt Omni A19 LED (WL Lamp #51331)  
Includes (3) 9.5" long rods

### LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
63082A <sup>†</sup>	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63346 <sup>†</sup>	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63084A <sup>†</sup>	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63082B <sup>†</sup>	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63084B <sup>†</sup>	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63087A <sup>†</sup>	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63085A <sup>†</sup>	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp.

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63079 Cava**  
LED Mini Pendant  
Chrome Finish  
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"  
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63723 Cava**  
LED Mini Pendant  
Matte Black Finish  
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"  
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63553 Cava**  
LED Mini Pendant  
Champagne Brass Finish  
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"  
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



**61111 Rayman**  
LED Mini Pendant  
Brushed Brass Finish

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"  
Includes 7.5 Watt Integrated LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61009 Percy**  
Mini Pendant  
Black Finish  
Black Glass

Height: 11.75" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61013 Percy**  
Mini Pendant  
Brushed Nickel Finish  
Perforated Metal Shade

Height: 12.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63079	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
63723	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63553	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
61111	*	7.5	40	3000 (Warm White)	560	80	40000	36.5	\$0.90

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63447 Iron Hill**

Pendant  
Oil Rubbed Bronze Finish with Highlights

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

◆ **63632 Iron Hill**

Pulley Pendant  
Oil Rubbed Bronze Finish with Highlights

Minimum Height: 25.50" Maximum Height: 49.25"  
Diameter: 12.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

◆ **63325 Iron Hill**

3 Light Island Pulley Pendant  
Oil Rubbed Bronze Finish with Highlights

Minimum Height: 32.00" Maximum Height: 59.00"  
Width: 40.00" Depth: 12.00"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

◆ **61166 Iron Hill**

Pendant  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 7.00" Diameter: 11.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

◆ **61169 Iron Hill**

Pulley Pendant  
Brushed Nickel Finish

Minimum Height: 25.50" Maximum Height: 49.25"  
Diameter: 12.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

◆ **63699 Iron Hill**

3 Light Island Pulley Pendant  
Brushed Nickel Finish

Minimum Height: 32.00" Maximum Height: 59.00"  
Width: 40.00" Depth: 12.00"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63546 Iron Hill**

Pendant  
Galvanized Steel Finish

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

◆ **61170 Iron Hill**

Pulley Pendant  
Galvanized Steel Finish

Minimum Height: 25.50" Maximum Height: 49.25"  
Diameter: 12.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63389 Sophie**

Mini Pendant  
Brushed Nickel Finish  
Crystal Prism Glass

Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61178 Cindy**

Mini Pendant  
Brushed Nickel Finish  
Clear Glass

Height: 11.00" Diameter: 8.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods

**New!**

INTEGRATED DIMMABLE LED



• **61195 Moretti**

LED Pendant  
Brushed Nickel Finish  
Frosted Opal Glass

Height: 19.50" Diameter: 11.75" Adjustable Cord: 50"  
Includes 12 Watt Integrated LED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63384 Sophie**

Mini Pendant  
Oil Rubbed Bronze Finish  
Crystal Prism Glass

Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63563 Cindy**

Mini Pendant  
Oil Rubbed Bronze Finish with Barnwood Accents  
Clear Seeded Glass

Height: 11.00" Diameter: 8.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63617 Canyon**

Mini Pendant  
Oil Rubbed Bronze Finish with Barnwood Accents  
Clear Seeded Glass

Height: 10.75" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63090 Ida**

Pendant  
Matte Black and Washed Copper Finish

Height: 5.75" Diameter: 10.25" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63465 Wanda**

Mini Pendant with Turn Knob  
Oil Rubbed Bronze Finish  
Frosted White Opal Glass

Height: 8.25" Diameter: 8.75" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61195	*	12	60	3000 (Warm White)	1000	80	50000	45.6	\$1.45

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

New!



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61187 Soren**  
Mini Pendant  
Brushed Nickel Finish  
Sapphire Glass

Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61188 Soren**  
Mini Pendant  
Matte Black Finish  
Forest Glass

Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



• **63663 Soren**  
Mini Pendant  
Brushed Nickel Finish  
Turquoise Glass

Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61189 Fiona**  
Mini Pendant  
Brushed Nickel Finish  
Turquoise Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



• **63289 Carmen**  
Mini Pendant  
Oil Rubbed Bronze Finish  
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



• **63290 Carmen**  
Mini Pendant  
Brushed Nickel Finish  
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



• **63714 Carmen**  
Mini Pendant  
Antique Brass Finish  
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



• **63715 Carmen**  
Mini Pendant  
Washed Copper Finish  
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



• **63713 Carmen**  
Mini Pendant  
Barnwood Finish  
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61008 Fiona**

Mini Pendant  
Oil Rubbed Bronze Finish  
Clear Seeded Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61007 Fiona**

Mini Pendant  
Brushed Nickel Finish  
Clear Seeded Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61026 Wes**

Mini Pendant  
Oil Rubbed Bronze Finish  
Clear Glass

Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63565 Fiona**

Mini Pendant  
Antique Brass Finish  
Clear Seeded Glass

Height: 8.75" Diameter: 7.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63564 Fiona**

Mini Pendant  
Washed Copper Finish  
Clear Seeded Glass

Height: 8.75" Diameter: 7.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum  
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61064 Wes**

Mini Pendant  
Brushed Nickel Finish  
Clear Glass

Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63288 Basset**

Mini Pendant  
Brushed Nickel Finish  
Clear Hammered Glass

Height: 8.25" Diameter: 6.75" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61065 Ramsey**

Mini Pendant  
Brushed Nickel Finish  
Clear Glass

Height: 11.50" Diameter: 8.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61057**

Mini Pendant  
Brushed Nickel Finish  
Clear Crackle Glass

Height: 11.00" Diameter: 6.25" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63092**

Mini Pendant  
Brushed Nickel Finish  
Clear Crackle Glass

Height: 8.50" Diameter: 6.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



# INDOOR CEILING LIGHT FIXTURES

Our diverse assortment of ceiling fixture designs ensures the perfect combination of styles and finishes to complement any décor.

**New!**



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61168 Boswell**  
4 Light Track Light Kit  
Oil Rubbed Bronze Finish with Highlights  
Height: 10.25" Width: 36.50" Depth: 5.00"  
Use (4) GU10 Base MR16 Lamps, 50 Watt Maximum

**New!**



**61193 Judd**  
8 in. 1 Light Semi-Flush  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass  
Height: 11.25" Diameter: 8.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63360 Louis**  
9 in. 1 Light Semi-Flush  
Oil Rubbed Bronze Finish  
Height: 7.00" Diameter: 9.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63422 Scholar**  
7 in. 1 Light Semi-Flush  
Oil Rubbed Bronze Finish  
White Opal Glass  
Height: 9.00" Diameter: 7.25"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63700 Iron Hill**  
9 in. 1 Light Semi-Flush  
Brushed Nickel Finish  
Height: 5.25" Diameter: 8.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63701 Iron Hill**  
9 in. 1 Light Semi-Flush  
Oil Rubbed Bronze Finish with Highlights  
Height: 5.25" Diameter: 8.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**65732 Scholar**  
9 in. 1 Light Semi-Flush  
Brushed Nickel Finish  
Clear Glass  
Height: 10.50" Diameter: 9.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63702 Iron Hill**  
12 in. 1 Light Semi-Flush  
Brushed Nickel Finish  
Height: 5.75" Diameter: 12.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63703 Iron Hill**  
12 in. 1 Light Semi-Flush  
Oil Rubbed Bronze Finish with Highlights  
Height: 5.75" Diameter: 12.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



**61074**  
11 in. 20W LED Flush  
White Finish  
Frosted Acrylic Shade  
  
Height: 2.25" Diameter: 11.00"  
Includes 20 Watt Integrated LED

INTEGRATED DIMMABLE LED



**61073**  
11 in. 20W LED Flush  
Brushed Nickel Finish  
Frosted Acrylic Shade  
  
Height: 2.25" Diameter: 11.00"  
Includes 20 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED



**61174**  
11 in. 20W LED Flush  
Matte Black Finish  
Acrylic Shade  
  
Height: 2.25" Diameter: 11.00"  
Includes 20 Watt Integrated LED

INTEGRATED DIMMABLE LED



**61066**  
11 in. 15W LED Flush  
White Finish  
White Alabaster Glass  
  
Height: 3.50" Diameter: 11.00"  
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED



**63088**  
11 in. 15W LED Flush  
Brushed Nickel Finish  
White Alabaster Glass  
  
Height: 3.50" Diameter: 11.00"  
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED



**63089**  
11 in. 15W LED Flush  
Oil Rubbed Bronze Finish  
White Alabaster Glass  
  
Height: 3.50" Diameter: 11.00"  
Includes 15 Watt Integrated LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63706 Meadowbrook**  
13 in. 2 Light Flush  
Oil Rubbed Bronze Finish  
with Highlights  
Frosted Glass  
  
Height: 5.00" Diameter: 13.00"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63241 Meadowbrook**  
13 in. 2 Light Flush  
Matte Black Finish  
Frosted Glass  
  
Height: 5.00" Diameter: 13.00"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61074	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61073	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61174	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61066	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63088	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63089	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day



**61123 Lauderdale**  
11 in. 19W LED Flush  
Brushed Nickel Finish  
White Frosted Shade  
Height: 3.50" Diameter: 11.00"  
Includes 19 Watt Integrated LED



**64012 Lauderdale**  
16 in. 23W LED Flush  
Brushed Nickel Finish  
White Acrylic Shade  
Height: 3.50" Diameter: 15.75"  
Includes 23 Watt Integrated LED



**63078 Lauderdale**  
33 in. 35W LED Flush  
Brushed Nickel Finish  
White Acrylic Lens  
Height: 4.75" Width: 32.50" Depth: 18.25"  
Includes 35 Watt Integrated LED



**61117**  
6 in. 7W LED Flush  
with Motion Sensor  
White Finish  
White Frosted Acrylic, 3000K  
Height: 1.00" Diameter: 5.75"  
Includes 7 Watt Integrated LED



**61118**  
6 in. 7W LED Flush  
with Motion Sensor  
White Finish  
White Frosted Acrylic, 4000K  
Height: 1.00" Diameter: 5.75"  
Includes 7 Watt Integrated LED



**64009 Lauderdale**  
12 in. 15W LED Semi-Flush  
Brushed Nickel Finish  
White Acrylic Shade  
Height: 9.50" Diameter: 12.00"  
Includes 15 Watt Integrated LED



**61119**  
5 in. 11W LED Flush with Color Temperature Selection  
White Finish  
White Frosted Shade  
Height: 0.50" Diameter: 5.00"  
Includes 11 Watt Integrated LED



**61120**  
7 in. 17W LED Flush with Color Temperature Selection  
White Finish  
White Frosted Shade  
Height: 0.50" Diameter: 7.00"  
Includes 17 Watt Integrated LED



**66223 Wensley**  
10 in. 2 Light Semi-Flush  
Oil Rubbed Bronze Finish  
White Alabaster Glass  
Height: 7.25" Diameter: 10.25"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61123	*	19	100	3000 (Warm White)	1900	80	50000	45.6	\$2.29
64012	*	23	100	3000 (Warm White)	1900	80	50000	45.6	\$2.77
63078	*	35	200	3000 (Warm White)	3500	80	50000	45.6	\$4.22
61117	*	7	40	3000 (Warm White)	650	80	50000	45.6	\$0.84
61118	*	7	40	4000 (Cool White)	650	80	50000	45.6	\$0.84
64009	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
61119	*	11	40	2700, 3000, 3500, 4000, 5000 (Multi 5)	770	90	50000	45.6	\$1.32
61120	*	17	75	2700, 3000, 3500, 4000, 5000 (Multi 5)	1250	90	50000	45.6	\$2.05

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**65738 Dunmore**  
15 in. 2 Light Semi-Flush  
Brushed Nickel Finish  
Frosted Glass  
Height: 12.25" Diameter: 14.50"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63065 Dunmore**  
15 in. 2 Light Semi-Flush  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 12.25" Diameter: 14.50"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



† **63403 Pacific Falls**  
2 Light Pendant/Semi-Flush  
Amber Bronze Finish  
with Highlights  
White Alabaster Glass  
Height: 13.75" Diameter: 14.00" Chain: 36" Cord: 60"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE LED  
INDOOR OUTDOOR WET RATED



**63219**  
6 in. 12W LED Flush Mount  
Brushed Nickel Finish  
Frosted Lens, 3000K  
Height: 1.00" Diameter: 6.00"  
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED  
INDOOR OUTDOOR WET RATED



**63220**  
6 in. 12W LED Flush Mount  
Oil Rubbed Bronze Finish  
Frosted Lens, 3000K  
Height: 1.00" Diameter: 6.00"  
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED  
INDOOR OUTDOOR WET RATED



**63224**  
6 in. 12W LED Flush Mount  
Oil Rubbed Bronze Finish  
Frosted Lens, 4000K  
Height: 1.00" Diameter: 6.00"  
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED  
INDOOR OUTDOOR WET RATED



**63221**  
6 in. 12W LED Flush Mount  
White Finish  
Frosted Lens, 3000K  
Height: 1.00" Diameter: 6.00"  
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED  
INDOOR OUTDOOR WET RATED



**63225**  
6 in. 12W LED Flush Mount  
White Finish  
Frosted Lens, 4000K  
Height: 1.00" Diameter: 6.00"  
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED  
INDOOR OUTDOOR WET RATED



**63644**  
6 in. 12W LED Flush Mount  
White Finish  
Frosted Lens, 5000K  
Height: 1.00" Diameter: 6.00"  
Includes 12 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63219	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63220	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63224	*	12	60	4000 (Cool White)	840	80	50000	45.6	\$1.45
63221	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63225	*	12	60	4000 (Cool White)	840	80	50000	45.6	\$1.45
63644	*	12	60	5000 (Daylight)	840	80	50000	45.6	\$1.45

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh



**63226**  
7 in. 15W LED Flush Mount  
Chrome Finish  
Frosted Lens, 3000K  
Height: 1.25" Diameter: 7.50"  
Includes 15 Watt Integrated LED



**63233**  
7 in. 15W LED Flush Mount  
White Finish  
Frosted Lens, 4000K  
Height: 1.25" Diameter: 7.50"  
Includes 15 Watt Integrated LED



**63229**  
7 in. 15W LED Flush Mount  
White Finish  
Frosted Lens, 3000K  
Height: 1.25" Diameter: 7.50"  
Includes 15 Watt Integrated LED



**63645**  
7 in. 15W LED Flush Mount  
White Finish  
Frosted Lens, 5000K  
Height: 1.25" Diameter: 7.50"  
Includes 15 Watt Integrated LED



**63231**  
7 in. 15W LED Flush Mount  
Brushed Nickel Finish  
Frosted Lens, 4000K  
Height: 1.25" Diameter: 7.50"  
Includes 15 Watt Integrated LED



**63232**  
7 in. 15W LED Flush Mount  
Oil Rubbed Bronze Finish  
Frosted Lens, 4000K  
Height: 1.25" Diameter: 7.50"  
Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63226	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63231	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63232	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63229	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63233	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63645	*	15	75	5000 (Daylight)	1050	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

New!

FIXTURE FAMILY  
COORDINATING  
ITEMS AVAILABLE



**61159 Basset**

13 in. 2 Light Flush  
Brushed Nickel Finish  
Clear Seeded Glass

Height: 6.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

New!

INTEGRATED  
DIMMABLE  
LED



**61186**

11 in. 15W LED Flush  
Matte Black Finish  
Frosted Glass

Height: 4.75" Diameter: 11.00"

Includes 15 Watt Integrated LED

New!



**61177**

11 in. 1 Light Flush  
Matte Black Finish  
Crystal Ribbed Glass

Height: 6.25" Diameter: 11.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED  
DIMMABLE  
LED



**64005**

11 in. 15W LED Flush  
Brushed Nickel Finish  
White Alabaster Glass

Height: 4.75" Diameter: 11.00"

Includes 15 Watt Integrated LED

INTEGRATED  
DIMMABLE  
LED



**64006**

11 in. 15W LED Flush  
Oil Rubbed Bronze Finish  
White Alabaster Glass

Height: 4.75" Diameter: 11.00"

Includes 15 Watt Integrated LED

**64291**

13 in. 2 Light Flush  
Oil Rubbed Bronze Finish  
Frosted White Alabaster Glass

Height: 6.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

**64302**

13 in. 2 Light Flush  
Polished Brass Finish  
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

**64292**

15 in. 3 Light Flush  
Oil Rubbed Bronze Finish  
Frosted White Alabaster Glass

Height: 6.75" Diameter: 15.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61186	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81
64005	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81
64006	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day



**64304**

11 in. 1 Light Flush  
Brushed Nickel Finish  
Frosted Swirl Glass

Height: 6.00" Diameter: 11.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**64305**

13 in. 2 Light Flush  
Brushed Nickel Finish  
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**64306**

15 in. 3 Light Flush  
Brushed Nickel Finish  
Frosted Swirl Glass

Height: 6.50" Diameter: 15.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

**2**  
PACK



**63444**

13 in. 2 Light Flush  
Brushed Nickel Finish  
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

**2**  
PACK



**63445**

13 in. 2 Light Flush  
Oil Rubbed Bronze Finish  
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**66297**

12 in. 1 Light Flush  
Brushed Nickel Finish  
White Alabaster Glass

Height: 4.25" Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE  
FAMILY  
COORDINATING  
ITEMS AVAILABLE



**63048 Harwell**

13 in. 2 Light Flush  
Amber Bronze Finish  
with Highlights  
Frosted Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**66686**

11 in. 3 Light Flush  
Antique Brass Finish  
Frosted Ruffled Edge Glass

Height: 5.75" Width: 11.00" Depth: 11.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



**66326**

10 in. 3 Light Multi-Directional Flush  
Off White Finish

Height: 8.25" Width: 10.25" Extends: 18.25"

Use (3) Medium (E26) Base Lamps, 65 Watt Maximum



**67345**

9 in. 2 Light Flush  
Pull Chain  
White Finish  
White and Clear Glass

Height: 5.25" Diameter: 8.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**66206**

13 in. 2 Light Semi-Flush  
White Finish  
White Scroll Design Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**61072**  
7 in. 10W LED Flush  
Brushed Nickel Finish  
Frosted Fluted Glass  
Height: 4.00" Diameter: 7.00"  
Includes 10 Watt Integrated LED



**61071**  
7 in. 10W LED Flush  
White Finish  
White Opal Glass  
Height: 4.75" Diameter: 7.25"  
Includes 10 Watt Integrated LED



**66699**  
7 in. 1 Light Flush  
White Finish  
White Glass  
Height: 4.75" Diameter: 7.25"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**67210**  
9 in. 2 Light Flush  
Pull Chain  
Brushed Nickel Finish  
Frosted Fluted Glass  
Height: 4.25" Diameter: 8.75"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**67202**  
9 in. 2 Light Flush  
Pull Chain  
Sienna Finish  
Frosted Fluted Glass  
Height: 4.25" Diameter: 8.75"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**66611**  
9 in. 2 Light Flush  
White Finish  
White Glass  
Height: 5.00" Diameter: 8.75"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**66610**  
10 in. 2 Light Flush  
Antique Brass Finish  
Clear Faceted Glass  
Height: 5.50" Diameter: 9.50"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**64011**  
11 in. 15W LED Flush  
White Finish  
White Acrylic Shade  
Height: 3.50" Diameter: 11.00"  
Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61072	*	10	60	3000 (Warm White)	1000	80	25000	22.8	\$1.20
61071	*	10	60	3000 (Warm White)	1000	80	25000	22.8	\$1.20
64011	*	15	75	3000 (Warm White)	1500	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day





**61070**  
 6 in. 8W LED Flush  
 White Finish  
 White Opal Glass Globe  
 Height: 7.25" Diameter: 6.00"  
 Includes 8 Watt Integrated LED



**66680**  
 6 in. 1 Light Flush  
 Pull Chain  
 White Finish  
 White Glass Globe  
 Height: 7.25" Diameter: 6.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66607**  
 6 in. 1 Light Flush  
 White Finish  
 White Glass Globe  
 Height: 7.25" Diameter: 6.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**67208**  
 6 in. 1 Light Flush  
 Pull Chain  
 Brushed Nickel Finish  
 White Glass Globe  
 Height: 7.25" Diameter: 6.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61070	*	8	60	3000 (Warm White)	800	80	50000	45.6	\$0.96

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
 \* Integrated LED Light Source

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

# INDOOR WALL LIGHT FIXTURES

Utilize the versatility of wall fixtures to enhance the beauty of a fireplace, accentuate nooks and quiet spaces, or add a decorative touch around a bathroom mirror. The possibilities are endless.



All wall fixtures in this section are damp location approved.

**New!**



**• 61192 Marla**  
1 Light Wall Fixture  
Brushed Nickel Finish  
Clear Glass  
Height: 14.50" Width: 9.25" Extends: 10.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



**• 61167 Lavina**  
1 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass  
Height: 14.50" Width: 4.50" Extends: 6.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**63240 Meadowbrook**  
1 Light Wall Fixture  
Matte Black Finish  
Height: 9.25" Width: 4.75" Extends: 6.00"  
Use (1) Candelabra (E12) Base Lamp, 40 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**\* 61100 Enzo James**  
1 Light Wall Fixture  
Brushed Nickel Finish  
Clear Water Glass  
Height: 10.75" Width: 6.25" Extends: 5.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**\* 63523 Burnell**  
1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Clear Seeded Glass  
Height: 12.00" Width: 7.50" Extends: 5.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**\* 63691 Exton**  
1 Light Wall Fixture  
Distressed Aluminum Finish  
Gun Metal Shade  
Height: 7.75" Width: 8.00" Extends: 9.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**\* 63695 Enzo James**  
1 Light Wall Fixture  
Brushed Nickel Finish  
Frosted Glass  
Height: 10.75" Width: 6.25" Extends: 5.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**\* 61109 Burnell**  
1 Light Wall Fixture  
Barnwood Finish  
Clear Seeded Glass  
Height: 12.00" Width: 7.50" Extends: 5.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE



**\*\*63316 Barnwell**  
1 Light Wall Fixture  
Textured Iron and Barnwood Finish  
Clear Hammered Glass  
Height: 8.50" Width: 5.00" Extends: 6.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**

INTEGRATED DIMMABLE LED

ADA COMPLIANT



▲ **61183** Cava  
15W 1 Light LED Wall Fixture  
Brushed Nickel Finish  
Bubble Glass  
Height: 15.00" Width: 5.00" Extends: 3.75"  
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



\* **63076** Cava  
8W 1 Light LED Wall Fixture  
Chrome Finish  
Bubble Glass  
Height: 7.75" Width: 5.00" Extends: 5.75"  
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63720** Cava  
9W 1 Light LED Wall Fixture  
Brushed Nickel Finish  
Bubble Glass  
Height: 13.00" Width: 5.00" Extends: 5.50"  
Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED

ADA COMPLIANT


FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



\* **63726** Cava II  
21W 3 Light LED Wall Fixture  
Matte Black Finish  
Bubble Glass  
Height: 5.50" Width: 19.75" Extends: 3.00"  
Includes (3) x 7 Watt Integrated LEDs

INTEGRATED DIMMABLE LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63721** Cava  
22W 3 Light LED Wall Fixture  
Brushed Nickel Finish  
Bubble Glass  
Height: 13.00" Width: 21.75" Extends: 5.50"  
Includes (3) x 7.3 Watt Integrated LEDs

INTEGRATED DIMMABLE LED

MULTI-KELVIN



▲ **61121**  
25W 1 Light LED Wall Fixture  
with Color Temperature Selection  
Brushed Nickel Finish  
White Frosted Shade  
Height: 4.50" Width: 24.75" Extends: 4.75"  
Includes 25 Watt Integrated LED

INTEGRATED DIMMABLE LED

MULTI-KELVIN



▲ **61122**  
30W 1 Light LED Wall Fixture  
with Color Temperature Selection  
Brushed Nickel Finish  
White Frosted Shade  
Height: 4.50" Width: 36.00" Extends: 4.75"  
Includes 30 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61183	*	15	75	3000 (Warm White)	1150	80	50000	45.6	\$1.81
63076	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63720	*	9	60	3000 (Warm White)	800	80	40000	36.5	\$1.08
63726	*	21	100	3000 (Warm White)	1800	80	40000	36.5	\$2.53
63721	*	22	100	3000 (Warm White)	1800	80	40000	36.5	\$2.65
61121	*	25	125	2700, 3000, 3500, 4000, 5000 (Multi 5)	2375	80	50000	45.6	\$3.01
61122	*	30	175	2700, 3000, 3500, 4000, 5000 (Multi 5)	2850	80	50000	45.6	\$3.61

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\*Integrated LED Light Source

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

\* Fixture can be installed up or down  
● Fixture listed for dry locations only  
▲ Fixture can be installed horizontal or vertical



All wall fixtures in this section are damp location approved.

**New!**



**61161 Boswell**

1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
with Highlights  
Frosted Prismatic Acrylic Lens

Height: 10.00" Width: 7.00" Extends: 8.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY

COORDINATING ITEMS AVAILABLE

**New!**



**61162 Boswell**

3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
with Highlights  
Frosted Prismatic Acrylic Lens

Height: 11.00" Width: 23.50" Extends: 8.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY

COORDINATING ITEMS AVAILABLE

FIXTURE FAMILY

COORDINATING ITEMS AVAILABLE



**63332 Eldon**

1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
with Highlights  
Clear Seeded Glass

Height: 12.25" Width: 6.25" Extends: 8.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



**61181 Cindy**

1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
with Barnwood Accents  
Clear Seeded Glass

Height: 10.50" Width: 6.50" Extends: 8.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**



**61182 Cindy**

3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
with Barnwood Accents  
Clear Seeded Glass

Height: 11.25" Width: 24.00" Extends: 8.50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

**63510 North Shore**

1 Light Wall Fixture  
Weathered Steel Finish  
Clear Seeded Glass

Height: 10.50" Width: 6.00" Extends: 7.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY

COORDINATING ITEMS AVAILABLE



**65745 Ashton**

1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
with Highlights  
Clear Seeded Glass

Height: 12.00" Width: 4.75" Extends: 8.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63530 Chaddsford**

1 Light Wall Fixture  
Champagne Brass Finish  
Frosted Glass

Height: 13.75" Width: 5.50" Extends: 6.00"

Use (1) Candelabra (E12) Base Lamp, 60 Watt Maximum



**\*\* 63266 Basset**  
 1 Light Wall Fixture  
 Dark Pewter Finish  
 Smoke Grey Hammered Glass  
 Height: 10.25" Width: 5.00" Extends: 6.50"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 61157 Basset**  
 1 Light Wall Fixture  
 Brushed Nickel Finish  
 Clear Seeded Glass  
 Height: 10.25" Width: 5.00" Extends: 6.50"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 61158 Basset**  
 3 Light Wall Fixture  
 Brushed Nickel Finish  
 Clear Seeded Glass  
 Height: 10.25" Width: 22.75" Extends: 7.25"  
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\* 62278 Sylvestre**  
 1 Light Wall Fixture  
 Brushed Nickel Finish  
 Frosted Seeded Glass  
 Height: 8.25" Width: 4.75" Extends: 6.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 63540 Sylvestre**  
 1 Light Wall Fixture  
 Oil Rubbed Bronze Finish  
 Frosted Glass  
 Height: 8.25" Width: 4.75" Extends: 6.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 61155 Sylvestre**  
 1 Light Wall Fixture  
 Matte Black Finish  
 Clear Glass  
 Height: 8.25" Width: 4.75" Extends: 6.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\* 62279 Sylvestre**  
 3 Light Wall Fixture  
 Brushed Nickel Finish  
 Frosted Seeded Glass  
 Height: 8.25" Width: 15.75" Extends: 6.25"  
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 63541 Sylvestre**  
 3 Light Wall Fixture  
 Oil Rubbed Bronze Finish  
 Frosted Glass  
 Height: 8.25" Width: 15.75" Extends: 6.25"  
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 61156 Sylvestre**  
 3 Light Wall Fixture  
 Matte Black Finish  
 Clear Glass  
 Height: 8.25" Width: 15.75" Extends: 6.25"  
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 63039 Alexander**  
 2 Light Wall Fixture  
 Brushed Nickel Finish  
 Rippled White Glazed Glass  
 Height: 11.25" Width: 15.25" Extends: 6.00"  
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 63040 Alexander**  
 3 Light Wall Fixture  
 Brushed Nickel Finish  
 Rippled White Glazed Glass  
 Height: 11.25" Width: 22.50" Extends: 6.00"  
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE



**\*\* 63041 Alexander**  
 4 Light Wall Fixture  
 Brushed Nickel Finish  
 Rippled White Glazed Glass  
 Height: 11.25" Width: 30.25" Extends: 6.00"  
 Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



All wall fixtures in this section are damp location approved.

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63278 Morrison**

1 Light Wall Fixture  
Brushed Nickel Finish  
Mesh Shade

Height: 9.00" Width: 6.25" Extends: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63276 Morrison**

3 Light Wall Fixture  
Brushed Nickel Finish  
Mesh Shades

Height: 8.00" Width: 22.75" Extends: 8.25"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63380 Oliver**

3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Cage Shades

Height: 13.75" Width: 27.25" Extends: 8.50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63438B Hansen**

3 Light Wall Fixture  
Chrome Finish  
White Linen Glass

Height: 7.75" Width: 19.75" Extends: 6.50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63421 Scholar**

3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
White Opal Glass

Height: 10.00" Width: 24.00" Extends: 8.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63379 Sophie**

3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Crystal Prism Glass

Height: 12.25" Width: 26.50" Extends: 8.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 63075 Midori**

3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Amber Linen Glass

Height: 10.00" Width: 20.75" Extends: 7.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 65735 Midori**

2 Light Wall Fixture  
Brushed Nickel Finish  
Frosted Glass

Height: 10.75" Width: 15.00" Extends: 7.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 65736 Midori**

3 Light Wall Fixture  
Brushed Nickel Finish  
Frosted Glass

Height: 10.00" Width: 20.75" Extends: 7.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 63073 Midori**

1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Amber Linen Glass

Height: 8.50" Width: 5.00" Extends: 7.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 63074 Midori**

2 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Amber Linen Glass

Height: 10.75" Width: 15.00" Extends: 7.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61165 Iron Hill**  
1 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass  
Height: 8.00" Width: 8.25" Extends: 9.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63435 Iron Hill**  
1 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Height: 8.00" Width: 8.75" Extends: 9.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63434 Iron Hill**  
3 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Height: 7.75" Width: 29.00" Extends: 9.75"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63448 Iron Hill**  
1 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Height: 8.00" Width: 8.75" Extends: 9.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63548 Iron Hill**  
2 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Height: 7.75" Width: 19.75" Extends: 9.75"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63449 Iron Hill**  
3 Light Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Height: 7.75" Width: 29.00" Extends: 9.75"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63543 Iron Hill**  
1 Light Wall Fixture  
Brushed Nickel Finish  
Height: 8.00" Width: 8.75" Extends: 9.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**61103 Iron Hill**  
2 Light Wall Fixture  
Brushed Nickel Finish  
Height: 7.75" Width: 19.75" Extends: 9.75"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63544 Iron Hill**  
3 Light Wall Fixture  
Brushed Nickel Finish  
Height: 7.75" Width: 29.00" Extends: 9.75"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63704 Iron Hill**  
1 Light Wall Fixture  
Washed Copper Finish  
Height: 8.00" Width: 8.75" Extends: 9.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63547 Iron Hill**  
3 Light Wall Fixture  
Galvanized Steel Finish  
Height: 7.75" Width: 29.00" Extends: 9.75"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

**63363 Maggie**  
2 Light Wall Fixture  
Brushed Nickel Finish  
Height: 8.25" Width: 22.00" Extends: 10.00"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum





All wall fixtures in this section are damp location approved.

**New!**



**\*\* 61173 Harwell**  
1 Light Wall Fixture  
Matte Black Finish  
White Opal Glass  
Height: 8.50" Width: 6.50" Extends: 7.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 61172 Harwell**  
3 Light Wall Fixture  
Matte Black Finish  
White Opal Glass  
Height: 8.50" Width: 24.25" Extends: 7.75"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

**New!**

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 61171 Harwell**  
4 Light Wall Fixture  
Matte Black Finish  
White Opal Glass  
Height: 8.50" Width: 32.50" Extends: 7.75"  
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**63355 Louis**  
1 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Height: 8.50" Width: 9.00" Extends: 10.50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 63015 Harwell**  
3 Light Wall Fixture  
Brushed Nickel Finish  
White Opal Glass  
Height: 8.50" Width: 24.25" Extends: 7.75"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\*\* 63019 Harwell**  
4 Light Wall Fixture  
Brushed Nickel Finish  
White Opal Glass  
Height: 8.50" Width: 32.50" Extends: 7.75"  
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63034 Elvaston**  
3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 8.75" Width: 23.00" Extends: 7.50"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63036 Elvaston**  
5 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 9.25" Width: 39.00" Extends: 7.50"  
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



**\* 66522**  
3 Light Wall Fixture  
Chrome Finish  
Frosted Pleated Glass  
Height: 8.50" Width: 24.00" Extends: 7.25"  
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63069 Dunmore**  
3 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 9.50" Width: 23.50" Extends: 7.50"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 63070 Dunmore**  
4 Light Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 9.25" Width: 31.50" Extends: 7.50"  
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 65737 Dunmore**  
4 Light Wall Fixture  
Brushed Nickel Finish  
Frosted Glass  
Height: 9.25" Width: 31.50" Extends: 7.50"  
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 66496 Trinity**  
1 Light Wall Fixture  
Brushed Nickel Finish  
White Opal Glass  
Height: 9.00" Width: 5.25" Extends: 8.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 66417 Trinity**  
2 Light Wall Fixture  
Brushed Nickel Finish  
White Opal Glass  
Height: 8.50" Width: 13.50" Extends: 8.50"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**\* 66497 Trinity**  
3 Light Wall Fixture  
Brushed Nickel Finish  
White Opal Glass  
Height: 8.50" Width: 17.25" Extends: 8.25"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



**66402**  
1 Light Wall Fixture with Ground Convenience Outlet and Pull Chain  
Chrome Finish  
Base White and Crystal Glass  
Height: 4.75" Width: 5.25" Extends: 7.25"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66654**  
1 Light Wall Fixture with On/Off Switch  
Brushed Nickel Finish  
White Opal Glass  
Height: 8.00" Width: 4.50" Extends: 5.00"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66601**  
1 Light Wall Fixture with On/Off Switch  
Polished Brass Finish  
Frosted Etched Grape Design Glass  
Height: 7.75" Width: 4.50" Extends: 4.75"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**\* 66401**  
1 Light Wall Fixture  
White Finish  
Base White Ceramic Glass  
Height: 7.50" Width: 4.50" Extends: 4.50"  
Use (1) Medium (E26) Base Lamp, 75 Watt Maximum



**66403**  
2 Light Wall Fixture with Ground Convenience Outlet  
White Finish  
Base White and Crystal Glass  
Height: 4.50" Width: 14.00" Extends: 5.00"  
Use (2) Medium (E26) Base Lamps, 75 Watt Maximum



All wall fixtures in this section are damp location approved.

**New!**



**▲ 61175**  
3 Light Wall Fixture  
Matte Black Finish  
Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"  
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



**66406**  
3 Light Bath Bar  
Chrome Finish  
Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"  
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



**66449**  
4 Light Bath Bar  
Beveled Mirror  
Height: 4.25" Width: 24.00" Extends without Lamps: 3.25"  
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum

**New!**



**▲ 61176**  
4 Light Wall Fixture  
Matte Black Finish  
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"  
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



**66411**  
4 Light Wall Fixture  
Chrome Finish  
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"  
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



**66450**  
6 Light Bath Bar  
Beveled Mirror  
Height: 4.25" Width: 36.00" Extends without Lamps: 3.25"  
Use (6) Medium (E26) Base Lamps, 100 Watt Maximum



**66595**  
4 Light Bath Bar  
White Finish  
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"  
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum

# DesignerYou® YOUR LIGHT, YOUR CHOICE...

Customizable fixtures inspire creativity for quick and easy home upgrades. It's as easy as 1-2-3. Imagine the endless opportunities to design and combine lighting to match any style.



Choose Your  
Fixture and Finish...

Choose  
Your Shade...

Enjoy new lighting designed by YOU!

## CHOOSE YOUR FIXTURE AND FINISH



**70285**  
Mini Pendant  
Oil Rubbed Bronze Finish  
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**70286**  
Mini Pendant  
White Finish  
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**70284**  
Mini Pendant  
Brushed Nickel Finish  
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**70287**  
Mini Pendant  
Antique Brass Finish  
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**85718**  
Mini Pendant  
Chrome Finish  
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**61024**  
Mini Pendant  
Oil Rubbed Bronze Finish  
Height: 3.00" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum




**61032**  
Mini Pendant  
Oil Rubbed Bronze Finish

Height: 3.50" Diameter: 5.00" Adjustable Cord: 50"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63012**  
3 Light Mini Pendant  
Brushed Nickel Finish

Height: 3.50" Width: 23.50" Depth: 4.50"  
Adjustable Cord: 50"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



**63013**  
3 Light Mini Pendant  
Oil Rubbed Bronze Finish

Height: 3.50" Width: 23.50" Depth: 4.50"  
Adjustable Cord: 50"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



**\* 63005**  
2 Light Wall Fixture  
Brushed Nickel Finish

Height: 6.50" Width: 11.00" Extends: 5.00"  
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



**\* 63008**  
3 Light Wall Fixture  
Brushed Nickel Finish

Height: 7.00" Width: 19.50" Extends: 6.50"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



**\* 63006**  
3 Light Wall Fixture  
Oil Rubbed Bronze Finish

Height: 7.00" Width: 19.50" Extends: 6.50"  
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

Transform existing recessed lighting into a pendant or other light fixture!

Patent No. 9,496,699



**01011**  
Recessed Light Converter

- Quick and easy home upgrade with no remodeling.
- Adjust to any recessed can size between 4" - 6" diameter.
- Works with existing recessed cans that use medium base lamps.
- 50 lb. maximum load rating.

# CHOOSE YOUR GLASSWARE & ASSORTED SHADES

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



**85033**  
Oil Rubbed Bronze Finish  
Cage Shade  
with Closed Bottom  
  
Fitter: 2.25"  
Height: 8.00"  
Diameter: 6.75"



**85031**  
Brushed Nickel Finish  
Cage Shade  
with Closed Bottom  
  
Fitter: 2.25"  
Height: 8.00"  
Diameter: 6.75"



• **85090**  
Clear Seeded  
Glass Shade  
  
Fitter: 2.25"  
Height: 4.73"  
Diameter: 4.33"



• **85055**  
Clear  
Barrel Shade  
  
Fitter: 2.25"  
Height: 6.30"  
Diameter: 5.91"



• **85053**  
White Opal  
Cylinder Shade  
  
Fitter: 2.25"  
Height: 6.97"  
Diameter: 3.94"



• **81311**  
Fire Pit  
Shade

Fitter: 2.25"  
Height: 5.38"  
Diameter: 4.50"



**81277**  
Beveled Clear Glass  
Bell Shade

Fitter: 2.25"  
Height: 4.75"  
Diameter: 4.88"



• **81095**  
Clear Seeded  
Bell Shade

Fitter: 2.25"  
Height: 5.25"  
Diameter: 4.81"



• **81412**  
Lunar Weave  
Shade

Fitter: 2.25"  
Height: 6.00"  
Width: 5.38"



**81333**  
Honey Swirl Scavo  
Shade

Fitter: 2.25"  
Height: 4.38"  
Diameter: 6.88"



**81272**  
Milky Scavo  
Bell Shade

Fitter: 2.25"  
Height: 4.75"  
Diameter: 5.38"



**81119**  
Licorice Marbleized  
Bell Shade

Fitter: 2.25"  
Height: 4.50"  
Diameter: 4.75"



**81422**  
Brown Marbleized  
Bell Shade

Fitter: 2.25"  
Height: 4.65"  
Diameter: 5.40"



• **81227**  
White Opal  
Bell Shade

Fitter: 2.25"  
Height: 5.00"  
Diameter: 4.75"



**81270**  
Frosted and Clear  
Cross Shade

Fitter: 2.25"  
Height: 5.25"  
Diameter: 5.00"



**81098**  
Milky Scavo  
Bell Shade

Fitter: 2.25"  
Height: 5.25"  
Diameter: 5.50"

## SHELF DISPLAY



PATENT NO.  
9,496,699

**0101108**

Recessed Light Converter Shelf Display  
11.3" L x 9.1" W x 10.3" H

- Easily change ordinary recessed lights into beautiful, modern lighting.
- Display the Recessed Light Converter using our Shelf Merchandiser.
- The perfect way to display inventory and increase your sales.
- Each display comes with 6 pieces of the Recessed Light Converter.

# OUTDOOR LIGHT FIXTURES

Make a welcoming statement to visitors with the timeless design and durable craftsmanship of our outdoor lighting fixtures.



All outdoor fixtures in this section are wet rated unless otherwise noted.

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



FIXTURE FAMILY COORDINATING ITEMS AVAILABLE

**65807 Mayslick**  
Dimmable LED Wall Fixture  
Nickel Luster Finish  
Frosted Glass  
Height: 7.00" Width: 5.00" Extends: 5.25"  
Height from Center of Outlet Box: 3.50"  
Back Plate: H: 5.00" W: 5.00"  
Includes 8.5 Watt Integrated LED

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY



FIXTURE FAMILY COORDINATING ITEMS AVAILABLE

**63156 Mayslick**  
Dimmable LED Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 7.00" Width: 5.00" Extends: 5.25"  
Height from Center of Outlet Box: 3.54"  
Back Plate: H: 5.00" W: 5.00"  
Includes 8.5 Watt Integrated LED

DARK SKY FRIENDLY



**67973**  
Wall Fixture  
Polished Graphite Finish  
Height: 7.00" Width: 4.50" Extends: 7.75"  
Height from Center of Outlet Box: 2.76"  
Back Plate: H: 5.00" W: 4.25"  
Use (1) Medium (E26) Base Lamp, 75 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY COORDINATING ITEMS AVAILABLE

**65793 Mayslick**  
Dimmable LED Up and Down Light Wall Fixture  
Nickel Luster Finish  
Frosted Glass  
Height: 12.25" Width: 5.00" Extends: 5.25"  
Height from Center of Outlet Box: 6.00"  
Back Plate: H: 5.00" W: 5.00"  
Includes (2) x 8.5 Watt Integrated LEDs

INTEGRATED DIMMABLE LED



FIXTURE FAMILY COORDINATING ITEMS AVAILABLE

**63157 Mayslick**  
Dimmable LED Up and Down Light Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass  
Height: 12.25" Width: 5.00" Extends: 5.25"  
Height from Center of Outlet Box: 6.10"  
Back Plate: H: 5.00" W: 5.00"  
Includes (2) x 8.5 Watt Integrated LEDs

**67975**  
Up and Down Light Wall Fixture  
Polished Graphite Finish  
Height: 15.00" Width: 5.00" Extends: 8.25"  
Height from Center of Outlet Box: 7.50"  
Back Plate: H: 5.00" W: 4.25"  
Use (2) Medium (E26) Base Lamps, 75 Watt Maximum

## LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65807	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
63156	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
65793	*	17	75	2700 (Warm White)	1280	80	20000	18.2	\$2.05
63157	*	17	75	2700 (Warm White)	1280	80	20000	18.2	\$2.05

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh



**65802 French Quarter**  
 Wall Fixture  
 Oil Rubbed Bronze Finish with Highlights  
 Clear Seeded Glass  
 Height: 10.75" Width: 10.00" Extends: 5.75"  
 Height from Center of Outlet Box: 5.50"  
 Back Plate: H: 8.66" W: 5.11"  
 Use (1) Medium (E26) Base Lamp, 60W Maximum



**65789 Cava II**  
 LED Wall Fixture  
 Matte Black Finish  
 Bubble Glass  
 Height: 8.75" Width: 5.75" Extends: 2.50"  
 Height from Center of Outlet Box: 4.33"  
 Back Plate: H: 8.75" W: 5.75"  
 Includes 10.5 Watt Integrated LED



**65792 Matthew**  
 Dimmable LED Wall Fixture  
 Nickel Luster Finish  
 Frosted Waffle Glass  
 Height: 11.00" Width: 6.00" Extends: 3.25"  
 Height from Center of Outlet Box: 5.50"  
 Back Plate: H: 10.24" W: 4.72"  
 Includes 15 Watt Integrated LED



**65803 Rosa**  
 Wall Fixture  
 Textured Black Finish  
 Clear Ribbed Glass  
 Height: 14.00" Width: 6.75" Extends: 8.25"  
 Height from Center of Outlet Box: 7.25"  
 Back Plate: H: 13.39" W: 4.72"  
 Use (1) Medium (E26) Base Lamp, 60W Maximum



**63490 Cava II**  
 LED Wall Fixture  
 Brushed Nickel Finish  
 Bubble Glass  
 Height: 8.75" Width: 5.75" Extends: 2.50"  
 Height from Center of Outlet Box: 4.33"  
 Back Plate: H: 8.66" W: 5.71"  
 Includes 10.5 Watt Integrated LED



**65805 Fells Point**  
 Wall Fixture  
 Textured Black Finish  
 Clear Seeded Glass  
 Height: 18.00" Width: 10.25" Extends: 11.50"  
 Height from Center of Outlet Box: 6.75"  
 Back Plate: D: 6.38"  
 Use (1) Medium (E26) Base Lamp, 60W Maximum



**65801 Wrightsville**  
 Wall Fixture  
 Oil Brushed Bronze Finish  
 Clear Raindrop Glass  
 Height: 11.00" Width: 6.00" Extends: 5.50"  
 Height from Center of Outlet Box: 5.50"  
 Back Plate: H: 11.00" W: 5.00"  
 Use (1) Medium (E26) Base Lamp, 60W Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65789	*	10.5	60	3000 (Warm White)	1000	80	25000	22.8	\$1.26
63490	*	10.5	60	3000 (Warm White)	1000	80	25000	22.8	\$1.26
65792	*	15	75	2700 (Warm White)	1350	80	35000	31.9	\$1.81

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
 \* Integrated LED Light Source

\*\*Based on operating 3hrs./day





FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **65796 Jamestown**

Wall Fixture  
Textured Black Finish  
Clear Seeded Glass

Height: 11.75" Width: 5.50" Extends: 7.75"  
Height from Center of Outlet Box: 2.25"  
Back Plate: D: 4.72"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **65795 Jamestown**

Wall Fixture  
Textured Black and Oil Brushed Bronze Finish  
Clear Seeded Glass

Height: 11.75" Width: 5.50" Extends: 7.75"  
Height from Center of Outlet Box: 2.25"  
Back Plate: D: 4.72"

Use (1) Medium (E26) Base Lamp, 60W Maximum



• **61134 Courtland Grove**

Wall Fixture  
Matte Black and Antique Pewter Finish  
Clear Hammered Glass

Height: 13.75" Width: 6.50" Extends: 6.00"  
Height from Center of Outlet Box: 2.50"  
Back Plate: D: 4.92"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61146 Mosley**

Wall Fixture  
Textured Black Finish  
Clear Crackle Glass

Height: 11.75" Width: 6.00" Extends: 7.25"  
Height from Center of Outlet Box: 9.25"  
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61144 Galtero**

Wall Fixture  
Matte Black and Distressed Aluminum Finish  
White Frosted Glass

Height: 15.00" Width: 6.00" Extends: 6.00"  
Height from Center of Outlet Box: 2.95"  
Back Plate: H: 5.91" W: 4.72"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63124 Albright**

Wall Fixture  
Textured Black Finish  
Amber Frosted and Clear Seeded Glass

Height: 14.00" Width: 7.00" Extends: 8.25"  
Height from Center of Outlet Box: 4.25"  
Back Plate: H: 4.46" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61135 Isabelle**

Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 16.75" Width: 7.50" Extends: 8.75"  
Height from Center of Outlet Box: 5.50"  
Back Plate: D: 6.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**61141 Sargut**

Wall Fixture  
Textured Black Finish  
Clear Seeded Glass

Height: 12.75" Width: 7.00" Extends: 9.50"  
Height from Center of Outlet Box: 3.15"  
Back Plate: H: 7.50" W: 4.88"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63491 Brynn**

Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 14.50" Width: 8.25" Extends: 9.25"  
Height from Center of Outlet Box: 5.43"  
Back Plate: D: 5.62"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63399 Brynn**

Pendant  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 12.25" Diameter: 8.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63470 Brynn**

Post Top Fixture  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 14.75" Diameter: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 61124 Canyon

Wall Fixture  
Textured Black and Antique Ash Finish  
Clear Seeded Glass

Height: 12.25" Width: 7.50" Extends: 8.50"  
Height from Center of Outlet Box: 5.24"  
Back Plate: H: 7.40" W: 4.56"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 63351 Canyon

Wall Fixture  
Textured Black and Barnwood Finish  
Clear Glass

Height: 12.25" Width: 7.50" Extends: 8.50"  
Height from Center of Outlet Box: 5.24"  
Back Plate: H: 7.40" W: 4.56"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 65788 Canyon

Post Top Fixture  
Textured Black and Barnwood Finish  
Clear Glass

Height: 18.50" Diameter: 9.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 63588 Armin

Wall Fixture  
Textured Black Finish with Barnwood Accents  
Clear Seeded Glass

Height: 15.50" Width: 7.50" Extends: 9.00"  
Height from Center of Outlet Box: 5.24"  
Back Plate: D: 5.43"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 61138 Rezner

Wall Fixture  
Textured Black Finish  
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"  
Height from Center of Outlet Box: 5.24"  
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



INTEGRATED DIMMABLE LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 65791 Barkley

Dimmable LED Wall Fixture  
Matte Black Finish  
Frosted Glass

Height: 12.00" Width: 6.00" Extends: 7.25"  
Height from Center of Outlet Box: 2.20"  
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 63478 Barkley

LED Wall Fixture  
Galvanized Steel Finish  
Clear Seeded Glass

Height: 12.00" Width: 6.00" Extends: 7.25"  
Height from Center of Outlet Box: 2.20"  
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• 63577 Rezner

Wall Fixture  
Galvanized Steel Finish  
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"  
Height from Center of Outlet Box: 5.75"  
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65791	*	13	60	2700 (Warm White)	1000	80	25000	22.8	\$1.57
63478	*	13	60	2700 (Warm White)	1000	80	25000	22.8	\$1.57

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **65800 Ferry**  
Wall Fixture  
Matte Black Finish  
Frosted Glass

Height: 17.00" Width: 8.25" Extends: 10.50"  
Height from Center of Outlet Box: 9.75"  
Back Plate: H: 9.44" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63479 Ferry**  
Wall Fixture  
Washed Copper Finish  
Clear Seeded Glass

Height: 17.00" Width: 8.25" Extends: 10.50"  
Height from Center of Outlet Box: 9.65"  
Back Plate: H: 9.44" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR  
OUTDOOR  
DAMP RATED



**61143 Wyndham**  
12 in. 2 Light Flush  
Textured Black Finish  
Clear Seeded Glass

Height: 5.50" Square: 12.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61125 Kellen**  
Wall Fixture  
Textured Black Finish  
Clear Seeded Glass

Height: 13.75" Width: 7.50" Extends: 8.50"  
Height from Center of Outlet Box: 5.75"  
Back Plate: D: 7.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63352 Kellen**  
Wall Fixture  
Antique Brass Finish  
Clear Seeded Glass

Height: 13.75" Width: 7.50" Extends: 8.50"  
Height from Center of Outlet Box: 5.75"  
Back Plate: D: 7.00"

Use (1) Medium (E26) Base Lamp, 60W Maximum



**61142 Ashdale**  
Wall Fixture  
Textured Black Finish  
Clear Seeded Glass

Height: 15.00" Width: 8.00" Extends: 8.50"  
Height from Center of Outlet Box: 2.80"  
Back Plate: H: 5.59" W: 5.31"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63575 Aurelie**  
Wall Fixture  
Nickel Luster Finish  
Clear Waffle Glass

Height: 14.75" Width: 7.25" Extends: 8.25"  
Height from Center of Outlet Box: 4.88"  
Back Plate: D: 5.98"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61127 Aurelie**  
Wall Fixture  
Textured Black Finish  
Clear Waffle Glass

Height: 14.75" Width: 7.25" Extends: 8.25"  
Height from Center of Outlet Box: 4.88"  
Back Plate: D: 5.98"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61128 Aurelie**  
Pendant  
Textured Black Finish  
Clear Waffle Glass

Height: 13.75" Square: 7.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR  
OUTDOOR  
DAMP RATED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **61130 Emma Jane**  
7 in. 1 Light Semi-Flush  
Amber Bronze Finish  
Clear Seeded Glass

Height: 9.25" Diameter: 6.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **62040 Emma Jane**  
Wall Fixture

Amber Bronze Finish with Highlights  
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"  
Height from Center of Outlet Box: 5.43"  
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

• **63610 Emma Jane**  
Wall Fixture

Washed Copper Finish  
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"  
Height from Center of Outlet Box: 5.43"  
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**• 61131 Crestview**  
 5 in. 1 Light Semi-Flush  
 Textured Black Finish  
 Clear Seeded Glass  
 Height: 12.25" Diameter: 5.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**• 63348 Crestview**  
 Pendant  
 Textured Black Finish  
 Clear Seeded Glass  
 Height: 13.50" Diameter: 5.25" Chain: 36" Cord: 60"  
 Use (1) Medium (E26) Base Lamp, 60W Maximum



**• 63347 Crestview**  
 Wall Fixture  
 Textured Black Finish  
 Clear Seeded Glass  
 Height: 12.25" Width: 5.50" Extends: 9.75"  
 Height from Center of Outlet Box: 6.54"  
 Back Plate: H: 9.06" W: 5.39"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**62042 Santa Fe**  
 Wall Fixture  
 Weathered Bronze Finish  
 Frosted Glass  
 Height: 11.25" Width: 7.75" Extends: 9.75"  
 Height from Center of Outlet Box: 4.72"  
 Back Plate: H: 5.98" W: 4.49"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**• 63731 Santa Fe**  
 Wall Fixture  
 Washed Copper Finish  
 Clear Seeded Glass  
 Height: 13.75" Width: 9.25" Extends: 11.50"  
 Height from Center of Outlet Box: 5.75"  
 Back Plate: H: 6.75" W: 4.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**• 65783 Scholar**  
 9 in. 1 Light Semi-Flush  
 Textured Black Finish  
 White Opal Glass  
 Height: 10.50" Diameter: 9.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63137 Eddystone**  
 Wall Fixture with Dusk to Dawn Sensor  
 Oil Rubbed Bronze Finish  
 Clear Diamond Cut Glass  
 Height: 9.50" Width: 6.75" Extends: 8.75"  
 Height from Center of Outlet Box: 4.65"  
 Back Plate: D: 5.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63143 Eddystone**  
 Wall Fixture  
 Textured Black Finish  
 White Opal Glass  
 Height: 8.25" Width: 6.00" Extends: 8.75"  
 Height from Center of Outlet Box: 4.65"  
 Back Plate: D: 5.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63131 Delmont**  
 Wall Fixture  
 Oil Rubbed Bronze Finish with Highlights  
 Clear Water Glass  
 Height: 13.25" Width: 10.00" Extends: 12.25"  
 Height from Center of Outlet Box: 5.83"  
 Back Plate: D: 6.38"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**• 63135 Delmont**  
 Wall Fixture  
 Oil Rubbed Bronze Finish with Highlights  
 Clear Seeded Glass  
 Height: 14.25" Width: 10.00" Extends: 12.25"  
 Height from Center of Outlet Box: 5.83"  
 Back Plate: D: 6.38"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum





FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**62301 Weatherby**

Wall Fixture  
Weathered Bronze Finish  
Clear Glass

Height: 12.75" Width: 6.00" Extends: 7.50"  
Height from Center of Outlet Box: 7.25"  
Back Plate: H: 7.88" W: 4.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR  
DAMP RATED



**61126 Weatherby**

14 in. 2 Light Flush  
Barnwood Finish  
Clear Glass

Height: 7.25" Diameter: 14.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63593 Cardinal**

Pendant  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 17.25" Square: 7.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**61133 Weatherby**

Post-Top Fixture  
Weathered Bronze Finish  
Clear Glass

Height: 18.50" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR  
DAMP RATED



**63595 Weatherby**

14 in. 2 Light Flush  
Weathered Bronze Finish  
Clear Glass

Height: 7.25" Diameter: 14.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

INDOOR OUTDOOR  
DAMP RATED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**65781 Meadowbrook**

13 in. 2 Light Flush  
Matte Black Finish  
Frosted Glass

Height: 5.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63394 Grandview**

Pendant  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR OUTDOOR  
DAMP RATED



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**63393 Grandview**

Wall Fixture  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 17.00" Width: 7.25" Extends: 10.00"  
Height from Center of Outlet Box: 7.91"  
Back Plate: D: 6.49"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR OUTDOOR  
DAMP RATED



**62309 Naveen**

13 in. 2 Light Flush  
Oil Rubbed Bronze Finish  
White Alabaster Glass

Height: 6.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**65785 Grandview**

Pendant  
Matte Black Finish  
Frosted Glass

Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63391 Valley Forge**  
 3 Light Pendant  
 Matte Black Finish with Washed Copper Accents  
 Clear Seeded Glass  
 Height: 18.50" Square: 12.00" Chain: 36" Cord: 60"  
 Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE

**63606 Stella Mira**  
 3 Light Chandelier  
 Oil Rubbed Bronze Finish with Highlights  
 Clear Glass Candle Covers  
 Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"  
 Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE

**63390 Stella Mira**  
 6 Light Chandelier  
 Oil Rubbed Bronze with Highlights  
 Clear Glass Candle Covers  
 Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"  
 Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



**67328 Burnham**  
 Wall Fixture  
 Oil Rubbed Bronze Finish  
 Honey Art Glass  
 Height: 12.50" Width: 6.00" Extends: 9.00"  
 Height from Center of Outlet Box: 2.50"  
 Back Plate: H: 5.00" W: 5.00"  
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE

**62038 Clarissa**  
 Wall Fixture  
 Textured Black Finish  
 Frosted Glass  
 Height: 11.25" Width: 7.00" Extends: 8.75"  
 Height from Center of Outlet Box: 3.15"  
 Back Plate: H: 6.30" W: 4.57"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED  
 DUSK TO DAWN



FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE

**63611 Clarissa LED**  
 Dimmable LED Wall Fixture  
 with Dusk to Dawn Sensor  
 Textured Black Finish  
 Frosted Glass  
 Height: 11.25" Width: 7.00" Extends: 8.75"  
 Height from Center of Outlet Box: 3.15"  
 Back Plate: H: 6.30" W: 4.57"  
 Includes 12.5 Watt Integrated LED



FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE

**63150 Glenwillow**  
 Wall Fixture  
 Victorian Bronze Finish  
 Amber Frosted Glass  
 Height: 10.75" Width: 5.50" Extends: 7.00"  
 Height from Center of Outlet Box: 3.50"  
 Back Plate: H: 6.97" W: 4.33"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY  
 COORDINATING ITEMS AVAILABLE

**63120 Glenwillow**  
 LED Wall Fixture  
 Victorian Bronze Finish  
 Clear Seeded Glass  
 Height: 10.75" Width: 5.50" Extends: 7.00"  
 Height from Center of Outlet Box: 3.50"  
 Back Plate: H: 6.97" W: 4.33"  
 Includes 8.5 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63611	*	12.5	60	2700 (Warm White)	1050	80	20000	18.2	\$1.51
63120	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
 \* Integrated LED Light Source

\*\*Based on operating 3hrs./day



**61129 Watts Creek**  
 11 in. 1 Light Semi-Flush  
 Textured Black Finish  
 Height: 6.50" Diameter: 11.00"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63609 Watts Creek**  
 Wall Fixture  
 Galvanized Steel Finish  
 Height: 11.00" Width: 11.00" Extends: 12.50"  
 Height from Center of Outlet Box: 6.14"  
 Back Plate: D: 5.71"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63596 Academy**  
 Dimmable LED Wall Fixture with Dusk to Dawn Sensor  
 Textured Black Finish  
 Removable Nickel Luster Cage  
 Height: 11.00" Width: 12.25" Extends: 15.25"  
 Height from Center of Outlet Box: 4.13"  
 Back Plate: D: 5.00"  
 Includes 13 Watt Integrated LED



**62044 Watts Creek**  
 Wall Fixture  
 Textured Black Finish  
 Height: 11.00" Width: 11.00" Extends: 12.50"  
 Height from Center of Outlet Box: 6.14"  
 Back Plate: D: 5.71"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63608 Watts Creek**  
 Wall Fixture  
 Textured Black Finish  
 Height: 14.75" Width: 15.00" Extends: 17.00"  
 Height from Center of Outlet Box: 8.27"  
 Back Plate: D: 6.69"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**63598 Academy**  
 Dimmable LED Wall Fixture  
 Textured Black Finish  
 Removable Nickel Luster Cage  
 Height: 14.50" Width: 16.00" Extends: 19.25"  
 Height from Center of Outlet Box: 5.08"  
 Back Plate: D: 5.00"  
 Includes 20 Watt Integrated LED



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63596	*	13	75	3000 (Warm White)	1300	80	50000	45.6	\$1.57
63598	*	20	125	3000 (Warm White)	2200	80	25000	22.8	\$2.41

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
 \* Integrated LED Light Source

\*\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



**62041 Darcy**  
LED Wall Fixture  
Victorian Bronze Finish  
Amber Frosted Glass  
Height: 12.00" Width: 7.00" Extends: 8.00"  
Height from Center of Outlet Box: 2.36"  
Back Plate: D: 4.53"  
Includes 8.5 Watt Integrated LED

INTEGRATED DIMMABLE LED



**62034 Orson**  
Dimmable LED Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Prismatic Lens  
Height: 9.50" Width: 8.75" Extends: 10.00"  
Height from Center of Outlet Box: 4.21"  
Back Plate: D: 6.18"  
Includes 9 Watt Integrated LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



**62046 Orson**  
Dimmable LED Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Prismatic Lens  
Height: 11.50" Width: 10.75" Extends: 11.50"  
Height from Center of Outlet Box: 5.08"  
Back Plate: D: 6.18"  
Includes 9 Watt Integrated LED

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**62043 Roosevelt**  
Wall Fixture  
Amber Bronze Finish with Highlights  
Height: 9.50" Width: 7.50" Extends: 8.75"  
Height from Center of Outlet Box: 3.11"  
Back Plate: D: 4.88"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED



**61132 Orson**  
9 in. 1 Light Semi-Flush  
Textured Black Finish  
Frosted Prismatic Lens  
Height: 7.75" Diameter: 8.75"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

INTEGRATED LED



**64003**  
Dimmable LED Wall Fixture  
Oil Rubbed Bronze Finish  
Clear Crackle Glass  
Height: 9.75" Width: 6.00" Extends: 8.00"  
Height from Center of Outlet Box: 2.83"  
Back Plate: H: 5.38" W: 4.38"  
Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
62041	*	8.5	40	2700 (Warm White)	748	80	20000	18.2	\$1.02
62034	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
62046	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
64003	*	9	60	3000 (Warm White)	800	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day





FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

**66741 Senecaville**  
Wall Fixture  
Weathered Bronze Finish  
White Alabaster Glass

Height: 13.25" Width: 6.50" Extends: 8.00"  
Height from Center of Outlet Box: 5.25"  
Back Plate: H: 6.13" W: 5.25"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

INDOOR  
OUTDOOR  
DAMP RATED



**66746 Senecaville**  
12 in. 2 Light Flush  
Weathered Bronze Finish  
White Alabaster Glass

Height: 6.00" Diameter: 12.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE

INDOOR  
OUTDOOR  
DAMP RATED



**62303 Bonneville**  
13 in. 2 Light Flush  
Weathered Bronze Finish  
Frosted Glass

Height: 5.75" Diameter: 12.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**65784 Orwell**  
11 in. 2 Light Flush  
Oil Rubbed Bronze Finish with Highlights  
Clear Seeded Glass

Height: 4.50" Square: 11.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY  
COORDINATING ITEMS AVAILABLE



**62048 Orwell**  
11 in. 2 Light Flush  
Textured Black Finish  
Frosted Seeded Glass

Height: 4.50" Square: 11.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

DUSK  
TO DAWN



**62045 Caliste**  
Wall Fixture with Dusk to Dawn Sensor  
Textured Black Finish  
Clear Water Glass

Height: 10.00" Width: 6.00" Extends: 7.75"  
Height from Center of Outlet Box: 4.00"  
Back Plate: H: 8.00" W: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE  
LED



**64000**  
Dimmable LED Wall Fixture  
Weathered Patina Finish  
Clear Seeded Glass

Height: 12.25" Width: 6.00" Extends: 8.00"  
Height from Center of Outlet Box: 2.83"  
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE  
LED



**64002**  
Dimmable LED Wall Fixture  
Oil Rubbed Bronze Finish  
Frosted Glass

Height: 14.75" Width: 6.25" Extends: 8.75"  
Height from Center of Outlet Box: 9.06"  
Back Plate: H: 7.88" W: 4.50"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
64000	*	9	60	3000 (Warm White)	900	80	35000	31.9	\$1.08
64002	*	9	40	3000 (Warm White)	550	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

**INDOOR OUTDOOR WE RATED**  
All outdoor fixtures in this section are wet rated unless otherwise noted.

**INTEGRATED DIMMABLE LED**



**64001**  
Dimmable LED Wall Fixture  
Black Finish  
Clear Seeded Glass  
Height: 11.00" Width: 6.00" Extends: 8.00"  
Height from Center of Outlet Box: 2.83"  
Back Plate: H: 5.38" W: 4.38"  
Includes 9 Watt Integrated LED



**67831**  
Wall Fixture  
Textured Black Finish  
Clear Beveled Glass Panels  
Height: 12.00" Width: 6.50" Extends: 7.75"  
Height from Center of Outlet Box: 2.83"  
Back Plate: H: 5.75" W: 4.38"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**62306 New Haven**  
Wall Fixture  
Oil Rubbed Bronze Finish  
Clear Seeded Glass  
Height: 13.75" Width: 6.50" Extends: 8.75"  
Height from Center of Outlet Box: 4.88"  
Back Plate: H: 6.88" W: 4.50"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**64688**  
Wall Fixture  
Antique Silver Finish  
Clear Curved Glass Panels  
Height: 7.75" Width: 6.00" Extends: 6.50"  
Height from Center of Outlet Box: 2.25"  
Back Plate: D: 4.50"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**FIXTURE FAMILY**  
COORDINATING ITEMS AVAILABLE

**62307 Parkville**  
Wall Fixture  
Oil Rubbed Bronze Finish  
White Alabaster Glass  
Height: 11.00" Width: 6.25" Extends: 8.25"  
Height from Center of Outlet Box: 2.25"  
Back Plate: D: 4.75"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66898**  
Wall Fixture  
Textured Black Finish  
White Acrylic Lens  
Height: 10.00" Width: 7.75" Extends: 4.25"  
Height from Center of Outlet Box: 4.25"  
Back Plate: H: 9.38" W: 7.00"  
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**64684**  
Wall Fixture  
Antique Silver Finish  
Clear Glass Panels  
Height: 8.25" Width: 4.50" Extends: 5.75"  
Height from Center of Outlet Box: 3.00"  
Back Plate: D: 4.50"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66972**  
Wall Fixture  
Textured Black Finish  
Clear Glass Panels  
Height: 8.25" Width: 4.50" Extends: 5.75"  
Height from Center of Outlet Box: 3.00"  
Back Plate: D: 4.50"  
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

**INTEGRATED DIMMABLE LED**



**61075**  
Dimmable LED Wall Fixture  
Textured Black Finish  
Frosted Glass  
Height: 8.50" Width: 4.50" Extends: 6.00"  
Height from Center of Outlet Box: 2.63"  
Back Plate: D: 4.53"  
Includes 9 Watt Integrated LED

**LED LIGHT SOURCE SPECIFICATIONS**

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64001	*	9	60	3000 (Warm White)	900	80	35000	31.9	\$1.08
61075	*	9	60	3000 (Warm White)	800	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on operating 3hrs./day



**66924**  
Wall Fixture  
Polished Brass Finish  
Clear Curved Beveled Glass Panels

Height: 18.50" Width: 5.75" Extends: 6.00"  
Height from Center of Outlet Box: 11.50"  
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66964**  
Wall Fixture  
Polished Brass Finish  
Clear Glass Panels

Height: 13.50" Width: 4.75" Extends: 5.75"  
Height from Center of Outlet Box: 8.00"  
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66983**  
Wall Fixture  
Matte Black Finish  
Clear Glass Panels

Height: 13.50" Width: 4.75" Extends: 5.75"  
Height from Center of Outlet Box: 8.00"  
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66853**  
Wall Fixture  
Polished Brass Finish  
Clear Beveled Glass Panels

Height: 12.00" Width: 7.00" Extends: 7.00"  
Height from Center of Outlet Box: 2.75"  
Back Plate: H: 5.50" W: 4.75"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**67834**  
Wall Fixture  
Textured White Finish  
Clear Beveled Glass

Height: 12.00" Width: 6.50" Extends: 7.75"  
Height from Center of Outlet Box: 2.83"  
Back Plate: H: 5.75" W: 4.38"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66971**  
Wall Fixture  
White Finish  
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"  
Height from Center of Outlet Box: 3.00"  
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**61069**  
Dimmable LED Wall Fixture with Dusk to Dawn Sensor  
Oil Rubbed Bronze Finish  
Clear Ribbed Glass

Height: 7.50" Width: 4.50" Extends: 6.00"  
Height from Center of Outlet Box: 2.36"  
Back Plate: D: 4.41"

Includes 6 Watt Integrated LED



**61068**  
Dimmable LED Wall Fixture with Dusk to Dawn Sensor  
White Finish  
Frosted Opal Glass

Height: 6.75" Width: 5.00" Extends: 5.50"  
Height from Center of Outlet Box: 2.90"  
Back Plate: H: 5.08" W: 4.96"

Includes 8 Watt Integrated LED



**61067**  
Dimmable LED Wall Fixture with Dusk to Dawn Sensor  
Black Finish  
Frosted Opal Glass

Height: 6.75" Width: 5.00" Extends: 5.50"  
Height from Center of Outlet Box: 2.90"  
Back Plate: H: 5.08" W: 4.96"

Includes 8 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61069	*	6	40	3000 (Warm White)	600	80	25000	22.8	\$0.72
61068	*	8	40	3000 (Warm White)	620	80	35000	31.9	\$0.96
61067	*	8	40	3000 (Warm White)	620	80	35000	31.9	\$0.96

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

**INDOOR OUTDOOR WEATHERED**  
All outdoor fixtures in this section are wet rated unless otherwise noted.

**INTEGRATED DIMMABLE LED**

**DARK SKY FRIENDLY**

**ADA COMPLIANT**



**65790 Winslett**  
Dimmable LED Wall Fixture  
Textured Black Finish  
Frosted Glass

Height: 6.25" Width: 6.25" Extends: 3.50"  
Height from Center of Outlet Box: 3.00"  
Back Plate: D: 6.25"

Includes 12 Watt Integrated LED

**INTEGRATED LED**

**MOTION ACTIVATED**

**DUSK TO DAWN**



**63643**  
2 Light LED Security Light Wall Fixture with Motion Sensor  
Bronze Finish  
Acrylic Lens

Height: 8.75" Width: 9.75" Extends: 5.25"  
Height from Center of Outlet Box: 6.30"  
Back Plate: D: 5.16"

Includes (2) x 9 Watt Integrated LEDs

**INTEGRATED LED**

**MOTION ACTIVATED**

**DUSK TO DAWN**



**63642**  
2 Light LED Security Light Wall Fixture with Motion Sensor  
White Finish  
Acrylic Lens

Height: 8.75" Width: 9.75" Extends: 5.25"  
Height from Center of Outlet Box: 6.30"  
Back Plate: D: 5.16"

Includes (2) x 9 Watt Integrated LEDs

**INTEGRATED DIMMABLE LED**

**ADA COMPLIANT**



**61140**  
Dimmable LED Wall Fixture  
Textured Black Finish  
White Glass

Diameter: 7.75" Extends: 4.00"  
Back Plate: D: 7.75"

Includes 12 Watt Integrated LED

**INTEGRATED DIMMABLE LED**

**ADA COMPLIANT**



**61139**  
Dimmable LED Wall Fixture  
Textured White Finish  
White Glass

Diameter: 7.75" Extends: 4.00"  
Back Plate: D: 7.75"

Includes 12 Watt Integrated LED

**ADA COMPLIANT**



**67836**  
Wall Fixture  
White Finish  
White Glass Lens

Diameter: 7.75" Extends: 4.00"  
Back Plate: D: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**INTEGRATED DIMMABLE LED**



**61137**  
Dimmable LED Wall Fixture  
Textured Black Finish  
White Glass

Height: 5.00" Width: 8.25" Extends: 4.25"  
Back Plate: H: 5.00" W: 8.25"

Includes 6 Watt Integrated LED

**INTEGRATED DIMMABLE LED**



**61136**  
Dimmable LED Wall Fixture  
Textured White Finish  
White Glass

Height: 5.00" Width: 8.25" Extends: 4.25"  
Back Plate: H: 5.00" W: 8.25"

Includes 6 Watt Integrated LED

**INTEGRATED DIMMABLE LED**



**67835**  
Wall Fixture  
White Finish  
White Glass Lens

Height: 5.00" Width: 8.25" Extends: 4.25"  
Back Plate: H: 5.00" W: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

**LED LIGHT SOURCE SPECIFICATIONS**

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
65790	*	12	40	3000 (Warm White)	700	80	25000	22.8	\$1.45
63643	*	18	100	4000 (Cool White)	1900	80	50000	45.6	\$2.17
63642	*	18	100	4000 (Cool White)	1900	80	50000	45.6	\$2.17
61140	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61139	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61137	*	6	40	3000 (Warm White)	680	80	50000	45.6	\$0.72
61136	*	6	40	3000 (Warm White)	680	80	50000	45.6	\$0.72

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

†Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh



**66946**  
 Polycarbonate Wall Fixture with Removable Tail  
 White Finish  
 Clear Textured Acrylic

Height with Tail: 17.00" Height without Tail: 13.00"  
 Square: 8.00" Extends: 8.50"  
 Height from Center of Outlet Box: 10.75"  
 Back Plate: H: 4.63" W: 4.63"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66803**  
 Polycarbonate Wall Fixture  
 Black Finish  
 White Glass Globe

Height: 7.25" Diameter: 6.00" Extends: 7.00"  
 Height from Center of Outlet Box: 2.50"  
 Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66818**  
 5 in. 1 Light Flush  
 Antique Brass Finish  
 Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66878**  
 Wall Fixture  
 White Finish  
 Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"  
 Height from Center of Outlet Box: 2.00"  
 Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66949**  
 Polycarbonate Wall Fixture  
 with Dusk to Dawn Sensor  
 Black Finish  
 Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"  
 Height from Center of Outlet Box: 2.50"  
 Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66919**  
 5 in. 1 Light Flush  
 Matte Black Finish  
 Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66885**  
 Wall Fixture  
 Matte Black Finish  
 Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"  
 Height from Center of Outlet Box: 2.00"  
 Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66882**  
 Wall Fixture  
 Oil Rubbed Bronze Finish  
 Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"  
 Height from Center of Outlet Box: 2.00"  
 Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66800**  
 Polypropylene Wall Fixture  
 Black Finish  
 Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"  
 Height from Center of Outlet Box: 2.50"  
 Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66822**  
 8 in. 1 Light Polypropylene Flush  
 Black Finish  
 Frosted Glass Panels  
 Height: 4.75" Square: 8.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66975**  
 8 in. 1 Light Polypropylene Flush  
 White Finish  
 Frosted Glass Panels  
 Height: 4.75" Square: 8.25"  
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



**66861**  
 Polycarbonate Post Top Fixture  
 Black Finish  
 White Acrylic Globe  
 Height: 13.00" Diameter: 12.00"  
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



**66823**  
 10 in. 2 Light Polypropylene Flush  
 Black Finish  
 Frosted Glass Panels  
 Height: 5.50" Square: 10.25"  
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum




**66976**  
 10 in. 2 Light Polypropylene Flush  
 White Finish  
 Frosted Glass Panels  
 Height: 5.50" Square: 10.25"  
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

**DUSK  
 TO DAWN**



**66955**  
 Fixture Post with Ground Convenience Outlet  
 Dusk to Dawn Sensor  
 Black Finish  
 Height: 84.00" Width: 3.00"  
 (Includes ladder rest)



**67901**  
 Pedestal Mount for Post Top Fixture  
 Textured Black Finish  
 Height: 3.00" Square: 5.75"  
 (Designed for use with post top lanterns that fit a 3" diameter post.  
 Not intended to be used with a lantern post.)



**66991**  
 Ladder Rest  
 Black Finish with Brass Accents  
 Height: 1.50" Width: 15.75"



**66808**  
 Fixture Post  
 Black Finish  
 Height: 84.00" Width: 3.00"  
 (Includes ladder rest)

# PICTURE LIGHTS

Picture lights amplify the natural beauty of treasured artwork and photographs.

INTEGRATED LED PLUG-IN Design



**75007**  
7 in. 2W Adjustable LED Picture Light  
Antique Brass Finish, 3000K

Height: 3.50" Width: 7.25"  
Extends: 8.00"  
Adjustable Cord: 96"  
Includes 2 Watt Integrated LED

INTEGRATED LED PLUG-IN Design



**75008**  
7 in. 2W Adjustable LED Picture Light  
Brushed Nickel Finish, 3000K

Height: 3.50" Width: 7.25"  
Extends: 8.00"  
Adjustable Cord: 96"  
Includes 2 Watt Integrated LED

INTEGRATED LED PLUG-IN Design



**75009**  
7 in. 2W Adjustable LED Picture Light  
Oil Rubbed Bronze Finish, 3000K

Height: 3.50" Width: 7.25"  
Extends: 8.00"  
Adjustable Cord: 96"  
Includes 2 Watt Integrated LED

INTEGRATED LED PLUG-IN Design



**75013**  
14 in. 4W Adjustable LED Picture Light  
with Decorative Hinge  
Antique Brass Finish, 3000K

Height: 3.50" Width: 14.50"  
Extends: 8.00"  
Adjustable Cord: 96"  
Includes 4 Watt Integrated LED

INTEGRATED LED PLUG-IN Design



**75011**  
14 in. 4W Adjustable LED Picture Light  
Brushed Nickel Finish, 3000K

Height: 3.50" Width: 14.50"  
Extends: 8.00"  
Adjustable Cord: 96"  
Includes 4 Watt Integrated LED

INTEGRATED DIMMABLE LED HARDWIRE Design



**75014**  
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light  
Antique Brass Finish, 3000K

Height: 7.25" Width: 17.00"  
Extends: 8.75"  
Includes 15 Watt Integrated Dimmable LED

INTEGRATED DIMMABLE LED HARDWIRE Design



**75015**  
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light  
Brushed Nickel Finish, 3000K

Height: 7.25" Width: 17.00"  
Extends: 8.75"  
Includes 15 Watt Integrated Dimmable LED

INTEGRATED DIMMABLE LED HARDWIRE Design



**75016**  
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light  
Matte Black Finish, 3000K

Height: 7.25" Width: 17.00"  
Extends: 8.75"  
Includes 15 Watt Integrated Dimmable LED

INTEGRATED LED PLUG-IN Design



**75012**  
14 in. 4W Adjustable LED Picture Light  
Oil Rubbed Bronze Finish, 3000K

Height: 3.50" Width: 14.50"  
Extends: 8.00"  
Adjustable Cord: 96"  
Includes 4 Watt Integrated LED

All plug-in picture lights include:

- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware

## LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
75007	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75008	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75009	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75011	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75014	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75015	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75016	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75012	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75013	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

PLUG-IN  
Design



**75052**

7" Picture Light  
Antique Brass Finish

Height: 4.00" Width: 7.50"  
Extends: 6.00"  
Adjustable Cord: 96"

Includes (1) T6, 15 Watt Frost Lamp  
(WL Lamp #03723)

PLUG-IN  
Design



**75053**

14" Picture Light  
Antique Brass Finish

Height: 4.00" Width: 14.50"  
Extends: 6.00"  
Adjustable Cord: 96"

Includes (2) T6, 15 Watt Frost Lamps  
(WL Lamp #03723)

PLUG-IN  
Design



**75051**

14" Picture Light  
Polished Brass Finish

Height: 4.00" Width: 14.50"  
Extends: 6.00"  
Adjustable Cord: 96"

Includes (2) T6, 15 Watt Frost Lamps  
(WL Lamp #03723)

All plug-in picture lights include:

- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware



# 52" AND ABOVE CEILING FANS

Incorporating modern-day enhancements in design and technology, this selection of ceiling fans, size 52" and above, ensures maximum performance, decorative appeal, and year-round comfort in larger rooms.

New!

DIMMABLE LED



FAN FAMILY  
COORDINATING ITEMS AVAILABLE



### 74002B Cayuga

60 in. Black-Bronze Finish  
Reversible Blades (Applewood/Cherry)  
Frosted Opal Glass  
Smart WiFi Technology

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)

Remote Control Included

New!

DIMMABLE LED



FAN FAMILY  
COORDINATING ITEMS AVAILABLE



### 74003B Cayuga

60 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
Frosted Opal Glass  
Smart WiFi Technology

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)

Remote Control Included

New!

DIMMABLE LED



### 74005B Porto

52 in. Black-Bronze Finish  
Reversible Blades (Dark Walnut/Wengue)  
Amber Frosted Glass  
Smart WiFi Technology

Includes (1) Medium (E26) Base, 9 Watt Omni LED Lamp (WL Lamp #51331)

Remote Control Included

New!

DIMMABLE LED



### 73048 Scholar

52 in. Matte Black Finish  
Reversible Blades (Weathered Oak/Walnut) Clear Glass

Includes (1) Medium (E26) Base, 6.5 Watt A19 Filament LED Lamp (WL Lamp #53165)

Pull Chains Included

## LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
74002B <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
74003B <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
74005B <sup>†</sup>	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
73048 <sup>†</sup>	1	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp.

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

**New!** **LED** **FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**73057 Stella Mira**  
52 in. Brushed Nickel Finish  
Reversible Blades (Wengue/Rustic Birch)  
Cage Shade  
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Remote Control Included

**LED** **FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**72171 Stella Mira**  
52 in. Oil Rubbed Bronze Finish with Highlights  
Reversible Blades (Applewood with Shaded Edge/Catalpa Wood)  
Cage Shade  
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Remote Control Included

**New!** **LED** **FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**73053 Alta Vista**  
52 in. Gun Metal Finish  
Reversible Blades (Charcoal/Black)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Remote Control Included

**New!** **LED** **FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**73049 Brinley**  
52 in. Brushed Nickel Finish  
Reversible Blades (Silver/Gray Teak)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)  
Pull Chains Included

**LED** **FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**72059 Alta Vista**  
52 in. Matte Black Finish  
Reversible Blades (Black/Bleached Cherry)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Remote Control Included

**LED** **FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**72257 Alta Vista**  
52 in. Brushed Nickel Finish  
Reversible Blades (Graphite/Light Maple)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
73057 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72171 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
73053	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
73049 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72059	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
72257	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh



**72173 Damen**  
68 in. Nickel Luster Finish  
Reversible Blades (Mahogany/Wengue)  
Remote Control Included



**72250 Willa**  
60 in. Brushed Nickel Finish  
Reversible Blades (Wengue/Beech)  
Frosted Glass and Cage Shade  
Includes 16 Watt Integrated LED  
Remote Control Included



**72077 Cayuga**  
60 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #05161)  
Remote Control Included



**72078 Cayuga**  
60 in. Oil Rubbed Bronze Finish  
Reversible Blades (Applewood/Cherry)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #05161)  
Remote Control Included



**72046 Zephyr**  
56 in. Brushed Nickel Finish  
Reversible Blades (Rich Walnut/Maple)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #05161)  
Remote Control Included



**72051 Alloy II**  
52 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #33199)  
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
72250	*	16	100	3000 (Warm White)	1680	80	25000	22.8	\$1.93
72077 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72078 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72046 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72051 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



**72259 Morris**  
 52 in. Iron Finish  
 Riverbed Blades  
 Opal Frosted Glass  
 Includes 16 Watt Integrated LED  
 Remote Control Included



**72270 Evan**  
 52 in. Matte Black Finish  
 Walnut ABS Blades  
 Opal Frosted Glass  
 Includes 16 Watt Integrated LED  
 Remote Control Included



**72091 Castle LED**  
 52 in. Brushed Nickel Finish  
 Reversible Blades (Weathered Maple/Beech)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
 (WL Lamp #33199)  
 Pull Chains Included



**72074 Desoto**  
 52 in. Oil Rubbed Bronze Finish  
 Reversible Blades (Mahogany/Cherry)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
 (WL Lamp #33199)  
 Pull Chains Included



**72231 Xavier II**  
 52 in. Brushed Nickel Finish  
 with Gun Metal Accents  
 Reversible Blades (Graphite/Weathered Maple)  
 Spot Lights  
 Includes (3) GU10 Base, 6.5 Watt MR16 LED Lamps  
 (WL Lamp #53032)  
 Pull Chains Included



**72204 Chambers**  
 60 in. Distressed Aluminum Finish  
 Reversible Blades (Autumn Walnut/Wengue)  
 Opal Frosted Glass and Removable Cage  
 Includes 24 Watt Integrated LED  
 Remote Control Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
72259	*	16	75	3000 (Warm White)	1400	90	25000	22.8	\$1.93
72270	*	16	75	3000 (Warm White)	1180	90	25000	22.8	\$1.93
72091 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72074 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72231 <sup>†</sup>	3	6.5	50	3000 (Warm White)	500	80	25000	22.8	\$0.78
72204	*	24	100	3000 (Warm White)	1607	90	25000	22.8	\$2.89

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh



**\* 72248 Widespan**  
100 in. Matte Black Finish  
Black Blades  
Remote Control Included



**\* 72249 Widespan**  
100 in. Brushed Nickel Finish  
Aluminum Blades  
Remote Control Included



**\*CAUTION!** All Westinghouse 100 in. industrial ceiling fans must be installed with blades at least 10 feet from the floor.



**72042 Techno II**  
72 in. Black Finish  
Black ABS Blades  
Opal Frosted Glass  
Includes 17.5 Watt Integrated LED  
Remote Control Included



**72039 Techno II**  
72 in. Titanium Finish  
Titanium ABS Blades  
Opal Frosted Glass  
Includes 17.5 Watt Integrated LED  
Remote Control Included



**72255 Julien**  
54 in. Brushed Nickel Finish  
Clear Acrylic Blades  
Remote Control Included



**72264 Madeline**  
56 in. White Finish  
White Blades  
Opal Frosted Glass  
Includes 24 Watt Integrated LED  
Remote Control Included



**LED LIGHT SOURCE SPECIFICATIONS**

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
72042	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11
72039	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11
72264	*	24	100	3000 (Warm White)	1814	90	25000	22.8	\$2.89

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
\* Integrated LED Light Source

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**78003 Jax**  
56 in. Brushed Nickel Finish  
Black Steel Blades  
Wall Control Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**72381 Jax**  
56 in. Brushed Nickel Finish  
Brushed Nickel Steel Blades  
Remote Control Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**78614 Jax**  
56 in. Brushed Nickel Finish  
Brushed Nickel Steel Blades  
Wall Control Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**72379 Jax**  
56 in. White Finish  
White Steel Blades  
Remote Control Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**78127 Jax**  
56 in. White Finish  
White Steel Blades  
Wall Control Included



J-Hook  
Installation System

FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**78409 Jax**  
56 in. White Finish  
White Steel Blades  
J Hook Installation System  
Wall Control Included



New!

FAN FAMILY  
COORDINATING ITEMS AVAILABLE



**73056 Thurlow**  
54 in. Industrial Steel Finish  
Reversible Blades (Black/Pewter Ash)  
Pull Chains Included

FAN FAMILY  
COORDINATING ITEMS AVAILABLE



**72076 Thurlow**  
54 in. Weathered Bronze Finish  
Reversible Blades (Driftwood/Reclaimed Hickory)  
Pull Chains Included

LED

FAN FAMILY  
COORDINATING ITEMS AVAILABLE



**72053 Alloy LED**  
52 in. Gun Metal Finish  
Reversible Blades (Black/Applewood)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #33199)  
Pull Chains Included

LED

FAN FAMILY  
COORDINATING ITEMS AVAILABLE



**72090 Alloy LED**  
52 in. Brushed Nickel Finish  
Reversible Blades (Beech/Wengue)  
Opal Frosted Glass  
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #33199)  
Pull Chains Included

DIMMABLE  
LED

FAN FAMILY  
COORDINATING ITEMS AVAILABLE



**72206 Kelcie**  
52 in. Brushed Nickel Finish  
Reversible Blades (Silver/Graphite)  
Crystal Jewel Shade  
Includes (2) Medium (E26) Base, 6.5 Watt Filament A19 LED Lamps  
(WL Lamp #43165)  
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** <sup>†</sup>
72053 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72090 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72206 <sup>†</sup>	2	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp.

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

**New!** 



**73054 Comet**  
 52 in. Brushed Nickel Finish  
 Reversible Blades (Charcoal/Wengue)  
 Frosted Glass  
 Includes (2) Candelabra (E12) Base, 5.5 Watt  
 G 16-1/2 LED Lamps  
 Pull Chains Included



**New!** 



**73055 Comet**  
 52 in. White Finish  
 Reversible Blades (Rustic Birch/Graphite)  
 Frosted Glass  
 Includes (2) Candelabra (E12) Base, 5.5 Watt  
 G 16-1/2 LED Lamps  
 Pull Chains Included





**FAN FAMILY**  
 COORDINATING  
 ITEMS AVAILABLE



**72242 Comet**  
 52 in. Matte Black Finish  
 Reversible Blades (Black/Black Marble)  
 Frosted Glass  
 Includes 16 Watt Integrated LED  
 Pull Chains Included





**FAN FAMILY**  
 COORDINATING  
 ITEMS AVAILABLE



**72336 Comet**  
 52 in. White Finish  
 Reversible Blades (White/White Washed Pine)  
 Frosted Glass  
 Includes 16 Watt Integrated LED  
 Pull Chains Included





**FAN FAMILY**  
 COORDINATING  
 ITEMS AVAILABLE



**72341 Comet**  
 52 in. Brushed Pewter Finish  
 Reversible Blades (Light Maple/White)  
 Frosted Glass  
 Includes 16 Watt Integrated LED  
 Pull Chains Included



**LED LIGHT SOURCE SPECIFICATIONS**

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost <sup>**†</sup>
73054 <sup>†</sup>	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
73055 <sup>†</sup>	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72242	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72336	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72341	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp. \* Integrated LED Light Source

<sup>\*\*</sup>Based on 3hrs./day <sup>\*\*†</sup>Based on operating 3hrs./day 11¢/kWh





**72359 Swirl**  
52 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
Frosted Swirl Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72338 Vintage**  
52 in. Polished Brass Finish  
Reversible Blades (Walnut/Oak)  
Clear Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72364 Vintage**  
52 in. White Finish  
Reversible Blades (White/White Washed Pine)  
Frosted Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72371 Vintage**  
52 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
Frosted Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost <sup>**†</sup>
72364 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72371 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72338 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72359 <sup>†</sup>	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



**72096 Carolina LED**  
52 in. Oil Rubbed Bronze Finish  
Reversible Blades (Applewood/Cherry)  
Amber Alabaster Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps  
(WL Lamp #33199)  
Pull Chains Included



**72349 Vintage II**  
52 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
White Alabaster Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps  
(WL Lamp #50581)  
Pull Chains Included



**72306 Sumter**  
52 in. Classic Bronze Finish  
Reversible Blades (Applewood with Shaded Edge/Dark Cherry)  
Amber Alabaster Bowl

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps  
(WL Lamp #50581)  
Pull Chains Included



**72321 Contempra IV**  
52 in. Oil Rubbed Bronze Finish  
Reversible Blades (Dark Cherry/Walnut)  
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps  
(WL Lamp #43168)  
Pull Chains Included



**72322 Contempra IV**  
52 in. Antique Brass Finish  
Reversible Blades (Oak/Walnut)  
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps  
(WL Lamp #43168)  
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
72349 <sup>†</sup>	2	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72306 <sup>†</sup>	2	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72096 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72322 <sup>†</sup>	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72321 <sup>†</sup>	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp.

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**72320 Contempra IV**  
52 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Bird's Eye Maple)  
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



New!



**73038 Contractor's Choice**

52 in. Black Finish  
Matte Black Blades  
Pull Chains Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**72324 Contempra IV**  
52 in. Polished Brass Finish  
Reversible Blades (Walnut/Oak)  
Clear Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**78024 Contractor's Choice**

52 in. White Finish  
White Blades  
Pull Chains Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

**72323 Contempra IV**  
52 in. White Finish  
Reversible Blades (White/White Washed Pine)  
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** <sup>†</sup>
72320 <sup>†</sup>	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72324 <sup>†</sup>	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72323 <sup>†</sup>	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp.

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

# 42" TO 48" CEILING FANS

Capturing the essence of today's lifestyle trends, this collection of 42" to 48" ceiling fans offers distinctive styles to ensure a comfortable environment in medium-sized rooms.

Fan Performance Specifications can be found on Page 78-81.

**New!** **DIMMABLE LED**



**74001B Barnett**  
48 in. Barnwood Finish  
Reversible Blades (Reclaimed Hickory/Pewter Ash)  
Cage Shade  
Smart WiFi Technology

Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)  
Remote Control Included

**FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**DIMMABLE LED**



**72205 Barnett**  
48 in. Barnwood Finish  
Reversible Blades (Reclaimed Hickory/Pewter Ash)  
Cage Shade

Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)  
Remote Control Included

**FAN FAMILY**  
COORDINATING ITEMS AVAILABLE

**INTEGRATED DIMMABLE LED** **DC MOTOR**



**72258 Josef**  
48 in. Brushed Nickel Finish  
Clear Acrylic Blades  
Opal Frosted Glass

Includes 16 Watt Integrated LED  
Remote Control Included

**INTEGRATED DIMMABLE LED**



**72251 Carla**  
46 in. White Finish  
White ABS Blades  
Opal Frosted Glass

Includes 16 Watt Integrated LED  
Remote Control Included

## LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
74001B <sup>†</sup>	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	\$0.54
72205 <sup>†</sup>	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	\$0.54
72258	*	16	75	3000 (Warm White)	1160	90	25000	22.8	\$1.93
72251	*	16	75	3000 (Warm White)	1190	80	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh

**New!**  **INTEGRATED DIMMABLE LED**



**73052 Drake**  
 48 in. Gun Metal Finish  
 Reversible Blades (Weathered Oak/Walnut)  
 Opal Frosted Glass  
 Includes 16 Watt Integrated LED  
 Remote Control Included

**New!**  **LED**



**73051 Alloy**  
 42 in. Brushed Nickel Finish  
 Reversible Blades (Weathered Oak/Walnut)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt  
 T7 LED Lamps (WL Lamp #33199)  
 Pull Chains Included

**FAN FAMILY**  
 COORDINATING ITEMS AVAILABLE

**New!**  **LED**



**73050 Alloy**  
 42 in. Matte Black Finish  
 Reversible Blades (Charcoal/Riverbed)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt  
 T7 LED Lamps (WL Lamp #33199)  
 Pull Chains Included

**FAN FAMILY**  
 COORDINATING ITEMS AVAILABLE

 **LED**



**72215 Alloy**  
 42 in. Gun Metal Finish  
 Reversible Blades (Black/Graphite)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt  
 T7 LED Lamps (WL Lamp #33199)  
 Pull Chains Included

**FAN FAMILY**  
 COORDINATING ITEMS AVAILABLE

 **LED**



**72225 Alloy**  
 42 in. Oil Rubbed Bronze Finish  
 Reversible Blades (Walnut/Family Oak)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt  
 T7 LED Lamps (WL Lamp #33199)  
 Pull Chains Included

**FAN FAMILY**  
 COORDINATING ITEMS AVAILABLE

 **LED**



**72216 Alloy**  
 42 in. Brushed Nickel Finish  
 Reversible Blades (Beech/Wengue)  
 Opal Frosted Glass  
 Includes (2) Medium (E26) Base, 8 Watt  
 T7 LED Lamps (WL Lamp #33199)  
 Pull Chains Included

**FAN FAMILY**  
 COORDINATING ITEMS AVAILABLE

**LED LIGHT SOURCE SPECIFICATIONS**

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost <sup>**†</sup>
73052	*	16	75	3000 (Warm White)	1160	90	25000	22.8	\$1.93
73051 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
73050 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72215 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72225 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72216 <sup>†</sup>	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh



**72230 Solana**  
 48 in. Brushed Nickel Finish  
 Wengue Blades  
 Opal Frosted Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps  
 (WL Lamp #50241)

Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>**†</sup>
72230 <sup>†</sup>	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp.

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh



**72319 Contempra Trio**  
42 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Bird's Eye Maple)  
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72313 Contempra Trio**  
42 in. Oil Rubbed Bronze Finish  
Reversible Blades (Dark Cherry/Walnut)  
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72304 Hadley**  
42 in. Brushed Nickel Finish  
Reversible Blades (Dark Cherry/Rosewood)  
White Alabaster Bowl

Includes (2) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamps  
Pull Chains Included



**72305 Hadley**  
42 in. Oil Rubbed Bronze Finish  
Reversible Blades (Applewood/Cherry)  
White Alabaster Bowl

Includes (2) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamps  
Pull Chains Included



**72179 Halley**  
44 in. Brushed Nickel Finish  
Reversible Blades (Weathered Maple/Dark Cherry)  
Frosted Opal Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps  
Remote Control Included



**72354 Newtown**  
42 in. Brushed Nickel Finish  
Reversible Blades (Light Maple/Bird's Eye Maple)  
Water Glass Shades

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72375 Richboro SE**  
42 in. Brushed Nickel Finish  
Reversible Blades (Rosewood/Light Maple)  
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps (WL Lamp #50242)  
Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.



**72314 Contempra Trio**  
42 in. White Finish  
Reversible Blades (White/White Washed Pine)  
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
Pull Chains Included



**72312 Casanova Supreme**  
42 in. White Finish  
Reversible Blades (White/White Washed Pine)  
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)  
Pull Chains Included



**72309 Casanova Supreme**  
42 in. Antique Brass Finish  
Reversible Blades (Oak/Walnut)  
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)  
Pull Chains Included



**72310 Casanova Supreme**  
42 in. Polished Brass Finish  
Reversible Blades (Walnut/Oak)  
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)  
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost <sup>**†</sup>
72319 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72313 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72304 <sup>†</sup>	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72305 <sup>†</sup>	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72179 <sup>†</sup>	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72354 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72375 <sup>†</sup>	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72314 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72309 <sup>†</sup>	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72310 <sup>†</sup>	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72312 <sup>†</sup>	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup>Values are per lamp.

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh



# 24" TO 36" CEILING FANS

Featuring a wide range of décor-enhancing styles, this assortment of 24" to 36" down rod and hugger-mount ceiling fans offers decorative options to create complete comfort in smaller rooms.

INTEGRATED  
DIMMABLE  
LED



**72303 Cassidy**  
36 in. Brushed Nickel Finish  
Reversible Blades (Wengue/Silver)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Pull Chains Included

DIMMABLE  
LED



FAN  
FAMILY  
COORDINATING  
ITEMS AVAILABLE

**72347 Turbo Swirl**  
30 in. Antique Brass Finish  
Walnut Blades  
Opal Frosted Glass  
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp  
(WL Lamp #50242)  
Pull Chains Included

DIMMABLE  
LED



FAN  
FAMILY  
COORDINATING  
ITEMS AVAILABLE

**72240 Turbo Swirl**  
30 in. Brushed Aluminum Finish  
Light Maple Blades  
Opal Frosted Glass  
Includes (1) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamp  
Pull Chains Included

DIMMABLE  
LED



FAN  
FAMILY  
COORDINATING  
ITEMS AVAILABLE

**72344 Turbo Swirl**  
30 in. White Finish  
White Blades  
Opal Frosted Glass  
Includes (1) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamp  
Pull Chains Included

### LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost <sup>**†</sup>
72303	*	16	75	3000 (Warm White)	1173	80	25000	22.8	\$1.93
72347 <sup>†</sup>	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72240 <sup>†</sup>	1	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72344 <sup>†</sup>	1	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



**72330 Wengue**  
 30 in. Espresso Finish  
 Reversible Blades (Espresso/Dark Cherry)  
 Opal Frosted Glass  
 Includes 16 Watt Integrated LED  
 Pull Chains Included



**72241 Wengue**  
 30 in. Chrome Finish  
 Reversible Blades (Wengue/Beech)  
 Opal Frosted Glass  
 Includes 16 Watt Integrated LED  
 Pull Chains Included



**72307 Petite**  
 30 in. Brushed Nickel Finish  
 Reversible Blades (Rosewood/Light Maple)  
 Opal Mushroom Glass  
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)  
 Pull Chains Included



**72308 Petite**  
 30 in. White Finish  
 Reversible Blades (White/White Washed Pine)  
 Opal Mushroom Glass  
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)  
 Pull Chains Included



**72317 Petite**  
 30 in. Antique Brass Finish  
 Reversible Blades (Walnut/Oak)  
 Opal Mushroom Glass  
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)  
 Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ** <sup>†</sup>
72330	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72241	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72308 <sup>†</sup>	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72317 <sup>†</sup>	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72307 <sup>†</sup>	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp. \* Integrated LED Light Source

\*\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



**72236 Roundabout**  
30 in. Brushed Nickel Finish  
Reversible Blades (Multi-Color/White)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Pull Chains Included



INTEGRATED DIMMABLE LED



**72247 Quince**  
24 in. White Finish  
Reversible Blades (White/Beech)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Pull Chains Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



**72246 Quince**  
24 in. Gun Metal Finish  
Reversible Blades (Black/Graphite)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Pull Chains Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



**72366 Quince**  
24 in. Chrome Finish  
Reversible Blades (Wengue/Beech)  
Opal Frosted Glass  
Includes 16 Watt Integrated LED  
Pull Chains Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

DIMMABLE LED



**72369 Origami**  
24 in. Chrome Finish  
Reversible Blades (Wengue/Beech)  
Opal Frosted Glass  
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp (WL Lamp #50242)  
Pull Chains Included



FAN FAMILY  
COORDINATING ITEMS AVAILABLE

Fan Performance Specifications can be found on Page 78-81.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost <sup>***†</sup>
72236	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72247	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72246	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72366	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72369 <sup>†</sup>	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp. \* Integrated LED Light Source

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh

# INDOOR/OUTDOOR CEILING FANS

Westinghouse ceiling fans designed for patios, verandahs and gazebos create ambience and style in any outdoor living space. Our indoor/outdoor ceiling fans inspire creativity in indoor and outdoor spaces alike.

Fan Performance Specifications can be found on Page 78-81.



**74004B Halley**  
 44 in. Black-Bronze Finish  
 Reversible ABS Blades (Dark Cherry/Mahogany)  
 Frosted Opal Glass  
 Smart WiFi Technology  
 Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps (WL Lamp #51840)  
 Remote Control Included



**72334 Brentford**  
 52 in. Aged Walnut Finish  
 Reversible ABS Blades (Dark Cherry with Shaded Edge/Walnut)  
 Clear Seeded Glass  
 Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)  
 Pull Chains Included



**72178 Halley**  
 44 in. Oil Rubbed Bronze Finish  
 Reversible ABS Blades (Dark Cherry/Mahogany)  
 Frosted Opal Glass  
 Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps  
 Remote Control Included



**72362 Oasis**  
 48 in. Oil Rubbed Bronze Finish  
 Mahogany ABS Blades  
 Yellow Alabaster Glass  
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)  
 Pull Chains Included

## LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years <sup>*</sup>	Est. Yearly Energy Cost <sup>***</sup>
74004B <sup>†</sup>	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72334 <sup>†</sup>	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72178 <sup>†</sup>	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72362 <sup>†</sup>	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18

For a complete list of compatible dimmers, visit [www.westinghouselighting.com](http://www.westinghouselighting.com).  
<sup>†</sup> Values are per lamp.

<sup>\*</sup>Based on 3hrs./day <sup>\*\*</sup>Based on operating 3hrs./day 11¢/kWh



**72170 Contempra**  
48 in. Oil Rubbed Bronze Finish  
Dark Walnut ABS Blades  
Pull Chains Included




**72168 Deacon**  
52 in. Oil Rubbed Bronze Finish  
Dark Walnut ABS Blades  
Pull Chains Included



**72172 Contempra**  
48 in. White Finish  
White ABS Blades  
Pull Chains Included



*Fan Performance Specifications can be found on Page 78-81.*



- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Alloy	3/4 X 4"	6.38"	11.00"	2.50"	6.75"	5.13"	11.75"
Alloy II	3/4 X 4"	10.00"	11.42"	2.44"	7.09"	5.12"	13.90"
Alloy LED	3/4 X 4"	8.07"	11.42"	2.44"	7.05"	5.12"	13.19"
Alta Vista	3/4 X 4"	10.83"	8.39"	2.44"	7.87"	5.12"	13.70"
Arcadia	3/4 X 4"	9.38"	11.00"	2.00"	9.75"	5.88"	14.00"
Barnett	3/4 X 4"	11.81"	12.60"	2.20"	11.42"	5.98"	21.26"
Bendan	3/4 X 4"	11.42"	7.87"	2.44"	10.24"	5.12"	14.17"
Bendan LED	3/4 X 4"	11.42"	7.87"	2.44"	10.24"	5.12"	14.17"
Brentford	3/4 X 4"	9.96"	11.65"	2.06"	12.36"	5.83"	18.78"
Brinley	3/4 X 6"	10.90"	14.84"	2.13"	7.68"	5.90"	14.85"
Carla	N/A	9.75"	N/A	N/A	7.75"	N/A	11.00"
Carolina LED	N/A	6.88"	9.75"	N/A	11.10"	N/A	13.75"
Casanova	N/A	8.00"	8.50"	N/A	11.00"	N/A	N/A
Casanova Supreme	N/A	8.27"	9.05"	N/A	8.90"	N/A	15.35"
Cassidy	3/4 X 4"	11.22"	11.81"	2.09"	8.58"	5.12"	16.54"
Castle LED	3/4 X 6"	11.43"	12.63"	2.40"	10.49"	5.13"	15.98"
Cayuga	3/4 X 6"	13.78"	11.54"	2.56"	10.63"	5.12"	17.13"
Chambers	3/4 X 6"	12.20"	10.43"	2.52"	9.09"	5.12"	20.28"
Comet	3/4 X 4"	11.88"	14.25"	2.25"	11.50"	5.13"	14.25"
Contempra	N/A	7.48"	7.48"	N/A	10.24"	N/A	N/A
Contempra IV	N/A	7.13"	8.13"	N/A	11.50"	N/A	13.00"
Contempra Trio	N/A	9.45"	9.84"	N/A	10.24"	N/A	15.35"
Contractor Choice	3/4 X 4"	10.25"	11.25"	2.25"	9.00"	5.25"	N/A
Damen	3/4 X 8"	12.40"	11.02"	2.06"	7.87"	5.86"	16.54"
Deacon	3/4 X 4"	11.81"	12.60"	2.44"	11.02"	5.12"	N/A
Desoto	3/4 X 6"	13.39"	13.78"	2.56"	8.27"	5.12"	15.75"
Drake	3/4 X 4"	9.92"	12.25"	2.50"	7.88"	5.13"	16.06"
Elite	3/4 X 4"	9.63"	12.63"	2.13"	9.00"	5.25"	16.63"
Evan	3/4 X 6"	13.58"	13.94"	2.06"	7.72"	5.85"	15.96"
Fairview	3/4 X 4"	12.25"	13.00"	2.38"	11.00"	5.13"	18.88"
Hadley	N/A	5.13"	6.75"	N/A	8.46"	N/A	10.75"
Halley	N/A	9.45"	2.95"	2.95"	9.45"	9.06"	13.78"
Harmony	3/4 X 6"	10.63"	12.75"	2.00"	7.50"	6.00"	17.13"

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Jax (72379 & 72381)	1/2 X 12"	17.32"	15.55"	2.44"	7.22"	5.13"	N/A
Jax (78003)	1/2 X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Jax (78127 & 78614)	1/2 X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Jax (78409)	1/2 X 12"	18.50"	17.32"	4.02"	7.72"	5.71"	N/A
Josef	3/4 X 6"	10.63"	N/A	2.24"	7.09"	5.12"	16.33"
Julien	3/4 X 6"	12.32"	7.59"	2.40"	7.87"	5.16"	16.45"
Kelcie	3/4 X 6"	12.60"	10.43"	2.09"	10.24"	5.12"	19.09"
Madeline	3/4 X 6"	9.81"	12.56"	2.06"	10.33"	5.85"	14.49"
Morris	3/4 X 6"	10.63"	13.27"	2.06"	6.86"	5.85"	15.20"
Newtown	3/4 X 4"	13.38"	12.63"	2.38"	10.00"	5.13"	17.75"
Oasis	3/4 X 4"	13.63"	13.38"	2.38"	9.00"	5.13"	18.75"
Origami	3/4 X 4"	7.88"	10.00"	2.50"	6.75"	5.13"	14.75"
Petite	N/A	8.46"	9.45"	N/A	9.37"	N/A	14.84"
Porto	3/4 X 4"	10.75"	12.76"	2.72"	7.87"	5.20"	20.08"
Quince	3/4 X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Richboro SE	3/4 X 4"	12.25"	18.13"	2.25"	8.63"	5.13"	19.25"
Roundabout	3/4 X 4"	11.42"	13.75"	2.36"	7.68"	5.12"	15.92"
Scholar	3/4 X 6"	12.32"	13.86"	2.36"	10.99"	5.16"	19.90"
Solana	3/4 X 4"	10.75"	13.00"	2.00"	7.63"	6.25"	17.38"
Stella Mira	3/4 X 10"	16.22"	N/A	2.56"	8.27"	5.12"	27.36"
Sumter	N/A	6.00"	7.87"	N/A	11.42"	N/A	14.20"
Swirl	3/4 X 4"	13.50"	12.00"	2.25"	12.00"	5.25"	18.00"
Techno II	3/4 X 4"	11.02"	11.81"	2.06"	8.27"	5.86"	13.39"
Thurlow	3/4 X 6"	14.76"	16.93"	2.56"	8.66"	5.12"	13.27"
Turbo Swirl	3/4 X 4"	10.00"	11.50"	2.25"	7.00"	5.00"	14.50"
Vector Elite	3/4 X 4"	7.00"	11.25"	2.13"	10.38"	5.13"	15.50"
Vintage	3/4 X 4"	10.87"	12.92"	2.41"	11.02"	5.12"	18.43"
Vintage II	3/4 X 4"	11.38"	13.25"	2.38"	11.13"	5.13"	19.25"
Wengue	3/4 X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Widespan	3/4 X 24"	33.00"	N/A	3.00"	11.75"	7.50"	N/A
Willa	3/4 X 6"	11.50"	N/A	2.25"	8.25"	5.00"	20.00"
Xavier	3/4 X 4"	16.00"	17.50"	2.00"	10.00"	5.00"	22.50"
Xavier II	3/4 X 4"	16.00"	17.50"	2.00"	10.00"	5.00"	22.50"
Zephyr	3/4 X 6"	13.18"	11.93"	2.56"	9.84"	5.12"	16.90"

If a Combo Style Fan with a 4" Down Rod is Installed without the Down Rod, Subtract 3" from the Dimensions Listed (A, B, F).  
 If a Combo Style Fan with a 6" Down Rod is Installed without the Down Rod, Subtract 5" from the Dimensions Listed (A, B, F).

Family Name	Page#	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Alloy (72215, 72216, 72225)	68	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	78"	Dual	3	Adaptable	Yes
Alloy (73050 & 73051)	68	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	24"	Dual	3	Adaptable	Yes
Alloy II	58	52"	6	Plywood	10°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alloy LED	62	52"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alta Vista (72059 & 72257)	57	52"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Alta Vista (73053)	57	52"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Arcadia	69	46"	3	Plywood	12°	Silicon Steel	153mm x 12mm	78"	Triple	3	Included	Yes
Barnett (72205)	67	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Barnett (74001B)	67	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Bendan	64	52"	5	Plywood	12°	Silicon Steel	153mm x 17mm	78"	Dual	3	Included	Yes
Bendan LED	64	52"	5	Wood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Brentford	75	52"	5	ABS	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Brinley	57	52"	3	Plywood	12°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Carla	67	46"	3	ABS	24°	Silicon Steel	153mm x 15mm	12"	Single	4	Included	Yes
Carolina LED	65	52"	5	MDF	12°	Silicon Steel	153mm x 17mm	12"	Triple	3	Not Adaptable	Yes
Casanova	66	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Casanova Supreme	71	42"	4	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Cassidy	72	36"	5	MDF	12°	Silicon Steel	153mm x 12mm	24"	Triple	3	Adaptable	Yes
Castle LED	59	52"	5	Plywood	12°	Cold Rolled Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Cayuga (72077 & 72078)	58	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Cayuga (74002B & 74003B)	56	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Chambers	59	60"	5	Plywood	11.5°	Silicon Steel	188mm x 22mm	54"	Dual	4	Included	Yes
Comet (72242, 72336 & 72341)	63	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Comet (73054 & 73055)	63	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Contempra	76	48"	5	ABS	12°	Silicon Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra IV	65-66	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra Trio	71	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Contractor Choice	66	52"	5	MDF	12°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Damen	58	68"	8	Plywood	12°	DC165M	165mm x 25mm	54"	N/A	6	Included	Yes
Deacon	76	52"	5	ABS	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Desoto	59	52"	4	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Drake	68	48"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Elite	69	48"	3	Plywood	12°	Cold Rolled Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Evan	59	52"	3	ABS	50°	Silicon Steel	172mm x 20mm	54"	Single	4	Included	Yes
Fairview	65	52"	5	MDF	11°	Cold Rolled Steel	153mm x 12mm	24"	Triple	3	Included	Yes
Hadley	70	42"	4	MDF	12°	Silicon Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Halley (72178)	75	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Halley (72179)	70	44"	3	Plywood	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Halley (74004B)	75	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.

\*For sloped ceiling applications up to 45°, use item #70031 or #70032 (sold separately).

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
13°	Down Rod Only	2176	51	42	\$12	-	-	-	-	214	0.44
13°	Down Rod Only	2176	51	42	\$12	-	-	-	-	214	0.44
14°	Down Rod Only	3321	87	38	\$11	-	-	-	-	163	0.5
12°	Down Rod Only	2618	67	39	\$11	-	-	-	-	170	0.51
N/A	Down Rod Only	3334	84	40	\$11	-	-	-	-	175	0.52
N/A	Down Rod Only	3344	85	39	\$11	-	-	-	-	197	0.5
N/A	Down Rod Only	2801	79	35	\$10	-	-	-	-	222	0.42
N/A	Down Rod Only	2947	75	39	\$11	-	-	-	-	180	0.53
N/A	Down Rod Only	3264	89	37	\$10	-	-	-	-	200	0.49
N/A	Down Rod Only	3302	82	40	\$11	-	-	-	-	173	0.49
N/A	Down Rod Only	3173	74	43	\$12	-	-	-	-	178	0.53
16°	Down Rod Only	3321	92	36	\$10	-	-	-	-	151	0.47
16°	Down Rod Only	3413	94	36	\$10	-	-	-	-	174	0.46
N/A	Hugger	-	-	-	-	2352	63	37	\$10	167	0.49
N/A	Hugger	-	-	-	-	2480	73	34	\$9	157	0.44
N/A	Hugger	-	-	-	-	2920	76	38	\$11	162	0.5
N/A	Hugger	-	-	-	-	2165	70	31	\$9	217	0.4
18°	Combo	1901	62	31	\$9	1755	57	31	\$9	242	0.37
18°	Combo	3387	87	39	\$11	3211	82	39	\$11	163	0.51
N/A	Down Rod Only	4420	78	57	\$16	-	-	-	-	145	0.68
N/A	Down Rod Only	4383	85	52	\$14	-	-	-	-	141	0.72
N/A	Down Rod Only	4466	81	55	\$15	-	-	-	-	156	0.67
15°	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
15°	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
N/A	Hugger	-	-	-	-	3075	85	36	\$10	204	0.46
N/A	Hugger	-	-	-	-	3225	82	39	\$11	166	0.51
N/A	Hugger	-	-	-	-	2232	72	31	\$9	207	0.4
11°	Combo	2981	77	39	\$11	2893	75	39	\$11	175	0.54
10°	Down Rod Only	5213	257	20	\$6	-	-	-	-	115	0.44
16°	Down Rod Only	3689	107	35	\$10	-	-	-	-	215	0.46
18°	Down Rod Only	3560	93	38	\$11	-	-	-	-	189	0.5
N/A	Down Rod Only	3597	92	39	\$11	-	-	-	-	225	0.5
14°	Down Rod Only	2997	78	39	\$11	-	-	-	-	219	0.51
N/A	Down Rod Only	3975	92	43	\$12	-	-	-	-	170	0.59
N/A	Combo	3180	78	41	\$11	2753	67	41	\$12	144	0.53
N/A	Hugger	-	-	-	-	2035	51	40	\$11	250	0.42
N/A	Hugger	-	-	-	-	3158	90	35	\$10	260	0.43
N/A	Hugger	-	-	-	-	2820	79	36	\$10	203	0.43
N/A	Hugger	-	-	-	-	3072	87	35	\$10	249	0.42



Family Name	Page #	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Harmony	69	48"	2	Plywood	13°	Silicon Steel	153mm x 20mm	78"	Triple	4	Adaptable	Yes
Jax (72379 & 72381)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	N/A	4	Included	Yes
Jax (78003)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	4	Wall Control	Yes
Jax (78127 & 78614)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	5	Wall Control	Yes
Jax (78409)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	5	Wall Control	Yes
Josef	67	48"	3	Polycarbonate	51°	DC Motor	155mm x 16mm	54"	N/A	6	Included	Yes
Julien	60	54"	3	Polycarbonate	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Kelcie	62	52"	4	Plywood	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Madeline	60	56"	3	Polycarbonate	14°	Silicon Steel	172mm x 15mm	54"	Single	4	Included	Yes
Morris	59	52"	5	Plywood	12°	Silicon Steel	172mm x 15mm	54"	Single	4	Included	Yes
Newtown	70	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	78"	Dual	3	Adaptable	Yes
Oasis	75	48"	5	ABS	13°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Origami	74	24"	6	MDF	18°	Silicon Steel	153mm x 9mm	78"	Triple	3	Adaptable	Yes
Petite	73	30"	6	MDF	18°	Cold Rolled Steel	153mm x 12mm	12"	Triple	3	Not Adaptable	Yes
Porto	56	52"	4	Plywood	12°	Silicon Steel	153mm x 15mm	54"	Single	4	Included	Yes
Quince	74	24"	6	MDF	18°	Silicon Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Richboro SE	70	42"	5	MDF	12°	Silicon Steel	153mm x 10mm	78"	Dual	3	Adaptable	Yes
Roundabout	74	30"	5	MDF	18°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Scholar	56	52"	5	MDF	12°	Silicon Steel	153mm x 13mm	54"	Triple	3	Adaptable	Yes
Solana	69	48"	2	Plywood	12°	Silicon Steel	153mm x 17mm	78"	Triple	3	Included	Yes
Stella Mira (72171)	57	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Stella Mira (73057)	57	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Sumter	65	52"	5	MDF	12°	Cold Rolled Steel	153mm x 18mm	12"	Triple	3	Not Adaptable	Yes
Swirl	64	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Techno II	60	72"	3	ABS	12°	DC165M	165mm x 25mm	54"	N/A	6	Included	Yes
Thurlow	62	54"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Turbo Swirl	72	30"	6	MDF	18°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vector Elite	70	42"	3	Plywood	16°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Vintage	64	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vintage II	65	52"	5	MDF	11°	Cold Rolled Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Wengue	73	30"	3	MDF	18°	Silicon Steel	153mm x 9mm	78"	Dual	3	Adaptable	Yes
Widespan (72248)	60	100"	6	Aluminum	17°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Widespan (72249)	60	100"	8	Aluminum	12°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Willa	58	60"	6	Plywood	12°	Silicon Steel	188mm x 20mm	54"	Single	4	Included	Yes
Xavier	69	44"	5	MDF	13°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Xavier II	59	52"	5	MDF	13°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Zephyr	58	56"	5	Plywood	12°	Silicon Steel	172mm x 20mm	54"	Dual	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.

\*For sloped ceiling applications up to 45°, use item #70031 or #70032 (sold separately).

\*\*For performance values please refer to the spec sheet.

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
16°	Down Rod Only	3315	95	35	\$10	-	-	-	-	190	0.46
N/A	Down Rod Only	3366	96	37	\$10	-	-	-	-	204	0.47
24°	Down Rod Only	3314	96	35	\$10	-	-	-	-	212	0.49
24°	Down Rod Only	3438	84	41	\$11	-	-	-	-	196	0.5
N/A	Down Rod Only	3438	84	41	\$11	-	-	-	-	196	0.5
N/A	Down Rod Only	4485	211	24	\$7	-	-	-	-	226	0.43
N/A	Down Rod Only	3471	89	41	\$11	-	-	-	-	180	0.49
N/A	Down Rod Only	3186	80	40	\$11	-	-	-	-	194	0.53
N/A	Down Rod Only	3811	112	34	\$10	-	-	-	-	155	0.47
N/A	Down Rod Only	3316	88	38	\$11	-	-	-	-	192	0.53
18°	Combo	2421	74	7	\$2	2424	74	33	\$9	228	0.41
11°	Combo	3046	91	33	\$9	2962	89	33	\$9	146	0.42
15°	Down Rod Only	1055	50	21	\$6	-	-	-	-	326	0.26
N/A	Hugger	-	-	-	-	1649	60	28	\$8	271	0.35
N/A	Combo	3223	78	42	\$12	2264	54	42	\$12	176	0.52
18°	Down Rod Only	965	45	21	\$6	-	-	-	-	309	0.26
15°	Combo	2439	78	31	\$9	2284	73	31	\$9	225	0.38
18°	Down Rod Only	1609	62	26	\$7	-	-	-	-	262	0.34
16°	Combo	3212	91	36	\$10	3028	84	36	\$10	167	0.45
N/A	Down Rod Only	3494	97	36	\$10	-	-	-	-	246	0.42
N/A	Down Rod Only	3521	88	40	\$11	-	-	-	-	168	0.51
N/A	Down Rod Only	3113	83	38	\$11	-	-	-	-	165	0.48
N/A	Hugger	-	-	-	-	3251	80	41	\$11	171	0.54
18°	Combo	3267	83	39	\$11	2987	76	39	\$11	185	0.55
11°	Down Rod Only	4963	255	19	\$5	-	-	-	-	141	0.43
18°	Down Rod Only	3609	94	38	\$11	-	-	-	-	166	0.5
18°	Down Rod Only	1690	57	30	\$8	-	-	-	-	227	0.38
16°	Down Rod Only	2282	71	32	\$9	-	-	-	-	208	0.44
16°	Combo	3256	87	38	\$11	2986	80	38	\$11	174	0.49
16°	Combo	3060	80	38	\$11	2655	70	38	\$11	157	0.49
11°	Down Rod Only	1347	50	27	\$8	-	-	-	-	246	0.3
N/A	Down Rod Only	-	**	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	-	**	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	3596	79	46	\$13	-	-	-	-	140	0.58
17°	Combo	3007	82	37	\$10	2918	79	37	\$10	213	0.46
17°	Combo	3111	81	38	\$11	3003	79	38	\$11	162	0.49
N/A	Down Rod Only	3935	84	47	\$13	-	-	-	-	159	0.58



Visit [www.westinghouselighting.com](http://www.westinghouselighting.com) for FTC energy guide information.

# CEILING FAN ACCESSORIES

Complement your Westinghouse ceiling fans with decorative pull chains and energy-saving light kits, while enjoying the convenience of our fan remote controls.

## CEILING FAN CONTROLS

All fan controls are single AC motor fan usage only and indoor use only.

**New!**



**77882**  
Backlit Display 4 Speed Ceiling Fan and Light Remote Control

- Backlit buttons make it easy to use in the dark
- On/Off switch for both fan and light kit
- Adjust light levels on fan light with dimmable light bulbs
- Operates up to a distance of 40 feet
- High/Medium/Medium-Low/Low fan speeds
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Transmitter and Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 1.20  
Max. Light 100 Watt

**New!**



**77879**  
Backlit Display 4 Speed Ceiling Fan and Light Remote Control

- Backlit buttons make it easy to use in the dark
- On/Off switch for both fan and light kit
- Adjust light levels on fan light with dimmable light bulbs
- Operates up to a distance of 40 feet
- High/Medium/Medium-Low/Low fan speeds
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Transmitter and Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 1.20  
Max. Light 100 Watt



**77871**  
Dimmable Selector Switch 3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Full dimming capability with non dimming option when used with non dimmable lamps
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 0.8  
Max. Light 300 Watt



**77870**  
3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (1) 9 Volt battery included

Max. Fan Amp 1.00  
Max. Light 190 Watt



**77872**  
Single Slide 4 Speed Ceiling Fan Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Easy 2 wire installation in standard junction box
- Matching wall plate included

Max. Fan Amp 1.25



**77873**  
Dual Slide 4 Speed Ceiling Fan and Incandescent Light Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Full range sliding light dimmer for incandescent light bulbs
- Easy 3 wire installation in standard junction box
- Replaces toggle switch
- Matching wall plate included

Max. Fan Amp 1.25



**77875**  
3 Speed Ceiling Fan and Incandescent Light Wall Control

- High/Medium/Low fan speeds
- Full range light dimmer for incandescent light bulbs
- Wireless communication between transmitter and receiver
- Operates up to a distance of 40 feet
- Easy 2 wire installation in standard junction box
- Universal receiver fits most ceiling fans
- Matching wall plate included

Max. Fan Amp 1.25

# CEILING FAN LIGHT KITS



**77845**  
LED Cluster Ceiling Fan Light Kit  
Polished Brass Finish  
Frosted Ribbed Glass  
Diameter: 12.75" Height: 7.00"  
Includes (3) Medium (E26) Base,  
5 Watt Omni A15 LED Lamps



**77849**  
LED Cluster Ceiling Fan Light Kit  
Brushed Nickel Finish  
Frosted Ribbed Glass  
Diameter: 12.75" Height: 7.00"  
Includes (3) Medium (E26) Base,  
5 Watt Omni A15 LED Lamps



**77850**  
LED Cluster Ceiling Fan Light Kit  
Oil Rubbed Bronze Finish  
Frosted Ribbed Glass  
Diameter: 12.75" Height: 7.00"  
Includes (3) Medium (E26) Base,  
5 Watt Omni A15 LED Lamps



**77848**  
LED Cluster Ceiling Fan Light Kit  
Antique Brass Finish  
Frosted Ribbed Glass  
Diameter: 12.75" Height: 7.00"  
Includes (3) Medium (E26) Base,  
5 Watt Omni A15 LED Lamps



**77847**  
LED Cluster Ceiling Fan Light Kit  
White Finish  
Frosted Ribbed Glass  
Diameter: 12.75" Height: 7.00"  
Includes (3) Medium (E26) Base,  
5 Watt Omni A15 LED Lamps



**77846**  
LED Schoolhouse Ceiling Fan Light Kit  
Oil Rubbed Bronze Finish  
White Opal Glass  
Diameter: 8.25" Height: 6.75"  
Includes (1) Medium (E26) Base,  
9.8 Watt Omni A19 LED Lamp



**77853**  
LED Schoolhouse Ceiling Fan Light Kit  
White Finish  
White Opal Glass  
Diameter: 8.25" Height: 6.75"  
Includes (1) Medium (E26) Base,  
9.8 Watt Omni A19 LED Lamp



**77851**  
LED Schoolhouse Ceiling Fan Light Kit  
Antique Brass Finish  
White Opal Glass  
Diameter: 8.25" Height: 6.75"  
Includes (1) Medium (E26) Base,  
9.8 Watt Omni A19 LED Lamp



**77852**  
3-in-1  
LED Schoolhouse Ceiling Fan Light Kit  
White Opal Glass  
Includes Three Fitters:  
• 1 White Finish Fitter  
• 1 Oil Rubbed Bronze Finish Fitter  
• 1 Brushed Nickel Finish Fitter  
Diameter: 8.25" Height: 6.75"  
Includes (1) Medium (E26) Base,  
9 Watt Omni A19 LED Lamp

## LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) <sup>†</sup>	Equiv. Incand. Wattage <sup>†</sup>	Color Temperature (Kelvin)	Brightness (Lumens) <sup>†</sup>	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** <sup>††</sup>
77845 <sup>†</sup>	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77849 <sup>†</sup>	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77850 <sup>†</sup>	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77848 <sup>†</sup>	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77847 <sup>†</sup>	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77846	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
77853	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
77851	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
77852	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$1.08


<sup>†</sup>Values are per lamp.

\*Based on 3hrs./day \*\*Based on operating 3hrs./day 11¢/kWh

## EXTENSION DOWN RODS



Brushed Nickel



White

For optimum performance, ceiling fan blades should be at least 7' from the floor but no higher than 8-9' in order to best cool a room.

For ceilings 9' and higher, an extension down rod is recommended to bring the ceiling fan down to the proper height above the floor.

### 1/2 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77492	Brushed Nickel	24"
77240	White	12"
77243	White	24"

1/2 ID is the nominal dimension of these rods.

### 3/4 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77526	Brushed Nickel	12"
77527	Brushed Nickel	24"
77254	White	24"

3/4 ID is the nominal dimension of these rods.

PULL CHAINS



**77224**  
Fan Coin  
Antique Brass Finish



**77217**  
Ball  
Brushed Nickel Finish



**77096**  
Beaded Ball  
Oil Rubbed Bronze Finish



**77214**  
Trophy  
Oil Rubbed Bronze Finish



**77103**  
Pendant  
Brushed Nickel Finish



**77220**  
Light Bulb Coin  
Antique Brass Finish



**77005**  
Teardrop  
Polished Brass Finish



**77087**  
Natural Finish Wooden Handle  
Polished Brass Finish



**77013**  
Walnut Wooden Knob  
Polished Brass Finish



**77014**  
White Wooden Knob  
Polished Brass Finish



**70661** 36" Chain  
Walnut Wooden Ball  
Polished Brass Finish



**77007**  
Sculptured Walnut Wooden Ball  
Polished Brass Finish



**77084**  
Prismatic Acrylic Sphere  
Polished Brass Finish



**77093**  
Prismatic Acrylic Diamond  
Polished Brass Finish

# CEILING FAN ACCESSORIES



**70031**  
Cathedral Ceiling Fan Canopy Kit  
Brushed Nickel Finish  
Use With 1/2 or 3/4 ID Down Rods  
Can be mounted onto a cathedral ceiling with up to a 45° angle with or without remote.  
85 lb. Load Rating




**70032**  
Cathedral Ceiling Fan Canopy Kit  
Oil Rubbed Bronze Finish  
Use With 1/2 or 3/4 ID Down Rods  
Can be mounted onto a cathedral ceiling with up to a 45° angle with or without remote.  
85 lb. Load Rating



**77079**  
Canopy Kit  
White Finish  
3/4 ID Ball Included  
Can be mounted onto a cathedral ceiling having up to a 25° angle  
100 lb. Load Rating



**77059**  
Canopy Bracket  
Designed For Use With 1/2 or 3/4 ID Down Rods and Canopy Ball  
Mounting Hardware Included  
100 lb. Load Rating



**77015**  
Fan Blade Balancing Kit  
Includes:  
• 2-5 Gram Self-Adhering Weights  
• 1 Balancing Clip



**77047**  
10-Piece Motor Screw Kit  
Polished Brass Finish  
For Mounting Fan Blade Arm to Motor Housing



**77401**  
42" White Finish  
Replacement Fan Blade Arms  
**77406**  
52" White Finish  
Replacement Fan Blade Arms  
5 Piece Set  
Installation Hardware Included



**77402**  
42" Antique Brass Finish  
Replacement Fan Blade Arms  
5 Piece Set  
Installation Hardware Included



**77417**  
52" Oil Rubbed Bronze Finish  
Replacement Fan Blade Arms  
5 Piece Set  
Installation Hardware Included



**\*16584**  
3' White Braided Cord  
Nickel Finish Connector and End Bell Attached



**77414**  
52" White Outdoor ABS Fan Blades  
Length: 20.5" Width: 5.38"  
5 Blade Set



**77411**  
42" White/Bleached Oak  
Reversible Fan Blades  
Length: 16.5" Width: 5"  
**77416**  
52" White/Bleached Oak  
Reversible Fan Blades  
Length: 20.5" Width: 5.38"  
5 Blade Set




**77410**  
42" Oak/Walnut  
Reversible Fan Blades  
Length: 16.5" Width: 5"  
**77415**  
52" Oak/Walnut  
Reversible Fan Blades  
Length: 20.5" Width: 5.38"  
5 Blade Set



**77016**  
Twenty 1/2" Screws  
For Fan Lights and Fan Blades  
Includes:  
• 5 - 8-32 Antique Brass  
• 5 - 8-32 Polished Brass  
• 5 - 10-24 Antique Brass  
• 5 - 10-24 Polished Brass

## FAN BLADE HOLE DIMENSIONS



Reference fan blade hole dimensions listed below when ordering replacement fan blade arms shown above.  
(Item numbers - 77401, 77402, 77406, and 77417).

FAN BLADE HOLE DIMENSIONS		
Dimension	52" Parts	42" Parts
A	3 <sup>15</sup> / <sub>16</sub> "	3 <sup>1</sup> / <sub>2</sub> "
B	2 <sup>3</sup> / <sub>4</sub> "	2 <sup>5</sup> / <sub>8</sub> "
C	2 <sup>1</sup> / <sub>16</sub> "	1 <sup>1</sup> / <sub>2</sub> "

# CEILING FAN ACCESSORIES



**77064** 3 Ft.  
Beaded Chain with Connector  
Antique Brass Finish  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot



**70168** 5 Ft.  
Beaded Chain with Connector  
Brass Finish  
Diameter: 0.13"  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot




**77012** 1 Ft.  
Beaded Chain with Connector  
Solid Brass  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot




**77050** 3 Ft.  
Beaded Chain with Connector  
Solid Brass  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot



**77238** 3 Ft.  
Beaded Chain with Connector  
Brushed Nickel Finish  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot



**77049** 3 Ft.  
Beaded Chain with Connector  
Stainless Steel  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot



**77054** 3 Ft.  
Beaded Chain with Connector  
Oil Rubbed Bronze Finish  
.011 Gauge 1/8" Diameter Ball  
75 Balls per Foot



**77066**  
Six Beaded Chain Connectors  
Antique Brass Finish  
For use with .011 Gauge 1/8"  
Diameter Ball Chain



**77044**  
Six Beaded Chain Connectors  
Solid Brass  
For use with .011 Gauge 1/8"  
Diameter Ball Chain



**77045**  
Six Beaded Chain Connectors  
Chrome Finish  
For use with .011 Gauge 1/8"  
Diameter Ball Chain




**77077**  
Porcelain Fixture Socket  
Height: 2.41"  
10" Wire Leads  
Medium Base, 1/8-IP Hickey  
18 Gauge, 105° Leads  
660 Watts Max., 250 Volts



**77022**  
Fan Light Switch  
with Chrome Pull Chain  
2 Wire, Single Pole Switch  
3' Braided Cord  
3A, 250 VAC  
6A, 125 VAC



**77023**  
Fan Light Switch  
with Polished Brass Finish Pull Chain  
2 Wire, Single Pole Switch  
3' Braided Cord  
3A, 250 VAC  
6A, 125 VAC



**77052**  
3-Way Fan Light Switch  
with Polished Brass Finish Pull Chain  
3 Wire, Single Pole Switch  
2' Braided Cord  
3A, 250 VAC  
6A, 125 VAC



**77075**  
3-Speed Fan Switch  
with Polished Brass Finish Pull Chain  
Triple Capacitor 8-Wire Unit  
2' Braided Cord  
3A, 250 VAC  
6A, 125 VAC



**77021**  
3-Speed Fan Switch  
with Polished Brass Finish Pull Chain  
Single Capacitor 4-Wire Unit  
2' Braided Cord  
3A, 250 VAC  
6A, 125 VAC

# CEILING FAN & LIGHT FIXTURE ACCESSORIES

From ornamental ceiling medallions to secure support braces and boxes, Westinghouse offers a full line of both decorative and functional accessories to enhance and complete any ceiling fan or light fixture installation.

## MOLDED PLASTIC MEDALLIONS

*Adhesive or additional mounting hardware required.*



**77027 Victorian**  
White Finish  
Diameter: 8.67" Center Opening: 4.00"



**77037 Smooth**  
White Finish  
Diameter: 9.75" Center Opening: 4.00"



**77028 Victorian**  
White Finish  
Diameter: 15.50" Center Opening: 4.00"



**77035 Textured**  
White Finish  
Diameter: 15.75" Center Opening: 4.00"



**77733 Round Beaded**  
White Finish  
Diameter: 15.75" Center Opening: 4.00"



**77732 Smooth**  
White Finish  
Diameter: 15.88" Center Opening: 4.00"



# SAF-T-BRACE® AND SAF-T-BAR®

*Fits 16" to 24" ceiling joists  
Attic access is not required for any items unless otherwise noted.*

Four teeth and single screw on each end for additional security

REMODEL USE



◆ **01010**  
Saf-T-Brace® Fan/Fixture Support Brace and Box  
Box Depth 1.5"  
Heavy Duty, 15.5 Cubic Inch Dual Mount\* Electrical Box  
6 Knockouts for Conduit or Romex®  
Extra Strong Grip

Mounting Hardware



Teeth twist and lock into joist for a secure connection

REMODEL USE



◆ **01100**  
Saf-T-Brace® Fan/Fixture Support Brace and Box  
Box Depth 1.5"  
Heavy Duty, 15.5 Cubic Inch Dual Mount\* Electrical Box  
6 Knockouts for Conduit or Romex®  
Strong Grip  
Convenient magnet holds box to brace during installation

Mounting Hardware



Teeth twist and lock into joist

REMODEL USE




◆ **01400**  
Saf-T-Brace® Fan/Fixture Support Brace and Box  
Box Depth 2.13"  
Heavy Duty, 21.5 Cubic Inch Dual Mount\* Electrical Box  
6 Knockouts for Conduit or Romex®  
Strong Grip  
Larger Box for Increased Wire Capacity  
Convenient magnet holds box to brace during installation

Mounting Hardware



End bracket has 90° angled lip for easy placement

NEW CONSTRUCTION  
ATTIC ACCESS REQUIRED



+ **01525 (0152511 Bulk Packed)**  
Saf-T-Bar® Fan/Fixture Support Brace and Box  
Box Depth 1.5"  
Heavy Duty, 15.5 Cubic Inch Dual Mount\* Electrical Box  
6 Knockouts for Conduit or Romex®  
Can be used with Engineered Truss

Mounting Hardware



# SAF-T-BOX®



NEW OR REMODEL CONSTRUCTION

▲ **01020 (0102011 Bulk Packed)**  
Saf-T-Box® Fan/Fixture Support Box  
Box Depth 1.5"  
Heavy Duty  
15.5 Cubic Inch Electrical Box  
3 Knockouts for Conduit or Romex®



NEW OR REMODEL CONSTRUCTION

▲ **01050 (0105011 Bulk Packed)**  
Saf-T-Box® Fan/Fixture Support Box  
Box Depth 1.5"  
Heavy Duty  
15.5 Cubic Inch Dual Mount\* Electrical Box  
3 Knockouts for Conduit or Romex®  
1 Romex® Clamp



NEW OR REMODEL CONSTRUCTION

▲ **0105211 (Bulk Packed)**  
Saf-T-Box® Fan/Fixture Support Box  
Box Depth 1.5"  
Heavy Duty  
15.5 Cubic Inch Dual Mount\* Electrical Box  
6 Knockouts for Conduit or Romex®  
1 Romex® Connector



NEW OR REMODEL CONSTRUCTION

▲ **0104011 (Bulk Packed)**  
Saf-T-Box® Fan/Fixture Support Box  
Box Depth 2.13"  
Heavy Duty  
21.5 Cubic Inch Dual Mount\* Electrical Box  
3 Knockouts for Conduit or Romex®  
1 Romex® Clamp  
Larger Box for Increased Wire Capacity

◆ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 50 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.

◆ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 90 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.

▲ For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.

\* Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).

All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.  
All Items Meet or Exceed NEC Safety Codes.

## SAF-T-GRID®



Turnbuckle for easy height adjustment

All weight is carried by building structure, not by gridwork



SUSPENDED CEILING APPLICATIONS

### \*01070

Saf-T-Grid® Fan/Fixture Support Brace and Box for Suspended Ceilings

Box Depth 1.5"  
Heavy Duty, 15.5 Cubic Inch Dual Mount\* Electrical Box  
6 Knockouts for Conduit or Romex\*  
Fits 2' x 2' and 2' x 4' ceiling tile gridwork



Mounting Hardware

## SAF-T-PAN®



NEW OR REMODEL CONSTRUCTION

### ●01030 (0103011 Bulk Packed)

Saf-T-Pan® Fan/Fixture Support Pan  
Box Depth 0.63"  
Heavy Duty, 8 Cubic Inch Dual Mount\* Electrical Pan  
2 Knockouts for Conduit or Romex\*



NEW OR REMODEL CONSTRUCTION

### ●01036 (0103611 Bulk Packed)

Saf-T-Pan® Fan/Fixture Support Pan  
Box Depth 0.5"  
Heavy Duty, 6 Cubic Inch Dual Mount\* Electrical Pan  
5 Knockouts for Conduit or Romex\*

## FAN MASTER JR.® & FAN MASTER®



Clips inside box hold screws during installation

NEW CONSTRUCTION

### ●0252511 (Bulk Packed)

Fan Master Jr.® Fan/Fixture Support  
Height 4"  
Box Depth 0.5"  
13.4 Cubic Inch Wiring Capacity  
2 Knockouts for Conduit or Romex\*  
2 Hour Fire Rating



Clips inside box hold screws during installation


NEW CONSTRUCTION

### ●0200011 (Bulk Packed)

Fan Master® Fan/Fixture Support  
Height 4-13/16"  
Box Depth 0.63"  
16.5 Cubic Inch Wiring Capacity  
2 Knockouts for Conduit or Romex\*  
2 Hour Fire Rating



## SIDEMOUNT PLUS FAN BOX®



REMODEL USE

### ■01240

Sidemount Plus Fan/Fixture Box®  
Box Depth 2.13"  
Heavy Duty, 21.5 Cubic Inch Dual Mount\* Electrical Box  
3 Knockouts for Conduit or Romex\*  
Removable Sidemount Bracket  
Larger Box for Increased Wire Capacity

■ For fixture support of 70 lbs. or less. / Acceptable for fan support of 70 lbs. or less.  
● For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.  
\* For fixture support of 50 lbs. or less. / Acceptable for fan support of 50 lbs. or less.  
\* Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).  
All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.  
All Items Meet or Exceed NEC Safety Codes.  
[www.westinghouselighting.com](http://www.westinghouselighting.com)

# REPLACEMENT GLASSWARE & ASSORTED SHADES

Refreshing a light fixture or ceiling fan with our unique selection of shades is an easy design upgrade. From classic glass diffusers to vibrant art glass shades, Westinghouse offers choices for all of your lighting needs.



• **81282**  
Frosted Etched Grape Design Crimp Shade  
Fitter: 2.25"  
Height: 4.81"  
Diameter: 4.25"



**81258**  
Clear Ribbed Bell Shade  
Fitter: 2.25"  
Height: 4.50"  
Diameter: 4.75"

**6**  
PACK



**85617**  
Clear Glass Shade, 6-Pack  
Fitter: 3.25"  
Height: 4.75"  
Diameter: 3.63"  
Sold as 6-Pack Only



• **81208**  
White Angled Design Shade  
Fitter: 2.25"  
Height: 6.75"  
Diameter: 3.75"



**81242**  
Satin Crimp Shade  
Fitter: 2.25"  
Height: 4.13"  
Diameter: 5.00"



• **81100**  
Frosted Etched Shade  
Fitter: 1.63"  
Height: 5.00"  
Diameter: 4.25"

**6**  
PACK



**85602**  
Clear Design Shade, 6-Pack  
Fitter: 3.25"  
Height: 5.75"  
Diameter: 5.50"  
Sold as 6-Pack Only



**81819**  
Clear Dot Pattern Diffuser  
Height: 1.25"  
Diameter: 13.00"

**6**  
PACK



• **85578**  
Opal Schoolhouse Shade, 6-Pack  
Fitter: 4.00"  
Height: 6.25"  
Diameter: 7.25"  
Sold as 6-Pack Only



• **81592**  
White Schoolhouse Shade  
Fitter: 3.25"  
Height: 4.94"  
Diameter: 5.75"

**6**  
PACK



• **85757**  
White Mushroom Shade, 6-Pack  
Fitter: 8.00"  
Height: 4.00"  
Diameter: 9.50"  
Sold as 6-Pack Only

**6**  
PACK



• **85613**  
White Mushroom Shade, 6-Pack  
Fitter: 6.00"  
Height: 3.75"  
Diameter: 7.50"  
Sold as 6-Pack Only

**6**  
PACK



**85606**  
White and Clear Drum Shade, 6-Pack  
Fitter: 6.00"  
Height: 3.38"  
Diameter: 6.50"  
Sold as 6-Pack Only

**6**  
PACK



**85608**  
White and Clear Drum Shade, 6-Pack  
Fitter: 8.00"  
Height: 4.00"  
Diameter: 7.63"  
Sold as 6-Pack Only



**81609**  
White and Clear Drum Shade  
Fitter: 10.00"  
Height: 4.25"  
Diameter: 11.00"



**81720**  
White Diffuser  
Height: 1.50"  
Square: 12.00"



**81800**  
Clear Wheat Design on White Ruffled Edge Diffuser  
Height: 1.50"  
Square: 12.00"



**81807**  
Clear Floral Design on White Diffuser  
Height: 1.50"  
Square: 12.00"



• **85571**  
Gloss White Globe,  
6-Pack  
Fitter: 4.00"  
Diameter: 8.00"



• **81570**  
Gloss White Globe  
Fitter: 3.25"  
Diameter: 6.00"



• **85570**  
6-Pack  
of 81570

**81869**  
White Polycarbonate Globe  
Fitter: 3.25"  
Diameter: 6.00"



• **81560**  
Clear Seeded Globe  
Fitter: 3.25"  
Diameter: 6.00"

**4**  
PACK



• **85712**  
Gloss Clear Lustre Globe,  
4-Pack  
Fitter: 3.25"  
Diameter: 6.00"  
Sold as 4-Pack Only

**6**  
PACK



• **85707**  
Frosted Victorian Globe,  
6-Pack  
Fitter: 3.25"  
Diameter: 6.00"  
Sold as 6-Pack Only

**6**  
PACK



**85254**  
Clear Prismatic Globe,  
6-pack  
Fitter: 3.25"  
Diameter: 6.38"  
Sold as 6-Pack Only

**6**  
PACK



• **85705**  
Smoke Lustre Globe,  
6-Pack  
Fitter: 3.25"  
Diameter: 6.00"  
Sold as 6-Pack Only



**81759**  
White Channel  
Height: 3.75"  
Width: 12.00"  
Depth: 3.00"  
Hole Size: .38"  
Centered Hole



**81758**  
White Channel  
Height: 3.75"  
Width: 7.50"  
Depth: 3.00"  
Hole Size: .38"  
Hole 1.75" from end



• **83091**  
3/4 Frosted Glass Chimney  
Fitter: 3.00"  
Height: 8.50"  
Top Opening: 2.00"  
Bulge: 4.00"



• **83062**  
Clear Glass Chimney  
Fitter: 2.63"  
Height: 7.50"  
Top Opening: 1.63"  
Bulge: 3.50"



• **83070**  
Clear Glass Chimney  
Fitter: 2.63"  
Height: 8.50"  
Top Opening: 2.00"  
Bulge: 3.63"



• **83090**  
Clear Glass Chimney  
Fitter: 3.00"  
Height: 8.50"  
Top Opening: 2.00"  
Bulge: 4.00"



• **81162**  
Clear Williamsburg Style Shade  
Fitter: 1.63"  
Height: 6.50"  
Diameter: 3.75"



• **83072**  
Clear Glass Chimney  
Fitter: 2.63"  
Height: 10.00"  
Top Opening: 2.00"  
Bulge: 3.63"



• **83100**  
Clear Glass Chimney  
Fitter: 3.00"  
Height: 10.00"  
Top Opening: 2.00"  
Bulge: 4.00"



• **83101**  
3/4 Frosted Glass Chimney  
Fitter: 3.00"  
Height: 10.00"  
Top Opening: 2.00"  
Bulge: 4.00"  
Diameter: 4.00"



**81493**  
Acrylic Prismatic Dome  
Clip-On Shade  
Height: 4.75"  
Diameter: 8.00"  
Clips onto an A-Shape bulb.



**81494**  
Acrylic White Dome  
Clip-On Shade  
Height: 4.75"  
Diameter: 7.75"  
Clips onto an A-Shape bulb.

# LIGHTING HARDWARE

For every repair or replacement need, Westinghouse has you covered. From sockets to switches, canopies to crossbars, we have the hard-to-find parts required to make your fixtures perform like new. Available in bulk and packaged.



**\*22259**  
Twin Cluster Socket with Male Threads on Each End  
Medium Base  
6" Wire Leads, 18 Gauge  
105° Leads  
660 Watts Max., 250 Volts  
½-IP Nipple  
Height - 4¾"



**70145**  
Horizontal Phenolic Snap-In Socket  
Fits into ¾" x ¼" Hole  
Medium Base  
660 Watts Max.  
250 Volts



**70407**  
Keyless Phenolic Socket  
¼-IP Hickey  
Medium Base  
660 Watts Max.  
250 Volts



**\*22504**  
3-Way Turn-Knob Socket  
Medium Base  
250 Watts Max.  
250 Volts  
Height - 1½"



**\*22381-3 Light**  
**\*22382-4 Light**  
Black Harness Set  
Candelabra Base  
Fits ¾" Hole  
Includes Lock Nuts  
SPT-2, 18 Gauge, 105° Leads  
75 Watts Max. Per Socket, 125 Volts  
12" on End  
Height - 1¼"



**\*22220**  
Pigtail Socket  
24" Wire Leads  
Candelabra Base  
18-2, SPT-1  
105° Leads  
75 Watts Max.  
125 Volts  
Height - 1¾"



**\*22215**  
1 ½" Socket  
6" Wire Leads and Straight Bracket  
Medium Base  
18 Gauge, 105° Leads  
Bracket Extends 1½"  
Measured Center to Center  
660 Watts Max., 250 Volts  
Height - 1½"



**\*22213**  
1 ½" Snap-in Socket  
6" Wire Leads  
Medium Base  
Fits 1¼" Hole  
18 Gauge  
105° Leads  
660 Watts Max., 250 Volts  
Height - 1½"



**\*22217**  
1 ½" Snap-in Socket  
9" Wire Leads  
Medium Base  
Fits ¾" x ¼" Hole  
18 Gauge  
105° Leads  
660 Watts Max., 250 Volts  
Height - 1½"



**70412 - 3-Way**  
**70413 - On/Off**  
**70421 - 2 Circuit**  
Turn-Knob Socket  
Brass Finish  
Medium Base  
Tapped ½-IP  
250 Watts Max., 250 Volts



**70411 - On/Off**  
**70431 - 3-Way**  
Pull Chain Socket  
Brass Finish  
Medium Base  
Tapped ½-IP  
250 Watts Max., 250 Volts



**\*70403 (Carded 2-Pack)**  
Two 2" Keyless Sockets  
Candelabra Base  
Threaded ½-IP Hickey  
75 Watts Max., 125 Volts



**\*22127**  
Adjustable Keyless Sockets  
Candelabra Base  
Threaded ½-IP Hickey  
75 Watts Max., 125 Volts  
Height Adjustable from 3¼" - 4¾"



**70409**  
Porcelain Keyless Socket  
Medium Base  
Threaded ½-IP Cap  
660 Watts Max.  
250 Volts  
Height - 2"



**\*22267**  
Porcelain Keyless Socket  
Medium Base  
½-IP Hickey  
660 Watts Max.  
250 Volts  
Height - 2"  
1875 Pulse Rated



**\*22370**  
**70425**  
Porcelain Fixture Socket  
Medium Base  
10" Wire Leads, Height - 2½"  
½-IP Hickey  
18 Gauge, 105° Leads  
660 Watts Max., 250 Volts



**\*22371**  
Porcelain Fixture Socket  
Medium Base  
Height - 2"  
½-IP Hickey  
660 Watts Max.  
250 Volts



**\*22212**  
Porcelain Snap-In Socket  
Medium Base  
6" Wire Leads  
Fits 1½" Hole  
18 Gauge, 125° Leads  
660 Watts Max., 250 Volts  
Height - 1¾"



**\*22372**  
Porcelain Snap-In Socket  
Medium Base  
9" Wire Leads  
Fits ¾" x ¼" Hole  
18 Gauge, 105° Leads  
660 Watts Max., 250 Volts  
Height - 2"



**\*22273**  
Porcelain 1-Piece Receptacle  
Medium Base  
660 Watts Max., 600 Volts  
Height - 1½"  
180° C Maximum Temp.



**70010**  
Porcelain Threaded Socket with Aluminum Shade Ring  
Medium Base  
Height - 1 1/8"  
Ring Height - 1/2"  
660 Watts Max.  
250 Volts



**\*1104**  
Porcelain Halogen Socket  
5" Wire Leads  
SF-1 200° C 300V Leads  
100 Watts Max., 250 Volts  
Fits G4, GX5.3, GV5.3 and G6.35 Lamp Bases  
Height - 3/8"



**\*22471 - GX5.3 Base**  
Mini BiPin Quartz MR16 Socket  
12" 18 Gauge Leads  
SF-1 200° C Leads  
100 Watts Max., 250 Volts  
Height - 1"



**\*22470 - GY6.35 Base**  
Mini BiPin Quartz MR16 Socket  
12" 18 Gauge Leads  
SF-1 200° C Leads  
100 Watts Max., 250 Volts  
Height - 3/8"



**\*22472 - GX5.3 Base**  
Mini BiPin Quartz MR16 Socket  
12" 18 Gauge Leads  
SF-1 200° C Leads  
100 Watts Max., 250 Volts  
Height - 3/8"



**\*22457**  
Medium BiPin Lamp Holder Floating Action for U-Shape Lamps  
Low Profile Size  
20 Gauge  
660 Watts Max., 600 Volts  
Non Shunted



**\*22490**  
Stationary End Lamp Holder  
For HO, VHO, SHO Lamps  
660 Watts Max., 1000 Volts  
Non Shunted



**\*22491**  
Plunger End Lamp Holder  
For HO, VHO, SHO Lamps  
660 Watts Max., 1000 Volts  
Non Shunted



**\*22453**  
Medium BiPin Lamp Holder  
Low Profile Size  
660 Watts Max., 600 Volts  
T8/T12 Non Shunted




**\*22456**  
Medium BiPin Turn Type Lamp Holder  
Standard Size  
No. 18/20 Gauge  
Panel Mount  
660 Watts Max., 600 Volts  
Non Shunted



**\*22454**  
Medium BiPin Turn Type Lamp Holder  
Low Profile Size  
No. 18/20 Gauge  
Panel Mount, Captive Mount and Screw  
660 Watts Max., 600 Volts  
Non Shunted



**\*22150**  
Porcelain Socket Extender  
Medium Base  
660 Watts Max., 250 Volts  
Extension - 1/4"  
Overall Length - 2 1/4"



**\*22411 70361**  
Socket Adapter Enlarger  
Enlarges Candelabra Base to Medium Base  
75 Watts Max., 125 Volts



**\*22402**  
Socket Adapter Reducer  
Reduces German or Italian Base to Candelabra Size  
With Rubber Ring  
75 Watts Max., 120 Volts



**\*22403**  
Socket Adapter Reducer  
Reduces Intermediate Base to Candelabra Base  
With Rubber Ring  
75 Watts Max., 120 Volts




**\*22560 - FS-2**  
Fluorescent Lamp Starter  
FS-2 RoHS Compliant  
14, 15 and 20 Watt Lamps



**\*22562 - FS-5**  
Fluorescent Lamp Starter  
FS-5 RoHS Compliant  
4, 6 and 8 Watt Lamps



**70160**  
2 Socket Keys  
Brass Finish  
With 1/2" Extensions  
Tapped 3/16"-F x 3/16"-M



**70161**  
2 Replacement Knobs  
Black Finish  
With 1/2" Extensions  
Tapped 3/16"-F x 3/16"-M



**70435**  
Phenolic Shade Ring for Medium Base Sockets  
Outside Diameter - 2 3/16"  
Inside Diameter - 1 5/16"  
For use with phenolic sockets only.



**70001**  
2 Aluminum Shade Rings for Medium Base Sockets  
Outside Diameter - 2"  
Inside Diameter - 1 1/2"  
For use with porcelain threaded sockets.



**70290**  
Replacement Canopy Light Switch with Brass Finish Pull Chain  
3' Braided Cord  
6" Wire Leads  
Height - 1 1/4"  
Fits 3/8" Hole



**\*22306**  
Push Canopy Switch  
4 3/4" Wire Leads  
18 Gauge, 105° Leads  
Fits 3/8" Hole  
3A, 250 VAC  
6A, 125 VL  
6A, 125 VAC  
Height - 1 1/4"



**70111**  
Adjustable All-Purpose Crossbar  
Slips 3/8"-IP  
Holes Tapped 8-32  
Adjusts from 3 3/8" to 5" for  
Slot Mounting on 3", 3 1/4" or 4" Box  
Two 1/2" Head Screws Included  
Two 3/4" Head Screws Included  
35 lb. Load Rating




**70112**  
4" Offset Crossbar  
Two 1/2" Mounting Screws  
and 2 Tapped 8-32 Holes  
Spaced 2 3/4" Apart  
Slips 3/8"-IP



**\*21003**  
**70113**  
Crossbar 4" Long  
Tapped 1/4"-IP  
45 lb. Load Rating



**70110**  
4" Crossbar Kit  
Tapped 1/4"-IP  
35 lb. Load Rating  
Includes:  
• 1 Crossbar 4" Long  
• 1 3/8"-IP x 1/4"-IP Reducing Hickey  
• 1 1/4"-IP x 1/8"-IP Reducing Bushing  
• 2 8-32 x 1/2" Mounting Screws



**70350 - Brass Finish**  
Screw Collar Loop Kit  
Fits Canopies with a 1 1/8" Center Hole  
Tapped 1/4"-IP, 35 lb. Load Rating  
Includes:  
• 1 Crossbar 4" Long  
• 1 Screw Collar Loop • 2 Locknuts  
• 1 Lock Washer • 1/4"-IP x 1 1/2" Nipple  
• 1 3/8"-IP x 1/4"-IP Reducing Hickey  
• 2 8-32 x 1/2" Mounting Screws



**\*21008**  
Crossbar 3 3/8" Long  
Ground Screw Inserted  
Tapped 1/4"-IP  
45 lb. Load Rating



**\*21004**  
Crossbar 4" Long  
Tapped 1/4"-IP  
Green Ground Screw  
45 lb. Load Rating



**\*21005**  
Crossbar 4" Long  
Tapped 1/4"-IP  
45 lb. Load Rating



**\*21006**  
**70114**  
Offset Crossbar 4" Long  
Tapped 8-32 Holes  
Green Ground Screw  
35 lb. Load Rating



**\*13206 - 3/4" Long**  
**\*13212 - 1 1/2" Long**  
**70601 - 1 1/2" Long**  
(Carded 4-Pack)  
Steel Nipple  
Zinc-Plated, Threaded 1/4"-IP



**70602 - 2" Long**  
(Carded 2-Pack)  
**70603 - 3" Long**  
(Carded 2-Pack)  
Steel Nipple  
Zinc-Plated, Threaded 1/4"-IP



**70604 - 4" Long**  
(Carded 2-Pack)  
**\*13248 - 6" Long**  
**70606 - 6" Long**  
(Carded 2-Pack)  
Steel Nipples  
Zinc-Plated, Threaded 1/4"-IP



**70151**  
6 Assorted Nipples  
Zinc-Plated  
Includes:  
• 2 1/4"-IP x 3/4"  
• 2 1/4"-IP x 1 1/2"  
• 2 1/4"-IP x 2"



**70150**  
8 Assorted Nipples  
Zinc-Plated  
Includes:  
• 2 1/8"-IP x 1/2"  
• 2 1/8"-IP x 1"  
• 2 1/8"-IP x 1 1/2"  
• 2 1/8"-IP x 2"



**70270**  
30" Steel Brass-Plated  
All-Thread Pipe  
Threaded 1/4"-IP



**70272**  
12" All-Thread Lamp Pipe Kit  
Zinc-Plated Steel  
Includes:  
• 2 1/4"-IP x 12" Threaded Pipe  
• 2 1/4"-IP Couplings  
• 2 1/4"-IP Locknuts  
• 2 1/4"-IP Knurled Locknuts, 2 Washers




**\*12060**  
Hexagon  
Steel  
Diameter - 1 1/8"  
Tapped 1/4"-IP




**70162 - (Carded 2-Pack)**  
2 Couplings Polished Brass Finish  
Tapped 1/4"-IP



**70638 - Brass Finish**  
Lock-Up Kit  
For Ceiling Glass  
Tapped 1/4"-IP



**70621 - Solid Brass**  
**70622 - Steel**  
6 Hex Nuts  
Tapped 1/4"-IP



**70172**  
12 Hex Nuts Solid Brass  
Tapped 1/4"-IP



**70628**  
6 Assorted Nuts and Washers  
Brass-Plated Steel  
For 1/4"-IP Nipples  
Includes:  
• 2 Lock Washers  
• 2 Flat Washers  
• 2 Hex Nuts



**70152**  
16 Assorted Hex Nuts  
Steel  
Includes:  
• 4 8-32 Hex Nuts  
• 2 1/4"-27 Hex Nuts  
• 6 1/4"-IP Hex Nuts  
• 2 1/4"-IP Hex Nuts  
• 2 3/8"-IP Hex Nuts



**70153**  
12 Assorted Locknuts  
Solid Brass  
Includes:  
• 2 8-32 Battery Nuts  
• 2 Threaded 1/4"-27 Knurled Locknuts  
• 2 1/4"-IP Knurled Locknuts  
• 4 1/4"-IP Hex Nuts  
• 2 1/4"-IP Knurled Locknuts



**70660**  
4 Cap Nuts  
Solid Brass  
Diameter - 3/8"  
Tapped 8-32



**70156**  
13 Assorted Screws  
Includes:  
• 3 - 8-32 x 1/2" Brass-Plated  
• 3 - 8-32 x 1/2" Nickel-Plated  
• 3 - 8-32 x 3/4" Brass-Plated  
• 2 - 8-32 x 1" Brass-Plated  
• 2 - 8-32 x 2" Brass-Plated



**70635**  
14 Piece Lighting Fixture  
Repair Kit  
Includes:  
• 2 - 8-32 x 3/8" Philips Head Screws  
• 2 - 8-32 x 1/2" Knurled Head Screws  
• 2 - 8-32 x 3/8" Philips Head Screws  
• 2 - 8-32 x 1/2" Knurled Head Screws  
• 2 - 8-32 x 1" Cross Bar Screws  
• 4 - 8-32 Knurled Knobs



**70632 - Brass-Plated**  
1/2" Long  
**70634 - Brass-Plated**  
3/4" Long  
3 Knurled Head Steel Screws  
Threaded 8-32



**70250**  
Two 1" Diameter Female  
and Male Loops  
Brass Finish  
Threaded 1/2-IP  
45 lb. Load Rating



**70053**  
Traditional Canopy Kit  
with Center Hole  
Antique Brass Finish  
5 1/4" Diameter, 7/16" Center Hole,  
50 lb. Load Rating  
Includes: 1 Canopy, 1 Crossbar,  
4 Mounting Screws, 1 Lock Washer,  
1 Locknut, 1 Screw Collar Loop,  
2 Cap Nuts



**70038**  
Modern Canopy Kit with Center Hole  
Oil Rubbed Bronze Finish  
5" Diameter, 7/16" Center Hole,  
40 lb. Load Rating  
Includes: 1 Canopy, 1 Screw Collar  
Loop, 2 Mounting Screws,  
1 Lock Washer, 1 Locknut



**70037**  
Modern Canopy Kit with Center Hole  
White Finish  
5" Diameter, 7/16" Center Hole  
40 lb. Load Rating  
Includes: 1 Canopy, 1 Screw Collar  
Loop, 2 Mounting Screws,  
1 Lock Washer, 1 Locknut



**70158**  
2 Lock-Up Caps  
White Finish  
Diameter - 1 1/4"  
Tapped 1/4-IP



**70169 - Brass Finish**  
**70640 - Nickel Finish**  
2 Lock-Up Caps  
Diameter - 3/4"  
Tapped 1/4-IP



**70052**  
Traditional Canopy Kit  
with Center Hole  
Brass Finish  
5 1/4" Diameter, 7/16" Center Hole,  
50 lb. Load Rating  
Includes: 1 Canopy, 1 Crossbar,  
4 Mounting Screws, 1 Lock Washer,  
1 Locknut, 1 Screw Collar Loop,  
2 Cap Nuts



**70050**  
Traditional Canopy Kit  
with Center Hole  
Oil Rubbed Bronze Finish  
5 1/4" Diameter, 7/16" Center Hole,  
50 lb. Load Rating  
Includes: 1 Canopy, 1 Crossbar,  
4 Mounting Screws, 1 Lock Washer,  
1 Locknut, 1 Screw Collar Loop,  
2 Cap Nuts



†**29453**  
**70064**  
White Outlet Concealer  
Holes Spaced 2 3/4" Apart  
Diameter - 4 3/4"  
Mounts on 3" or 4" Outlet Box  
Includes:  
• 2 8-32 x 3/4" White Head Screws  
†Polybagged Bulk Items



†**29452**  
**70065**  
White Outlet Concealer Holes  
Spaced 3 1/2" Apart  
Diameter - 4 3/4"  
Holes Spaced 3 1/2" Apart  
Mounts on 4" Outlet Box  
Includes:  
• 2 8-32 x 3/4" White Head Screws  
†Polybagged Bulk Items



**70045**  
Ceiling Blank-Up Kit  
White Finish  
Diameter - 5 1/8", 7/16" Center Hole  
Includes:  
• 1 Canopy  
• 1 1/2-IP x 2 1/2" Nipple  
• 1 3/4-IP x 1/2-IP Reducing Bushing  
• 1 Cap Nut



**70770**  
1 1/2" Swag Hook Kit  
White Finish  
Includes:  
• 2 Hooks  
• 2 Spring Toggle Wings  
• 2 Running Thread Studs:  
#10-24 x 2 7/8"  
• 2 Wood Screws: #10 x 1 1/4"  
• 30 lb. Load Rating



**70446**  
Large 2 1/2" Swag Hook Kit  
Brushed Pewter Finish  
Includes:  
• 1 Hook  
• 1 Spring Toggle Wing  
• 1 Running Thread Stud: 1/4-20 x 2 7/8"  
• 1 Wood Screw: #14 x 1 3/8"  
• 45 lb. Load Rating



**70440**  
Large 2 1/2" Swag Hook Kit  
Polished Brass Finish  
Includes:  
• 1 Hook  
• 1 Spring Toggle Wing  
• 1 Running Thread Stud: 1/4-20 x 2 7/8"  
• 1 Wood Screw: #14 x 1 3/8"  
• 45 lb. Load Rating



**70441**  
Large 2 1/2" Swag Hook Kit  
Antique Brass Finish  
Includes:  
• 1 Hook  
• 1 Spring Toggle Wing  
• 1 Running Thread Stud: 1/4-20 x 2 7/8"  
• 1 Wood Screw: #14 x 1 3/8"  
• 45 lb. Load Rating



**70058**  
Blank-Up Kit  
White Finish  
Diameter - 5"  
Holes Spaced, 2 3/4" Apart  
Includes:  
• 1 Canopy, 1 Crossbar,  
2 Mounting Screws, 2 Cap Nuts  
• 50 lb. Load Rating



**70444**  
1 1/2" Swag Hook Kit  
Brushed Pewter Finish  
Includes:  
• 2 Hooks  
• 2 Spring Toggle Wings  
• 2 Running Thread Studs:  
#10-24 x 2 7/8"  
• 2 Wood Screws: #10 x 1 1/4"  
• 30 lb. Load Rating



**70450**  
1 1/2" Swag Hook Kit  
Polished Brass Finish  
Includes:  
• 2 Hooks  
• 2 Spring Toggle Wings  
• 2 Running Thread Studs:  
#10-24 x 2 7/8"  
• 2 Wood Screws: #10 x 1 1/4"  
• 30 lb. Load Rating



**70451**  
1 1/2" Swag Hook Kit  
Antique Brass Finish  
Includes:  
• 2 Hooks  
• 2 Spring Toggle Wings  
• 2 Running Thread Studs:  
#10-24 x 2 7/8"  
• 2 Wood Screws: #10 x 1 1/4"  
• 30 lb. Load Rating



**70452**  
1 1/2" Swag Hook Kit  
Black Finish  
Includes:  
• 2 Hooks  
• 2 Spring Toggle Wings  
• 2 Running Thread Studs:  
#10-24 x 2 7/8"  
• 2 Wood Screws: #10 x 1 1/4"  
• 30 lb. Load Rating



**70454**  
1 1/2" Swag Hook Kit  
Oil Rubbed Bronze Finish  
Includes:  
• 2 Hooks  
• 2 Spring Toggle Wings  
• 2 Running Thread Studs:  
#10-24 x 2 7/8"  
• 2 Wood Screws: #10 x 1 1/4"  
• 30 lb. Load Rating





**70070**  
3' 11 Gauge Fixture Chain  
Polished Brass Finish  
35 lb. Load Rating



**70071**  
3' 11 Gauge Fixture Chain  
Antique Brass Finish  
35 lb. Load Rating



**70072**  
3' 11 Gauge Fixture Chain  
Flat Black Finish  
35 lb. Load Rating



**70074**  
3' 11 Gauge Fixture Chain  
Oil Rubbed Bronze Finish  
35 lb. Load Rating



**70075**  
3' 11 Gauge Fixture Chain  
Brushed Nickel Finish  
35 lb. Load Rating



**70079**  
3' 11 Gauge Fixture Chain  
Rust Finish  
35 lb. Load Rating



**70670**  
3' 11 Gauge Fixture Chain  
White Finish  
35 lb. Load Rating



**\*21457**  
8 Gauge Fixture Chain  
Flat Black Finish  
50 lb. Load Rating  
Sold by the Yard



**70480**  
12' Swag Kit  
Polished Brass Finish  
12 Ft. Chain, 15 Ft. Cord  
Gold Cord with White Switch  
35 lb. Load Rating  
Includes:  
11 Gauge Chain, SPT-1 Cord Set,  
Cord Switch, 2 Swag Hooks,  
Mounting Hardware



**70471**  
15' Swag Kit  
Antique Brass Finish  
15 Ft. Chain, 20 Ft. Cord  
Opaque Gold Cord with Brown Switch  
35 lb. Load Rating  
Includes:  
11 Gauge Chain, SPT-1 Cord Set,  
Cord Switch, 2 Swag Hooks,  
Mounting Hardware



**70481**  
12' Swag Kit  
Antique Brass Finish  
12 Ft. Chain, 15 Ft. Cord  
Opaque Gold Cord with Brown Switch  
35 lb. Load Rating  
Includes:  
11 Gauge Chain, SPT-1 Cord Set,  
Cord Switch, 2 Swag Hooks,  
Mounting Hardware



**\*69559**  
**70099**  
Fixture Chain Pliers  
7" Long  
Works with up to 3 Gauge Chain  
Used for Easy Opening  
and Closing of Chain Links



**70025**  
Electrified Candlestick  
and Bottle Adapter  
Includes:  
• 8' 18 Gauge Cord Set  
• Push-Through  
Medium Base Socket  
• 150 Watts Max. Rating  
• 3 Rubber Bottle Adapters  
• Hardware



**70268**  
Make-A-Lamp 3-Way Socket Kit  
Polished Brass Finish  
Includes:  
• 10" Detachable Harp  
• 8' 18 Gauge Cord Set  
• 3-Way Medium Base Socket  
• 150 Watts Max. Rating  
• Finial • Hardware



**70269**  
Make-A-Lamp Push-Through  
Socket Kit  
Polished Brass Finish  
Includes:  
• 10" Detachable Harp  
• 8' 18 Gauge Cord Set  
• Push-Through Medium Base Socket  
• 150 Watts Max. Rating  
• Finial • Hardware



**70219**  
Clip-On Lamp Adapter  
Brass Finish  
Threaded 1/4-27  
Height - 3 1/16", Width - 2 1/8"  
Depth - 1/2"  
Overall Height - 4"  
Clips Onto Medium Base  
A Shape Lamps



**70220 - 8"**  
**70222 - 10"**  
**70224 - 12"**  
2-Piece Detachable Harp  
Polished Brass Finish



**70136 (Carded 2-Pack)**  
2 Lamp Finials  
Brass Finish  
Height - 1"  
Tapped 1/4-27



**70131 (Carded 2-Pack)**  
2 Lamp Finials  
Brass Finish  
Height - 1 1/4"  
Tapped 1/4-27  
Box Depth: 0.88"



**70130 (Carded 2-Pack)**  
2 Lamp Finials  
Solid Brass  
Height - 2"  
Tapped 1/4-27



**70005**  
Classic Ball Lamp Finial  
Oil Rubbed Bronze Finish  
Height - 1 1/2"  
Tapped 1/4-27



**70006**  
Classic Ball Lamp Finial  
Brushed Nickel Finish  
Height - 1 1/2"  
Tapped 1/4-27



**70133**  
Acorn Knob Lamp Finial  
Brass Finish  
Height - 1 1/2"  
Tapped 1/4-27  
Finial Thread Reducer  
Tapped 1/8-M to 1/4-27-F



**70321**  
Victorian Lamp Finial  
Tiffany Antique Brass Finish  
Height - 1 1/4"  
Tapped 1/4-27



**\*24109 - 4" Long White**  
**70370 - 4" Long White**  
**(Carded 2-Pack)**  
 Plastic Candle Socket Cover  
 Candelabra Base  
 I.D. - 2 1/2" O.D. - 7/8"



**\*24140 - 4" Long White**  
**70371 - 4" Long White**  
**(Carded 2-Pack)**  
 Plastic Candle Socket Cover  
 Medium Base  
 I.D. - 1 1/2", O.D. - 1 1/4"



**74998 - Single Gang**  
**74999 - Double Gang**  
 Plastic Wall Shield



**74321**  
 8 Clear Safety Caps  
 Covers Outlets



**\*22532**  
 Snap-in Outlet with Ground Wire  
 Black  
 6" Wire Leads  
 14 Gauge  
 15A, 125 Volts  
 Fits 1" Square Opening  
 with Green Ground Wire  
 Height - 7/8"



**\*21494**  
 Bare Copper Ground Wire with Lug  
 18 Gauge  
 Slips 8/32 Thread  
 9" Lead



**70506 - Brown**  
 Feed-Through On/Off Switch  
 For Use with No. 18,  
 SPT-1 Wire Only  
 3A



**70098**  
 8' Cord Set  
 Silver  
 Polarized Plug  
 18-2 SPT-2, 105" Wire  
 Free ends are Split, Stripped  
 and Tipped



**70100**  
 8' Cord Set  
 White  
 Polarized Plug  
 18-2 SPT-2, 105" Wire  
 Free ends are Split, Stripped  
 and Tipped



**70101**  
 8' Cord Set  
 Brown  
 Polarized Plug  
 18-2 SPT-2, 105" Wire  
 Free ends are Split, Stripped  
 and Tipped



**70105**  
 8' Cord Set  
 Gold  
 Polarized Plug  
 18-2 SPT-2, 105" Wire  
 Free ends are Split, Stripped  
 and Tipped



**70103**  
 15' Cord Set  
 Gold  
 Polarized Plug  
 18-2 SPT-2, 105" Wire  
 Free ends are Split, Stripped  
 and Tipped



**70108 - White**  
 6' Cord Set with Snap-In Pigtail  
 Candelabra Base Socket  
 and Cord Switch  
 No. 18-2, SPT-1, 105" Wire  
 75 Watts, 125 Volts  
 Snap-In Spring Fits 1" Hole  
 Switch is 12" from Socket



**70003 - Brown**  
 6' Cord Set with Snap-In Pigtail  
 Candelabra Base Socket  
 and Cord Switch  
 No. 18-2, SPT-1, 105" Wire  
 75 Watts, 125 Volts  
 Snap-In Spring Fits 1" Hole  
 Switch is 12" from Socket



**\*23311 - White**  
 6' Cord Set with Snap-In Pigtail  
 Candelabra Base Socket  
 No. 18-2, SPT-1, 105" Wire  
 75 Watts  
 125 Volts  
 Snap-In Spring Fits 1" Hole

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
01010	88	22127	92	24140	97	61110	6
01011	35	22150	93	29452	95	61111	11
0101108	37	22212	92	29453	95	61114	6
01020	88	22213	92	61006	9	61115	6
0102011	88	22215	92	61007	15	61116	6
01030	89	22217	92	61008	15	61117	18
0103011	89	22220	92	61009	11	61118	18
01036	89	22259	92	61012	8	61119	18
0103611	89	22267	92	61013	11	61120	18
0104011	88	22273	92	61024	34	61121	26
01050	88	22306	93	61026	15	61122	26
0105011	88	22370	92	61032	35	61123	18
0105211	88	22371	92	61037	6	61124	41
01070	89	22372	92	61053	9	61125	42
01100	88	22381	92	61054	8	61126	44
01240	89	22382	92	61057	15	61127	42
01400	88	22402	93	61064	15	61128	42
01525	88	22403	93	61065	15	61129	46
0152511	88	22411	93	61066	17	61130	42
0200011	89	22453	93	61067	50	61131	43
0252511	89	22454	93	61068	50	61132	47
11104	93	22456	93	61069	50	61133	44
12060	94	22457	93	61070	24	61134	40
13206	94	22470	93	61071	23	61135	40
13212	94	22471	93	61072	23	61136	51
13248	94	22472	93	61073	17	61137	51
16584	85	22490	93	61074	17	61138	41
21003	94	22491	93	61075	49	61139	51
21004	94	22504	92	61100	25	61140	51
21005	94	22532	97	61103	30	61141	40
21006	94	22560	93	61104	5	61142	42
21008	94	22562	93	61106	8	61143	42
21457	96	23311	97	61107	8	61144	40
21494	97	24109	97	61109	25	61146	40

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
61153	6	61188	14	63038	5	63156	38
61154	6	61189	14	63039	28	63157	38
61155	28	61192	25	63040	28	63219	19
61156	28	61193	16	63041	28	63220	19
61157	28	61194	7	63048	22	63221	19
61158	28	61195	13	63060	8	63224	19
61159	21	62034	47	63065	19	63225	19
61160	5	62038	45	63069	31	63226	20
61161	27	62040	42	63070	31	63229	20
61162	27	62041	47	63073	29	63231	20
61163	7	62042	43	63074	29	63232	20
61164	4	62043	47	63075	29	63233	20
61165	30	62044	46	63076	26	63236	9
61166	12	62045	48	63078	18	63240	25
61167	25	62046	47	63079	11	63241	17
61168	16	62048	48	63082A	10	63266	28
61169	12	62274	6	63082B	10	63268	8
61170	12	62275	6	63084A	10	63276	29
61171	31	62278	28	63084B	10	63278	29
61172	31	62279	28	63085A	10	63282	5
61173	31	62301	44	63087A	10	63283	5
61174	17	62303	48	63088	17	63288	15
61175	33	62306	49	63089	17	63289	14
61176	33	62307	49	63090	13	63290	14
61177	21	62309	44	63092	15	63301	6
61178	13	63005	35	63096	7	63316	25
61179	9	63006	35	63099	7	63318	5
61180	9	63008	35	63120	45	63319	5
61181	27	63012	35	63124	40	63325	12
61182	27	63013	35	63131	43	63332	27
61183	26	63015	31	63135	43	63336	5
61184	7	63019	31	63137	43	63346	10
61186	21	63034	31	63143	43	63347	43
61187	14	63036	31	63150	45	63348	43

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
63351	41	63470	40	63606	45	63721	26
63352	42	63478	41	63608	46	63723	11
63355	31	63479	42	63609	46	63726	26
63360	16	63490	39	63610	42	63731	43
63363	30	63491	40	63611	45	64000	48
63372	9	63510	27	63617	13	64001	49
63379	29	63512	9	63619	8	64002	48
63380	29	63514	4	63620	8	64003	47
63384	13	63515	4	63621	8	64005	21
63389	13	63516	4	63622	9	64006	21
63390	45	63517	4	63623	9	64009	18
63391	45	63523	25	63627	6	64011	23
63393	44	63530	27	63632	12	64012	18
63394	44	63536	5	63642	51	64291	21
63399	40	63540	28	63643	51	64292	21
63403	19	63541	28	63644	19	64302	21
63418	5	63543	30	63645	20	64304	22
63419	5	63544	30	63663	14	64305	22
63420	4	63546	12	63684	4	64306	22
63421	29	63547	30	63691	25	64617	32
63422	16	63548	30	63695	25	64684	49
63433	4	63553	11	63697	9	64688	49
63434	30	63563	13	63698	9	65732	16
63435	30	63564	15	63699	12	65735	29
63438B	29	63565	15	63700	16	65736	29
63444	22	63566	8	63701	16	65737	31
63445	22	63567	8	63702	16	65738	19
63447	12	63575	42	63703	16	65745	27
63448	30	63577	41	63704	30	65781	44
63449	30	63588	41	63706	17	65783	43
63450	4	63593	44	63713	14	65784	48
63455	7	63595	44	63714	14	65785	44
63456	7	63596	46	63715	14	65788	41
63465	13	63598	46	63720	26	65789	39

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
65790	51	66699	23	67835	51	70105	97
65791	41	66741	48	67836	51	70108	97
65792	39	66746	48	67901	53	70110	94
65793	38	66800	52	67973	38	70111	94
65795	40	66803	52	67975	38	70112	94
65796	40	66808	53	69559	96	70113	94
65800	42	66818	52	70001	93	70114	94
65801	39	66822	53	70003	97	70130	96
65802	39	66823	53	70005	96	70131	96
65803	39	66853	50	70006	96	70133	96
65805	39	66861	53	70010	93	70136	96
65807	38	66878	52	70025	96	70145	92
66206	22	66882	52	70031	85	70150	94
66223	18	66885	52	70032	85	70151	94
66297	22	66898	49	70037	95	70152	94
66326	22	66919	52	70038	95	70153	94
66401	32	66924	50	70045	95	70156	95
66402	32	66946	52	70050	95	70158	95
66403	32	66949	52	70052	95	70160	93
66406	33	66955	53	70053	95	70161	93
66411	33	66964	50	70058	95	70162	94
66449	33	66971	50	70064	95	70168	86
66450	33	66972	49	70065	95	70169	95
66496	32	66975	53	70070	96	70172	94
66497	32	66976	53	70071	96	70219	96
66522	31	66983	50	70072	96	70220	96
66595	33	66991	53	70074	96	70222	96
66601	32	67202	23	70075	96	70224	96
66607	24	67208	24	70079	96	70250	95
66610	23	67210	23	70098	97	70268	96
66611	23	67328	45	70099	96	70269	96
66654	32	67345	22	70100	97	70270	94
66680	24	67831	49	70101	97	70272	94
66686	22	67834	50	70103	97	70284	34

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
70285	34	70604	94	72204	59	72314	71
70286	34	70606	94	72205	67	72317	73
70287	34	70621	94	72206	62	72319	70
70290	93	70622	94	72215	68	72320	66
70321	96	70628	94	72216	68	72321	65
70350	94	70632	95	72225	68	72322	65
70361	93	70634	95	72230	69	72323	66
70370	97	70635	95	72231	59	72324	66
70371	97	70638	94	72236	74	72330	73
70403	92	70640	95	72240	72	72334	75
70407	92	70660	95	72241	73	72336	63
70409	92	70661	84	72242	63	72338	64
70411	92	70670	96	72246	74	72341	63
70412	92	70770	95	72247	74	72344	72
70413	92	72039	60	72248	60	72347	72
70421	92	72042	60	72249	60	72349	65
70425	92	72046	58	72250	58	72354	70
70431	92	72051	58	72251	67	72359	64
70435	93	72053	62	72255	60	72362	75
70440	95	72059	57	72257	57	72364	64
70441	95	72074	59	72258	67	72366	74
70444	95	72076	62	72259	59	72369	74
70446	95	72077	58	72264	60	72371	64
70450	95	72078	58	72270	59	72375	70
70451	95	72090	62	72303	72	72379	61
70452	95	72091	59	72304	70	72381	61
70454	95	72096	65	72305	70	73038	66
70471	96	72168	76	72306	65	73048	56
70480	96	72170	76	72307	73	73049	57
70481	96	72171	57	72308	73	73050	68
70506	97	72172	76	72309	71	73051	68
70601	94	72173	58	72310	71	73052	68
70602	94	72178	75	72312	71	73053	57
70603	94	72179	70	72313	70	73054	63

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
73055	63	77028	87	77414	85	81162	91
73056	62	77035	87	77415	85	81208	90
73057	57	77037	87	77416	85	81227	37
74001B	67	77044	86	77417	85	81242	90
74002B	56	77045	86	77492	83	81258	90
74003B	56	77047	85	77526	83	81270	37
74004B	75	77049	86	77527	83	81272	37
74005B	56	77050	86	77732	87	81277	37
74321	97	77052	86	77733	87	81282	90
74998	97	77054	86	77845	83	81311	37
74999	97	77059	85	77846	83	81333	37
75007	54	77064	86	77847	83	81412	37
75008	54	77066	86	77848	83	81422	37
75009	54	77075	86	77849	83	81493	91
75011	54	77077	86	77850	83	81494	91
75012	54	77079	85	77851	83	81560	91
75013	54	77084	84	77852	83	81570	91
75014	54	77087	84	77853	83	81592	90
75015	54	77093	84	77870	82	81609	90
75016	54	77096	84	77871	82	81720	90
75051	55	77103	84	77872	82	81758	91
75052	55	77214	84	77873	82	81759	91
75053	55	77217	84	77875	82	81800	90
77005	84	77220	84	77879	82	81807	90
77007	84	77224	84	77882	82	81819	90
77012	86	77238	86	78003	61	81869	91
77013	84	77240	83	78024	66	83062	91
77014	84	77243	83	78127	61	83070	91
77015	85	77254	83	78409	61	83072	91
77016	85	77401	85	78614	61	83090	91
77021	86	77402	85	81095	37	83091	91
77022	86	77406	85	81098	37	83100	91
77023	86	77410	85	81100	90	83101	91
77027	87	77411	85	81119	37	85031	36



Item#	Page#
85033	36
85053	36
85055	36
85090	36
85100	90

Item#	Page#
85254	91
85570	91
85571	91
85578	90
85602	90

Item#	Page#
85606	90
85608	90
85613	90
85617	90
85705	91

Item#	Page#
85707	91
85712	91
85718	34
85757	90



**Call 1-800-999-2226 or visit [www.westinghouselighting.com](http://www.westinghouselighting.com).**

® and Westinghouse are trademarks of Westinghouse Electric Corporation.  
Used under license by Westinghouse Lighting. All Rights Reserved.