The '70's from American Motors.



The little car you're looking at is the American Motors Hornet.

It took about forty million dollars, three years, and one million man hours to get it to this page.

It's an entirely new car idea.
The Hornet is the first car in
America designed to prove that the
word small doesn't automatically
stand for cheap.

To begin with, the Hornet gives you a wide choice of models: both basic and SST 2-doors and 4-doors.

We created a multi-million dollar production assembly line from scratch just to produce them.

The Hornet weighs about one and a third tons. That's a lot of expensive weight to pack onto a little frame, but worth it for the extra stability and security it gives you.

The Hornet is a full six feet wide. With a stance wide enough to handle like a sports car on a turn.

The Hornet rests on a 108 in. wheelbase. The longer wheelbase helps smooth out bumps in the road and gives you a ride you wouldn't believe in a car this size.





















The Hornet offers more unbridled luxury per square inch than any other car of its type.

Compare it with anything on display in any showroom in the country and you'll soon see what we mean.

Like three engine sizes for you:

The 199 cu. in. six that's standard on the basic models. With bigger displacement than any other car of its type.

A 232 cu. in. six that's optional on the basic Hornets and standard on the SST's. You can have it with either 1-barrel or optional 2-barrel carburetion.

And a 304 cu. in. V-8. If you get the big engine, you can go from 0 to 60 in 10 seconds flat.

There are plenty other luxury

options: Shift-Command automatic transmission, power steering, power brakes (including power discs on the V-8's), air-conditioning, vinyl top, big wheel discs.

Inspect the interior. There are seats for five. Not four.

With scientifically designed contour seat backs (very comfortable).

With plenty of head room, shoulder room, hip room.

The leg room for rear seat passengers is extraordinary. (Everything about the Hornet says rich).

And back of our comfortable rear seat, there's 11.2 cu. ft. of trunk space. Enough room for enough baggage for the five people it seats.









All Rebels, except the 8-passenger SST wagon and models with bucket seats take six adults in comfort—and can always handle another kid or dog. For a growing family, a good choice is the 4-door sedan. Either the SST (Page 5) or the basic 4-door (Back Cover).

The big space inside is an interesting surprise when you realize that the Rebel is intermediate-size outside.

It's even more surprising when you check list prices and find that a Rebel lists for less than a number of compacts.

All give you choices of two six-cylinder engines and three V-8's, and the SST's let you choose a fourth—our new 390 cu. in. V-8 for 1970.

Two of the best-looking new Rebels are the hardtops, with the same overall dimensions as the sedans, except for their sporty lowered roof line.

That's the basic Rebel hardtop at left and the SST at right with optional vinyl top.

Note the new side moldings on the SST.

And see, in this view, how the larger side windows give a handsome new look to the car—along with a great new look at the scenery for back-seat riders.



We're going to show you two of our 1970 Javelins and an AMX. The Javelin at the left is one

for the money. Like all of our 1970 Javelins, it's a 4-passenger sportster. Classy, glassy, jazzy.

And powerful.
This year's basic engine is a competent 232 cu. in. six.
With your choice of transmissions—either Shift-Command automatic or manual (4-speed with Hurst shifter or 3-



hardtop in Bittersweet Orange with white vinyl roof and white stripe

speed depending on the engine you choose).

The Javelin SST at right is one for the show. With our big new power blister hood.


Get it with a Go Package available with either our 360 or

390 V-8 and you get a functional ram-air induction system.

Get it with our new landau vinyl top and you get one of the sharpest roof lines on the road. Great with that crazy paint

stripe.





Our AMX is our sports car—strictly two-seater.

It's the only American sports car in its price range.

It's almost the only American sports car. The other one is the Chevrolet Corvette that lists for well over \$1,000 more.

The AMX gives you a big standard engine: our 360 cu. in. V-8. And standard dual exhausts, mag-style wheels, heavy duty springs and shocks.

You get an Airless Spare that inflates when you need it, stays flat and small when you don't. And of course you can add options: our new 390 cu. in. V-8 with functional ram-air induction, for instance. Even special performance equipment, listed in your dealer's Performance Activities Book.





Slide into a bucket and take the wheel.

Take a look at the instrument panel. That 140 mph. speedometer isn't kidding. And there's a tachometer to match.

Put a hand on the stick. It's an all-synchro 4-on-thefloor with short-throw Hurst linkage. Very effective, very smooth.

Enjoy the view. You aren't going to see many other cars in front of you.

Incidentally, you're looking through a Chemcor™ safety windshield you can get with our Javelins and AMX. It crystallizes under impact—instead of forming sharp cutting edges.





Ask the man who drives one. The Ambassador is American Motors' finest car. As Cadillac is General Motors', Lincoln Continental is Ford's and Imperial

is Chrysler's.
But considerably smaller than
the big three's big ones. About the
size and price range of their Impalas,
Galaxies and Furys.

Since it's our big car, it's the one we've loaded with luxuries.
Air-conditioning, for instance, is tandard in every Ambassador—comething you won't find in any

other car line listing for less than \$5,000, or, for that matter, \$10,000. The car you're looking at here is the top of the line: our new 1970 4-door SST.

Ambassador DPL 4-door sedan in Glen Green



Ambassador SST 4-door station wagon in Tijuana Tan with wood-grain vinyl.

It's a very workmanlike wagon.

The new 6-foot roof rack is standard equipment.

And, with the SST, so are the wood-grain vinyl side panels.



With 6-passenger seating the Ambassador SST wagon has a total of over 99 cu. ft. of cargo space. Including two compartments under the deck, one with a lock for valuables.

Or you can order a third seat with either the Ambassador DPL or SST.

The tailgate is dual-swing: opens like a door, as shown, or drops down flat to extend the load bed or give you a counter surface. Take the Ambassador DPL
4-door (or the basic Ambassador
4-door listing for a little less). You
get the same great lines, the same
generous size, the same comfortable
coil-spring seats, but with brocade
upholstery.

The trunk space is a big

You're air-conditioned, of
course. Every Ambassador is,

unless you ask us to remove it.

It's a lot of luxury for a little

for a cross-country trip for six.



Get the woman's point of view. The appointments are superb. Like this channeled velour upholstery available as an option with the SST sedan.

The seats are deep and comfortable. Made like fine furniture with coil spring construction.

The 304 cu. in. V-8 with easygoing Shift-Command automatic transmission is standard on the DPL and SST models.

Other easy-driving options: power steering, power brakes, automatic speed control, and a twin-grip differential to get you going on slick or icy surfaces.

See Back Cover for our seven Ambassador models, all in 14 colors, 31 two-tone combinations, and, for the DPL's and SST's, 3 optional vinyl top colors.

ECIFICATIONS (S=Standard, O=Optional)		HORNET		REBE	L	AME	SASSA	DOR	JAV	A	
DIMENSIONS	BASIC SST		BASIC	SST	MACHINE	BASIC	DPL	SST	BASIC SST		
Wheelbase (inches)		8.0		4.0	114.0		122.0		_	9.0	+
Sedan & Randtop Length (inches)	_	9.3		9.0	199.0		208.0			1.0	+
Magon Length (inches)	-	910		8.0			207.0		.9		1
Width (inches)		1.1		7.2	77.2		77.2		2	1.9	1
From Tread (inches) for sizes (and V-8's)		7.5 (57.2)		0.0 (60.0)	60.0		60.0 (6	0.0)	_	9.3 (59.7)	+
Rear Tread (inches) for sixes (and V-8's)	-	7.0 (57.0)		0.0 (60.0)	60.0		60.016			7.0 (57.0)	+
Trunk Space (cubic feet)		1.2	1000	8.2	18.2		18.2	-141	_	0.2	+
Dargo Space (cubic feet) for Wagons (and underfloor storage)	<u> </u>			1.1 (8.0)			91.1 (8	(0)	_	416	+
EXTERIOR & INTERIOR				,,,,,			71.1 10	1		T	+
All-Meided, Single-Unit Construction (Advanced Unit Construction)	S	S	s	s	s	S	S	S	S	S	+
Deep-Dip Rust Proofing	S	S	S	S	S	S	5	S	S	S	+
Front-Seat Foam Seat Cushions	\$	S	S	S	S	S	S	S	S	S	+
Seat Construction (Bucket Seats are Formed Wire)		ed Wire	_	prings	Form.Wire	_	Coil Spring		_	ed Wire	F
Molded Fiberglass Ceiling	S	S	S	S	S	S	S	S	S	S	+
Front Arm Rests	S	S	S	S	S	S	S	S	S	S	+
interior Lights	S	S	S	S	5	S	S	S	S	S	+
Slove Bax Lock	-	S		S	S	S	S	S	S	S	+
ype of Horn	Single	Single	Single	Dual	Dual	Dual	Dual	Dual	Dual	Duál	+
MECHANICAL							2001	550	5461	- Dudi	+
Front Suspension, Twin-Ball-Joint Design with Coil Springs	S	S	S	S	S	S	S	S	S	s	+
ront Suspension Sway Bar	_	Son V-8	S	Š	s	S	S	S	_	Son V-8	+
Rear Suspension, Semi-Elliptical Leaf Springs	S	S							S S	S	+
Rear Suspension, 4-Link-Trailing-Arm Design with Coil Springs		_	S	S	S	S	S	S	-	-	+
Rear Suspension Sway Bar (Machine), Torque Links (AMX)				_	S	-	-				+
All-Season Engine Coolant	S	S	S	ŝ	S	S	S		S	S	+
Dear-Power 24 Battery	S	S	\$	ŝ	S	S	S	S	S	_	+
Suminized Exhaust System (Duals Standard on AMX, Rebel "Machine" & with 390 V8)	S	S	S	S	S	S	S	5	_	S	+
Brake Diameter, Sixes (inches)		9	1		-	2	10	3	Ş	S	+
Brake Diameter, V-8's (inches)	1		1		Disc		10			9	+
Brake Liming Area, Sixes (square inches)		3.8		7.5	Disc					0	+
Brake Liming Area.V-8's (square inches)		7.5		7.5			167.5	-		3.8	+
well Tank Capacity (gallons) (and California cars)		9 (16)			Disc 21 5/10 5/		167.5	0.61		7.5	1.
uel Tatik Capacity (gallors) for 2-& 3-Seat Wagons (and California cars)		9 (10)		1.5 (19.5)	21.5(19.5)		21.5(1		1	9 (16)	1
EATING & AIR CONDITIONING		- 27	21.3/19	19.3/1/1			19(17)		-	_	+
W-Season Air Conditioning	0	0	0	0	0	S	s	S	-	-	+
Neather-Eve Heating & Vertilating System	S	S	S	S	S	S'		_	0	0	+
Righ-Level Rentillation System (Command Air)	S	S	0	0	0	S	S	\$	S	S	+
SAFE-COMMAND STANDARD FEATURES	-	3		0	U	3	S	S	0	0	+
ear Belts	S	S	s	S	S	S	S	S		^	+
va Front Shaulder Belts	S	5	S	S	S	S	S	S	S	S	+
wo Rear Shoulder-Belt Anctors	S	S	S	S	S	S	S	S	S	-	+
NO Front Head Restraints	\$	S	S	S	S	S	S	S	S	\$	+
-Way Hazard Warning Signals	S	Ś	S	S	S	S	S	S	5	S	+
ane Changer Turn Signals	S	S	ŝ	S	S	S	S	S	S	S	+
utomatic Back-Up Lights	S	\$	S	S	S	S	S	S	S		+
ide-of-Car Safety Markers	S	S	S	S	S	5	S	S	S	S	+
luard-Glo Headlights	S	\$	5	S	S		_			S	+
tside Rear-View Mirror with Twin Ball-Joint Plyots	S	5	5	S		S	S	S	S	S	-
eft-Side Rear-View Mirror	.8	5	S		S	S	S	S	\$	S	-
Vindshield Washers (Manual)	S	5	S	S	\$	\$	S	S	S	S	1
Ion-Glare Windshield Wipers				S	S	S C	S	S	S	S	1
findshield Defrosters (Heater)	S S	S	\$	\$	S	\$	S	S	S	S	L
ingle-Unit Body Construction	9	5	S	S	\$	S	\$	\$	S	S	L
nergy-Absorbing Steering Column		\$	5	S	\$	S	S	\$	S	S	L
tep-Dish Steering Wheel	\$	\$	5	S	\$	S	\$	S	S	\$	L
eep-Dish Steering Wheel ligh-Strength Windshield Glass	S	S	S	S	\$	S	S	5	S	\$	L
empered Side & Rear Glass	\$	S	\$	S	\$	S	\$	S	S	S	L
folded Ceiling Headliner	S	S	Ŝ	\$	S	S	S	S	5	S	L
added Sun Visors	S	\$	5	S	S	5	S	S	\$	S	Γ
added Instrument Panel	S	S	5	S	S	S	S	S	\$	S	Г
added Instrument Panel added Armrests	S	\$	S	Ş	S	S	S	S	S	\$	Ĺ
on-Glare Finish on Inside Parts	S	S	S	S	S	5	\$	S	S	S	L
	S	\$	S	S	S	\$	S	\$	S	S	L
ouble-Safety Brake System	S	S	S	Ś	S	S	S	\$	S	S	
rake System Warning Light	S	\$	S	5	S	S	S	S	\$	S	
elf-Adjusting Brake Linings	S	S	S	ŝ	S	S	\$	S	S	S	
echanical Stop-Light Switch	S	S	S	\$	S	\$	S	5	S	S	Γ
orrosion-Resistant Brake Lines	5	S	S	S	S	S	S	5	S	S	
afety-Rim Wheels	S	S	S	S	\$	\$	S	S	S	S	
re Tread-Wear Indicators	S	S	S	S	S	S	S	S	S	S	Γ
nti-Theft Ignition, Steering & Transmission Lock with Warning Buzzer	S	S	S	S	S	S	\$	S	S	S	Γ
igh-Strength Door Locks	S	S	S	S	S	S	S	S	S	S	
afety-Shaped Door Handles	S	S	S	S	S	S	S	S	S	S	T
io-Key Locking System	S	S	S	S	S	S	S	S	S	S	T
afety-Shaped Control Knobs	\$	S	S	S	S	S	S	S	\$	S	
afety-Styled Instrument Panel	S	S	S	\$	S	S	S	S	S	S	
ront Seat-Back Lock	S	S	S	S	S	S	S	S	S	S	-
ual-Action Hood Latch	S	S	S	S	S	S	S	S	S	S	-
						- december				THE RESERVE THE PERSON NAMED IN	_
ositive Crankcase Ventilation	S	S	S	S	S	S	S	S	S	S	

ENGINES	CARB.	H.P.	TORQUE	COMP. RATIO	BORE	HOR	NET		REBE	iL.	AME	ASS	ADOR	JAV	ELIN	AMX
	TYPE	R.P.M.	R.P.M.	& FUEL	STROKE	BASIC	TZZ	BASIC	SST	MACHINE		DPL	SST	BASIC	SST	
199 Cu. In. Six	1-Barrel	128@4400	182@1600	8.5:1/Reg.	3.75"X 3.00"	s										
232 Cu. In. Six	1-Barrel	145@4300	215 @ 1600	8.5:1/Reg.	3.75~X 3.50~	0	s	s	s					s	s	
232 Cu. In. Six	2-Barrel	155@4400	222@1600	8.5:1/Reg.	3.75"X 3.50"	0	0	0	0		s					
304 Cu. In. V-8	2-Barrel	210 @ 4400	305 @ 2800	9.0:1/Reg.	3.75" X 3.44"		0	0	0		0	s	s	0	0	
360 Cu. In. V-8	2-Barrel	245@4400	365 @ 2400	9.0:1/Reg.	4.08" X 3.44"			0	0		0	0	0	0	0	
360 Cu. In. V-8	4-Barrel	290 @ 4800	395 @ 3200	10.0:1/Pre.	4.08"X 3.44"			0	0		0	0	0	0	0	s
390 Cu. In. V-8	4-Barrel	325 @ 5000	420 @ 3200	10.0:1/Pre.	4.17"X 3.57"				0			0	0	0	0	0
390 Cu. In. V-8	4-Barrel	340@5100	430 @ 3600	10.0:1/Pre.	4.17" X 3.57"					s						
OPTIONS (S.	Standard, O=	Optional)				HOR	NET		REBE	L	AMB	ASSA	DOR	JAVI	ELIN	AMX
PAINT, VINYL			4			BASIC	TZZ	BASIC	SST	MACHINE	BASIC	DPL	T22	BASIC	TZZ	A.W.A
☐ Two-Tone Paint (no						DAGIO	0	0	0	MAGRINE	0	0	0	DASIG	331	0
☐ Vinyl-Covered Root							0		0	0		0	0	0	0	
☐ Simulated Wood-G		els for Wagons (not with Two-To	ine)					, 0				S			
SEATS & UPH																
☐ Bench Non-Reclin ☐ Bench Non-Reclin			and on Minason			0	S	S	S		S	S				
☐ Individual Reclinin			ard on wagons.			S	0	0	0		0	0				
☐ Individual Reclinin							0	-	- 0		0	0	S (Sedan)			
☐ Individual Reclinin		THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	erd on Wagons)				0	0	0		0	0	0			
☐ Bucket Seats – Fal									0				0		0	
☐ Bucket Seats – Vin								1	0	S			0	S	S	S
☐ Bucket Seats – Ge															0	0
PERFORMANC Javelin 360 or 390			ransmission	Axle Rat	io" Charts)											
☐ AMX 360 or 390 "G														0	0	-
☐ "Machine" Packag										0						0
☐ "Machine" Red/W	hite/Blue Colo	r & Trim Theme	(includes Cent	er Cushion &	Armrest)					0						
☐ Dual Exhaust Syste			rd on 390)					0	0	S	0	0	0	0	0	S
☐ Tachometer & 140														0	0	S
☐ Twin-Grip Different ☐ Quick-Ratio Manua						0	0	0	0	0	0	0	0	0	0	0
POWER ASSIS		commended on	y for species p	errormance,	acing)							_		0	0	0
☐ Power Steering (re-	commended w	ith Air Conditio	oning)			0	0	0	0	0	0	0	0	0	0	0
☐ Power Brakes						0	0	0	0		0	0	0	0	0	0
☐ Power Disc Brakes.							0	0	0	S	0	0	0	0	0	0
☐ Power-Lift Tailgate ☐ Power-Lift Side Win		oded with 3-Sea	t Wagon Option	n)		-		0	0			0	0			
RADIO & TAP		ENT										Ů.	0			
AM Push-Button R	adio					0	0	0	0	0	0	0	0	0	0	0
AM/FM Push-Butto								0	0	0	0	0	0	0	0	0
Rear Speaker, with						9		0	0	0	0	0	0	0	0	0
□ 8-Track Stereo Tape □ 8-Track Stereo Tape											0	0	0			
CONVENIENCE		10110011111111100	o a E near ape	uncia		-								0	0	0
☐ Console Only (with			-		Secret Secret									0	0	
☐ Armrest & Center C					bassador)									0	S	0
☐ Air Conditioning (in ☐ A/C Package (inclu					Canada and	0	0	0	0	0	S	S	S	0	0	0
☐ Command-Air Venti		rimed Glass, P	ower ateering	a insulation	uroup)	0 S	0 S	0	0	0					-	
☐ Tinted Glass, All Wi		mended with A	ir Conditioning), or Windshi	eld only	0	0	0	0	0	0	0	0	0	0	0
☐ Luggage Rack, Wag	on Roof, Javel	in & AMX Trunk	Lid						S			S	S	0	0	0
☐ Third Seat for Wago					()				0			0	0			1
☐ Cruise-Command A ☐ Adjust-O-Tilt Steer				atic)				0	0	0	0	0	0			
☐ Electric Clock		-manual Ci	orunni Silift)			0		0	0	0	0	0	0	0	0	0
☐ Convenience Group	1-1					0	0						3			
☐ Convenience Group								0	0	0	0	0		0	0	0
☐ Electric Windshield						0	0	0	0	0	0	0	0	0	0	0
☐ Visibility Group (Inc	ludes Conven	ience Group, E	lectric W/S Wip	ers & Washer	's)	0	0	0	0	0	0	0	0	0	0	0
☐ Light Group (7) ☐ Light Group (8)						0	0	0	0	0	0		-	0	0	0
☐ Space-Saver Spare	Tire (included	with Opt. Mag	Styled Wheels)				0	0	5	0	0	5	0	0	5
PROTECTION													-			
☐ Bumper Guards – F						0	0	0	0	0	0	0	0			5
☐ Bumper Guards — F	ront for Wago	ns, Rear for Jav	elin & AMX					0	0			0	0	0	0	0
2																

T	RA	N	SIV	11	S	SI	0	NS	8
	V.	-	PO /		-	-	-		

	A STATE OF THE STA	the state of the s				
AXLE R	RATIOS (See Note below)	HORNET	REBEL	AMBASSADOR	JAVELIN	AMX
199 Cu. In. Six	3-Speed Manual on Column (Standard)	3.08:1 (3.31:1)				
(128 H.P.)	Shift-Command Automatic on Column	3.08:1 (3.31:1)				
232 Cu. In. Six	3-Speed Manual on Column (Standard)	3.08:1 (3.31:1)	3.15:1 (3.54:1)			
(145 H.P.)	3-Speed Manual on Floor (Standard)				3.08:1 (3.31:1)	
(1-211111)	Shift-Command Automatic on Column	2.37:1 (2.73:1)	3.15:1		3.08:1 (3.31:1)	
232 Cu. In. Six	3-Speed Manual on Column (Standard)			3.15:1 (3.54:1)		
(155 H.P.)	Shift-Command Automatic on Column	3.08:1 (3.31:1)	3.15:1	3.15:1		
304 Cu. In. V-8	3-Speed Manual on Floor (Standard)				3.15:1 (3.54:1)	
(210 H.P.)	Shift-Command Automatic on Column*	2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	
(ETOTILE)	Shift-Command Automatic on Console		2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	
360 Cu. In. V-8	Shift-Command Automatic on Column		2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	
(245 H.P.)	Shift-Command Automatic on Console		2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	
360 Cu. In. V-8	Shift-Command Automatic on Column		2.87:1 (3.15:1 & 3.54:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1 & 3.54:1)	
(290 H.P)	Shift-Command Automatic on Console		2.87:1 (3.15:1 & 3.54:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1 & 3.54:1)	2.87:1 (3.15:1-& 3.54:1)
	4-Speed Manual on Floor (Standard on AMX)			The state of the s	3.54:1 (3.15:1 & 3.91:1)	3.54:1 (3.15:1 & 3.91:1)
390 Cu. In. V-8	Shift-Command Automatic on Column		2.87:1 (3.15:1 & 3.54:1)	2.87:1 (3.15:1)		
(325 H.P.)	Shift-Command Automatic on Console		2.87:1 (3.15:1 & 3.54:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1 & 3.54:1)	2.87:1 (3.15:1 & 3.54:1)
102011111	4-Speed Manual on Floor (Standard on AMX)				3.54:1 (3.15:1 & 3.91:1)	3.54:1 (3.15:1 & 3.91:1)
390 Cu. In. V-8	Shift-Command Automatic on Console		3.54:1 (3.15:1)			
(340 H.P.)	4-Speed Manual on Floor (Standard)		3.54:1 (3.91:1)			
The state of the s						

*Standard on Ambassador DPL & SST.

PTIONS CONT.	HOR	REBEL			AMB	ASSA	DOR	JAVELIN		AMX	
PROTECTION ITEMS (Continued)	BASIC	SST	BASIC	SST	MACHINE	BASIC	DPL	SST	BASIC	SST	
□ Undercoating .								0			0
☐ Insulation Group (includes Undercoating & Hood Insulation)	0	0	0	0	0	0	0	-	0	0	-
Anti-Scuff Side Molding, (not on Wagon with Two Tone or Wood Grain)	0	0	0	0	-	0	0	0	0	0	
APPEARANCE ITEMS		- DF 18		-		-	-			0	
Custom Steering Wheel	0	S	0	S	S	S	S	s	S		
Sports Steering Wheel with Rim-Blow Feature		0		0	0	0	0	0	,	S	S
☐ Wheel Discs (set of 4)	0	0	0	0	+	0	5	S	0	5	- 3
☐ Turbo-Cast Wheel Covers (set of 4)			0	0		0	0	0	0	0	
☐ Wire Wheel Covers (set of 4)		W. Const.	0	0		0	0	0	0	0	
□ Mag-Styled Wheels (set of 4) — & includes Space-Saver Spare Tire	1				5	-			0	0	S
Rocker Panel Molding (Simulated Exhaust Type)									0	0	S
Roof Spoiler (not with Vinyl Covered Roof)									0	0	3
Rally/Racing Stripes (Black, White or Red) (not on Javelin with Anti-Scuff Molding)									0	0	0
Paint Stripes (except Rebel & Ambassador Wagons)	0	0	S			S	-	S	S	S	-
Decor Group (Wheel Discs, Paint Stripes, Fiberglass-Belted Black Tires)	0	0				,			3	3	_
HEAVY-DUTY EQUIPMENT											
☐ Handling Package = 6 Cyl. (9)	0	0	2000						0	0	
☐ Handling Package — All V-8's plus Rebel & Ambassador 6-Cyl. (10)		0	0	0	- 8	0	0	0	0	0	0
 Heavy-Duty Engine Cooling System (included with Air Conditioning) 	0	0	0	0	S	S	S	S	0	0	Ö
□ 70-Amp. Battery (standard: 50 AMP. on 6 & 304 V-8, 60-AMP, on 360 & 390 V-8)	0	O	0	0	0	o	. 0	0	0	0	0
Cold-Start Package – 70-Amp. Battery & 55 Amp. Alternator (for cars less A/C)	0	0	0	0	0			-	0	0	0
☐ Engine-Block Heater	0	0	0	0	ő	0	0	0	0	0	0
ANTI-SMOG DEVICES					-		-	-		0	-
Positive Crankcase Ventilation System	S	S	S	S	S	S	S	S	S	S	S
□ Exhaust Emission Control System	S	S	S	S	8 -	S	S	S	S	S	S
Fuel Tank Wapor Emission Control System (regid, by State of California)	0	0	0	0	0	0	0	0	0	0	0

TIRES	HORNET			EBE		AMBAS	JAVELIN		XMA			
All times are Fibergrass – belied, except for 6.45 x 14 & 8.25 x 14	Sixes	V-8's	Sedans & Hardtops	Station Wagons	The Machine	Sedans & Hardtops	Station Wagons	Sixes	V-8's			
□ 6.45 X 14 Black	\$											
□ B78 X 14 Slack incl. with Air Conditioning (White optional)	0											
☐ C78 X 14 Stack (Minite optional)	0	0						S	-	-		
□ 079 X 14 Red Line		0						3	-			
□ D78 X 14 Black (White optional)		0						0	S			
☐ E60 X 15 White Lettered					S			0	3			
E E70 X 14 Red Line								0	0	- 7		
□ E78 X 14 Black (White optional)			ŝ					-0	0	0		
C F70 x 14 White Lettered									0	S		
☐ F78 x 14 Black (White optional)			0			S		_	U	0		
□ 825 X 14 Btack				S (Base)				-				
G78 X 14 Black (White optional)			_	O (5 on 557)		0						
☐ H78 X 14 Black (White optional)				0			S			-		
				- U								

Note: Axie ratios in parentheses are optional at extra cost. For Javelin & AMX with 360 or 390 "Go" Packages in combination with automatic transmission, 3.15:1 axie ratio is standard (2.87:1 & 3.54:1 are optional). Twin-Grip differential is optional with all axie ratios (must be ordered with 3.91:1 ratio). Other ratios purchasable in kit form through AM dealers: 3.73:1, 3.91:1 (also factory option), 4.10:1, 4.44:1 and 5.00:1.

For AMX, Shadow Black paint on hood extending around side windows (not with rally stripe). (2) 360 cu. in. 4-barrel V-8, or 390 cu. in. 4-barrel V-8, dual exhaust system, power front disc brakes, E70 X 14 red into another times. 6" rim-width regular wheels, handling package and ram-air carburetion with AMX hood. (3) 360 cu. in. 4-barrel V-8 (standard), or 390 cu. in. 4-barrel V-8, power front disc brakes, E70 X 14 times with white lettering, handling package, twin-grip differential, heavy duty engine cooling and ram-air carburetion. (4) Special 340 hp. 390 cu. in. V-8, ram-air hood scoop, Shadow Black paint on hood and standard techniques are sway bar, carpetrial, plus other items-listed in Options chart. (5) Remote-control left outside mirror, visor vanity mirror, 12" day/night inside mirror (standard on SST), rear ash tray and glove box lock (standard on SST). (6) Remote-control left outside mirror, visor vanity mirror, electric clock and glove box lock (standard on basic brack light, two courtesy lights (standard on AMX), glove box light, parking brake warning light, lights-on warning buzzer, low-fuel warning light, front door switches on basic Hornet, map light for AMX and labeling. (8) Truck or cargo light, two courtesy lights, glove box light, parking brake warning light, lights-on warning buzzer, low-fuel warning light, and front door switches for basic Rebel, rear switches for all Rebels, basic and OPL Ambassadors. (9) Front sway bar, heavy duty springs and shock absorbers (plus rear sway bar for Rebels and Ambassadors).

Equipment and power features, illustrated or described in this catalog, are optional at extra cost unless otherwise specified. Certain equipment items may not be available for all models. American Motors, whose policy is one of continuous improvement, reserves the right to discontinuous representations, models, equipment or prices at any time without incurring obligation.

