
REGULAR PRODUCTION OPTIONS



**PASSENGER CARS
AND TRUCKS**

1951

INDEX

1951 REGULAR PRODUCTION OPTIONS

<u>SUBJECT</u>	<u>PAGE NO.</u>
Model Lineup	1
Passenger Car Colors Including Sedan Delivery, Convertible, Bel Air & Station Wagon Colors.	2
Commercial and Truck Colors.	3
Styleline & Fleetline 1500 Series Pass. Options.	4
Styleline & Fleetline 2000 Series Pass. Options.	5
1/2-Ton Commercial Options	6
3/4-Ton Commercial Options	7
1-Ton Truck Options.	8
1-1/2 Ton Truck - 137" W.B. - Options.	9
1-1/2 Ton Truck - 161" W.B. - Options.	10
2-Ton Cab-Over-Engine Options	10
2-Ton Heavy Duty Conventional Truck	11
Tires - 1-1/2 & 2-Ton Trucks	12 - 13

1951 Chevrolet Passenger Cars and Trucks

Price List on Regular Production Options (7 pages)

PL1

- 1951 MODEL LINEUP -

PASSENGER CARS

"STYLELINE SERIES"			
Model No.	Description	Model No.	Description
1502	Special 2-Door Sedan	2102	Deluxe 2-Door Sedan
1503	Special 4-Door Sedan	2103	Deluxe 4-Door Sedan
1504	Special Business Coupe	2119	Deluxe Station Wagon
1524	Special Sport Coupe	2124	Deluxe Sport Coupe
		2134	Deluxe Convertible
		2154	Deluxe Bel Air

"FLEETLINE SERIES"

Model No.	Description	Model No.	Description
		2152	Deluxe 2-Door Sedan

COMMERCIAL AND TRUCK

(INCLUDING SEDAN DELIVERY)

Model No.	Description	Model No.	Description
1508	Sedan Delivery - 115" W.B.		1 1/2 TON 161" W.B.
	1/2 TON LIGHT DELIVERY 116" W.B.	4402	Chassis - Flat Face Cowl
		4403	Chassis and Cab
		4408	Cab and Platform
		4409	Stake
		4412	Chassis - Windshield Cowl
3102	Chassis with Flat Face Cowl		2 TON CONVENTIONAL 137" W.B.
3103	Chassis and Cab		
3104	Cab and Box (Pickup)	6102	Chassis with Flat Face Cowl
3105	Panel	6103	Chassis and Cab
3106	Suburban - Panel Doors	6108	Cab and Platform
3107	Canopy Express	6109	Stake
3112	Chassis with Windshield Cowl	6112	Chassis - Windshield Cowl
3116	Suburban - Regular End Gate		2 TON CONVENTIONAL 161" W.B.
	3/4 TON COMMERCIAL 125 1/4" W.B.	6402	Chassis with Flat Face Cowl
		6403	Chassis with Cab
		6408	Cab and Platform
		6409	Stake
		6412	Chassis - Windshield Cowl
3602	Chassis with Flat Face Cowl		2 TON CONVENTIONAL 179" W.B.
3603	Chassis and Cab		
3604	Cab and Box (Pickup)	6502	Chassis with Flat Face Cowl
3608	Cab and Platform	6503	Chassis with Cab
3609	Stake	6512	Chassis - Windshield Cowl
3612	Chassis with Windshield Cowl		SCHOOL BUS CHASSIS
3742	Forward Control Chassis-Less Cowl & Sheet Met.	4502	Chassis with Flat Face Cowl - 161" W.B.
		6702	Chassis with Flat Face Cowl - 199" W.B.
	1 TON TRUCK 137" W.B.		2 TON CAB OVER ENGINE 110" W.B.
			Chassis and Cab
3802	Chassis with Flat Face Cowl		2 TON CAB OVER ENGINE 134" W.B.
3803	Chassis and Cab		
3804	Cab and Open Express (Pickup)	5103	Chassis and Cab
3805	Panel		
3807	Canopy Express	5403	Chassis and Cab
3808	Cab and Platform	5408	Cab and Platform
3809	Stake	5409	Stake
3812	Chassis with Windshield Cowl		2 TON CAB OVER ENGINE 158" W.B.
3942	Forward Control Chassis-Less Cowl & Sheet Met.		
	1 1/2 TON 137" W.B.	5703	Chassis and Cab
4102	Chassis with Flat Face Cowl		
4103	Chassis and Cab		
4108	Cab and Platform		
4109	Stake		
4112	Chassis - Windshield Cowl		

1951 PASSENGER CAR COLORS

SEDANS & COUPES						
OPTION NO.	COMB. NO.	COLOR	DUCO NO.	WHEEL STRIPE	DUCO NO.	
STD.	442	Mayland Black	253-2122	Argent Silver	289-4202	
235A	462	Aspen Green	253-55852	Mayland Black	289-2122	
235B	444	Thistle Grey	253-70397	Mayland Black	289-2122	
235C	459	Shadow Grey	286-55865	Argent Silver	289-4202	
235D	447	Trophy Blue	281-55656	Argent Silver	289-4202	
235E	445	Fathom Green	286-55658	Argent Silver	289-4202	
235F	443	Burgundy Red	282-85638M	Argent Silver	289-4202	
235G	463	Fathom Green Upper	286-55658	Mayland Black	289-2122	
		Aspen Green Lower	253-55852			
235H	460	Shadow Grey Upper	286-55865	Mayland Black	289-2122	
		Thistle Grey Lower	253-70397			
235J	449	Aztec Tan	253-55647	French White	289-53561	
NOTE: Two-Tone Combinations Used on Styleline Series Only						
SEDAN DELIVERY COMBINATIONS						
STD.	442	Mayland Black	253-2122	Argent Silver	289-4202	
235P	462	Aspen Green	253-55852	Mayland Black	289-2122	
235R	444	Thistle Grey	253-70397	Mayland Black	289-2122	
235T	447	Trophy Blue	281-55656	Argent Silver	289-4202	
NOTE: Other Regular Passenger Colors Available on Special Order.						
STATION WAGON COMBINATIONS						
STD.	458	Fathom Green	286-55658	Argent Silver	289-4202	
235M	457	Aztec Tan	253-55647	French White	289-53561	
CONVERTIBLE COMBINATIONS						
OPTION NO.	COMB. NO.	BODY COLOR	DUCO NO.	TOP COLOR	TRIM COLOR	SEAT MATERIAL
STD.	442	Mayland Black	253-2122	Black	Red	Leather
236A	445	Fathom Green	286-55658	Tan	Green	Leather
236B	444	Thistle Grey	253-70397	Black	Red	Leather
236C	447	Trophy Blue	281-55656	Tan	Blue	Leather
236D	450	Moonlite Cream	253-29829	Black	Black	Leather
BEL AIR COMBINATIONS						
STD.	442	Black	253-2122		Red	Leather & Cloth
238A	453	Mayland Black Upper	253-2122		Black	Leather & Cloth
		Moonlite Cream Lower	253-39829			
238B	464	Aspen Green Upper	253-55852		Green	Leather & Cloth
		Fathom Green Lower	286-55658			
238C	454	Thistle Grey Upper	253-70397		Blue	Leather & Cloth
		Trophy Blue Lower	281-55656			
238D	461	Thistle Grey Upper	253-70397		Red	Leather & Cloth
		Shadow Grey Lower	286-55865			
238E	445	Fathom Green	286-55658		Green	Leather & Cloth
238F	450	Moonlite Cream	253-39829		Black	Leather & Cloth

1951 COMMERCIAL AND TRUCK COLORS

OPTION NO.	HOOD, SHEET METAL, GRILLE, RAD. SHELL MOULDING & BODY COLOR	BAKING DULUX NO.	BODY MOULDING STRIPE	DUCO NO.
Std.	Forester Green	523	Cream Medium	289-6596
234A	Swift Red	506	Argent Silver	289-4202
234B	Armour Yellow	312	Mayland Black	253-2122
234C	White	454	Emerald Green	289-3133
234D	Jet Black	505	Argent Silver	289-4202
234E	Omaha Orange	262	Mayland Black	253-2122
234F	Cape Maroon	520	Gold Bronze	SM-681-A
234G	Mariner Blue	521	Cream Medium	289-6596
234H	Windsor Blue	522	Cream Medium	289-6596
234J	Seacrest Green	524	Cream Medium	289-6596
234K	Sunbeige	525	Totem Scarlet	289-50165
234L	Cream Medium	234	Mayland Black	253-2122

Note #1: All running boards painted Black Baking Dulux #505.

Note #2: Suburban Model wheels painted to match body color and Stripe

Other Standard Production Wheels painted Black Dulux #505, no stripe, (Black Enamel at Oakland Truck Plant).

STYLELINE & FLEETLINE PASSENGER MODELS - 1500 SERIES - SERIAL PREFIX JJREGULAR PRODUCTION OPTIONS

Base Tire Size: 6.70 x 15 - 4 Ply.

- 115" Wheelbase -

RPO NO.	DESCRIPTION	1502	1503	1504	1508	1524
216C	O.B. Air Cleaner, Not Used W/Governor	X	X	X		X
F	O.B. Air Cleaner, #241A Must be Used	X	X	X		X
K	O.B. Air Cleaner, Not Used W/241F				X	
L	O.B. Air Cleaner, 241F Must be Used				X	
227A	H.D. Clutch (Not Used W/330)	X	X	X		X
D	H.D. Clutch				X	
237A	Oil Filter	X	X	X		X
H	Oil Filter				X	
241A	Governor #216F Must be Used	X	X	X		X
F	Governor, 216L Must be Used				X	
249K	Dual Tail & Stop Lamp				X	
254A	Heavy Rear Spring	X	X			X
B	Heavy Rear Spring			X		
C	Heavy Rear Spring				X	
288A	6.70 x 15-6 Ply Tires	X	X	X		X
E	6.70 x 15-6 Ply Tires				X	
316A	H.D. Transmission (Not Used W/330)	X	X	X		X
B	H.D. Transmission				X	
326A	Generator (Not Used W/330)	X	X	X		X
E	Generator (40 Amp.)				X	
330A	Taxi Cab Eq.-Cloth		X			
B	Taxi Cab Eq.-Im. Lea.		X			
34OE	Fuel & Vacuum Pump Booster				X	
J	Fuel & Vacuum Pump Booster	X	X	X		X

STYLING & FLEETLINE PASSENGER MODELS2000 SERIES - SERIAL PREFIX JKREGULAR PRODUCTION OPTIONS

Base Tire Size: 6.70 x 15 - 4 Ply (6 Ply on 2119)

- 115" Wheelbase -

PRO NO..	DESCRIPTION	2102	2103	2119	2124	2134	2152	2154
216C	O.B. Air Cleaner - Not Used W/Governor	X	X	X	X	X	X	X
F	O.B. Air Cleaner, #241A Must be Used	X	X	X	X	X	X	X
227A	H.D. Clutch	X	X	X	X	X	X	X
237A	Oil Filter - Not Used W/#317	X	X	X	X	X	X	X
D	Oil Filter - Used Only W/#317	X	X	X	X	X	X	X
241A	Governor - #216F Must Be Used Not Used W/#317	X	X	X	X	X	X	X
249M	Dual Tail & Stop Lamp			X				
254A	Heavy Rear Spring	X	X		X	X	X	X
D	Heavy Rear Spring			X				
283A	7.10 x 15-4 Ply Tires (W/317 Only)					X		
*288A	6.70 x 15-6 Ply Tires	X	X		X	X	X	X
316A	H.D. Transmission	X	X	X	X	X	X	X
317B	Powerglide Transmission	X						
C	Powerglide Transmission		X					
F	Powerglide Transmission			X				
G	Powerglide Transmission				X			
H	Powerglide Trans. (Must Use 238A)					X		
J	Powerglide Transmission						X	
K	Powerglide Transmission							X
326A	Generator (40 Amp.)	X	X	X	X	X	X	X
340J	Fuel & Vacuum Pump Booster (Not Used W/#317)	X	X	X	X	X	X	X
340K	Fuel & Vacuum Pump Booster - W/#317 & 602B	X	X	X	X	X	X	X
602B	Less Surplus Parts - W/340K	X	X	X	X	X	X	X

* NOTE: RPO 288A not available with Powerglide on Model 2134.

1/2-TON COMMERCIAL MODELS - 3100 SERIES - SERIAL PREFIX JPREGULAR PRODUCTION OPTIONS

Base Tire Size: 6.00 x 16-6 Ply

- 116 " Wheelbase -

RPO NO.	DESCRIPTION	3102-12 CCH-W	3103 CCAB	3104 CCBX	3105 CFAN	3106 CSUBD	3107 CCAN	3116 CSUBG
210F	Short R.V. Mirror, R.H.					X		X
G	Short R.V. Mirror, R.H.		X	X	X		X	
H	Long R.V. Mirror, L.H.		X	X				
J	Long R.V. Mirror, R.H.		X	X				
211A	R. Shock Absorber Shield	X	X	X	X		X	
D	R. Shock Absorber Shield					X		X
216D	Oil Bath Air Cleaner	X	X	X	X		X	
E	Oil Bath Air Cleaner - 2 lb. Dirt Cap.	X	X	X	X		X	
G	Oil Bath Air Cleaner					X		X
H	Oil Bath Air Cleaner 2 lb. Dirt Cap.					X		X
227B	Heavy Duty Clutch	X	X	X	X		X	
C	Heavy Duty Clutch					X		X
237B	Oil Filter (2 Qt. Cap.)	X	X	X	X		X	
F	Oil Filter (2 Qt. Cap.)					X		X
G	Oil Filter (1 Qt. Cap.)					X		X
J	Oil Filter (1 Qt. Cap.)	X	X	X	X		X	
241E	Governor					X		X
G	Governor	X	X	X	X		X	
249A	Dual Tail & Stop Lamp					X		
B	Dual Tail & Stop Lamp							X
E	Dual Tail & Stop Lamp				X			
F	Dual Tail & Stop Lamp						X	
254E	Heavy Rear Springs	X	X	X	X		X	
G	Heavy Rear Springs					X		X
236A	Auxiliary Seat - Imitation Leather				X			
B	Auxiliary Seat - Imitation Leather						X	
273G	15" Wheel, 6 Ply Tires (5)					X		X
H	15" Wheel, 6 Ply Tires (5)	X	X	X	X		X	
282G	6.50 x 16-6 Ply Tires (5)	X	X	X	X		X	
J	6.50 x 16-6 Ply Tires (5)					X		X
K	6.50 x 16-6 Ply Rear Only (3)	X	X	X	X		X	
L	6.50 x 16-6 Ply Rear Only (3)					X		X
318A	4-Speed Transmission	X(3102)						
B	4-Speed Transmission	X(3112)	X	X	X		X	
E	4-Speed Transmission					X		X
326B	Generator (55 Amp.)	X	X	X	X		X	
C	Generator (40 Amp.)					X		X
D	Generator (55 Amp.)					X		X
F	Generator (40 Amp.)	X	X	X	X		X	
340A	Fuel & Vacuum Pump Booster	X	X	X	X		X	
C	Fuel & Vacuum Pump Booster					X		X
387A	Rear Corner Window		X	X				
389A	Wide Running Board			X				
615A	Less Rear Fenders	X	X					

3/4-TON COMMERCIAL MODELS - 3600 SERIES - SERIAL PREFIX JR
3700 SERIES - SERIAL PREFIX JT (FORWARD CONTROL)

REGULAR PRODUCTION OPTIONS

Base Tire Size: 15" - 6 Ply

- 125¹/₂" Wheelbase -

RPO NO.	DESCRIPTION	3602-12 CLCH-W	3603 CLCAB	3604 CLBX	3608 CLPL	3742 CHAS
207L	Long Running Board & Rear Fenders	X	X			
208A	Rear Axle - 7.36 Ratio - W/15" Light Truck Tires & 3-Speed Transmission	X	X	X	X	
B	Rear Axle-7.36 Ratio-W/700-17-6 or 8, 750-17-8 Tires & 3-Speed Transmission	X	X	X	X	
C	Rear Axle - 7.36 Ratio - W/4-Speed Trans.	X	X	X	X	
210G	Short R.V. Mirror, R.H.		X	X		
H	Long R.V. Mirror, L.H.			X		
J	Long R.V. Mirror, R.H.		X	X	X	
K	Short R.V. Mirror, L.H.			X		
211B	Rear Shock Absorber Shield	X	X	X	X	X
213F	Booster Brake	X(3602)				
G	Booster Brake	X(3612)				
H	Booster Brake		X	X	X	
J	Booster Brake					X
216B	Oil Bath Air Cleaner					X
D	Oil Bath Air Cleaner	X	X	X	X	
E	Oil Bath Air Cleaner, 2 lb. Dirt Cap.	X	X	X	X	
237B	Oil Filter (2 Qt. Cap.)	X	X	X	X	
J	Oil Filter (1 Qt. Cap.)	X	X	X	X	
241G	Governor	X	X	X	X	
256L	H.D. Radiator	X	X	X	X	
272A	7.50 x 17-8 Ply Fronts	X	X	X	X	X
C	7.50 x 17-8 Ply Tires - Rear	X	X	X	X	
H	7.50 x 17-8 Ply Spare Tire	X	X	X	X	X(384B)
S	7.50 x 17-8 Ply Tires-Rear - Used W-4 Spd. Trans.					X
T	7.50 x 17-8 Ply Tires-Rear-Not Used W/4 Spd.Trans.					X
273M	15" Wheel, 6 Ply Spare Tire	X	X	X	X	X(384A)
277A	7.00 x 17-6 Ply Fronts	X	X	X	X	X
B	7.00 x 17-6 Ply Single Rears	X	X	X	X	
E	7.00 x 17-6 Ply Spare Tire	X	X	X	X	X(384B)
R	7.00 x 17-6 Ply Tires-Rear - Used W/4 Spd. Trans.					X
S	7.00 x 17-6 Ply Tires-Rear--Not Used W/4 Spd.Trans.					X
278A	7.00 x 17-8 Ply Fronts	X	X	X	X	X
C	7.00 x 17-8 Ply Tires - Rear	X	X	X	X	X
F	7.00 x 17-8 Ply Spare Tire	X	X	X	X	X(384B)
S	7.00 x 17-8 Ply Tires-Rear--Used W/4 Spd. Trans.					X
T	7.00 x 17-8 Ply Tires-Rear-Not Used W/4 Spd.Trans.					X
318C	4-Speed Trans. Used W/15" Light Truck Tires & Reg. Axle or W/700-17-6 or 8 or 750-17-8 and #208C Axle	X(3602)				
D	4-Speed Trans. Used W/15" Light Truck Tires & Reg. Axle or W/700-17-6 or 8 or 750-17-8 and #208C Axle	X(3612)	X	X	X	
F	4-Speed Trans. Used W/7.00 x 17-6 or 8; or 7.50 x 17-8 Tires					X
G	4-Speed Trans. - Not Used W/Above Tires					X
H	4-Speed Trans. Used W/700-17-6 or 8; 750 x 17-8 and Reg. Axle	X(3602)				
J	4-Speed Trans. Used W/700-17-6 or 8, 750 x 17-8 and Reg. Axle	X(3612)	X	X	X	
K	4-Spd. Trans.-W/15" Light Truck Tires & 208C Axle	X(3602)				
L	4-Spd. Trans.-W/15" Light Truck Tires & 208C Axle	X(3612)	X	X	X	
326B	Generator (55 Amp.)	X	X	X	X	
F	Generator (40 Amp.)	X	X	X	X	X
340A	Fuel & Vacuum Pump Booster (Not Used W/213)	X	X	X	X	
B	Fuel & Vacuum Pump Booster--Used W/213 & 602A	X	X	X	X	
L	Fuel & Vacuum Pump Booster					X
367A	Front Bumper					X
384A	Wheel Carrier (W/15" Wheels)					X
B	Wheel Carrier (W/17" Wheels)					X
387A	Rear Corner Window		X	X	X	
401A	Stake Rack Body				X	
602A	Less Surplus Parts - Used W/340B	X	X	X	X	

1-TON TRUCK MODELS - 3800 SERIES - SERIAL PREFIX JS
 3900 SERIES - SERIAL PREFIX JU (FORWARD CONTROL)

REGULAR PRODUCTION OPTIONS

Base Tire Size: 7.00 x 17-6 Ply Front & 8 Ply Rear - 3800
 7.00 x 17-6 Ply Front & Rear - 3942

- 137" Wheelbase -

RPO NO.	DESCRIPTION	3802-12 CTCH-W	3803 CTCAB	3804 CTEXP	3805 CTGAN	3807 CTCAN	3808 CTPL	3942 CHAS
200E	D.A.Rear Shocks--(W/7.00 x17-6 or 8 Ply Tires)							X
C	D.A.Rear Shocks--(W/7.00 x18 or 7.50 x 17-8 Plys)							X
M	Rear Shock Absorbers	X	X	X	X	X	X	
207M	Lg. Bds. & Rear Fender (W/Sgl. R.)	X	X					
210G	Short R.V. Mirror, R.H.		X	X	X	X		
H	Long R.V. Mirror, L.H.			X				
J	Long R.V. Mirror, R.H.		X	X			X	
K	Short R.V. Mirror, L.H.		X					
211C	Rear Shock Absorber Shield-W/#200M	X	X	X	X	X	X	
213A	Booster Brake - Not Used W/#329	X(3802)						
B	Booster Brake	X(3812)	X	X			X	
C	Booster Brake - Used W/#329 Only	X(3802)						
D	Booster Brake							X
E	Booster Brake				X	X		
216B	Oil Bath Air Cleaner							X
D	Oil Bath Air Cleaner	X	X	X	X	X	X	
E	Oil Bath Air Cleaner-2 lb.Cap.Not Used W/328	X	X	X	X	X	X	
J	Oil Bath Air Cleaner-2 lb.Cap. (W/328 Only)	X(3802)						
237B	Oil Filter (2 Qt. Cap.)	X	X	X	X	X	X	
J	Oil Filter (1 Qt. Cap.)	X	X	X	X	X	X	
241G	Governor	X	X	X	X	X	X	
249G	Dual Tail & Stop Lamp				X			
H	Dual Tail & Stop Lamp					X		
256M	H.D. Radiator	X	X	X	X	X	X	
263A	Auxiliary Seat - Imitation Leather				X			
B	Auxiliary Seat - Imitation Leather					X		
267B	Auxiliary Springs - Not Used W/329	X	X	X	X	X	X	
C	Auxiliary Springs							X
272F	7.50 x 17-8 Ply Fronts - Not Used W/329	X	X	X	X	X	X	X(200C)
G	7.50 x 17-8 Ply Single Rears--Not Used W/329	X	X	X	X	X	X	
H	7.50 x 17-8 Ply Spare Tire	X	X	X	X	X	X	X(384C)
R	7.00 x 17-8 Ply Tires - Rear - W/#200C							X
277E	7.00 x 17-6 Ply Spare Tire							X(384C)
278F	7.00 x 17-8 Ply Spare Tire	X	X	X	X	X	X	X(384C)
H	7.00 x 17-8 Ply Fronts - Not Used W/329	X	X	X	X	X	X	X(200B)
R	7.00 x 17-8 Ply Tires Rear - W/#200B							X
279A	7.50-17-10 Ply Spare - W/#329 Only	X(3802)						
295B	7.00 x 18-8 Ply Spare Tire	X	X				X	X(384D)
R	7.00 x 18-8 Ply Tires (6) W/#213 & 267B - Not Used W/#329	X	X				X	
G	7.00 x 18-8 Ply Tires (6)-W/#200C,#213D & 267C							X
326B	Generator (55 Amp.)	X	X	X	X	X	X	
F	Generator (40 Amp.)	X	X	X	X	X	X	X
327A	Solenoid Starter (Used Only W/328)	X(3802)						
328A	Auxiliary Stand-Drive Cont. Installation W/327 & 216J NOTE: Delivery to be taken at Montpelier, Ohio, on all units equipped with this option. Chassis to be scheduled at Flint Plant	X(3802)						
329A	School Bus Chassis Equip: (7.50-17-10 Ply Tires) - W/213C	X(3802)						
B	School Bus Chassis (750 x 17-8 Ply Front and 10 Ply Rear) W/213C	X(3802)						
340A	Fuel & Vacuum Pump Booster-Not W/#213	X	X	X	X	X	X	
B	Fuel & Vacuum Pump Booster-Used W/#213 & 602A	X	X	X	X	X	X	
L	Fuel & Vacuum Pump Booster							X
367A	Front Bumper							X
384C	Wheel Carrier (W/17" Wheels)							X
D	Wheel Carrier (W/18" Wheels)							X
387A	Rear Corner Window		X	X			X	
401B	Stake Rack Body						X	
602A	Less Surplus Parts - W/340B	X	X	X	X	X	X	

1 1/2-TON CONVENTIONAL TRUCK MODELS - 4100 SERIES - SERIAL PREFIX UJREGULAR PRODUCTION OPTIONS

Base Tire Sizes: 6.50 x 20-6 Ply Front and Dual Rears

- 137" Wheelbase -

RPO NO.	DESCRIPTION	4102-12 UCH-W	4103 UCAB	4108 UCPL
200F	D.A. Front Shock Absorbers	X	X	X
R	D.A. Rear Shock Absorbers	X	X	X
204A	7:38 Ratio Rear Axle	X	X	X
210G	Short R.V. Mirror - R.H.		X	
J	Long R.V. Mirror - R.H.		X	X
K	Short R.V. Mirror - L.H.		X	
212A	Booster Brake (Not used W/H.D. Engines, But	X(4102)		
B	Booster Brake Used with H.D. Frame)	X(4112)	X	X
E	Booster Brake (Used with H.D. Engines And	X(4102)		
F	Booster Brake H.D. Frame)	X(4112)	X	X
J	Booster Brake (Not used with H.D.	X(4102)		
K	Booster Brake Engine or H.D. Frame)	X(4112)	X	X
L	Booster Brake (Used W/H.D. Engine, But	X(4102)		
M	Booster Brake Not with H.D. Frame)	X(4112)	X	X
216D	O.B.A.C. (Not used W/#225)	X	X	X
E	O.B.A.C. - 2 lb. (Not used W/#225 or 328)	X	X	X
J	O.B.A.C. - 2 lb. (Used only W/328)	X(4102)		
225F	H.D. Engine - Exc. Booster Brakes or Vacuum Booster	X	X	X
H	H.D. Engine - With Booster Brakes and/or Vacuum Booster	X	X	X
233A	Heavy Duty Frame (Used Only W/212)	X	X	
B	Heavy Duty Frame (Used Only W/212)			X
237B	Oil Filter (2 Qt. Cap.)	X	X	X
241C	Governor (Used W/225 & 602C)	X	X	X
G	Governor (Not Used W/H.D. Engine)	X	X	X
253A	Heavy Front Spring	X	X	X
256N	H.D. Radiator	X	X	X
267A	Auxiliary Spring	X	X	X
268C	Rear Springs - Two Stage	X	X	X
281A	Vacuum Power Reserve Tank (Used Only W/#212 & #233)	X	X	X
326B	Generator (55 Amp.)	X	X	X
F	Generator (40 Amp.)	X	X	X
327A	Solenoid Starter (Used Only W/328)	X(4102)		
328A	Auxiliary Stand-Drive Control Installation (W/327 & 216J)	X(4102)		
	NOTE: Delivery to be taken at Montpelier, Ohio, on all units equipped with this option. Schedule chassis at Flint Plant.			
340A	Fuel & Vacuum Booster - (Not Used W/#212; #225)	X	X	X
B	Fuel & Vacuum Pump Booster - (Used W/#212 & 602A With or Without 225)	X	X	X
D	Fuel & Vacuum Pump Booster - (Used W/#225; Less #212)	X	X	X
387A	Rear Corner Window		X	X
401B	Stake Rack Body			X
602A	Less Surplus Parts - W/#340B	X	X	X
C	Less Surplus Parts - W/#241C	X	X	X

NOTE: For tires and tire combinations see pages 12 & 13

1½-TON CONVENTIONAL TRUCK MODELS - 4400 SERIES - SERIAL PREFIX UK	161" W.B.
502 SERIES - SERIAL PREFIX UL	161" W.B.
2-TON, HEAVY DUTY CAB-OVER-ENGINE TRUCKS - 5100 SERIES - SERIAL PREFIX UP,	110" W.B.
5400 SERIES - SERIAL PREFIX UR,	134" W.B.
5700 SERIES - SERIAL PREFIX US,	158" W.B.

REGULAR PRODUCTION OPTIONS

Base Tire Sizes: 6.50 x 20-6 Ply Front & Dual Rears

RPO NO.	DESCRIPTION	4402-12 ULCB-W	4403 ULCAB	4408 ULCPL	4502 SSBCH
200F	D.A. Front Shock Absorbers	X	X	X	X
R	D.A. Rear Shock Absorbers	X	X	X	X
204A	7:38 Ratio Rear Axle	X	X	X	X
210G	Short R.V. Mirror, R.H.		X		
J	Long R.V. Mirror, R.H.		X	X	
K	Short R. V. Mirror, L.H.		X		
212C	Booster Brake (Not Used with)	X(4402)			
D	Booster Brake (H.D. Engines)	X(4412)	X	X	
G	Booster Brake (Used with)	X(4402)			
H	Booster Brake (H.D. Engines)	X(4412)	X	X	
N	Booster Brakes - Not Used W/#225				X
P	Booster Brakes - W/#225				X
216D	O.B.A.C. (Not used W/#225)	X	X	X	X
E	O.B.A.C. - 2 lb. (Not Used W/#225)	X	X	X	X
225F	H.D. Engine - (Exc. Booster Brakes or Vacuum	X	X	X	
G	H.D. Engine - (Booster)				X
H	H.D. Engine - (With Booster Brakes and/or Vac.	X	X	X	
J	H.D. Engine - (Booster)				X
237B	Oil Filter (2 Qt. Cap.)	X	X	X	X
241C	Governor (Used W/225 & 602C)	X	X	X	
G	Governor -(Not Used W/225 & 602C)	X	X	X	
253A	Heavy Front Spring	X	X	X	
256N	H.D. Radiator	X	X	X	X
267A	Auxiliary Spring	X	X	X	
268C	Rear Springs - Two Stage	X	X	X	
281A	Vacuum Power Reserve Tank (Used Only W/#212)	X	X	X	X
326B	Generator (55 Amp.)	X	X	X	X
F	Generator (40 Amp.)	X	X	X	X
340A	Fuel & Vacuum Pump Booster - (Not Used W/212, #225)	X	X	X	X
B	Fuel & Vacuum Pump Booster - (Used W/#212 & 602A With or Without 225)	X	X	X	X
D	Fuel & Vacuum Pump Booster - (Used W/#225; Less #212)	X	X	X	X
387A	Rear Corner Window		X	X	
401C	Stake Rack Body			X	
602A	Less Surplus Parts - W/340B	X	X	X	X
C	Less Surplus Parts - W/241C	X	X	X	

Base Tire Sizes: 7.50 x 20-8 Ply Front & Dual Rear

RPO NO.	DESCRIPTION	5103 FCAB	5403 FLCAB	5408 FLCPL	5703 FVCAB
200H	D.A. Front Shock Absorber	X	X	X	X
R	D.A. Rear Shock Absorber	X	X	X	X
202E	2-Speed Rear Axle	X			
F	2-Speed Rear Axle		X	X	
G	2-Speed Rear Axle				X
210G	Short R.V. Mirror, R.H.	X	X		X
J	Long R.V. Mirror, R.H.	X	X	X	X
K	Short R.V. Mirror, L.H.	X	X		X
237C	Oil Filter	X	X	X	X
241B	Governor	X	X	X	X
281B	Vacuum Power Reserve Tank	X	X	X	X
326F	Generator (40 AMP.)	X	X	X	X
340H	Fuel & Vacuum Pump Booster	X	X	X	X
387A	Rear Corner Window	X	X	X	X
401G	Stake Rack Body			X	
402B	1-1/2 Ton Special Equipment	X	X	X	X

NOTE: For tires and tire combinations see pages 12 and 13

2-TON, HEAVY DUTY CONVENTIONAL TRUCKS - 6100 SERIES - SERIAL PREFIX UY, 137" W.B.
 6400 SERIES - SERIAL PREFIX UW, 161" W.B.
 6500 SERIES - SERIAL PREFIX UY, 179" W.B.
 6700 SERIES - SERIAL PREFIX UX, 199" W.B.

REGULAR PRODUCTION OPTIONS

Base Tire Sizes: 7.50 x 20-8 Ply Front & Dual Rears

RPO NO.	DESCRIPTION	6102 HCH-W	6103 HCAB	6108 HCPL	6402-12 HLCH-W	6403 HLCAB	6408 HLCPL
200F	D.A. Front Shock Absorbers	X	X	X	X	X	X
202A	2-Speed Rear Axle	X(6102)					
B	2-Speed Rear Axle	X(6112)	X	X			
C	2-Speed Rear Axle				X(6402)		
D	2-Speed Rear Axle				X(6412)	X	X
210G	Short R. V. Mirror, R.H.		X			X	
J	Long R.V. Mirror, R.H.		X	X		X	X
K	Short R.V. Mirror, L.H.		X			X	
237B	Oil Filter (2 Qt. Cap.)	X	X	X	X	X	X
241D	Governor	X	X	X	X	X	X
268B	Rear Springs - Two Stage	X	X	X	X	X	X
281A	Vacuum Power Reserve Tank	X	X	X	X	X	X
326B	Generator (55 Amps.)	X	X	X	X	X	X
F	Generator (40 Amps.)	X	X	X	X	X	X
340F	Fuel & Vacuum Pump Booster	X(6102)			X(6402)		
G	Fuel & Vacuum Pump Booster	X(6112)	X	X	X(6412)	X	X
387A	Rear Corner Window		X	X		X	X
401B	Stake Rack Body			X			
C	Stake Rack Body						X
402A	1-1/2 Ton Special Equipment	X	X	X	X	X	X

Base Tire Sizes: 7.50 x 20-8 Ply Front & Dual Rear

RPO NO.	DESCRIPTION	6502 LCH	6503 LCAB	6512 LCHW	6702 LSBCH
200F	D.A. Front Shocks	X	X	X	X
R	D.A. Rear Shocks				X
202H	2-Speed Rear Axle				X
J	2-Speed Rear Axle	X			
K	2-Speed Rear Axle		X	X	
210G	Short R.V. Mirror, R.H.		X		
J	Long R.V. Mirror, R.H.		X		
K	Short R.V. Mirror, L.H.		X		
237B	Oil Filter (2 Qt. Cap)	X	X	X	X
241D	Governor	X	X	X	
268B	Rear Springs - Two Stage	X	X	X	
281A	Vacuum Power Res. Tank	X	X	X	X
326B	Generator (55 Amps.)	X	X	X	X
F	Generator (40 Amps.)	X	X	X	X
340F	Fuel & Vacuum Pump Booster	X			X
G	Fuel & Vacuum Pump Booster		X	X	
387A	Rear Corner Window		X		
402A	1-1/2 Ton Special Equip.	X	X	X	

NOTE: For Tires & Tire Combinations See Pages 12 & 13.

4-5-6000 SERIES TIRE COMBINATIONS

STANDARD AXLE

FRONTS	DUAL REARS	SERIES	STD	6.5	RPO #	
			WHEEL	WHEEL	FRONT	REAR
6.50 x 20-6 Ply	6.50 x 20-6 Ply	4000	x		Std.	Std.
7.50 x 20-8	7.50 x 20-8	5-6000	x		Std.	Std.
6.50 x 20-6	7.00 x 20-8	4000	x		Std.	300R
"	7.00 x 20-10	4000	x		Std.	296F
7.00 x 20-8	7.00 x 20-8	4000	x		300P	300R
"	7.00 x 20-10	4000	x		300P	296F
"	7.50 x 20-8	41-4400	x		300A	304D
"	7.50 x 20-10	41-4400	x		300A	305D
7.00 x 20-10	7.00 x 20-10	4000	x		296G	296F
"	7.50 x 20-10	41-4400	x		296K	305D
7.50 x 20-8	7.50 x 20-8	41-4400	x		304B	304D
"	7.50 x 20-10	41-4400	x		304B	305D
"	"	5-6000	x		Std.	305U
"	8.25 x 20-10	5000-61-6400	x		Std.	343N
"	"	6500	x		Std.	343R
"	"	6700	x		Std.	343P
"	8.25 x 20-12	5000-61-6400	x		Std.	344B
"	"	6500	x		Std.	344D
"	"	6700	x		Std.	344E
7.50 x 20-10	7.50 x 20-10	41-4400	x		305B	305D
"	"	5-6000	x		305T	305U
"	8.25 x 20-12	5000-61-6400	x		305T	344B
"	"	6500	x		305T	344D
"	"	6700	x		305T	344E
8.25 x 20-10	8.25 x 20-10	61-6400	x		343M	343N
"	"	6500	x		343M	343R
"	"	6700	x		343M	343P
"	"	5000	x		343X	343N
"	8.25 x 20-12	61-6400	x		343M	344B
"	"	6500	x		343M	344D
"	"	6700	x		343M	344E
8.25 x 20-12	"	5000	x		343X	344B
"	"	61-6400	x		344A	344B
"	"	6500	x		344A	344D
"	"	6700	x		344A	344E
"	"	5000	x		344L	344B
8.25 x 20-10	8.25 x 20-10	61-6400		x	343D	343V
"	"	6500		x	343D	343G
"	"	6700		x	343D	343C
"	"	5000		x	343Y	343V
"	8.25 x 20-12	61-6400		x	343D	344P
"	"	6500		x	343D	344T
"	"	6700		x	343D	344K
"	"	5000		x	343Y	344P
"	9.00 x 20-10	5103-5403-5703		x	343Y	312A
"	"	5408		x	343Y	312G
"	"	6102-3-12		x	343D	312A
"	"	6402-3-12		x	343D	312A
"	"	6108		x	343D	312F
"	"	6408		x	343D	312G
"	"	6500		x	343D	312B
8.25 x 20-12	8.25 x 20-12	61-6400		x	344N	344P
"	"	6500		x	344N	344T
"	"	6700		x	344N	344K
"	"	5000		x	344M	344P

5-6000 SERIES TIRE COMBINATIONS

2 - SPEED AXLE

FRONTS	DUAL REARS	SERIES	STD WHEEL	6.5 WHEEL	RPO #	
					FRONT	REAR
7.50 x 20-8 Ply	8.25 x 20-10 Ply	5000-61-6400	x		Std.	343S
"	"	6500	x		Std.	343U
"	"	6700	x		Std.	343T
"	8.25 x 20-12	5000-61-6400	x		Std.	344F
"	"	6500	x		Std.	344G
"	"	6700	x		Std.	344H
7.50 x 20-10	"	5000-61-6400	x		305T	344F
"	"	6500	x		305T	344G
"	"	6700	x		305T	344H
8.25 x 20-10	8.25 x 20-10	61-6400	x		343M	343S
"	"	6500	x		343M	343U
"	"	6700	x		343M	343T
"	"	5000	x		343X	343S
"	8.25 x 20-12	61-6400	x		343M	344F
"	"	6500	x		343M	344G
"	"	6700	x		343M	344H
"	"	5000	x		343X	344F
8.25 x 20-12	"	6100-6400	x		344A	344F
"	"	6500	x		344A	344G
"	"	6700	x		344A	344H
"	"	5000	x		344L	344F
8.25 x 20-10	9.00 x 20-10	5103-5403-5703		x	343Y	312A
"	"	5408		x	343Y	312G
"	"	(6102-3-12)				
"	"	(6402-3-12)		x	343D	312A
"	"	6108		x	343D	312F
"	"	6408		x	343D	312G
"	"	6500		x	343D	312B
"	8.25 x 20-10	61-6400		x	343D	343W
"	"	6500		x	343D	343H
"	"	6700		x	343D	343F
"	"	5000		x	343Y	343W
"	8.25 x 20-12	61-6400		x	343D	344R
"	"	6500		x	343D	344U
"	"	6700		x	343D	344S
"	"	5000		x	343Y	344R
8.25 x 20-12	"	61-6400		x	344N	344R
"	"	6500		x	344N	344U
"	"	6700		x	344N	344S
"	"	5000		x	344M	344R

"SPARE TIRES"

OPTION NO.	DESCRIPTION	SERIES
296E	7.00-20-10 ply	4000
300S	7.00-20-8 ply	4000
304M	7.50-20-8 ply	4-5-6000
305V	7.50-20-10 ply	4-5-6000
312E	9.00-20-10 ply	5-6000
343E	8.25-20-10 ply	5-6000
344C	8.25-20-12 ply	5-6000

PRICE LIST ON REGULAR PRODUCTION OPTIONS

Sept. 19, 1951
(Revised)

CHEVROLET PASSENGER CARS AND TRUCKS

- 1951 -

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
200B	Rear Shock Absorbers	\$ 18.00	\$.70
200C	" " "	23.50	.90
200F	Front " "	17.00	.65
200H	" " "	21.00	.80
200M	Rear " "	17.00	.65
200R	" " "	21.50	.85
202A-K	Two Speed Rear Axle	160.00	6.10
204A	Rear Axle Ratio 5.43 to 1	N/C	
207L,M	Long Running Boards & Rear Fenders	21.50	.85
208A	Rear Axle Ratio 5.14 to 1	6.50	.25
208B,C	" " " " " "	N/C	
210F	Rear View Mirror (R.H. Short)	3.41	.15
210G	" " " " "	3.25	.15
210H	" " " (L.H. Long)	1.70	.10
210J	" " " (R.H. Long)	3.25	.15
210K	" " " (L.H. Short)	1.00	.05
211A,B,C	Rear Shock Absorber Shield	1.60	.10
211D	" " " "	1.57	.10
212A-P	Booster Brake	37.50	1.45
213A-H,J	Booster Brake	37.50	1.45
216B	Oil Bath Air Cleaner	23.00	.90
216C	" " " "	2.09	.15
216D	" " " "	3.70	.15
216E	" " " "	4.80	.20
216F	" " " "	5.19	.30
216G	" " " "	3.67	.15

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
216H	Oil Bath Air Cleaner	\$ 4.71	\$.20
216J	" " " "	28.00	1.10
216K	" " " "	2.00	.15
216L	" " " "	4.95	.30
225F-J	Heavy Duty Engine	40.00	1.55
227A	Heavy Duty Clutch	3.25	.20
227B	" " "	3.25	.15
227C	" " "	3.25	.15
227D	" " "	3.10	.20
229D	Sedan Delivery Special Equipment (Installed)	55.00	2.10
	(Not Installed)	48.00	1.85
229E	Sedan Delivery Special Equipment (Installed)	32.00	1.25
	(Not Installed)	25.00	.95
233A,B	Heavy Duty Frame	8.50	.35
234A-L Incl.	Commercial & Truck Colors	N/C	
235A-F,J	Passenger Car Color Combinations	N/C	
235P,R-W	Sedan Delivery Color Combinations	N/C	
235G,H	Two-Tone Passenger Color Combinations	9.80	.50
235K,L	Two-Tone Sedan Delivery Color Combinations	9.35	.50
235M	Station Wagon Color Combinations	N/C	
236A,D	Convertible Color Combinations	N/C	
237A,D	Oil Filter	9.80	.50
237B,C	" "	11.00	.45
237F	" "	10.49	.40
237G	" "	7.66	.30
237H	" "	9.35	.50
237J	" "	9.35	.50
238A-D	Bel Air Color Combinations	9.80	.50
238E-F	" " " "	N/C	

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
241A,E	Governor	\$ 5.87	\$.30
241B-D	"	6.00	.35
241F	"	5.60	.30
241G	"	5.60	.30
249A-B	Dual Tail & Stop Lamp	7.34	.30
249E,F,G,H,K	" " " " "	7.50	.30
249M	" " " " "	7.34	.40
253A	Heavy Front Springs	1.25	.05
254A,B,D	Heavy Rear Springs	3.25	.20
254C	" " "	3.25	.15
254E	" " "	7.00	.30
254G	" " "	6.82	.25
256L-N Incl.	Heavy Duty Radiator	13.75	.55
263A,B	Auxiliary Seat - Imitation	29.00	1.15
267A-C	Auxiliary Springs	14.00	.55
268B	Rear Springs - Two Stage	N/C	
268C	" " " "	4.75	.20
281A,B	Vacuum Power Brake Reserve Tank	16.00	.65
316A	Heavy Duty Transmission	4.56	.15
316B	" " "	4.35	.15
317B-K	Powerglide Transmission	(Dealer Net) \$124.80	156.00 8.85
318A-D,F-H,J-L	Four Speed Transmission	40.00	1.55
318E	" " "	41.92	1.60
326A,C	Generator	5.76	.25
326B	"	70.00	2.70
326D	"	68.13	2.60
326E	"	5.50	.25
326F	"	5.50	.25

156.00
88.50
164.85

164.85
73
164.85

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
327A	Solenoid Starter	\$ 10.00	\$.40
328A	Aux. Stand-Drive Control Instal. (Dealer Net) \$50.00	-	2.50
	NOTE: Delivery to be taken at Montpelier, Ohio on all units equipped with this option.		
329A	School Bus Chassis	90.00	6.10
329B	" " "	65.00	4.50
330A	Taxi Cab-Cloth Trim (Dealer Net) \$20.96		1.45
330B	Taxi Cab-Imitation Leather Trim 31.44		2.20
340A,B,D,F, G,H,L	Fuel & Vacuum Pump Booster	8.50	.35
340C	" " " "	8.38	.30
340E	" " " "	8.00	.45
340J,K	" " " "	8.38	.45
367A	Front Bumper - 37 - 3942	14.00	.55
384A	Wheel Carrier - 15 x 5.50 F Wheel (3742)	15.00	.60
384B	" " - 17 x 5.0 Wheel (3742)	16.50	.65
384C	" " - 17 x 5.0 Wheel (3942)	18.00	.70
384D	" " - 18 x 5.0 Wheel (3942)	15.00	.60
387A	Rear Corner Windows	26.50	1.05
389A	Wide Running Boards	21.00	.80
602A-C	Less Surplus Parts	N/C	

ALL AROUND TIRE CHANGEOVERS

273G	Five (5) 15-6 Ply Tires Instead of Five (5) 6.00-16-6 Ply	94.33	6.35
273H	Five (5) 15-6 Ply tires instead of Five (5) 6.00-16-6 Ply	90.00	6.20
282G	Five (5) 6.50-16-6 ply tires instead of Five (5) 6.00-16-6 ply	33.00	2.05
282J	Five (5) 6.50-16-6 ply tires instead of Five (5) 6.00-16-6 ply	34.59	2.10

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
283A	Five (5) 7.10-15-4 ply tires instead of Five (5) 6.70-15-4 ply	\$ 14.67	\$1.05
288A	Five (5) 6.70-15-6 ply tires instead of Five (5) 6.70-15-4 ply	32.49	2.10
288E	Five (5) 6.70-15-6 ply tires instead of Five (5) 6.70-15-4 ply	31.00	2.00
295E	Six (6) 7.00-18-8 ply tires instead of two (2) 7.00-17-6 ply and (2) 7.00-17-8 ply	160.00	12.00
295G	Six (6) 7.00 x 18-8 ply tires instead of Four (4) 7.00 x 17-6 ply (3942)	160.00	12.40

FRONT TIRE CHANGEOVERS

272A	Two (2) 7.50-17-8 ply tires instead of Two (2) 15" - 6 ply	42.00	3.00
272F	Two (2) 7.50-17-8 ply tires instead of Two (2) 7.00-17-6 ply	30.00	2.05
277A	Two (2) 7.00-17-6 ply tires instead of Two (2) 15" - 6 ply	15.00	1.10
278A	Two (2) 7.00-17-8 ply tires instead of Two (2) 15" - 6 ply	27.00	1.95
278H	Two (2) 7.00-17-8 ply tires instead of Two (2) 7.00-17-6 ply	13.00	.90
296G	Two (2) 7.00-20-10 ply tires instead of Two (2) 6.50-20-6 ply	55.00	4.00
296K	Two (2) 7.00-20-10 ply tires instead of Two (2) 6.50-20-6 ply	57.00	4.10
300A	Two (2) 7.00-20-8 ply tires instead of Two (2) 6.50-20-6 ply	28.00	2.10
300P	Two (2) 7.00-20-8 ply tires instead of Two (2) 6.50-20-6 ply	25.00	1.95
304B	Two (2) 7.50-20-8 ply tires instead of Two (2) 6.50-20-6 ply	60.00	4.25
305B	Two (2) 7.50-20-10 ply tires instead of Two (2) 6.50-20-6 ply	95.00	6.65
305T	Two (2) 7.50-20-10 ply tires instead of Two (2) 7.50-20-8 ply	40.00	2.60
343D	Two (2) 8.25 x 20-10 ply tires w/6.5 rims instead of Two (2) 7.50 x 20-8 ply	73.50	5.15

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
343M,X	Two (2) 8.25-20-10 ply tires instead of Two (2) 7.50-20-8 ply	\$ 60.00	\$4.65
343Y,	Two (2) 8.25 x 20-10 ply tires instead of Two (2) 7.50 x 20-8 ply	74.00	5.20
344A,L	Two (2) 8.25-20-12 ply tires instead of Two (2) 7.50-20-8 ply	90.00	6.40
344M,N	Two (2) 8.25 x 20-12 ply tires instead of Two (2) 7.50-20-8 ply	94.00	6.55
<u>SINGLE REAR CHANGEOVERS</u>			
272C	Two (2) 7.50-17-8 ply instead of Two (2) 15" - 6 ply	50.00	3.30
272G	Two (2) 7.50-17-8 ply tires instead of Two (2) 7.00-17-8 ply	9.00	.85
272R	Two (2) 7.50-17-8 ply tires instead of Two (2) 7.00-17-6 ply	30.00	2.05
272S	Two (2) 7.50-17-8 ply tires instead of Two (2) 15" - 6 ply	43.00	3.05
272T	Two (2) 7.50-17-8 ply tires instead of Two (2) 15" - 6 ply	35.00	2.75
277B	Two (2) 7.00-17-6 ply tires instead of Two (2) 15" - 6 ply	20.00	1.30
277R	Two (2) 7.00-17-6 ply tires instead of Two (2) 15" - 6 ply	20.00	1.30
277S	Two (2) 7.00-17-6 ply tires instead of Two (2) 15" - 6 ply	11.00	.95
278C	Two (2) 7.00-17-8 ply tires instead of Two (2) 15" - 6 ply	38.00	2.40
278R	Two (2) 7.00-17-8 ply tires instead of Two (2) 7.00-17-6 ply	13.00	.90
278S	Two (2) 7.00-17-8 ply tires instead of Two (2) 15" - 6 ply	35.00	2.25
278T	Two (2) 7.00-17-8 ply tires instead of Two (2) 15" - 6 ply	28.00	2.00
282K	Three (3) 6.50-16-6 ply tires instead of Three (3) 6.00-16-6 ply	20.00	1.25
282L	Three (3) 6.50-16-6 ply tires instead of Three (3) 6.00-16-6 ply	20.96	1.30

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>D & H</u>
282M	Two (2) 6.50-16-6 ply tires instead of Two (2) 6.00-16-6 ply	\$ 13.34	\$.80
<u>DUAL REAR TIRE CHANGEOVERS</u>			
296F	Four (4) 7.00-20-10 ply tires instead of Four (4) 6.50-20-6 ply	110.00	8.00
300R	Four (4) 7.00-20-8 ply tires instead of Four (4) 6.50-20-6 ply	50.00	3.90
304D	Four (4) 7.50-20-8 ply tires instead of Four (4) 6.50-20-6 ply	120.00	8.45
305D	Four (4) 7.50-20-10 ply tires instead of Four (4) 6.50-20-6 ply	190.00	13.30
305U	Four (4) 7.50-20-10 ply tires instead of Four (4) 7.50-20-8 ply	80.00	5.20
312A,B,F,G	Four (4) 9.00-20-10 ply tires instead of Four (4) 7.50-20-8 ply	225.00	16.75
343C,F,G,H, V,W	Four (4) 8.25-20-10 ply tires w/6.5 rims instead of four (4) 7.50-20-8 ply	147.00	10.35
343N,P,R,S,T,U	Four (4) 8.25-20-10 ply tires instead of Four (4) 7.50-20-8 ply	120.00	9.30
344B,D,E,F,G,H	Four (4) 8.25-20-12 ply tires instead of Four (4) 7.50-20-8 ply	180.00	12.80
344K,P,R,S,T,U	Four (4) 8.25-20-12 ply tires w/6.5 rims instead of four (4) 7.50-20-8 ply	188.00	13.05

"SPARE TIRES"

<u>OPTION NO.</u>	<u>DESCRIPTION</u>	<u>SERIES</u>	<u>LIST</u>	<u>D & H</u>
272H	7.50-17-8 ply	36-3800: 37-3942	\$ 63.00	\$5.20
273M	15" - 6 ply	3600: 3742	45.00	3.80
277E	7.00-17-6 ply	36-3800: 37-3942	48.00	4.20
278F	7.00-17-8 ply	36-3800: 37-3942	53.00	4.60
279A	7.50-17-10 ply	3802	70.00	5.80
295B	7.00-18-8 ply	3800	55.00	4.75
296E	7.00-20-10 ply	4000	70.00	6.00
300S	7.00-20-8 ply	4000	55.00	5.00
304M	7.50-20-8	4-5-6000	70.00	6.05
305V	7.50-20-10 ply	4-5-6000	86.00	7.20
312E	9.00-20-10 ply	5-6000	120.00	10.00
343E	8.25-20-10 ply	5-6000	100.00	8.35
344C	8.25-20-12 ply	5-6000	115.00	9.25