





that begins every day before dawn and continues long into the night. It's heard in mills and factories, on job sites, in barns and **out along the**fence line. It's a story that's passed down

and strong backs ... about friendship and laughter. It's a story that's now being told by two tough trucks and, as far as anyone can tell, it's a story that never ends.





# F-Series Pickups



F-150 XLT Flareside in Black Clearcoat with the available 4x4 XLT Sport Group (available Fall, 1998).

For 50 years, Ford F-Series has been meeting the needs of demanding truck people all over the country, and with the only complete line of standard 4-doors in the industry, it's poised to meet even more. F-Series has had a philosophy of continuous refinement, constantly reaffirming its leadership in a competitive industry. It's been America's #1 selling pickup brand for 21 years

in a row and it also has more repeat buyers than any other.\*



The new look up front for the F-150/250 is one that means business.



SuperCab models now provide the convenience of four doors as standard. Both rear doors have an inside handle to make exiting from the back easier.



The available factory-installed "snapless" 150/250 tonneau cover (offered under 8,500 pounds GVWR) provides fast, easy installation and removal, great looks, and improved fuel economy.



# F-150/250




F-250 XLT SuperCab 4x4 in Dark Toreador Red Clearcoat Metallic.

F-Series has the most complete line of trucks with over fifty different models available to custom fit the job. That's more choices than anyone else in the marketplace. It's truly America's worker of choice, with the largest pickup box by volume of any full-size truck. F-Series is also the **best-built** full-size truck\* And the durable 5.4L engine features even more Triton™ V8 power for 1999. Nothing gets the job done like Ford F-Series pickups.




This electro-hydraulic control unit is part of the 4-wheel anti-lock braking system which is included with the XLT and Lariat models (optional on other models). ABS helps provide steering control while braking under most conditions, even on wet or slippery surfaces.



F-Series is big on towing. An F-250 Regular Cab 4x2 with the 5.4L Triton V8 can tow up to 8,700 pounds when properly outfitted, and its available rear load-leveling suspension keeps the vehicle at a consistent level if weight is added, removed, or shifts.



Go ahead, pile it on. F-Series is built to take it. Horizontal pockets and vertical slots allow for special setups, including two-tier loading.



All-season tread. P235/70Rx16SL black-sidewall, all-season tires are standard on F-150 and designed for a variety of weather conditions. P255 and LT245 tires are also available in all-season and all-terrain tread designs.

### Getting started.

The standard 58 amp-hr. (540 CCA) and available 72 amp-hr. (650 CCA) batteries are maintenance free and include a convenient battery saver feature.

#### Handling assistance. A front anti-sway bar is standard

with every F-150 and F-250 F-Series to enhance stability.

### Rugged suspension.

The twin-forged independent short/long arm (SLA) front suspension features forged upper and stampedsteel lower control arms. 4x4s include cast-iron lower control arms for extra strength and solid-steel adjustableheight torsion bars that contribute to off-road stability.

### Ladder-type frame.

The tough ladder-type frame (heavy duty with F-250) includes a fully boxed front section for strength. A special wax coating helps inhibit corrosion.


### Anti-lock braking.

Power brakes with rear anti-lock are standard. 4-wheel anti-lock brakes are optional (included with XLT and Lariat). Both systems provide straighter stopping capability, and 4-wheel ABS provides greater steering control while braking under most conditions, even on wet or slippery surfaces.

### Precise steering.

The power-assisted, recirculatingball steering system provides precision along with a stable "on center" cruising feel.

# Built Ford Tough



The available F-250 rear load-leveling suspension (XLT and Lariat) keeps the vehicle's passenger or cargo load consistently level.

F-Series is built to handle the big jobs. The rugged, proven ladder-type frame, which incorporates a front box section for strength, features a special wax coating for corrosion protection. The short/long arm (SLA) independent front suspension has forged upper control arms for strength as well as an anti-sway bar for stability. Front brakes have dual piston calipers found on larger 3/4- and 1-ton pickups. The F-250 has larger

brakes, higher-capacity wheels and a heavy-duty frame.



The F-150/250 independent short/long arm (SLA) front suspension is designed to keep the ride comfortable.

F-Series is big on cargo. With the optional payload package, the F-250 Regular Cab 4x2 can handle a hefty 3,295 pounds.

F-Series' body-on-frame construction provides the tough backbone for tough jobs.



## Interior



The Lariat with optional leather-trimmed captain's chairs/console in Medium Prairie Tan.

roomy and spacious. F-Series is more of these than you might expect. The interior is new for 1999.


Front seats are wider and incorporate foam which creates new contours for more comfort and support. In the Lariat series, the 40/60 split bench seat is leather-trimmed. You may also choose leather-trimmed captain's chairs with Lariat or opt for cloth captain's chairs with the XLT series.



A Premium single CD radio with Premium Sound is standard with Lariat, available with XL and XLT. A 6-disc CD changer with Premium AM/FM cassette with Premium Sound is available with most XLT and Lariat models.



Climate and audio system controls are located in an easy-to-reach center pod.



XLT and Lariat seats feature standard driver lumbar support and reclining seat backs.




a large storage compartment. This seat is

optional with the XL series.

The F-Series instrument panel is designed for functionality as well as style. Large buttons and knobs are easy to operate, even with gloves on. A passenger-side deactivation switch for the Second Generation Depowered airbags is standard. Always wear your safety belt and deactivate passenger airbag when using a rear-facing child safety seat.

# more Triton power





Triton is the first and only line of full-size pickup engines to provide a fail-safe cooling system to help protect the engine from damage due to coolant loss.



Each Triton engine can go 100,000 miles without a firstscheduled tune-up under normal driving conditions with routine fluid and filter changes.

Sometimes the job calls for more than merely loading up the pickup box. It calls for pulling or pushing power. That's the time for the **power-improved** 5.4L Triton V8. Power and torque have been increased for 1999. Peak horsepower is up 25 to 260 at 4,500 rpm. Peak torque is up 15 to 345 lbs.-ft., while the engine speed at which it's achieved is actually lower. A properly equipped Regular Cab F-250 4x2 with Triton V8 power tows trailers up to 8,700 pounds. It's pulling power no competitor can match. As for pushing, F-150 and F-250 4x4 Regular Cab models with Triton V8 power and available Snow Plow Prep Group can really move it out. Triton engines are designed to be true work engines with great performance, ready to take whatever you dish out.

# Triton™ power



The F-150 and F-250 powered by the 4.6L Triton V8 have the highest maximum V8 payload rating in their class when properly equipped (below 8,500 lbs. GVWR).

The Triton's single overhead cam design (SOHC), with a maintenance-free silent chain drive, eliminates the need for push rods. This helps reduce friction and contributes to fuel efficiency. (EPA estimates unavailable at press

time. See your dealer for current information.)

There's more available power for 1999. F-Series

Triton engines, the only OHC engines in a full-size pickup, put

their power and torque where you use it. Truckers know that for

hard work or play, the aim is low-end torque. Triton

engines deliver 90% of their torque at or below 2,000 rpm. And

they're durable. Each powerplant includes a high-flow


water pump, large-capacity oil pan, platinum-tipped spark plugs

and a maintenance-free cam drive chain.



The Triton deep-skirt block with cross-bolted main bearing caps provides structural rigidity and smooth operation.

1







Don's grandfather bought the '57 F-Series pickup new. His dad inherited it in '79. Now it was Don's turn. True, the odometer

was on its second trip around, but it ran great. And it had been running great for years to countless job sites and endless hunting trips, not to mention every family reunion. According to grandpa, she has one funny quirk, though. She doesn't like to sit. Which seems appropriate enough to Don.

Because neither do dad or grandpa.



# Super Duty F-250 and F-350




Super Duty F-250 XLT Regular Cab 4x2 in Silver Clearcoat Metallic.

best-in-class cab roominess. They also offer the largest diesel with best-in-class torque. You can choose from a remarkable 44 configurations, 17 of which can be found nowhere else in the marketplace. It all begins with the Super Duty F-250, the logical first step into the over-8,500-pound-GVWR world. The Super Duty F-350, with its 24 configurations, includes six that are unique. GVWR range is 9,900-12,500 pounds.



A class-exclusive lower window beltline near the outside mirror improves visibility on the road.



The Super Duty F-Series tailgate is easily removable to accommodate long cargo With XLT and Lariat, it's also lockable.



# Super Duty F-450 and F-550



Super Duty F-450 XL Crew Cab Chassis Cab 4x2 in Oxford White Clearcoat.

The brawny, dual-rear-wheel Super Duty F-450 and F-550 series are designed for **easy upfitting** and provide the muscle and versatility to take on the biggest and toughest applications.


Super Duty F-450 Chassis Cabs have a GVWR of 15,000 pounds.

The highest standard GVWR in its class,  ${\tt a}$ 


big 17,500-pound capability, belongs to the rugged Super Duty

F-550 Chassis Cabs, with 19,000 pounds available

(Regular Cab 4x2 configuration when properly equipped).



The through-rail fuel filler neck, standard with Super Duty Chassis Cab models, makes upfitting easier.



Super Duty F-450 and F-550 brake rotors are larger in diameter, which provides effective braking for higher payloads. Rear brakes shown.



Available trailer tow mirrors with specially designed optics are extended out from the body to provide a better view.

# Super Duty Chassis

Color-coded circuits.

To help prep the chassis for

aftermarket applications, wiring on

isolated circuits is color coded. This

helps facilitate body installation.

New spare tire mount.

A new optional crank-up spare tire winch replaces the lever-type carrier with pickup box vehicles

for ease of operation.

under 10,000 lbs. GVWR.

Efficient wiring.

A simpler electrical system

features a single module with crash sensors built right in.

Critical and non-critical functions are isolated with separate

Stable platform.

All models incorporate a

wider front and rear track than previous designs.

fuses for serviceability.


### Anti-lock brakes.

Power four-wheel disc brakes are standard with all series. Fourwheel anti-lock brakes are standard over 10,000 lbs. GVWR (optional under 10,000 lbs.). Fourwheel ABS provides straighter stopping capability and greater steering control under most operating conditions. Rear-wheel anti-lock brakes are included

The new two-piece frame rails can accept a new front section as a replacement module, which makes the frame easier to service.

The Super Duty F-Series chassis is designed for strength and serviceability.

Service ease.



Super-Duty F-Series has the most 4x4 choices in its class. The available electronic "shift-on-the-fly" system features pulse-vacuum-operated hublocks with manual override capability. A traditional manual-shift transfer case and manual-locking hubs are standard.

Built Ford Tough

The Ford Super Duty chassis combines innovative features with rugged, time-proven construction to create the

perfect platform for commercial and heavy-duty personal use.


Wider front and rear tracks than previous designs

enhance stability. Power 4-wheel disc brakes are

And the special two-piece frame rails accept a new front section

standard across the board, a wider availability than any competitor.

as a replacement module for easier frame servicing.



All chassis cabs are engineered with straight frame rails to easily accommodate aftermarket bodies. Across the line, new body mount isolators contribute to ride quality (pickup chassis shown).



comfort and load-carrying capability.



As part of the robust design of the chassis, body mounts and cab brackets are welded (instead of riveted) for increased strength.



Suspension and steering systems offer improved ride, control and directional stability over previous models. All vehicle configurations feature specially tuned suspensions.

23



## Interior



Lariat SuperCab interior with available leather-trimmed upholstery in Medium Prairie Tan.

Regardless of model, choosing Super Duty F-Series assures you of the roomiest cab available in its class, a comfortable sanctuary in which to do the thinking part of the job at hand. In fact, things can get downright luxurious if you wish. Leather-trimmed upholstery is part of the Lariat package, and available features include a 6-way power driver's seat, speed control and advanced audio systems, including a cassette and single CD player with Premium Sound.



The XLT/Lariat 40/20/40 split bench front seat with standard driver lumbar support includes a center armrest with a storage area that's perfect for a laptop computer or other "office" tools.




wear your safety belt). On F-Series models without a full-size rear seat, the passenger airbag deactivation switch must be used when a rear-facing child safety seat is employed.




The SuperCab rear seat converts to a flat steel load floor in the XLT and Lariat series (optional in the XL). Organizer not included.


# and more power

ENGINE SPEED (RPM)



unsurpassed hp with the most torque in its class. Its big low-end muscle for such applications as grade-climbing and towing is due in part to an advanced fuel injection system, waste-gated turbocharger and intercooler. It's performance you can feel when carrying a fully rated load up a steep grade, at extreme temperatures, at any altitude up to 10,000 feet. And it starts at -10° F without external aid.





The Power Stroke diesel features the efficiency of the HEUI injector system [Hydraulic-Actuated, Electronically Controlled Unit Injector]. The only system like it in its class, it's been redesigned to create quieter diesel operation.

To prevent overboost, the 7.3L Power Stroke's turbocharger employs a wastegate. This ensures maximum boost is achieved at the low end of the torque range, where it's needed most.


power

Triton VB and Triton V10

are the only OHC 8- and 10-cylinder engines
in their class. 95% of their pulling power is available at 2,000 rpm
for low rpm/high torque muscle. With fail-safe cooling,
the engine automatically begins a sequence of cross-bank,
alternate-cylinder firings designed to help protect against
damage due to coolant loss. And both Triton engines can travel

100,000 miles without a first scheduled tune-up.\*

\*Under normal driving conditions with routine fluid and filter changes.




Super Duty F-250/350 4x4 models feature an available electronic "shift-on-the-fly" system, the only trucks over 8,700 lbs. GVWR to do so.

Triton crankshafts feature the strength of forged steel for reliability and durability.

Each Triton engine features a cast-iron engine block, a single

overhead cam (SOHC) design and a specially tuned induction system for low rpm/high torque performance.

\*Dual alternators only available with Ambulance Package.





### Ford Partners in Performance



Racing, as a proving ground, is the best way to test Ford technology to the limit. This racing technology is applied to production trucks and brings proven performance to the Ford trucks you drive.

Tougher, more durable trucks, components and processes are now in production because of what we've learned in off-road racing.

These include suspension tuning, the shifter on the five-speed transmission, disc brake pad material, disc brake rotor casting process, as well as non-asbestos clutch disc friction material.

The F-Series E40D automatic transmission was tested in off-road racing, and 27 improvements were made to increase durability.

Motorcraft consumer products, like spark plugs, batteries, silicone brake fluid, manual transmission fluid and wheel bearing grease have been developed or improved by Ford's involvement in racing.



## OFFICIAL TRUCK OF WING SEALS

Ford F-Series and NASCAR recently reached their 50-year anniversaries, and we're celebrating together. F-Series is now the Official Truck of NASCAR.



### Future Farmers of America

Ford and the Future Farmers of America go back a long way. FFA has had our enthusiastic support for 50 years. For those same 50 years, farmers all over America have been putting Ford F-Series to work. It's a perfect partnership – a good tough truck for some good tough work. With a new Ford Truck Scholarship Fund benefiting young FFA members, we're reaffirming our commitment to the American Farmer.



When we race, you win.

### F-150/250 CAB CONFIGURATIONS


F-150	REG	ULAR CAB
	STYLESIDE	FLARESIDE
4 <b>X</b> 2	<b>6</b>	
4 <b>X</b> 4	<b>6</b>	


F-150		SUPERCAB
	STYLESIDE	FLARESIDE
4 <b>X</b> 2		
4 <b>X</b> 4		

F-250	REGULAR CAB
	STYLESIDE
4X2	
4 <b>X</b> 4	<b>6</b>
*********	<b>9</b> 0_


F-250	SUPERCAB
	STYLESIDE
4 <b>X</b> 2	
4 <b>X</b> 4	
4X4	

### SUPER DUTY CAB CONFIGURATIONS





F-450	CHASSIS	CAB
	REGULAR CAB	CREW CAB
ORW 4X2		
4X4		



# Dealer Accessories for F-150 & F-250



Your Ford Dealer can show you many ways to

### personalize your new vehicle.

The features shown on these pages are just a few. Dealer-installed Ford-brand accessories are made with a commitment to quality, and they're covered by the new vehicle limited warranty.

### See your Ford Dealer for more

information and a copy of the warranty.







boards give your F-Series a tougher, more aggressive look.


to get in and out of



security as well as some added protection




protect your vehicle's lower body finish.







rom stones and



# Dealer Accessories for Super Duty F-250 - F-550



pound towing capacity and a 600-pound tongue capacity, the rear step bumper provides convenient access to the pickup ox. Also available chrome as well black painted or




the inside of your pickup box from those unwanted but unavoidable chips and dings.




ubular designs. They offer good looks and naximum protection for the pickup box.



and allow easier entry and exit. They bolt to existing holes in the chassis. Available in chrome-plated or black.







way from the winof what's going on.



einforced lid and gas opening and closing. A rubber mat on the box floor helps prevent



is made of powdercoated aluminum. It guards the top edge and inside front wall of pickup box. Installs quickly and easily.




well as added protection in bad weather.



directly to the frame welding. Trailer balls ordered separately. Also available is a Class IV hitch.



to add both a lower step-up and a touch of style to your truck. Color-keyed molded shown. Also availabl diamond plate, blade and chrome tubular.



deflector helps protect your vehicle's paint


32

### F-150/F-250 Paint Colors



Clearcoat Metallic





Harvest Gold Clearcoat Metallic



Medium Toreador Red Clearcoat Metallic

Dark Toreador Red

Clearcoat Metallic

Teal Clearcoat Metallic



Amazon Green Clearcoat Metallic



Deep Wedgewood Blue Clearcoat Metallic

EXTERIOR PAINT	INTERIOR TRIM				
	Medium Prairie Tan	Dark Denim Blue	Medium Graphite	Dark Graphite	
Oxford White Clearcoat					
Silver Clearcoat Metallic			•	•	
Harvest Gold Clearcoat Metallic					
Bright Red Clearcoat	•		•	•	
Teal Clearcoat Metallic			•	•	
Medium Toreador Red Clearcoat Metallic	•			•	
Amazon Green Clearcoat Metallic				•	
Dark Toreador Red Clearcoat Metallic	•		•	•	
Black Clearcoat	•	•			
Deep Wedgewood Blue Clearcoat Metallic	•	•	•	•	

### F-150 Wheels



- A 16' argent painted steel with argent hub (standard on Work Series)
- B 16' argent styled steel with chrome hub (standard on XL)
- 17" cast aluminum with chrome hub (included with XLT Sport Group)\*

- D 16\* polished aluminum with chrome hub (standard on XLT and included with XL Sport Group)\*
- 16" cast aluminum with chrome hub (standard on Lariat, optional with XLT)
- 17" chromed steel with chrome hub (with optional 4x4 Off-Road Equipment Group)

\*Late availability

### F-250 Wheels







- A 16" argent styled steel with argent hub (Work Series)
- B 16' argent styled steel with chrome hub (XL)
- 16" chrome styled steel with chrome hub ( XLT, Lariat, optional with XL)

### F-150 Series/Trim Levels

#### **Work Series**

- 4.2 SEFI V6; 5-speed manual overdrive transmission
- P235/70Rx16SL BSW all-season tires (5)
- Vinyl bench seat (2 colors)
- AM/FM stereo/clock/2 speakers
- Rear bench seat (SuperCab models only) Argent grille and front bumper
- Argent rear step bumper
- Argent steel wheels (5)
- Interval wipers
- Pickup box rail/tailgate moldings
- Trailer tow wiring 4 pin
- Wheel opening moldings (4x4)
- Black vinyl sun visors

#### XL (Work Series features plus)

- Cloth front bench seat (4 colors)
- · Chrome grille trim and chrome front bumper
- Chrome rear step bumper Styled steel wheels
- Underhood light
- Interior dome light, dual map lights
- Map pockets in door trim
- · Cloth sun visors, LH strap and RH mirror

#### XLT (XL features plus)

- Air conditioning (A)
- Cloth 40/60 split bench seat with center storage console, driver's lumbar adjustment
- Color-keyed grille and trim (4x4)
- Fog lamps (4x4)
- Power mirrors
- Polished aluminum wheels (4) Color-keyed carpeting
- Tailgate lock, cargo box light
- Rear storage bin (Reg. Cab)
- Tow hooks (4x4)
- Rear quarter flip-out privacy glass windows (SuperCab models only)
- AM/FM stereo/cassette/clock/4 speakers
- Speed control/tilt steering wheel 4-wheel anti-lock braking system (A)
- Power windows/locks
- Color-keyed bodyside moldings (Styleside only)
- Tachometer
- Speed-dependent interval wipers

### Lariat (XLT features plus)

- 40/60 split bench seat with front leather seating surfaces (vinyl SuperCab rear seat)
- Five-spoke cast aluminum wheels (4)
- Remote Keyless Entry system
- 4.6L SEFI Triton V8 engine (A) 4-speed auto overdrive (A)
- 3.55 rear axle
- Color-keyed grille trim (4x2/4x4)
- · Color-keyed, carpeted floor mats
- Autolamp and power driver's seat Color-keyed, leather-wrapped steering wheel
- Power signal mirrors, color-keyed
- P255/70Rx16SL OWL all-season tires
- (BSW spare 4x2; five all-terrain 4x4)
- Premium AM/FM stereo/single CD/ Premium Sound/ clock/4 speakers

### F-150/F-250 Features and Options

xterior Features	Work Series	XL	XLT	Lariat
ront bumper				
rgent painted hrome	8	S	S	S
ear step bumper		-	9	
rgent painted	S	-	-	-
hrome	-	S	S	S
Airrors	c	c		
lack, manual hrome, power (XLT 4x2)	S	S	S	_
olor-keyed, power (XLT 4x4)	-	-	S	-
olor-keyed, power signal	-	-	-	S
<b>foldings</b> olor-keyed bodyside (Styleside only)	_	_	S	S
rgent wheel openings (4x4)	S	S	-	-
olor-keyed wheel openings (XLT 4x4; Lariat 4x2/4x4)	-	-	S	S
Vheels (F-150)				
rgent painted (5) with argent hub (4) rgent styled (5) with chrome hub (4)	S	S	_	_
olished aluminum with chrome hub (4)	-	G	S	-
ast aluminum with chrome hub (4)	-	-	0	S
Vheels (F-250)	S			
rgent styled (5) with argent hub (4) rgent styled (5) with chrome hub (4)	2	S	_	_
hrome styled steel with chrome hub (4)	-	0	S	S
wo-tone paint, lower	-	-	0	0
our doors (SuperCab)	S	S	S	S
ear quarter windows with privacy				
ip-out glass (SuperCab)	-	-	S	S
liding rear window	0	0	0	0
ickup box features: protective bed rail and tailgate				
op moldings; horizontal pockets and vertical slots in ide panels for special loading; tie-down hooks	S	S	S	S
emovable tailgate with black handle	S	S	S	S
ockable tailgate (1)	_	0	S	S
ront tow hooks (4x4)		0	S	S
og lamps (4x4)		0	S	S
ab steps	-	U		-
	0	0	0	0
railer tow wiring, 4-pin connector	S	S	S	S
igh-mount stop lamp	S	S	S	S
argo box light (1)	_	0	S	S
Snapless" tonneau cover	-	0	0	0
1) Offered as "Convenience Group" on XL				
nterior Features				
oor trim				
stegral armrest	S	S	S	S
ap pocket (two with XLT and Lariat) nyl upper, curb light	_	S	S	S
loor trim				
ack vinyl	S	S	-	-
lack vinyl mat (carpet delete)	-	-	0	0
oor mats, carpeted, color-keyed blor-keyed carpet	_	0	0	2
plor-keyed carpet; carpeted floor mats	_	_	_	S
ir conditioning	0	0	A	S
peed control/tilt steering wheel	0	G	S	S
way power driver's seat/autolamp system	-	-	0	G
ear storage bin (Regular Cab)	-	-	S	S
iterval wipers (speed-dependent on XLT and Lariat)	S	S	S	S
auges				
el, voltmeter, temperature, oil pressure	S	S	S	S
chometer		-	S	S

S = Standard O = Optional G = Equipment Group Feature A = Additional Equipment At No Charge\*Always wear your safety belt and deactivate the passenger airbag when using a rear-facing child safety seat.

Series XL XLT Lariat Interior Features Cont. Powerpoint auxiliary outlet Height-adjustable front shoulder belts S S S S S S S S Dual instrument panel cupholders Power windows ("one-touch-down" driver's side) and power door locks - - S S Seating Arrangements Vinyl bench seat S - - -Cloth bench seat - S - -40/60 cloth split bench seat with recliners; center armrest with cupholder, storage compartment and driver's manual lumbar adjustment - 0 S -40/60 leather-trimmed split bench seat with recliners; center armrest with cupholder, storage compartment and driver's manual lumbar adjustment - - S Captain's chairs with console and driver's manual lumbar adjustment (cloth XLT, leather-trimmed Lariat) - - 0 0 Rear 40/60 split bench seat (SuperCab) S S S S Rear seat delete (SuperCab) 0 - - -**Audio Systems** AM/FM stereo - 0 S -AM/FM stereo/cassette Premium AM/FM stereo/single CD player/Premium Sound Premium AM/FM stereo/cassette/

-disc CD changer/Premium Sound	_	-	0	0
afety and Security Features				
ecuriLock" passive anti-theft	S	S	S	S
econd Generation Depowered driver and right ont passenger airbags*	S	S	S	S
ear anti-lock braking system	S	S	-	-
-wheel anti-lock braking system	0	0	A	A

- - 0 S

4.2L V6/5-speed manual OD	S	S	S	-
4.2L V6/4-speed auto OD	0	D	0	1
4.6L V8/5-speed manual OD (std. in SuperCab 4x4s)	0	0	0	_
4.6L V8/4-speed auto OD	0	0	0	A
5.4L VB/4-speed auto OD	-	D	0	0
Electric shift-on-the-fly 4x4	-	-	0	0
3.55 limited slip rear axle	0	0	0	0
3.73 limited slip rear axle	-	-	0	0
Engine block heater (includes heavy-duty battery)	0	0	0	0
Skid plates (transfer case and fuel tank) (4x4)	0	0	0	0
Optional bi-fuel tank configuration (propane or natural gas only)	0	0	0	0

Remote Keyless Entry system

### F-150/F-250 Payloads & Towing

F	Work	141		
Equipment Groups	Series	XL	XLT	Lariat
4x4 Off-Road Equipment Group: LT265/70Rx17C DWL all-terrain tires with 17" steel chromed wheels (4); skid plates (fuel tank, transfer case and frame front crossmember); HD shock absorbers; 3.55 rear axle				
ratio (3.73 axle ratio with 5.4L engine); 4x4 Off-Road decal (except Lariat)	-	-	0	0
Sport Group*: available on XL and XLT Regular Cab and SuperCab, SWB only. Includes color-keyed front and rear bumpers, grille surround and mirrors, fog lamps (4x4); decal (available in black bright red, white, silver). XL includes V6, color-keyed grille insert, 16° polished aluminum wheels, P255 OWL all-season (4x2) or all-terrain (4x4) tires. XLT includes V6 or V8, black mesh grille insert, 17" cast aluminum wheels, P275 all-season (4x2) or P265 OWL all-terrain (4x4)				
tires; 4x4 decal	-	0	0	_
Convenience Group: speed control, tilt steering wheel, cargo box light, tailgate lock	-	0	S	S
Payload Package #2 (Regular Cab 4x2 V6)	0	0	0	-
Payload Package #3 (139"-wb Regular Cab 4x2 V8)	0	0	0	0
Class III Trailer Towing Group: 7-pin wiring harness connector; frame-mounted hitch receiver; Heavy-Duty Electrical/Cooling Group; heavy-duty				
shock absorbers	0	0	0	0
HD Electrical/Cooling Group: 72 amp-hr. battery; super engine cooling; auxiliary automatic transmission oil cooler	0	0	0	0
	U	U	U	O
Snow Plow Prep Package: HD Electrical/Cooling Group; P255/70Rx16SL OWL all-terrain tires (includes 3.55 axle ratio); styled steel wheels (Work Series, XLT V8 only); heavy-duty shock absorbers; 3,900-lb, front GAWR	0	0	0	_
Bi-fuel prep: available on 4x2/4x4 Styleside, Regular Cab, 139" wheelbase only. 5.4L V8 bi-fuel prep engine and propane fuel system or natural gas fuel system required	0	0	0	0
F-250 Performance Features  4.6L V8/5-speed manual OD	S	S	S	
State of the state	0	0	0	٨
4.6L V8/4-speed auto 0D*		100	10.50	A
5.4L V8/4-speed auto OD	0	0	0	0
Electric shift-on-the-fly 4x4	-	_	0	0
3.73 rear axle or 3.73 limited slip rear axle	0	0	0	0
Engine block heater (includes heavy-duty battery)	0	0	0	0
Payload Package #2 (139"-wb Regular Cab 4x2)	0	0	0	-
Rear load-leveling suspension	-	-	0	0
Skid plates (transfer case and fuel tank) (4x4)	0	0	0	0
Class III Trailer Towing Group: 7-pin wiring harness connector; frame-mounted hitch receiver; Heavy-Duty Electrical/Cooling Package	0	0	0	0
HD Electrical/Cooling Group: heavy-duty 72-amp-hr. battery; super engine cooling; auxiliary auto				
transmission oil cooler	0	0	0	0
Snow Plow Prep Package: HD Electrical/Cooling Package; LT245/75RX16D OWL all-terrain tires;				
4,150-lb. front GAWR	0	0	0	-
Bi-fuel prep: available on 4x2/4x4 Regular Cab/SuperCab. 5.4L V8 bi-fuel prep engine and propane fuel system or	0	0	0	0
natural-gas fuel system required	0	0	0	0
Optional tank configuration (propane or natural-gas)	0	0	0	0

F-250	Performance	Features	Cont
F-230	remormance	reatures	COIL

5.4L natural-gas vehicle: available on 4x2 Regular Cab only (5.4L natural-gas engine required)

### F-150 Styleside Payload Package Selector

	Payload Package	Payload (lbs.)**	GVWR (lbs.)	Avail. Engine(s)	Tires (min.)
Regular Cab 4x2					
120" wb; 6½' box	#1	1,675	5,600	4.2L	P235/70Rx16SL BSW
	#1	2,045	6,050	4.6L	P235/70Rx16SL BSW
	#1	1,890	6,050	5.4L	P235/70Rx16SL BSW
	#2	2,005	6,000	4.2L	P255/70Rx16SL OWL
139" wb; 8' box	#1	1,555	5,600	4.2L	P235/70Rx16SL BSW
	#1	1,930	6,050	4.6L	P235/70Rx16SL BSW
	#1	1,765	6,050	5.4L	P235/70Rx16SL BSW
	#2	1,885	6,000	4.2L	P255/70Rx16SL OWL
	#3	2,375	6,600	4.6L(1)	P255/70Rx16SL OWL
	#3	2,265	6,600	5.4L	P255/70Rx16SL OWL
Regular Cab 4x4					
120" wb; 6½' box	#1	1,700	6,000	4.2L	P235/70Rx16SL BSW
	#1	1,870	6,250	4.6L	P235/70Rx16SL BSW
	#1	1,760	6,300	5.4L	P235/70Rx16SL BSW
139" wb; 8' box	#1	1,615	6,000	4.2L	P235/70Rx16SL BSW
	#1	1,790	6,250	4.6L	P235/70Rx16SL BSW
	#1	1,675	6,300	5.4L	P235/70Rx16SL BSW
SuperCab 4x2					
139" wb; 6½" box	#1	1,780	6,000	4.2L	P235/70Rx16SL BSW
	#1	1,755	6,050	4.6L	P235/70Rx16SL BSW
	#1	1,840	6,300	5.4L	P235/70Rx16SL BSW
157" wb; 8' box	#1	1,605	6,000	4.2L	P235/70Rx16SL BSW
	#1	1,575	6,050	4.6L	P235/70Rx16SL BSW
	#1	1,660	6,300	5.4L	P235/70Rx16SL BSW
SuperCab 4x4					
139" wb; 6½" box	#1	1,635	6,250	4.6L	P235/70Rx16SL BSW
	#1	1,725	6,500	5.4L	P235/70Rx16SL BSW
157" wb; 8' box	#1	1,440	6,250	4.6L	P255/70Rx16SL OWL
	#1	1,550	6,500	5.4L	P255/70Rx16SL OWL

### F-250 Styleside Payload Package Selector

	Payload Package	Payload (lbs.)**	GVWR (lbs.)	Avail. Engine(s)	Tires (min.)
egular Cab 4x2 39" wb; 8" box	#1 #1 #2	2,595 2,780 <sup>2</sup> 3,295	6,950 7,650 7,700	4.6L/5.4L 5.4L 4.6L/5.4L	P255/70Rx16SL BSW LT245/75Rx16D BSW LT245/75Rx16D BSW
egular Cab 4x4 39" wb; 8' box	#1 #2	2,475 2,815	7,200 7,700	4.6L/5.4L 5.4L	LT245/75Rx16D BSW LT245/75Rx16D BSW
<b>uperCab 4x2</b> 39" wb; 6½" box	#1 #2	2,280 2,935	6,800 7,500	4.6L/5.4L 4.6L/5.4L	P255/70Rx16SL BSW LT245/75Rx16D BSW
<b>uperCab 4x4</b> 39" wb; 6½' box	#1 #2	2,305 2,645	7,200 7,700	4.6L/5.4L 5.4L	LT245/75Rx16D BSW LT245/75Rx16D BSW
* Late availability.					

<sup>\*\*</sup> Maximum allowable weight of people, cargo and body equipment, and is reduced by the weight of optional equipment.

(1) Available with automatic transmission only. (2) NGV only.

### F-150 Flareside Payload Package Selector

Payload	Payload	GVWR	Avail.	Tires (min.)
Package	(lbs.)**	(lbs.)	Engine(s)	
#1	1,650	5,600	4.2L	P235/70Rx16SL BSW
#1	2,020	6,050	4.6L	P235/70Rx16SL BSW
#1	1,875	6,050	5.4L	P235/70Rx16SL BSW
#2	1,980	6,000	4.2L	P255/70Rx16SL OWL
#1	1,675	6,000	4.2L	P235/70Rx16SL BSW
#1	1,845	6,250	4.6L	P235/70Rx16SL BSW
#1	1,745	6,300	5.4L	P235/70Rx16SL BSW
#1	1,755	6,000	4.2L	P235/70Rx16SL BSW
#1	1,730	6,050	4.6L	P235/70Rx16SL BSW
#1	1,825	6,300	5.4L	P235/70Rx16SL BSW
#1	1,610	6,250	4.6L	P235/70Rx16SL BSW
#1	1,710	6,500	5.4L	P235/70Rx16SL BSW
	#1 #1 #1 #1 #1 #1 #1 #1	#1 1,650 #1 2,020 #1 1,875 #2 1,980 #1 1,675 #1 1,845 #1 1,745 #1 1,745 #1 1,730 #1 1,825	#1 1,650 5,600 #1 2,020 6,050 #1 1,875 6,000 #1 1,845 6,250 #1 1,745 6,300 #1 1,755 6,000 #1 1,730 6,050 #1 1,825 6,300 #1 1,825 6,300 #1 1,610 6,250	#1 1,650 5,600 4.2L #1 1,875 6,050 4.2L #1 1,875 6,050 4.2L #2 1,980 6,000 4.2L #1 1,845 6,250 4.6L #1 1,745 6,300 5.4L #1 1,745 6,300 5.4L #1 1,755 6,000 4.2L #1 1,730 6,050 4.6L #1 1,825 6,300 5.4L #1 1,825 6,300 5.4L #1 1,825 6,300 5.4L

### F-150 Maximum Trailer Weights

Axle Ratio 3.31 3.55 3.08 3.55 3.55	9,000 10,000 10,000 11,500 <sup>(1)</sup>	4,800 5,800 5,600 7,200	4x4 - 5,300 - 6,800	4x2 4,400 5,400 5,300	erCab 4x4 - - -
3.55 3.08 3.55 3.55	10,000 10,000 11,500	5,800 5,600	-	5,400 5,300	
3.55 3.08 3.55 3.55	10,000 10,000 11,500	5,800 5,600	-	5,400 5,300	
3.08 3.55 3.55	10,000 11,500 <sup>(1)</sup>	5,600	-	5,300	_
3.55 3.55	11,5000		6 800		-
3.55		7,200	6.800	0.000	
	11.000(2)		0,000	6,800	6,500
	11,000	_	6,300	_	6,000
3.08	11,000	6,600	_	6,200	-
3.55	12,700	8,300	7,900	7,900	7,600
3.73	12,700	-	7,800	-	7,600
3.08	6,500	2,300	_	2,000	-
3.31	7,200	-	1,900	-	-
3.55	7,800	3,600	3,200	3,300	-
3.08	6,500	2,200	-	1,900	-
3.55	7,800	3,500	3,100	3,200	2,800
	3.31 3.55 3.08 3.55	3.31     7,200       3.55     7,800       3.08     6,500       3.55     7,800	3.31     7,200     -       3.55     7,800     3,600       3.08     6,500     2,200       3.55     7,800     3,500	3.31 7,200 — 1,900 3.55 7,800 3,600 3,200 3.08 6,500 2,200 —	3.31     7,200     -     1,900     -       3.55     7,800     3,600     3,200     3,300       3.08     6,500     2,200     -     1,900       3.55     7,800     3,500     3,100     3,200

#### F-250 Maximum Trailer Weights

	Axle	GCWR	Regul	ar Cab	Supe	erCab
	Ratio	Max.	4x2	4×4	4x2	4×4
Automatic						
4.6-liter SEFI V6	3.31	10,500	5,800	5,500	5,700	5,300
	3.73	12,000	7,300	7,000	7,200	6,800
5.4-liter SEFI V8	3.31	12,000	7,200	6,900	7,100	6,700
	3.73	13,500	8,700	8,300	8,600	8,200
Manual						
4.6-liter SEFI V8	3.31	7,200	2,500	2,200	2,400	2,000
	3.73	7,800	3,100	2,800	3,000	2,600

Note: Engine/axle ratio combinations may not be available in all areas. See your dealer for required equip-ment/frontal area considerations. All maximum trailer weights shown must be reduced by passenger and cargo weight in the towing vehicle. The combined weight of the towing vehicle (including hitch, passengers and cargo) and the loaded trailer must not exceed the Gross Combined Weight Rating (GCWR).  $S = Standard \quad O = Optional \quad G = Equipment Group Feature \quad A = Additional Equipment At No Charge$ 

## F-150/250 4x2 Features

F-150/F-250 Technical Features

		Regular Cab	SuperCab
Front suspe	nsion	Twin-forged independent short/long arm (SLA) with forged upper and stamped steel control arms	Twin-forged independent short/long arm (SLA) with forged upper and stamped steel lower control arms
Shock abso	rbers	Gas-pressurized	Gas-pressurized
Stabilizer ba	ar	Front	Front
Steering		Power	Power
Brakes: Wor	rk Series, XL	Power with rear anti-lock; 4-wheel anti-lock optional Power with 4-wheel anti-lock	Power with rear anti-lock; 4-wheel anti-lock optional Power with 4-wheel anti-lock
Alternator		115 amp (V6), 110 amp (V8)	115 amp (V6), 110 amp (V8)
Maintenanc With battery	e-free battery y-saver	58 amp-hr. (540 CCA) standard 72 amp-hr. (650 CCA) optional	58 amp-hr. (540 CCA) standard 72 amp-hr. (650 CCA) optional
	F-150 F-150 F-250	25.0 gals. 6 1/2' box 30.0 gals. 8' box 30.0 gals. 8' box	25.0 gals. 6 1/2' box 30.0 gals. 8' box 25.0 gals. 6 1/2' box
Wheels (5)	F-150 F-250	7.0J 5-hole 7.0J 7-hole	7.0J 5-hole 7.0J 7-hole

#### F-150/250 4x4 Features

		Regular Cab	SuperCab
Front suspe	ension	Twin-forged independent short/long arm (SLA) with forged upper and cast-iron lower control arms; solid steel torsion bars	Twin-forged independent short/long arm (SLA) with forged upper and cast-iron lower control arms; solid steel torsion bars
Shock abso	orbers	Gas-pressurized	Gas-pressurized
Stabilizer b	par	Front	Front
Steering		Power	Power
Brakes: W XLT, Lariat	ork Series, XL	Power with rear anti-lock; 4-wheel anti-lock optional Power with 4-wheel anti-lock	Power with rear anti-lock; 4-wheel anti-lock optional Power with 4-wheel anti-lock
4x4 system		Center disconnect, manual shift-on-the-fly; electric shift-on-the-fly system optional	Center disconnect, manual shift-on-the-fly; electric shift-on-the-fly system optional
Transfer ca	ase	2-speed	2-speed
Alternator		115 amp (V6), 110 amp (V8)	110 amp
Maintenan With batter	ce-free battery ry-saver	58 amp-hr. (540 CCA) standard 72 amp-hr. (650 CCA) optional	58 amp-hr. (540 CCA) standard 72 amp-hr. (650 CCA) optional
Fuel tank	F-150 F-250	24.5 gals. 6 1/2' box 30.0 gals. 8' box 30.0 gals. 8' box	25.0 gals. 6 1/2' box 30.0 gals. 8' box 25.0 gals. 6 1/2' box
Wheels (5)	F-150 F-250	7.0J 5-hole 7.0J 7-hole	7.0J 5-hole 7.0J 7-hole

#### F-150/250 Powertrains

	4.2L V6	4.6L Triton V8	5.4L Triton V8
Compression ratio	9.3:1	9.0:1	9.0:1
Fuel-injection system	Sequential EFI	Sequential EFI	Sequential EFI
Horsepower	205 @ 4,750 rpm	220 @ 4,500 rpm	260 @ 4,500 rpm
Torque lbs./ft.	250 @ 3,000 rpm	290 @ 3,250 rpm	345 @ 2,300 rpm

#### F-150 Powertrain Availability by Model

	Reg	ular	Cab 4	1x2	Reg	ular	Cab 4	4x4	Su	perC	ab 4	x2	Su	perC	ab 4)	<b>K</b> 4
	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat
4.2L V6/5-speed manual OD	S	S	S	-	S	S	S	-	S	S	S	-	_	_	_	-
4.2L V6/4-speed automatic OD	0	0	0	-	0	0	0	-	0	0	0	-	-	-	_	-
4.6L V8/5-speed manual OD	0	0	0	_	0	0	0	_	0	0	0	-	S	S	S	_
4.6L V8/4-speed automatic OD	0	0	0	A	0	0	0	А	0	0	0	A	0	0	0	A
5.4L V8/4-speed automatic OD	-	0	0	0	0	0	0	0	-	0	0	0	_	0	0	0
5.4L V8 bi-fuel prep engine/ 4-speed automatic OD	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-

#### F-250 Powertrain Availability by Model

	Reg	ular	Cab 4	x2	Reg	ular	Cab	4x4	Su	perC	ab 42	x2	Su	perC	ab 4x	(4
	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat
6L V8/5-speed manual OD	S	S	S	-	S	S	S	_	S	S	S	_	S	S	S	_
6L V8/4-speed automatic OD*	0	0	0	A	0	0	0	A	0	0	0	A	0	0	0	А
4L V8/4-speed automatic OD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4L V8 bi-fuel prep engine/ -speed automatic OD	0	0	0	0	0	0	0	0	D	0	0	0	0	0	0	0
4L natural-gas engine/ -speed automatic OD ate availability	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-

#### F-150/250 Tire Availability by Model

	F-1	50 4	x2		F	-150	1x4		F	-250	4x2		1	-250	4x4	
	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Lariat	Work Series	XL	XLT	Laria
P235/70Rx16SL BSW all-season	S	S	S	-	S	S	S	-	-	-	-	-	-	-	_	-
P235/70Rx16SL OWL all-season	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-
P255/70Rx16SL OWL all-terrain	-	-	-	-	0	0	0	S	(	-	-	-	-	-	-	-
P255/70Rx16SL OWL all-season	0	0	0	S	_	-	-	-	-	-	-	-	-	-	-	_
P265/70Rx17SL OWL all-terrain*	-	_	-	-	_	_	G	_	_	-	_	-	_	_	-	_
P275/60Rx17SL OWL all-season**	_	-	G	-	-	_	_	-	_	_	-	_	_	-	-	-
P255/70Rx16SL BSW all-season	-	_	-	-	-	-	_	-	S	S	S	-	-	-	-	-
P255/70Rx16SL OWL all-season	-	_	-	-	-	-	-	-	-	-	0	S	-	-	-	-
LT245/75Rx16D BSW all-season	0	0	0	0	0	0	0	-	0	0	0	0	S	S	S	-
LT245/75Rx16D OWL all-terrain	-	-	-	-	0	0	0	0	-	-	-	-	0	0	0	S
LT265/70Rx17C OWL all-terrain†	-	-	-	-	-	-	G	G	-	-	-	-	-	-	-	-
Spare wheels are steel; full-size spare tire	e appear	ance	may d	iffer.												

\*Available only in the optional 4x4 XLT Sport Group. \*\*Available only in the optional 4x2 XLT Sport Group. †Available only in the optional 4x4 Off-Road Equipment Group.

#### F-Series Dimensions

	Series	WB (in.)	OAL (in.) 4x2/4x4	BL (ft.)	BW (in.)	LH (in.) 4x2/4x4	AC (in.) 4x2/4x4	Carg (cu.f
Regular Cab	F-150	120	205.6/207.1	6 1/2	65.2	32.5/35.0	7.3	58
	F-150	139	224.2/225.7	8	65.2	32.3/34.0	7.3	72
	F-250	139	224.2/225.7	8	65.2	33.0/36.6	7.2/7.6	72
SuperCab	F-150	139	224.2/225.7	6 1/2	65.2	32.3/34.9	7.3	58
	F-150	157	242.8/244.3	8	65.2	32.2/34.8	7.3	72
	F-250	139	224.2/225.7	6 1/2	65.2	33.4/36.6	7.2/7.6	58

### Super Duty F-250/F-350 Paint Colors



Oxford White Clearcoat

Clearcoat Metallic

Bright Amber Clearcoat Metallic

Woodland Green

Clearcoat Metallic

Black Clearcoat



Light Prairie Tan Clearcoat Metallic




Red Clearcoat Metallic



Dark Hunter Green Clearcoat Metallic



Dark Toreador Red Clearcoat Metallic Clearcoat Metallic



### Super Duty Wheels











6 16" polished aluminum wheel (DRW)









- 16" grey steel wheel with black hub cover
- 16" grey steel wheel with full wheel cover
- F 16" grey steel wheel (F-350 DRW)
- **6** 19.5" grey steel wheel (F-450/550 DRW)

# Super Duty F-250/F-350 Equipment Groups

### F-250 XL Regular Cab PEP 600A

- Sealed-beam halogen headlamps
- Solar tinted glass
- Driver's side airbag
- Passenger-side airbag with deactivation switch
- AM/FM stereo/clock/2 speakers
- Flip-out rear quarter window glass (SuperCab)
- Pickup box/cargo light
- Manual foldaway mirrors
- Full instrumentation including tachometer

### F-350 XLT SuperCab PEP 617A

- Cloth 40/20/40 split bench front seat
- · Rear fold-down bench seat
- Air conditioning
- Power door locks and power windows
- Speed control and tilt steering wheel
- Deluxe aluminum wheels
- AM/FM stereo cassette/4 speakers

#### F-350 Lariat Crew Cab PEP 618A

- Premium aluminum wheels
- Leather-trimmed 40/20/40 split bench front seat
- 6-way power driver's seat
- Remate Keyless Entry system
- Leather-wrapped, color-keyed steering wheel
- Cab steps
- Power foldaway mirrors
- Front tow hooks (4x4)

### Super Duty F-Series Features and Options

XL XLT Lariat

Front bumper argent painted chrome with lower valance  Rear bumper argent rear step chrome rear step  Cab steps argent  Mirrors black, manual foldaway black, power foldaway  Mirrors manual trailer tow power trailer tow  Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	S - 0 - 0 S - 0 S - S	-S -O O SO OO SSS - SP -O - SS	- S - O S - S - P O - S - S - P O - S - S - P O - S - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - S - P O - S - S - P O - S - S - P O - S - S - P O - S - S - P O - S - S - P O - S - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O - S - P O -
chrome with lower valance  Rear bumper argent rear step  Cab steps argent  Mirrors black, manual foldaway black, power foldaway  Mirrors  Manual trailer tow  Moldings  black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4)  steel wheels, black center amaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	0	10 0 SO 00 SSS 1SP 10 1 S	- O S - S - O S S - S - P O - S
Rear bumper argent rear step Cab steps argent Mirrors black, manual foldaway black, power foldaway Mirrors manual trailer tow power trailer tow Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel Sealed-beam halogen headlamps Aero halogen headlamps Solar tinted glass Two-tone paint, lower accent XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate Four doors (SuperCab/Crew Cab) Quarter/rear windows with flip-out glass (SuperCab) Privacy glass	- 0 S - 0 - S S - 0 - 0 S - 0	10 0 SO 00 SSS 1SP 10 1 S	- O S - S - O S S S - S - P O - S
argent rear step  Cab steps argent  Mirrors  black, manual foldaway black, power foldaway  Mirrors  manual trailer tow  Moldings  black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4)  steel wheels, black center ornaments full wheel cover deluxe aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 S - 0 - S S - 0 - 0 S - 0	0 80 00 888 18810 18	S - S - S - P O - S
Cab steps argent  Mirrors black, manual foldaway black, power foldaway  Mirrors manual trailer tow  Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 S - 0 - S S - 0 - 0 S - 0	0 80 00 888 18810 18	S - S - S - P O - S
Mirrors black, manual foldaway black, power foldaway  Mirrors manual trailer tow power trailer tow  Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	S - 0 - S S S - 0 - 0 S -	SO OO SSS   SP   O   S	- S - O - S - S - P O - S
Mirrors black, manual foldaway black, power foldaway  Mirrors manual trailer tow power trailer tow  Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	S - 0 - S S S - 0 - 0 S -	SO OO SSS   SP   O   S	- S - O - S - S - P O - S
black, manual foldaway  Mirrors  manual trailer tow  power trailer tow  Moldings  black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4)  steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 - S S - 0 - 0 S -	0 00 ssss   sp   0   s	- O S S S - S - P O - S
Mirrors manual trailer tow power trailer tow  Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps Aero halogen headlamps  Solar tinted glass Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 - S S - 0 - 0 S -	0 00 ssss   sp   0   s	- O S S S - S - P O - S
Mirrors manual trailer tow power trailer tow  Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- S S S - O - O S -	00 sss 1sp 0 s	- O S S S - S - P O - S
Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- S S S - O - O S -	0 888 18P 10 18	S S S P O - S
Moldings black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center arnaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	\$ 5 0 0 0 8	S S S S S P   O   S	S S S P O - S
black bodyside with chrome accent argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	\$ 5 0 0 0 8	S - S - O - S	S S P O S
argent top-edge tailgate argent box rail moldings  Wheels (4) steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	\$ 5 0 0 0 8	S - S - O - S	S S P O S
Wheels (4)  steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	\$ 5 0 0 0 8	S - S - O - S	S - S - P O - S
steel wheels, black center ornaments full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	S 0 0 S	- S P - O - S	S - P O - S
full wheel cover deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 - 0 S	P - 0 - S	P 0 - S
deluxe aluminum wheels premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 S	P - 0 - S	P 0 - S
premium aluminum wheels spare tire and wheel  Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- 0 S	0 - s	P O - S
Sealed-beam halogen headlamps  Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	0 S -	- S	0 - S
Aero halogen headlamps  Solar tinted glass  Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate  Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)	-	(200	
Solar tinted glass Two-tone paint, lower accent  XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	- S	(200	
XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)	S	0	
XL Decor Group: chrome front bumper with lower valance; tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass		S	S
tow hooks (standard with 4x4); aero halogen headlamps; steel wheels with full wheel covers; locking tailgate Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass	-	0	0
Four doors (SuperCab/Crew Cab)  Quarter/rear windows with flip-out glass (SuperCab)  Privacy glass			
Quarter/rear windows with flip-out glass (SuperCab) Privacy glass	0	_	_
Privacy glass	S	S	S
	S	S	S
	-	0	0
Sliding rear window	0	0	0
Pickup box: partitionable and stackable with four tie-down hooks	S	S	S
Removable tailgate	S	S	S
ockable tailgate	_	S	S
ront tow hooks (4x4)	S	S	S
ront tow hooks (4x2)	0	0	S
railer tow wiring, 4-pin connector	S	S	S
ligh-mount stop lamp	S	100	S
Cargo box light		2	
Inderhood service light	S	S	S

**Exterior Features** 

Interior Features

Door trim			
molded, color-keyed with grab handle, reflector	S	S	S
hard armrest	S	-	-
deluxe trim with upper and lower map pocket, soft armrest	-	S	S
Floor trim			
full black vinyl mat	S	-	
full color-keyed carpet	-	S	S
Floor mats: color-keyed, carpeted			

0 P P

Interior Features Cont.	XL	XLT	Lariat
Speed control/tilt steering wheel	0	P	Р
6-way power driver's seat	-	0	Р
Gauges: tachometer, voltmeter, coolant temperature, oil pressure, fuel, trip odometer	S	S	S
Powerpoint auxiliary outlet	S	S	S
Overhead console: trip computer (compass, distance-to- empty, outside temperature); general storage bin	-	_	S
Height-adjustable front shoulder belts	S	S	S
Dual instrument panel cupholders	S	S	S
Front passenger-side assist handle	S	S	S
Grab handles over rear doors (Crew Cab only)	-	S	S
Power windows  "one-touch-down" driver's side) and power door locks	-	P	S
Back panel storage provisions: hanging bin, storage trays and utility hooks (Regular Cab only)	_	S	S
Steering wheel			
black vinyl color-keyed leather	S	S	-
Sun visors	_	-	F
vinyl	S	-	-
cloth with LH strap, RH mirror cloth with LH strap, LH and RH mirrors,	-	S	-
H and RH secondary blade	-	-	S
Color-keyed scuff plates	S	S	S

iting Arrangements			
y-duty vinyl full bench seat	S	-	-
y-duty cloth or knitted vinyl full bench seat	0	-	-
0/40 cloth split bench seat with lumbar support recliners; center armrest, storage compartment	-	S	S
ry captain's chairs with console and lumbar support XLT, leather-trimmed Lariat)	_	0	0
ner trimmed 40/20/40 split bench seat	-	-	P
seat, SuperCab (converts to load floor)	0	S	S
seat, Crew Cab (flight bench with ard-folding seat back with XLT, Lariat)	S	S	S

Audio Systems			
AM/FM stereo	S	-	-
AM/FM stereo/cassette	0	S	S
Premium AM/FM stereo/cassette/single CD player/Premium Sound	0	0	0
Radio credit	0	-	-

Second Generation Depowered airbags*	S	S	S
Rear anti-lock brake system	S	S	S
4-wheel anti-lock brake system	D	0	0
Remote Keyless Entry system	_	0	P
S = Standard O = Optional P = Preferred Equipment Par	ckage Feature		
*Alarma was considerable but and done			

\*Always wear your safety belt and deactivate the passenger airbag when using a rear-facing child safety seat in Regular Cab and SuperCab models.

### Super Duty F-Series Features and Options Cont.

Performance Features	XL	XLT	Lariat
5.4L V8/5-speed manual OD	S	S	S
5.4L V8/4-speed electronic auto OD (required in California)	0	0	0
6.8L V10/5-speed manual OD	0	0	0
6.8L V10/4-speed electronic auto 0D	0	0	0
7.3L DI turbo diesel/6-speed manual OD	0	0	0
7.3L DI turbo diesel/4-speed electronic auto OD	0	0	0
Electric shift-on-the-fly 4x4	0	0	0
Limited slip rear axle	0	0	0
Engine block heater (standard with diesel engine)	0	0	0
Heavy-duty 78 AH battery	0	0	0
Roof clearance lights	0	0	0
Daytime running lights	D	0	0
License plate bracket	D	0	0
Transmission power take-off provision (available with 6.8L and 7.3L engines with automatic transmission. Standard with manual transmission)	0	0	-
Class IV trailer hitch receiver	0	D	0
Trailer Towing Package: 7-wire harness; front stabilizer bar (4x2); trailer brake wiring/feed kit; heavy-duty 115 amp. alternator (gasoline engines); heavy-duty 78 AH (750 CCA) battery (gasoline engines)	0	0	0
4x4 Off-Road Package: transfer case and fuel tank skid plates; "Off-Road 4x4" decal	0	0	0
4x4 Snow Plow Package: highest front GAWR/springs; auxiliary rear springs; heavy-duty 78 AH (750 CCA) battery (gasoline engines); heavy-duty 115 amp. alternator (gasoline engines)	0	0	0
Camper Package: front stabilizer bar (4x2 only); rear stabilizer bar; auxiliary rear springs; heavy-duty 78 AH (750 CCA) battery (gasoline engines); heavy-duty 115 amp. alternator (gasoline engines); slide-in camper certification	0	0	0
Heavy-Service Suspension Package: front stabilizer bar (4x2); heavy-service front springs; auxiliary rear springs	0	0	0

Features and options shown are for F-350 SRW pickup configurations. Other models (e.g. Chassis Cabs) may vary. See your dealer for details.

Tires	Pickup	Chassis Cab
F-250 LT235/85Rx16E all-season	S	-
F-350 LT215/85Rx16E all-season (4x2 DRW)	S	S
F-350 LT235/85Rx16E all-season (4x4 DRW)	S	S
F-350 LT265/75Rx16E all-season (SRW)	S	S
F-450 225/70Rx19.5F all-season	-	S
F-550 225/70Rx19.5F all-season	-	S
S = Standard O = Optional P = Preferred Equipment F	Package Feature	

Powertrain	Specifications

ENGINE	5.4L Triton V8	6.8L Triton V10	7.3 Power Stroke V8 diesel
Туре	SOHC	SOHC	OHV ,
Fuel injection	Sequential electronic	Sequential electronic	High-pressure, 2-stage injector (HEUI)
Engine control system	EEC-V	EEC-V	EEC-V
Induction system	Specially tuned	Specially tuned	Turbocharger, intercooler
Battery	12 volt; 650 cca/72 amp	12 volt; 650 cca/72 amp	Dual 12 volt; 750 cca/78 amp
Alternator	95 amp (115 amp opt.)	95 amp (115 amp opt.)	110 amp (dual 110 amp opt.)
Cooling system	Pressurized series flow	Pressurized series flow	Pressurized series flow
Cylinders	Eight	Ten	Eight
Cylinder head material	Aluminum	Aluminum	Cast iron
Block material	Cast iron	Cast iron	Cast iron
Valve operation	Hydraulic roller	Hydraulic roller	Push rod/rocker arms
Camshaft drive	Silent chain	Silent chain	Gear
Bore	3.55*	3.55"	4.11"
Stroke	4.16"	4.16"	4.18*
Compression ratio	9.0:1	9.0:1	17.5:1
Horsepower (SAE net)	235 @ 4,250	275 @ 4,250	235 @ 2,700
Torque (SAE net)	335 @ 3,000	410 @ 2,650	500 @ 1,600
Recommended fuel	Unleaded	Unleaded	Diesel

**Transmission Specifications** 

TYPE	M5HD 5-Speed Manual	M6HD 6-Speed Manual	4R100 4-Speed Automatic
Gear ratios (:1):			
Low	- I - I - I - I - I - I - I - I - I - I	5.79	-
1st	5.72	3.31	2.71
2nd	2.94	2.10	1.54
3rd	1.61	1.31	1.00
4th	1.00	1.00	0.71
5th	0.76	0.72	~
Reverse	5.24	5.23	2.18

erior	Dimensions	

interior dimensions	Regular Cab	SuperCab	Crew Cab
Head room – front	41.3	41.4	41.4
Leg room – front	40.7	40.7	40.7
Shoulder room - front	68.0	68.0	68.0
Hip room – front	67.4	67.4	67.4
Total/front volume (cu. ft.)	66.1	66.3	66.3
Head room – rear	-	38.5	41.0
Leg room – rear	-	32.4	42.5
Shoulder room – rear	-	68.0	68.0
Hip room – rear		67.3	67.3
Rear volume (cu. ft.)	-	49.1	68.6
Total volume lou ft \	66.1	115.4	134.9

### Super Duty F-Series Features and Options Cont.

Suspension - Front	
Туре	Twin I-beam (F-250/350, 4x2); solid front axle monobeam (F450/550 4x2, all 4x4)
Axle (rating @ ground)	4,850 lbs. (F-250/350 4x2)
	5,400 lbs. (F-450/550 4x2) (6,000 lbs. with 19,000-lb. GVWR)
	5,200 lbs. (F-250/350 4x4)
	6,000 lbs. (F-450/550 4x4)
Springs	Coil (F-250/350, 4x2); leaf (F-450/550 4x2, all 4x4)
Shock absorbers	1% gas-type
Stabilizer bar	Standard F-250/350 4x4, F-350 4x2 Chassis Cab, F-450/550; optional in packages on F-250/350 4x2 pickup

Suspension - Rear

Suspension – Rear		
Туре	Solid axle	
Axle (rating @ ground)	6,830 lbs. (F-250/350 SRW)	
	9,750 lbs. (F-350 DRW)	
	11,000 lbs. (F-450)	
	13,500 lbs. (F-550)	
Springs	Leaf	
Shock absorbers	1%" gas-type	
Stabilizer bar	Standard on F-350 4x4 DRW Pickup, F-350 Chassis Cab, F-450/550; optional in packages on F-250/350 where not standard	

Steering

Туре	Haltenberger linkage (4x2), cross-tie linkage (4x4)	
Assist	Power	
Overall ratio	19.6:1 F-250/350 4x2; 20.3:1 F-450/550 4x2, all 4x4	
Turning circle curb-to-curb (ft.)	48.25 w/4x2 137 WB; 70.82 w/4x4 201 WB (range)	

Brakes - Front		
Туре	4-wheel disc (standard); 4-wheel ABS (standard 10,000 lbs. GVWR and over, optional under 10,000 lbs. GVWR)	
Rotor diameter	13.03' (F-250/350); 14.53" (F-450/550)	
Lining area (sq. in.)	12.40 (F-250/350); 13.90 (F-450/550)	

Brakes - Rear

Туре	4-wheel disc (standard); rear ABS (standard under 10,000 lbs. GVWR) 4-wheel ABS (standard 10,000 lbs. GVWR and over, optional under 10,000 lbs. GVWR)	
Rotor diameter	12.83" (F-250/350); 15.55" (F-450/550)	
Lining area (sq. in.)	8.68 (F-250/350); 13.90 (F-450/550)	

wheels		
Туре	Steel (standard); aluminum on F-250/350 (optional)	
Size	16-inch, (F-250/350); 19.5-inch (F-450/550)	
No. of studs	8	
Bolt circle diameter	170mm, 6.7" (F-250/350); 225mm, 8.85" (F-450/550)	
(All dimensions in inches unless oth	herwise specified)	

# Fuel Capacity Location/capacity

n/capacity	Midship 29 gal. (standard F-250/350 short wheelbase pickup)
	38 gal. (standard F-250/350 long wheelbase pickup)
	Aft-of-rear axle 36 gal. (standard chassis cab)
	Midship 19 gal. (optional chassis cab in place of 36 gal. tank)

owe	rtra	ains	

o merending					
lodel	Engine	4x4 Transfer Case	5-Spd./Man.	6-Spd./Man.	4-Spd./Auto
250/350	5.4L SEFI V8	2-speed man.	S	-	0
250/350	6.8L SEFI V10	2-speed man.	0	-	0
250/350	7.3L Diesel	2-speed man,	-	0	0
450	6.8L SEFI V10	2-speed man.	S	-	0
450	7.3L Diesel	2-speed man.	-	0	0
550	6.8L SEFI V10	2-speed man.	-	-	S
550	7.3L Diesel	2-speed man.	_	0	D

### Pickups/Weights and Dimensions

Regular Cab

Regular Cab			
	F-250 SRW	F-350 SRW	F-350 DRW
Wheelbase (in.)	137	137	137
Max. GVWR (lbs.) 4x2/4x4	8,800	9,900	11,200
Max. payload (lbs.) 4x2/4x4	3,840/3,360	4,930/4,450	5,975/5,495
Overall length (in.)	222.2	222.2	222.2
Max. width (in.)	79.9	79.9	95.5
Axle clearance (in.) 4x2/4x4	8.3/8.3	8.1/8.1	7.0/7.8
Box length(ft.)/volume (cu. ft.)	8/77.7	8/77.7	8/77.7
Box delete option/cab-to-axle (in.)	Yes/56.2	_	Yes/56.2
Box delete option/cab-to-axle (in.)			

### SuperCab

	F-250 SRW	F-250 SRW	F-350 SRW	F-350 SRW	F-350 DRW
elbase (in.)	141.8	158	141.8	158	158
. GVWR (lbs.) 4x2/4x4	8,800	8,800	9,900	9,900	11,200
. payload (lbs.) 4x2/4x4	3,610/3,165	3,520/3,075	4,700/4,255	4,610/4,165	5,655/5,300
all length (in.)	227.0	243.2	227.0	243.2	243.2
. width (in.)	79.9	79.9	79.9	79.9	95.5
clearance (in.) 4x2/4x4	8.3/8.3	8.3/8.3	8.1/8.1	8.1/8.1	7.0/7.8
length (ft.)/volume (cu. ft.)	6.75/64.7	8/77.7	6 .75/64.7	8/77.7	B/77.7
delete option/cab-to-axle (in.)	-	Yes/56.2	_	_	Yes/56.2

### Pickups/Weights and Dimensions Cont.

Crew Cab						
	F-250 SRW	F-250 SRW	F-350 SRW	F-350 SRW	F-350 DRW	F-350 DRW
Wheelbase (in.)	156.2	172.4	156.2	172.4	156.2	172.4
Max. GVWR (lbs.) 4x2/4x4	8,800	8,800	9,900	9,900	11,200	11,200
Max. payload (lbs.) 4x2/4x4	3,310/2,865	3,220/2,775	4,400/3,955	4,310/3,865	5,240/4,795	5,150/4705
Overall length (in.)	241.4	257.6	241.4	257.6	241.4	257.6
Max. width (in.)	79.9	79.9	79.9	79.9	95.5	95.5
Axle clearance (in.) 4x2/4x4	8.3/8.3	8.3/8.3	8.1/8.1	8.1/8.1	7.0/7.8	7.0/7.8
Box length (ft.)/volume (cu. ft.)	6.75/64.7	8/77.7	6.75/64.7	8/77.7	6.75/64.7	8/77.7
Box delete option/cab-to-axle (in.)	-	Yes/56.2	-	-	-	Yes/56.2

### Chassis Cabs/Weights and Dimensions

	F-350 SRW	F-350 DRW	F-350 DRW	F-450 DRW	F-450 DRW	F-450 DRW	F-550 DRW	F-550 DRW	F-550 DRW
Wheelbase (in.)	140.8	140.8	164.8	140.8	164.8	200.8	140.8	164.8	200.8
Cab-to-axle (in.)	60	60	84	60	84	120	60	84	120
Max. GVWR (lbs.)									
4x2	9,900	12,500*	12,500*	15,000	15,000	15,000	17,500	17,500	19,000
4x4	9,900	12,500*	12,500*	15,000	15,000	15,000	17,500	17,500	17,500
Max. payload (lbs.)									
4×2	5,140	6,755	6,675	9,030	8,975	8,640	11,425	11,375	12,425
4×4	4,665	6,265	6,215	8,700	8,645	8,310	11,095	11,040	10,705
Overall length (in.)	225.7	225.7	249.7	225.7	249.7	285.7	225.7	249.7	285.7
Axle clearance (in.)									
4x2	8.1	7.0	7.0	8.0	8.0	8.0	8.0	8.0	8.0
4x4	B.1	7.8	7.8	8.0	8.0	8.0	8.0	8.0	8.0

	F-350 SRW	F-350 DRW	F-350 DRW	F-450 DRW	F-450 DRW	F-450 DRW	F-550 DRW	F-550 DRW	F-550 DRW
Tire width data Front tread (in.)									
4x2	68.7	68.7	68.7	68.4	68.4	68.4	68.4	68.4	68.4
4x4	68.4	68.4	68.4	68.4	68.4	68.4	68.4	68.4	68.4
Rear tread 4x2/4x4 (in.)	68.1	60.3	60.3	63.4	63.4	63.4	63.4	63.4	63.4
Outside width (in.)									
4x2	79.0	90.7	90.7	93.6	93.6	93.6	93.6	93.6	93.6
1x4	79.0	91.7	91.7	93.6	93.6	93.6	93.6	93.6	93.6
SuperCab									

	F-350 SRW	F-350 DRW
Wheelbase (in.)	161.8	161.8
Cab-to-axle (in.)	60	60
Max. GVWR (lbs.) 4x2/4x4	9,900	12,500*
Max. payload (lbs.) 4x2/4x4	4,815/4,370	6,415/5,975
Overall length (in.)	246.7	246.7
Axle clearance (in.) 4x2/4x4	8.1/8.1	7.0/7.8
Tire width data Front tread 4x2/4x4 (in.)	68.7/68.4	68.7/68.4
Rear tread 4x2/4x4 (in.)	68.1	60.3
Outside width 4x2/4x4 (in.)	79.0/79.0	90.7/91.7

	F-350 SRW	F-350 DRW	F-450 DRW	F-550 DRW
Wheelbase (in.)	176.2	176.2	176.2	176.2
Cab-to-axle (in.)	60	60	60	60
Max. GVWR (lbs.) 4x2/4x4	9,900	12,500*	15,000	17,500
Max. payload (lbs.) 4x2/4x4	4,520/4,075	6,115/5,680	8,415/8,085	10,815/10,485
Overall length (in.)	261.1	261.1	261.1	261.1
Axle clearance (in.) 4x2/4x4	8.1/8.1	7.0/7.8	8.0/8.0	8.0/8.0
Tire width data				
Front tread 4x2/4x4 (in.)	68.7/68.4	68.7/68.4	68.4/68.4	68.4/68.4
Rear tread 4x2/4x4 (in.)	68.1	60.3	63.4	63.4
Outside width 4x2/4x4 (in.)	79.0/79.0	90.7/91.7	93.6/93.6	93.6/93.6

# Super Duty F-250/350 Pickup Maximum Loaded Trailer Weight (Lbs.) - Automatic Transmission

				a made defendan	Regular Ca	ab Pickup					SuperCa	b Pickup					Crew Cal	Pickun		
ENGINE	AXLE RATIO	GCWR (LBS.)	F-250 4x2	F-250 4x4	F-350 4x2 SRW	F-350 4x2 DRW	F-350 4x4 SRW	F-350 4×4 DRW	<b>F250</b> 4x2	F-250 4x4	F-350 4x2 SRW	F-350 4x2 DRW	F-350 4x4 SRW	F-350 4x4 DRW	F-250 4x2	F-250 4x4	F-350 4x2 SRW	F-350 4x2 DRW	F-350 4x4 SRW	F-350 4x4 DRW
5.4L	3.73	13,500	8,200	7,700	8,200	7,900	7,700	7,500	7,800	7,400	7,800	7,600	7,400	7,300	7,500	7,100	7,500	7,300	7,100	6,900
SEFI V8	4.10	15,000	9,700	9,200	9,700	9,400	9,200	9,000	9,300	8,900	9,300	9,100	8,900	8,800	9,000	8,600	9,000	8,800	8,600	8,400
6.8 L	3.73	17,000	11,600	11,100	11,600	11,300	11,100	10,800	11,300	10,800	11,200	10,900	10,800	10,600	11,000	10,500	10,900	10,600	10,500	10,200
V10	4.30	20,000	14,600	14,100	14,600	14,300	14,100	13,800	14,300	13,800	14,200	13,900	13,800	13,600	14,000	13,500	13,900	13,600	13,500	13,200
7.3L V8 DI	3.73	20,000	14,200	13,700	14,100	13,800	13,700	13,400	13,800	13,400	13,800	13,500	13,400	13,200	13,500	13,100	13,500	13,200	13,100	12,800
Turbo Diesel	4.10	20,000	-	-	-	13,800	-	13,400	-	-	-	13,500	-	13,200	-	-	-	13,200	-	12,800

### Maximum Loaded Trailer Weight (Lbs.) – Manual Transmission

				100000	Regular C						SuperCa	ab Pickup					Crew Cal	Pickup		
ENGINE	AXLE RATIO	GCWR (LBS.)	F-250 4×2	F-250 4x4	F-350 4x2 SRW	F-350 4x2 DRW	F-350 4x4 SRW	F-350 4x4 DRW	<b>F250</b> 4x2	F-250 4x4	F-350 4x2 SRW	F-350 4x2 DRW	F-350 4x4 SRW	F-350 4x4 DRW	F-250 4x2	F-250 4x4	F-350 4x2 SRW	F-350 4x2 DRW	F-350 4x4 SRW	F-350 4x4 DRW
5.4L	3.73	13,500	8,300	7,800	8,300	8,000	7,800	7,500	7,900	7,500	7,900	7,700	7,500	7,300	7,600	7,200	7,600	7,400	7,200	7,000
SEFI V8	4.10	15,000	9,800	9,300	9,800	9,500	9,300	9,000	9,400	9,000	9,400	9,200	9,000	8,800	9,100	8,700	9,100	8,900	8,700	8,500
6.8L	3.73	16,500	11,100	10,700	11,100	10,800	10,700	10,300	10,800	10,400	10,800	10,500	10,400	10,100	10,500	10,100	10,500	10,200	10,100	9,800
V10	4.30	20,000	14,600	14,200	14,600	14,300	14,200	13,800	14,300	13,900	14,300	14,000	13,900	13,600	14,000	13,600	14,000	13,700	13,600	13,300
7.3L V8 DI	3.73	20,000	14,100	13,600	14,100	13,800	13,600	13,300	13,800	13,400	13,800	13,500	13,300	13,100	13,500	13,100	13,500	13,200	13,100	12,700
Turbo Diesel	4.10	20,000	-	-	-	13,800	-	13,300	-	-	-	13,500	-	13,100	-	-	-	13,200	-	12,700

<sup>\*</sup> Fifth wheel trailer weights shown. For conventional towing, trailer weights should not exceed 10,000 pounds.

# Super Duty F-350/450/550 Chassis Cab Maximum Loaded Trailer Weight (Lbs.) - Automatic Transmission

				Super Chassis Cab										Crew Chassis Cab									
ENGINE	AXLE RATIO	GCWR (LBS.)	<b>F-350</b> 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	F-450 4x2 DRW*	F-450 4×4 DRW*	F-550 4x2 DRW*	F-550 4x4 DRW*	<b>F-350</b> 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	F-450 4x2 DRW	F-450 4x4 DRW	F-550 4x2 DRW	F-550 4x4 DRW	
5.4L	3.73	13,500	7,400	6,900	7,000	6,600	-	-	-	_	7,000	6,600	6,800	6,400	6,700	6,300	6,500	6,100	_	-	_	_	
SEFI V8	4.10	15,000	8,900	8,400	8,500	8,100	_			_	8,500	8,100	8,300	7,900	8,200	7,800	8,000	7,600	_	_	-	_	
6.8 L	3.73	17,000	10,800	10,300	10,400	9,900	-	-	-	_	10,400	10,000	10,100	9,700	10,10		9,800	9,400	_	_	-	_	
SEFI V10	4.30	20,000	13,800	13,300	13,400	12,900	-	-	_	-	13,400	13,000	13,100	12,700	13,10		12,800	12,400	_	_	_	_	
	4.88	24,000	-	_	-	-	16,800	16,400	16,700	16,400	_	-	_	_	_	-	-	-	16,200	15,800	16,100	15.800	
	5.38	26,000	-	-	-	-	18,800	18,400	18,700	18,400	-	-	-	-	_	-	-	-	18,200	17,800	18,100	17,800	
7.3L V8	3.73	20,000	13,300	12,900	12,900	12,500	_	_	-	_	13,000	12,600	12,700	12,300	12,70	12,300	12,400	12,000	_	_	_	_	
DI Turbo	4.10	20,000	-	-	12,900	12,500	-	-	-	-	-	-	12,700		_	_	12,400	12,000	_	_	_	_	
Diesel	4.88	26,000	-	-	-	-	18,300	18,000	18,300	17,900	-	-	-	-	-	-	-	-	17,700	17,400	17,700	17,300	

### Maximum Loaded Trailer Weight (Lbs.) - Manual Transmission

			Regular Chassis Cab								Super Chassis Cab					Crew Chassis Cab								
ENGINE	AXLE RATIO	(LBS.)	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	F-450 4x2 DRW*	F-450 4x4 DRW*	F-550 4x2 DRW*	F-550 4x4 DRW*	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	F-450 4x2 DRW	F-450 4x4 DRW	F-550 4x2 DRW	F-550 4x4 DRW		
5.4L	3.73	13,500	7,500	7,000	7,100	6,700	-	-	-	-	7,100	6,700	6,900	6,500	6,800	6,400	6,600	6,200	_	_	DHVV	DHW		
SEFI V8	4.10	15,000	9,000	8,500	8,600	8,200	-	-	-	-	8,600	8,200	8,400	8,000	8,300	7,900	8,100	7,700	_	_	-			
6.8L	3.73	16,500	10,300	9,900	9,900	9,500	-	_	_	-	10,000	9,600	9,700	9,300	9,700	9,300	9,400	9,000	_	-	-	-		
SEFI V10	4.30	20,000	13,800	13,400	13,400	13,000	_	-	-	-	13,500	13,100	13,200	12,800	13,200	12,800	12,900	12,500	_	_	-	-		
	4.88	22,000	_	-	-	_	14,800	14,500	-	-	-	-	-	_	-	-	-	-	14,200	13,900	-	-		
	5.38	22,000	-	-	-	-	14,800	14,500	-	-	-	-	_	-	_	-	-	-	14,200	13,900	-	-		
7.3L V8	3.73	20,000	13,300	12,900	12,900	12,500	_	-	-	_	13,000	12,500	12,600	12,200	12,700	12,300	12,400	11,900	_	-	-	-		
DI Turbo	4.10	20,000	_	_	12,900	12,500	-	_	-	_	_	_	12,600	12,200	-	-	12,400	11,900			-	-		
Diesel	4.88	26,000	-	-	-	-	18,300	18,000	18,200	17,900	-	-	-	-	_	_	-	-	17,700	17,300	17,600	17,300		

Weights shown are for 141-inch wheelbase models. For 165- and 201-inch wheelbase models, weights may be somewhat less (usually not more than 400 pounds second-unit body weight. Be sure the combined weight of your vehicle and trailer does not exceed the listed GCWR.

Competitive comparisons contained herein are based on 1998 published competitive data available at time of printing.

Product Changes and Options Availability: Following publication of the catalog, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is your best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations. Options shown or described are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

Roadside Assistance: Every new Ford includes the assurance of a 24-hour emergency Roadside
Assistance Program provided during the 3-year/36,000-mile bumper-to-bumper warranty. Ask your Ford
Dealer for a copy of the limited warranty and complete details on this program which includes such
services as fuel delivery, tire change, jump start, or even help when you're locked out of your vehicle.

Race For The Cure:

As part of our ongoing commitment to breast cancer research and public awareness, Ford Division is proud to continue its national sponsorship of the Susan G. Komen Foundation's Race For The Cure:







Visit the Ford website at www.ford.com