

1987 DODGE VAN



B150 & MAXIVAN

**FOR BIG JOBS,
RAM VANS MEASURE
UP IN PAYLOAD,
PERFORMANCE AND
CHOICE.**

Need a tough hauler? Dodge hears you. And answers with a wide variety of full-size vans. Each built to go the limit, with payloads ranging from 1,400 pounds in the short-wheelbase B150 models to 4,545 pounds in the B350 Maxivan models. Each built tough enough to be backed by Dodge's industrial-strength 5/50 Limited Warranty.*

There are two wheelbase sizes to tote your load: 109.6 inches and 127.6 inches. Three body lengths to accommodate you. Cargo capacities range from 206.6 cubic feet in the 109.6-inch wheelbase models to 304.5 cubic feet in America's roomiest† van—the Maxivan, shown below right.

And as tough as they are, Dodge

Ram Vans keep the driver in mind, with excellent handling and maneuverability. The independent front suspension system offers a degree of steering ease and riding comfort usually expected in a passenger car. Ram Van front springs are computer "tailored" for maximum riding comfort and weight-carrying efficiency. Power steering,

we might add, is standard on all Dodge Ram Vans.

A new standard multifunction control lever has been added to the steering column for added driver convenience. A new 15-inch deluxe color-keyed steering wheel is standard.

So there you have it: workability, durability and strength. With enough

room to handle just about any work or recreational cargo demand. The man to see is your nearby Dodge Ram Van dealer. He can talk van like nobody can. Only he can give you such an outstanding choice. Only he can give you Ram Vans backed by America's first and only 5/50 Limited Warranty.*

*See back cover for details. †Based on SAE standard HSJ1100a.



Some of the equipment shown or described throughout this catalog is available at extra cost.

About this catalog. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details.

Dodge Ram Van B150, shown in Burnished Silver Metallic.

Dodge Ram Van B250 on cover, shown in Crimson Red.

Dodge Ram Maxivan B350, shown in Light Cream.

B250 & CONVERSION VAN

FOR PAYDAY OR PLAYDAY, DODGE DELIVERS.

Have it your way. A Dodge Ram Van is ideal for your kind of conversion, work or play, because it gives you so much more to start with. Its long list of standard equipment includes a hefty 3.7-liter 225 CID Slant Six engine on B150 and B250 models, power-assisted brakes, power-assisted steering, tinted glass, stainless steel exhaust system, low-back bucket seat and a

22-gallon fuel tank. And there's more, lots more...but you get the idea.

All Dodge Ram Vans are available with standard wide-opening dual side and rear doors, or optional sliding side door and single rear door.

Want more? Ask your Ram Van dealer about the money-saving Prospector Van Conversion Package. It lets you load up with such worthwhile

options as air conditioning, automatic transmission and more at a special low package price.

Although your Dodge Ram Van dealer is not in the conversion business, he can arrange to have your van converted to a recreational home on the roam, or to one of many industrial work configurations through a conversion specialist.

Whatever you decide to do, you

know you'll ride assured, thanks to the Ram Van's Ram Tough construction. Its Unibody construction, for instance, uses galvanized steel in many critical body areas to help protect against corrosion. In addition to this, the van body is prepared for the rust-fighting primer coat by a multistage spray cleaning and phosphate treatment. A high-gloss acrylic enamel paint completes the picture

with durability and quality you can see.

For work or for play, if you know where you want to go, let your Dodge Ram Van dealer help you get started. While all van manufacturers talk tough, only Dodge has the confidence to back every van it builds with its 5/50 Limited Warranty.* That's something to think about.

*See back cover for details



Dodge Ram B250, shown in Crimson Red.

Dodge B250 Conversion Van, shown in Burnished Silver Metallic/Light Blue Metallic.

OPTIONS & PACKAGES



Certain models, packages and options are subject to specific restrictions, requirements, or late availability. See your dealer for latest ordering information.

A. AIR CONDITIONING

Keep cool with six adjustable air outlets, a four-speed blower and bi-level ventilation.

B. AUTOMATIC SPEED CONTROL

This feature maintains preset speed automatically for added driver comfort and convenience on trips.

C. AM* STEREO/FM STEREO RADIO

Four speakers put out electronically tuned sound. Has integral digital clock.

*Some AM stereo broadcasting may not be compatible with this radio.

D. HIGH-BACK COMMAND BUCKET SEATS

These seats are available to provide additional style and two-passenger comfort on all Dodge Ram Vans. In Almond, Red, Blue.

E. BRIGHT REAR STEP BUMPER

Strong and tough. Corrugated surface helps footing. Handy for climbing up or as a support while loading.

F. DUAL EXTERIOR LOW-MOUNT MIRRORS
Unfold these low-mount mirrors for exceptional rear vision—on the road or when backing up.

G. WHEELS AND WHEEL COVERS

- Bright wheel covers are available on all models.
- Argent-painted steel-spoke wheel with bright trim ring has a decorative hub center.

CONVENIENCE PACKAGE

• Cigar lighter light • Deluxe two-speed windshield wipers with intermittent wipe feature • Glove box lock and light • Ignition switch light and headlight symbol light with time delay (not available with tilt steering column) • Low washer fluid warning light

EXTERIOR APPEARANCE PACKAGE

(Standard on Long Range Ram Van)
• Bright front and rear bumpers • Bright grille • Bright side and rear fixed window moldings (with Vision Van Window Package and vented side glass only) • Bright single rear door window surround molding • Bright taillight bezels • Bright windshield molding • Rectangular halogen headlights

LOCK PACKAGE

• Keys—two: one key operates ignition and front doors; one key operates side and rear cargo doors

POWER CONVENIENCE PACKAGE

(Not available on Long Range Ram Van)
• Power door locks: all doors • Power windows: driver and front passenger doors only (front door lower trim panels included)

SCHOOL BUS PACKAGE FOR B350 MODELS

With Solid Side Panel Van or Vision Van only. Required equipment at extra cost: Van Window Package for Solid Side Panel Van or Vision Van; vented glass with Van Window Package; 360 CID V-8 engine; 8,510-Pound GVW Package.
• Banded glass in front doors and vent wings • Parking brake switch • School bus yellow paint

VAN CONVERSION APPEARANCE PACKAGE

• Accessory wiring harness • 500-amp maintenance-free battery • Exterior Appearance Package (standard on Long Range Ram Van) • Garnish trim: over front door headers; A-pillar; and around windshield • Luxury

steering wheel • Woodtone applique instrument panel: color-keyed left and right lower skirts

PROSPECTOR VAN CONVERSION PACKAGE

(Not available on Long Range Ram Van)
• Air conditioning: front • Automatic speed control • Automatic transmission (standard on B350 models) • Bright bumper guards and black protective rub strips: front and rear • Convenience Package • Dual low-mount exterior mirrors • Dual rear cargo doors with vented glass • 35-gallon fuel tank • Oil pressure gauge • Power Convenience Package • Rubber scuff pads • Tilt steering column • Trip odometer • Van Conversion Appearance Package

RECOMMENDED TRAILER TOWING EQUIPMENT

To protect your warranty when towing over 2,000 pounds, see the 1987 Dodge Truck and Car Trailer Towing Guide or the 1987 Truck Book for recommended trailer weights, GCW ratings and drive line combinations. This guide also shows recommended vehicle equipment available at factory option or dealer installed.

SPECIFICATIONS

Model	B150 Long Range Ram Van		B150 Van		B250 Van	B250 Van & Maxivan	B350 Van & Maxivan			
	109.6/127.6	127.6	109.6/127.6	127.6	109.6/127.6	127.6/127.6 Maxi	127.6/127.6 Maxi	127.6	127.6 Maxi	
Wheelbase (in.)	109.6/127.6	127.6	109.6/127.6	127.6	109.6/127.6	127.6/127.6 Maxi	127.6/127.6 Maxi	127.6	127.6 Maxi	
GVW (lb)	5,300	5,300	5,000	5,300	6,010	6,400	7,500	8,510 ³	9,000	
Payload (lb)	1,600/1,495	1,400/1,290	1,685/1,580	2,420/2,310	2,675/2,545	3,405/3,195	4,340/4,150	4,345/4,155	4,545	
Axle Capacity (lb)										
Front			3,300				3,600	4,000	4,000	
Rear			3,850				5,500	3,600 Maxi 5,500	6,200	
Brakes (in.)										
Front Disc			11.75 x 1.25				12.82 x 1.25		12.82 x 1.25	
Rear Drum			11 x 2.5				12 x 2.5		12 x 3	
Booster			10.5 single				11.5 single		9.0 dual	
Engine—Std			3.7-liter (225 CID) Slant Six		3.7-liter (225 CID) Slant Six		5.2-liter (318 CID) 2-bbl V-8		5.9-liter (360 CID) 4-bbl V-8	
—Opt			5.2-liter (318 CID) 2-bbl V-8		5.2-liter (318 CID) 2-bbl V-8 5.9-liter (360 CID) 4-bbl V-8 ¹		5.9-liter (360 CID) 4-bbl V-8			
Spring Rating (lb)										
Front	Computer selected	Computer selected	Computer selected	Computer selected	Computer selected	Computer selected	Computer selected	Computer selected	Computer selected	
Rear—Std	1,610	1,375	1,610	1,810	1,810	1,980	2,360	2,770	2,670	
—Opt	1,810	1,610 h.d.	1,810 h.d.	1,980 h.d.	1,980 h.d.	—	2,770 h.d.	—	—	
Shock Absorber Diameter (in.)										
Front—Std	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
—Opt	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	
Rear—Std	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
—Opt	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	1 1/16	
Steering—Std	Power									
Transmission—Std	4-speed manual overdrive						3-speed automatic			
—Opt	3-speed automatic						—			
Tire Size	P205/75R15	P195/75R15	P205/75R15	P225/75R15	P235/75R15XL	LT225/75R16D LT225/75R16E (Maxi)	LT225/75R16E	LT245/75R16E	LT245/75R16E	
Tire Type	Steel-belted radial									
Wheel Rim Size (in.)	15 x 6.50					15 x 6.50 15 x 6.50 h.d. (Maxi)		16 x 6.0		16 x 6.5

¹Not available in California. ²Standard on B350 Maxivan. ³With School Bus Package only. ⁴Standard on B350 regular van.
NOTE: Payload should be reduced by the weight of occupants and any optional equipment.

DODGE VAN EXTERIOR AND INTERIOR DIMENSIONS

	109.6" wb	127.6" wb	127.6" wb Maxi
Height (max.)	79.6"	80.9"	80.6"
Width (max.)	79.8"	79.8"	79.8"
Length (max.)	178.9"	196.9"	222.9"
Effective head room: driver	36.1"	36.1"	36.1"
Floor-to-roof height	53.2"	53.2"	53.2"
Maximum inside width	72.2"	72.2"	72.2"
Front seat to rear door	92.9"	110.9"	136.9"
Engine cover to rear door	120.1"	138.1"	164.1"
Width between wheelhouses	50.0"	50.0"	50.0"
Rear and side hinged doors			
—opening height	47.2"	47.2"	47.2"
—opening width	49.3"	49.3"	49.3"
Side sliding door			
—opening height	47.2"	47.2"	47.2"
—opening width	39.8"	39.8"	39.8"
Van cargo area capacity (cu ft) ¹	206.6	246.7	304.5

¹Cubic capacity calculated by SAE standard HSJ1100a.

1987 RAM VAN EXTERIOR COLORS



NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips.

STANDARD AND OPTIONAL EQUIPMENT

	Long Range Ram Van	B150	B250	B350
Air Conditioning ¹ —Front: integral, with bi-level ventilation	E	E	E	E
Alternator—12-volt, 78-amp	S	S	S	S
Alternator—12-volt, 114-amp	NA	E	E	E
Antifreeze	S	S	S	S
Ashtray—Driver's compartment	S	S	S	S
Axle—Rear: anti-spin	E	E	E	E
Battery—400-amp maintenance-free	S	S	S	S
Battery—500-amp maintenance-free	E	E	E	E
Brakes—Front disc; rear drum: power-assisted	S	S	S	S
Bumper—Rear step type: bright	E	E	E	E
Bumper Guards and Nerf Strips—Front and rear (Exterior Appearance Package or Van Conversion Appearance Package required)	E	E	E	E
Bumpers—Front and rear: bright	S	P	P	P
Bumpers—Front and rear: painted	NA	S	S	S
Buzzer Warning—Fasten seat belts, headlights on, key in ignition	S	S	S	S
Cigar Lighter	S	S	S	S
Cooling—Auxiliary: transmission oil-to-air (automatic transmission, eight-cylinder engine, and maximum engine cooling required)	E	E	E	E
Cooling—Engine: maximum	E	E	E	E
Corrosion Protection—Extensive use of galvanized steel/Uniprime®	S	S	S	S
Defroster—Rear window: electric (for single rear door with vented glass only)	NA	E	E	E
Door—Single rear: with fixed or vented tinted glass	E	E	E	E
Door—Sliding side, cargo: with fixed or vented tinted glass	E	E	E	E
Door—Sliding side, cargo: with no glass	NC	NC	NC	NC
Doors—Cargo: double hinged type, right side and rear; no glass (all doors include easily removed metal check arm)	S	S	S	S
Electronic Ignition and Voltage Regulation System	S	S	S	S
Engine Block Heater	E	E	E	E
Exhaust System—Stainless steel	S	S	S	S
Floor Mat—Driver's side of compartment: black	S	S	S	S
Fuel Tank—22-gallon: with tethered fuel filler cap	NA	S	S	S
Fuel Tank—35-gallon: with tethered fuel filler cap	S	E	E	E
Gauges—Oil pressure gauge; trip odometer	E	E	E	E
Glass—Front door glass and vent window: banded	E	E	E	E
Glass—Front doors and windshield: tinted	S	S	S	S
Glass—Sunscreen privacy	E	E	E	E
Glass—Vented (for vans with Window Combination Packages): tinted	E	E	E	E
Glove box—With door	S	S	S	S
Grille—Argent finish	NA	S	S	S
Grille—Bright finish	S	P	P	P
Headlights—Halogen: rectangular	S	P	P	P
Headliner—Driver's compartment: white hardboard	S	S	S	S
Heater—Deluxe: fresh air with defroster	S	S	S	S
Hood Release—In-cab activated	S	S	S	S
Horns—Dual note: electric	S	S	S	S
Hubcaps—Bright (four)	NA	S	S	S
Instrumentation—Ammeter, engine coolant temperature gauge, fuel gauge, odometer, oil pressure warning light, speedometer	S	S	S	S
Jack—Axle type	NA	NA	NA	S
Jack—Bumper type	S	S	S	NA
Lights—Backup with integral stop and taillights; combined front parking lights, amber (two); combined rear side marker lights and reflectors, red (two); dome, driver and cargo/passenger compartment with door-operated switches; license plate	S	S	S	S
Locks—All doors	S	S	S	S
Mirrors—Exterior dual low-mount: bright	E	E	E	E
Mirrors—Exterior left and right sides, 5-inch by 7-inch: bright	S	S	S	S
Nameplates—On front doors, hood, rear doors	S	S	S	S
Power-Assisted Steering—All models	S	S	S	S
Radio—AM monaural, electronically tuned*	E	E	E	E
Radio—AM stereo [†] /FM stereo, electronically tuned*	E	E	E	E
Radio—AM stereo [†] /FM stereo, electronically tuned; with seek-and-scan; Dynamic Noise Reduction [‡] ; cassette tape player with automatic reverse; four speakers*	E	E	E	E
Seat—Driver: high-back Command bucket, deluxe vinyl trim	E	E	E	E
Seat—Driver: low-back bucket, deluxe vinyl trim	S	S	S	S
Seats—Driver and passenger: high-back Command buckets, deluxe vinyl trim	E	E	E	E
Seats—Driver and passenger: low-back buckets, deluxe vinyl trim	E	E	E	E
Shock Absorbers—Front and rear	S	S	S	S
Shock Absorbers—Heavy-duty: front and rear (standard B250 Maxivan only)	E	E	E	E
Spare Tire and Wheel	S	S	E	E
Spare Wheel	NA	NA	E	E
Speed Control—Automatic (automatic transmission required on six-cylinder engine)	E	E	E	E
Stabilizer Bar—Front	S	S	S	S
Steering Column—Tilt type (automatic transmission, deluxe wipers and automatic speed control required)	E	E	E	E
Steering Wheel—15-inch diameter: color-keyed	S	S	S	S
Sun Visor—Driver's side	S	S	S	S
Tire Carrier—Spare: inside-mounted	S	S	S	S
Wheel Covers—Deluxe (set of four)	S	E	E	E
Wheels—Argent painted steel spoke road type: with bright hub center and trim ring (set of four; not available on B250 Maxivan)	NA	E	E	NA
Windshield Washers—Wiper-arm mounted: electric	S	S	S	S
Windshield Wipers—Deluxe: two-speed with intermittent wipe	E	E	E	E
Windshield Wipers—Two-speed	S	S	S	S

S—Standard. E—Extra-cost. NA—Not available. NC—No-charge option. P—Package only.
¹Special engine cooling requirements for field-installed air conditioning. Failure to follow requirements may invalidate warranty. See dealer for details.
[†]All radios include integral digital clock. [‡]Some AM stereo broadcasting may not be compatible with this radio.
[‡]Dynamic Noise Reduction is a trademark of National Semiconductor Corporation. [®]Uniprime is a trademark of PPG Industries, Inc.

INTERIOR TRIM



Standard decor. Saddle Grain all-vinyl low-back bucket seat(s). Available with choice of Driver's Seat only or Driver and Passenger Seating Package. Available in Almond or Black.



Optional decor. Saddle Grain all-vinyl high-back Command bucket seat(s). Available with choice of Driver's Seat only or Driver and Passenger Seating Package. Available in Almond, Blue and Red.

5/50 LIMITED WARRANTY

Upon expiration of the basic 12-month or 12,000-mile new vehicle limited warranty, limited warranty coverage is extended on power train components to five years or 50,000 miles (two years or 24,000 miles for fleet and lease vehicles), plus outer panel rust-through protection of five years or 50,000 miles. A deductible may be required. Export vehicles excluded. See copy at your dealer.



MOPAR parts are engineered by Chrysler Motors for use in your new Dodge Ram Van. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

CONSIDER LEASING

Many of today's new truck prospects are wisely considering leasing as an alternative to buying. Leasing a new Dodge Ram Van usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new truck purchase. Ask your dealer for details.

ABOUT THIS CATALOG

Specifications, descriptions and illustrative material contained herein are as accurate as known at the time this publication was approved for printing. Chrysler Motors reserves the right to discontinue models or options at any time or change specifications and materials, equipment and design without notice and without incurring obligation. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained herein, see your Dodge Truck dealer.

Many of the items shown on vehicles in this publication are available through retail organizations and establishments not connected with Chrysler Motors. Availability, price, quality and durability of these items rest solely with the respective manufacturers and their sales organizations, and Chrysler Motors assumes no responsibility for their use.

Buckle up for safety



AMERICA'S BEST BACKED TRUCKS ARE RAM TOUGH
 Form No. 81-305-7062 8/86 (350M) Litho in U.S.A.