2002 NAVIGATOR



O2
American Icon.
O4
No Compromises.
Pure Strength.
O6
Making Tracks.
Quiet Refuge.
18
The Facts.
22
The Palette.



























Standard on the 2002 Navigator console is the **auxiliary climate control**, which allows the rear-seat passengers to adjust temperature, fan speed and air distribution to their liking. Additionally, the front floor console has rear audio controls, which allow passengers in the second row to adjust the volume and station selection, as well as listen through their headphones.





The available power **moonroof** on the 2002 Lincoln Navigator welcomes in the sun, moon and stars. Or, if you prefer, just a nice touch of breeze. Controls for the moonroof are located in a stylish, overhead mini console for easy access.



Power-folding exterior mirrors.

To make room for tight parking or in your garage, the mirrors fold in at the touch of a button. They're electrically heated to quickly melt ice and snow.

They house prominent turn signals—visible to traffic behind you—that flash brightly when you activate Navigator's turn indicator. And they can be set to remember your preferred adjustment.



Because drivers come in varying sizes and stature, power-adjustable brake and accelerator pedals can travel up to three inches to assume the most comfortable driving positions. The driver's preferred pedal settings will be retained in the memory system.




controlled seats allow both the driver and front passenger to regulate the temperature of their seats—sending either cool or heated air up through the seat cushions, for additional comfort.



When backing up, the Navigator driver will benefit from the added convenience of Lincoln's available Reverse

Sensing System. A clearly audible warning signal, which increases in intensity as an object is approached, alerts the driver to use extra caution.



An available Alpine® Audiophile Sound System with AM/FM stereo/cassette uses seven speakers, including a subwoofer, to create precise sound reproduction. To enhance the versatility of your audio system, the Personal Audio System is a feature that allows independent listening to different audio sources—radio, cassette or available CD. So when headphones are used in the rear seat, for example, front-and rear-seat passengers can listen to the same source or choose a different source.

#

The second-row **bucket seats** can be quickly folded down flat in four easy steps, further increasing Lincoln Navigator's cargo area. Clear instructions are provided.

1

In the second- and third-row seating areas, luxury extends beyond soft leather trim to the **climate control**. Through a clever use of duct passages, temperate air reaches every passenger, courtesy of the auxiliary climate control—keeping everyone comfortable.

4

The four-wheel drive Navigator uses the **Control Trac® 4WD system** to select one of three different modes to accommodate varying on-road conditions. A rotary switch that's within easy reach facilitates effortless selection. Additionally, the "Automatic" setting chooses between two- or four-wheel drive as various road conditions dictate.

1

Navigator's powerful and responsive 5.4-liter 32-valve **DOHC InTech™ V8 engine** delivers a very impressive 300 horsepower along with 355 lb-ft of torque. In addition, your Lincoln Navigator is able to travel 100,000 miles without a scheduled tune-up.¹ Under normal driving conditions with routine fluid and filter changes.

#

Electronic Automatic Temperature Control automatically adjusts—and continually maintains—the interior temperature to your preferred level. Additionally, the blower will wait to switch itself on until the air to be distributed has reached the preset level.

#

In case of a complete coolant loss, the **fail-safe cooling system** goes from eight-cylinder operation to alternating banks of four cylinders—helping to lower engine temperature.

4

Navigator offers a standard four-wheel disc brake and **four-wheel Anti-lock Brake System**—both of which contribute to improved control by reducing wheel lockup during hard braking on most surfaces. More importantly, they help increase driver confidence.

#

HomeLink® Universal Transceiver allows the Lincoln Navigator driver to quickly and easily program a remote (engineered right into the Navigator's visor) to activate garage doors plus any two additional home-based devices, such as patio or driveway lights.

#

To ensure we're offering our customers the best service possible, we proudly offer the **Lincoln Personal Consultant**. Just visit our Web site at lincolnvehicles.com/pc and one of our manufacturer's representatives will help with anything from price quotes to product features to arranging a test drive at your local dealer—at no cost or obligation.

#

The **SecuriLock**™ passive anti-theft system uses an encoded key to help protect against theft. If a nonencoded key or ignition bypass is detected, the ignition disables itself.

-

The 2002 Lincoln Navigator's tip/fold/lock **third-row bench seating** is capable of being folded and locked to an upright position, or removed with equal ease—quickly accommodating extra passengers or extra cargo, depending on your individual needs.

1

Because Navigator's front **wipers** are speed-sensitive, they automatically adjust their speed in relation to the vehicle's road speed. This eliminates the need for constant, manual adjustments, while enhancing the driver's visibility under adverse conditions.

#


Gracing Lincoln Navigator's elegant **wood- and leather-trimmed steering wheel** are duplicate controls for cabin climate and audio, as well as speed control adjustments. This allows you to keep your hands on the wheel and your eyes on the road at all times.

LAYOUT	Front engine, rear-wheel drive, available 4-wheel drive
TYPE	DOHC 32-valve InTech™ V8 with electronic engine control system
CONSTRUCTION	Cast iron block with aluminum heads
DISPLACEMENT	5.4 liter/330 cu in
BORE & STROKE	90.2 mm x 105.8 mm/3.55 in. x 4.17 in.
COMPRESSION RATIO	9.5:1
HORSEPOWER	300 @ 5000 rpm (SAE net)
TORQUE	355 lb-ft @ 2750 rpm (SAE net)
AIR INDUCTION SYSTEM	Long runner intake with tuned plenum
FUEL DELIVERY	Sequential multi-port electronic fuel injection
FUEL REQUIREMENT	91 octane (minimum)
COOLING SYSTEM	Fail-safe cooling
TRANSMISSION AND TRANSFER CASE	
TYPE	4-speed electronic automatic overdrive with overdrive lockout
AXLE RATIO	3.73:1 (limited slip differential)
CONTROL TRAC® 4WD SYSTEM	Optional; 3 selectable drive modes, electronically controlled
	Chassis
BODY	Body on fully boxed ladder frame construction
SUSPENSION 2WD	Front: Independent Short- and Long-Arm with stabilizer bar and coil springs
	Rear: 5-link load-leveling with stabilizer bar and air springs
4WD	Front: Independent Short- and Long-Arm with stabilizer bar and torsion bar
	Rear: 5-link load-leveling with stabilizer bar and air springs

ENGINE

22

			206.0 in — 92.9 in —			
SHOCK ABSORBERS		2WD	Front: Gas-pressurized Rear: Gas-pressurized			
		4WD	Front: Load-leveling air Rear: Gas-pressurized			
AIR SUSPEN	NSION	2WD	Rear load-leveling system			
		4WD	Height-adjustable and 4-corner load-leveling system			
STEERING	Туре		Speed-sensitive, power-assisted			
	Overall ratio	2WD	16.1:1			
		4WD	16.5:1			
	Turning circle	2WD	40.4 ft diameter			
		4WD	40.5 ft diameter			
WHEELBASE			119.0 in.			
TRACK			Front: 65.4 in. Rear: 65.5 in.			
BRAKES Power-assisted 4-wheel disc, Anti-		Power-assisted 4-wheel disc, Anti-lock Brake System (ABS)				
WHEELS 17-			17-inch cast aluminum			
TIRES		2WD	P275/60R17 outlined white lettered all-season			
		4WD	P255/75R17 outlined white lettered all-terrain			
CURB WEIGHT		2WD	5424 lb			
		4WD	5774 lb			
GROUND (CLEARANCE		8.5 in.			
			Towing ¹			
CLASS			Class III/IV with load-distributing hitch receiver			
trailer we	EIGHT	2WD	8900 lb max.			
		4WD	8000 lb max.			
tongue v	WEIGHT	2WD	890 lb max. (Class IV)			
		4WD	800 lb max. (Class IV)			
STANDARD	EQUIPMENT		7-pin trailer wiring harness; heavy-duty flashers;			
			Class III hitch receiver (frame-mounted); auxiliary transmission oil cooler			



Interior and Exterior Color Combinations	Light chnent Gold	alack	oser Red Times	Mineral Grey	Oxford White
Medium Parchment	•	•	•	•	•
Medium Graphite		•	•	•	•

Interior fabric and exterior color combinations are not available on all models. Please see your dealer for availability. Navigator Limited Edition is only available in Monochromatic Black Clearcoat with Medium Parchment interior.

▲ Clearcoat ■ Clearcoat Metallic



Lin	nited Edition		
INTERIOR TRIM—in Medium Parchment	 REVERSE SENSING SYSTEM—with in-cabin speaker for audible warning signal 		
PAINT—Monochromatic Black Clearcoat with black front and rear fascias,	 WHEELS—unique 17-inch machined aluminum 		
bodyside cladding and running boards			
Availe	able Equipment		
In addition to or in place of the standard equipment, the following options are d	available:		
ENTERTAINMENT SYSTEM—rear seat 6.8-inch retractable overhead	 RADIO—front center console-mounted 6-disc CD changer 		
color LCD screen, 2 wireless headphones, remote control with VHS player;	 REVERSE SENSING SYSTEM—with in-cabin speaker for audible warning signa 		
mounted in front center console ⁵	 SEATS—2nd-row 60/40 split bench with center-seat lap safety belt 		
LICENSE PLATE BRACKET—front	and leather seating surfaces		
MIRRORS—power folding exterior	 SEATS—climate-controlled driver and front passenger 		
MOONROOF—power, includes mini overhead console	 SKID PLATE PACKAGE—includes fuel tank, transfer case and front 		
NAVIGATION SYSTEM—with the Global Positioning System,	differential/suspension protection package ⁶		
5-inch color console display and voice instruction ⁵	 WHEELS—17-inch chrome cast aluminum 		
RADIO—Alpine® Audiophile Sound System with AM/FM stereo/cassette,			
7 premium speakers including subwoofer and speed-compensating volume contr	ol		
(each front door is equipped with 2 speakers) and Personal Audio System			

Navigator is not intended to be used for snowplowing. ²Width measurement includes mirrors. ³54.5 cu ft behind 2nd row with seat removed; 17.9 cu ft behind 3rd row. ⁴Always wear your safety belt and secure children in the rear seat. ³Requires 6-disc CD changer. ⁶Available equipment on 4-wheel drive models.

Wob S

For additional information on Navigator or other fine Lincoln automobiles, find us on the Web at

lincolnvehicles.com



Standard with all 2002 model year vehicles is 3-year/36,000-mile Lincoln Complimentary Maintenance—a no charge, scheduled maintenance service at 5,000 mile or 6 month intervals, whichever occurs first, in accordance with your vehicle's scheduled maintenance guide. Six additional wear items will also be covered: spark plugs (except in California), shock absorbers, clutch disc, engine belts and hoses, brake pads and linings, and wiper blades. Available in the U.S. (may be available in other countries). See your dealer for more details.



Ford Credit provides the convenience of one-stop shopping with a variety of simple-to-understand purchase or Red Carpet Lease programs available right at the dealership. For more information, ask your dealer for details, or visit us on the Web at **www.fordcredit.com**



Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Lincoln dealer is your best source for up-to-date information. Lincoln reserves the right to change product specifications at any time without incurring obligations. 2002 EPA mileage estimates were unavailable when this brochure was printed. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. Information based on AAMA specifications.

HEADROOM (in.)	39.6 1st row; 39.7 2nd row; 37.8 3rd row	ons and Dimensions OUTSIDE DIMENSIONS 2WD (in.)	75.2 height; 92.9 width²; 206.0 length	
LEGROOM (in.)	41.2 1st row; 38.6 2nd row; 36.3 3rd row	OUTSIDE DIMENSIONS 4WD (in.)	76.7 height; 92.9 width²; 206.0 length	
HIPROOM (in.)	57.9 1st row; 58.0 2nd row; 50.2 3rd row	FUEL CAPACITY (gal)	30.0	
SHOULDER ROOM (in.)	63.3 1st row; 63.4 2nd row; 52.3 3rd row	CARGO VOLUME (cu ft)	104.7 maximum³	
ON OCIDER ROOM (III.)		and Security		
 AIRBAGS—driver and 	front passenger and front seat-mounted	 SAFETY BELTS—3-point outboard res 	straints with 1st- and 2nd-row	
side-impact head/chest ⁴		height-adjustable D-rings and 3rd-ro		
ANTHINTRUSION DOG	OR BEAMS	 SECURILOCK[™]—passive anti-theft syst 	tem	
BRAKE SHIFT INTERLO	CK	 WARNING CHIME SYSTEM—door or liftgate ajar, fasten safety belt reminder, 		
BRAKES—power 4-whe	eel disc Anti-lock Brake System (ABS)	headlamp or parking lamps on and key-in-ignition		
CHILD-SAFETY SEAT TETHER ANCHORS—in all 2nd- and 3rd-row		 WARNING LIGHT SYSTEM—door or liftgate ajar, anti-lock brakes, check 		
seating positions		engine, airbags ⁴ , safety belt reminder, high beams on, parking brake on,		
KEYLESS ENTRY KEYPA	D—on driver's door	charge system, engine temperature, check suspension, low washer fluid,		
REMOTE KEYLESS ENTRY SYSTEM—2 key fobs with panic alarm and		anti-theft alarm and low fuel lamps		
illuminated entry				
Charles of the Control of the Contro	Interio	r Amenities		
ACCESSORY DELAY—	power, provides up to 10 minutes for closing windows	 GLOVE BOX—illuminated with ergo 	nomic driver's side handle	
and moonroof (if equip		■ HOMELINK® UNIVERSAL TRANSCEI	VER—with garage door opener	
 AIR CONDITIONING- 	Electronic Automatic Temperature Control with	 INSTRUMENT CLUSTER—analog clu 	ster with speedometer, tachometer, odometer,	
duplicate steering whe	el controls, 2nd-row bi-level floor and center	trip odometer, voltmeter, engine oil	pressure, coolant temperature and fuel gauges	
console vent controls and auxiliary fan controls		■ INSTRUMENT PANEL—soft touch, vinyl wrapped with genuine wood insert and		
 ASSIST HANDLES—co 	lor keyed, 2 in 1st row, 2 in 2nd row and 1 on liftgate	driver storage bin under steering column		
 AUXILIARY CLIMATE C 	ONTROL—for rear occupants	 LIGHTS—interior front dome lamp, 1st- and 2nd-row map lamps, rear cargo 		
 BATTERY SAVER 		overhead lamp, ashtray and under-hood lamps		
 CARGO AREA—cargo 	net, tie-down hooks and storage bins	 MAP POCKETS—located on front se 	eatbacks with closeable lid	
 CARPETING—color ke 	yed with scuff plates at every door	 MIRROR—electrochromic (auto-dimming) rearview mirror 		
and molded in-step pa	d on 2nd-row for easy 3rd-row access	 POWER-ADJUSTABLE BRAKE AND A 	ACCELERATOR PEDALS—with memory feature	
COAT HOOKS—2 in	2nd row, 2 in cargo area	■ POWER POINTS—12-volt outlets in instrument panel and in rear of 1st-row floor cons		
 CONSOLE—1st-row flo 	oor with storage bin, cupholders, coin holder,	 RADIO—premium AM/FM/stereo/cassette with 4-speakers, 2nd-row controls, 		
tissue box holder, rear	audio/climate controls and headphone jacks	speed-compensating volume control	and Personal Audio System	
 CONSOLE—2nd-row f 	floor with leather padded armrest, cupholders,	 SEATS—quad bucket seats with leat 	ther seating surfaces, driver's seat with memory	
storage bin and storag	e tray	feature, dual 6-way power front low	-back bucket seats with power lumbar support,	
 CONSOLE—overhead 	with map lamps, power-flip rear quarter window	2nd-row fold-flat seats and removable tip/fold/lock 3rd-row bench seat with		
switches, storage and electronic display for distance to empty, compass		leather seating surfaces and easy install/remove roller system		
and average fuel economy		 SPEED CONTROL—fingertip controls with tap-up/tap-down feature 		
 CUPHOLDERS—2 in instrument panel, 4 in 1st-row floor console, 		 STEERING WHEEL—wood- and leather-trimmed power tilt with speed control, 		
2 in 2nd-row floor console and 2 in 3rd-row quarter trim panel		duplicate audio and climate controls		
 DEFROSTER—rear window 		 VISORS—cloth covered with secondary visors and illuminated vanity mirrors 		
 DOOR TRIM PANELS—color keyed with genuine wood insert, 		 WINDOWS—power, driver's side with express-down feature, illuminated switches 		
grab handle, carpeted	lower portion and front door puddle lamp	and power-flip rear quarter window	5	
 FLOOR MATS—carpet 	ed front and rear with Lincoln logo			
	Exteri	or Features		
 ANTENNA—conceale 	d in passenger side rear quarter glass	 RUNNING BOARDS—integrated ar 	nd illuminated	
 BODYSIDE CLADDING 	—color keyed with lower accent color	 TAILLAMPS—dual complex reflector 		
and wheel-lip molding	5	 TIRE—under-body mounted 17-inch f 		
 BUMPERS—color keyed front and rear, 2.5 mph impact 		 TIRES—P275/60R17 outlined white lettered all-season (2WD) or P255/75R17 		
■ FOG LAMPS—clear lens complex reflector		outlined white lettered all-terrain (4WD)		
 GLASS—solar tinted w 	rith Privacy Glass™ on rear doors,	 TOW HOOKS—black, integrated into front bumper fascia 		
			ame-mounted hitch receiver, auxiliary transmissi	
rear quarter windows	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	oil cooler, heavy-duty flashers and 7	7-pin trailer wiring harness	
•	ound complex-reflector lenses with automatic on/delay off		F5	
 HEADLAMPS—wrapar LIFTGATE—with flip-up 	glass and gas cylinder lift assist	 WHEELS—17-inch cast aluminum 		
 HEADLAMPS—wrapar LIFTGATE—with flip-up 				



LINCOLN AMERICAN LUXURY